

Automatic pick-and-place of 40 microns objects using a robotic platform.

David Hériban, Michaël Gauthier, Stéphane Régnier, Nicolas Chaillet, Philippe Lutz

► To cite this version:

David Hériban, Michaël Gauthier, Stéphane Régnier, Nicolas Chaillet, Philippe Lutz. Automatic pickand-place of 40 microns objects using a robotic platform.. 9t International Conference of the European Society for Precision Engineering and Nanotechnology, EUSPEN'09., Jun 2009, San Sebastian, Spain. pp.515-518. hal-00404444

HAL Id: hal-00404444 https://hal.science/hal-00404444

Submitted on 16 Jul 2009

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Automatic pick-and-place of 40 microns objects using a robotic platform

D. HERIBAN¹, M. GAUTHIER¹, S. REGNIER², N. CHAILLET¹, P. LUTZ¹ ¹*FEMTO-ST Institute, UMR CNRS 6174 – UFC/ENSMM/UTBM, AS2M Department,* 24 Rue Alain Savary, 25000 Besancon, France. ²Institut ISIR, BP61, 92265 Fontenay Aux Roses, France. michael.gauthier -at- femto-st.fr

Abstract

Robotic micro-assembly is one way to manufacture new generation of out of plane and/or hybrid microsystems. This approach requires the study of micromanipulation strategies adapted to the microworld and especially to the surface and adhesion forces. We are focusing our works on the study of robotic assembly methods applied to objects whose size is below 100 micrometers. The handling strategy used is based on a two fingered gripper. In order to reduce the adhesion between the gripper and the manipulated objects specific end-effectors have been developed. Moreover, to improve the release reliability we are using a polymer substrate which induces high adhesion with the objet. Some automatic pick-and-places on objects whose typical size is 40 micrometers have been done (cycle time of 1.8 second). There show the reliability of the proposed approach.

1 Introduction

In a general way, design of Micro Electromechanical Systems (MEMS) is limited to monolithic structures which can be manufactured directly by microfabrication methods. In fact, the microfabrication capabilities highly reduce diversity and functionalities of microsystems. Innovative ways are required to build new generation of out of plane and/or hybrid microsystems [1,2].

One way to produce more complex microsytems is to assemble microcomponents. The robotic micro-assembly requires new manipulation strategies adapted to the microworld and especially to the surface and adhesion forces [3,4].

In these last five years, the performance of the micro-assembly has grown and this approach is now considered as a future means of MEMS fabrication.

Active gripper is one of the more common ways to micromanipulate. The grasp is obtained by clamping and the release requires specific repulsive forces (inertial

release, DEP release, etc.) [5,6] As the trajectory of the object after release cannot be currently controlled, these strategies are able to grasp a micro-object but cannot position it with a sufficient precision. Moreover, current efficiency of these release strategies stays low. A new and reliable release method is proposed in this paper.

2 Handling Strategy

We are proposing a new reliable and reversible method to position micro-object on a substrate. The principle is a hybrid strategy between adhesion manipulation and gripping and is based on a hierarchy of forces. In one hand, to guarantee the release of the object, the adhesion force between object and substrate must be higher than the adhesion force between object and gripper (see in figure 1):

 $F^{adhesion}_{object-substrate} >> F^{adhesion}_{object-gripper}$ (1)

This method is inspired from adhesion handling [7] which enables reliable release but is not able to grasp again the object from the substrate. In order to grasp the object, a gripping force higher than the adhesion force between substrate and object along the direction \vec{n} is required (see in figure 1):

$$\Gamma_{object-gripper} >> \Gamma_{object-substrate}$$

$$Gripper end-effectors$$

substrate

object-substrate

$$F_{object-gripper}^{gripping} >> F_{object-substrate}^{adhesion}$$
 (2)

Figure 1: Grasping a release of the micro-object

One of the best technological solutions is to use gripper with two fingers where the gripping force could be easily higher than adhesion between the object and the substrate. Our hydrid method uses advantages of both adhesion manipulation and gripping. It enables a reliable release and grasping of micro-object.

3 Experiments

Two ways have been chosen to guarantee first object's manipulation: increase adhesion forces between the substrate and the object and decrease adhesion force between the object and the gripper.

Firstly, we chose to use as substrate a transparent gel film well-known in microelectronics: Gel-Pak®. This material is in fact softly adhesive, it consequently enables accurate pick and places. Moreover, the low mechanical stiffness of this polymer induces natural compliance of the substrate required for micro-assembly [8]. Secondly, efforts have been made on end-effectors shaping. First, surface in contact with the micro-object has been reduced by using end-effectors with a small thickness (12 μ m). Moreover, the fabrication process called DRIE has been used to give the gripping surface a specific texture. Etching anisotropy of this process is made by a short succession of isotropic etching/protection cycles. These cycles create a phenomenon called *scalloping* which increases roughness and thus decreases adhesion [8,9].

In order to test the approach, a micro-object whose dimensions are $5 \times 10 \times 20 \ \mu\text{m}^3$ has been placed on the substrate. First, gripper is moved above and fingers are opened to grip the object (see in figure 2). Then the object is hold by the gripper and separated from the substrate. The substrate is moved to a new position (target position). Finally, release is performed by moving down the gripper to create a contact between object and substrate then the opening of the gripper induces the release of the object.

Firstly, tests have been done in teleoperation. The operator controls the trajectories of the gripper and the substrate with a joystick without force feedback. 60 operations have been done. The time cycle stays always between 3 and 4 seconds.

Secondly, tests have been done in an automatic cycle without force and position feedback. The pick and place was repeated 60 times and the time cycle was 1.8 s.

4 Conclusion

The robotic assembly is one way to produce new microsystems with improved functionalities. This article focused on the pick and place operation of microparts in order to produce microscopic assembly systems. An original hybrid method between adhesion manipulation and gripping has been proposed. The experiments have

validated our method and prove the high reliability of this new approach compared to the other methods. Future works will focus on the automation of the assembly.




Figure 2: Teleoperated pick-and-place of a 40 µm micro-object

Acknowledgement:

Work supported by the French Project PRONOMIA ANR-05-BLAN-0325

References:

N. Dechev, et al. Microassembly of 3-d microstructures using a compliant, passive microgripper. J.1 of Microelectromechanical Systems, 13(2):176-189, 2004.
 D. O. Popa and H. E. Stephanou. Micro and meso scale robotic assembly. SME Journal of Manufacturing Processes, 6(1):52–71, 2004.

[3] M. Gauthier et al. Forces analysis for micromanipulations in dry and liquid media. J. of Micromechatronics, 3(3-4):389–413, 2006.

[4] Q. Zhou et al. Ambient environment effects in micro/nano handling. In Proc. of the 2004 Int. Workshop on Microfactories, pages 146–51, Shangai, China.

[5] M. Gauthier et al. Submerged robotic micromanipulation and dielectrophoretic micro-object release. In proc. of the IEEE ICARCV 2006 conference, Singapore.

[6] F. Dionnet et al. Autonomous micromanipulation using a new strategy of accurate release by rolling. In Proceedings of the 2004 IEEE ICRA, USA.

[7] D.S. Haliyo and S. Regnier. Manipulation of micro-objects using adhesion forces and dynamical effects. In proc. of ICRA 2002.

[8] D. Hériban, M. Gauthier, Robotic Micro-assembly of Microparts Using a Piezogripper, in proc. of the IEEE/RSJ IROS Conference, page 4042-47, 2008.

[9] J. Agnus, et al. Silicon End-Effectors For Microgripping Tasks, Precision Engineering, accepted in January 2009.