

Direct determination of free metal concentration by implementing stripping chronopotentiometry as the second stage of AGNES

Corinne Parat, Laurent Authier, D. Aguilar, E. Companys, J. Puy, J. Galceran, Martine Potin-Gautier

▶ To cite this version:

Corinne Parat, Laurent Authier, D. Aguilar, E. Companys, J. Puy, et al.. Direct determination of free metal concentration by implementing stripping chronopotentiometry as the second stage of AGNES. Analyst, 2011, 136 (20), pp.4337-4343. 10.1039/c1an15481h . hal-01444584

HAL Id: hal-01444584 https://hal.science/hal-01444584

Submitted on 14 Mar 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Direct determination of free metal concentration by

2 implementing stripping chronopotentiometry as second stage

3 of AGNES

- 4
- 5 C. Parat^{a*}, L. Authier^a, D. Aguilar^b, E. Companys^b, J. Puy^b, J. Galceran^b and M.

6 Potin-Gautier^a

- 7 ^aUniversité de Pau et des Pays de l'Adour, L.C.A.B.I.E., UMR 5254, IPREM, Av. P.
- 8 Angot, 64053 Pau Cedex 9, France
- 9 ^bDepartament de Química. Universitat de Lleida, Rovira Roure 191, 25198 Lleida,

10 Spain

- 11
- *Corresponding author. E-mail: corinne.parat@univ-pau.fr; fax: +33 559 40 76 74
- 13
- 14

15 **Abstract**

The electroanalytical technique Absence of Gradients and Nernstian Equilibrium 16 Stripping (AGNES) has been extended by applying stripping chronopotentiometry 17 (SCP) as the reoxidation stage in the determination of the free concentration of Zn^{2+} , 18 Cd²⁺ and Pb²⁺. This new approach, called AGNES-SCP, has been implemented with 19 screen-printed electrodes (SPE) and the standard Hanging Mercury Drop Electrode 20 21 (HMDE). Clear advantages of this variant have been shown: i) the easy resolution of the peaks of different metals present in mixtures and ii) the sparing of blanks. A rigorous 22 computation of the faradaic charge along the SCP stage takes into account the 23 contribution of other oxidants, which can be efficiently measured at the end of the 24 deposition stage of AGNES. The free Cd concentration determined in an oxalate 25 26 solution at pH 6 with an HMDE as working electrode agreed well with values obtained with a Cd Ion Selective Electrode. The free metal concentration measured using an SPE 27 for the system Cd and nitrilotriacetic acid (NTA) at pH=4.8 conformed also well with 28 29 Visual Minteq results.

30

Keywords: Screen-Printed Electrodes, AGNES, stripping chronopotentiometry, trace
 metals, HMDE

34 **1. Introduction**

Over the past decades, two equilibrium models, the free ion activity model (FIAM)¹ and the biotic ligand model (BLM)² have been developed to predict metal bioavailability and toxicity in environmental systems. In both models, the role of free metal ion concentration can be far more important that the one of the total concentration. Thus, its determination becomes a relevant analytical goal.

However, to date, there is a limited number of techniques³ able to determine the free ion 40 concentration with the required selectivity and detection limit such as Donnan 41 Membrane Technique (DMT),⁴ Complexing gel Integrated microelectrode (CGIME),⁵ 42 Permeation liquid membrane (PLM)⁶ or Potentiometry with ion selective electrode 43 (ISE).⁷ ISE is, in principle, an ideal method for free trace metal determination, because 44 it does not disturb the equilibria and the sample composition during the analytical 45 procedure. Unfortunately, commercial ISEs, which exist only for a limited number of 46 metal ions, generally lack the required sensitivity and suffer from interferences with 47 48 other metal ions. Other voltammetric techniques, such a cathodic stripping voltammetry, require involved interpretations and the knowledge of several physicochemical 49 parameters in order to yield an estimate of the free metal ion concentrations. 50

51 To overcome these limitations in the measurement of free metal concentrations, the electrochemical method Absence of Gradients and Nernstian Equilibrium Stripping 52 (AGNES) has been specifically designed and developed.^{8,9} This method consists of two 53 stages: i) a first deposition stage in which a reduction potential E_1 is applied to 54 accumulate reduced metal into the mercury amalgam until Nernstian and diffusion 55 equilibrium are reached, and ii) a second (stripping) stage where a more positive 56 potential program E_2 is applied, in order to reoxidate and quantify the metal 57 accumulated in the amalgam. Several strategies have been used for this second stage: a) 58

a constant potential step (or "pulse") under diffusion limited conditions, to take 59 advantage of the limiting current being independent of the properties of the solution:⁸ b) 60 a linear re-oxidating potential sweep;¹⁰ c) or a potential step at any given re-oxidation 61 potential.^{11, 12} Although AGNES vields results in good agreement with speciation 62 models¹³⁻¹⁵ and has been shown to be adequate for determining the free Zn 63 concentration in natural water samples,^{9, 16} previous variants could be affected by the 64 interference from other cations (e.g. Cd^{2+} determination in the presence of Pb^{2+}). Also, 65 in variants a) and c), a measurement of a blank is required to subtract the non-faradaic 66 contribution. 67

In seeking an alternative second stage which could allow a discrimination of 68 interferences and avoid the blank measurement, classical stripping methods such as 69 "Differential Pulse" (DP), "Square Wave" (SW) or "Stripping Chronopotentiometry" 70 (SCP) programs can be considered. Despite the widespread use of DP or SW, they are 71 unsuitable for the second stage of AGNES as adsorption of organic species on the 72 73 electrode surface appears as one of the most serious problems to obtain reliable measurements of trace metal speciation.¹⁷⁻¹⁹ Indeed, phenomena such as complexation 74 or adsorption can modify the response in these techniques and, thus, the analytical 75 signal would not be directly proportional to the accumulated metal. On the other hand, 76 SCP seems a better candidate as it does not present these problems (i.e. in its version of 77 "complete depletion"), measures the total accumulated reduced metal and has proved to 78 be a successful stripping technique to acquire information on different "labile" fractions 79 of metals.^{20, 21} SCP distinguishes the signals corresponding to the reoxidation of 80 different metals (e.g. Zn, Cd, Pb) and does not require any blank. 81

The aim of this paper is to describe the advantages of SCP as stripping method of 83 AGNES (AGNES-SCP) for the free ion concentration determination with both HMDE 84 and Screen-Printed Electrode (SPE). After finding suitable parameters for each kind of 85 working electrode, calibration curves have been performed separately in synthetic 86 solutions containing Zn^{2+} , Cd^{2+} or Pb^{2+} , and then in a mixture of these metals. 87 Performances of each working electrode have been determined. Finally, free metal ion 88 concentrations have been determined in synthetic solutions containing a complexing 89 ligand and compared with results obtained from an ion selective electrode (ISE) and/or 90 expected results computed from Visual MINTEQ. 91

92

93 **2. Material and Methods**

94 2.1 Equipment and Reagents

Zn, Cd and Pb 1000 mg L⁻¹ stock solutions were obtained from Merck. Potassium nitrate was used as the inert supporting electrolyte at 0.1 mol L⁻¹ and prepared from KNO₃ solid purchased from Aldrich (Trace Select). Potassium oxalate and nitrilotriacetic acid (NTA) in the H₃L form were used as ligands (all Fluka, analytical grade). Nitric acid (69-70%, Baker Instra-Analysed for trace metal analysis), sodium hydroxide (Baker Analysed), hydrochloric acid (Baker Instra-Analysed for trace metal analysis) were purchased from Aldrich.

SPE were prepared using a polystyrene support for serigraphy (Sericol), carbon commercial ink electrodag PF-407A (Acheson Colloids) and mesitylen (Aldrich). The mercury deposition on the SPE was carried out using an acetate buffer solution (0.2 mol L^{-1} , pH = 4.6) prepared from acetic acid (Trace select), sodium acetate trihydrate (Trace select) and mercury(II) nitrate 1000 mg L^{-1} (atomic absorption standard) (all obtained from J.T. Baker).

108 Ultrapure milli-Q water was employed in all the experiments (resistivity 18 M Ω cm).

Purified water-saturated nitrogen $N_2(50)$ was used for dearation and blanketing of solutions.

Voltammetric measurements were performed with an Eco Chemie Autolab PGSTAT 10 potentiostat attached to a Metrohm 663 VA Stand and to a computer by means of the GPES 4.9 (Eco Chemie) software package. The working electrode was a SPE or a HMDE from Metrohm (to reduce the deposition time, the smallest drop has been chosen, which corresponds to a radius around $r_0 = 1.41 \times 10^{-4}$ m). The auxiliary electrode was a glassy carbon electrode and the reference electrode was Ag | AgCl | KCl(3 mol L⁻¹), encased in a 0.1 mol L⁻¹ KNO₃ jacket.

A glass combined electrode (Orion 9103) and Cd Ion-Selective Electrode (Crison, 9658) were attached to an Orion Research 720A ionanalyzer and introduced in the cell to control the pH and the Cd²⁺ concentration, respectively. Glass jacketed cells, provided by Metrohm, were thermostated at 25.0 °C and used in all the experiments.

122

123 **2.2** Preparation of screen printed electrode (SPE)

SPE were manually screen-printed on 1 mm-thick polystyrene plates using a commercial ink to produce an array of 8 electrodes.^{12, 22, 23} After drying 1 hour at room temperature and 1 h at 60 °C, an insulating layer (made of polystyrene dissolved in mesitylen) was spread manually over the conductive track, leaving a working disk area of 9.6 mm² and an electrical contact.

Then, a thin layer of mercury was electrochemically deposited onto the electrode's surface to allow trace metal detection. First, the electrode's working surface was conditioned in a 0.2 mol L⁻¹ acetate buffer solution containing 0.83 mmol L⁻¹ Hg(NO₃)₂, by applying 4 cycles of cyclic voltammetry (CV) using the following conditions:

potential range from -0.1 V to +0.8 V, scan rate 100 mV/s, step potential 2.4 mV. The Hg film was then deposited at -1.0 V, with stirring until the charge associated to the deposited mercury (Q_{Hg}) reached 25 mC. Assuming a uniform deposition, the corresponding thickness of the Hg film would be 400 nm. However, a previous study has shown the mercury does not form a true film but rather an assembly of microdrops.²⁴

A potential of -0.1 V was fixed in between experiments in order to prevent mercury
reoxidation. A new SPE has been used every day.

141

142 2.3 AGNES principles

AGNES consists of two conceptual stages: a first deposition stage along which the metal ion M^{n+} from the solution is reduced to M° which accumulates in the amalgam up to the attainment of a special situation of equilibrium by the end of it, and a second stripping stage whose aim is the quantification of the reduced metal concentration.⁸

This equilibrium can, in the simplest implementation of AGNES, be achieved by 147 applying a potential E_1 , just a few millivolts more negative than the standard formal 148 potential of the couple $E^{0, t}$, for a sufficiently long time t_1 . A more elaborate potential 149 program ("2 pulses") has also been suggested to reach the equilibrium faster.²⁵ In this 150 case, the potential of the first sub-stage $(t_{1,a})$ practically corresponds to diffusion limited 151 152 conditions, while the potential of the second sub-stage $(t_{1,b})$ corresponds to the desired preconcentration. Regardless of the number of pulses, at the end of the deposition stage, 153 Nernstian equilibrium is reached and there is no gradient in the concentration profiles at 154 each side of the electrode surface. Nernst equation allows the concentration ratio at each 155 side of the mercury electrode, or gain *Y*, to be calculated as: 156

157
$$Y = \frac{\left\lfloor \mathbf{M}^{0} \right\rfloor}{\left\lfloor \mathbf{M}^{n+} \right\rfloor} = \exp\left[-\frac{nF}{RT}(E_{1} - E^{\circ})\right]$$
(1)

being *n* is the number of electrons, *F* the Faraday constant, *R* the gas constant, *T* the temperature and E° the standard formal potential of the couple.

The potential corresponding to a given *Y* can be determined from the peak potential of a
differential pulse polarogram (DPP).⁸ The higher the gain *Y*, the higher the sensitivity.
However, higher gains will require longer electrodeposition times to reach Nernstian
equilibrium.

The goal of the second stage of AGNES is to measure the concentration of the reduced metal M° inside the mercury amalgam. The response function can be the faradaic current at a fixed time t_2 (e.g. 0.2 s for HMDE)⁸ or the total faradaic charge Qaccumulated in the deposition stage.^{11, 12}

In order to subtract the non-faradaic contributions to the current or the charge in variants a) and c) (mentioned in the Introduction), the shifted blank⁹ has been used in this work. The shifted blank (SB) consists of applying, to the solution containing the metal, a potential program shifted to a range in which there is no analyte deposition or reoxidation and keeping the same potential jump as in the metal measurement $(E_{1,sb} - E_{2,sb} = E_1 - E_2)$.

174

3. Results and discussion

3.1 Implementation of AGNES-SCP for HMDE

Preliminary studies have been carried out in order to establish adequate experimental conditions to apply chronopotentiometry as the stripping stage of AGNES. In SCP, the analytical signal is the time taken for reoxidation (the transition time τ) while applying a constant oxidising current I_{s} .²⁶

Depending on the magnitude of $I_{\rm s}$, the conditions prevailing during the stripping stage 181 can range from semi-infinite linear diffusion ($I_s \tau^{1/2}$ constant) to the complete depletion 182 regime $(I_s \tau \text{ constant})$ ²⁶ These conditions have been probed for HMDE applying 183 stripping currents from 0.01 to 100 nA. All measurements have been performed with 184 deareated solutions of $c_{T,Zn} = 10 \text{ nmol } L^{-1}$ and with mechanical stirring during most of 185 the deposition stage, in order to enhance the effectiveness of the mass transport. The 186 first AGNES stage has been performed with a two pulse program in order to reduce the 187 deposition time: $E_{1,a}$ =-1.2070 V during $t_{1,a}$ = 350 s and $E_{1,b}$ =-1.0502 V, which 188 corresponded to a gain Y = 500, during $t_{1,b} = 1050$ s.²⁵ Fig. 1A shows that whatever I_{s} , 189 the product $I_s \tau^{1/2}$ never attains a constant value indicating that diffusion limited 190 conditions have not been reached.²⁶ On the other hand, conditions of complete depletion 191 regime are clearly reached in the I_s around 5-10 nA as a constant product $I_s \tau$ is 192 obtained. When $I_s > 10$ nA, the product $I_s \tau$ decreases due to the lack of full depletion 193 conditions (Fig. 1A). Below $I_s = 5$ nA, despite corresponding to the complete depletion 194 region, the product $I_s \tau$ decreases because of the influence of oxygen and the chemical 195 oxidation of other non-analyte metals dissolved in the sample (Fig. 1A).²⁷ In fact, 196 electrons from the oxidation of M° and from the discharging process (of the electrode 197 acting as capacitor) are either consumed by the oxidants such as traces of oxygen or 198 other interfering cations (also called electroless effect²⁷) or fed to the potentiostat (as I_s). 199 Thus, the imposed stripping current $(I_s > 0)$ can be seen as the result of several 200 components: the faradaic current ($I_{\text{faradaic}} > 0$, the one relevant for AGNES purposes), the 201 current due to other oxidants ($I_{Ox} < 0$, that would also appear in the absence of analyte) 202 and the capacitive current $(I_{cap} > 0)$.²⁸ 203

204
$$I_{\rm s} = I_{\rm faradaic} + I_{\rm Ox} + I_{\rm cap}$$
(2)

As shown in the Supplementary data: i) measuring the area above the baseline in a dt/dEvs *E* plot provides an analyical signal (τ) where the capacitive component has already been subtracted; ii) the rigorous expression for the faradaic current leads to the following expression for the charge:

$$209 \qquad Q = \left(I_{\rm s} - I_{\rm Ox}\right)\tau \tag{3}$$

Since $I_s > 0$ and $I_{Ox} < 0$, previous equation can be physically understood as the oxidants flux contributing (as "chemical stripping") to the fixed I_s . So, in the reoxidation of the amalgamated metal the "effective" stripping current ($I_s - I_{Ox}$) is larger than the nominal I_s . Eq. 3 can be seen as equivalent (for this technique) to Eq. (9) in ²⁹.

The traditional product $I_s \tau$ can be, therefore, corrected taking into account the 214 contribution of these other oxidants present in the solution. One advantage of AGNES-215 SCP is that I_{Ox} can be easily measured in the waiting stage (i.e. quiescent solution), 216 between the deposition with stirring and the stripping SCP stage. In this waiting stage, a 217 $t_{\rm w}$ of 50 s was found long enough for the practical extinction of the stirring effects. The 218 measured current at the end of this stage, around -0.5 nA, can be used as I_{Ox} for the 219 quantification of the SCP stage. The new corrected plot, representing the faradaic 220 charge (Fig. 1B), shows how $Q = (I_s - I_{ox})\tau$ stabilizes at 0.135 µC even for the lowest I_s 221 values, which confirms that the oxidants contributions can be effectively assessed with 222 the aforementioned procedure. For $I_s > 10$ nA, complete depletion conditions are not 223 achieved (Fig. 1B). This result has been validated against the stripped charge obtained 224 $(Q = 0.131 \ \mu\text{C}, \text{ see horizontal line})$ in classical AGNES with two pulses $(Y_1 = 500, t_{1,a} =$ 225 350 s, $t_{1,b} = 1050$ s, $Y_{1,sb} = 0.01$, $Y_2 = 10^{-8}$.¹¹ 226

227 On this basis, a stripping current of 1 nA was chosen to perform SCP in AGNES with 228 HMDE, because it corresponds to the horizontally stabilized charge in a region

sufficiently away from the I_s -interval where the computed charge decreases due to the lack of full depletion.

231

3.2 Implementation of AGNES-SCP for SPE

Preliminary studies have also been performed with SPE and stripping currents from 0.1 233 nA to 50 μ A have been evaluated in a dearated solution with $c_{T,Zn} = 100 \text{ nmol } \text{L}^{-1}$. The 234 deposition stage was carried out with a gain Y = 5000 and $t_1 = 400$ s. These conditions 235 have been previously determined in other published works.¹² The plot of $I_s \tau^{1/2}$ never 236 allowed to obtain a plateau whatever the I_s value (see supplementary data, Fig. S1), 237 indicating that conditions of semi-infinite linear diffusion are not achieved. However, 238 when a I_s in the range of 1 - 20 μ A is applied, the product $I_s \tau$ is constant and, thus, 239 under a complete depletion regime. Using these conditions, the slope of the potential E240 versus time is the same before and after the oxidation which corresponds to a well-241 defined baseline.²⁶ All results indicate that a SPE behaves as a microelectrode for which 242 practically achievable conditions always correspond to the complete depletion regime.³⁰ 243 For I_s lower than 100 nA, the product $I_s \tau$ decreases as the contribution of the other 244 oxidants dissolved in the solution starts being noticeable. A stripping current of 10 µA 245 was retained, since the total accumulated charge is measured and there is no need to 246 apply any oxidants correction as they can be considered negligible ($I_{Ox} \ll I_s$). 247

248

3.3 Calibrations of Zn²⁺, Cd²⁺ and Pb²⁺ in a solution containing only one metal

Analytical performances of AGNES-SCP with HMDE and SPE have been estimated from calibration curves based on triplicate analyses of each concentration level. These experiments have been carried out by using the conditions previously determined for

each working electrode (for HMDE, Y = 500, $t_{1,a} = 350$ s, $t_{1,b} = 1050$ s and $I_s = 1$ nA; for 254 SPE, Y = 5000, $t_1 = 400$ s and $I_s = 10 \mu A$) regardless of the studied metal. The 255 calibration plots have been performed using the accumulated charge Q which has been 256 computed from the transition time τ obtained during the SCP stage. A good linearity 257 between charge and free concentration has been obtained for Zn^{2+} , Cd^{2+} and Pb^{2+} with 258 both HMDE and SPE. However, as expected when working with HMDE, since the 259 applied I_s is very low, the current due to other oxidants ($I_{ox} \approx -0.5$ nA) becomes of great 260 relevance and its inclusion to compute to the faradaic charge (Eq. 3) yields a significant 261 262 improvement of the results (see Table 1 and Fig. S2 in supplementary information). Thus, the retrieved experimental h_0 values for HMDE (with the oxidants correction) 263 and SPE in all the performed calibrations agree favourably with theoretical ones, which 264 can be estimated from the mercury volume V_{Hg} , the number of exchanged electrons (n =265 2) and the Faraday constant: 266

$$267 h_{\rm Q} = nFV_{\rm Hg}Y (4)$$

Using Eq. 4, we obtain $h_Q = 1.14$ C/(mol L⁻¹) for HMDE with Y = 500 and $h_Q = 1.85$ C/(mol L⁻¹) for SPE with Y = 5000. The higher sensitivity of SPE is linked to a higher value of the product of the mercury volume $(1.9 \times 10^{-6} \text{ m}^3)$ times the applied gain. The normalized sensitivity $\eta_Q = h / Y$ (Tables 1 and 2) for an electrode type (and various metals) is approximately constant, indicating an approximate constancy in the volumes of Hg of each type of electrode. The specific values of η_Q found with AGNES-SCP (Tables 1 and 2) are in good agreement with those previously published.^{11, 12}

The limits of detection (LOD) have been statistically calculated for Zn^{2+} , Cd^{2+} and Pb^{2+} and both working electrodes as

$$277 LOD = \frac{kS_b}{m} (5)$$

where k = 3, S_b is the intercept standard deviation of the regression line and m is the 278 slope of the calibration graph. The limits of quantification (LOQ) were calculated 279 through the same equation as for the LOD, with the constant k = 10. Values of LOD and 280 LOO are also gathered in Table 1. Limits of detection obtained for a preconcentration 281 factor of 500 and 5000, for HMDE and SPE respectively, appeared in the nmol L⁻¹ 282 range, which is of the same order as those obtained with classical SCP in the study of 283 labile trace metals.²³ LOD and LOQ obtained for SPE are lower than HMDE ones 284 (Table 1). Together with the required shorter deposition times, it clearly highlights the 285 extraordinary performance of the screen-printed electrodes. 286

287

3.4 Interference study in a mixture of metals

Since many systems, such as natural waters, are mixtures of different metals, we turn 289 now our attention to possible interferences. In other published work¹², it has been shown 290 that using the charge as response function of AGNES, with a fixed stripping potential 291 (not in the diffusion limited conditions) as second stage, can overcome some difficulties 292 in complex samples, for example, Cd in presence of Pb. The strategy of adapting the 293 stripping potential is efficient, provided that the supply of Pb to the electrode (e.g. either 294 295 from free Pb or from labile and mobile complexes) is limited. In some cases (e.g. $c_{\text{T,oxalate}} = 0.02 \text{ mol } \text{L}^{-1}$, $c_{\text{T,Cd}} = c_{\text{T,Pb}} = 3 \text{ } \mu \text{mol } \text{L}^{-1}$, pH = 6) the measurement was not even 296 possible. Moreover, the presence of interferent metal ions can hinder the finding of 297 suitable blanks and consequently the determination of the capacitive current. 298

First, the suitability of SCP as the stripping step of AGNES was checked by using a SPE as working electrode. The free Cd analytical signal obtained for a total Cd concentration of 100 nmol L^{-1} has been followed by adding increasing concentrations of Pb (from 50 to 500 nmol L^{-1}). The same experimental conditions as those previously

determined for the monometallic study have been used. As shown in Fig. 2, the peaks corresponding to Cd and Pb were clearly discriminated, although a gradual positively shift of the Cd peak potential was observed when increasing Pb concentration. Nevertheless, there was no difficulty in computing the Cd²⁺ reoxidation time τ which equals to 21.3 ± 0.6 ms.

The ability of SCP as second stage of AGNES to handle interferences has been then 308 evaluated by carrying out calibrations of Zn^{2+} , Cd^{2+} and Pb^{2+} with HMDE and SPE in a 309 mixture of the three aforementioned metals. AGNES-SCP has been sequentially applied 310 to each metal (e.g. first with AGNES deposition potential for Zn, then for Cd and finally 311 for Pb) at each calibration point in a solution where the 3 metals reached the same total 312 concentration. The same experimental conditions as those used for monometallic study 313 have been applied and the oxidants correction has also been taken into account when 314 using HMDE as working electrode. As shown in Fig. 3, in all the performed 315 experiments, well shaped peaks were obtained whatever the analysed metal. As in the 316 monometallic study, a good linearity has been obtained between accumulated charge 317 and $[M^{2+}]$ (data not shown). The obtained sensitivities h_0 (Table 2) appeared very 318 similar to those obtained in a solution containing only one metal (Table 1), which 319 indicated that the interferences are negligible on the three metal measurements, 320 regardless the working electrode. 321

322

323 **3.5** Speciation results

With HMDE and AGNES-SCP, we have tackled a system that could not be analyzed with a fixed potential in the stripping stage: total cadmium of 3 μ mol L⁻¹ and oxalate 0.02 mol L⁻¹ at a fixed pH of 6, in presence of increasing Pb concentrations. Two replicates for three different Pb additions, from 1 to 4.5 μ mol L⁻¹, were performed in

order to check its influence on the determination of $[Cd^{2+}]$. When applying AGNES 328 variant with two pulses ($E_1 \approx -0.63$ V, $E_2 \approx -0.51$ V and a shifted blank with $E_{1,sb} \approx -0.28$ 329 V and $E_{2,sb} \approx -0.17$ V to avoid Pb° deposition and reoxidation), the apparent free Cd 330 concentration incresased linearly with each Pb addition (see Fig. S3 in supplementary 331 data). The reason of this undesirable increase is that, when applying E_1 , not only Cd^o is 332 preconcentrated, but also Pb° and both metals are, thus, reoxidated and quantified 333 together during the stripping stage. On the other hand, AGNES-SCP allowed measuring 334 the free cadmium concentration in the same aforementioned samples with no influence 335 of the Pb interference, since SCP separates the signals of Cd and Pb reoxidation. The 336 experimental settings have been Y = 500, $t_1 = 300$ s and $I_s = 1$ nA. The deposition time t_1 337 could be reduced taking advantage of the presence of labile oxalate complexes that 338 contribute to the flux.³¹ However, in these experiments, a special situation has been 339 found where determining the typical reoxidation time τ was a challenge as a "distorted" 340 stripping dt/dE peak was obtained (Fig. 4). The baseline of these peaks at the more 341 negative potential could not be recognized. In these cases, we suggest to first compute 342 the total area under the metal peak (thus, including the capacitive current). This total 343 area is called τ in order to distinguish from τ , which is typically determined by 344 integrating the peak area above the baseline (Fig. 4). Then, the capacitive contribution 345 can be subtracted from τ (see mathematical details and the underlying assumptions in 346 supporting data) to calculate τ . With this methodology, a free metal concentration of 83 347 $\pm 1 \text{ nmol } L^{-1}$ (n = 8) has been obtained, indicating that the successive Pb additions have 348 not hindered the proper measurement of $[Cd^{2+}]$. The oxidants correction was also 349 crucial. These results have been validated using a Cd-ISE, obtaining a free cadmium 350 concentration of 82 ± 1 nmol L⁻¹, which is very similar to the one measured with 351 AGNES (Fig. S3). These experiments are a relevant achievement of AGNES-SCP, 352

since this interference could not be avoided when the second stage of AGNES wasperformed with a fixed stripping potential.

Finally, the performances of AGNES-SCP have been checked with a SPE, by carrying out a speciation experiment of Cd in a KNO₃ solution containing different NTA concentrations at pH 4.8. Prior to the speciation experiment, a calibration was carried out in solutions with total Cd concentration from 50 to 200 nmol L⁻¹ (and no NTA) by plotting the faradaic charges against the free Cd concentrations computed with Visual Minteq.³² Fig. 5 shows that experimental values obtained with SPE agreed well with the theoretical ones.

362

4. Conclusions

SCP has been used as the second stage of AGNES, allowing the determination of free 364 Zn, Cd and Pb concentrations in aqueous samples. AGNES-SCP has been implemented 365 not only for the hanging mercury drop electrode, but also for the screen printed one, 366 which paves the way to further *in situ* analysis. It has been found that stripping currents 367 of $I_s=1$ nA, for HMDE, and $I_s=10 \mu$ A, for SPE, are suitable to work in the required full 368 depletion regime. LOD close to the nmol L^{-1} were obtained for Zn, Cd and Pb with both 369 370 kinds of electrodes, with good reproducibility. However, SPE appeared particularly promising because of the shorter electrodeposition time needed to reach these low 371 concentrations. 372

The rigorous computation of the stripped faradaic charge from the recorded evolution of the potential is crucial in retrieving physicochemically sound calibration constants h_Q . This computation requires: i) A suitable reading of τ , which has been customarily taken as the area above the baseline in a dt/dE representation. However, when a large cadmium concentration (1 µmol L⁻¹) and oxalate (0.02 mol L⁻¹) are present in a sample

378 at pH 6 and a low stripping current is applied (1 nA), metal peaks appear distorted and τ is not easy to compute. Then, the reading of τ procedure can be generalized by 379 measuring the total area under the dt/dE vs E peak (called τ), and then subtracting the 380 capacitive component. ii) The taking into account of the oxidants correction; which 381 consists in measuring I_{Ox} at the end of the deposition stage under quiescent conditions 382 and to subtract it from $I_{\rm s}$. The oxidants correction can allow to work with lower $I_{\rm s}$, 383 which yield larger transition times and improved accuracies. SPE uses so high stripping 384 currents that, in most cases, this correction is negligible. 385

AGNES-SCP represents an important improvement over other AGNES variants, as it allows working easily in a large range of analyte concentrations, blanks can be spared and metal interferences are easily avoided. Different calibrations and studies with various mixtures of metals or ligands (NTA and oxalate) have been carried out and shown that the combination of SCP with AGNES is a technique suitable to handle interferences and to measure free metal ion concentrations properly.

392

393 Acknowledgements

The authors thank Dr. Jose Paulo Pinheiro for being the first to suggest the possibility of using SCP as the second stage of AGNES. The authors acknowledge support of this research from the Communauté d'Agglomération de Pau Pyrénées (CDAPP), from the Spanish *Ministerio de Ciencia e Innovación* (CTQ2009-07831 and CTQ2009-14612), from the European Community EFA15/08 (PyrMet) and from the *Comissionat d'Universitats i Recerca de la Generalitat de Catalunya* (2009SGR00465).

401 **References**

- 402 1. F. M. M. Morel, *Principles of aquatic chemistry*, John Wiley & Sons, New
 403 York, 1983.
- 404 2. P. G. C. Campbell, in *Metal speciation and bioavailability in aquatic systems*,
 405 eds. A. Tessier and A. P. F. Turner, Wiley & Sons Ltd, 1995, pp. 45-102.
- 406 3. M. Pesavento, G. Alberti and R. Biesuz, *Analytica Chimica Acta*, 2009, 631,
 407 129-141.
- 4. E. J. J. Kalis, Weng, E. J. M. Temminghoff and W. H. van Riemsdijk, *Analytical*409 *Chemistry*, 2007, **79**, 1555-1563.
- S. Noël, M.-L. Tercier-Waeber, L. Lin, J. Buffle, O. Guenat and M. KoudelkaHep, *Electroanalysis*, 2006, 18, 2061-2069.
- 412 6. N. Parthasarathy and J. Buffle, *Analytica Chimica Acta*, 1994, **284**, 649-659.
- 413 7. P. Buhlmann, E. Pretsch and E. Bakker, *Chem. Rev.*, 1998, **98**, 1593-1687.
- 414 8. J. Galceran, E. Companys, J. Puy, J. Cecilia and J. L. Garces, *Journal of Electroanalytical Chemistry*, 2004, 566, 95-109.
- 416 9. J. Galceran, C. Huidobro, E. Companys and G. Alberti, *Talanta*, 2007, **71**, 1795417 1803.
- 418 10. D. Chito, J. Galceran and E. Companys, *Electroanalysis*, 2010, **22**, 2024-2033.
- J. Galceran, D. Chito, N. Martínez-Micaelo, E. Companys, C. David and J. Puy, *Journal of Electroanalytical Chemistry*, 2010, 638, 131-142.
- 421 12. C. Parat, D. Aguilar, L. Authier, M. Potin-Gautier, E. Companys, J. Puy and J.
 422 Galceran, *Electroanalysis*, 2011, 23, 619-627.
- 423 13. E. Companys, J. Puy and J. Galceran, *Environmental Chemistry*, 2007, 4, 347424 354.

- 425 14. J. Puy, J. Galceran, C. Huidobro, E. Companys, N. Samper, J. L. Garcés and F.
 426 Mas, *Environmental Science & Technology*, 2008, 42, 9289-9295.
- R. F. Domingos, C. Huidobro, E. Companys, J. Galceran, J. Puy and J. P.
 Pinheiro, *Journal of Electroanalytical Chemistry*, 2008, 617, 141-148.
- F. Zavarise, E. Companys, J. Galceran, G. Alberti and A. Profumo, *Analytical and Bioanalytical Chemistry*, 2010, **397**, 389-394.
- 431 17. C. M. A. Brett, A. M. O. Brett and L. Tugulea, *Analytica Chimica Acta*, 1996,
 432 322, 151-157.
- 433 18. M.-L. Tercier and J. Buffle, *Analytical Chemistry*, 1996, **68**, 3670-3678.
- R. M. Town and H. P. van Leeuwen, *Journal of Electroanalytical Chemistry*,
 2002, **523**, 1-15.
- 436 20. D. Jagner, Analyst, 1982, 107, 593-599.
- 437 21. N. Serrano, J. M. Díaz-Cruz, C. Ariño and M. Esteban, *Electroanalysis*, 2006,
 438 18, 955-964.
- 439 22. C. Parat, L. Authier, S. Betelu, N. Petrucciani and M. Potin-Gautier,
 440 *Electroanalysis*, 2007, **19**, 403-406.
- 441 23. C. Parat, A. Schneider, A. Castetbon and M. Potin-Gautier, *Analytica Chimica*442 *Acta*, 2011, **688**, 156-162.
- 443 24. O. Zaouak, L. Authier, C. Cugnet, A. Castetbon and M. Potin-Gautier,
 444 *Electroanalysis*, 2010, 22, 1151-1158.
- E. Companys, J. Cecilia, G. Codina, J. Puy and J. Galceran, *Journal of Electroanalytical Chemistry*, 2005, 576, 21-32.
- R. M. Town and H. P. van Leeuwen, *Journal of Electroanalytical Chemistry*,
 2001, **509**, 58-65.

- R. M. Town and H. P. van Leeuwen, *Journal of Electroanalytical Chemistry*,
 2004, **573**, 147-157.
- 451 28. A. J. Bard and L. R. Faulkner, *Electrochemical Methods: Fundamentals and*452 *Applications* 2nd edn., John Wiley & Sons, 2001.
- 453 29. C. Hua, D. Jagner and L. Renman, *Analytica Chimica Acta*, 1987, **197**, 257-264.
- 454 30. H. P. van Leeuwen and R. M. Town, *Journal of Electroanalytical Chemistry*,
 455 2002, **523**, 16-25.
- 456 31. G. Alberti, R. Biesuz, C. Huidobro, E. Companys, J. Puy and J. Galceran,
 457 *Analytica Chimica Acta*, 2007, **599**, 41-50.
- J. D. Allison, D. S. Brown and K. J. Novo-Gradac, *MINTEQA2/PRODEFA2*, A
 geochemichal assessment model for environmental systems: version 3.0 user's
- 460 *manual*, Washington, DC, EPA/600/3-91/021, 1991.

Published in Analyst 2011, vol 136, p 4337-4343 10.1039/c1an15481h

reprints also to galceran@quimica.udl.cat

TABLE

464

463

465 Table 1. AGNES-SCP performances obtained from a calibration with HMDE (Y=500,

466 $t_{1,a} = 350$ s, $t_{1,b} = 1050$ s, $I_s = 1$ nA) and SPE (Y = 5000, $t_1 = 400$ s, $I_s = 10 \mu$ A) with five

- 467 metal concentrations (between 25 and 100 nmol L^{-1}) replicated three times.
- 468

		HMDE		SI	SPE	
		from $I_{\rm s}\tau$	from $Q=(I_{\rm s}-I_{\rm ox})\tau$	from $I_{ m s} au$	from $Q=(I_{\rm s}-I_{\rm ox})\tau$	
Zn	Sensitivity $h_{\rm Q}$ (C/(mol L ⁻¹))	0.48 ± 0.02	1.09±0.03	1.86±0.02	1.90±0.02	
	$\eta_{\rm Q} ({\rm C}/({\rm mol}{\rm L}^{-1}))$	0.96×10^{-3}	2.18×10^{-3}	0.37×10 ⁻³	0.38×10 ⁻³	
	$LOD / (nmol L^{-1})$	8.1	4.0	2.6	2.6	
	$LOQ / (nmol L^{-1})$	27	13.4	8.6	8.5	
Cd	Sensitivity $h_{\rm O}$ (C/(mol L ⁻¹))	0.48 ± 0.02	1.00±0.02	1.40±0.01	1.41±0.01	
	$\eta_{\rm O}$ (C/(mol L ⁻¹))	0.96×10 ⁻³	2.00×10 ⁻³	0.28×10 ⁻³	0.28×10 ⁻³	
	$LOD / (nmol L^{-1})$	11.3	2.9	2.1	2.1	
	$LOQ / (nmol L^{-1})$	37.5	9.8	7.0	6.9	
Pb	Sensitivity $h_{\rm O}$ (C/(mol L ⁻¹))	0.51±0.03	0.99±0.02	1.93±0.01	1.93±0.01	
	$\eta_{\rm O}$ (C/(mol L ⁻¹))	1.02×10^{-3}	1.98×10^{-3}	0.39×10 ⁻³	0.39×10 ⁻³	
	$LOD / (nmol L^{-1})$	7.7	4.1	1.1	1.1	
	$LOQ / (nmol L^{-1})$	25.6	13.6	3.7	3.6	

469

Table 2. Values of the proportionality factors, h_Q and $\eta_Q = h_Q/Y$ (in C/(mol L⁻¹)), obtained in linear regressions of calibrations with HMDE and SPE in solutions containing a mixture of the 3 metals with equal concentrations. HMDE: Y = 500, $t_{1a} =$ 350 s, $t_{1b} = 1050$ s, $I_s = 1$ nA; SPE: Y = 5000, $t_1 = 400$ s, $I_s = 10$ µA. Means and standard deviations correspond to a calibration performed with 5 concentrations (between 0 and 100 nmol L⁻¹) replicated 3 times.

		HMDE			SPE	
	h _Q C/(mol L ⁻¹)	η _Q C/(mol L ⁻¹)	η _Q ¹² C/(mol L ⁻¹)	h _Q C/(mol L ⁻¹)	η _Q C/(mol L ⁻¹)	η _Q ¹² C/(mol L ⁻¹)
Zn	1.13 ± 0.02	2.22×10 ⁻³	2.32×10 ⁻³	1.95 ± 0.02	0.39×10 ⁻³	0.33×10 ⁻³
Cd	0.99 ± 0.03	1.98×10 ⁻³	2.27×10 ⁻³	1.45 ± 0.01	0.29×10 ⁻³	0.32×10 ⁻³
Pb	0.98 ± 0.02	1.96×10 ⁻³	2.42×10 ⁻³	2.47 ± 0.03	0.49×10 ⁻³	0.32×10 ⁻³
478						

480 **FIGURE Caption**

Figure 1. A) Behaviour of $I\tau$ (\circ) and $I\tau^{1/2}$ (\times) obtained with a HMDE and B) Stripped charge, applying the oxidants correction shown in Eq. (3). The red horizontal line indicates the charge computed when the stripping stage is a fixed potential pulse under diffusion limited conditions (classical AGNES). $c_{T,Zn} = 10$ nmol L⁻¹, [KNO₃] = 0.1 mol L⁻¹, Y = 500, $t_{1,a} = 350$ s and $t_{1,b} = 1050$ s. I_s from 0.01 to 100 nA.

486

Figure 2. Cd peaks obtained during the oxidation step in AGNES-SCP with a SPE in a solution containing $c_{T,Cd} = 100$ nmol L⁻¹ and increasing $c_{T,Pb}$ concentrations from 50 to 500 nmol L⁻¹. [KNO₃] = 0.1 mol L⁻¹, Y = 5000, $t_1 = 400$ s, $I_s = 10\mu$ A.

490

Figure 3. Sequential analysis of $[Zn^{2+}]$, $[Cd^{2+}]$ and $[Pb^{2+}]$ by using AGNES-SCP method with a HMDE for Zn, Cd and Pb total concentrations of 0, 25; 50, 75 and 100 nmol L⁻¹. [KNO₃]=0.1 mol L⁻¹, *Y*= 500, t_{1a} = 350s, t_{1b} = 1050s, I_s = 1 nA.

494

Figure 4. Stripping dt/dE vs E plot, in HMDE with Y = 500, $t_1 = 300$ s and $I_s = 1$ nA, of a solution with total Cd and Pb concentrations of 3 µmol L⁻¹ and total oxalate of 0.02 mol L⁻¹ at pH = 6. The total shaded area is called τ ; being τ the area above the dashed line and the capacitive component the area below the dashed line.

499

Figure 5. Free Cd concentration variations in a 0.1 mol L⁻¹ KNO₃ solution containing a total Cd concentration of 200 nmol L⁻¹ and NTA from 0 to 31 μ mol L⁻¹ at pH 4.8, determined by AGNES-SCP with a SPE (circle marker, \circ) and predicted by Visual MINTEQ (square marker, \bullet). *Y* = 5000, *t*₁ = 400 s and *I*_s = 10 μ A.



Fig 1



Fig 2

7000 -







Fig 4



Fig 5