

# SCCS OPINION ON Basic Blue 99 (C059)

Ulrike Bernauer, Laurent Bodin, Leonardo Celleno, Qasim Mohammad Chaudhry, Pieter-Jan Coenraads, Maria Dusinska, Janine Ezendam, Eric Gaffet, Corrado Lodovico Galli, Berit Brunstad Granum, et al.

# ▶ To cite this version:

Ulrike Bernauer, Laurent Bodin, Leonardo Celleno, Qasim Mohammad Chaudhry, Pieter-Jan Coenraads, et al.. SCCS OPINION ON Basic Blue 99 (C059). 2017. hal-01493472


HAL Id: hal-01493472

https://hal.science/hal-01493472

Submitted on 21 Mar 2017

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# **Scientific Committee on Consumer Safety**

**SCCS** 

# OPINION ON Basic Blue 99 (C059)

The SCCS adopted this Opinion on 7 March 2017

#### About the Scientific Committees

Two independent non-food Scientific Committees provide the Commission with the scientific advice it needs when preparing policy and proposals relating to consumer safety, public health and the environment. The Committees also draw the Commission's attention to the new or emerging problems that may pose an actual or potential threat.

These Committees are the Scientific Committee on Consumer Safety (SCCS) and the Scientific Committee on Health, Environmental and Emerging Risks (SCHEER) and they are made up of scientists appointed in their personal capacity.

In addition, the Commission relies upon the work of the European Food Safety Authority (EFSA), the European Medicines Agency (EMA), the European Centre for Disease prevention and Control (ECDC) and the European Chemicals Agency (ECHA).

#### SCCS

The Committee shall provide Opinions on questions concerning all types of health and safety risks (notably chemical, biological, mechanical and other physical risks) of non-food consumer products (for example: cosmetic products and their ingredients, toys, textiles, clothing, personal care and household products such as detergents, etc.) and services (for example: tattooing, artificial sun tanning, etc.).

### Scientific Committee members

Bernauer Ulrike, Bodin Laurent, Celleno Leonardo, Chaudhry Mohammad Qasim, Coenraads Pieter-Jan, Dusinska Maria, Ezendam Janine, Gaffet Eric, Galli Corrado Lodovico, Granum Brunstad Berit, Panteri Eirini, Rogiers Vera, Rousselle Christophe, Stępnik Maciej, Vanhaecke Tamara, Wijnhoven Susan

### **Contact**

- 28 European Commission
- 29 Health and Food Safety
- 30 Directorate C: Public Health, Country Knowledge, Crisis Management
- 31 Unit C2 Country Knowledge and Scientific Committees
- 32 L-2920 Luxembourg
- 33 SANTE-C2-SCCS@ec.europa.eu

- © European Union, 2017
- 36 ISSN ISBN
- 37 Doi: ND-

The Opinions of the Scientific Committees present the views of the independent scientists who are members of the committees. They do not necessarily reflect the views of the European Commission. The Opinions are published by the European Commission in their original language only.

http://ec.europa.eu/health/scientific committees/index en.htm

1 2 **ACKNOWLEDGMENTS** 3 SCCS members listed below are acknowledged for their valuable contribution to this 4 Opinion. 5 6 **SCCS Members** 7 8 Dr U. Bernauer 9 Dr L. Bodin 10 Dr L. Celleno 11 Prof. Q. Chaudhry 12 Prof. P.J. Coenraads (Chairperson) Prof. M. Dusinska 13 14 Dr J. Ezendam 15 Prof. C. L. Galli Dr B. Granum 16 17 Prof. E. Panteri (Rapporteur) 18 Prof. V. Rogiers 19 Dr Ch. Rousselle 20 Dr M. Stepnik 21 Prof. T. Vanhaecke 22 Dr S. Wijnhoven 23 24 Former Member: 25 Prof. J. Duus-Johansen 26 27 28 All Declarations of Working Group members are available on the following webpage: 29 http://ec.europa.eu/health/scientific\_committees/experts/declarations/sccs\_en.htm 30

31 Keywords: SCCS, scientific opinion, hair dye, Basic Blue 99 (C059), Regulation 1223/2009, 32 CAS: 68123-13-7, EC: 268-544-3

Blue 99 (C059), 7 March 2017, SCCS/1585/17

Opinion to be cited as: SCCS (Scientific Committee on Consumer Safety), Opinion on Basic

36 37 38

_			
2	TAB	LE OF CON	TENTS
2			
3			
4	4	DACKCDO	IND
5	1.	BACKGRO	JND5
_	2	TERMS OF	DEFEDENCE
6	2.	TERMS OF	REFERENCE5
_	2	ODINION	
7	3.	OPINION	6
0	2	1 Ch a	seign and Physical Considerations
8	3.	1 Cher	mical and Physical Specifications6
9		3.1.1	Chemical identity6
		_	Dhysical forms
10		3.1.2	Physical form6
L1		3.1.3	Molecular weight
L2		3.1.4	Purity, composition and substance codes
L3		3.1.5	Impurities / accompanying contaminants
L4		3.1.6	Solubility
L5		3.1.7	Partition coefficient (Log P <sub>ow</sub> )
16		3.1.8	Additional physical and chemical specifications
L7		3.1.9	Homogeneity and Stability
	2		
L8	3.	2 Fund	tion and uses
	_		
L9	3.	3 Toxio	cological Evaluation
20		3.3.1	Acute toxicity
21		3.3.2	Irritation and corrosivity
22		3.3.3	Skin sensitisation
23		3.3.4	Dermal / percutaneous absorption
24		3.3.5	Repeated dose toxicity
25		3.3.6	Mutagenicity / Genotoxicity
26		3.3.7	Carcinogenicity
27		3.3.8	Reproductive toxicity
28		3.3.9	Toxicokinetics 14
29		3.3.10	Photo-induced toxicity 14
30		3.3.11	Human data14
31		3.3.12	Special investigations 14
32		3.3.13	Safety evaluation (including calculation of the MoS)
33		3.3.14	Discussion
34	4		
04	4.	CONCLUSI	ON
\ F	-	MINIODITY	ODINION
35	5.	MINORITY	OPINION
	_	DEFEDENC	10
36	6.	REFERENC	ES
37	7.	ANNEX	
38			
39			
10			
†0 †1			
τ⊥			

#### 1. BACKGROUND

The substance Basic Blue 99 (INCI) (CAS 68123-13-7) (COLIPA No C059) with the chemical name 3-[(4-amino-6-bromo-5,8-dihydro-1-hydroxy-8-imino-5-oxo-2-naphthalenyl)amino]-N,N,N-trimethyl benzenaminium chloride is a direct hair dye substance in hair dye formulations with a concentration on-head of maximum 1.0%.

Submission I and II for the hair dye Basic Blue 99 were transmitted in August 1992 and March 2006 respectively by COLIPA. Following Submission II, in September 2011 the Scientific Committee for Consumer Safety (SCCS) expressed concerns regarding the highly variable composition of Basic Blue of the analysed batches that made it impossible to conclude on the safety of the substance (SCCS/1437/11).

In reply to these scientific concerns, in July 2014 EFfCI provided new analytical data (Submission III) on the batches presented by COLIPA in the previous submissions and on other more recent batches. In September 2014, the SCCS concluded that:

"Basic Blue 99 is a mixture of up to 40 substances of varying concentrations as demonstrated by the HPLC analysis of six batches (See Figures 1-3 and Tables 2, 3 and 5).

Due to the highly variable composition of Basic Blue 99 in six batches, the safety of Basic Blue 99 cannot be evaluated." (SCCS/1537/14).

In April 2016, EFfCI submitted another dossier (Submission IV) containing new information on composition in an update of the analytical description of market quality and other data.

#### 2. TERMS OF REFERENCE

(1) In light of the new data provided, does the SCCS consider Basic Blue 99 (C059) safe as direct hair dye substance in hair dye formulations with a concentration on-head up to a maximum of 1.0%?

(2) Does the SCCS have any further scientific concerns with regard to the use of Basic Blue 99 (C059) in cosmetic products?

# 3. OPINION

# 3.1 Chemical and Physical Specifications

# 3.1.1 Chemical identity

# 3.1.1.1 Primary name and/or INCI name

Basic Blue 99

#### 3.1.1.2 Chemical names

Benzenaminium, 3-[(4-amino-6-bromo-5,8-dihydro-1-hydroxy-8-imino-5-oxo-2-naphthalenyl)amino]- N,N,N-trimethyl-, chloride (9CI)

3-[(4-amino-6-bromo-5,8-dihydro-1-hydroxy-8-imino-5-oxo-2-naphtyl)amino]-N,N,N trimethylanilinium chloride (main component),

# 3.1.1.3 Trade names and abbreviations

C059


26 Arianor Steel Blue27 Jarocol Steel Blue28 Basic Blue99

29 C.I. 56059

### 3.1.1.4 CAS / EC number

33 CAS: 68123-13-7 34 EC: 268-544-3

#### 3.1.1.5 Structural formula



3-[(4-amino-6-bromo-1-hydroxy-8-imino-5-oxo-5,8-dihydronaphthalen-2-yl)aminol-N,N,N-trimethylbenzenaminium chloride

# 3.1.1.6 Empirical formula

Formula: C19H20BrN4O2+ x Cl- (main component)

# 3.1.2 Physical form

Blue black, fine powder

```
1
2
3
4
```

# 3.1.3 Molecular weight

Molecular weight: 451.8 (as chloride), 416.3 (as cation)

# 

# 3.1.4 Purity, composition and substance codes

See General comments to physico-chemical characterisation (below)

# 3.1.5 Impurities / accompanying contaminants

See General comments to physico-chemical characterisation (below)

# 3.1.6 Solubility

Water 10-100 g/L room temperature Ethanol 1-10 g/L room temperature DMSO 1-10 g/L room temperature

# 3.1.7 Partition coefficient (Log Pow)

Log Pow: 1.88 (calculated with Syracuse)

# 3.1.8 Additional physical and chemical specifications

```
27
28
```

```
28
     Melting point:
                      > 200 °C (thermal decomposition)
29
      Boiling point:
     Flash point:
30
31
     Vapour pressure:
                            /
32
      Density:
33
     Viscosity: /
34
      pKa: /
35
     Refractive index:
36
     UV_Vis spectrum (200-800 nm): /
```

# 3.1.9 Homogeneity and Stability

A freshly prepared sample of Basic Blue 99 batch 0107664 at 0.05 mg/ml in water was compared by HPLC-DAD with a sample stored 3 days at autosampler conditions (4°C). According to the main peak area, the sample was stable within a period of 3 days at 4°C, as a recovery of 99.6 % was found under the study conditions.

# **General Comments to the physicochemical part**

The provided data and the SCCS comments according to Submissions I, II and III are summarised in Annexes I and II

Information on purity (and impurity) of Basic Blue 99, according to Submission IV,

1

# **Purity**

2016

According to the applicant, the product is a mixture of the following defined structures:

8 9 10

11 12

13

15

- (1) = 3-[(Bromo-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]-N,N,N trimethylbenzeneaminium chloride
- (2) = 3-[(Bromo-8-amino-5-hydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino]-
- N,N,Ntrimethylbenzeneaminium chloride
- (3) = 3-[(Dibromo-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]-
- 14 N,N,Ntrimethylbenzeneaminium chloride
  - (4) = 3-[(Bromo-5,8-dihydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino]-N,N,N trimethylbenzeneaminium chloride

16 17 18

The purity of Basic Blue 99, based on major components (≥ 5% HPLC peak area) linked to batch 74/75 used in toxicity studies and to updated representative market materials, is described in Table 1 (HPLC results).

**Table 1:** Purity of Basic Blue 99 based on major components (≥ 5% HPLC peak area)

ID	MW (as cation)	74/75	106106	201501121	Range
Main	415/417	62.8	64.1	61.3	58.0-70.0
А	337	1.7	1.7	2.8	1.0-4.0
В	418	1.8	3.8	0.8	0.0-4.0
С	338	0.4	0.2	1.4	0.0-2.0
E	493/ 495/ 497	11.8	7.4	6.1	6.0-12.0
F	416/418	8.4	7.0	12.5	7.0-14.0
G	494/ 496/ 498	2.1	2.7	1.8	1.0-3.0
J	417/419	4.1	5.4	3.5	3.0-6.0
K	430/432	0.9	0.0	0.8	0.0-2.0
L	423/429	2.6	4.4	3.0	2.0-5.0
М	495/497	0.9	0.0	0.6	0.0-1.0

N	496/498	0.7	0.0	0.7	0.0-1.0
0	417	1.0	0.0	1.3	0.0-2.0
Р	451	0.0	0.6	0.0	0.0-1.0
Q	352	0.2	0.2	0.3	0.0-1.0

Based on these results, the applicant narrowed Basic Blue 99 composition definition (see Table 2).

**Table 2:** Composition definition of Basic Blue 99

Basic Blue 99 components	MW (as cation)	% HPLC peak area (range)
Br H H N(CH <sub>3</sub> ) <sub>3</sub>	416.3	58.0 – 70.0
Br H <sub>2</sub> + N(CH <sub>3</sub> ) <sub>3</sub> (F)	417.3	7.0 – 14.0
Br <sub>2</sub> + N(CH <sub>3</sub> ) <sub>3</sub> (E)	495.2	6.0 – 12.0
Br OH H N(CH <sub>3</sub> ) <sub>3</sub>	418.3	3.0 – 6.0

# **Impurity**

6 7 8

9

10

11

Inorganic impurities:

Pb <20 ppm; Sb and Ni <10 ppm; As and Cd <5 ppm; Hg <1 ppm

Organic impurities: Subsidiary colours (HPLC peak area below 5% and above 1%) and impurities (HPLC peak area below 1%) are summarised in Table 3:

Basic Blue 99 subsidiary colors	MW (as cation)	% HPLC peak area (range)
Br <sub>3</sub> NH <sub>2</sub> O OH (L)	425.9	2.0 - 5.0
O NH <sub>2</sub>		
NH OH NICH,),	337.4	1.0 – 4.0
(A)		
Br <sub>2</sub> H <sub>N</sub> (CH <sub>3</sub> ) <sub>3</sub>	496.2	1.0 - 3.0
(G)		
HO <sub>2</sub> S H <sub>2</sub> H <sub>NCH<sub>3</sub>)<sub>3</sub></sub>	418.5	0.0 - 4.0
Q NH <sub>2</sub>		
HO <sub>3</sub> S HO <sub>1</sub> S HO <sub>1</sub> S HO <sub>2</sub> S HO <sub>3</sub> S	417.5	0.0 - 2.0
(O)		
NH2  H N(CH <sub>3</sub> ) <sub>3</sub> (C)	338.4	0.0 - 2.0

Br NH 2 NH OH + N(CH <sub>3</sub> ) <sub>3</sub>	431.3	0.0 - 2.0
NH <sub>2</sub> HO <sub>3</sub> S NH <sub>2</sub> HN(CH <sub>3</sub> ) <sub>3</sub> (N)	497.4	< 1.0
MH OH + N(CH <sub>3</sub> ) <sub>3</sub>	496.4	< 1.0
NH <sub>2</sub> NCH <sub>3</sub> ) (Q)	338.4	< 1.0
NH OH NICH <sub>3</sub> ) <sub>3</sub>	451.9	< 1.0

Compounds identified in Hair Dye C059 are summarised in table 4.

# 1 Table 4: Compounds identified in Hair Dye C059

ID	Chemical name	General structure	Role	N° of isomers	Expected main isomer	MW	λ max(nm)	Molecular formula
Main	3-[(Bromo-8-amino-5- hydroxy-4-imino-1-oxo-1,4- dihydronaphthalenyl)amino] -N,N,N- trimethylbenzeneaminium chloride	Br H OH + N(CH <sub>3</sub> ) <sub>3</sub>	Main component	3	Br NH OH NH	415/417	625, 580	C19H20BrN4O2
А	3-[(8-Amino-5-hydroxy-4- imino-1-oxo-1,4- dihydronaphthalenyl)amino] -N,N,N- trimethylbenzeneaminium chloride	NH OH N(CH <sub>3</sub> ) <sub>3</sub>	Subsidiary colour	2	NH OH H,C OH,	337	603, 561	C19H21N4O2
В	3-[(Sulpho-8-amino-5- hydroxy-1,4-dioxo-1,4- dihydronaphthalenyl)amino] -N,N,N- trimethylbenzeneaminium chloride	HO <sub>3</sub> S H + N(CH <sub>3</sub> ) <sub>2</sub>	Subsidiary colour	1	NH, Q, OH NH NH H,C OH,	418	593 (sh), 557	C19H20N3O6S
С	3-[( 8-Amino-5-hydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino] -N,N,N-trimethylbenzeneaminium chloride	NH <sub>2</sub> H N(CH <sub>3</sub> ) <sub>3</sub>	Subsidiary colour	1	O NH <sub>5</sub>	338	512	C19H20N3O3
E	3-[(Dibromo-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino] -N,N,N-trimethylbenzeneaminium chloride	Br <sub>2</sub> NH <sub>2</sub> NCH <sub>3</sub> ) <sub>3</sub>	Main component	3	Br NH OH NH CH <sub>0</sub>	493/ 495/ 497	623, 574	C19H19Br2N4O2

ID	Chemical name	General structure	Role	N° of isomers	Expected main isomer	MW	λ max(nm)	Molecular formula
F	3-[(Bromo-8-amino-5- hydroxy-1,4-dioxo-1,4- dihydronaphthalenyl)amino] -N,N,N- trimethylbenzeneaminium chloride	Br H + N(CH <sub>3</sub> ) <sub>3</sub>	Main component	6	Br NH <sub>2</sub>	416/418	595, 557	C19H19BrN3O3
G	3-[(Dibromo-8-amino-5- hydroxy-1,4-dioxo-1,4- dihydronaphthalenyl)amino] -N,N,N- trimethylbenzeneaminium chloride	Br <sub>2</sub> H + + N(CH <sub>3</sub> ) <sub>3</sub>	Subsidiary colour	3	Br OH NH OH OH OH O	494/496 /498	628, 585	C19H18Br2N3O3
J	3-[(Bromo-5,8-dihydroxy- 1,4-dioxo-1,4- dihydronaphthalenyl)amino] -N,N,- trimethylbenzeneaminium chloride	Br H H + (CH <sub>3</sub> ) <sub>3</sub>	Main component	1	Br OH NH H, C CH <sub>3</sub>	417/419	623, 574	C19H18BrN2O4
К	3-[(Bromo-8-amino-5- hydroxy-4-imino-1-oxo-1,4- dihydro- naphthalenyl)amino]-3- methyl-N,N,N- trimethylbenzeneaminium chloride	Br NH OH N(CH <sub>3</sub> ) <sub>2</sub>	Impurity	1	Br OHN N CH <sub>3</sub>	430/432		G20H21BrN3O3

4

5

6

7

8

9

10

11

12

13 14

15

16

#### **SCCS** comment

Based on the provided chemical structures for the compounds 1 to 4, compounds 1, 2 and 3 have three isomers, while compound 4 has 6 isomers.

It is obvious from Table 2 that the composition of Basic Blue 99 varies from 58 to 70% from batch to batch. In addition, when compared with the previous batches, purity data for the batches RS 2798801 (50.2%), 125 (48.2%) and 140 (57.3%) and 107664 (67.8%) have been excluded from this Table by the Applicant.

The physicochemical properties and the biological activity of a chemical mixture will depend upon the composition of the mixture. The data on chemical analysis of six batches of Basic Blue 99 has demonstrated a highly variable composition of the material and has shown that it can be a mixture of up to 40 chemical analogues as well as several isomeric forms of some of them. Safety assessment will need toxicological data that are representative of the batch-to-batch variability.

### 3.2 Function and uses

17 18 19

20

Basic Blue 99 is used as a direct hair dye substance in hair dye formulations with a maximum on-head concentration of 1.0%.

21 22

# 3.3 Toxicological Evaluation

24 25 26

23

# 3.3.1 Acute toxicity

27 28 29

#### 3.3.1.1 Acute oral toxicity

3.3.1.2	Acute dermal toxicity
3.3.1.3	Acute inhalation toxicity
3.3.2	Irritation and corrosivity
3.3.2.1	Skin irritation
3.3.2.2	Mucous membrane irritation / Eye irritation
3131212	Traceas membrane irrication / Eye irrication
Г <u>-</u>	
3.3.3	Skin sensitisation
3.3.4	Dermal / percutaneous absorption
3.3.5	Repeated dose toxicity
51515	Repeated dose toxicity
3.3.5.1	Repeated Dose (14 days) oral toxicity
3.3.5.2	Sub-chronic (90 days) toxicity (oral)
3 3 5 3	Chronic (> 12 months) toxicity
3.3.3.3	emonic (> 12 months) toxicity
3.3.6	Mutagenicity / Genotoxicity
2261	M
3.3.6.1	Mutagenicity / Genotoxicity in vitro
3.3.6.2	Mutagenicity / Genotoxicity in vivo
3.3.7	Carcinogenicity
0.0.2	
Г <u>-</u>	
3.3.8	Reproductive toxicity
3.3.8.1	Two-generation reproduction toxicity
3 3 8 3	Other data on fertility and reproduction toxicity
5.5.6.2	Other data on remity and reproduction toxicity
3.3.0.2	Carlot data on fertility and reproduction toxicity

1 2 3.3.8.3 **Developmental Toxicity** 3 4 5 3.3.9 **Toxicokinetics** 6 7 8 3.3.10 Photo-induced toxicity 9 10 3.3.11 Human data 11 12 3.3.12 13 Special investigations 14 15 16 3.3.13 Safety evaluation (including calculation of the MoS) 17 18 19 3.3.14 Discussion 20 21 The data provided as part of the submission has indicated that the material is not composed 22 of a single substance, but of different substances and isomers. Analysis of different batches has shown that there is a large variation in the composition of the material intended for 23 24 commercial use. Also, the toxicological data provided in the previous submission do not 25 relate to the material specifications provided for the current assessment. 26 27 28 4. CONCLUSION 29 1. In light of the new data provided, does the SCCS consider Basic Blue 99 (C059) safe as 30 31 direct hair dye substance in hair dye formulations with a concentration on-head up to a 32 maximum of 1.0%? 33 The SCCS cannot conclude on the safety of Basic Blue 99 (C059) because it is composed of 34 several substances and isomeric forms, with a large variability between the composition of 35 different batches. Also, the toxicological data provided in the previous submission do not 36 relate to the material specifications provided for the current assessment. The safety assessment of Basic Blue 99 will require a clear well-defined set of specifications for the 37 38 composition of the material intended to be used in cosmetic products as well as supporting 39 toxicological data relating to a representative composition. 40 2. Does the SCCS have any further scientific concerns with regard to the use of Basic Blue 41 99 (C059) in cosmetic products? 42 43

5. MINORITY OPINION

### 6. REFERENCES

- Meinigke, B. (2006). Raw Material Specification C 059. Henkel KGaA, Düsseldorf, Report No. R 0600026
- Kynoch, S.R. (1986). Acute Oral Toxicity to Rats of Arianor Steel Blue. Huntingdon Research Centre Ltd., Cambridgeshire/UK, internal study code: 85131D/WLH 4/AC. Archive code at Henkel KGaA, Düsseldorf, Report No. R 9501207
- 3. Arcelin G. (2004). C 059: Primary Skin Irritation Study in Rabbits (4-Hour Semi-Occlusive Application). RCC Ltd, Itingen, Switzerland, internal study code: 853986. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0400811
  - 4. Arcelin, G. (2004). C 059: Primary Eye Irritation Study in Rabbits. RCC Ltd, Itingen, Switzerland, internal study code: 853987. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0400801
  - 5. Ullmann, W. (2001). Arianor Steel Blue: Local Lymph Node Assay (LLNA) in Mice (Identification of Contact Allergens). RCC Ltd, Itingen, Switzerland, internal study code: 795363. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0100254
  - Ward, R.J. (2002). In vitro penetration of Basic Blue 99 through pig skin from a vehicle and a standard formulation. Central Toxicology Laboratory, Cheshire, UK, internal Study No. JV1718. Archive code at Henkel KGaA, Düsseldorf, Report No. R0300002
  - 7. Bachmann, M., Flade, D. and Krinke, G. (2006). C 059 90-Day Oral (Gavage) Toxicity Study in Wistar Rats Followed by a 4 Week Recovery Period. RCC Ltd, Itingen, Switzerland, internal study number: A16470. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0600019(Vol. I and II)
  - 8. Gerspach, R. and Flade, D. (2006). C 059 Prenatal Developmental Toxicity Study in the Han Wistar Rat. Research Toxicology Centre (RTC) Rom/I, RCC Ltd, Itingen, Switzerland, internal study number: A16481. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0600021
  - 9. Krätzer, F. (2005). Bacterial Reverse Mutation Test (Ames Test) with C 059.GenPharmTox BioTech AG Cell Culture & Toxicology, Martinsried, Germany, internal study code 100128. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0500198
- 10. Wollny, H.-E. (2005). Cell Mutation Assay at the Thymidine Kinase Locus (TK+/-) in Mouse Lymphoma L5178Y Cells with C 059, CCC Cytotest Cell Research GmbH, Rossdorf, Germany, internal study code 897002, Archive code at Henkel KGaA, Report No. R 0500401
- 11. Krätzer, F. (2005). In vitro micronucleus test with C 059, GenPharmTox BioTech
   AG, Martinsried, Germany, internal study code 100135. Archive code at Henkel
   KGaA, Report No. R 0500310

- 12. Honarvar, N. (2005). Micronucleus Assay in Bone Marrow Cells of the Mouse with C059. RCC Cytotest Cell Research GmbH, Rossdorf, Germany, internal study code 909502. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0500437
- 13. Honarvar, N. (2003). In vivo/in vitro Unscheduled DNA synthesis in rat hepatocytes with Basic Blue 99 (C 059). RCC Cytotest Cell Research GmbH, Rossdorf, Germany, internal study code 792600. Archive code at Henkel KGaA, Düsseldorf, Report No. R0300571

#### 7. ANNEX

3 4

**ANNEX I : Basic Blue 99 Submission I and II:** Summary on the physico-chemical characterisation (provided data and SCCS comments)

Summary of the provided data on the composition of the Basic Blue 99 are listed in Tables 1&2 below **Table 1:** The composition of the two batches (RS2798801 and 74/75) of Basic Blue 99\*

Batch RS2798801	Detector PD  1: 250 nm, 4: Results Pk#  1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18		Retention Time  2,807 3,387 17,573 20,060 20,787 21,327 21,640 21,867 22,200 22,747 22,960 23,347 23,547 24,247 24,787 25,047	Area 76469 373216 62093 493322 845987 28809798 23205 213419 716968 362206 2940571 2846759 1259885 2926186 930366 2140861	Area Percent 0,109 0,530 0,088 0,701 1,201 36,655 0,317 0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321 3,040
Batch RS2798801	Results  Pk #  1  2  3  4  5  6  7  8  9  10  11  12  13  14  15  16  17	Name A1 A2 M1 M2 D2 D3 T2 D5 M2 D5 T2 D5 T2 D5 T2 T3 T3 T2 D5	2,807 3,387 17,573 20,060 20,787 21,327 21,640 21,867 22,200 22,747 22,960 23,347 24,247 24,247	76469 373216 62093 493322 845987 25809798 223205 213419 716968 362206 2940571 2846759 1259885 2926186 930366	0,109 0,530 0,088 0,701 1,201 36,655 0,317 0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321
Batch RS2798801	Pk #  1 2 3 4 5 6 7 8 9 10 11 12 13 13 14 15 16 17	A1 A2 M1 D2 D3 T2 D5 M2 D5 T2 D4 T3 T3 T2 D5	2,807 3,387 17,573 20,060 20,787 21,327 21,640 21,867 22,200 22,747 22,960 23,347 24,247 24,247	76469 373216 62093 493322 845987 25809798 223205 213419 716968 362206 2940571 2846759 1259885 2926186 930366	0,109 0,530 0,088 0,701 1,201 36,655 0,317 0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	A1 A2 M1 D2 D3 T2 D5 M2 D5 T2 D4 T3 T3 T2 D5	2,807 3,387 17,573 20,060 20,787 21,327 21,640 21,867 22,200 22,747 22,960 23,347 24,247 24,247	76469 373216 62093 493322 845987 25809798 223205 213419 716968 362206 2940571 2846759 1259885 2926186 930366	0,109 0,530 0,088 0,701 1,201 36,655 0,317 0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321
	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	A2 M1 M2 D2 D3 T2 D5 M2 D5 T2 D4 T3 T3 T2	3,387 17,573 20,060 20,787 21,327 21,640 21,867 22,200 22,747 22,960 23,347 24,247 24,247	373216 62093 493322 845987 25809798 223205 213419 716968 362206 2940571 2846759 1259885 2926186 930366	0,530 0,088 0,701 1,201 36,655 0,317 0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321
	4 5 6 7 8 9 10 11 12 13 14 15 16	M1 M2 D2 D3 T2 D5 M2 D5 T2 D4 T3 T3 T2 D5	17.573 20,060 20,787 21,327 21,640 21,867 22,200 22,747 22,960 23,347 24,247 24,787	62093 493322 845987 25809798 223205 213419 716968 362206 2940571 2846759 1259885 2926186 930366	0,088 0,701 1,201 36,655 0,317 0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321
	4 5 6 7 8 9 10 11 12 13 14 15 16	M2 D2 D3 T2 D5 M2 D5 T2 D4 T3 T3 T2 D5	20,060 20,787 21,327 21,640 21,867 22,200 22,747 22,960 23,347 24,247 24,247	493322 845987 25809798 223205 213419 716968 362206 2940571 2846759 1259885 2926186 930366	0,701 1,201 36,655 0,317 0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321
	5 6 7 8 9 10 11 12 13 14 15 16	D2 D3 T2 D5 M2 D5 T2 D4 T3 T3 T2 D5	20,787 21,327 21,640 21,867 22,200 22,747 22,960 23,347 24,247 24,787	845987 25809798 223205 213419 716968 362206 2940571 2846759 1259885 2926186 930366	1,201 36,655 0,317 0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321
	6 7 8 9 10 11 12 13 14 15 16	D3 T2 D5 M2 D5 T2 D4 T3 T3 T2 D5	21,327 21,640 21,867 22,200 22,747 22,960 23,347 23,547 24,247 24,787	25809798 223205 213419 716968 362206 2940571 2846759 1259885 2926186 930366	36,655 0,317 0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321
	7 8 9 10 11 12 13 14 15 16	T2 D5 M2 D5 T2 D4 T3 T3 T3 T2 D5	21,640 21,867 22,200 22,747 22,960 23,347 23,547 24,247 24,247	223205 213419 716968 362206 2940571 2846759 1259885 2926186 930366	0,317 0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321
	8 9 10 11 12 13 14 15 16 17	D5 M2 D5 T2 D4 T3 T3 T2 D5	21,867 22,200 22,747 22,960 23,347 23,547 24,247 24,787	213419 716968 362206 2940571 2846759 1259885 2926186 930366	0,303 1,018 0,514 4,176 4,043 1,789 4,156 1,321
	9 10 11 12 13 14 15 16	M2 D5 T2 D4 T3 T3 T2 D5	22,200 22,747 22,960 23,347 23,547 24,247 24,787	716968 362206 2940571 2846759 1259885 2926186 930366	1,018 0,514 4,176 4,043 1,789 4,156 1,321
	10 11 12 13 14 15 16	D5 T2 D4 T3 T3 T2 D5	22,747 22,960 23,347 23,547 24,247 24,787	362206 2940571 2846759 1259885 2926186 930366	0,514 4,176 4,043 1,789 4,156 1,321
	11 12 13 14 15 16 17	T2 D4 T3 T3 T2 D5	22,960 23,347 23,547 24,247 24,787	2940571 2846759 1259885 2926186 930366	4,176 4,043 1,789 4,156 1,321
	12 13 14 15 16	D4 T3 T3 T2 D5	23,347 23,547 24,247 24,787	2846759 1259885 2926186 930366	4,043 1,789 4,156 1,321
	13 14 15 16	T3 T3 T2 D5	23,547 24,247 24,787	1259885 2926186 930366	1,789 4,156 1,321
	14 15 16 17	T3 T2 D5	24,247 24,787	2926186 930366	4,156 1,321
	15 16 17	T2 D5	24,787	930366	1,321
	16 17	D5			
	17		25,047	2140861	2.040
		DM.			5,040
	18	1.74	25,620	10849541	15,408
			26,767	2139409	3,038
	19	D4	27,307	4702229	6,678
	20		27,647	812561	1,154
	21	T5	28,140	1275192	1,811
	22		28,373	53318	0,076
	23		28,760	444057	0,631
	24	T5	29,313	4458174	6,331
	25	N1	29,740	1580425	2,244
	26	T6	30,693	56413	0.080
	27	T7	31,813	684980	0,973
	28	T5	32,700	429202	0,610
	29		33,200	399826	0,568
	30		33,973	139394	0.198
	31		37,713	84265	0,120
	32		38,680	83027	0,118
	Totals			70413324	100,000

Batch 74/75

Pk#	Name	Retention Time	Area	Area Percent
1	A1	2,700	561285	0,393
2	A2	3,460	2776670	1,945
3	A3	4,860	1607192	1,126
4	D1	8,447	1407895	0,986
5	A4	9,820	388356	0,272
6		12,467	491966	0,345
7	M1	17,773	3403664	2,384
8	M2	18,553	386585	0,271
9	M2	20,180	453992	0,318
10	D2	20,740	6641408	4,652
11	D3	21,260	70402380	49,316
12	T1	21,887	1654799	1,159
13	M2	22,067	1408617	0,987
14	T2	22,233	2336724	1,637
15		22,907	222682	0,156
16	T3	23,347	2506664	1,756
17	T4	23,560	1521554	1,066
18	T3	24,073	15483505	10,846
19	D4	25,187	3635854	2,547
20	D5	25,967	1778877	1,246
21	D4	26,733	15574076	10,910
22	T5	28,893	1942774	1,361
23	N1	31,727	3601472	2,523
24		35,900	266817	0,187
25		41,313	1383596	0.969
26		45,253	344468	0,241
27		49,700	572388	0,401
Totals			142756260	100.000

\*HPLC peaks of Basic Blue 99 are characterised by names (LC/MS characterisation), and composition of Basic Blue 99 is shown by the area percentage of each component (and their isomers) (Ref. 2, 3).

**Table 2:** Distribution of major components (and their isomers) of Basic Blue 99 in the batches RS2798801 and 74/75, deduced from Table 1

	Batch RS27	98801		Batch 74/7	<b>'</b> 5
Component/ Name	Peak No. of all isomers		Component/	Peak No. of all isomers	Area percent of all
D3	6	isomers 36.7%	Name D3	11	isomers 49.3%
D4	12, 17, 19	4.0+15.4+6.7= 26.1%	D4	19, 21	2.6+10.9 = 13.5%
D5	8, 10, 16	0.3+0.5+3.0 = 3.8%	D5	20	1.3%
T2	7, 11, 15	0.3+4.2+1.3 = 5.8%	T2	14	1.6%
T3	13, 14	1.8+4.2 = 6.0%	T3	16, 18	1.8+10.9 = 12.7%
T5	21, 24, 28	1.2+6.3+0.6 = 8.1%	T5	22	1.4%

SCCS general comments on Purity: Basic Blue 99 is a mixture of 23-32 substances of varying concentrations as demonstrated by the HPLC analysis of two batches RS2798801 and 74/75 (Table 1). The SCCS is not convinced that all components of Basic Blue 99 (batches RS2798801 and 74/75) are adequately characterised by NMR and IR. The SCCS considers that the chemical characterisation of individual components of Basic Blue 99 (batches RS2798801 and 74/75) based on LC/MS analysis (UV-Vis spectrum and 1-4 molecular ions) is a poor chemical characterisation. The HPLC peak area of the major component of Basic Blue 99 in the two batches (batches RS2798801 and 74/75) 36% and 49% (Tables 1 &2), is significantly different from each other. The HPLC peak areas of other components of Basic Blue 99, characterised by the study authors, are also very different (Tables 1&2) in the two batches. In addition, the LC/MS characterisation of the Basic Blue 99 according to the study authors revealed that the isomeric composition of individual components of the two batches is also different (Tables 1 &2).

**ANNEX II: Basic Blue 99 Submission III (2014):** Summary on the physico-chemical characterisation (provided data and SCCS comments)

# **Provided data on Purity**

Basic Blue 99 is a sum of 3 isomers with 3-[(4-amino-6-bromo-5,8-dihydro-1-hydroxy-8-imino-5-oxo-2-naphtyl)amino]-N,N,N trimethylanilinium chloride as main isomer, according to <sup>1</sup>H-NMR. Purity (% HPLC): >48 area-% (Table 1)

**Table 1:** Analytical description of Batches used in Toxicity studies or actual market materials

ID	Structure	MW	Peak no.	Range (area%)	74/75 (area- %)	RS27988101 (area-%)	125 (area- %)	140 (area- %)	106106 (area- %)	107664 (area- %)
Main	Br H H H H H H H H H H H H H H H H H H H	415 / 417	10, 13, 14	>48	62.8	50.2	48.2	57.3	64.1	67.8

**Provided data on Subsidiary Colours:** Members of an isomer set whose total percentage area (area-%) is greater than 1.0% at 500-700 nm and are considered to contribute to the desired blue coloration of hair have been classified as Subsidiary Colours (Table 2)

	2: Subsidiary colours	_				1				
ID	Structure	MW	Peak no.	Range (area%)	74/75 (area- %)	RS27988101 (area-%)	125 (area- %)	140 (area- %)	106106 (area- %)	107664 (area- %)
F	Br NH <sub>3</sub>	416/ 418	15, 16, 23, 24, 25, 26, 27, 28	≤26.5	8.4	16.9	26.0	19.6	7.0	7.3
E	BI <sub>2</sub> NH CH NICH <sub>3</sub> ) <sub>2</sub>	493 / 495 / 497	18, 20 22	≤15	11.8	14.6	4.4	5.5	7.4	10.8
Α	NH <sub>2</sub>	337	1, 5	<u>&lt;</u> 9.5	1.7		9.3	3.7	1.6	0.9
J	DH -MCH,	417 / 419	30	<u>&lt;</u> 6.0	4.1	4.8	2.0	3.4	5.4	5.8
L	Br <sub>s</sub> OH	423- 429	39. 40	≤5.0	2.60	1.3	1.7	1.5	4.4	4.3
В	HO <sub>3</sub> 8 NH <sub>2</sub> N <sub>I(CH<sub>2</sub>)<sub>3</sub></sub>	418	4, 11	≤4.0	1.80	2.0	2.8	2.2	3.8	
G	Br <sub>2</sub> H <sub>O</sub> H <sub>2</sub> J <sub>3</sub>	494 / 496 / 498	31, 32, 34	≤3.0	2.10	2.8	1.2	0.8	2.7	2.0
0	HO,S HO,S NH, HO,S NICH,JS	417	3	≤3.0	1.0		2.0	2.6		
N	HOJS HOLDEN	496 / 498	12	≤2.5	0.7	2.1	0.3			
Х	O NH <sub>2</sub> CI H H OH N(CH <sub>3</sub> ) <sub>3</sub>	449 / 451 / 453	21	≤1.7		1.7				
М	HO <sub>3</sub> S H OH NICH <sub>1</sub> )	495 / 497	7	≤1.6	0.9			1.3		

Identity was verified for each batch by UV and IR spectroscopy. Before marketing of Basic Blue 99, sodium chloride and/or saccharose are usually added to the neat dye in order to adjust the colour strength to a certain predefined value.

Impurity: organic impurities are presented in Table 3. Members of an isomer set lacking one or both of the criteria mentioned in the purity section above

Table 3: Organic impurities of Basic Blue 99

ID	Structure	MW	Peak no.	Range (area %)	74/75 (area- %)	RS27988101 (area-%)	125 (area- %)	140 (area- %)	106106 (area-%)	107664 (area-%)
P	HO2S NH OH NICH <sub>3</sub> ) <sub>5</sub>	451	6	<u>&lt;</u> 1.3			1.3	0.2	0.6	
С	O OH + (CH <sub>2</sub> ) <sub>2</sub>	338	8	≤1.2	0.4	0.6		1.2	0.2	0.5
K	Br NH <sub>2</sub>	430 / 432	29	≤0.9	0.9			0.4		
Q	NH12 N(CH3)3	352	17	<u>&lt;</u> 0.5	0.2	0.5	0.1		0.2	
	Not known	?	38	<u>≤</u> 1.4	1.4				0.6	0.5
	Not known	-	37	≤0.9		0.9			0.3	

Inorganic impurities: Pb <20 ppm; Sb and Ni <10 ppm; As and Cd <5 ppm; Hg <1 ppm

Purity Based on major components: The purity of Basic Blue 99 based on major components (≥5% HPLC peak area) can be reported as described in Table 4.

Table 4 Purity of Basic Blu	ıe 99 (main com	nponent + subsidiary colou	rs)
Basic Blue 99 component	No. of isomers	%HPLC peak area (Range)	Isomer composition *
Main component	3	48.0 - 67.8	Not known
F	8	7.0 - 26.5	Not known
E	3	4.4 – 15.0	Not known
Α	2	0.0 – 9.5	Not known
J	1	2.0 - 6.0	Not known
L	2	1.3 – 5.0	Not known

\*It is clear from Table 2 that isomeric composition of various components may also vary from batch to batch

SCCS comments: It is obvious from Table 5 that composition of Basic Blue 99 varies significantly from batch to batch.

The physico-chemical properties as well as biological activity of a mixture will depend upon the composition of the mixture. As the six batches of Basic Blue 99 were demonstrated to be a mixture of up to 40 substances of varying composition (and varying isomeric composition), the safety of such a mixture cannot be assessed.