



HAL
open science

SCCS OPINION ON Basic Blue 99 (C059)

Ulrike Bernauer, Laurent Bodin, Leonardo Celleno, Qasim Mohammad Chaudhry, Pieter-Jan Coenraads, Maria Dusinska, Janine Ezendam, Eric Gaffet, Corrado Lodovico Galli, Berit Brunstad Granum, et al.

► **To cite this version:**

Ulrike Bernauer, Laurent Bodin, Leonardo Celleno, Qasim Mohammad Chaudhry, Pieter-Jan Coenraads, et al.. SCCS OPINION ON Basic Blue 99 (C059). 2017. hal-01493472

HAL Id: hal-01493472

<https://hal.science/hal-01493472>

Submitted on 21 Mar 2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

Scientific Committee on Consumer Safety

SCCS

**OPINION ON
Basic Blue 99 (C059)**

The SCCS adopted this Opinion
on 7 March 2017

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47

About the Scientific Committees

Two independent non-food Scientific Committees provide the Commission with the scientific advice it needs when preparing policy and proposals relating to consumer safety, public health and the environment. The Committees also draw the Commission's attention to the new or emerging problems that may pose an actual or potential threat.

These Committees are the Scientific Committee on Consumer Safety (SCCS) and the Scientific Committee on Health, Environmental and Emerging Risks (SCHEER) and they are made up of scientists appointed in their personal capacity.

In addition, the Commission relies upon the work of the European Food Safety Authority (EFSA), the European Medicines Agency (EMA), the European Centre for Disease prevention and Control (ECDC) and the European Chemicals Agency (ECHA).

SCCS

The Committee shall provide Opinions on questions concerning all types of health and safety risks (notably chemical, biological, mechanical and other physical risks) of non-food consumer products (for example: cosmetic products and their ingredients, toys, textiles, clothing, personal care and household products such as detergents, etc.) and services (for example: tattooing, artificial sun tanning, etc.).

Scientific Committee members

Bernauer Ulrike, Bodin Laurent, Celleno Leonardo, Chaudhry Mohammad Qasim, Coenraads Pieter-Jan, Dusinska Maria, Ezendam Janine, Gaffet Eric, Galli Corrado Lodovico, Granum Brunstad Berit, Panteri Eirini, Rogiers Vera, Rousselle Christophe, Stępnik Maciej, Vanhaecke Tamara, Wijnhoven Susan

Contact

European Commission
Health and Food Safety
Directorate C: Public Health, Country Knowledge, Crisis Management
Unit C2 – Country Knowledge and Scientific Committees
L-2920 Luxembourg
SANTE-C2-SCCS@ec.europa.eu

© European Union, 2017

ISSN ISBN

Doi: ND-

The Opinions of the Scientific Committees present the views of the independent scientists who are members of the committees. They do not necessarily reflect the views of the European Commission. The Opinions are published by the European Commission in their original language only.

http://ec.europa.eu/health/scientific_committees/index_en.htm

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38

ACKNOWLEDGMENTS

SCCS members listed below are acknowledged for their valuable contribution to this Opinion.

SCCS Members

Dr U. Bernauer
Dr L. Bodin
Dr L. Celleno
Prof. Q. Chaudhry
Prof. P.J. Coenraads (Chairperson)
Prof. M. Dusinska
Dr J. Ezendam
Prof. C. L. Galli
Dr B. Granum
Prof. E. Panteri (Rapporteur)
Prof. V. Rogiers
Dr Ch. Rousselle
Dr M. Stepnik
Prof. T. Vanhaecke
Dr S. Wijnhoven

Former Member:

Prof. J. Duus-Johansen

All Declarations of Working Group members are available on the following webpage:
http://ec.europa.eu/health/scientific_committees/experts/declarations/sccs_en.htm

Keywords: SCCS, scientific opinion, hair dye, Basic Blue 99 (C059), Regulation 1223/2009,
CAS: 68123-13-7, EC: 268-544-3

Opinion to be cited as: SCCS (Scientific Committee on Consumer Safety), Opinion on Basic Blue 99 (C059), 7 March 2017, SCCS/1585/17

1			
2	TABLE OF CONTENTS		
3			
4			
5	1.	BACKGROUND	5
6	2.	TERMS OF REFERENCE.....	5
7	3.	OPINION.....	6
8	3.1	Chemical and Physical Specifications.....	6
9	3.1.1	Chemical identity	6
10	3.1.2	Physical form	6
11	3.1.3	Molecular weight	7
12	3.1.4	Purity, composition and substance codes.....	7
13	3.1.5	Impurities / accompanying contaminants	7
14	3.1.6	Solubility	7
15	3.1.7	Partition coefficient (Log P _{ow}).....	7
16	3.1.8	Additional physical and chemical specifications.....	7
17	3.1.9	Homogeneity and Stability	7
18	3.2	Function and uses.....	12
19	3.3	Toxicological Evaluation	12
20	3.3.1	Acute toxicity	12
21	3.3.2	Irritation and corrosivity	13
22	3.3.3	Skin sensitisation.....	13
23	3.3.4	Dermal / percutaneous absorption.....	13
24	3.3.5	Repeated dose toxicity	13
25	3.3.6	Mutagenicity / Genotoxicity	13
26	3.3.7	Carcinogenicity.....	13
27	3.3.8	Reproductive toxicity.....	13
28	3.3.9	Toxicokinetics	14
29	3.3.10	Photo-induced toxicity	14
30	3.3.11	Human data.....	14
31	3.3.12	Special investigations	14
32	3.3.13	Safety evaluation (including calculation of the MoS).....	14
33	3.3.14	Discussion	14
34	4.	CONCLUSION	14
35	5.	MINORITY OPINION.....	14
36	6.	REFERENCES.....	15
37	7.	ANNEX	17
38			
39			
40			
41			

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37

1. BACKGROUND

The substance Basic Blue 99 (INCI) (CAS 68123-13-7) (COLIPA No C059) with the chemical name 3-[(4-amino-6-bromo-5,8-dihydro-1-hydroxy-8-imino-5-oxo-2-naphthalenyl)amino]-N,N,N-trimethyl benzenaminium chloride is a direct hair dye substance in hair dye formulations with a concentration on-head of maximum 1.0%.

Submission I and II for the hair dye Basic Blue 99 were transmitted in August 1992 and March 2006 respectively by COLIPA. Following Submission II, in September 2011 the Scientific Committee for Consumer Safety (SCCS) expressed concerns regarding the highly variable composition of Basic Blue of the analysed batches that made it impossible to conclude on the safety of the substance (SCCS/1437/11).

In reply to these scientific concerns, in July 2014 EFfCI provided new analytical data (Submission III) on the batches presented by COLIPA in the previous submissions and on other more recent batches. In September 2014, the SCCS concluded that:

"Basic Blue 99 is a mixture of up to 40 substances of varying concentrations as demonstrated by the HPLC analysis of six batches (See Figures 1-3 and Tables 2, 3 and 5).

Due to the highly variable composition of Basic Blue 99 in six batches, the safety of Basic Blue 99 cannot be evaluated." (SCCS/1537/14).

In April 2016, EFfCI submitted another dossier (Submission IV) containing new information on composition in an update of the analytical description of market quality and other data.

2. TERMS OF REFERENCE

(1) *In light of the new data provided, does the SCCS consider Basic Blue 99 (C059) safe as direct hair dye substance in hair dye formulations with a concentration on-head up to a maximum of 1.0%?*

(2) *Does the SCCS have any further scientific concerns with regard to the use of Basic Blue 99 (C059) in cosmetic products?*

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48

3. OPINION

3.1 Chemical and Physical Specifications

3.1.1 Chemical identity

3.1.1.1 Primary name and/or INCI name

Basic Blue 99

3.1.1.2 Chemical names

Benzenaminium, 3-[(4-amino-6-bromo-5,8-dihydro-1-hydroxy-8-imino-5-oxo-2-naphthalenyl)amino]- N,N,N-trimethyl-, chloride (9CI)

3-[(4-amino-6-bromo-5,8-dihydro-1-hydroxy-8-imino-5-oxo-2-naphtyl)amino]-N,N,N-trimethylanilinium chloride (main component),

3.1.1.3 Trade names and abbreviations

C059

Arianor Steel Blue

Jarocol Steel Blue

Basic Blue 99


C.I. 56059

3.1.1.4 CAS / EC number

CAS: 68123-13-7

EC: 268-544-3

3.1.1.5 Structural formula



3-[(4-amino-6-bromo-1-hydroxy-8-imino-5-oxo-5,8-dihydronaphthalen-2-yl)aminol-N,N,N-trimethylbenzenaminium chloride

3.1.1.6 Empirical formula

Formula: C₁₉H₂₀BrN₄O₂⁺ x Cl⁻ (main component)

3.1.2 Physical form

Blue black, fine powder

3.1.3 Molecular weight

Molecular weight: 451.8 (as chloride), 416.3 (as cation)

3.1.4 Purity, composition and substance codes

See General comments to physico-chemical characterisation (below)

3.1.5 Impurities / accompanying contaminants

See General comments to physico-chemical characterisation (below)

3.1.6 Solubility

Water 10-100 g/L room temperature

Ethanol 1-10 g/L room temperature

DMSO 1-10 g/L room temperature

3.1.7 Partition coefficient (Log P_{ow})

Log Pow: 1.88 (calculated with Syracuse)

3.1.8 Additional physical and chemical specifications

Melting point: > 200 °C (thermal decomposition)

Boiling point: /

Flash point: /

Vapour pressure: /

Density: /

Viscosity: /

pKa: /

Refractive index: /

UV_Vis spectrum (200-800 nm): /

3.1.9 Homogeneity and Stability

A freshly prepared sample of Basic Blue 99 batch 0107664 at 0.05 mg/ml in water was compared by HPLC-DAD with a sample stored 3 days at autosampler conditions (4°C). According to the main peak area, the sample was stable within a period of 3 days at 4°C, as a recovery of 99.6 % was found under the study conditions.


General Comments to the physicochemical part

The provided data and the SCCS comments according to Submissions I, II and III are summarised in Annexes I and II

1 **Information on purity (and impurity) of Basic Blue 99, according to Submission IV,**
 2 **2016**

3
 4
 5 **Purity**

6 According to the applicant, the product is a mixture of the following defined structures:
 7



8
 9 (1) = 3-[(Bromo-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]-N,N,N
 10 trimethylbenzeneaminium chloride

11 (2) = 3-[(Bromo-8-amino-5-hydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino]-
 12 N,N,N-trimethylbenzeneaminium chloride

13 (3) = 3-[(Dibromo-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]-
 14 N,N,N-trimethylbenzeneaminium chloride

15 (4) = 3-[(Bromo-5,8-dihydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino]-N,N,N
 16 trimethylbenzeneaminium chloride

17
 18 The purity of Basic Blue 99, based on major components ($\geq 5\%$ HPLC peak area) linked to
 19 batch 74/75 used in toxicity studies and to updated representative market materials, is
 20 described in Table 1 (HPLC results).

21 **Table 1:** Purity of Basic Blue 99 based on major components ($\geq 5\%$ HPLC peak area)
 22





ID	MW (as cation)	74/75	106106	201501121	Range
Main	415/417	62.8	64.1	61.3	58.0-70.0
A	337	1.7	1.7	2.8	1.0-4.0
B	418	1.8	3.8	0.8	0.0-4.0
C	338	0.4	0.2	1.4	0.0-2.0
E	493/ 495/ 497	11.8	7.4	6.1	6.0-12.0
F	416/418	8.4	7.0	12.5	7.0-14.0
G	494/ 496/ 498	2.1	2.7	1.8	1.0-3.0
J	417/419	4.1	5.4	3.5	3.0-6.0
K	430/432	0.9	0.0	0.8	0.0-2.0
L	423/429	2.6	4.4	3.0	2.0-5.0
M	495/497	0.9	0.0	0.6	0.0-1.0

Opinion on Basic Blue 99 (C059)

N	496/498	0.7	0.0	0.7	0.0-1.0
O	417	1.0	0.0	1.3	0.0-2.0
P	451	0.0	0.6	0.0	0.0-1.0
Q	352	0.2	0.2	0.3	0.0-1.0

1
2
3 Based on these results, the applicant narrowed Basic Blue 99 composition definition (see
4 Table 2).
5












Table 2: Composition definition of Basic Blue 99

Basic Blue 99 components	MW (as cation)	% HPLC peak area (range)
	416.3	58.0 – 70.0
 (F)	417.3	7.0 – 14.0
 (E)	495.2	6.0 – 12.0
 (J)	418.3	3.0 – 6.0

6
7 **Impurity**
8

9 Inorganic impurities:
10 Pb <20 ppm ; Sb and Ni <10 ppm; As and Cd <5 ppm; Hg <1 ppm
11 Organic impurities: Subsidiary colours (HPLC peak area below 5% and above 1%) and
12 impurities (HPLC peak area below 1%) are summarised in Table 3:
13
14
15
16
17
18
19
20
21

1 **Table 3:** Organic impurities based on HPLC data (HPLC peak area below 5% and above 1%)
 2 and impurities (HPLC peak area below 1%)

Basic Blue 99 subsidiary colors	MW (as cation)	% HPLC peak area (range)
 (L)	425.9	2.0 - 5.0
 (A)	337.4	1.0 - 4.0
 (G)	496.2	1.0 - 3.0
 (B)	418.5	0.0 - 4.0
 (O)	417.5	0.0 - 2.0
 (C)	338.4	0.0 - 2.0
 (K)	431.3	0.0 - 2.0
 (N)	497.4	< 1.0
 (M)	496.4	< 1.0
 (Q)	338.4	< 1.0
 (P)	451.9	< 1.0

3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

Isomer composition

Compounds identified in Hair Dye C059 are summarised in table 4.

Opinion on Basic Blue 99 (C059)

1 **Table 4: Compounds identified in Hair Dye C059**

ID	Chemical name	General structure	Role	N° of isomers	Expected main isomer	MW	λ max(nm)	Molecular formula
Main	3-[(Bromo-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]- <i>N,N,N</i> -trimethylbenzeneaminium chloride		Main component	3		415/417	625, 580	C19H20BrN4O2
A	3-[(8-Amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]- <i>N,N,N</i> -trimethylbenzeneaminium chloride		Subsidiary colour	2		337	603, 561	C19H21N4O2
B	3-[(Sulpho-8-amino-5-hydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino]- <i>N,N,N</i> -trimethylbenzeneaminium chloride		Subsidiary colour	1		418	593 (sh), 557	C19H20N3O6S
C	3-[(8-Amino-5-hydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino]- <i>N,N,N</i> -trimethylbenzeneaminium chloride		Subsidiary colour	1		338	512	C19H20N3O3
E	3-[(Dibromo-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]- <i>N,N,N</i> -trimethylbenzeneaminium chloride		Main component	3		493/495/497	623, 574	C19H19Br2N4O2

2

ID	Chemical name	General structure	Role	N° of isomers	Expected main isomer	MW	λ max(nm)	Molecular formula
F	3-[(Bromo-8-amino-5-hydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino]- <i>N,N,N</i> -trimethylbenzeneaminium chloride		Main component	6		416/418	595, 557	C19H19BrN3O3
G	3-[(Dibromo-8-amino-5-hydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino]- <i>N,N,N</i> -trimethylbenzeneaminium chloride		Subsidiary colour	3		494/496/498	628, 585	C19H18Br2N3O3
J	3-[(Bromo-5,8-dihydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino]- <i>N,N,N</i> -trimethylbenzeneaminium chloride		Main component	1		417/419	623, 574	C19H18BrN2O4
K	3-[(Bromo-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]-3-methyl- <i>N,N,N</i> -trimethylbenzeneaminium chloride		Impurity	1		430/432	---	C20H21BrN3O2

3

Opinion on Basic Blue 99 (C059)

ID	Chemical name	General structure	Role	N° of isomers	Expected main isomer	MW	λ max(nm)	Molecular formula
L	Tribromo-8-amino-5-hydroxy-1,4-naphthoquinone		Subsidiary colour	2		423/429	628, 585	C10H4Br3NO3
M	3-[(Bromo-sulpho-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]-N,N,N-trimethylbenzeneaminium chloride		Impurity	1		495/497	634,590 (sh)	C19H20BrN4O5S
N	3-[(Bromo-sulpho-8-amino-5-hydroxy-1,4-dioxo-1,4-dihydronaphthalenyl)amino]-N,N,N-trimethylbenzeneaminium chloride		Impurity	1		496/498	568	C19H19BrN3O6S
O	3-[(Sulpho-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]-N,N,N-trimethylbenzeneaminium chloride		Subsidiary colour	1		417	634, 590 (sh)	C19H21N4O5S
P	3-[(Chloro-sulpho-8-amino-5-hydroxy-4-imino-1-oxo-1,4-dihydronaphthalenyl)amino]-N,N,N-trimethylbenzeneaminium chloride		Impurity	1		451	574	C19H20ClN4O5S

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

SCCS comment

Based on the provided chemical structures for the compounds 1 to 4, compounds 1, 2 and 3 have three isomers, while compound 4 has 6 isomers.

It is obvious from Table 2 that the composition of Basic Blue 99 varies from 58 to 70% from batch to batch. In addition, when compared with the previous batches, purity data for the batches RS 2798801 (50.2%), 125 (48.2%) and 140 (57.3%) and 107664 (67.8%) have been excluded from this Table by the Applicant.

The physicochemical properties and the biological activity of a chemical mixture will depend upon the composition of the mixture. The data on chemical analysis of six batches of Basic Blue 99 has demonstrated a highly variable composition of the material and has shown that it can be a mixture of up to 40 chemical analogues as well as several isomeric forms of some of them. Safety assessment will need toxicological data that are representative of the batch-to-batch variability.

3.2 Function and uses

Basic Blue 99 is used as a direct hair dye substance in hair dye formulations with a maximum on-head concentration of 1.0%.

3.3 Toxicological Evaluation

3.3.1 Acute toxicity

3.3.1.1 Acute oral toxicity

1	3.3.1.2 Acute dermal toxicity
2	
3	
4	3.3.1.3 Acute inhalation toxicity
5	
6	
7	3.3.2 Irritation and corrosivity
8	
9	
10	3.3.2.1 Skin irritation
11	
12	
13	3.3.2.2 Mucous membrane irritation / Eye irritation
14	
15	
16	3.3.3 Skin sensitisation
17	
18	
19	3.3.4 Dermal / percutaneous absorption
20	
21	
22	3.3.5 Repeated dose toxicity
23	
24	
25	3.3.5.1 Repeated Dose (14 days) oral toxicity
26	
27	
28	3.3.5.2 Sub-chronic (90 days) toxicity (oral)
29	
30	
31	3.3.5.3 Chronic (> 12 months) toxicity
32	
33	
34	3.3.6 Mutagenicity / Genotoxicity
35	
36	3.3.6.1 Mutagenicity / Genotoxicity <i>in vitro</i>
37	
38	
39	3.3.6.2 Mutagenicity / Genotoxicity <i>in vivo</i>
40	
41	
42	3.3.7 Carcinogenicity
43	
44	
45	3.3.8 Reproductive toxicity
46	
47	
48	3.3.8.1 Two-generation reproduction toxicity
49	
50	
51	3.3.8.2 Other data on fertility and reproduction toxicity
52	

1
2 **3.3.8.3 Developmental Toxicity**
3
4

5 **3.3.9 Toxicokinetics**
6
7

8 **3.3.10 Photo-induced toxicity**
9
10

11 **3.3.11 Human data**
12

13 **3.3.12 Special investigations**
14
15

16 **3.3.13 Safety evaluation (including calculation of the MoS)**
17
18

19 **3.3.14 Discussion**
20

21 The data provided as part of the submission has indicated that the material is not composed
22 of a single substance, but of different substances and isomers. Analysis of different batches
23 has shown that there is a large variation in the composition of the material intended for
24 commercial use. Also, the toxicological data provided in the previous submission do not
25 relate to the material specifications provided for the current assessment.
26
27

28 **4. CONCLUSION**
29

30 *1. In light of the new data provided, does the SCCS consider Basic Blue 99 (C059) safe as*
31 *direct hair dye substance in hair dye formulations with a concentration on-head up to a*
32 *maximum of 1.0%?*

33 The SCCS cannot conclude on the safety of Basic Blue 99 (C059) because it is composed of
34 several substances and isomeric forms, with a large variability between the composition of
35 different batches. Also, the toxicological data provided in the previous submission do not
36 relate to the material specifications provided for the current assessment. The safety
37 assessment of Basic Blue 99 will require a clear well-defined set of specifications for the
38 composition of the material intended to be used in cosmetic products as well as supporting
39 toxicological data relating to a representative composition.

40 *2. Does the SCCS have any further scientific concerns with regard to the use of Basic Blue*
41 *99 (C059) in cosmetic products?*

42 /
43

44 **5. MINORITY OPINION**
45
46

/

6. REFERENCES

1. Meinigke, B. (2006). Raw Material Specification – C 059. Henkel KGaA, Düsseldorf, Report No. R 0600026
2. Kynoch, S.R. (1986). Acute Oral Toxicity to Rats of Arianor Steel Blue. Huntingdon Research Centre Ltd., Cambridgeshire/UK, internal study code: 85131D/WLH 4/AC. Archive code at Henkel KGaA, Düsseldorf, Report No. R 9501207
3. Arcelin G. (2004). C 059: Primary Skin Irritation Study in Rabbits (4-Hour Semi-Occlusive Application). RCC Ltd, Itingen, Switzerland, internal study code: 853986. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0400811
4. Arcelin, G. (2004). C 059: Primary Eye Irritation Study in Rabbits. RCC Ltd, Itingen, Switzerland, internal study code: 853987. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0400801
5. Ullmann, W. (2001). Arianor Steel Blue: Local Lymph Node Assay (LLNA) in Mice (Identification of Contact Allergens). RCC Ltd, Itingen, Switzerland, internal study code: 795363. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0100254
6. Ward, R.J. (2002). In vitro penetration of Basic Blue 99 through pig skin from a vehicle and a standard formulation. Central Toxicology Laboratory, Cheshire, UK, internal Study No. JV1718. Archive code at Henkel KGaA, Düsseldorf, Report No. R0300002
7. Bachmann, M., Flade, D. and Krinke, G. (2006). C 059 – 90-Day Oral (Gavage) Toxicity Study in Wistar Rats Followed by a 4 Week Recovery Period. RCC Ltd, Itingen, Switzerland, internal study number: A16470. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0600019(Vol. I and II)
8. Gerspach, R. and Flade, D. (2006). C 059 – Prenatal Developmental Toxicity Study in the Han Wistar Rat. Research Toxicology Centre (RTC) Rom/I, RCC Ltd, Itingen, Switzerland, internal study number: A16481. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0600021
9. Krätzer, F. (2005). Bacterial Reverse Mutation Test (Ames Test) with C 059. GenPharmTox BioTech AG Cell Culture & Toxicology, Martinsried, Germany, internal study code 100128. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0500198
10. Wollny, H.-E. (2005). Cell Mutation Assay at the Thymidine Kinase Locus (TK+/-) in Mouse Lymphoma L5178Y Cells with C 059, CCC Cytotest Cell Research GmbH, Rossdorf, Germany, internal study code 897002, Archive code at Henkel KGaA, Report No. R 0500401
11. Krätzer, F. (2005). In vitro micronucleus test with C 059, GenPharmTox BioTech AG, Martinsried, Germany, internal study code 100135. Archive code at Henkel KGaA, Report No. R 0500310

- 1 12. Honarvar, N. (2005). Micronucleus Assay in Bone Marrow Cells of the Mouse with
2 C059. RCC Cytotest Cell Research GmbH, Rossdorf, Germany, internal study code
3 909502. Archive code at Henkel KGaA, Düsseldorf, Report No. R 0500437
- 4 13. Honarvar, N. (2003). In vivo/in vitro Unscheduled DNA synthesis in rat
5 hepatocytes with Basic Blue 99 (C 059). RCC Cytotest Cell Research GmbH,
6 Rossdorf, Germany, internal study code 792600. Archive code at Henkel KGaA,
7 Düsseldorf, Report No. R0300571
- 8
- 9

Opinion on Basic Blue 99 (C059)

1
2 **7. ANNEX**
3
4

ANNEX I : Basic Blue 99 Submission I and II: Summary on the physico-chemical characterisation (provided data and SCCS comments)

Summary of the provided data on the composition of the Basic Blue 99 are listed in Tables 1&2 below

Table 1: The composition of the two batches (RS2798801 and 74/75) of Basic Blue 99*																																																																																																																																																																											
Batch No	HPLC-PDA data																																																																																																																																																																										
Batch RS2798801	<p>Detector PDA L-2450</p> <p>1: 250 nm, 4 nm Results</p> <table border="1"> <thead> <tr> <th>PK #</th> <th>Name</th> <th>Retention Time</th> <th>Area</th> <th>Area Percent</th> </tr> </thead> <tbody> <tr><td>1</td><td>A1</td><td>2,807</td><td>76469</td><td>0,109</td></tr> <tr><td>2</td><td>A2</td><td>3,387</td><td>373216</td><td>0,530</td></tr> <tr><td>3</td><td>M1</td><td>17,573</td><td>62093</td><td>0,088</td></tr> <tr><td>4</td><td>M2</td><td>20,060</td><td>493322</td><td>0,701</td></tr> <tr><td>5</td><td>D2</td><td>20,787</td><td>845987</td><td>1,201</td></tr> <tr><td>6</td><td>D3</td><td>21,327</td><td>25809798</td><td>36,655</td></tr> <tr><td>7</td><td>T2</td><td>21,640</td><td>223205</td><td>0,317</td></tr> <tr><td>8</td><td>D5</td><td>21,867</td><td>213419</td><td>0,303</td></tr> <tr><td>9</td><td>M2</td><td>22,200</td><td>716968</td><td>1,018</td></tr> <tr><td>10</td><td>D5</td><td>22,747</td><td>362206</td><td>0,514</td></tr> <tr><td>11</td><td>T2</td><td>22,960</td><td>2940571</td><td>4,176</td></tr> <tr><td>12</td><td>D4</td><td>23,347</td><td>2846759</td><td>4,043</td></tr> <tr><td>13</td><td>T3</td><td>23,547</td><td>1259885</td><td>1,789</td></tr> <tr><td>14</td><td>T3</td><td>24,247</td><td>2926186</td><td>4,156</td></tr> <tr><td>15</td><td>T2</td><td>24,787</td><td>930366</td><td>1,321</td></tr> <tr><td>16</td><td>D5</td><td>25,047</td><td>2140861</td><td>3,040</td></tr> <tr><td>17</td><td>D4</td><td>25,620</td><td>10849541</td><td>15,408</td></tr> <tr><td>18</td><td></td><td>26,767</td><td>2139409</td><td>3,038</td></tr> <tr><td>19</td><td>D4</td><td>27,307</td><td>4702229</td><td>6,678</td></tr> <tr><td>20</td><td></td><td>27,647</td><td>812561</td><td>1,154</td></tr> <tr><td>21</td><td>T5</td><td>28,140</td><td>1275192</td><td>1,811</td></tr> <tr><td>22</td><td></td><td>28,373</td><td>53318</td><td>0,076</td></tr> <tr><td>23</td><td></td><td>28,760</td><td>444057</td><td>0,631</td></tr> <tr><td>24</td><td>T5</td><td>29,313</td><td>4458174</td><td>6,331</td></tr> <tr><td>25</td><td>N1</td><td>29,740</td><td>1580425</td><td>2,244</td></tr> <tr><td>26</td><td>T6</td><td>30,693</td><td>56413</td><td>0,080</td></tr> <tr><td>27</td><td>T7</td><td>31,813</td><td>684980</td><td>0,973</td></tr> <tr><td>28</td><td>T5</td><td>32,700</td><td>429202</td><td>0,610</td></tr> <tr><td>29</td><td></td><td>33,200</td><td>399826</td><td>0,568</td></tr> <tr><td>30</td><td></td><td>33,973</td><td>139394</td><td>0,198</td></tr> <tr><td>31</td><td></td><td>37,713</td><td>84265</td><td>0,120</td></tr> <tr><td>32</td><td></td><td>38,680</td><td>83027</td><td>0,118</td></tr> <tr> <td colspan="2" style="text-align: right;">Totals</td> <td></td> <td>70413324</td> <td>100,000</td> </tr> </tbody> </table>	PK #	Name	Retention Time	Area	Area Percent	1	A1	2,807	76469	0,109	2	A2	3,387	373216	0,530	3	M1	17,573	62093	0,088	4	M2	20,060	493322	0,701	5	D2	20,787	845987	1,201	6	D3	21,327	25809798	36,655	7	T2	21,640	223205	0,317	8	D5	21,867	213419	0,303	9	M2	22,200	716968	1,018	10	D5	22,747	362206	0,514	11	T2	22,960	2940571	4,176	12	D4	23,347	2846759	4,043	13	T3	23,547	1259885	1,789	14	T3	24,247	2926186	4,156	15	T2	24,787	930366	1,321	16	D5	25,047	2140861	3,040	17	D4	25,620	10849541	15,408	18		26,767	2139409	3,038	19	D4	27,307	4702229	6,678	20		27,647	812561	1,154	21	T5	28,140	1275192	1,811	22		28,373	53318	0,076	23		28,760	444057	0,631	24	T5	29,313	4458174	6,331	25	N1	29,740	1580425	2,244	26	T6	30,693	56413	0,080	27	T7	31,813	684980	0,973	28	T5	32,700	429202	0,610	29		33,200	399826	0,568	30		33,973	139394	0,198	31		37,713	84265	0,120	32		38,680	83027	0,118	Totals			70413324	100,000
	PK #	Name	Retention Time	Area	Area Percent																																																																																																																																																																						
	1	A1	2,807	76469	0,109																																																																																																																																																																						
	2	A2	3,387	373216	0,530																																																																																																																																																																						
	3	M1	17,573	62093	0,088																																																																																																																																																																						
	4	M2	20,060	493322	0,701																																																																																																																																																																						
	5	D2	20,787	845987	1,201																																																																																																																																																																						
	6	D3	21,327	25809798	36,655																																																																																																																																																																						
	7	T2	21,640	223205	0,317																																																																																																																																																																						
	8	D5	21,867	213419	0,303																																																																																																																																																																						
	9	M2	22,200	716968	1,018																																																																																																																																																																						
	10	D5	22,747	362206	0,514																																																																																																																																																																						
	11	T2	22,960	2940571	4,176																																																																																																																																																																						
	12	D4	23,347	2846759	4,043																																																																																																																																																																						
	13	T3	23,547	1259885	1,789																																																																																																																																																																						
	14	T3	24,247	2926186	4,156																																																																																																																																																																						
	15	T2	24,787	930366	1,321																																																																																																																																																																						
	16	D5	25,047	2140861	3,040																																																																																																																																																																						
	17	D4	25,620	10849541	15,408																																																																																																																																																																						
	18		26,767	2139409	3,038																																																																																																																																																																						
	19	D4	27,307	4702229	6,678																																																																																																																																																																						
	20		27,647	812561	1,154																																																																																																																																																																						
	21	T5	28,140	1275192	1,811																																																																																																																																																																						
	22		28,373	53318	0,076																																																																																																																																																																						
	23		28,760	444057	0,631																																																																																																																																																																						
	24	T5	29,313	4458174	6,331																																																																																																																																																																						
	25	N1	29,740	1580425	2,244																																																																																																																																																																						
	26	T6	30,693	56413	0,080																																																																																																																																																																						
	27	T7	31,813	684980	0,973																																																																																																																																																																						
	28	T5	32,700	429202	0,610																																																																																																																																																																						
	29		33,200	399826	0,568																																																																																																																																																																						
	30		33,973	139394	0,198																																																																																																																																																																						
31		37,713	84265	0,120																																																																																																																																																																							
32		38,680	83027	0,118																																																																																																																																																																							
Totals			70413324	100,000																																																																																																																																																																							
Batch 74/75	<p>1: 250 nm, 4 nm Results</p> <table border="1"> <thead> <tr> <th>PK #</th> <th>Name</th> <th>Retention Time</th> <th>Area</th> <th>Area Percent</th> </tr> </thead> <tbody> <tr><td>1</td><td>A1</td><td>2,700</td><td>561285</td><td>0,393</td></tr> <tr><td>2</td><td>A2</td><td>3,460</td><td>2776670</td><td>1,945</td></tr> <tr><td>3</td><td>A3</td><td>4,860</td><td>1607192</td><td>1,126</td></tr> <tr><td>4</td><td>D1</td><td>8,447</td><td>1407895</td><td>0,986</td></tr> <tr><td>5</td><td>A4</td><td>9,820</td><td>388356</td><td>0,272</td></tr> <tr><td>6</td><td></td><td>12,467</td><td>491966</td><td>0,345</td></tr> <tr><td>7</td><td>M1</td><td>17,773</td><td>3403664</td><td>2,384</td></tr> <tr><td>8</td><td>M2</td><td>18,553</td><td>386585</td><td>0,271</td></tr> <tr><td>9</td><td>M2</td><td>20,180</td><td>453992</td><td>0,318</td></tr> <tr><td>10</td><td>D2</td><td>20,740</td><td>6641408</td><td>4,652</td></tr> <tr><td>11</td><td>D3</td><td>21,260</td><td>70402380</td><td>49,316</td></tr> <tr><td>12</td><td>T1</td><td>21,887</td><td>1654799</td><td>1,159</td></tr> <tr><td>13</td><td>M2</td><td>22,067</td><td>1408617</td><td>0,987</td></tr> <tr><td>14</td><td>T2</td><td>22,233</td><td>2336724</td><td>1,637</td></tr> <tr><td>15</td><td></td><td>22,907</td><td>222682</td><td>0,156</td></tr> <tr><td>16</td><td>T3</td><td>23,347</td><td>2506664</td><td>1,756</td></tr> <tr><td>17</td><td>T4</td><td>23,560</td><td>1521554</td><td>1,066</td></tr> <tr><td>18</td><td>T3</td><td>24,073</td><td>15483505</td><td>10,846</td></tr> <tr><td>19</td><td>D4</td><td>25,187</td><td>3635854</td><td>2,547</td></tr> <tr><td>20</td><td>D5</td><td>25,967</td><td>1778877</td><td>1,246</td></tr> <tr><td>21</td><td>D4</td><td>26,733</td><td>15574076</td><td>10,910</td></tr> <tr><td>22</td><td>T5</td><td>28,893</td><td>1942774</td><td>1,361</td></tr> <tr><td>23</td><td></td><td>31,727</td><td>3601472</td><td>2,523</td></tr> <tr><td>24</td><td>N1</td><td>35,900</td><td>266817</td><td>0,187</td></tr> <tr><td>25</td><td></td><td>41,313</td><td>1383596</td><td>0,969</td></tr> <tr><td>26</td><td></td><td>45,253</td><td>344468</td><td>0,241</td></tr> <tr><td>27</td><td></td><td>49,700</td><td>572388</td><td>0,401</td></tr> <tr> <td colspan="2" style="text-align: right;">Totals</td> <td></td> <td>142756260</td> <td>100,000</td> </tr> </tbody> </table>	PK #	Name	Retention Time	Area	Area Percent	1	A1	2,700	561285	0,393	2	A2	3,460	2776670	1,945	3	A3	4,860	1607192	1,126	4	D1	8,447	1407895	0,986	5	A4	9,820	388356	0,272	6		12,467	491966	0,345	7	M1	17,773	3403664	2,384	8	M2	18,553	386585	0,271	9	M2	20,180	453992	0,318	10	D2	20,740	6641408	4,652	11	D3	21,260	70402380	49,316	12	T1	21,887	1654799	1,159	13	M2	22,067	1408617	0,987	14	T2	22,233	2336724	1,637	15		22,907	222682	0,156	16	T3	23,347	2506664	1,756	17	T4	23,560	1521554	1,066	18	T3	24,073	15483505	10,846	19	D4	25,187	3635854	2,547	20	D5	25,967	1778877	1,246	21	D4	26,733	15574076	10,910	22	T5	28,893	1942774	1,361	23		31,727	3601472	2,523	24	N1	35,900	266817	0,187	25		41,313	1383596	0,969	26		45,253	344468	0,241	27		49,700	572388	0,401	Totals			142756260	100,000																									
	PK #	Name	Retention Time	Area	Area Percent																																																																																																																																																																						
	1	A1	2,700	561285	0,393																																																																																																																																																																						
	2	A2	3,460	2776670	1,945																																																																																																																																																																						
	3	A3	4,860	1607192	1,126																																																																																																																																																																						
	4	D1	8,447	1407895	0,986																																																																																																																																																																						
	5	A4	9,820	388356	0,272																																																																																																																																																																						
	6		12,467	491966	0,345																																																																																																																																																																						
	7	M1	17,773	3403664	2,384																																																																																																																																																																						
	8	M2	18,553	386585	0,271																																																																																																																																																																						
	9	M2	20,180	453992	0,318																																																																																																																																																																						
	10	D2	20,740	6641408	4,652																																																																																																																																																																						
	11	D3	21,260	70402380	49,316																																																																																																																																																																						
	12	T1	21,887	1654799	1,159																																																																																																																																																																						
	13	M2	22,067	1408617	0,987																																																																																																																																																																						
	14	T2	22,233	2336724	1,637																																																																																																																																																																						
	15		22,907	222682	0,156																																																																																																																																																																						
	16	T3	23,347	2506664	1,756																																																																																																																																																																						
	17	T4	23,560	1521554	1,066																																																																																																																																																																						
	18	T3	24,073	15483505	10,846																																																																																																																																																																						
	19	D4	25,187	3635854	2,547																																																																																																																																																																						
	20	D5	25,967	1778877	1,246																																																																																																																																																																						
	21	D4	26,733	15574076	10,910																																																																																																																																																																						
	22	T5	28,893	1942774	1,361																																																																																																																																																																						
	23		31,727	3601472	2,523																																																																																																																																																																						
	24	N1	35,900	266817	0,187																																																																																																																																																																						
	25		41,313	1383596	0,969																																																																																																																																																																						
26		45,253	344468	0,241																																																																																																																																																																							
27		49,700	572388	0,401																																																																																																																																																																							
Totals			142756260	100,000																																																																																																																																																																							
*HPLC peaks of Basic Blue 99 are characterised by names (LC/MS characterisation), and composition of Basic Blue 99 is shown by the area percentage of each component (and their isomers) (Ref. 2, 3).																																																																																																																																																																											
Table 2: Distribution of major components (and their isomers) of Basic Blue 99 in the batches RS2798801 and 74/75, deduced from Table 1																																																																																																																																																																											

Opinion on Basic Blue 99 (C059)

Batch RS2798801			Batch 74/75		
Component/ Name	Peak No. of all isomers	Area percent of all isomers	Component/ Name	Peak No. of all isomers	Area percent of all isomers
D3	6	36.7%	D3	11	49.3%
D4	12, 17, 19	$4.0+15.4+6.7 = 26.1\%$	D4	19, 21	$2.6+10.9 = 13.5\%$
D5	8, 10, 16	$0.3+0.5+3.0 = 3.8\%$	D5	20	1.3%
T2	7, 11, 15	$0.3+4.2+1.3 = 5.8\%$	T2	14	1.6%
T3	13, 14	$1.8+4.2 = 6.0\%$	T3	16, 18	$1.8+10.9 = 12.7\%$
T5	21, 24, 28	$1.2+6.3+0.6 = 8.1\%$	T5	22	1.4%

SCCS general comments on Purity: Basic Blue 99 is a mixture of 23-32 substances of varying concentrations as demonstrated by the HPLC analysis of two batches RS2798801 and 74/75 (Table 1). The SCCS is not convinced that all components of Basic Blue 99 (batches RS2798801 and 74/75) are adequately characterised by NMR and IR. The SCCS considers that the chemical characterisation of individual components of Basic Blue 99 (batches RS2798801 and 74/75) based on LC/MS analysis (UV-Vis spectrum and 1-4 molecular ions) is a poor chemical characterisation. The HPLC peak area of the major component of Basic Blue 99 in the two batches (batches RS2798801 and 74/75) 36% and 49% (Tables 1 & 2), is significantly different from each other. The HPLC peak areas of other components of Basic Blue 99, characterised by the study authors, are also very different (Tables 1&2) in the two batches. In addition, the LC/MS characterisation of the Basic Blue 99 according to the study authors revealed that the isomeric composition of individual components of the two batches is also different (Tables 1 & 2).


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23

Opinion on Basic Blue 99 (C059)

ANNEX II: Basic Blue 99 Submission III (2014): Summary on the physico-chemical characterisation (provided data and SCCS comments)**Provided data on Purity**












Basic Blue 99 is a sum of 3 isomers with 3-[(4-amino-6-bromo-5,8-dihydro-1-hydroxy-8-imino-5-oxo-2-naphthyl)amino]-N,N,N trimethylanilinium chloride as main isomer, according to ¹H-NMR. Purity (% HPLC): >48 area-% (Table 1)

Table 1: Analytical description of Batches used in Toxicity studies or actual market materials

ID	Structure	MW	Peak no.	Range (area%)	74/75 (area-%)	R527988101 (area-%)	125 (area-%)	140 (area-%)	106106 (area-%)	107664 (area-%)
Main		415 / 417	10, 13, 14	>48	62.8	50.2	48.2	57.3	64.1	67.8

Provided data on Subsidiary Colours: Members of an isomer set whose total percentage area (area-%) is greater than 1.0% at 500-700 nm and are considered to contribute to the desired blue coloration of hair have been classified as Subsidiary Colours (Table 2)





Table 2: Subsidiary colours

ID	Structure	MW	Peak no.	Range (area%)	74/75 (area-%)	R527988101 (area-%)	125 (area-%)	140 (area-%)	106106 (area-%)	107664 (area-%)
F		416 / 418	15, 16, 23, 24, 25, 26, 27, 28	≤26.5	8.4	16.9	26.0	19.6	7.0	7.3
E		493 / 495 / 497	18, 20, 22	≤15	11.8	14.6	4.4	5.5	7.4	10.8
A		337	1, 5	≤9.5	1.7	---	9.3	3.7	1.6	0.9
J		417 / 419	30	≤6.0	4.1	4.8	2.0	3.4	5.4	5.8
L		423-429	39, 40	≤5.0	2.60	1.3	1.7	1.5	4.4	4.3
B		418	4, 11	≤4.0	1.80	2.0	2.8	2.2	3.8	---
G		494 / 496 / 498	31, 32, 34	≤3.0	2.10	2.8	1.2	0.8	2.7	2.0
O		417	3	≤3.0	1.0	---	2.0	2.6	---	---
N		496 / 498	12	≤2.5	0.7	2.1	0.3	---	---	---
X		449 / 451 / 453	21	≤1.7	---	1.7	---	---	---	---
M		495 / 497	7	≤1.6	0.9	---	---	1.3	---	---

Identity was verified for each batch by UV and IR spectroscopy. Before marketing of Basic Blue 99, sodium chloride and/or saccharose are usually added to the neat dye in order to adjust the colour strength to a certain predefined value.

Opinion on Basic Blue 99 (C059)

Impurity: organic impurities are presented in Table 3. Members of an isomer set lacking one or both of the criteria mentioned in the purity section above

Table 3: Organic impurities of Basic Blue 99										
ID	Structure	MW	Peak no.	Range (area %)	74/75 (area-%)	RS27988101 (area-%)	125 (area-%)	140 (area-%)	106106 (area-%)	107664 (area-%)
P		451	6	≤1.3	---	---	1.3	0.2	0.6	--
C		338	8	≤1.2	0.4	0.6	---	1.2	0.2	0.5
K		430 / 432	29	≤0.9	0.9	---	---	0.4	---	---
Q		352	17	≤0.5	0.2	0.5	0.1	---	0.2	---
---	Not known	?	38	≤1.4	1.4	---	---	---	0.6	0.5
---	Not known	-	37	≤0.9	--	0.9	---	---	0.3	---

Inorganic impurities : Pb <20 ppm ; Sb and Ni <10 ppm; As and Cd <5 ppm; Hg <1 ppm

Purity Based on major components: The purity of Basic Blue 99 based on major components (≥5% HPLC peak area) can be reported as described in Table 4.

Table 4 Purity of Basic Blue 99 (main component + subsidiary colours)			
Basic Blue 99 component	No. of isomers	%HPLC peak area (Range)	Isomer composition *
Main component	3	48.0 - 67.8	Not known
F	8	7.0 - 26.5	Not known
E	3	4.4 – 15.0	Not known
A	2	0.0 – 9.5	Not known
J	1	2.0 - 6.0	Not known
L	2	1.3 – 5.0	Not known

*It is clear from Table 2 that isomeric composition of various components may also vary from batch to batch

SCCS comments: It is obvious from Table 5 that composition of Basic Blue 99 varies significantly from batch to batch.

The physico-chemical properties as well as biological activity of a mixture will depend upon the composition of the mixture. As the six batches of Basic Blue 99 were demonstrated to be a mixture of up to 40 substances of varying composition (and varying isomeric composition), the safety of such a mixture cannot be assessed.

1
2
3
4
5
6
7
8
9
10
11
12