

Co-ensiling of cattle manure before biogas production: Effects of fermentation stimulants and inhibitors on biomass and methane preservation

Ruben Teixeira Franco, Pierre Buffière, Rémy Bayard

▶ To cite this version:

Ruben Teixeira Franco, Pierre Buffière, Rémy Bayard. Co-ensiling of cattle manure before biogas production: Effects of fermentation stimulants and inhibitors on biomass and methane preservation. Renewable Energy, 2018, 10.1016/j.renene.2018.01.035 . hal-01692807

HAL Id: hal-01692807 https://hal.science/hal-01692807

Submitted on 5 Dec 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

3

4

5

Co-ensiling of cattle manure before biogas production: effects of fermentation stimulants and inhibitors on biomass and methane preservation

Rúben Teixeira Franco, Pierre Buffière, Rémy Bayard¹ Université de Lyon, INSA Lyon, DEEP Laboratory, EA7429, F-69621 Villeurbanne cedex, France

6 Abstract

7 The impact of formic acid and glucose addition on the co-ensiling of cattle manure with straw was assessed during 4 months at laboratory scale. Feedstock deprived of additives 8 9 lost 67% of its methane potential for prolonged ensiling. This was mainly due to the 10 lack of water-soluble carbohydrates and to the high methanogenic activity of cattle manure. The use of co-substrates enhanced biomass and energy conservation during 11 12 ensiling. The best storage performance was obtained for co-ensiling of cattle manure with glucose (100 g/kg of feedstock). For this condition, lactate production was 13 14 extensive, which allowed biomass acidification, suppressed ammonia emissions and led to full preservation of methane potential after 4 months. Therefore, in field-scale 15 16 storage, co-ensiling with a high easily fermentable sugar content co-substrate appears to 17 be the most resourceful method to optimize cattle manure preservation. Application of 18 this promising technique will have a major impact on the methane yield of agricultural biogas plants where cattle manure has to be stored for long periods. 19

Keywords: Cattle manure; Additives; Storage; Ensiling; Anaerobic digestion; Methane
 potential

¹ Corresponding author. Tel.: +33(0) 4 72 43 87 53

E-mail addresses: ruben.teixeirafranco@insa-lyon.fr (R. Teixeira Franco), pierre.buffiere@insa-lyon.fr (P. Buffière), remy.bayard@insa-lyon.fr (R. Bayard)

22 Highlights

- Ensiling of cattle manure with straw led to 67% methane potential losses
- Ammonia emissions during ensiling were minimized with the use of co-substrates
- Formic acid addition limited energy losses to 25% during ensiling
- Full preservation of methane potential occurred for co-ensiling with 10% of glucose


27 Abbreviations


- AA, acetic acid; AD, anaerobic digestion; ADF, acid detergent fiber; ADL, acid
- 29 detergent lignin; BMP, biochemical methane potential; BU, butyric acid; CEL,
- 30 cellulose; COD, chemical oxygen demand; FA, formic acid; HEM, hemicellulose; LA,
- 31 lactic acid; LAB, lactic acid bacteria; LIG, lignin; NDF, neutral detergent fiber; NH₃-N,
- 32 ammonia nitrogen; TKN, total Kjeldahl nitrogen; TS, total solids; VS, volatile solids;
- 33 WSC, water soluble carbohydrates; VFA; volatile fatty acids

34 **1. Introduction**

Cattle manure is a major input for agricultural biogas plants, especially in countries with 35 36 intensive livestock systems. In France there are currently 267 of these installations [1] 37 and nearly 87 Mt of cattle manure annually produced that may be mobilized for 38 anaerobic digestion (AD) in the near future [2]. However, there are still several constraints slowing down the valorization of cattle manure. This includes the storage 39 40 requirements and the consequences on the methane potential of cattle manure that it 41 may entail. On the one hand, biogas plants should operate continuously and feedstock 42 should be available throughout the year. Yet, cattle manure, such other agricultural wastes and crops, undergoes production fluctuations, which periodically leads to the 43 44 need of storage during long periods.

45	The main issues related to the storage of cattle manure are that the current field-scale
46	practices are not optimized for energy production purposes and scientific studies about
47	this subject are scarce. Cattle manure is typically stored outdoors in contact of air, in
48	order to carry out a simple and low-cost operation. This has several drawbacks: it leads
49	to leachate generation, ammonia and odor emissions [3] and energy losses. Recently,
50	Teixeira Franco et al. [4] evidenced that up to 74% of cattle manure's biochemical
51	methane potential (BMP) may be lost during 4 months of open-air storage.
52	Nevertheless, the authors showed that anaerobic storage, or ensiling, may limit energy
53	losses to a maximum of 46% after 4 months.
54	Traditionally used as fodder conservation method, ensiling is a biochemical process that
55	mainly rely on anaerobic conditions and biological acidification of the feedstock [5,6].
56	This biomass acidification consists in lowering the pH around 4.0 by organic acid
57	production (especially lactic acid), which will impede further significant fermentative
58	activity. The main reactions involved in carbon degradation during ensiling are
59	represented in Figure 1.





67 (WSC) content, strong basic buffering capacity or endogenous microflora. For instance, without WSC or another source of easily fermentable sugars, hetero or homo-lactic 68 fermentation cannot occur and lactic acid cannot be rapidly produced in a significant 69 extent, so as to abruptly lower the pH value and inhibit further bacterial activity. 70 71 To the best of our knowledge, few authors reported work on cattle manure storage. 72 Teixeira Franco et al. [4] have approached the optimization of cattle manure silage before biogas production. The authors evidenced that co-ensiling with wheat straw may 73 74 enhance methane conservation of cattle manure to more than 86% after 4 months. The decrease of moisture content and the alteration of buffering properties should be in the 75 76 origin of this improvement. On the one hand, considering the actual market value of 77 bio-methane, the additional revenue for this higher energy conservation rate (vs. openair storage) was estimated as 24-26 €/t per 4-months batch. On the other hand, the 78 79 expected cost increase by silo construction is around 57 €/t. This shows that improved 80 energy conservation should clearly overcome in less than a year the additional cost of silo construction if an efficient ensiling of cattle manure is carried out [4]. However, 81 since few authors have worked on cattle manure storage and since there may exist a 82 variability among biochemical properties of different manures, e.g. concerning the 83 84 bacterial populations [8,9], these conclusions may not be generalized for all types of 85 manure so far.

The use of additives is considered as a resourceful method to ensure a good silage quality. Fermentation stimulants and inhibitors are two of the most important silage additives categories among the wide range of biological and chemical products commercially available. The role of fermentation stimulants is to encourage lactic fermentation either by supply of substrate (*e.g.* fermentable sugars), lactic acid bacteria

91 (LAB) or enzymes [5]. In contrast, inhibitors (acids) are also used to prevent biological
92 activity of the degrading microorganisms by lowering the pH of the feedstock. These
93 two types of silage additives are serving as a basis for most of ensiling research in
94 recent years [7,10–17]. Nevertheless, none of these co-storage studies was performed
95 with cattle manure.

In order to assess the effects of additives on the ensiling of cattle manure with straw, 96 laboratory experiments were conducted for up to 4 months. A fermentation stimulant 97 98 (glucose) and an inhibitor (formic acid) were used as model molecules of co-substrates for ensiling. It is important to underline that glucose was used as a representative 99 molecule of simple sugars that are conventionally consumed during the first steps of 100 101 ensiling, such as other non-structural compounds (sucrose, fructose, xylose, starch, etc.). 102 In real applications, glucose should be replaced by a substrate containing easily 103 accessible sugars such as maize, sugar beet pulp or another fermentable sugar-rich 104 substrate. A similar reasoning applies in the case of formic acid, by using low-pH 105 wastes as the one assessed by Lianhua et al. [18]. Besides the evaluation of BMP during 106 storage, the monitoring of fermentative profiles, organic matter losses and potential gas 107 emissions were included in our work. Our objective is to contribute to the improvement of cattle manure management before energy production, which will have a major impact 108 109 on the ammonia emissions and on the methane yield of agricultural biogas plants.

- 110 2. Material and methods
- 111 2.1. Feedstocks

Fresh cattle manure (10% of total solids (TS) content) was collected on June 1st, 2016
from an agricultural site in the Rhône-Alpes region of France (Gaec Béreyziat, Les
Teppes, 01340 Béréziat, France) and it was stored at 4 °C before further use. A mixture

115 of fresh cattle manure and wheat straw was prepared at the laboratory and it was tested 116 for ensiling. Wheat straw with 0.10 m maximum length was mixed with cattle manure 117 in order to achieve a final TS content of 19%. The TS content of cattle manure with straw was chosen according to the recommendations of Teixeira Franco et al. [4] for the 118 optimization of cattle manure storage. 119 120 Besides the control assay (*i.e.* ensiling without silage additives), the following additives were added to cattle manure with straw at the beginning of each experiments (Table 1): 121 122 formic acid, 8.2% of volatile solids (VS) content; glucose, 16.6% VS and; glucose, 123 40.2% VS. The amount of each additives was selected through a short-term preliminary screening performed at the laboratory, in which the impact of the additive on the pH 124 125 evolution was examined [19].


Table 1 – Ensiling conditions and treatments applied to cattle manure with wheat straw
(% of total sample weight)

Engling condition	Addi	TS contont		
Ensiling condition –	Molecule	Content	– TS content	
Control	-	-	19.2±0.1	
Formic acid	Formic Acid	2.0	20.4±0.1	
Glucose 4%	Glucose	4.0	22.3±0.5	
Glucose 10%	Glucose	10.0	24.9±1.4	

128 2.2. Experimental approach

Laboratory trials were performed in 3.5 L airtight round plastic storage drums. In order to enable biogas output and at the same time minimizing headspace, silos were filled up to 2.55 L with raw material at packing density of 0.7 kg/L, the remaining volume being filled with gravel, using a geotextile membrane to separate it from biomass. Proper plastic lid and rubber ring were used for silo sealing and its airtightness was reinforced with silicone sealant. Then, silos were weighed and placed in a controlled-temperature

- room at 25 ± 2 °C. Storage duration varied between 7, 15, 30 and 120 days. A total of 16
- 136 (4 operating conditions x 4 storage durations) ensiling assays were performed.
- 137 2.3. Chemical analysis
- 138 For each sample time, one silo (per tested condition) was sacrificed. It was opened and
- 139 weighed. Then, biomass was homogenized and two samples were taken, which
- 140 followed the experimental procedure illustrated in Figure 2.





142

chemical analysis

- 144 The first sample was used for direct analyses on the crude material and the other one
- 145 was mixed with water in order to get two fractions: a water-soluble phase and a

particulate phase. This leaching test was performed with a 10:1 water/TS ratio during 2
h under constant bottle rotation. Phase separation was achieved by centrifugation (5000
G; 10 min) followed by 0.7 µm particle size filtration. Finally, the particulate phase was
dried at 70 °C until constant weight and ground at 2 mm theoretical length. Crude
material/water-soluble and particulate samples were stored at 4 °C and -20 °C,
respectively, until analysis.

152 Crude material was analyzed for its TS/VS content and BMP. For the water-soluble

153 phase, besides TS/VS content, pH, WSC, volatile fatty acids (VFA), chemical oxygen

demand (COD), total Kjeldahl nitrogen (TKN) and ammonia nitrogen (NH₃-N)

155 fractions were determined. Particulate solid was analyzed for its TS/VS, COD, TKN

and cell wall constituents. Feedstocks were not analyzed for COD, TKN and NH₃-Ncontent.

158 TS was measured by oven drying at 105 °C during 24 h and VS was subsequently burned for 2 h at 550 °C. Since TS/VS contents are underestimated due to the loss of 159 volatile compounds during the drying tests [20], the data were corrected according to 160 161 the volatilization coefficients at 100 °C suggested by Porter and Murray [21]. pH was measured by a Consort C3020 device with a SP10B pH-electrode. WSC, lactic acid and 162 formic acid contents were determined with high performance liquid chromatography 163 (LC Module 1 plus, Waters) equipped with a Supelcogel[™] C-610H column (300 x 7.8 164 mm, Sigma-Aldrich), both refractive index (RID) and UV detectors and operating with 165 166 H₃PO₄ 0.1% v as solvent (flow rate of 0.5 mL/min). WSC content was estimated as the sum of glucose, xylose, galactose, mannose, arabinose and cellobiose and was 167 168 determined using the UV detector (210 nm). Lactic acid and formic acid contents were 169 obtained with the RID detector. Acetic, propionic, butyric, valeric and caproic acids

170 content were analyzed by gas chromatography (Shimadzu Corp.) equipped with a HP-171 FFAP fused silica capillary column (30 m x 0.25 mm, Agilent Technologies), a flame 172 ionization detector and using H₂ as carrier gas. Total VFA was calculated as the sum of lactic, formic, acetic, propionic, butyric, valeric and caproic acids. Neutral detergent 173 174 fiber (NDF), acid detergent fiber (ADF) and acid detergent lignin (ADL) were analyzed 175 through Van Soest and Wine [22] modified extractions method, based on FD U44-162 standard [23]. Hemicellulose content was calculated as NDF minus ADF; cellulose as 176 177 ADF minus ADL and; lignin as equal to ADL. TKN and NH₃-N were determined 178 through the procedure described in the NF EN 25663 standard [24]. COD of watersoluble phase was determined through the colorimetric HACH procedure (method 179 180 8000). COD of particulate phase was measured by a Walkley and Black [25] modified method, based on the NF ISO 14235 international standard [26]. 181 182 The interest of our experimental procedure is to assess the composition and BMP based on the initial mass of product used, since the weight loss is measured. The results for the 183

184 chemical analysis will thus be presented in two ways: based on $%VS_{added}$ or $%VS_{original}$.

 VS_{added} relates to the organic matter of the sample analyzed. The results based on

186 VS_{original} take into account the loss of volatile solids during storage and allow the study

187 of the results based on the VS of the initial material.

188 2.4. Biochemical methane potential tests

Batch anaerobic digestion tests were conducted in a temperate room at 35 °C using 2L
glass reactors. Vessels were filled with 5 gVS of sample, inoculum in way to keep a
substrate/inoculum VS ratio of 0.5 and a certain volume of a mineral solution to achieve

192 60% of the total volume of the vessel. The inoculum used (TS 2.3-3.3% wt; VS 1.5-

193 2.2% wt) was a digested sludge originating from the wastewater treatment plant of La

194 Feyssine, Lyon, France. The sludge used met the criteria for a good inoculum quality 195 (e.g. pH, VFA, NH_4^+) suggested by the international task group on the harmonization of 196 BMP protocols [27]. The mineral solution, which contains essential elements to 197 microbial growth and also gives the solution a buffer able to control any pH adjustments, was prepared according to the recommendations of ISO 11734 198 199 international standard [28]. Once filled, reactors were purged with a N_2/CO_2 mixture 200 (80/20% v) for about 5 minutes, sealed and equilibrated at 35 °C. Blanks with only 201 inoculum and mineral solution were performed for each batch series in order to correct 202 the BMP from residual methane production of the inoculum. All tests were performed 203 in triplicates. 204 Biogas production was determined by pressure measurement using a Digitron precision

201 Diogus production was accommica by pressure measurement asing a Dighton precision

205 manometer. Biogas was released when the pressure exceeded 1200 hPa. Gas

206 composition was analyzed using an Agilent 3000 micro gas chromatography with

thermal conductivity detector (GC-TCD). Molsieve 5A (14 m length; pore size: 5 Å)

and PoraPlot A (10 m length; 0.320 mm ID) columns were used as stationary phases for

209 GC-TCD, with Argon and Helium as carrier gases, respectively. Biogas production and

composition were analyzed at least 8 times during the incubation and BMP was

considered achieved when daily vessel overpressure of controls equalized the sample

ones. The BMP tests followed the recommendations provided by Holliger *et al.* [27].

213 **3. Results and discussion**

214 *3.1.* Feedstock characterization

Chemical properties of feedstocks are gathered in Table 1 and Table 2. Considering the
pH value (8.3) and the TS content (19.2%) of fresh cattle manure with wheat straw, AD
microflora should have proliferated during storage. However, energy sources of raw

218 material were mostly structural carbohydrates. Indeed, cellulose and hemicellulose 219 contents of cattle manure were estimated as 36.1 and 30.6% of organic matter, 220 respectively, while WSC fraction was negligible. This means that biomass acidification during storage should be preceded by hydrolysis of polymers, as in biogas production 221 process [29]. Since hydrolysis reactions take several weeks to occur in substantial extent 222 223 under ensiling conditions [30], fermentation of sugars will occur slowly. In the 224 meantime, hydrogen-consuming reactions may have occurred, together with proteins mineralization and subsequent NH₄⁺/NH₃ equilibrium. Besides, it was detected a rather 225 226 high VFA content in cattle manure before storage. The fact that high pH and VFA content co-existed in the raw material evidenced that cattle manure had strong basic 227 228 buffer compounds. Generally speaking, the biochemical properties of cattle manure make it not suitable for ensiling, due to the absence of easily fermentable sugars and the 229 230 elevated pH.

231 A proportional increase of TS content was observed with the use of co-substrates. This was expected since additives were used as pure compounds and not in solution. Since 232 233 the activity of silage bacteria is at least in part vulnerable to changes in TS [5,31,32], 234 this may have influenced the ensiling process. In the case of formic acid addition, the 235 pH of the feedstock was affected as well. Indeed, it decreased to 3.5, which is a 236 considerable lower value than the ones recommended by Kalač [33] for lactate silages (4.10-4.20 for TS content of 15-20%) and by Teixeira Franco et al. [4] for anaerobic 237 238 stabilization of cattle manure with wheat straw (pH value of around 5.4-5.6). 239 Concerning raw material with glucose addition, WSC content ascended to 16.6% VS 240 (14.8% TS) and 40.2% VS (36.5% TS) for Glucose 4% and Glucose 10% conditions,

respectively. Under these conditions, the WSC contents were quite superior than the

ones found in the literature for feedstock successfully acidified during ensiling (3-

243 14%TS) [10,16,34–37]. Thus, efficient acidification should occur for cattle manure

treated with a co-substrate containing fermentable sugars if a proper amount of LAB is

245 present.

Table 2 - Chemical properties of biomass over ensiling duration (%VSadded/original).

	Period (days)	VS losses (%)	Chemical characteristics ^a									
Assay			pН	LA ^b	AA ^b	BA ^b	FA ^b	VFA ^b	WSC ^b	HEM ^c	CEL ^c	LIG ^c
	0	-	8.3	0.0	3.7±0.0	0.0	0.0	5.5±0.1	0.0	30.6±0.5	36.1±2.3	8.3±0.5
	7	2.5 ± 0.0	7.1	0.0	3.4±0.1	$0.4{\pm}0.0$	0.0	5.7±0.1	0.0	28.5±0.4	34.1±5.0	$8.1{\pm}1.1$
Control	15	5.5±0.0	7.7	0.0	2.4±0.0	0.6 ± 0.0	0.0	5.0±0.1	0.0	28.3±1.4	31.3±1.2	8.5±0.0
	30	14.8 ± 0.1	8.2	0.0	0.2 ± 0.0	0.5 ± 0.0	0.0	4.2±0.1	0.0	25.1±0.4	31.1±4.2	9.1±1.1
	120	42.0±0.2	8.4	0.2 ± 0.0	0.0	0.0	0.0	0.2±0.0	0.0	14.6±1.0	18.7±3.3	9.2±1.3
	0	-	3.5	0.0	1.5±0.0	0.0	8.2±0.1	10.0±0.1	0.0	32.1±0.5	32.2±3.2	7.3±0.6
Family	7	$0.4{\pm}0.0$	3.6	0.4 ± 0.0	1.2±0.0	0.1 ± 0.0	8.8±0.2	10.9±0.3	0.0	30.5±0.6	31.5±1.7	6.8±0.3
Formic	15	0.6 ± 0.0	3.9	0.5 ± 0.0	1.2 ± 0.1	0.0	8.6±0.4	10.5±0.5	0.0	29.5±0.4	32.0±1.3	6.9±0.2
acid	30	0.7 ± 0.0	3.8	0.6 ± 0.0	1.1 ± 0.1	$0.1{\pm}0.0$	9.8±0.4	11.9±0.4	0.0	29.1±1.5	32.7±8.8	6.2±1.6
	120	13.4±0.1	6.9	0.1 ± 0.0	5.6±0.1	1.5±0.0	0.0	9.1±0.1	0.0	23.2±1.4	29.6±2.4	7.7±0.2
	0	-	7.9	0.0	1.8 ± 0.1	0.0	0.0	2.6±0.1	16.6±0.5	27.3±1.1	30.9±4.6	10.5±1.1
CI	7	1.9±0.1	4.0	13.5±0.4	2.0±0.1	0.5 ± 0.0	0.0	17.0±0.6	4.1±0.1	27.1±1.5	27.8±1.7	6.2±0.1
Glucose 4%	15	2.5±0.1	4.1	15.2±0.4	2.0±0.1	0.7 ± 0.0	0.0	18.9±0.5	2.0±0.1	24.8±1.3	26.2±1.9	5.0±0.2
4%	30	3.4±0.1	4.1	10.0±0.2	2.1±0.0	1.8 ± 0.0	0.0	15.2±0.2	0.0	26.1±1.2	27.9±1.6	5.4 ± 0.1
	120	9.0±0.3	5.4	0.0	2.2±0.1	3.2±0.1	0.0	10.9±0.3	0.0	25.6±0.3	29.6±0.5	6.1±0.1
	0	-	7.9	0.0	1.3±0.2	0.0	0.0	1.9±0.3	40.2±4.2	21.9±0.6	23.9±2.7	4.6±0.4
Classes	7	1.5±0.2	4.0	11.2±0.2	1.8 ± 0.0	0.3±0.0	0.0	14.1±0.2	34.0±0.5	18.2±0.6	19.4±1.5	4.0±0.2
Glucose 10%	15	2.3±0.3	4.0	14.5±0.2	1.8 ± 0.0	0.4 ± 0.0	0.0	17.9±0.3	30.1±0.5	17.3±0.4	19.9±1.1	3.6±0.2
10%	30	2.7±0.3	3.8	15.1±0.1	2.0 ± 0.0	0.6±0.0	0.0	18.2±0.8	24.2±0.2	17.4±0.8	19.2±0.8	3.5±0.0
	120	4.6±0.6	3.7	19.5±0.6	3.9±0.1	1.0 ± 0.0	0.0	25.9±1.8	18.5±0.6	15.5±0.3	18.2±1.2	3.5±0.2

^a LA stands for Lactic Acid, AA for Acetic Acid, BA for Butyric Acid, FA for Formic Acid, HEM for Hemicellulose, CEL for Cellulose and, LIG for Lignin; ^b results based on %VS_{added}; ^c results based on %VS_{original}

247 3.2. Effects of storage method on biomass preservation

248 3.2.1. Fermentation profiles

249 Anaerobic storage of cattle manure with wheat straw addition only (Control) did not

promote a biomass acidification in the long-term, Table 2. In the first 7 days of storage,

251 pH of control decreased to 7.1. Then, it constantly increased until the end of the storage

252 period, reaching a value of 8.4 after 4 months. This can be explained by the evolution of

253 VFA concentrations along ensiling duration. Indeed, there was a slight VFA

accumulation in cattle manure during the first days of storage, mainly due to the short

255 production of butyric acid. In contrast, the acetate initially present in fresh cattle manure 256 was almost totally lost during the first month of storage. This evidences that the 257 methanogenic activity was already present at the beginning of storage and became 258 predominant between 7 and 15 days of storage, which impeded biomass stabilization. 259 This was confirmed by one-off composition measures of the gas produced during these 260 experiments (results not shown): CH₄/CO₂ ratio was already 0.26 after 1 day and 0.61 after 10 days of storage. Furthermore, since cattle manure was successfully ensiled with 261 straw in our previous study [4], this suggested that methanogens concentration may vary 262 263 from case to case. In fact, it is known that bacterial populations can be influenced by the characteristics of manure [8] which, according to Marañón et al. [9], may depend on the 264 265 type of cattle, animal's diet, as well as, on the time of the year. In any case, silage 266 stabilization was not achieved for control assay and only trace concentrations of organic 267 acids were detected after 4 months of storage.

268 In addition, structural carbohydrates content regularly decreased for control silage. After 269 4 months of storage, hemicellulose and cellulose concentrations were 14.6 and 18.7% of 270 original VS, respectively. This represented a degradation of around 50% of the total 271 original hemicellulosic and cellulosic compounds. Since no accumulation of WSC nor VFA was recorded during the same period, major organic and energy losses have 272 273 occurred. Regarding organic matter, losses ascend to 14.8% after 30 days and 42.0% at 274 the end of the storage. An average of 0.35% of organic matter was lost per day during this period. 275

Co-ensiling with formic acid improved the conservation of cattle manure, especially for
short periods of storage. During the first 30 days, formic acid was fully conserved and
pH persisted below 4.0. In parallel, VFA content increased, which was supposed to be

partially caused by lactic acid production. This should be a result of acid hydrolysis ofhemicelluloses by the existing organic acids in silage [5,38]. As a matter of fact,

hemicellulose content of formic acid silage decreased to 29.1% VS_{original} after 30 days,

while cellulose fraction was stable. However, between 30 and 120 days of ensiling the fermentation profiles reversed and both formic and lactic acids were consumed. At the same time, other organic acids were produced, notably acetate and butyrate.

Consequently, VFA content decreased from 11.9% VS_{added} after 30 days to 9.1% VS_{added} 285 286 at the end of storage. Due to that and to the fact that the VFA produced were weaker 287 acids than formate and lactate, the pH value increased to 6.9 after 4 months of ensiling. One hypothesis that can be suggested for the fermentation shift is that the low pH of 288 289 silage was only delaying the growth of methanogens. This would explain the slow pH 290 increase in the first month of storage. Then, as pH increased, microbial growth became 291 important and formic acid was further degraded into biogas, which also had an impact 292 on the pH. Consequently, lactic acid must have been converted, e.g., into butyric acid by clostridial fermentation, which is a typical mechanism in poor quality silage [5]. 293 294 Furthermore, the increased pH should have allowed the enzymatic hydrolysis of 295 structural polymers for prolonged silage periods [38]; and the subsequent fermentation 296 into VFA. This is corroborated by the accentuated decline of structural carbohydrates 297 that was verified in the last 90 days of storage. Indeed, after 4 months of ensiling, hemicellulose content decreased to 23.2% of original VS. Finally, the two different 298 299 phases of fermentation had an impact on the conservation of organic matter. After 1 300 month, VS losses were lower than 1%, which ascended to 13.4% at the end of the 301 storage.

302 Co-ensiling of cattle manure with glucose underwent a strong acidification in the early 303 days of storage. Indeed, pH value of silage was 4.0 for both Glucose 4% and Glucose 304 10% conditions after 7 days, which was due to the conversion of WSC into lactic acid 305 (Table 2). This shows that the concentration of LAB in the original raw material was 306 significant. Consequently, the lack of easily fermentable sugars probably blocked the 307 conservation of cattle manure through the ensiling process of control trials. Silage acidification slowed down LAB activity but it was not completely stopped. For this 308 309 reason, WSC continued to be consumed during the remaining ensiling period. After 15 310 days of storage, lactic acid concentration was around 15% VS_{added} for both co-silages with glucose addition. After this period, two distinct fermentation pathways were 311 312 observed for the experiments with glucose. On the one hand, for Glucose 10% condition, WSC was in large excess and lactic fermentation persisted until the end of 313 314 the storage. As a result, after 4 months, pH value of Glucose 10% silage was 3.7 and its lactate concentration rose to nearly $20\% VS_{added}$. On the other hand, WSC of Glucose 315 4% assay was extinguished between 15 and 30 days of ensiling. Coupled to that, there 316 317 was a degradation of lactic acid and a significant increase of butyric acid content during 318 this period. This suggests that the acid pH value (4.1) was unable to avoid clostridial 319 activity since there was no more available substrate for lactate production. This 320 clostridial proliferation led to a secondary fermentation that was mainly based on lactic 321 acid consumption for the production of butyrate, carbon dioxide and hydrogen [5]. 322 Between 30 and 120 days, clostridial fermentation led to full degradation of lactic acid 323 on Glucose 4% silage. Besides butyric acid, other VFA were found, such as caproic and valeric acids (results not shown). Moreover, after 4 months of storage, the pH value of 324 Glucose 4% increased to 5.4. This is explained by the fact that butyrate is a weaker acid 325

that lactate and because this reactional mechanism involves the consumption of twomoles of lactic acid for the production of one mole of butyric acid.

328 Additionally, co-ensiling of cattle manure with glucose enhanced the preservation of 329 hemicellulosic and cellulosic compounds. Regarding Glucose 4% silage, degradation of 330 structural carbohydrates was not significant. For Glucose 10%, around 27% of the sum 331 of initial hemicellulose and cellulose fractions were missing. This degradation should be linked with an acid hydrolysis by the VFA produced during ensiling, as already 332 333 mentioned by other authors [5,38]. This was not observed in the condition Glucose 4%, 334 since the pH was higher. Nevertheless, the degradation of the structural carbohydrates 335 for Glucose 10% did not led to energy losses since biomass was extremely well 336 conserved under acidic conditions. Therefore the hydrolysis products were likely 337 conserved either under the form of non-structural oligomers, simple sugars or organic 338 acids. Consequently, VS losses were limited to 9.0% and 4.6% after 4 months for Glucose 4% and Glucose 10% assays, respectively. The poor conservation of organic 339 matter for Glucose 4% silage should be connected to the secondary fermentation. 340

341 3.2.2. Chemical oxygen demand balance

342 Effects of ensiling and co-substrates on the COD of crude material and its water-soluble

343 and particulate fractions are exposed in Figure 3. The evolution along ensiling time is

- related to $VS_{original}$ in order to account for biomass weight loss in the COD balance.
- 345 The most significant results were obtained for the ensiling of cattle manure without
- additives. Before storage, around 93% of the total COD was in the particulate phase.
- 347 This is linked to earlier statements, evidencing that in cattle manure the majority of the
- 348 energy sources were hardly bio-accessible. Second, there was a clear decline of

349 particulate COD during the experiments, which is explained by the loss of structural 350 carbohydrates. Furthermore, no accumulation of their degradation products in the water-351 soluble COD was observed. Thus, global COD in the control (without additives) 352 decreased with ensiling time, which surely led to large methane potential losses. 353 The use of co-substrates for the ensiling of cattle manure improved the conservation of 354 COD. For this reason, the fluctuations of its composition along duration were minimal, which made it difficult to establish long-term trends in co-ensiling. Regarding formic 355 356 acid assays, despite the important VS losses recorded for prolonged durations, COD of 357 crude material was stable until 120 days of storage. This can be in part explained by the fact that formic acid has low COD content (0.35 g_{O2}/g), so that its degradation did not 358 359 cause significant COD decrease. Furthermore, there was an important solubilization of 360 particulate COD in the last 3 months of ensiling. This should correspond to the 361 hydrolysis of structural carbohydrates and subsequent conversion into VFA, as it was seen for the fermentation profiles (subsection 3.2.1). In addition to the solubilization 362 363 effect and the potential kinetic gain in AD conditions, this may have caused an 364 amplification of carbohydrates accessibility.

(A)

(B)




Figure 3 – Evolution of COD related to VS_{original} along ensiling period for: (A) Control;
(B) Formic acid; (C) Glucose 4%; (D) Glucose 10%. Feedstocks were not analyzed.
Error bars represent the standard deviation of triplicates.

Ensiling of cattle manure with glucose addition had little impact on COD conservation (Figure 3). For Glucose 4%, both particulate and water-soluble fractions of COD were stable until the end of the 4 months. This was expected for the particulate phase, since fibers content did not suffer any significant degradation during storage. However, a degradation of soluble COD should have been recorded between 30 and 120 days of storage, since clostridial fermentation led to hydrogen gas formation. The reasons for this inconsistency remain unclear. Concerning Glucose 10% condition, there was a

376

persistent solubilization of particulate COD along the experiment. This can be attributed to the acid hydrolysis of hemicelluloses by the VFA produced during ensiling.

377 3.2.3. Total Kjeldahl nitrogen balance

Anaerobic storage of cattle manure with straw (Control) led to constant TKN loss 378 379 during the experiments, Figure 4. This can be explained through the analysis of TKN 380 fractions along the storage period. On the one hand, there was a decrease of organic nitrogen in both particulate and water-soluble phases after 4 months of about 12% and 381 382 39%, respectively. This loss represented 19% of the total organic nitrogen. This suggests that nitrogen mineralization occurred through two successive mechanisms 383 384 typically found in anaerobic conditions [5,29]: hydrolysis of proteins into amino acids 385 and subsequent fermentation into ammonia nitrogen. Therefore, NH₃-N concentration 386 should increase under such conditions. However, for control assays ammonia content of cattle manure declined with storage time. This can be explained by the fact that pH 387 388 interruptedly increased to values near the pKa (9.25) of NH₄⁺/NH₃. Therefore, although 389 ammonia was produced, its chemical equilibrium led to ammonia losses through gas 390 emissions. After 4 months, around 23% of original TKN was lost for control 391 experiment. If we hypothesize that the TKN was lost by ammonia emissions, around 392 8.2L_{NH3}/kgVS_{original} were expected to be released into the atmosphere during the 4 months of control experiments. 393

Regarding the formic acid tests, 11% of particulate TKN content was degraded in the 4 months of storage. This may be linked with acid hydrolysis in the first 30 days; and due to the proteolytic clostridial activity (for higher pH values) in the last 3 months of ensiling. Nevertheless, since pH was always below 7.0, the mineralized nitrogen was

398 partially conserved as water-soluble ammonia. At the end of formic acid assays, less






Figure 4 – Evolution of TKN related to VS_{original} along ensiling period for: (A) Control;
(B) Formic acid; (C) Glucose 4%; (D) Glucose 10%. Feedstocks were not analyzed.

- 403 For both conditions of cattle manure with glucose addition, no decrease of TKN was
- 404 recorded until 4 months of ensiling. Yet, as for fermentation profiles, TKN composition
- 405 of the two glucose experiments evolved differently during storage. In the case of

⁴⁰² Error bars represent the standard deviation of triplicates.

406 Glucose 10%, there was no degradation of particular TKN and NH₃-N was constant. 407 This shows that silage was extremely stable with glucose addition and that no secondary 408 fermentation occurred. For Glucose 4%, the same trend was observed in the early days 409 of ensiling. However, in the last 3 months there was a decrease of around 18% concerning the particulate TKN and an increase of around 39% for the soluble TKN. 410 411 This indicates that proliferation of proteolytic clostridia occurred for prolonged storage duration. Hence, the amount of co-substrate used in Glucose 4% was not enough to 412 413 fully stabilize long-term silage of cattle manure with straw. 414 3.3. Effects of storage method on methane potential 415 3.3.1. Initial conditions Before storage BMP was 229±8 L_{STP}/kgVS_{added} for fresh cattle manure, 250±8 416 $L_{STP}/kgVS_{added}$ for cattle manure + Formic acid, 239±26 $L_{STP}/kgVS_{added}$ for cattle 417 manure + Glucose 4% and 276 \pm 8 L_{STP}/kgVS_{added} for cattle manure + Glucose 10%. 418 419 Formic acid and glucose had a clear impact on the BMP of the feedstock. The effect of 420 Glucose 4% addition was not significant (within the BMP accuracy limits). Considering the theoretical BMP of glucose (373 L_{STP}/kgVS_{added}) and the amount of co-substrate 421 422 used, a BMP of 287 L_{STP}/kgVS_{added} was expected for Glucose 10% before storage. 423 Furthermore, glucose contribution to the total BMP should be around 52% in this case. 424 This evidences that glucose added was fully degradable under anaerobic conditions and that it was responsible for the initial BMP value increase of Glucose 10% mixture. In 425 opposite, the additional methane production of Formic acid feedstock cannot be 426 427 attributed to the co-substrate, due to its low BMP value (122 L_{STP}/kgVS_{added}). In fact, the theoretical BMP of this feedstock mixture should be around 221 L_{STP}/kgVS_{added} with 428 a 5% contribution of formic acid for these value. Therefore, it can be pointed out an 429

improvement of the biochemical accessibility of cattle manure after being treated with
formic acid (before ensiling). This might be caused by an increase of accessible surface
area of biomass, hemicellulose removal and alteration of lignin structure, which are
typical features of dilute acid pretreatments for biomass [39]. However, it is worth
mentioning that these treatments are performed at high temperatures, which was not the
case in this study.

436 3.3.2. Evolution of the BMP during storage

437 Control trials showed BMP values of 128-229 L_{STP}/kgVS_{added} and 75-229

438 L_{STP}/kgVS_{original} during storage, Figure 5. In the first 7 days of control assays, both

439 methane potential based on VS_{added} and $VS_{original}$ were stable. This evidences that neither

the energy content nor the biochemical accessibility of cattle manure with straw

441 changed during short-term ensiling, which should be linked with the small fermentation

442 activity and pH decrease that occurred in this period. However, for longer storage

durations, the BMP of control was significantly damaged. Indeed, after 30 and 120 days

444 of ensiling, 24% and 67% of original BMP was lost, respectively. This obviously was a

445 consequence of the extensive degradation of structural carbohydrates (without any VFA

446 accumulation), due to the high pH levels.

447 Co-ensiling with formic acid limited the harmful impact of storage on the methane

448 potential of the raw material. In this case, BMP values were 192-250 L_{STP}/kgVS_{added} and

449 189-250 L_{STP}/kgVS_{original} during the 4 months. The major variation of methane potential


450 for formic acid silage occurred in the first 7 days of storage. In this period, around 21%

451 of both BMP related on VS_{added} and VS_{original} was lost. It is important to mention that the

452 energy conservation rates of co-ensiling conditions are related to the initial BMP of the

453 mixture manure/additive and not only to fresh cattle manure. As previously discussed

for formic acid assays, organic matter losses were negligible and no noticeable 454 modification of chemical characteristics was observed during the first week. Therefore, 455 this indicates that formic acid addition had an impact on the biodegradability of the 456 biomass in the first days of storage. After that, BMP based on VSoriginal remained 457 458 constant and global energy losses were limited to 25% at the end of the 4 months. Yet, BMP related to VS_{added} increased by 14% in the last 3 months of storage. Two 459 460 conclusions can be deduced from these results. First, there was an increment of biochemical accessibility, which can be attributed to the production of VFA from cell 461 wall constituents. In fact, structural carbohydrates are not fully biodegradable in 462 mesophilic AD conditions [40]. Therefore, their hydrolysis and fermentation during 463 464 ensiling may explain the BMP increase in a VS_{added} basis. Second, this gain of accessibility countered the formic acid loss in the last 90 days, so that BMP related to 465 466 VS_{original} persisted unaltered until the end of the storage.



467 Figure 5 - BMP evolution of crude material over storage duration. (A): methane

468 potential based on VS_{added}; (B): methane potential based on VS_{original}, therefore

469 considering storage losses. BMP for 15 days of ensiling was not determined. Error bars

470 represent the standard deviation of triplicates.

471 Higher stability of methane potential was achieved through the co-ensiling of cattle 472 manure with glucose. Indeed, Glucose 4% silage presented BMP values of 228-241 473 L_{STP}/kgVS_{added} and 208-238 L_{STP}/kgVS_{original} along the 4 months of storage. In parallel, 474 for Glucose 10% condition, BMP values were 276-302 L_{STP}/kgVS_{added} and 276-288 475 L_{STP}/kgVS_{original}. During the first month of storage, both experiments with glucose had 476 constant methane potential. These results are in line with the data from the fermentation profiles and illustrate the efficiency of lactate production on the energy conservation 477 478 during ensiling. Concerning Glucose 10% assay, this trend persisted and no loss of BMP was observed until the end of the 4 months. An eventual positive impact on the 479 methane potential could be seen (probably due to the hemicellulose hydrolysis and 480 481 fermentation), but it was not significant within the precision limits. In contrast, in the remaining 90 days of ensiling, BMP of Glucose 4% progressed differently. For this 482 483 condition, 13% of the methane potential related to VS_{original} was lost after 4 months. This BMP damage can be explained by the secondary fermentation that led to lactic acid 484 degradation and nitrogen mineralization. 485

486 **4.** Conclusions

Ensiling of cattle manure with straw at 19%TS led to extensive methane potential
losses. The use of co-substrates enhanced biomass and energy conservation during
ensiling. In particular, co-ensiling with glucose (100 g/kg of feedstock) encouraged an
extensive lactate production. This allowed biomass stabilization, suppressed ammonia
emissions and led to full preservation of methane potential after 4 months. Therefore,
co-ensiling with a high easily fermentable sugar content substrate appears be the most
resourceful method to optimize cattle manure preservation before biogas production. At

494 full scale application this may include a starch-rich residue, or any other sugar-rich agro495 product.

496 Acknowledgements

- 497 Rúben Teixeira Franco held a doctoral fellowship from the Rhône-Alpes region. This
- 498 work has been undertaken within the SAM project (Stockage Avant Méthanisation -
- 499 Storage Before AD) funded by ADEME (# 1506C0038). The authors thank the DEEP
- 500 laboratory team, including David Lebouil, Hervé Perier-Camby, Nathalie Dumont and
- 501 Richard Poncet for the given support during the tests. We are grateful to Franck Barra
- 502 for his permanent availability for discussion and raw material supply. Mathilde Hardier
- and SUEZ are also acknowledged for the inoculum provided for the BMP tests.

504 **References**

- 505 [1] ADEME, Les avis de l'ADEME: Méthanisation, 2016.
- 506 http://www.connaissancedesenergies.org/sites/default/files/pdf-pt-
- 507 vue/avis_ademe_methanisation-2016.pdf.
- 508 [2] A. Degueurce, J. Capdeville, C. Perrot, T. Bioteau, J. Martinez, P. Peu, Fumiers
- de bovins, une ressource à fort potentiel pour la filière de méthanisation en
- 510 France ?, Sci. Eaux Territ. 24 (2016) 1–9.
- 511 [3] W. Berg, I. Pazsiczki, Mitigation of methane emissions during manure storage,
- 512Int. Congr. Ser. 1293 (2006) 213–216. doi:10.1016/j.ics.2006.02.050.
- 513 [4] R. Teixeira Franco, P. Buffière, R. Bayard, Cattle manure for biogas production.
- 514 Does ensiling and wheat straw addition enhance preservation of biomass and 515 methane potential?, Biofuels. (2017). doi:10.1080/17597269.2017.1387751.
- 516 [5] P. McDonald, A. Henderson, S.J. Heron, The Biochemistry of Silage, Second
- 517 Edi, Chalcombe Publications, Marlow, Bucks, 1991.

- 518 [6] R. Teixeira Franco, P. Buffière, R. Bayard, Ensiling for biogas production:
- 519 Critical parameters. A review, Biomass and Bioenergy. 94 (2016).
- 520 doi:10.1016/j.biombioe.2016.08.014.
- 521 [7] C. Herrmann, M. Heiermann, C. Idler, Effects of ensiling, silage additives and
 522 storage period on methane formation of biogas crops, Bioresour. Technol. 102
- 523 (2011) 5153–5161. doi:10.1016/j.biortech.2011.01.012.
- 524 [8] C. Manyi-Loh, S. Mamphweli, E. Meyer, G. Makaka, M. Simon, A. Okoh, An
- 525 Overview of the Control of Bacterial Pathogens in Cattle Manure, Int. J. Environ.
 526 Res. Public Health. 13 (2016) 843. doi:10.3390/ijerph13090843.
- 527 [9] E. Marañón, L. Castrillón, J.J. Fernández, Y. Fernández, A.I. Peláez, J. Sánchez,
- 528 Anaerobic mesophilic treatment of cattle manure in an upflow anaerobic sludge
- blanket reactor with prior pasteurization, J. Air Waste Manage. Assoc. 56 (2006)
 137–143. doi:10.1080/10473289.2006.10464448.
- 531 [10] N.L. Haag, H. Nägele, T. Fritz, H. Oechsner, Effects of ensiling treatments on
- 532 lactic acid production and supplementary methane formation of maize and
- amaranth An advanced green biorefining approach, Bioresour. Technol. 178
- 534 (2015) 217–225. doi:10.1016/j.biortech.2014.08.048.
- 535 [11] C. Herrmann, C. Idler, M. Heiermann, Improving aerobic stability and biogas
 536 production of maize silage using silage additives, Bioresour. Technol. 197 (2015)
 537 393–403. doi:10.1016/j.biortech.2015.08.114.
- 538 [12] A. Lehtomäki, Biogas Production from Energy Crops and Crop Residues, (2006)
 539 1–91.
- J. McEniry, E. Allen, J.D. Murphy, P. O'Kiely, Grass for biogas production: The
 impact of silage fermentation characteristics on methane yield in two contrasting

- 542 biomethane potential test systems, Renew. Energy. 63 (2014) 524–530.
- 543 doi:10.1016/j.renene.2013.09.052.
- 544 [14] M. Neureiter, J.T. Pereira, C.P. Lopez, H. Pichler, R. Kirchmayr, Effect of silage
- 545 preparation on methane yields from whole crop maize silages, in: H. Hartmann,
- 546 B. Ahring (Eds.), 4th Int. Symp. Anaerob. Dig. Solid Waste, Copenhagen, 2006.
- 547 [15] O. Pakarinen, A. Lehtoma, S. Rissanen, J. Rintala, Storing energy crops for
- methane production: Effects of solids content and biological additive, Bioresour.
 Technol. 99 (2008) 7074–7082. doi:10.1016/j.biortech.2008.01.007.
- 550 [16] A. Pakarinen, P. Maijala, S. Jaakkola, F.L. Stoddard, M. Kymäläinen, L. Viikari,
- 551 Evaluation of preservation methods for improving biogas production and
- enzymatic conversion yields of annual crops, Biotechnol. Biofuels. 4 (2011) 20.
 doi:10.1186/1754-6834-4-20.
- 554 [17] H. Vervaeren, K. Hostyn, G. Ghekiere, B. Willems, Biological ensilage additives
 555 as pretreatment for maize to increase the biogas production, Renew. Energy. 35

556 (2010) 2089–2093. doi:10.1016/j.renene.2010.02.010.

- 557 [18] L. Lianhua, Z. Feng, S. Yongming, Y. Zhenhong, K. Xiaoying, Z. Xianyou, et
- al., Low-cost additive improved silage quality and anaerobic digestion
- performance of napiergrass, Bioresour. Technol. 173 (2014) 439–442.
- 560 doi:10.1016/j.biortech.2014.09.011.
- 561 [19] P. Leroux, Recherche d'additif de conservation à l'ensilage de déchets agricoles
 562 avant méthanisation, Mémoire de master, Laboratoire DEEP, INSA Lyon,
- 563 Universtié de Lyon, 2016.
- 564 [20] E. Kreuger, I. Nges, L. Björnsson, Ensiling of crops for biogas production:
- effects on methane yield and total solids determination, Biotechnol. Biofuels. 4

(2011) 44. doi:10.1186/1754-6834-4-44.

- 567 [21] M.G. Porter, R.S. Murray, The volatility of components of grass silage on oven
- drying and the inter-relationship between dry-matter content estimated by
- different analytical methods, Grass Forage Sci. 56 (2001) 405–411.
- 570 doi:10.1046/j.1365-2494.2001.00292.x.
- 571 [22] P.J. Van Soest, R.H. Wine, Use of detergents in the analysis of fibrous feeds IV.
 572 Determination of plant cell-wall constituents, J. Assoc. Off. Anal. Chem. 50
- 573 (1967) 50–55.
- 574 [23] AFNOR, FD U44-162: Amendements organiques et supports de culture -
- 575 Caractérisation de la matière organique par fractionnement biochimique et
 576 estimation de sa stabilité biologique, 2016.
- 577 [24] AFNOR, NF EN 25663: Qualité de l'eau Dosage de l'azote Kjeldahl Méthode
 578 après minéralisation au sélénium, 1994.
- 579 [25] A. Walkley, I.A. Black, An examination of the Degtjareff method for
- 580 determining soil organic matter, and a proposed modification of the chromic acid
- titration method, Soil Sci. 37 (1934) 29–38. doi:10.1097/00010694-19340100000003.
- ISO, ISO 14235: Soil quality Determination of organic carbon by sulfochromic
 oxidation, 1998.
- 585 [27] C. Holliger, M. Alves, D. Andrade, I. Angelidaki, S. Astals, U. Baier, et al.,
- 586 Towards a standardization of biomethane potential tests, Water Sci. Technol. 74
- 587 (2016) 2515–2522. doi:10.2166/wst.2016.336.
- 588 [28] ISO, ISO 11734: Water quality Evaluation of the "ultimate" anaerobic
- 589 biodegradability of organic compounds in digested sludge Method by

measurement of the biogas production, 1995.

- 591 [29] D.J. Batstone, J. Keller, I. Angelidaki, S. V. Kalyuzhnyi, S.G. Pavlostathis, A.
- 592Rozzi, et al., The IWA Anaerobic Digestion Model No 1 (ADM1), Water Sci.

593 Technol. 45 (2002) 65–73. doi:10.2166/wst.2008.678.

- 594 [30] R. Teixeira Franco, P. Buffière, R. Bayard, Optimizing storage of a catch crop
- before biogas production: impact of ensiling and wilting under unsuitable
 weather conditions, Biomass and Bioenergy. 100 (2017) 84–91.
- doi:10.1016/j.biombioe.2017.03.017.
- 598 [31] H.D.S.C. Neal, J.H.M. Thornley, A model of the anaerobic phase of ensiling,
- 599 Grass Forage Sci. 38 (1983) 121–134. doi:10.1111/j.1365-2494.1983.tb01630.x.
- R.E. Pitt, R.E. Muck, R.Y. Leibensperger, A quantitative model of the ensilage
 process in lactate silages, Grass Forage Sci. 40 (1985) 279–303.
- 602 doi:10.1111/j.1365-2494.1985.tb01755.x.
- [33] P. Kalač, The required characteristics of ensiled crops used as a feedstock for
 biogas production: a review, J. Agrobiol. 28 (2011) 85–96. doi:10.2478/s10146011-0010-y.
- S. Menardo, P. Balsari, E. Tabacco, G. Borreani, Effect of Conservation Time
 and the Addition of Lactic Acid Bacteria on the Biogas and Methane Production
 of Corn Stalk Silage, Bioenergy Res. 8 (2015) 1810–1823. doi:10.1007/s12155015-9637-7.
- 610 [35] S. Liu, X. Ge, Z. Liu, Y. Li, Effect of harvest date on Arundo donax L. (giant
- reed) composition, ensilage performance, and enzymatic digestibility, Bioresour.
 Technol. (2016). doi:10.1016/j.biortech.2016.01.011.
- 613 [36] L. Kung Jr, N. Ranjit, The Effect of Lactobacillus buchneri and Other Additives

614		on the Fermentation and Aerobic Stability of Barley Silage, J. Dairy Sci. 84
615		(2001) 1149–1155. doi:10.3168/jds.S0022-0302(01)74575-4.
616	[37]	S. Amer, F. Hassanat, R. Berthiaume, P. Seguin, A.F. Mustafa, Effects of water
617		soluble carbohydrate content on ensiling characteristics, chemical composition
618		and in vitro gas production of forage millet and forage sorghum, Anim. Feed Sci.
619		Technol. 177 (2012) 23–29. doi:10.1016/j.anifeedsci.2012.07.024.
620	[38]	W.A. Dewar, P. McDonald, R. Whittenbury, The hydrolysis of grass
621		hemicelluloses during ensilage, J. Sci. Food Agric. 14 (1963) 411-417.
622		doi:10.1002/jsfa.2740140610.
623	[39]	N. Mosier, C. Wyman, B. Dale, R. Elander, Y.Y. Lee, M. Holtzapple, et al.,
624		Features of promising technologies for pretreatment of lignocellulosic biomass,
625		Bioresour. Technol. 96 (2005) 673-686. doi:10.1016/j.biortech.2004.06.025.
626	[40]	S. Ghosh, M.P. Henry, R.W. Christopher, Hemicellulose conversion by anaerobic
627		digestion, Biomass. 6 (1985) 257-269. doi:10.1016/0144-4565(85)90052-6.