

# Legionella pneumophila sg1-sensing signal enhancement using a novel electrochemical immunosensor in dynamic detection mode

Ahlem Laribi, Séverine Allegra, Mina Souiri, Ridha Mzoughi, Ali Othmane, Françoise Girardot

## ▶ To cite this version:

Ahlem Laribi, Séverine Allegra, Mina Souiri, Ridha Mzoughi, Ali Othmane, et al.. Legionella pneumophila sg1-sensing signal enhancement using a novel electrochemical immunosensor in dynamic detection mode. Talanta, 2020, 215, pp.120904. 10.1016/j.talanta.2020.120904. hal-02512942

# HAL Id: hal-02512942 https://hal.science/hal-02512942

Submitted on 20 May 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

#### Legionella pneumophila sg1-sensing signal enhancement using a novel 1 electrochemical immunosensor in dynamic detection mode 2 3 4 Ahlem Laribi<sup>1,2\*</sup>, Séverine Allegra<sup>1</sup>, Mina Souiri<sup>2</sup>, Ridha Mzoughi<sup>3</sup>, Ali Othmane<sup>2</sup>, and Françoise 5 Girardot<sup>1</sup> 6 <sup>1</sup> Environments, Territories, Societies (EVS) Lab, Mixed Research Unit (Jean Monnet University -7 French National Centre for Scientific Research) 5600, University of Lyon, F42023, France; 8 <sup>2</sup> Laboratory of advanced materials and interfaces, Faculty of Medicine, University of Monastir - 5019 9 Monastir, Tunisia; <sup>3</sup> Regional Laboratory of Hygiene, University Hospital Farhat Hached, 4000 Sousse, 10 Tunisia and Laboratory of analysis treatment and valorization of pollutants and products, Faculty of 11 Pharmacy, 5000 Monastir, Tunisia 12 \*Corresponding author 13 14 A. LARIBI 15 Tel: +33 6 46 37 25 16 e-mail: ahlem.laribi@etu.univ-st-etienne.fr 16 17


## 18 Abstract

This work presents a comparison between static and dynamic modes of biosensing using a 19 novel microfluidic assay for continuous and quantitative detection of Legionella pneumophila 20 21 sg1 in artificial water samples. A self-assembled monolayer of 16-amino-1-hexadecanethiol (16-AHT) was covalently linked to a gold substrate, and the resulting modified surface was 22 used to immobilize an anti-Legionella pneumophila monoclonal antibody (mAb). The 23 modified surfaces formed during the biosensor functionalization steps were characterized 24 25 using electrochemical measurements and microscopic imaging techniques. Under static conditions, the biosensor exhibited a wide linear response range from 10 to 10<sup>8</sup> CFU/mL and 26 a detection limit of 10 CFU/mL. Using a microfluidic system, the biosensor responses 27 exhibited a linear relationship for low bacterial concentrations ranging from 10 to  $10^3$ 28 CFU/mL under dynamic conditions and an enhancement of sensing signals by a factor of 4.5 29 compared to the sensing signals obtained under static conditions with the same biosensor for 30 31 the detection of *Legionella* cells in artificially contaminated samples.

32

- 33
- 34
- 35

### 36 Graphical Abstract



37 38

39 Keywords. Legionella pneumophila, Electrochemical Detection, Microfluidic Device,
40 Immunosensor

41

## 42 **1. Introduction**

*Legionella pneumophila* is the main vector of Legionnaires' disease, a type of pneumonia that can be fatal in humans. Indeed, inhalation of contaminated aerosols can cause bilateral pneumonia (Sharma et al., 2017). It has been reported that 9% of domestic cases are fatal (Dooling et al., 2015), reaching between 25 to 48% for nosocomial cases in the USA (Soda et al., 2017). In France, there was a 75% increase in the number of recorded incidences in 2018 compared to the previous year (Campese, 2018).

49 Legionella bacteria are found in natural aquatic environments and wet soils (Borella et al., 50 2005). They are known to colonize artificial human-made aquatic ecosystems such as hot water distribution systems, air conditioning systems, and air-cooling towers, thereby giving 51 52 rise to severe outbreaks of pneumonia (Beer et al., 2015; Mobed et al., 2019a). Approximately 28 sources of sporadic cases involving potable water, hot springs, humidifiers, water 53 54 fountains, and medical respiratory equipment have been identified (Orkis et al., 2018). Therefore, any water system that generates aerosols from water should be considered at-risk 55 56 (Baldovin et al., 2018; Walker, 2018). For this reason, effective monitoring of water systems is critical. However, current standardized detection and enumeration methods (ISO 11731 and 57 58 AFNOR T90 431 for cultures and ISO 12869 and AFNOR T90 471 for quantitative PCR) suffer from limitations that hinder proper and timely diagnosis (Mobed et al., 2019a). 59 Analysis by culture takes up to 10 days and the recovery of *Legionella* is not optimal due to 60

61 the acid treatment and concentration stage (Delgado-Viscogliosi et al., 2005). Viable but

nonculturable cells (VBNC), which are compromised cells characterized by a loss of culturability, are not detected using cultures (Kirschner, 2016), whereas it has been demonstrated that they are nonetheless still able to infect amoebae and human macrophages (Alleron et al., 2013; Dietersdorfer et al., 2018). Several studies have demonstrated that VBNC forms are systematically present in potable water sources due to the presence of disinfection products and their low levels of nutrients (Chang et al., 2007; Dietersdorfer et al., 2018).

- Quantitative PCR (qPCR) is fast and easy to implement. However, it is limited by its inability
  to discriminate between dead and live cells, not to mention the need for specialized
  knowledge and experience to operate the equipment.
- Furthermore, both techniques require harvesting of water samples and further lab-basedanalyses.
- Contaminated water systems are mainly disinfected using chlorine or heat treatment by exposure to high temperatures (70 °C for 30 min). It has been shown that up to 25% of *Legionella* bacteria can survive after such a heat treatment, and they are able to regrow after a few months (Allegra et al., 2011). In light of the reasons outlined above, there is hence a clear need to develop fast, sensitive, portable, and easy-to-use devices to achieve continuous monitoring of *Legionella* that can be applied directly to the water system.

Biosensors are considered to be a valuable alternative in this field. However, despite their
remarkable sensitivity and biological compatibility, only a small number of practical studies
have investigated the use of immunosensors to address this issue.

- In this context, an optical fibre sensor based on surface plasmon resonance has been reported 83 84 to provide a limit of detection of approximately 10 CFU/mL (Lin et al., 2007). A similar sensitivity can be obtained using an electrochemical impedance spectroscopy immunosensor 85 (Sboui et al., 2015), and this LOD is considered to be the lowest detected concentration. For 86 87 instance, Li et al. (Li et al., 2012) and Lei et al. (Lei and Leung, 2012) reached LOD values of 10<sup>2</sup> Cells/mL and 10<sup>5</sup> CFU/mL, respectively, using an impedimetric immunosensor to 88 89 detect Legionella pneumophila. Using an amperometric magnetic immunoassay assay for Legionella pneumophila detection, Martini et al. reported a LOD of 10<sup>4</sup> CFU/mL, with the 90 91 possibility of detecting Legionella cells at 10 CFU/mL after a preconcentration step (Martín et
- 92 al., 2015).
- 93 Using surface plasmon resonance technology for *Legionella pneumophila* detection, Enrico et
- 94 al. (Enrico et al., 2013) and Foudeh et al (Foudeh et al., 2015) reported LOD values of ~  $10^4$
- 95 CFU/mL. More recently, Aziziyan et al. have used the negative zeta potential, enhanced by

decorating Legionella pneumophila with negatively charged sodium dodecyl sulphate 96 molecules, to achieve a detection limit of 10<sup>3</sup> CFU/mL (Aziziyan et al., 2020). Despite their 97 high sensitivities, these methods require specific equipment, as well as the necessary skills 98 99 and expertise to properly interpret the sensing data. By using genosensors, which allow the 100 detection of a specific DNA sequence, several authors have been able to achieve very low 101 quantification limits of 10<sup>-21</sup> M (Mobed et al., 2019b) and 10<sup>-14</sup> M (Rai et al., 2012). Nevertheless, despite their high sensitivities, genosensors cannot be used to detect and 102 103 quantify live bacterial cells in water samples.

In light of these various reasons, in this study, we investigated a new version of a microfluidic
 immunosensor based on a combination of biosensor technology for *Legionella* detection and
 microfluidic systems.

#### 107 **2. Experimental**

## 108 **2.1.Chemicals and reagents**

109 Phosphate-buffered saline (PBS) (0.01 M, pH 7.4), sulphuric acid (95-97%), bovine serum 110 albumin (BSA,  $\geq$ 96%), hydrogen peroxide solution (H<sub>2</sub>O<sub>2</sub>, 30%), acetone, N-(3-111 Dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride (EDC), N-Hydroxysuccinimide 112 (NHS), and 16-Amino-1-hexadecanethiol hydrochloride (16-AHT) were purchased from 113 Sigma-Aldrich.

BupH<sup>™</sup> MES Buffered Saline Packs (MES) were purchased from Thermo Fisher Scientific
and ethanol (99.8%) was purchased from Fluka.

Monoclonal mouse anti-*Legionella* antibody Dp-Lp1-O2 provided by Microbiodetection
SARL (Commercy, France) was stored frozen, and three standard solutions were prepared
daily at 0.1, 0.05, and 0.01 mg/mL in HEPES-buffered saline (HBS) composed of 10 mM
HEPES and 150 mM NaCl.

120 All chemicals were analytical grade and were used without further purification.

## 121 **2.2.** Bacterial strain

A Legionella pneumophila sg1-GFP strain (Lp1-008-GFP) previously validated (Mustapha et 122 123 al., 2015) for the expression of green fluorescent protein (GFP) was cultured on buffered 124 charcoal yeast extract agar (BCYEa medium) containing chloramphenicol and incubated at 37 °C for 72 h to obtain exponential phase forms. All of the bacterial samples were freshly 125 prepared by resuspension of colonies in an appropriate volume of PBS (Dulbecco's 126 Phosphate-Buffered Solution, Sigma, France). An optical density (OD) of 0.2 at 600 nm 127 (Biomate TM3; Avantec, Illkirch, France) was taken as a reference for the initial suspension 128 containing 10<sup>8</sup> CFU/mL. Ten-fold serial dilutions from 10 to 10<sup>8</sup> CFU/ml were prepared and 129

130 used to study the biosensing performance in both static and dynamic detection mode. The 131 concentration of each independent initial suspension was determined by twice plating 100  $\mu$ L 132 aliquots of 10<sup>2</sup> and 10<sup>3</sup> dilutions on BCYE agar medium. The *Legionella* colonies were 133 counted using a Scan 1200 enumerating system-Interscience, after 72 h at 37 °C.

## 134 **2.3.** Apparatus

All of the electrochemical measurements were performed at pH 7.4 in a 0.01 M PBS solution 135 containing 0.1 M KCl and 10 mM [Fe(CN)<sub>6</sub>]<sup>3-/4-</sup> (the reaction is controlled by diffusion of the 136 ferri/ferrocyanide system as a redox probe) using a portable bipotentiostat (Metrohm, France 137 138 SAS). Cyclic voltammograms (CV) were recorded at a scan range from -0.4 to +0.6 V with a scan rate of 0.05 V/s. Square-wave voltammograms (SWV) were recorded from -0.3 to +0.5139 V using the following parameters: a frequency of 5 Hz, a pulse amplitude of 0.002 V, and a 140 scan rate of 0.05 V.s<sup>-1</sup>. To guarantee reproducibility, each experiment was carried out 141 142 independently at least three times using three different SPEs. The Drop View 8400 software plots the results as SWV and CV curves. The experiments were performed using a three-143 144 electrode system with Au as the working electrode, Pt as the auxiliary electrode, and Ag as the reference electrode. 145

146 Validation of functionalization was carried out by electrochemical measurements after each functionalization step and by visualization of the morphological changes using scanning 147 electron microscopy (SEM, Nova Nanosem FEI 200, accelerating voltage 20 kV), and atomic 148 force microscopy (AFM, Agilent 5500 LS instrument, Les Ulis, France). Before being 149 150 observed by AFM, the SPEs were rinsed using ultrapure water and dried under nitrogen (N<sub>2</sub>) to prevent the formation of salt crystals. The images were processed using GWIDDION 151 152 software (version 2.52). The root mean square (RMS) was used to characterize the surface roughness in terms of the irregularity and height distribution. Confocal laser scanning 153 154 microscopy (CLSM) images were obtained using a TCS-SP2 inverted confocal scanning laser 155 microscope (LEICA Microsystems, Nanterre, France), with argon as an excitation source (488 nm). 156

157

## 2.4. Fabrication of the biosensor

Screen-printed electrodes (SPEs), were purchased from Metrohm, France. The SPEs were first rinsed with an acetone and ethanol solution to remove physically adsorbed contaminants. The working area (4-mm diameter) was then immersed for 1 min in a fresh piranha solution of  $3:1 (v/v) 98\% H_2SO_4/30\% H_2O_2$  using all the necessary safety procedures. The SPEs were then rinsed extensively with ultrapure water several times and finally dried in air.

- 163 Once cleaned, the SPEs were immersed in a solution of 2 mM 16-amino-1-hexadecanethiol
- 164 16-AHT in 99.8% ethanol for 24 hours in the dark at 4 °C to form self-assembled monolayers.
- 165 The carboxyl groups located on the crystallizable fragment of the heavy chains of the anti-
- 166 L. pneumophila monoclonal antibody (mAb) were activated using EDC (dissolved in MES) as
- 167 described by Vashist et al., 2011, 2015.
- 168 Despite its importance for the biosensing performance (Vashist, 2012; Vashist et al., 2011,
- 169 2015), it is still difficult to ensure the orientation of the antibody during the activation process.
- According to the literature, the use of EDC (Ben Ismail et al., 2016; Vashist et al., 2015) or
- 171 EDC/N-hydroxysulfosuccinimide (NHS) (Chou et al., 2016; Raghav and Srivastava, 2016) or
- EDC with Sulfo-NHS (Dixit et al., 2011) enables chemical activation of the carboxyl groups.
  Thus, the antibody linkage occurs through a peptide bond that should, theoretically, not affect
- 174 its bioactivity.
- However, the biosensor efficiency was found to be enhanced when EDC alone was used
  (Vashist, 2012). We compared the use of EDC alone and the use of EDC along with NHS
  (data not shown). The results corroborated the previous idea, which is a reason why we
  adopted this method.
- A 50 μL aliquot of the EDC-activated mAb antibodies was then incubated overnight at 4 °C.
  A final step consisting of the addition of PBS containing 1% bovine serum albumin (BSA)
  was carried out in order to block the non-specific binding sites on the sensing area.

#### 182 **2.5.** *Optimization of the antibody concentration under static conditions*

183 In order to be able to minimize the final cost of the biosensor, we tested the anti-Legionella antibody at 3 different concentrations: 0.01, 0.05, and 0.1 mg/mL. These three concentrations 184 were tested to detect Legionella in static mode as follows: 10 µL of the dilution containing 185 Legionella at 10 CFUs/mL were deposited on the pretreated area of the SPE and then left for 186 3 h of incubation at room temperature and finally rinsed with PBS solution and characterized 187 188 electrochemically using CV and SWV. On the same biosensor, 10  $\mu$ L of *Legionella* at 10<sup>2</sup> CFUs/mL was added and the same procedure was performed, and so on, each time adding a 189 10-fold higher concentration of bacteria until Legionella at 10<sup>8</sup> CFUs/mL was reached. This 190 191 procedure was used to obtain a more reliable indication of the occurrence of sensor saturation. 192 As in our previous work regarding the detection of Legionella under static conditions (Souiri 193 et al., 2014), the sensor was incubated for 3 hours (Ben Ismail et al., 2016) so that the bacterial cell capturing time could be considered to be long enough to assure a comparative 194 195 results with the dynamic mode of detection. The sensor was kept in a sealed empty Petri dish 196 to avoid surface dryness during the incubation.

199 **2.6.** Dynamic detection

The *Legionella* detection experiments under dynamic conditions were carried out in a glove box. The SPE was inserted into a microfluidic cell (volume of the cell: 8  $\mu$ L; Input Diameter: 1 mm - Metrohm, France) linked to a cell inlet and connected to the tube containing the bacterial suspension (2 mL). Circulation was achieved using a peristaltic pump (Watson-Marlow, type 101 U/R) and the bacterial suspensions were recirculated 5 times at a maximum speed of 100  $\mu$ L.min<sup>-1</sup>. The SPE electrode was then characterized electrochemically. The dilutions were tested using the same cumulative process described for the static mode.

## 207 **2.7.** Biosensing performance under dynamic conditions

208 In order to evaluate the efficiency of this mode of detection, 2 mL aliquots of the pre-209 circulated and the post-circulated contaminated samples were evaluated by culture: 500 µL of 10, 10<sup>2</sup>, and 10<sup>3</sup> CFUs/mL samples were plated on four BCYE plates (eight plates for each 210 211 concentration). For each bacterial concentration, the initial suspension and the recirculated suspension (total volume of 2 mL for each one) were plated on BCYE agar supplemented 212 213 with chloramphenicol and incubated at 37 °C for 72 h. All of the BCYE plates were observed 214 under UV light at 366 nm to enumerate GFP-L. pneumophila colonies. Flow cytometry assays 215 (FCA) (Cube6, Sysmex) were also carried out to assess the physiological states of the bacteria: dead, alive, and 'viable but nonculturable' (VBNC) before and after fluid circulation. 216 217 The quantification protocol was as described in our previous study (Allegra et al., 2008). Thus, 2 mL of  $10^5$  CFU/mL was processed for quantification using this technique. 218

219 220

## 3. Results and Discussion

## 3.1. Validation of the surface modification: layer formation

The subsequent functionalization steps carried out on the bare gold electrode successively resulted in three modified surfaces: 16-AHT/Gold, mAb/16-AHT/Gold, and mAb-BSA/16-AHT/Gold. Each of these three modified surfaces was characterized by microscopic imaging techniques and by electrochemical measurements taking into account the responses obtained with the bare gold surface.

226 227

## 3.1.1. SEM and AFM characterization

## a) SEM characterization

SEM imaging was carried out on the bare gold surface (Fig. 1a) and on each of the three subsequent modified surfaces (Fig. 1b, 1c, 1d). As can be seen in Fig. 1a, the surface topography of the typical gold electrode exhibited a high level of definition and homogeneity

of the gold film. Compared to the SEM images of the bare gold surface, those obtained from 231 the functionalized surfaces revealed various new 'geometric shapes' that clearly indicated 232 effective immobilization of the corresponding molecules (16-AHT). In terms of the first 233 functionalization step (Fig. 1b), the corresponding geometric shapes appeared to be quite 234 235 smooth and the shapes had a narrow size range. Furthermore, this range did not change over the entire surface. Such forms could be the result of organized self-assembled monolayers of 236 16-AHT (Fig. 1b). A similar result was previously reported by Heimel et al. (Heimel et al., 237 2006) using the simulated adsorption geometry for 4'-substituted-4-mercaptobiphenyls. These 238 results suggest that the self-assembled molecules (SAM) can undergo a similar formation 239 process. The SEM image of the antibody-modified surface (0.1 mg/mL) revealed grainy 240 forms distributed homogeneously over the entire surface (Fig. 1c), suggesting successful mAb 241 linkage to the 16-AHT modified surface. As can be seen in Fig. 1d, the SEM image of the 242 243 BSA-treated surface (mAb-BSA/16-AHT/Gold) revealed the presence of more irregular shapes that were between 20 and 50 nm in size. This could be attributed to the adsorption of 244 245 BSA on non-specific mAb binding areas. Our results, and those reported by others (Mathebe, 2004; Zhang et al., 2015), confirm the successful use of SEM imaging to characterize 246 modified surfaces during biosensor fabrication. 247




Figure 1. SEM images of bare Gold (a); 16-AHT/Gold (b); mAb/16-AHT/Gold (c), and mAb-BSA/16 AHT/Gold (d)

## b) AFM characterization

The topography of the bare gold surface and each of the three modified surfaces was analysed using atomic force microscopy (AFM). The roughness parameter was evaluated as the average root mean square roughness (RMS) based on five measurements performed at five different locations  $(2 \times 2 \ \mu m^2)$  on the surface. The roughness of the bare gold surface differed from that obtained for the modified gold surface, suggesting the formation of layers of film on the gold surface. Depending on the functionalization step, the analysed surface exhibited a reduced RMS roughness with a substantial standard deviation. These results could be

explained by both the surface heterogeneity induced by the chemical modification and the 259 manufacturing process of the screen-printing technology of gold particles suspended in an ink 260 on a ceramic substrate (Butterworth et al., 2019). Yet, ultra-flat surfaces could be obtained 261 262 using the pressure forming template stripping fabrication technique  $(0.35 \pm 0.05 \text{ nm RMS})$ 263 roughness), as previously reported (Rubio-Lara et al., 2019). Overall, the generation of rough surfaces is one of the most convenient and effective ways to improve sensing signals (Gao et 264 al., 2019). Following the first step of modification (16-AHT) of the gold substrate, the 265 standard deviation decreased, suggesting good coverage of the modified surface. According to 266 267 Love et al. (Love et al., 2005), SAMs can be fabricated into patterns in the plane of a surface with dimensions ranging from 10 to 100 nm, thus resulting in the formation of a geometric 268 269 shape through the formation of an assembled monolayer. For the antibody modified surface, 270 the slight decrease in the standard deviation could be the result of the immobilization of the 271 antibody molecules. The addition of BSA appears to indicate better coverage of the surface, which could be due to the adsorption of BSA molecules at different angles, as previously 272 273 reported (Rubio-Lara et al., 2019).

- 274
- 275

Table 1. RMS value evaluation based on the AFM results  $(2 x 2 \mu m^2)$ 

<u>Surface</u>	<u>RMS value ±SD (nm)</u>	
Bare gold	$164 \pm 75$	
16-AHT/Gold	$149 \pm 55$	
mAb/16-AHT /Gold	$148 \pm 73$	
mAb-BSA/16-AHT/Gold	131±54	

276 277

## 3.1.2. Electrochemical characterization (SWV and CV)

Electrochemical measurements remain the most effective method for surface analysis during the fabrication process and the performance of the biosensor. In our study, the electrochemical behaviour of the modified surface was investigated using square-wave voltammetry (SWV) and cyclic voltammetry (CV) of the bare gold electrode and the three subsequent modifications with 16-AHT, mAb, and BSA, respectively.

As can be seen in Fig.2, the peak current in SWV of the bare gold electrode was lower for each of the subsequent modified surfaces, suggesting immobilization of probe molecules. The highest current response occurred for the gold electrode (red curve). The peak current decreased substantially after treatment of the gold surface with aminothiol molecules (blue curve). The subsequent modification of the 16-AHT/Gold surface with antibody molecules was associated with a further decrease in the corresponding peak current of SWV (green curve), whereas no peak current change was observed after BSA treatment.

The observed decrease of the peak potentials by SWV after each of the two subsequent functionalization steps of the bare gold electrode could be related to a restricted mass transfer of redox species. This could be due to the molecular length of the covalently linked aminothiol and mAb molecules (Chen et al., 2006; Zhang et al., 2014).

Furthermore, the reduction of the amplitudes of the current peaks recorded after the 294 295 functionalization steps was associated with a slight change in the peak potential location. The 296 peak current of the gold electrode was located at + 0.15 V whereas the peak current of the 297 aminothiol-treated electrode was shifted to + 0.13 V. This slight potential shift of the peak current towards a lower voltage for the 16-AHT-modified surface could be related to the 298 299 presence of a positive electrostatic charge around the H<sub>2</sub>N-terminated thiol-linked molecules. Indeed, at the pH that was used (a pH of 7.4), and taking into account a pKa of 10.6 for the 300 301 NH<sub>3</sub>+/NH<sub>2</sub> couple (Kromann et al., 2016), the protonated form of the base predominated 302  $(NH_3+)$ . Moreover, the current peak for the treated surface with mAbs underwent a positive 303 shift relative to that obtained following the first functionalization step. The corresponding peak appeared at +0.18 V. This additional shift could be the result of the negative charge of 304 305 the mAbs carboxyl groups at pH = 7.4. The negative charges introduced after mAb treatment would neutralize the positive charges of the amino functional groups. This could explain the 306 shift of the current peak to a higher voltage following the second step of the functionalization 307 of the biosensor. Similar results have been reported based on electrochemical impedance 308 spectroscopy (Sboui et al., 2015). The changes noted with SWV were confirmed by cyclic 309 310 voltammetry. The same variation was found in the characterized signals as discussed for the SWV results. Of note, there was a greater decrease of the peak current with SWV compared 311 312 to CV. This could be due to the sensitivity of the SWV technique. Indeed, SWV measures 313 both the forward and the reverse current, while only the forward current is measured in CV (Brahman et al., 2016). 314

All of these microscopic and electrochemical measurements suggest that the functionalization steps during the biosensor fabrication were successful. These data are in agreement with the results of the immunofluorescence experiment, which was carried out to make sure that the

- 318 bioreceptor recognition sites were still accessible after the addition of BSA (using an Alexa
- 319 Fluor 555 antibody, data not shown).
- 320




Figure 2. Square-wave voltammetry (a) and cyclic voltammetry (b) of the modified electrode
of bare Gold (red), 16-AHT/Gold (blue), and mAb-BSA/16-AHT/Gold (green)

321

## 325 **3.2.** Antibody concentration optimization under static conditions

The aim of this part of the study was to estimate the lowest antibody concentration that would still ensure a linear electrochemical response, under static conditions, for bacterial suspensions ranging from 10 to  $10^8$  CFU/mL (as described in Section 2.4). Thus, three antibody concentrations of 0.01 mg/mL, 0.05 mg/mL, and 0.1 mg/mL were successively investigated.

331 The biosensor current signals needed for this study were, I <sub>mAb-BSA</sub> and I <sub>detection</sub>, which were 332 the recorded signals without bacteria and the bacterial concentrations, respectively. These 333 recorded signals permitted us to calculate the  $\Delta$ I/I as [I (mAb-BSA) - I (detection)] / I (mAb-BSA). For 334 each of the three antibody concentrations, a plot of the  $\Delta$ I/I values versus the logarithm of the 335 *Legionella* concentration is represented in Figure 3.

As expected, there was a decrease in I detection due to bacterial capture, and thus an increase in 336 the  $\Delta I/I$  values as the bacterial concentration increased. The observed increase in the  $\Delta I/I$ 337 values could be attributed to the immobilization of bacterial cells, which acted as a barrier to 338 339 electron transfer reactions on the biosensing surface. Such an impediment of the electron transfer kinetics on the electrode surface has been shown to occur during the formation of 340 antibody/antigen complexes (Yun et al., 2007; Zhang et al., 2014). In order to confirm the 341 immobilization of captured GFP-L. pneumophila, CLSM was performed. As shown in Fig.3d, 342 the images obtained indicate a homogeneous distribution of the captured bacterial cells at an 343 344 antibody concentration of 0.1 mg/mL.


As can be seen in Fig. 3a and Fig. 3b, the  $\Delta I/I$  values corresponding to antibody concentrations of 0.01 and 0.05 mg/mL did not increase in a linear manner with a *Legionella* concentration range from 10 to  $10^8$  CFU/mL. A saturation phenomenon was observed at these two antibody concentrations as the number of *Legionella* increased. By contrast, at an antibody concentration of 0.1 mg/mL (Fig. 3c), a linear increase in  $\Delta I/I$  values was observed over a bacterial concentration range from 10 to  $10^8$  CFU/mL (R<sup>2</sup> = 0.975).

Therefore, under static conditions, the electrochemical biosensor functionalized with an antibody concentration of 0.1 mg/mL exhibited a wide linear response that ranged from 10 to  $10^{8}$  CFU/mL.

354 At an antibody concentration of 0.1 mg/mL, the limit of detection (LOD) was calculated to be  $3 \times SD$  (SD: standard deviation, n = 3) obtained from three measurements taken in the absence 355 356 of bacteria. Three peak currents were recorded in the absence of Legionella, with values of 7.22 (I<sub>1</sub>), 7.02 (I<sub>2</sub>), and 5.9  $\mu$ A (I<sub>3</sub>), with a mean value of 6.72  $\mu$ A (I<sub>0</sub>). Each of these three 357 values (I<sub>1</sub>, I<sub>2</sub>, and I<sub>3</sub>) was then used to obtain the corresponding immunosensor response in the 358 absence of bacteria evaluated as  $|I_0 - I|/I_0$ . The values for the three responses obtained were: 359 0.075, 0.044, and 0.122, with a mean value of 0.08 and an SD value of 0.04. Therefore, the 360 LOD was calculated to be  $3 \times SD$ , thus yielding a value of 0.12 with regard to the 361 immunoresponse. The corresponding LOD value expressed in CFU/mL was then obtained 362 from the calibration curve (Fig. 3c), yielding a value of ~ 10 CFU/mL. This LOD value was 363 expected since the immunosensor responses varied linearly with the logarithmic value of the 364 bacterial concentration over eight orders of magnitude (Fig. 3c), which included 10 CFU/mL. 365 This LOD value is at least one order of magnitude lower than the values reported to date for 366 the detection of Legionella pneumophila using various other biosensing devices. Compared to 367 the previously published works discussed in the Introduction, our immunosensor appears to be 368 369 the best device to detect Legionella pneumophila at 10 CFU/mL. Moreover, our method has

the advantage of a relatively rapid analysis time (180 min), in addition to being portable, easy 370 to operate, and relatively inexpensive compared to the other available technologies. Despite 371 the excellent LOD value that we obtained and these advantages, this detection limit remains 372 quite high compared to the reference levels for cooling towers (<100 CFU/L) (Miranda-373 374 Castro et al., 2009) and thus needs to be improved. Another hurdle to be overcome is that this LOD is subject to the weakness of the corresponding response. As described above, the blank 375 assay was associated with a biosensing response of  $[\Delta I/I]_{Blank} = 0.08 \pm 0.04$ . Otherwise, the 376 immunosensor response with *Legionella* at 10 CFU/mL ( $[\Delta I/I]_{10 \text{ CFU/mL}}$ ), obtained as the mean 377 378 of three simultaneously measurements, was  $0.08 \pm 0.08$ . Thus, both of the [ $\Delta$ I/I]<sub>Blank</sub> and 379  $[\Delta I/I]_{10 \text{ CFU/mL}}$  responses were nearly the same.

This result suggests that 10 CFU/mL corresponds to the limit of detection of *Legionella* under static conditions, and this is in agreement with the obtained LOD (3 x SD). Nevertheless, due to the weakness of the response value and the relatively high SD, it would not be easy to detect 10 CFU/mL every time. Thus, increasing the response value of 10 CFU/mL by changing the detection conditions could be of great interest. Such an improvement would result in a more efficient quantification of 10 CFU/mL.






Figure 3. SWV net currents and sensor performance for antibody concentrations of 0.01
mg/mL (a), 0.05 mg/mL (b), and 0.1 mg/mL (c) under static conditions. A CLSM image of
captured GFP-L. pneumophila (left) and a CLSM image of captured GFP-L. pneumophila
with reflectance mode (right) using an antibody concentration of 0.1 mg/mL (d)

404

406

## 405 **3.3.Performance of the dynamic biosensor**

a- Electrochemical characterization


The biosensor described above was used to perform electrochemical measurements to detect and quantify *Legionella* present in circulating solutions (dynamic conditions). The aim was to achieve a faster response time and amplified signal sensing compared to measurements performed under static conditions as discussed previously.

The biosensor was coupled to the microfluidic system as described in Section 2.6. The 411 412 biosensor measurements were performed under dynamic conditions with an antibody 413 concentration of 0.1 mg/mL. A plot of  $\Delta I/I$  values vs. the logarithm of a Legionella concentration ranging from 10 to 10<sup>6</sup> CFU/mL is shown in Fig. 4 (red curve). It can be seen 414 that, compared to the sensor performance under static conditions (blue curve), the 415 performance under dynamic conditions (red curve) indicates an amplified biosensing 416 response. Furthermore, a linear increase in the  $\Delta I/I$  values was only observed up to  $10^3$ 417 418 CFU/mL. Between 10<sup>3</sup> CFU/mL and 10<sup>6</sup> CFU/mL the representative curve trended downward and tended to plateau, whereas the  $\Delta I/I$  values measured under static conditions revealed a 419 linear increase over the entire 10 to  $10^8$  CFU/mL bacterial concentration range. This finding 420 421 illustrates the precocious appearance of a saturation phenomenon when the biosensor was 422 used under dynamic conditions. Moreover, as can be seen in Fig. 4, the linear part of the curve established under dynamic conditions ( $R^2=0.991$ ) was almost parallel to the linear 423 424 representation obtained under static conditions. Considering that biosensor sensitivity is

defined as the slope of the linear part of the calibration curve, our results suggest that the 425 sensitivity of the biosensor under dynamic conditions remains almost the same as the 426 sensitivity observed under static conditions. Circulation of each of the three bacterial 427 concentrations (10,  $10^2$ , and  $10^3$  CFU/mL) led to a nearly 4.5-fold increase in the  $\Delta$ I/I values 428 relative to the  $\Delta I/I$  values obtained under static conditions., namely  $[\Delta I/I]_{10 \text{ CFU/mL}} = 0.361 \pm$ 429 0.04. The enhancement of the immunosensing response by the use of this microfluidic system 430 suggests that it should be possible to use this biosensor under dynamic conditions to quantify 431 Legionella at very low concentrations ranging from 10 to  $10^3$  CFU/mL. Due to the 4.5-fold 432 increase in the immunosensing response achieved with circulation, a bacterial concentration 433 434 of 10 CFU/mL can more readily be detected under dynamic conditions. In light of this, our 435 method based on the use of circulating bacteria appears to be more suitable for quantification of Legionella pneumophila at a concentration of 10 CFU/mL. In addition, it seems likely that 436 437 the detection limit should be significantly lower compared to the LOD obtained under static conditions. Furthermore, the incubation time with the bacteria was reduced from 180 min 438 439 under static conditions to 100 min under dynamic conditions. The enhancement in the immunosensing response under dynamic conditions may be attributed to the increase in the 440 441 number of cells captured by recirculation of the Legionella samples. This is, on the one hand, directly linked to a higher probability of contact between the bacteria cells and the 442 functionalized surface and, on the other hand, it explains the occurrence of a precocious 443 444 saturation phenomenon under dynamic conditions.

Moreover, linearity was not sought for bacterial samples at high concentrations since the aim of this study was to detect and quantify *Legionella* at very low concentrations. In France, the law of the decree of February 1<sup>st</sup>, 2010 (Arrêté du 1<sup>er</sup> février 2010, n.d.) specifies that target values of 10<sup>3</sup> CFU/L in public entities and 10 CFU/L in healthcare institutions should be used for *Legionella* risk assessment.

450



- 469 colonies were enumerated for the corresponding theoretical concentration of 10,  $10^2$ , and  $10^3$
- 470 CFU/mL, respectively. For these three bacterial concentrations, the plates incubated with
- 471 recirculated solutions had 5, 45, and 601 enumerated colonies, respectively. Thus, these

472 results indicate a decrease in the number of enumerated colonies when the cultures were 473 performed with recirculated solutions compared to cultures performed prior to circulation. 474 Percentage-wise, these decreases were 67%, 53%, and 36%, respectively. The decrease in 475 *Legionella* cells in the circulated solutions could result in more bacterial cells being captured, 476 thereby leading to enhancement of the biosensing signals with regard to  $\Delta I/I$  values.

As described above, a similar linear relationship was found between the  $\Delta I/I$  values and the logarithm of the bacterial concentration ranging from 10 to  $10^3$  CFU/mL. Moreover, we found a linear relationship by plotting the percentage of captured cells and the logarithm of the corresponding concentrations (R<sup>2</sup>=0.996). These two linear relationships suggest that the  $\Delta I/I$ values were correlated to the percentage decrease in the number of colonies (R<sup>2</sup> = 0.977). Therefore, it can be assumed that the increase in  $\Delta I/I$  values was due to the greater extent of

- 483 *Legionella* capture under dynamic conditions.
- 484
- 485
- 486
- 487 488

489 Table 2. Post-quantitative assessment of Legionella in recirculated artificially contaminated samples
 490 by culture
 401

491				
492			colonies by culture he non-stressed (li	
493	Theoretical		, 	,
494	concentrations based on OD	<u>Before</u>	After	
495	measurements	circulation	circulation	Percentage
496		(CFU/mL)	(CFU/mL)	<u>decrease</u>
497				
498	10	15	5	67%
499	2			
500	10 <sup>2</sup>	96	45	53%
501	3			
502	10 <sup>3</sup>	945	601	36%
503				

504 **4.** Conclusion

An electrochemical method was developed by coupling a functionalized biosensor with a 505 microfluidic cell for the detection of *Legionella pneumophila* sg1 in water samples. The main 506 functionalization steps of the biosensor were performed by covalent linkage of a self-507 assembled monolayer of 16-amino-1-hexadecanethiol (16-AHT) onto a gold surface to 508 509 immobilize an anti-L. pneumophila monoclonal antibody (mAb). Characterization by electrochemical methods and microscopic imaging techniques indicated immobilization of 510 both the mAb and the targeted bacteria. Under static conditions, the biosensor exhibited a 511 wide linear response range from 10 to 10<sup>8</sup> CFU/mL and a detection limit of 10 CFU/mL. 512 Using a microfluidic system, a linear biosensing signal was obtained between 10 and  $10^3$ 513 CFU/mL, with a response amplification by a factor of 4.5 compared to the results under static 514 515 conditions. Thus, the observed enhancement of the biosensor response should result in a better detection limit: less than 10 CFU/mL. Therefore, the use of this combination for 516 517 electrochemical detection of Legionella cells has several advantages such as sensitivity, good response amplification, an easy fabrication process, a faster method, real-time detection, and 518 519 portability. There is hence ample potential to expand the application of this biosensor configuration to assess the risk of Legionella bacterial contamination in environmental water 520 521 systems, and a real-time biosensing signal could be of practical value in this field, especially 522 during epidemics.

523

#### 524 Acknowledgments

525 The authors gratefully acknowledge financial support from the Region Rhône Alpes - CMIRA 526 program. A special thanks to the late Prof. Serge RIFFARD who played a key role in 527 spearheading this work.

528 The authors also thank the laboratory team of the GIMAP and Hubert Curien (Saint-Étienne,

529 France) for their technical assistance.

530

## 531 *References*

- Allegra, S., Berger, F., Berthelot, P., Grattard, F., Pozzetto, B., Riffard, S., 2008. Use of Flow
  Cytometry To Monitor Legionella Viability. Appl. Environ. Microbiol. 74, 7813–
  7816. https://doi.org/10.1128/AEM.01364-08
- Allegra, S., Grattard, F., Girardot, F., Riffard, S., Pozzetto, B., Berthelot, P., 2011.
  Longitudinal Evaluation of the Efficacy of Heat Treatment Procedures against *Legionella* spp. in Hospital Water Systems by Using a Flow Cytometric Assay. Appl.
  Environ. Microbiol. 77, 1268–1275. https://doi.org/10.1128/AEM.02225-10

- Alleron, L., Khemiri, A., Koubar, M., Lacombe, C., Coquet, L., Cosette, P., Jouenne, T.,
  Frere, J., 2013. VBNC Legionella pneumophila cells are still able to produce virulence
  proteins. Water Res. 47, 6606–6617. https://doi.org/10.1016/j.watres.2013.08.032
- 542Arrêté du 1er février 2010, n.d. Arrêté du 1er février 2010 relatif à la surveillance des543légionelles dans les installations de production, de stockage et de distribution d'eau544chaudesanitaire.NOR:SASP1002960A.URL :545https://www.legifrance.gouv.fr/affichTexte.do?cidTexte=JORFTEXT000021795143&546categorieLien=id. Last accessed on july 2019.
- Aziziyan, M.R., Hassen, W.M., Sharma, H., Shirzaei Sani, E., Annabi, N., Frost, E.H.,
  Dubowski, J.J., 2020. Sodium dodecyl sulfate decorated Legionella pneumophila for
  enhanced detection with a GaAs/AlGaAs nanoheterostructure biosensor. Sens.
  Actuators B Chem. 304, 127007. https://doi.org/10.1016/j.snb.2019.127007
- Baldovin, T., Pierobon, A., Bertoncello, C., 2018. May car washing represent a risk for
  Legionella infection? Ann. Ig. Med. Prev. E Comunità 57–65.
  https://doi.org/10.7416/ai.2018.2196
- Beer, K.D., Gargano, J.W., Roberts, V.A., Hill, V.R., Garrison, L.E., Kutty, P.K., Hilborn,
  E.D., Wade, T.J., Fullerton, K.E., Yoder, J.S., 2015. Surveillance for Waterborne
  Disease Outbreaks Associated with Drinking Water United States, 2011-2012.
  MMWR Morb. Mortal. Wkly. Rep. 64, 842–848.
- Ben Ismail, M., Carreiras, F., Agniel, R., Mili, D., Sboui, D., Zanina, N., Othmane, A., 2016.
  Application of APTES-Anti-E-cadherin film for early cancer monitoring. Colloids
  Surf. B Biointerfaces 146, 550–557. https://doi.org/10.1016/j.colsurfb.2016.06.048
- Borella, P., Guerrieri, E., Marchesi, I., Bondi, M., Messi, P., 2005. Water ecology of
  Legionella and protozoan: environmental and public health perspectives, in:
  Biotechnology Annual Review. Elsevier, pp. 355–380. https://doi.org/10.1016/S13872656(05)11011-4
- Brahman, P.K., Pandey, N., Kumar, J.V.S., Somarouthu, P., Tiwari, S., Pitre, K.S., 2016.
  Highly sensitive stripping voltammetric determination of a biomolecule, pyruvic acid
  in solubilized system and biological fluids. Arab. J. Chem. 9, S1897–S1904.
  https://doi.org/10.1016/j.arabjc.2014.02.003
- Butterworth, A., Blues, E., Williamson, P., Cardona, M., Gray, L., Corrigan, D.K., 2019.
  SAM Composition and Electrode Roughness Affect Performance of a DNA Biosensor
  for Antibiotic Resistance. Biosensors 9, 22. https://doi.org/10.3390/bios9010022
- 572 Campese, C., 2018. Christine, C., 2018. Légionellose 2018: point de situation au 9 juillet 573 2018. Christine Campese (christine.campese@santepubliquefrance.fr, Direction des maladies infectieuses. Unité des infections respiratoires et vaccination, Agence 574 nationale de santé publique France 12 rue du Val d'Osne 94415 Saint-Maurice Cedex 575 Standard +33 (0)141 79 67 https://www.srlf.org/wp-576 France \_ 00), 577 content/uploads/2018/07/Legionellose-bilan-2018-au-09-07-2018.pdf. Last accessed on july 2019. 578
- Chang, C.-W., Hwang, Y.-H., Cheng, W.-Y., Chang, C.-P., 2007. Effects of chlorination and
  heat disinfection on long-term starved Legionella pneumophila in warm water. J.
  Appl. Microbiol. 102, 1636–1644. https://doi.org/10.1111/j.1365-2672.2006.03195.x

- Chen, F., Li, X., Hihath, J., Huang, Z., Tao, N., 2006. Effect of Anchoring Groups on SingleMolecule Conductance: Comparative Study of Thiol-, Amine-, and Carboxylic-AcidTerminated Molecules. J. Am. Chem. Soc. 128, 15874–15881.
  https://doi.org/10.1021/ja065864k
- Chou, Y.-N., Sun, F., Hung, H.-C., Jain, P., Sinclair, A., Zhang, P., Bai, T., Chang, Y., Wen,
  T.-C., Yu, Q., Jiang, S., 2016. Ultra-low fouling and high antibody loading
  zwitterionic hydrogel coatings for sensing and detection in complex media. Acta
  Biomater. 40, 31–37. https://doi.org/10.1016/j.actbio.2016.04.023
- Delgado-Viscogliosi, P., Simonart, T., Parent, V., Marchand, G., Dobbelaere, M., Pierlot, E., 590 591 Pierzo, V., Menard-Szczebara, F., Gaudard-Ferveur, E., Delabre, K., Delattre, J.M., 2005. Rapid Method for Enumeration of Viable Legionella pneumophila and Other 592 Environ. Microbiol. 4086-4096. 593 Legionella spp. in Water. Appl. 71, 594 https://doi.org/10.1128/AEM.71.7.4086-4096.2005
- 595 Dietersdorfer, E., Kirschner, A., Schrammel, B., Ohradanova-Repic, A., Stockinger, H.,
  596 Sommer, R., Walochnik, J., Cervero-Aragó, S., 2018. Starved viable but non597 culturable (VBNC) Legionella strains can infect and replicate in amoebae and human
  598 macrophages. Water Res. 141, 428–438. https://doi.org/10.1016/j.watres.2018.01.058
- Dixit, C.K., Vashist, S.K., MacCraith, B.D., O'Kennedy, R., 2011. Multisubstrate-compatible
   ELISA procedures for rapid and high-sensitivity immunoassays. Nat. Protoc. 6, 439–
   445. https://doi.org/10.1038/nprot.2011.304
- Dooling, K.L., Toews, K.-A., Hicks, L.A., Garrison, L.E., Bachaus, B., Zansky, S., Carpenter,
  L.R., Schaffner, B., Parker, E., Petit, S., Thomas, A., Thomas, S., Mansmann, R.,
  Morin, C., White, B., Langley, G.E., 2015. Active Bacterial Core Surveillance for
  Legionellosis United States, 2011–2013. MMWR Morb. Mortal. Wkly. Rep. 64,
  1190–1193. https://doi.org/10.15585/mmwr.mm6442a2
- Enrico, D.L., Manera, M.G., Montagna, G., Cimaglia, F., Chiesa, M., Poltronieri, P., Santino,
  A., Rella, R., 2013. SPR based immunosensor for detection of Legionella
  pneumophila in water samples. Opt. Commun. 294, 420–426.
  https://doi.org/10.1016/j.optcom.2012.12.064
- Foudeh, A.M., Brassard, D., Tabrizian, M., Veres, T., 2015. Rapid and multiplex detection of
  Legionella's RNA using digital microfluidics. Lab. Chip 15, 1609–1618.
  https://doi.org/10.1039/C4LC01468E
- Gao, Y., Sun, S., Shi, S.-Q., Ciucci, F., Zhang, T.-Y., 2019. On-chip suspended gold nanowire
  electrode with a rough surface: Fabrication and electrochemical properties.
  Electrochimica Acta 304, 20–29. https://doi.org/10.1016/j.electacta.2019.02.106
- Heimel, G., Romaner, L., Brédas, J.-L., Zojer, E., 2006. Interface Energetics and Level
  Alignment at Covalent Metal-Molecule Junctions: π-Conjugated Thiols on Gold.
  Phys. Rev. Lett. 96. https://doi.org/10.1103/PhysRevLett.96.196806
- 620 Kirschner, A.K.T., 2016. Determination of viable legionellae in engineered water systems: Do 621 we find what we are looking for? Water Res. 93. 276–288. 622 https://doi.org/10.1016/j.watres.2016.02.016
- Kromann, J.C., Larsen, F., Moustafa, H., Jensen, J.H., 2016. Prediction of pKa values using
  the PM6 semiempirical method. PeerJ 4, e2335. https://doi.org/10.7717/peerj.2335

- Lei, K.F., Leung, P.H.M., 2012. Microelectrode array biosensor for the detection of
  Legionella pneumophila. Microelectron. Eng. 91, 174–177.
  https://doi.org/10.1016/j.mee.2011.10.002
- Li, N., Brahmendra, A., Veloso, A.J., Prashar, A., Cheng, X.R., Hung, V.W.S., Guyard, C.,
  Terebiznik, M., Kerman, K., 2012. Disposable Immunochips for the Detection of *Legionella pneumophila* Using Electrochemical Impedance Spectroscopy. Anal.
  Chem. 84, 3485–3488. https://doi.org/10.1021/ac3003227
- 632 Lin, H.-Y., Tsao, Y.-C., Tsai, W.-H., Yang, Y.-W., Yan, T.-R., Sheu, B.-C., 2007. Development and application of side-polished fiber immunosensor based on surface 633 plasmon resonance for the detection of Legionella pneumophila with halogens light 634 Actuators 635 and 850nm-LED. Sens. Phys. 138. 299-305. https://doi.org/10.1016/j.sna.2007.05.015 636
- Love, J.C., Estroff, L.A., Kriebel, J.K., Nuzzo, R.G., Whitesides, G.M., 2005. Self-Assembled
   Monolayers of Thiolates on Metals as a Form of Nanotechnology. Chem. Rev. 105,
   1103–1170. https://doi.org/10.1021/cr0300789
- Martín, M., Salazar, P., Jiménez, C., Lecuona, M., Ramos, M.J., Ode, J., Alcoba, J., Roche,
  R., Villalonga, R., Campuzano, S., Pingarrón, J.M., González-Mora, J.L., 2015. Rapid
  Legionella pneumophila determination based on a disposable core-shell Fe 3 O 4
  @poly(dopamine) magnetic nanoparticles immunoplatform. Anal. Chim. Acta 887,
  51–58. https://doi.org/10.1016/j.aca.2015.05.048
- 2004. Electrochemistry 645 Mathebe, N., and scanning electron microscopy of polyaniline/peroxidase-based 646 biosensor. Talanta 64, 115-120. 647 https://doi.org/10.1016/j.talanta.2003.11.050
- Miranda-Castro, R., de-los-Santos-Álvarez, N., Lobo-Castañón, M.J., Miranda-Ordieres, A.J.,
  Tuñón-Blanco, P., 2009. PCR-coupled electrochemical sensing of Legionella
  pneumophila. Biosens. Bioelectron. 24, 2390–2396.
  https://doi.org/10.1016/j.bios.2008.12.014
- Mobed, A., Baradaran, B., Guardia, M. de la, Agazadeh, M., Hasanzadeh, M., Rezaee, M.A.,
  Mosafer, J., Mokhtarzadeh, A., Hamblin, M.R., 2019a. Advances in detection of
  fastidious bacteria: From microscopic observation to molecular biosensors. TrAC
  Trends Anal. Chem. 113, 157–171. https://doi.org/10.1016/j.trac.2019.02.012
- Mobed, A., Hasanzadeh, M., Babaie, P., Agazadeh, M., Mokhtarzadeh, A., Rezaee, M.A.,
  2019b. DNA-based bioassay of legionella pneumonia pathogen using gold
  nanostructure: A new platform for diagnosis of legionellosis. Int. J. Biol. Macromol.
  128, 692–699. https://doi.org/10.1016/j.ijbiomac.2019.01.125
- Mustapha, P., Epalle, T., Allegra, S., Girardot, F., Garraud, O., Riffard, S., 2015. Monitoring
  of Legionella pneumophila viability after chlorine dioxide treatment using flow
  cytometry. Res. Microbiol. 166, 215–219.
  https://doi.org/10.1016/j.resmic.2015.01.004
- Orkis, L.T., Harrison, L.H., Mertz, K.J., Brooks, M.M., Bibby, K.J., Stout, J.E., 2018.
  Environmental sources of community-acquired legionnaires' disease: A review. Int. J.
  Hyg. Environ. Health 221, 764–774. https://doi.org/10.1016/j.ijheh.2018.04.013
- Raghav, R., Srivastava, S., 2016. Immobilization strategy for enhancing sensitivity of
   immunosensors: L -Asparagine–AuNPs as a promising alternative of EDC–NHS

- activated citrate–AuNPs for antibody immobilization. Biosens. Bioelectron. 78, 396–
  403. https://doi.org/10.1016/j.bios.2015.11.066
- Rai, V., Nyine, Y.T., Hapuarachchi, H.C., Yap, H.M., Ng, L.C., Toh, C.-S., 2012.
  Electrochemically amplified molecular beacon biosensor for ultrasensitive DNA
  sequence-specific detection of Legionella sp. Biosens. Bioelectron. 32, 133–140.
  https://doi.org/10.1016/j.bios.2011.11.046
- Rubio-Lara, J.A., Bergler, F., Attwood, S.J., Edwardson, J.M., Welland, M.E., 2019. Ultraflat
  Gold QCM Electrodes Fabricated with Pressure-Forming Template Stripping for
  Protein Studies at the Nanoscale. Langmuir.
  https://doi.org/10.1021/acs.langmuir.8b03782
- Sboui, D., Souiri, M., Reynaud, S., Palle, S., Ismail, M.B., Epalle, T., Mzoughi, R., Girardot,
  F., Allegra, S., Riffard, S., Othmane, A., 2015. Characterisation of electrochemical
  immunosensor for detection of viable not-culturable forms of Legionellla pneumophila
  in water samples. Chem. Pap. 69. https://doi.org/10.1515/chempap-2015-0170
- Sharma, L., Losier, A., Tolbert, T., Dela Cruz, C.S., Marion, C.R., 2017. Atypical Pneumonia.
  Clin. Chest Med. 38, 45–58. https://doi.org/10.1016/j.ccm.2016.11.011
- Soda, E.A., Barskey, A.E., Shah, P.P., Schrag, S., Whitney, C.G., Arduino, M.J., Reddy, S.C.,
  Kunz, J.M., Hunter, C.M., Raphael, B.H., Cooley, L.A., 2017. Vital Signs: Health
  Care–Associated Legionnaires' Disease Surveillance Data from 20 States and a Large
  Metropolitan Area United States, 2015. MMWR Morb. Mortal. Wkly. Rep. 66,
  584–589. https://doi.org/10.15585/mmwr.mm6622e1
- Souiri, M., Blel, N., Sboui, D., Mhamdi, L., Epalle, T., Mzoughi, R., Riffard, S., Othmane,
  A., 2014. AFM, CLSM and EIS characterization of the immobilization of antibodies
  on indium-tin oxide electrode and their capture of Legionella pneumophila. Talanta
  118, 224–230. https://doi.org/10.1016/j.talanta.2013.09.049
- Vashist, S.K., 2012. Comparison of 1-Ethyl-3-(3-Dimethylaminopropyl) Carbodiimide Based
  Strategies to Crosslink Antibodies on Amine-Functionalized Platforms for
  Immunodiagnostic Applications. Diagnostics 2, 23–33.
  https://doi.org/10.3390/diagnostics2030023
- Vashist, S.K., Dixit, C.K., MacCraith, B.D., O'Kennedy, R., 2011. Effect of antibody
  immobilization strategies on the analytical performance of a surface plasmon
  resonance-based immunoassay. The Analyst 136, 4431.
  https://doi.org/10.1039/c1an15325k
- Vashist, S.K., Marion Schneider, E., Lam, E., Hrapovic, S., Luong, J.H.T., 2015. One-step
  antibody immobilization-based rapid and highly-sensitive sandwich ELISA procedure
  for potential in vitro diagnostics. Sci. Rep. 4. https://doi.org/10.1038/srep04407
- Walker, J., 2018. The influence of climate change on waterborne disease and *Legionella*: a
  review. Perspect. Public Health 138, 282–286.
  https://doi.org/10.1177/1757913918791198
- Yun, Y., Bange, A., Heineman, W.R., Halsall, H.B., Shanov, V.N., Dong, Z., Pixley, S.,
  Behbehani, M., Jazieh, A., Tu, Y., 2007. A nanotube array immunosensor for direct
  electrochemical detection of antigen–antibody binding. Sens. Actuators B Chem. 123,
  177–182. https://doi.org/10.1016/j.snb.2006.08.014

- Zhang, C., Lou, J., Tu, W., Bao, J., Dai, Z., 2015. Ultrasensitive electrochemical biosensing
  for DNA using quantum dots combined with restriction endonuclease. The Analyst
  140, 506–511. https://doi.org/10.1039/C4AN01284D
- Zhang, X., Shen, G., Sun, S., Shen, Y., Zhang, C., Xiao, A., 2014. Direct immobilization of antibodies on dialdehyde cellulose film for convenient construction of an electrochemical immunosensor. Sens. Actuators B Chem. 200, 304–309. https://doi.org/10.1016/j.snb.2014.04.030