

# Trace element partitioning between clinopyroxene and alkaline magmas: parametrization and role of M1 site on HREE enrichment in clinopyroxenes

Céline Baudouin, Lyderic France, Marine Boulanger, Célia Dalou, Jean-Luc Devidal

### ▶ To cite this version:

Céline Baudouin, Lyderic France, Marine Boulanger, Célia Dalou, Jean-Luc Devidal. Trace element partitioning between clinopyroxene and alkaline magmas: parametrization and role of M1 site on HREE enrichment in clinopyroxenes. Contributions to Mineralogy and Petrology, 2020, 175 (5), 10.1007/s00410-020-01680-6. hal-02629068

# HAL Id: hal-02629068 https://hal.science/hal-02629068v1

Submitted on 28 Sep 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# 1 Accepted 31 March 2020

Trace element partitioning between clinopyroxene and alkaline magmas: parametrization and role of M1 site on HREE enrichment in clinopyroxenes. Céline Baudouin<sup>1</sup>, Lydéric France<sup>1</sup>, Marine Boulanger<sup>1</sup>, Célia Dalou<sup>1</sup>, Jean-Luc Devidal<sup>2</sup> <sup>1</sup>Université de Lorraine, CNRS, CRPG, F-54000 Nancy, France <sup>2</sup>Laboratoire Magmas et Volcans, Université Clermont Auvergne, CNRS, IRD, OPGC, 63178 Aubière, France \*Corresponding author: Céline Baudouin E-mail: <u>baudouin.geol@gmail.com</u> 

# Abstract

Trace element partitioning between minerals and liquids provides crucial constraints
on igneous processes. We quantified trace element concentrations in clinopyroxene (Cpx)
phenocrysts and their phonolite melt inclusions from the 2007-08 eruption of Oldoinyo
Lengai (Tanzania), and report Cpx-melt partition coefficients (D) and corresponding
partitioning equations for rare earth elements (REE) and high field strength elements (HFSE)
in alkaline magmas. Heavy REE (HREE: Er, Tm, Yb, Lu) are enriched relative to middle
REE in alkaline Cpx and display a specific partitioning behavior that is characteristic of
alkaline systems. HFSE (Ti, Zr, Hf) and HREE have similar D values ( $D_{\rm Hf}=0.25;D_{\rm Lu}=0.4$ )
that are significantly higher than MREE ( $D_{\mathrm{Sm}}=0.06$ ). High $D_{\mathrm{HREE}}/D_{\mathrm{MREE}}$ are strongly
correlated with the high values of $D_{ m Zr}$ and $D_{ m Hf}$ relative to the low $D_{ m MREE}$ values. In this study,
REE partitioning between phonolite melt and Cpx is not consistent with standard models
assuming incorporation of all REE in the Cpx M2 site, but rather highlights HREE
substitution in both the M1 and M2 sites. Here we highlight the preferential incorporation of
HREE in the VI-coordinated M1 site, whereas light REE and MREE remain mostly
distributed in the VIII-coordinated M2 site. REE partitioning is strongly dependant on Cpx
chemistry: the ideal ionic radius and HREE incorporation in the M1 site increase with
increasing $Fe^{3+}$ content and decrease with increasing $Mg^{2+}$ and $Al^{VI}content.$ In our study, we
focus on alkaline evolved magmas, and update existing models to obtain adequate $D_{\text{HREE}}\text{for}$
alkaline evolved melts. We provide equations to quantify REE and HFSE partitioning, and
HREE enrichment in Cpx, those are based on Cpx major element composition and
temperature. We propose a new model based on the lattice strain approach that predicts HREE
partitioning between Cpx and alkaline magmas. The knowledge of the melt composition or of
the trace element contents is not required to obtain $D_{\text{REE}}$ from the new model. An improved
parameterization of HFSE partitioning between Cpx and phonolite and trachy-phonolite melts
is also provided herein. We eventually discuss the potential implications of those new data on
our understanding of REE deposits that are commonly associated with igneous alkaline
complexes.

- Keywords: partition coefficient; clinopyroxene; HREE enrichment; M1 site; alkaline magmas;
- 57 REE deposits

# Introduction

The trace element contents of minerals and melts are used to identify and quantify igneous processes such as partial melting, equilibrium or fractional crystallization, and melt/rock interactions. Those processes are responsible for local economic concentrations of various metals (e.g., rare earth elements, REE), especially in the case of alkaline igneous provinces, which not only feed some of the most famous volcanoes worldwide (e.g., Vesuvius, Etna, Oldoinyo Lengai, Erebus), but are also associated with numerous critical metal deposits (e.g., Mountain Pass, USA; Ilmaussaq, Greenland). The partitioning of key trace elements (Nb, Ta, REE) along the liquid line of descent and their corresponding enrichment in mineral phases are governed by the amount and chemistry of fractionating minerals, and by the chemistry of the corresponding melts. The partition coefficient quantifies the distribution of a given element i between a mineral and a melt  $(D_i^{\rm mineral/melt} = \frac{C_i^{\rm mineral}}{C_i^{\rm melt}})$ . In the case of alkaline magmas, few partitioning data are available for the various crystallizing minerals (Mollo et al. 2016, 2018; Olin and Wolff 2010; Baudouin & France 2019; Beard et al. 2019).

Clinopyroxene (Cpx) is a widespread mineral in igneous rocks, and has a major impact on the liquid line of descent of the corresponding magmas. In alkaline silicate igneous rocks (syenite, phonolite, nephelinite) and carbonatites (the main REE deposits on Earth), Cpx commonly displays sinusoidal REE patterns with peculiar and unexpected heavy REE (HREE) enrichments (e.g. Marks et al. 2004; Reguir et al. 2012). The fractionation of such HREE-rich Cpx from their parental magma may lead to the formation of HREE-rich cumulates with economic concentrations (Möller and Williams-Jones 2016). Such HREE enrichments of Cpx have been tentatively attributed to the preferential incorporation of HREE in the VI-coordinated M1 site, whereas light and middle REE (LREE and MREE, respectively) are preferentially incorporated in the VIII-coordinated M2 site (Bottazi et al. 1999; Fedele et al. 2009; Olin and Wolff 2010; Reguir et al. 2012, Beard et al. 2019). Cpx enriched in HREE relative to MREE also display uncommon positive Zr and Hf anomalies (e.g., Bakti et al. 2018; Baudouin et al. 2016; Marks et al. 2004; Weidendorfer et al. 2016). These substitutional variations seem to occur for specific compositions (e.g., high Mn or Na contents, usually in alkaline rocks), though HREE enrichments have been observed in both aegirine (NaFe<sup>3+</sup>Si<sub>2</sub>O<sub>6</sub>) and diopside (CaMgSi<sub>2</sub>O<sub>6</sub>) (Marks et al. 2004; Möller and Williams-Jones 2016; Reguir et al. 2012; Weidendorfer et al. 2016; Beard et al. 2019). Subtle HREE

enrichments are also occasionally observed in basanite (Woodland and Jugo 2007) and in silica-saturated rocks such as diorites (e.g., Zhang et al. 2017). Sinusoidal patterns of REE partition coefficients are nevertheless not always observed for alkaline compositions. REE partitioning between diopside and trachy-phonolite melt suggests that all REE are substituted in the M2 site and no anomalous HREE distributions are observed (Mollo et al. 2016). Thus, Cpx, enriched or not in HREE, can equilibrate with phonolitic compositions, implying that the HREE-enrichments observed in some alkaline rocks may be dominated by the crystal-chemical framework of Cpx rather by the melt composition.

In the present study, we address the partitioning of trace elements between Cpx and silicate melt in alkaline systems, and the origin of HREE enrichments in Cpx from some alkaline igneous complexes. We determined the trace element partition coefficients for Cpx phenocrysts in equilibrium with phonolitic melt inclusions in ijolite cognate cumulates from Oldoinyo Lengai that document the active magma chamber, in which HREE-rich Cpx have previously been described (Mollex 2017). Based on our observed partition coefficient, we use the lattice strain model to improve our understanding of the substitution parameters of trace elements in the Cpx crystal sites (Blundy and Wood 1994). These new data are used alongside D values from literature to elaborate general equations based on Cpx chemistry that provide  $D_i^{\text{Cpx/melt}}$  for REE and high field strength elements (HFSE; Ti, Hf, Zr, Nb, Ta) in alkaline magmas.

# Sample and Methods

# Sample description

Oldoinyo Lengai is an active volcano that erupts both natrocarbonatite and alkaline silicate magmas (Dawson 1998; Keller and Krafft 1990; Mollex et al. 2018). During the sub-Plinian 2007–2008 eruption, various xenoliths including ijolite cognate cumulates were brought to the surface, providing samples from the active magma reservoir (Mollex et al. 2018). This eruption was triggered by the recharge of the magmatic reservoir, and the ijolite samples provide constraints from the mid-crustal reservoir (~13 km, 1000°C; de Moor et al. 2013; Baudouin and France 2019). We studied Cpx and Cpx-hosted melt inclusions in 3 ijolites (10TL01, 10TL05, 10TL06; Fig. A1), collected on the southern slope of the northern active crater. We focus our study on sample 10TL01 which contains the largest melt

inclusions (Fig. 1). The volatile element content, liquid line of descent, crystallization sequence, and origin of the sample were presented in detail by Mollex (2017).

Ijolite sample 10TL01 contains large crystals of Cpx, Ti-garnet (melanite), nepheline, apatite and minor sulfides, titanomagnetite, wollastonite, and interstitial glass. A single population of Cpx phenocrysts (100-1000 μm) is present in the studied sample, it displays a slightly patchy zoning with a restricted compositional variation (Fig. A1). Melt inclusions in Cpx are relatively small (≤50 μm), and their hosting Cpx show local chemistry variation (Fig. 1d). To minimize the effect of the local chemistry variation, Cpx-melt couples were analyzed very close to each other; melt-Cpx composition covariations will help us quantifying the dependence on composition of partition coefficients. ~10 % of the Cpx-hosted melt inclusions also contain small amount of carbonatite globule (<2% vol. of the whole melt inclusion volume), those inclusions have not been considered to estimate silicate melt - Cpx partitioning. Detailed petrographic observations have also shown that some melt inclusions contains daughter mineral (e.g., magnetite), and have therefore also not been considered to quantify melt - Cpx partitioning. Among the selected melt inclusions (n=16), Cpx have homogeneous composition around the melt inclusions, except for 1 Cpx-melt couple which displays a lighter shade in the BSE image (Fig.1c, cpx n°1 on table S1).

# Major and trace element measurements

Major element concentrations in Cpx and glasses were determined using a CAMECA SX-100 electron microprobe at the Laboratoire Magmas et Volcans (LMV, Clermont-Ferrand, France). Analyses were performed using a 15 kV accelerating voltage. Minerals were analyzed using a focused beam and a 6 nA current, whereas melt inclusion measurements were performed using a spot size of 5  $\mu$ m and a 4 nA current to prevent host mineral contamination and minimize alkali loss and beam damage of the glasses (errors in supplementary material).

Trace element concentrations were determined using a Thermo Element XR laser ablation inductively coupled plasma mass spectrometer at LMV. Laser beam diameters of 25 and 9 to 15  $\mu$ m were used for Cpx and melt inclusions, respectively, with a laser repetition rate of 1–2 Hz and laser power of 4.8 J·cm<sup>-2</sup> (laser excimer 193 nm Resonetics M-50E). Trace element concentrations were calibrated by using similar laser beam diameters, and international standard glasses NIST612 as primary standard, and NIST610 and BCR-2 as secondary standards; the SiO<sub>2</sub> and CaO concentrations previously determined by electron

microprobe for individual Cpx and glasses were used as internal standards (errors and standards in supplementary material). The Glitter Software (Griffin et al. 2008) was used to process the raw data files of signal intensity versus time.

# **Results**

# Clinopyroxene chemistry

Cpx from Oldoinyo Lengai ijolites occur as large crystals (100–1000  $\mu$ m) with diopside to augite compositions (Wo<sub>48</sub>En<sub>38</sub>Fs<sub>14</sub> to Wo<sub>44</sub>En<sub>27</sub>Fs<sub>29</sub>), and relatively low aegirine components (Ae<sub>6</sub> to Ae<sub>21</sub>) (Fig. 2). Cpx Mg# (= 100 × Mg/(Mg+Fe) in molar proportions) range from 49 to 74 with relatively high Fe content (8.2–16.0 wt% FeO<sub>t</sub>). Minor element contents are 0.4–0.7 wt% Al<sub>2</sub>O<sub>3</sub>, 0.3–0.46 wt% TiO<sub>2</sub>, 0.25–0.49 wt% MnO, and 1.0–2.5 wt% Na<sub>2</sub>O (Fig. 3a, Table S1). Fe<sup>3+</sup> contents calculated using the stoichiometric method (Droop, 1987) are slightly lower than Fe<sup>2+</sup> contents (Fe<sup>3+</sup> = 0.05–0.22 per formula unit, p.f.u., vs. Fe<sup>2+</sup> = 0.14–0.36 p.f.u.; Fig. 3b). The T site is occupied by silicon with minor Al<sup>IV</sup> (0.01–0.03) and Fe<sup>3+</sup> (0–0.03), the M1 site incorporates Fe<sup>3+</sup>, Fe<sup>2+</sup>, Mg<sup>2+</sup>, Ti<sup>4+</sup>, and Mn<sup>2+</sup> cations, and the M2 site is filled by Ca<sup>2+</sup> + Na<sup>+</sup> (= 1 p.f.u.).

Cpx REE contents, when normalized to chondrite, are characterized by a sinusoidal pattern with a strong HREE enrichment. Cpx have low REE contents (e.g., 0.67–1.65 ppm La; corresponding to 2–8 times chondritic values) and are enriched in LREE and HREE compared to MREE ((La/Dy)<sub>N</sub> = 2.6–5.4 and (Lu/Ho)<sub>N</sub> = 6.2–8.8, where the subscript 'N' denotes chondrite-normalized values, McDonough and Sun (1995) (Figs. 4a, A2). Cpx have high incompatible element concentrations, with Sr varying from 547 to 720 ppm, Zr from 174 to 354 ppm, and low concentrations of Sc (2.7–4.3 ppm) and Nb (0.1–0.3 ppm) (Table S2). Cpx have a distinct positive Zr-Hf anomaly relative to the primitive mantle, as evidenced by (Hf/Sm)<sub>N</sub> ratios of 16.4–27.7 (Figs. 4b, A2 & A3).

# **Phonolite melt inclusions**

Cpx-hosted melt inclusions have phonolitic compositions with  $SiO_2$  contents varying from 47.3 to 50.4 wt%, alkali ( $Na_2O + K_2O$ ) from 17.8 to 21.9 wt% (Fig. 5, Table S1), and very low MgO contents ranging from 0.03 to 0.38 wt%. CaO content varies from 0.54 to 2.09 wt%, FeO<sub>t</sub> from 5.2 to 9.6 wt%, and  $Al_2O_3$  from 10.9 to 17.7 wt% (Table S1). Melt inclusions have high REE contents, with La varying from 40 to 210 ppm (200–1000 times chondritic

values, McDonough and Sun 1995), and are enriched in LREE compared to HREE with La/Yb varying from 8 to 38. Melt inclusions have high incompatible element concentrations with Sr contents ranging from 650 to 3730 ppm, Nb from 420 to 850 ppm, and Zr from 700 to 3180 ppm (Table S2, Fig. A2; A3).

## **Trace element partitioning**

Cpx/phonolite melt trace element partition coefficients have been calculated from the concentrations measured in 16 Cpx-hosted melt inclusions and their Cpx hosts. However, melt inclusion compositions may be affected by post-entrapment crystallization, modifying the Cpx-melt equilibrium. If extensive, post-entrapment crystallization could result in the under- or over-estimation of partition coefficients for incompatible and compatible elements, respectively. The contribution of post-entrapment crystallization in the studied melt inclusions has been estimated to be ~9% based on experimentally determined Fe-Mg partition coefficients and DiHd composition parameter (Masotta et al. 2013; Mollo et al. 2013; details in supplementary material). For incompatible elements, post-entrapment crystallization of a few percent Cpx at melt inclusion margins does not modify the melt composition by more than few percent for incompatible elements (see calculation in supplementary material; Fig. A4). Taking in account both Analytical errors and post-entrapment crystallization, we estimate that our reported partition coefficients are accurate to within 10% (analytical errors in supplementary material).

Compared to literature data associated with basalts or phonolites (Adam and Green 2006; Hill et al. 2000; Mollo et al. 2016), the REE partition coefficients between Cpx and phonolite melt obtained herein 1) are significantly lower, 2) increase from LREE to MREE ( $D_{La} = 0.013 \pm 0.005$  and  $D_{Sm} = 0.062 \pm 0.018$ , respectively), and from MREE to HREE ( $D_{Ho} = 0.062 \pm 0.021$  and  $D_{Lu} = 0.41 \pm 0.14$ , respectively) (Fig. 6; Tables 1, S3), and 3)  $D_{HREE}$  such as  $D_{Lu}$  is not correlated with  $D_{LREE}$  (e.g.,  $D_{La}$ ), but displays a slight correlation with other trivalent cation partition coefficients like with  $D_{Sc}$  (Tables 1, S3).

The low LREE and MREE partition coefficients observed for alkaline magmas herein and in previous studies (Adam and Green 2006; Dalou et al. 2012; Hill et al. 2000; Mollo et al. 2016; Fig. 6) imply a strong REE enrichment of the residual liquid during Cpx crystallization. These uncommon partition coefficients associated with alkaline systems

therefore result in very high REE contents in the associated evolved melts (e.g., trachyphonolite, phonolite, carbonatite).

Tetravalent HFSE have D values close to  $D_{\rm HREE}$  (e.g.,  $D_{\rm Zr} = 0.13 \pm 0.06$  and  $D_{\rm Hf} = 0.25 \pm 0.1$ ), similar to those observed for trachy-phonolite melt (Mollo et al., 2016) (Fig. 6, Table 1). Pentavalent HFSE have very low D values (e.g.,  $D_{\rm Nb} < 0.0005$  and  $D_{\rm Ta} < 0.003$ ). Zr and Hf have higher partition coefficients than MREE, as highlighted by high  $D_{\rm Hf}/D_{\rm Nd}$  ratios (2–5.6; Fig. 7). Other Cpx trace element partition coefficients are as follows:  $D_{\rm Sr} = 0.66 \pm 0.23$ ,  $D_{\rm Ba} = 0.0002 \pm 0.00006$ ,  $D_{\rm Th} = 0.0003 \pm 0.0001$ , and  $D_{\rm V} = 0.63 \pm 0.33$  (Table 1). In this study, we observe that Sr is only moderately incompatible and has a high partition coefficient relative to REE (Fig. A2), whereas Sr behaves more incompatibly in basaltic melts (Fig. 6).

# **Discussion**

# Lattice strain model parameters

Partition coefficients  $D_i$  can be modeled using lattice strain theory (Blundy and Wood, 1994) as:

241 
$$D_i = D_0 \exp\left[\frac{-4\pi E N_A \left[\frac{r_0}{2} (r_i - r_0)^2 + \frac{1}{3} (r_i - r_0)^3\right]}{RT}\right]$$
 (1)

where  $D_i$  is a function of the cation radius ( $r_i$ ), the partition coefficient ( $D_0$ ) of the ideal cation with a radius  $r_0$  (Å) for the crystallographic lattice M1 or M2, and an elastic constant E (Young's modulus, in GPa), as well as Avogadro's constant  $N_A$  (6.022 × 10<sup>23</sup> mol<sup>-1</sup>), the universal gas constant R (8.3145 J·mol<sup>-1</sup>·K<sup>-1</sup>), and temperature T (Kelvin). In Cpx, the six-fold coordinated M1 site incorporates tetravalent (Ti<sup>4+</sup>, Zr<sup>4+</sup>, Hf<sup>4+</sup>) and trivalent cations (e.g., Cr<sup>3+</sup>, Sc<sup>3+</sup>) whereas the eight-fold coordinated M2 site preferentially incorporates REE<sup>3+</sup> (e.g., Adam and Green 2006; Blundy and Wood 1994, 2003; Dalou et al. 2012; Hill et al. 2000). Detailed calculation of the strain energy in the lattice strain model (LSM) is provided in the supplementary material.

Trace element partitioning between Cpx and melt  $(D_i^{\rm Cpx/melt})$  has been characterized and quantified by applying the LSM (Onuma et al. 1968) to various Cpx and melt compositions (e.g., Blundy et al. 1998; Gaetani and Grove 1995; Wood and Blundy 1997, 2001). In order to determine the effects of melt composition, Cpx chemistry, pressure, and temperature on partition coefficients, we compared our D values measured from Oldoinyo Lengai ijolite to a dataset including Cpx in equilibrium with phonolite (Mollo et al. 2016;

Olin and Wolff 2010), basalt (e.g., Dalou et al. 2012; Hill et al. 2000), and basanite melts (Adam and Green 2006). The LSM was applied to those D values using the SIMPLE FIT and DOUBLE FIT program (Dalou et al. 2018), which calculates the best-fit values of the lattice strain parameters ( $r_0$ ,  $D_0$ , and E) for both clinopyroxene M-sites. DOUBLE FIT does not require assignments of elements per site or constraints on the LSM parameters to calculate the best-fit values and LSM parameters. However, we considered HREE<sup>3+</sup> as being either 6- or 8-fold coordinated (i.e., in the M1 or M2 site in Cpx, respectively) when fitting the REE data (see section 5.1.1). To obtain reliable estimates of  $r_0$ ,  $D_0$ , and E, DOUBLE FIT requires a minimum of six  $D_i$  values: we therefore focused our study on the partitioning of trivalent (REE<sup>3+</sup>, Cr<sup>3+</sup>, Sc<sup>3+</sup>). For tetravalent cations (Ti<sup>4+</sup>, Zr<sup>4+</sup>, Hf<sup>4+</sup>), we use SIMPLE FIT (minimum of 3  $D_i$  values) to determine M1 LSM parameters.

### REE and trivalent cations

Previous studies have successfully applied the LSM to Cpx-melt partitioning, and the distribution of REE can be modeled by assuming that all REE are substituted for Ca in the M2 site (e.g., Hill et al. 2000; Mollo et al. 2016; Wood and Blundy 1997). Between Mg-rich Cpx and basaltic liquid, LREE are highly incompatible ( $D_{La} \leq 0.1$ ), and incompatibility decreases toward the MREE with relatively constant D values between Ho and Lu (e.g., Wood and Blundy 2007; Hill et al. 2000; Wood and Blundy 1998) (Fig. 8). In contrast, the  $D_{REE}^{Cpx/phonolite}$  values obtained herein are not consistent with the existing models (e.g. Blundy and Wood 1994); assuming incorporation of all REE in the M2 site: indeed HREE (Er to Lu) do not follow a parabolic repartition commonly explained by the LSM (Fig. 8), implying the substitution of HREE in both the M2 and M1 sites. It is therefore necessary to estimate  $D_0$ ,  $r_0$ , and E for trivalent cations in both the M1 (HREE<sup>3+</sup>, Sc<sup>3+</sup>, Cr<sup>3+</sup>) and M2 sites (HREE<sup>3+</sup>, MREE<sup>3+</sup>, LREE<sup>3+</sup>, Fig. 8), which provides lattice strain parameters that differ significantly from the literature data (Bédard 2014; Dygert et al. 2014, Fedele et al. 2009; Olin and Wolff 2010). HREE incorporation in M1 have been previously suggested, but predictive model for  $D_{HREE}$  must be carefully determined yet.

Cpx-phonolite melt  $D_0^{3+}$  parameters for the M2 site are very low ( $D_0^{3+}$  = 0.07 ± 0.015) relative to those obtained by Mollo et al. (2016); ( $D_0^{3+}$  = 1.07 ± 0.27; Table S4). Previous studies have shown the strong influence of Cpx Al<sup>IV</sup> content on the  $D_0^{3+}$  value of the M2 site (e.g., Hill et al. 2000; Mollo et al. 2016; Wood and Blundy 1997). The very low  $D_0^{3+}$  value

obtained herein can thus be related to the very low Al<sup>IV</sup> content of Oldoinyo Lengai Cpx ( $\leq 0.03$  p.f.u., Table S1). The LSM parameters obtained herein are also characterized by relatively high  $r_0^{M2}$  (i.e., 1.05 Å), and  $E^{M2}$  values within the range of previous studies related to low pressure (E = 325-441 GPa; Hill et al., 2000; Mollo et al. 2016; Tables 2, S4, S5).

The LSM parameters for the M1 site are  $D_0^{3+} = 1.24 \pm 0.44$ ,  $E^{3+} = 382 \pm 48$  GPa, and  $r_0^{3+} = 0.74 \pm 0.006$  Å (Table 2, Fig. 9).  $D_0^{3+}$  and E are inter-correlated and display very low values compared to other studies of basaltic to phonolitic compositions (Dalou et al. 2012; Hill et al. 2000; Olin and Wolff 2010). The ideal cation radii ( $r_0$ ) are among the largest reported, except those for HREE-bearing M1 sites from Olin and Wolff (2010) ( $r_0^{M1} = 0.72 - 0.77$  Å). HREE incorporation in the M1 site thus seems to be promoted by high  $r_0^{3+}$  (>0.7 Å) and low  $E^{3+}$  (<500 GPa) of this crystallographic site (Figs. A5, A6, A7).

### **HFSE**

HFSE (4+ and 5+ cations) are commonly considered to be incorporated in the M1 site (i.e., six-fold coordination; e.g., Wood and Blundy 2007). By studying their partitioning behavior, we obtain information on the properties of the M1 site, and on their dependence on Cpx chemistry (Figs. 10 A6). Due to the very low partition coefficients for Nb and Ta (e.g.,  $D_{\text{Nb}} = 0.0001-0.0005$ ) and uncertainties on the valence of vanadium (3+, 5+; Adam and Green, 2006), we applied the LSM only for tetravalent (Ti<sup>4+</sup>, Zr<sup>4+</sup>, Hf<sup>4+</sup>) and not pentavalent HFSE. Obtained LSM parameters are  $D_0^{4+} = 0.73-1.08$ ,  $E^{4+} = 1736-2397$  GPa, and  $r_0^{4+} = 0.655-0.662$  Å (Table 2, Fig. A8). The  $r_0^{4+}$  of the M1 site correlates with Cpx chemistry (Fig. A8) but is particularly large when compared to values of previous studies (e.g., Blundy et al. 1997; Hill et al. 2000; Mollo et al. 2016; 2018), particularly. The  $D_0$  and E values obtained herein are lower than those for Mg-Al rich Cpx (Hill et al. 2000; Table S5) and similar to those of Fe-rich Cpx (Dygert et al. 2014).

# Factors controlling trace element partitioning in Cpx

The specific features of Cpx trace element compositions, and of the associated partition coefficient distribution determined herein (e.g., HREE and Zr-Hf enrichments relative to MREE in Cpx, as well as their covariation highlighted by a well-defined (Zr/Nd)<sub>n</sub> vs (Lu/Ho)<sub>N</sub> correlation; Fig. 7a) are observed in several other alkaline complexes (Figs. 4, 7a). In this study, these anomalies are associated with higher  $D_{\rm Zr}/D_{\rm Nd}$  and  $D_{\rm Lu}/D_{\rm Ho}$  ratios

compared to the literature ( $D_{Zr}/D_{Nd}$  and  $D_{Lu}/D_{Ho} < 1.2$ , Fig. 7b; Adam and Green 2006; Hill et al. 2011; Mollo et al. 2016).

The partitioning of trace elements between Cpx and melt varies with intensive parameters (pressure, temperature, redox conditions), melt composition, and Cpx chemistry (e.g., Bennett et al. 2004; Blundy et al. 1998; Hill et al. 2011; Olin and Wolff 2010).

Pressure and temperature are expected to have a strong effect on ideal cation radius  $(r_0)$  and partition coefficients (e.g., Hill et al. 2011). However, Cpx-melt partition coefficients acquired over a large pressure and temperature range do not display an effect on HREE partitioning in the M1 site for basalts (Adam and Green 2006; Dalou et al. 2012; Hill et al. 2000) or even trachy-phonolite melt equilibrated in the same pressure range as our study ( $\leq$ 350 MPa; Mollo et al. 2016). The low equilibrium  $D_0^{\text{M2}}$  values determined herein at low pressure and moderate temperature conditions ( $\sim$ 300 MPa and 1050 °C) should therefore be attributed to other parameters.

Melt composition (e.g., silica, alkali, or volatile contents) influences the melt structure, and trace element partition coefficients usually decrease with increasing melt polymerization (characterized by the number of non-bridging oxygens per tetrahedral cation, NBO/T; Gaetani 2004; Huang et al. 2006, Michely et al. 2017, Mollo et al., 2016; Figs. A9 & A10). According to those studies, an increasing in NBO/T value would imply an important decrease of the partition coefficients down to one order of magnitude (when NBO/T rises from 0.2 to 2). However, There is no correlation between NBO/T and HREE enrichment for phonolite and basalt melts (e.g., NBO/T = 0.61–0.8 at  $D_{Lu}/D_{Er} > 5$  for phonolite and NBO/T = 0.5–0.7 at  $D_{Lu}/D_{Er} = 0.93-1.17$  for basalts; Gaetani, 2004). In the case of  $D_{HREE} > D_{MREE}$  (Beard et al. 2019; Olin and Wolff 2010, this study), the melt polymerization and composition effect on partition coefficient seems to be negligible in comparison to the effect of mineral chemistry (Figs. A10). Michely et al. (2017) observe correlations between melt Na<sub>2</sub>O content and trace element partition coefficients. The influence of Na over trace element partitioning may apply only in the case of Na-poor melts (0-2.5 wt% Na<sub>2</sub>O), since we do not observe any relationship between Na<sub>2</sub>O or K<sub>2</sub>O content in our melts (varying between 6 and 13 wt%) and trace element partition coefficients (Fig. A10).

HREE enrichment in Cpx is therefore not related to specific pressure conditions or melt composition (basalt/phonolite), but can likely be related to the Cpx chemistry. Partition coefficient values have been shown to rise with increasing  $Al^{IV}$  content (Gaetani and Grove 1995, and Lundstrom et al. 1994, Wood and Blundy 1997). In addition, HREE enrichment in Mn-rich Cpx (MnO = 2.4–2.9 wt%) negatively correlates with Fe<sup>2+</sup> and positively

correlates with  $Mn^{2+}$  content (Olin and Wolff 2010). Cpx Na content may also exert a dominant control on REE partitioning following the substitution  $Na^{+} + REE^{3+} = 2 Ca^{2+}$  (Wood and Blundy 1997), although this correlation has only been observed for extremely Na-rich Cpx (2.2–13.5 wt% Na<sub>2</sub>O) at high-pressure conditions (>3 GPa; e.g., Bennett et al. 2004). The role of Cpx chemistry, observed at high pressure, needs to be further investigated for Na-rich clinopyroxenes crystallized at low pressure (see the discussion below).

Here we have used a  $D^{\text{Cpx/melt}}$  dataset for melt compositions ranging from basalt to phonolite, with and without HREE anomalies, to track the origin of the anomalous partition coefficients observed in various alkaline complexes (Figs. 4–7; Adam and Green 2006; Dalou et al. 2012; Hill et al. 2000; Mollo et al. 2016; Olin and Wolff 2010). LSM parameters are correlated with high  $D_{\text{HREE}}/D_{\text{MREE}}$ : specifically, high  $r_0^{3+}$  values for the M1 site (0.73–0.75 Å) are well correlated to Cpx chemistry (e.g. Mg/Fe and Na/Ca ratios) and to the HREE enrichment (Fig. 9, A6, A7), that can be quantified by the parameter Lu\* (see section 5.3.1 for further details):

$$Lu^* (\%) = [D_{Lu}^{M1} / (D_{Lu}^{M1} + D_{Lu}^{M2})] \times 100$$
 (2)

In the M1 site,  $r_0^{3+}$  increases along with Fe<sup>3+</sup> content and decreases with Mg<sup>2+</sup> and  $Al^{IV}$  contents increase (Fig. 9, Table S5), whereas  $E^{3+}$  is negatively correlated with  $r_0^{3+}$  and increases along with Mg content (Fig. A7). Cameron and Papike (1980) showed that the nature and size of the main cation in the M2 site has an influence on the ionic radius of the M1 site. In the present study, the ionic radius of the M1 site is sensitive to Mg/Fe and Fe<sup>3+</sup>/Fe<sup>2+</sup> ratios. In the absence of Al (i.e., the jadeite pole), Na<sup>+</sup> atoms are charge balanced with Fe<sup>3+</sup> (i.e., the aegirine pole) as observed herein and at various alkaline complexes (Fig. 2). As  $r_0^{3+}$  in the M1 site is strongly dependent on Mg and Fe<sup>3+</sup> content and well correlated with HREE enrichment (high Lu\*; Fig. 9), aegirine and Mg contents seem to be the main chemistry factors inducing HREE incorporation in the M1 site. HREE enrichments should therefore be prevalent in the presence of Fe<sup>3+</sup> in Cpx (thus under oxidizing conditions), and in alkaline magmatic systems that allow charge balance between trivalent (Fe<sup>3+</sup>) and monovalent (Na<sup>+</sup>) cations instead of two bivalent cations (Mg<sup>2+</sup> + Ca<sup>2+</sup>; the diopside pole). Furthermore, Cpx crystals may record magmatic differentiation with Fe-rich and more oxidized (Fe<sup>3+</sup>-rich) composition, leading to significant enrichment in HREE and high Hf/Sm ratios (Woodland and Jugo 2007).

The observed high  $D_{\rm HREE}/D_{\rm MREE}$  are strongly correlated with high  $D_{\rm Zr}$  and  $D_{\rm Hf}$  values relative to MREE (e.g.,  $D_{\rm Hf}/D_{\rm Sm}$  and  $D_{\rm Zr}/D_{\rm Nd} > 2$ ; Figs. 6, 7). This is mostly due to the low  $D_{\rm MREE}$  values, as the partition coefficients of Zr and Hf are within the range of literature data (Fig. 6).  $D_{\rm Zr}/D_{\rm Nd}$  increases with increased  $r_0^{4+}$  in the M1 site, which is related to increased Fe<sup>3+</sup> content and decreased Al<sup>IV</sup> and Mg contents (Fig. A8).

# Parameterization of the trace element distribution

Prediction of HREE enrichment

In the following section, we propose a parameterization based on Cpx major element composition only that allows prediction of Cpx HREE enrichment (high  $D_{Lu}/D_{Ho}$ ; Fig. 11), and associated partition coefficients. Neither trace element quantification, nor melt composition are required to proceed with D estimate. Parameterization constants along with the corresponding spreadsheet built to predict REE partitioning between clinopyroxene and alkaline evolved melts are provided in supplementary material, and described below. Data used for the parameterization are from this study, Adam and Green (2006); Dalou et al. (2012); Hill et al. (2000); Mollo et al. (2016) and Olin and Wolff (2010).

Parameters that may influence HREE enrichment (i.e., Lu\*) such as pressure, temperature, and composition were tested using a multiple linear regression (Excel Analysis "ToolPak") to determine the main influencing variables. As Lu\* is well correlated with  $r_0^{M1}$  and Cpx chemistry (Figs. 9, A6), we further quantify the observed HREE enrichment as a function of the main influencing cation contents (Mg, Ca, Fe, Al). The impact of each major element and estimated temperature on Lu\* is best reproduced by the following equation:

$$Lu^* = a_{Lu} T + b_{Lu} Fe^{3+} + c_{Lu} Al^{VI} + d_{Lu} Mg + e_{Lu} Ca + g_{Lu} (r^2 = 0.84),$$
 (3)

where element contents are expressed in formula units (calculated with 6 oxygen atoms), temperature in °C, and the fit parameters are  $a_{Lu} = 0.098$ ,  $b_{Lu} = 175$ ,  $c_{Lu} = -222.07$ ,  $d_{Lu} = -97.81$ ,  $e_{Lu} = 57.59$ ,  $g_{Lu} = -41.73$  (Table S6). This parameterization is calibrated over a range of Cpx compositions (expressed in moles p.f.u., Fe<sup>3+</sup> = 0-0.3, Al<sup>VI</sup> = 0-0.3, Mg = 0.2-0.9, Ca = 0.5-1), and temperatures (700-1400°C). Equations similar to equation (3) are obtained for the other HREE (Er\*, Tm\*, and Yb\*) with the parameters provided in Table S6.

The equation (3) and fit parameters presented in Table S6 highlight the significant role of Fe<sup>3+</sup> and Mg, and to a lesser extent those of temperature, Al<sup>VI</sup>, and Ca, in influencing HREE partitioning in Cpx. As the Lu\*, Er\*, Tm\*, and Yb\* parameters are based mainly on the Cpx major element composition, they can be calculated to predict anomalous HREE enrichment for any Cpx crystal. The reliability of our parameterization was tested using (Lu/Ho)<sub>N</sub> ratios in Cpx from various alkaline provinces worldwide; alkaline syenites, Bakti et al. 2018; Marks et al. 2004; Möller and Williams-Jones 2016; Vuorinen et al. 2005; nephelinites, Baudouin et al. 2016; Weidendorfer et al. 2016; and phonolites, Baudouin and Parat 2015). This independent set of data show a very good correlation between the Lu\* parameter calculated with equation (3) based on major elements only, and the observed HREE enrichment expressed by the ratio (Lu/Ho)<sub>N</sub> of natural Cpx (Fig. 12 (r<sup>2</sup>=0.8).

# Prediction of REE element partitioning

By quantifying the Lu\*, Er\*, Tm\*, and Yb\* parameters, we can then determine anomalous D values for those elements from Cpx major element compositions, P, T and Mg#<sup>melt</sup>. HREE\* and LSM parameters on M2 can be used to quantify  $D_{REE}$  without using LSM parameters of the M1 site, when data available from literature to apply a well constrain multiple regression are too rare.

Mollo et al. (2016) adapted the LSM equations proposed by Wood and Blundy (1997) for REE partitioning between Cpx and trachy-phonolite magmas. Their model quantifies REE<sup>3+</sup> partitioning between melt and the M2 site of Cpx:  $D_0^*$  is obtained from pressure, T, Mg#<sup>melt</sup>, and  $X_{Mg}^{cpx}$ , when  $r_0^*$  and  $E^*$  are calculated from  $X_{Ca}^{cpx}$  and  $X_{Mg}^{cpx}$  (where  $X_{Mg,Ca}^{cpx}$  represents the mole fraction of each element in Cpx; Fig. A11). We applied equations from Wood and Blundy (1997), Mollo et al. (2016) and Beard et al. 2019 to our Cpx-melt pairs (Fig. 13). Wood and Blundy (1997) and Mollo et al. (2016) successfully reproduce the measured LREE and MREE partition coefficients (from La to Ho), but significantly underestimate those of HREE (Er, Tm, Yb, Lu). Beard et al. (2019) model strongly overestimate all REE partition coefficients and only reproduce correctly  $D_{Lu}$  (Figs. 13, A11). Beard et al. (2019) model manages to predict  $D_{REE}$  within 1 order of magnitude of confidence for most of basaltic to phonolitic melt compositions (with pressure, temperature and Cpx major element composition as input parameters; Fig. A12). Nevertheless we believe that one order of magnitude of confidence is too large when considering partition coefficients and

related igneous petrology models. Beard et al. (2019) models display important discrepancy between measured and predicted partition coefficients at a smaller scale (Fig. A12). In order to improve those previous calibrations we present hereafter a new model to account for the identified discrepancies.

459

455

456

457

458

The partition coefficient of Lu can be modeled as a function of the Lu\* parameter,  $D_0$ \* and E\* (M2 site) as:

462

463 
$$D_{Lu} = h_{Lu} Lu^* + j_{Lu} D_0^* + k_{Lu} E^* + l_{Lu}.$$
 (4)

464

- where  $h_{Lu} = 0.008$ ,  $j_{Lu} = 0.76$ ,  $k_{Lu} = -0.0018$ , and  $l_{Lu} = 0.62$ . Equations similar to equation (4) can be obtained for Er\*, Tm\*, and Yb\* by using the fit parameters presented in the Table S6.
- 467  $D_0^*$  and  $E^*$  are obtained using equations (5)-(6)-(7) presented below.

468

- The partition coefficients estimated using equation (4) are relevant when Lu\* (or Er\*,
- 470 Tm\*, Yb\*) > 40% (HREE incorporated in both sites). Fig. 13 highlights the improvement of
- 471 this approach in determining  $D_{\text{HREE}}$  when Lu\* > 40%. When HREE enrichment is low (i.e.
- 472 Lu\*<40%), we recommend to calculate  $D_{HREE}$  from Mollo et al. (2016) approach, that was
- calibrated for phonolitic and trachy-phonolitic melts (spreadsheet for details).

474

- In equation (4),  $D_0^*$  and  $E^*$  for trivalent cations (M2 site) are obtained by using equation (5)
- 476 and (6) (Wood and Blundy 1997; Mollo et al. 2016):

477 
$$D_0^* = \frac{Mg^{\#_{melt}}}{XMg^{M_1}} * \exp\left(\frac{88750 - 65.644 * T + 7050P - 770P^2}{RT}\right)$$
 (5)

478 
$$E^* = -82.35 + 636.56 * X_{Ca}^{cpx} - 253.29 * X_{Mg}^{cpx}$$
 (GPa) (6)

479

- However, those equations require knowledge of the melt composition to obtain  $D_0^*$  and thus
- 481  $D_{REE}$ . In order to facilitate the use of our new model, we propose that for phonolite and
- 482 trachyte compositions and for a range of temperature from 840 to 1020°C,  $D_0^*$  can be
- 483 expressed as a function of  $Al_{Cpx}^{IV}$  only (for  $Al_{Cpx}^{IV}$  <0.15 p.f.u.), facilitating the use of the
- 484 proposed parametrization (Fig. A13) as:

486 
$$D_0^* = 10.434 \times \text{Al}_{\text{Cpx}}^{\text{IV}} + 0.0384.$$
  $(r^2 = 0.93)$  (7)

 $D_0^*$  calculated from  $Al_{Cpx}^{IV}$  is relevant for a smaller range of Cpx composition than equation (5), however Cpx with low  $Al^{IV}$  content ( $Al_{Cpx}^{IV}$  <0.15 p.f.u) is common in alkaline rocks (syenite, phonolite, alkali-rich nephelinite, Fig 3b). Furthermore, Cpx with low Al content and moderate aegirine content are often related to alkaline igneous complexes associated with carbonatites (Marks et al. 2004, Weidendorfer et al. 2016, Vuorinen et al. 2005). Finally the parametrization of REE partition coefficients between alkaline melt and Cpx that is proposed herein allows one to obtain  $D_{REE}$  from major element composition of Cpx only, T should also be estimate (spreadsheet available in supplementary table).

# 

#### Determination of HFSE partition coefficients

The parameterization of HFSE partition coefficients can also be improved for the phonolite and trachy-phonolite alkaline magmas studied herein and in Mollo et al. (2016). We revisited the covariations between  $D_{Ta}$  and  $Al^{IV}$ ,  $D_{Hf}$  and  $D_{Zr}$ ,  $D_{Ti}$  and  $D_{Zr}$ , and  $D_{Ti}$  and  $Al^{IV}$  previously identified by Wood and Blundy (2007) in Fig. 10 by using the new partitioning data presented herein and data from Mollo et al. (2016)(spreadsheet available in supplementary table). The corresponding new equations valid for alkaline magmas are:

$$D_{Ta} = 2.1976 \times (Al^{IV})^{1.9828}, \qquad (r^2 = 0.83) \qquad (8)$$

$$D_{Ti} = 12.231 \times Al^{IV} + 0.1228. \qquad (r^2 = 0.79) \qquad (9)$$

$$D_{Zr} = (D_{Ti} + 0.1268) / 5.905 \qquad (r^2 = 0.69) \qquad (10)$$

$$D_{Hf} = 1.0823 \times D_{Zr} + 0.2015, \qquad (r^2 = 0.95) \qquad (11)$$

# Implications for REE evolution in alkaline magmatic systems

Trace element contents of melts strongly increase during protracted fractional crystallisation from mafic to highly alkaline magmas (i.e. phonolite), leading to the formation of the critical metal deposits (e.g., Nb, REE) that are associated with carbonatites and silicate alkali-rich magmas (e.g., Mountain Pass, USA; Ilmaussaq, Greenland). The budget of REE and HFSE in evolved melts strongly depends on the crystallized phase assemblage, and on their related partition coefficients. Cpx is a common mineral in alkaline magmas, and thus has

a major impact on their liquid line of descent, and on the one of associated carbonatites. The new partition coefficients presented herein highlight that HREE-rich Cpx likely form with the potential to promote LREE/HREE fractionation during magmatic differentiation. LREE-rich residual evolved melts, and associated high HREE/MREE Cpx cumulates can thus be produced (Fig. 14). Differentiation of phonolite melts may thus lead to evolved melts with similar HREE contents than that of mined carbonatites and thus clearly represent potential economic interests (Fig. 14). Cpx is not the only phase to crystallise from alkaline evolved magmas, and additional minerals such as nepheline, mica, sodalite, feldspar must be considered to quantify properly REE evolution in alkaline systems (e.g., Braunger et al. 2018, Marks et al. 2004, Vuorinen et al. 2005,). Crystallization of accessory minerals such as wollastonite, apatite, titanite may also have a huge impact on REE distribution between melts and cumulates Fig. 14).

# **Conclusions**

Our study highlights the low LREE and MREE partition coefficients and relative HREE enrichment of Cpx crystallized from alkaline melts (phonolite). We have characterized REE partitioning between Cpx and melt by applying the lattice strain model. HREE enrichments are well correlated with the ideal ionic radius for trivalent cations  $r_0^{3+}$  in the M1 site, which is strongly dependent on Cpx chemistry:  $r_0^{3+}$  increases with increasing Fe<sup>3+</sup> content and decreases with increasing Mg<sup>2+</sup> and Al<sup>VI</sup> contents. This dependence of HREE partitioning on Cpx chemistry allowed us to quantify HREE enrichment as a function of the main influencing major element cation contents (Mg, Ca, Fe, Al) and temperature. In our study, we proposed equations to predict HREE partitioning between Cpx and alkaline

In our study, we proposed equations to predict HREE partitioning between Cpx and alkaline melts without trace element measurements or knowledge of the exact melt composition. Finally, we improved the parameterization of HFSE partition coefficients for phonolite and trachy-phonolite alkaline magmas. A spreadsheet designed to apply the various models presented herein is provided as supplementary material.

Those results suggest that when considering alkaline series, the likely large LREE/HREE fractionation that may develop during Cpx or wollastonite crystallization could eventually produce cumulates enriched in HREE, and residual melts enriched in LREE that can then evolve to alkali-rich silicate melts and/or carbonatitic magmas. Both "HREE-rich" cumulates, and LREE-rich melts may thus ultimately form economically viable REE deposits.

553 Acknowledgments 554 555 We thank C. Beard, P. Ulmer, D. Weidendorfer, and 2 anonymous reviewers for their useful 556 comments. We also thank the Tanzania commission for science and technology (COSTECH) 557 for the field permits. The authors acknowledge the help of Robert Dennen for English editing. 558 This research was financially supported by the French National Research Agency through the 559 national program "Investissements d'avenir" with the reference ANR-10-LABX-21 560 01/LABEX RESSOURCES21, and through the project GECO-REE (ANR-16-CE01-0003-01; 561 P.I.: Lydéric France). This study has also been supported by the Région Lorraine, and Région 562 Grand-Est, and PNP and CESSUR programs from INSU-CNRS (grants to Lydéric France). 563 This is CRPG contribution n° XX, and GECO-REE contribution n° XX. 564 565

### Figure captions

566567

- **Fig. 1.** (a) Photomicrograph of clinopyroxenes hosted melt inclusions (reflected light) and (b)
- 569 (c) (d) BSE images from Oldoinyo Lengai melt inclusions. For the image (d), a small
- 570 "lighter" Cpx area is present which correspond to small chemical variation (dashed line). The
- 571 melt inclusions are likely CO<sub>2</sub>-rich (deMoor et al. 2013) accounting for the large shrinkage
- 572 bubbles that are present; those presently containing residual polishing material. Major and
- trace elements analyses of Cpx have been performed close to the melt inclusions. Numbers
- 574 correspond to the analyses reported in Table S1 & S2. Scale bars correspond to 10 µm.

575

- Fig. 2. (a) Wollastonite (Wo)-Enstatite (En)-Ferrossilite (Fs) ternary diagram illustrating the
- 577 chemical variability of clinopyroxenes from various alkaline complexes. (b) Classification of
- 578 pyroxenes determined by Ca-Mg-Fe (Q = Wo-En-Fs), aegirine (Aeg) and jadeite (Jd)
- 579 components. (c) expanded Q-Aeg-Jd diagram (b) with Q > 80% (Morimoto 1988).
- 580 Clinopyroxene data are from Oldoinyo Lengai, Tanzania (this study, data used to calculate
- 581 D), Hanang volcano, Tanzania (Baudouin et al. 2016), Cape Verde (Weidendorfer et al.
- 582 2016), Gronnedal-Ika, Greenland (Marks et al. 2004), Ditrău, Romania (Bakti et al. 2018)
- and from partition coefficient studies (natural samples: Mollo et al. 2016, Olin and Wolff
- 584 2010 and experimental studies: Beard et al. 2019, Hill et al. 2000, 2011; Dalou et al. 2012,
- 585 Adam and Green 2006).

586

- Fig. 3. Cpx mineral chemistry. (a) Na vs Mg and (b) Fe<sup>3+</sup> vs Al<sup>IV</sup>; p.f.u. = per formula unit,
- calculated for six oxygens. Fe<sup>3+</sup> content of Cpx has been determined following the method of
- Droop (1987). Cpx data are from Oldoinyo Lengai (this study), Hanang volcano, Tanzania
- 590 (Baudouin et al. 2016), Campi Flegrei, Italy, (Mollo et al., 2016), Ditrău, Romania (Bakti et
- al. 2018), Cape Verde (Weidendorfer et al., 2016), Tenerife (Olin and Wolff 2010),
- 592 Gronnedal-Ika, Greenland (Marks et al. 2004) and experimental studies: Beard et al. 2019,
- 593 Hill et al. 2000, 2011; Dalou et al. 2012, Adam and Green 2006).

- 595 **Fig. 4.** Trace element variation diagrams for clinopyroxenes. (a) REE concentrations
- 596 normalized to chondrite and (b) extended trace element concentrations normalized to the
- 597 primitive mantle for diopside (Oldoinyo Lengai, this study; Baudouin et al., 2016; Campi
- 598 Flegrei, Mollo et al., 2016; Tenerife; Olin and Wolff 2010; Cape Verde; Weidendorfer et al.,

- 599 2016) and aegirine (Gronnedal-Ika, Marks et al., 2004). Normalization values are from
- 600 McDonough and Sun (1995).

601

- Fig. 5. Major element composition of Cpx-hosted melt inclusions studied herein (10TL01
- 603 ijolite sample, (a) alkali vs SiO<sub>2</sub>, (b) FeO vs SiO<sub>2</sub>, (c) K<sub>2</sub>O vs SiO<sub>2</sub>, and (d) CaO vs SiO<sub>2</sub>. Melt
- 604 composition from Beard et al. (2019), Mollo et al. (2016), Olin and Wolff (2010), Hill et al.
- 605 (2000), Dalou et al. (2012) and Adam & Green (2006) are also reported for comparison.

606

607

- 608 **Fig. 6.** Trace element partition coefficients ( $D^{\text{Cpx/melt}}$ ) obtained in this study (alkali-rich
- 609 phonolite, Oldoinyo Lengai) and previous studies (experimental studies: Beard et al. 2019,
- Adam and Green, 2006; Dalou et al., 2012; Hill et al., 2000, 2011; and natural samples: Mollo
- et al., 2016; Olin and Wolff, 2010). Elements are ranked according to cation charge and
- 612 increasing ionic radius.

613

- Fig. 7. (a) Zr/Nd vs Lu/Ho ratios in Cpx normalized to the primitive mantle (n subscript). (b)
- Partition coefficient ratios between Zr and Nd vs Lu and Ho, highlighting the anomalous
- distribution of HREE and HFSE compared to MREE between Cpx and phonolite melts.

617

- 618 Fig. 8. Lattice Strain model best fit to Oldoinyo Lengai Cpx. Red circles represent measured
- $D^{\text{Cpx/phonolite melt}}$  values (error bars show  $1\sigma$  uncertainties), and red and blue lines represent fits
- 620 for the M1 and M2 sites. Ionic radii are from Shannon (1976). The fit to data from Hill et al.
- 621 (2000) is also reported for comparison (open diamonds, dashed and dotted black lines
- represent the M1 and M2 site best fits).

623

- **Fig. 9.** Effect of Cpx chemistry on the ideal ionic radii for trivalent cations  $(r_0^{3+})$  in the M1
- site: (a) Mg and (b) Fe<sup>3+</sup> contents per formula unit (p.f.u.). Symbols color code represents the
- measured parameter Lu\* (%) =  $[D_{Lu}^{M1} / (D_{Lu}^{M1} + D_{Lu}^{M2})] \times 100$ . Data presented here are from this
- study (Oldoinyo Lengai, with black circles), Adam and Green (2006); Baudouin and Parat
- 628 (2015); Dalou et al. (2012); Hill et al. (2000); Mollo et al. (2016) and Olin and Wolff (2010).

- **Fig. 10.** Parameters controlling HFSE partition coefficients: (a)  $D_{\text{Ti}}$  vs Al<sup>IV</sup> (p.f.u.), (b)  $D_{\text{Ti}}$  vs
- 631  $D_{Zr}$ , (c)  $D_{Ta}$  vs  $Al^{IV}$ , and (d)  $D_{Hf}$  vs  $D_{Zr}$ . Open squares present data compiled in Wood and
- Blundy (2007) for basaltic melts. Red circles present data from this study, compiled in Table

S3 and green triangles are data from Mollo et al. (2016, Table S3) and diamonds are data from Beard et al. 2019 (light blue diamonds: experimental data; dark blue diamonds: Canary Islands data). Curves represent the best fits for phonolite melts in red (modeled from equations presented in the equations 8 to 11) and for basaltic melts in black (modeled from Wood and Blundy, 2007).

Fig. 11. Lattice strain model curves for DREE in six-fold (M1 site, red curve) and eight-fold (M2 site, blue curve) coordination, and the sum of the two curves (black curve). Red circles represent measured D<sup>Cpx/phonolitic melt</sup> values. DREE for each sites are calculated by using the equations described in the text section "Calculation of the strain energy (ΔG)".

**Fig. 12.** Lu/Ho ratio in Cpx normalized to the primitive mantle (n subscript) *vs* Lu\* calculated from the major element content of Cpx (equation 3). No melt data are available for the Cpx presented here. The color scale shows the Fe<sup>3+</sup> content in Cpx varying from 0 to 0.3 p.f.u. Cpx data are from Bakti et al. (2018), Baudouin and Parat (2015), Baudouin et al. (2016), Marks et al. (2004), Möller and Williams-Jones, (2016), Vuorinen et al. (2005), and Weidendorfer et al. (2016). Normalization values are from McDonough and Sun (1995).

**Fig. 13.** REE partition coefficients *vs* ionic radii. Measured partition coefficients (red circles) and those calculated in this study (OL= Oldoinyo Lengai sample, open circles) are in good agreement, especially for HREE (Er, Tm, Yb, Lu). Calculated partition coefficients from the lattice strain model using parameters derived from Beard et al. (2019, blue diamonds); Mollo et al. (2016, green triangles) and Wood and Blundy (1997, black diamonds) fail to reproduce the Cpx-alkaline melt HREE partition coefficients studied herein.

Fig. 14. REE evolution of phonolitic melt through fractional crystallization (%crystallization=85%). Evolved melt (full lines) and cumulates (dotted lines) are calculated by using partition coefficients calibrated for basalt (A. & G. 2006: Adam and Green 2006) and for phonolite (this study) to highlight the importance of using the accurate partition coefficient values if we are to quantify melt and cumulate REE contents. Presented models highlight that REE contents similar to natural carbonatites can be obtained (Bayan Obo carbonatites, Yang et al. 2000; Alnö carbonatites, Hornig-Kjarsgaard 1998). We also report crystallization model including 10% of wollastonite (partition coefficient from B. & F. 2019:

Baudouin and France 2019). Crystallization of accessory minerals such as wollastonite (as well apatite, titanite) have a potential strong impact on REE distribution between melt and cumulates and should thus be considered.

674 References

675

- Adam J, Green T (2006) Trace element partitioning between mica-and amphibole-bearing
- garnet lherzolite and hydrous basanitic melt: 1. Experimental results and the investigation
- of controls on partitioning behaviour. Contrib. Mineral. Petrol. 152(1), 1-17.
- Batki A, Pál-Molnár E, Jankovics MÉ, Kerr AC, Kiss B, Markl G, Heincz A, Harangi S
- 680 (2018) Insights into the evolution of an alkaline magmatic system: An in situ trace element
- study of clinopyroxenes from the Ditrău Alkaline Massif, Romania. Lithos, 300, 51-71.
- 682 <u>https://doi.org/10.1016/j.lithos.2017.11.029</u>
- Baudouin C, France L (2019) Trace element partitioning between wollastonite and alkaline
- silicate magmas. Chemical Geology, 523, 88-94.
- Baudouin C, Parat F (2015) Role of volatiles (S, Cl, H<sub>2</sub>O) and silica activity on the
- crystallization of haüyne and nosean in phonolitic magmas (Eifel, Germany and Saghro,
- Morocco). American Mineralogist, 100(10), 2308-2322. https://doi.org/10.2138/am-2015-
- 688 <u>5318</u>
- Baudouin C, Parat F, Denis CM, Mangasini F (2016) Nephelinite lavas at early stage of rift
- 690 initiation (Hanang volcano, North Tanzanian Divergence). Contrib. Mineral. Petrol.
- 691 171(7), 64. doi: 10.1007/s00410-016-1273-5
- Beard, CD, van Hinsberg, VJ, Stix, J, Wilke, M (2019) Clinopyroxene/melt trace element
- 693 partitioning in sodic alkaline magmas. Journal of Petrology.
- 694 Bédard JH (2014) Parameterizations of calcic clinopyroxene—Melt trace element partition
- coefficients. Geochemistry, Geophysics, Geosystems, 15(2), 303-336.
- Bennett SL, Blundy J, Elliott T (2004) The effect of sodium and titanium on crystal-melt
- partitioning of trace elements. Geochimica et Cosmochimica Acta, 68(10), 2335-2347.
- 698 <u>https://doi.org/10.1016/j.gca.2003.11.006</u>
- Blundy J, Wood B (1994) Prediction of crystal–melt partition coefficients from elastic
- 700 moduli. Nature, 372(6505), 452.
- 701 Blundy J, Wood B (2003) Partitioning of trace elements between crystals and melts. Earth and
- 702 Planetary Science Letters, 210(3-4), 383-397. https://doi.org/10.1016/S0012-
- 703 821X(03)00129-8
- Blundy JD, Robinson JAC, Wood BJ (1998) Heavy REE are compatible in clinopyroxene on
- the spinel lherzolite solidus. Earth and Planetary Science Letters, 160(3), 493-504.
- 706 <u>https://doi.org/10.1016/S00</u>12-821X(98)00106-X
- 707 Bottazzi P, Tiepolo M, Vannucci R, Zanetti A, Brumm R, Foley SF, Oberti R (1999) Distinct
- site preferences for heavy and light REE in amphibole and the prediction of Amph/L D
- 709 REE, Contrib. Mineral, Petrol. 137(1-2), 36-45.
- 710 Braunger, S., Marks, M. A. W., Walter, B. F., Neubauer, R., Reich, R., Wenzel, T., Markl, G.
- 711 (2018) The petrology of the Kaiserstuhl Volcanic Complex, SW Germany: the importance of
- 712 metasomatized and oxidized lithospheric mantle for carbonatite generation. Journal of
- 713 Petrology, 59(9), 1731-1762.

- 715 Brice JC (1975) Some thermodynamic aspects of the growth of strained crystals. Journal of
- 716 Crystal Growth, 28(2), 249-253. <u>https://doi.org/10.1016/0022-0248(75)90241-9</u>
- 717 Cameron M, Papike JJ (1980) Crystal chemistry of silicate pyroxenes. Reviews in Mineralogy
- 718 and Geochemistry, 7(1), 5-92.
- 719 Dalou C, Koga KT, Shimizu N, Boulon J, Devidal JL (2012) Experimental determination of F
- and Cl partitioning between lherzolite and basaltic melt. Contrib. Mineral. Petrol. 163(4),
- 721 591-609. doi: <u>10.1007/s00410-011-0688-2</u>
- 722 Dalou C, Boulon J, Koga KT, Dalou R, Dennen R (2018). DOUBLE FIT: Optimization
- procedure applied to lattice strain model. Computers & Geosciences, 117, 49-56.
- Dawson JB (1998) Peralkaline nephelinite–natrocarbonatite relationships at Oldoinyo Lengai,
- 725 Tanzania. Journal of Petrology, 39(11-12), 2077-2094.
- 726 https://doi.org/10.1093/petroj/39.11-12.2077
- de Moor JM, Fischer TP, King PL, Botcharnikov RE, Hervig RL, Hilton DR, Ramirez C
- 728 (2013). Volatile-rich silicate melts from Oldoinyo Lengai volcano (Tanzania): Implications
- for carbonatite genesis and eruptive behavior. Earth and Planetary Science Letters, 361,
- 730 379-390.
- 731 Droop GTR (1987). A general equation for estimating Fe<sup>3+</sup> concentrations in ferromagnesian
- silicates and oxides from microprobe analyses, using stoichiometric criteria. Mineralogical
- 733 magazine, 51(361), 431-435.
- 734 Dygert N, Liang Y, Sun C, Hess P (2014) An experimental study of trace element partitioning
- between augite and Fe-rich basalts. Geochimica et Cosmochimica Acta, 132, 170-186.
- 736 https://doi.org/10.1016/j.gca.2014.01.042
- 737 Fedele L, Zanetti A, Morra V, Lustrino M, Melluso L, Vannucci R (2009)
- 738 Clinopyroxene/liquid trace element partitioning in natural trachyte-trachyphonolite
- 739 systems: insights from Campi Flegrei (southern Italy). Contrib. Mineral. Petrol. 158(3),
- 740 337-356. doi: 10.1007/s00410-009-0386-5
- Gaetani GA (2004) The influence of melt structure on trace element partitioning near the
- peridotite solidus. Contrib. Mineral. Petrol. 147(5), 511-527.
- Gaetani GA, Grove TL (1995) Partitioning of rare earth elements between clinopyroxene and
- silicate melt crystal-chemical controls. Geochimica et Cosmochimica Acta, 59(10), 1951-
- 745 1962. https://doi.org/10.1016/0016-7037(95)00119-0
- Griffin WL, Powell W, Pearson NJ, O'Reilly SY (2008) GLITTER: data reduction software
- for laser ablation ICP-MS. Laser Ablation-ICP-MS in the Earth Sciences vol. 40.
- Mineralogical Association of Canada Short Course Series, pp. 204-207
- 749 Hill E, Wood BJ, Blundy JD (2000) The effect of Ca-Tschermaks component on trace
- 750 element partitioning between clinopyroxene and silicate melt. Lithos, 53(3), 203-215.
- 751 https://doi.org/10.1016/S0024-4937(00)00025-6
- 752 Hill E, Blundy JD. Wood BJ (2011) Clinopyroxene-melt trace element partitioning and the
- development of a predictive model for HFSE and Sc. Contrib. Mineral. Petrol. 161(3), 423-
- 754 438. doi: <u>10.1007/s00410-010</u>-0540-0

- Hornig-Kjarsgaard, I. (1998) Rare earth elements in sövitic carbonatites and their mineral
- 756 phases. Journal of Petrology, 39(11-12), 2105-2121.

- Huang F, Lundstrom CC, McDonough WF (2006) Effect of melt structure on trace-element
- partitioning between clinopyroxene and silicic, alkaline, aluminous melts. American
- 760 Mineralogist, 91(8-9), 1385-1400. <u>https://doi.org/10.2138/am.2006.1909</u>
- Keller J, Krafft M (1990) Effusive natrocarbonatite activity of Oldoinyo Lengai, June 1988.
- 762 Bulletin of Volcanology, 52(8), 629-645.
- 763 Lundstrom CC, Shaw HF, Ryerson FJ, Phinney DL, Gill JB, Williams Q (1994)
- Compositional controls on the partitioning of U, Th, Ba, Pb, Sr and Zr between
- clinopyroxene and haplobasaltic melts: implications for uranium series disequilibria in
- basalts. Earth and Planetary Science Letters, 128(3-4), 407-423.
- McDonough WF, Sun SS (1995). The composition of the Earth. Chemical geology, 120(3-4),
- 768 223-253.
- Masotta M, Mollo S, Freda C, Gaeta M, Moore G (2013) Clinopyroxene–liquid thermometers
- and barometers specific to alkaline differentiated magmas. Contributions to Mineralogy
- and Petrology 166(6), 1545-1561. http://doi.org/10.1007/s00410-013-0927-9
- 772 Marks M, Halama R, Wenzel T, Markl G (2004) Trace element variations in clinopyroxene
- and amphibole from alkaline to peralkaline syenites and granites: implications for mineral—
- melt trace-element partitioning. Chemical geology, 211(3), 185-215.
- 775 https://doi.org/10.1016/j.chemgeo.2004.06.032
- Martin LH, Schmidt MW, Mattsson HB, Guenther D (2013) Element partitioning between
- immiscible carbonatite and silicate melts for dry and H<sub>2</sub>O-bearing systems at 1–3 GPa.
- 778 Journal of Petrology, 54(11), 2301-2338.
- 779 Michely LT, Leitzke FP, Speelmanns IM, Fonseca ROC (2017) Competing effects of crystal
- chemistry and silicate melt composition on trace element behavior in magmatic systems:
- insights from crystal/silicate melt partitioning of the REE, HFSE, Sn, In, Ga, Ba, Pt and
- 782 Rh. Contributions to Mineralogy and Petrology, 172(6), 39.
- 783 Möller V, Williams-Jones AE (2016) Petrogenesis of the Nechalacho Layered Suite, Canada:
- magmatic evolution of a REE–Nb-rich nepheline syenite intrusion. Journal of Petrology,
- 785 57(2), 229-276. https://doi.org/10.1093/petrology/egw003
- 786 Mollex G, Füri E, Burnard P, Zimmermann L, Chazot G, Kazimoto EO, Marty B, France L
- 787 (2018) Tracing helium isotope compositions from mantle source to fumaroles at Oldoinyo
- Lengai volcano, Tanzania. Chemical Geology 480(5), 66-74.
- 789 Mollex G (2017) Architecture de la plomberie du volcan carbonatitique Oldoinyo Lengai:
- nouvelles contraintes sur la source, les transferts hydrothermaux, et la différenciation
- 791 magmatique dans la chambre active (PhD thesis, Université de Lorraine)
- Mollo S, Putirka K, Misiti V, Soligo M, Scarlato P (2013) A new test for equilibrium based
- on clinopyroxene-melt pairs: Clues on the solidification temperatures of Etnean alkaline
- 794 melts at post eruptive conditions. Chemical Geology 352, 92–100.
- 795 http://dx.doi.org/10.1016/j.chemgeo.2013.05.026

- Mollo S, Forni F, Bachmann O, Blundy JD, De Astis G, Scarlato P (2016) Trace element
- partitioning between clinopyroxene and trachy-phonolitic melts: A case study from the
- 798 Campanian Ignimbrite (Campi Flegrei, Italy). Lithos, 252, 160-172.
- 799 <u>https://doi.org/10.1016/j.lithos.2016.02.024</u>
- 800 Mollo S, Blundy J, Scarlato P, De Cristofaro SP, Tecchiato V, Di Stefano F, Vetere
- Bachmann O (2018) An integrated P-T-H<sub>2</sub>O-lattice strain model to quantify the role of
- clinopyroxene fractionation on REE+ Y and HFSE patterns of mafic alkaline magmas:
- Application to eruptions at Mt. Etna. Earth-Science Reviews, 185, 32-56.
- Morimoto N (1988) Nomenclature of pyroxenes. Mineralogy and Petrology, 39(1), 55-76.
- Nagasawa H (1966) Trace element partition coefficient in ionic crystals. Science, 152(3723),
- 806 767-769.
- 807 Olin PH, Wolff JA (2010) Rare earth and high field strength element partitioning between
- iron-rich clinopyroxenes and felsic liquids. Contrib. Mineral. Petrol. 160(5), 761-775.
- 809 doi: <u>10.1007/s00410-010-0506-2</u>
- 810 Onuma N, Higuchi H, Wakita H, Nagasawa H (1968) Trace element partition between two
- pyroxenes and the host lava. Earth and Planetary Science Letters, 5, 47-51.
- 812 <u>https://doi.org/10.1016/S0012-821X(68)80010-X</u>
- Reguir EP, Chakhmouradian AR, Pisiak L, Halden NM, Yang P, Xu C, Kynicky J, Couëslan
- 814 CG (2012) Trace-element composition and zoning in clinopyroxene-and amphibole-group
- minerals: implications for element partitioning and evolution of carbonatites. Lithos, 128,
- 816 27-45. <a href="https://doi.org/10.1016/j.lithos.2011.10.003">https://doi.org/10.1016/j.lithos.2011.10.003</a>
- 817 Shannon RD (1976) Revised effective ionic radii and systematic studies of interatomic
- distances in halides and chalcogenides. Acta crystallographica section A: crystal physics,
- diffraction, theoretical and general crystallography, 32(5), 751-767.
- Vuorinen JH, Hålenius U, Whitehouse MJ, Mansfeld J, Skelton AD (2005) Compositional
- variations (major and trace elements) of clinopyroxene and Ti-andradite from pyroxenite,
- 822 ijolite and nepheline syenite, Alnö Island, Sweden. Lithos, 81(1-4), 55-77.
- 823 <u>https://doi.org/10.1016/j.lithos.2004.09.021</u>
- Weidendorfer D, Schmidt MW, Mattsson HB (2016) Fractional crystallization of Si-
- undersaturated alkaline magmas leading to unmixing of carbonatites on Brava Island (Cape
- Verde) and a general model of carbonatite genesis in alkaline magma suites. Contrib.
- 827 Mineral. Petrol. 171(5), 43. doi: 10.1007/s00410-016-1249-5
- Wood BJ, Blundy JD (2001) The effect of cation charge on crystal-melt partitioning of trace
- elements. Earth and Planetary Science Letters, 188(1-2), 59-71.
- Wood BJ, Blundy JD (1997) A predictive model for rare earth element partitioning between
- clinopyroxene and anhydrous silicate melt. Contrib. Mineral. Petrol. 129(2-3), 166-181.
- Wood BJ, Blundy JD (2007) Trace element partitioning under crustal and uppermost mantle
- conditions: the influences of ionic radius, cation charge, pressure, and temperature.
- Treatise on Geochemistry, 2, 568.

- Woodland AB, Jugo PJ (2007). A complex magmatic system beneath the Deves volcanic
- 836 field, Massif Central, France: evidence from clinopyroxene megacrysts. Contributions to
- 837 Mineralogy and Petrology, 153(6), 719-731.

838

- 839 Yang, X. M., Yang, X. Y., Chen, T. H., Zhang, P. S., Tao, K. J., Le Bas, M. J., Henderson, P.
- 840 (2000) Geochemical characteristics of a carbonatite dyke rich in rare earths from Bayan Obo,
- 841 China.

- 243 Zhang C, Koepke J, France L, Godard M (2017) Felsic Plutonic Rocks from IODP Hole
- 844 1256D, Eastern Pacific: Implications for the Nature of the Axial Melt Lens at Fast-
- 845 Spreading Mid-Ocean Ridges. Journal of Petrology, 58(8), 1535-1565. doi
- 846 10.1093/petrology/egx064

# 847 Tables

Table 1. Partition coefficients (*D*) between Cpx and phonolite melt.


between Cpx and phonolite melt.						
	D	σ				
Rb	0.0001	0.00003				
Ва	0.0002	0.0001				
Li	0.80	0.2				
Th	0.0003	0.0001				
Ta	0.0016	0.0016 0.001				
Nb	0.0003	0.0001				
La	0.013	0.005				
Ce	0.018	0.0076				
Pr	0.029	0.011				
Sr	0.659	0.233				
Nd	0.041	0.01				
Hf	0.247	0.10				
Zr	0.134	0.06				
Sm	0.062	0.02				
Eu	0.062	0.01				
Gd	0.063	0.02				
Ti	0.314	0.16				
Tb	0.064	0.02				
Dy	0.056	0.01				
Но	0.063	0.02				
Er	0.074	0.03				
Tm	0.122	0.05				
Yb	0.219	0.09				
Lu	0.412	0.14				
Sc	1.092	0.39				
V	0.627	0.33				
Ge	0.824	0.49				
Al	0.034	0.01				
Na	0.165	0.02				
Mn	1.152	0.52				
K	0.002	0.001				

Table 2. Lattice strain parameters for trivalent and tetravalent cations (Cpx-phonolite, Oldoinyo Lengai).


M1 site


$D_0^{3+} \ E^{3+} \ r_0^{3+}$	mean	$\sigma$	•			M2 site			
$E^{3+}$			min	max	mean	σ	min	max	
	1.240	0.441	0.62	1.92	0.07	0.015	0.05	0.09	
$r_0^{3+}$	382	48	295	459	390	34	325	441	
-	0.740	0.006	0.73	0.75	1.05	0.017	1.01	1.07	
${D_0}^{4+}$	0.896	0.116	0.73	1.08					
$E^{4+}$	2071	213	1736	2397					
$r_0^{4+}$	0.658	0.002	0.655	0.662					
851							•		


Fig 1





- Bakti et al. 2018
- From experimental studies: \$\times\$ Hill et al. 2000, 2011
- □ Dalou et al. 2012
- o Adam and Green 2006
- ♦ Beard et al. 2019


















Fig 6












Figure 11




Fig 12




Fig 13

