

Solid/liquid ratios of trace elements and radionuclides during a Nuclear Power Plant liquid discharge in the Seine River: Field measurements vs geochemical modeling

Svetlana Ilina, Laura Marang, Beatriz Louriño-Cabana, Frederique Eyrolle, Patrick Boyer, Frederic Coppin, Yann Sivry, Alexandre Gélabert, Marc F. Benedetti

▶ To cite this version:

Svetlana Ilina, Laura Marang, Beatriz Louriño-Cabana, Frederique Eyrolle, Patrick Boyer, et al.. Solid/liquid ratios of trace elements and radionuclides during a Nuclear Power Plant liquid discharge in the Seine River: Field measurements vs geochemical modeling. Journal of Environmental Radioactivity, 2020, 220-221, pp.106317. 10.1016/j.jenvrad.2020.106317. hal-02648303

HAL Id: hal-02648303 https://hal.science/hal-02648303

Submitted on 29 May 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés. Solid/liquid ratios of trace elements and radionuclides during a Nuclear Power Plant liquid discharge in the Seine River: Field measurements vs geochemical modelling

Svetlana M. Ilina¹, Laura Marang², Beatriz Lourino-Cabana², Frédérique Eyrolle³, Patrick Boyer³, Frederic Coppin³, Yann Sivry¹, Alexandre Gélabert¹, Marc F. Benedetti^{1*}

¹Université de Paris, Institut de physique du globe de Paris, CNRS, F-75005 Paris, France

² EDF R&D LNHE - Laboratoire National d'Hydraulique et Environnement, 6 quai Watier, 78401 Chatou, France
 ³ Institut de Radioprotection et de Sûreté Nucléaire (IRSN) PSE-ENV/SRTE/, SRTE/, Cadarache, Saint Paul Lez Durance, 11315, France

- Corresponding author
- Professor : Marc F. Benedetti
- Université de Paris, Institut de physique du globe de Paris, CNRS, IGN,
- 1 rue Jussieu F-75238 Paris, France
- E-mail address: <u>benedetti@ipgp.fr</u>

Abstract

This study focuses on the determination of field solid/liquid ratios (Rd) values of trace element (TE) and radionuclide (RN) in the Seine River (France) during a concerted low radioactivity level liquid regulatory discharge performed by a Nuclear Power Plant (NPP) and their confrontation with Kd values calculated from geochemical modeling. This research focuses on how field Rd measurements of TE and RN can be representative of Kd values and how Kd models should be improved.

For this purpose 5 sampling points of the Seine River during a NPP's liquid discharge were investigated: upstream from the discharge in order to assess the natural background values in the area of effluent discharge, the total river water mixing distance (with transect sampling), and 2 points downstream from this last area. The main parameters required determining field Rd of TE and RN and their geochemical modeling (Kd) were acquired. Filtered waters were analyzed for alkalinity, anions, cations, dissolved organic carbon (DOC), TE, and RN concentrations. Suspended particulate matter (SPM) was analyzed for particulate organic carbon (POC), TE and RN concentrations and mineralogical composition. Field Rd and Kd values are in good agreement for stable Cd, Cu, Ni, Pb and Zn and for ⁷Be. Conversely, measured field Rd for stable Ag, Ba, Sr, Co and Cs are systematically higher than modeled Kd values. Even if only the lowest possible values were obtained for ¹³⁷Cs and ⁶⁰Co Rd measurements, these estimated limits are higher than calculated Kd for ¹³⁷Cs and in good agreement for ⁶⁰Co. Finally, only two RN exhibit field Rd lower than calculated Kd: ²³⁴Th and ²¹⁰Pb.

Comparison of field Rd vs. modeled Kd values for TE and RN allows the identification, for each element, of the main involved adsorption phases and geochemical mechanisms controlling their fate and partitioning in river systems.

Keywords: radionuclides, trace elements, partition coefficient, geochemical modeling, River

Highlights:

• This research focuses on how field solid/liquid ratios (Rd) measurements of trace elements and radionuclides can be representative of Kd values and how Kd models should be improved.

- Field Rd measurements and modeled Kd values are in good agreement for stable Cd, Cu, Ni, Pb and Zn and for ⁷Be
- Comparison of field Rd vs. modelled Kd values for trace elements and radionuclides allows the identification of the main geochemical mechanisms controlling their fate and partitioning in river systems.

1 1 Introduction

2 The distribution (or partitioning) coefficient (Kd) between soluble and particulate 3 phases is one of the most important parameters used in estimating the mobility of trace 4 elements or radionuclides (TE or RN) in fresh, estuarine and marine waters. Partition 5 coefficients help to assess health and environmental risks because they allow quantifying 6 pathways of environmental transport, spatial and temporal distributions, mobility and bioavailability of trace element and radionuclides (Sibley et al., 1986; Benes et al., 1992, 7 8 1994; Ciffroy et al., 2001; Brach-Papa et al., 2005). Trace element and radionuclide, 9 characterized by high Kd values exhibit low mobility within water bodies and predominant 10 transfer pathways through physical dispersion of solid particles. Those characterized by low 11 Kd values are mainly exported within water fluxes and their concentrations in the 12 environment fluctuate more rapidly than those of the former group (Vesely et al., 2001). Kd is 13 defined as the ratio of the trace element and radionuclides concentration sorbed onto naturally 14 occurring solid surfaces to their corresponding concentration in the dissolved phase of the 15 surrounding water mass. Using Kd parameter assumes that (1) only low concentration of trace 16 element and radionuclide are both in aqueous and solid phases, (2) relationship between their 17 concentrations in the solid and liquid phases is linear, (3) equilibrium conditions are reached, 18 (4) similar and reversible rapid adsorption and desorption kinetics are observed, (5) it 19 describes trace element and radionuclide partitioning between one single sorbate (TE and RN) 20 and one unique sorbent type (soil, particular matter, sediments, etc.), and (6) all adsorption 21 sites are accessible and have equal strength (EPA, 1999). Most Kd values used in 22 environmental and health risks assessment originate from the literature after statistical analyses (J. Allison and T. Allison, 2005; IAEA, 2010). Kd values are usually derived from 23 24 field solid/liquid ratios (Rd) obtained from laboratory or field experiments and depend on the 25 nature of adsorbent and on the chemical conditions of the aqueous media used. However, 26 laboratory experiments determine Rd values for a predominant process or a single sorbent 27 associated with a given chemical solution composition (Radovanovic and Koelmans, 1998; Tipping et al., 1998; Vesely et al., 2001). Thereby, Kd values are not necessarily suitable 28 29 and/or available for a wide range of river systems. Most generally, they represent an 30 integrative representation of complex processes controlling solid/liquid partitioning including 31 various parameters such as suspended particulate matter (SPM) concentration, composition 32 and origin (Zhao and Hou, 2012), major and trace element concentrations (Lourino-Cabana et 33 al., 2010), pH value (EPA, 1999), water temperature, redox conditions (Bird and Schwartz, 1997; Xue et al., 1997), ionic strength, organic matter (OM) concentration and nature (Bryan 34 35 et al., 2002; Pokrovsky et al., 2010) and climatic settings (O'Connor and Connolly, 1980; 36 Garnier et al., 1997; J. Allison and T. Allison, 2005). Thus, the relevance and robustness of 37 literature-derived Kd values most generally highly depend on both the number of referenced 38 data and physico-chemical information associated to those data. As Kd values ranging over 39 until five orders of magnitude can be obtained from literature (EPA, 1999; IAEA, 2010; 40 Boyer et al., 2017; Tomczak et al., 2019), using generic or default Kd values can result in 41 significant uncertainties when they are used to predict the fate of trace element and radionuclide. Thereby, site-specific Kd values are required for site-specific trace element and 42 43 radionuclide and risk assessment calculations. Ideally, site-specific Kd values should be 44 deduced from field Rd measured for a huge range of biogeochemical conditions characterizing the target ecosystem, which is generally not the most common case. It is 45 therefore crucial to link Kd values with realistic environmental physico-chemical settings 46 47 before they are applied to trace element and radionuclide transport modeling in rivers submitted to discharges from Nuclear Power Plant (NPP's) (Ciffroy et al., 2000, 2009). 48

In this frame, the main objectives of our study were (1) to acquire field Rds for trace
element and radionuclide during a NPP's liquid discharge from regulatory operations in the

51 Seine River; (2) to apply a geochemical speciation modeling for Kd calculation by using 52 physico-chemical parameter values measured at the various sampling points as input data; (3) 53 to compare calculated Kd values to the field Rds of trace element and radionuclide in order to 54 improve and to refine the geochemical models.

55

56 2. Materials and methods

57

2.1. Field settings, sampling sites, sampling procedure and sample treatment

The study area is located within the Seine River upstream and downstream of La Motte-58 59 Tilly (Fig. 1). The Seine River drains a typical Mesozoic-Cenozoic sedimentary basin 60 constituted of limestone mixed or inter bedded with terrigenous sediments derived from the paleo reliefs bordering the Mesozoic and Cenozoic seas (Roy et al., 1999). The Seine Basin is 61 62 characterized by a temperate and oceanic climate and is nearly uniform in terms of relief, geology and hydrology. The hydrological regime is pluvial oceanic, with mean rainfall 63 between 500 and 1000 mm/year (Meybeck et al., 2004). Detailed description of the Seine 64 65 River regarding the flow rates and their seasonal variations, geological settings and climatic regime are described in details in Guérini et al., 1998; Roy et al., 1999; Ciffroy et al., 2000; 66 67 Meybeck et al., 2004; Billen et al., 2007; Even et al., 2007.

68 Fig. 1 and Fig. 2 present a simplified scheme of the Seine river watershed, along with 69 the sampling points, and the synthesis of analysis conducted and carrier phases taken into 70 account in the Kd calculation, respectively. Sample inventory and associated characteristics 71 are presented in Table 1. Samples were collected in august 2013 during a scheduled NPP's 72 liquid discharge at the most upstream station as a natural background values point (COP-1), at 73 the regulatory discharge point (i.e. discharged water COP-2), in the middle course of the 74 stream in the zone of total mixing (COP-3) with transect samples points (COP-3.1, COP-3.2 and COP-3.3), and two points downstream (COP-4 and COP-5) 75

The NPP's liquid discharge started at 2.00 AM and lasted 72 hours. The samplings started 7 hours after the beginning of the discharge (Table 1) to be performed in complete mixing conditions.

79

SPM and filtered water sampling for radionuclides analyses

For radionuclides, large volume water samples (from 917 L to 1 313 L) were collected
using a high capacity submersible pump and directly passed through 0.50 μm Millipore
Milligarde® cartridge filters for particle/solution separation. Ash filters (408°C) were used
for SPM radionuclide concentrations. To measure filtered water radionuclide concentration a
protocol of radionuclides concentration described in Eyrolle-Boyer *et al.* (2014) that consist
in evaporation of 200 L aliquots of filtered waters to dryness (40°C) was used for the Seine
River samples.

- 87
- 88

Dissolved load and Suspended Particulate Matter (SPM) sampling

89 For major and trace elements, 2 L of grab surface water samples (i.e. depth from 0 to 0.5 90 meter) were sampled, filtered and treated directly in the field. For SPM, large volumes of 91 water river samples (about 20 L of surface water samples) were collected in polyethylene 92 shadow-proof packets for later filtration in the laboratory. For the dissolved load, a first 93 aliquot of the bulk sample was filtered through pre-weighted 0.8 µm glass fiber filters (GFF) 94 for the determination of suspended particulate matter SPM and particular organic carbon 95 (POC) concentrations. During filtration, the first 50 ml of sample solution were discarded, 96 thereby allowing saturation of the filter surface and collecting vessel prior to filtrate recovery. 97 The resulting filtrate was acidified with 85% H_3PO_4 to $pH \le 2$ for dissolved organic carbon 98 (DOC) concentration analyses and stored in amber glass vials. A second aliquot of the bulk 99 sample was filtered through a 0.22 µm acetate-cellulose membrane. One sub sample of the 100 corresponding filtrate was acidified with 15 N distilled nitric acid for further determination of major and trace element concentrations. Another, non-acidified, sub sample of the filtrate was
used for determination of anions concentration and alkalinity. After filtration, each collected
water sample fraction (i.e. bulk, filtered) was stored in pre-cleaned, acid-washed polyethylene
bottles at 4°C until analysis.

For the suspended load filtered in the laboratory with a 0.22 μm acetate-cellulose membrane (Millipore) using a Teflon cell and a peristaltic pump towards SPM accumulation. A part of SPM collected on filters was milled using agate mortar and pestle for the X-ray mineralogical composition analysis. Another part aliquot was digested by a tri acid attack (HF, HNO₃, HCl) (Shirai *et al.*, 2015) for the measurements of total major and trace elements concentrations.

- 110
- 111

2.2. Analytical techniques

112 *2.2.1. Physico-chemical analysis*

Water temperature, pH, and conductivity were measured in the field using a WTW 3410 Set 2 multi-parameter. Major anion concentrations (Cl⁻, F⁻, SO₄²⁻, NO₃⁻) were measured by ion chromatography (Thermo Scientific ICS 1100) with an accuracy of 5%. Alkalinity was measured using universal titrator Titrando 809, Metrohm. The dissolved organic carbon (DOC) concentration was determined using a Shimadzu TOC-VCSH analyzer (accuracy 1.5%, detection limit 200 μ g/L). The particulate organic carbon (POC) was determined using NC Analyser (Flash 2000, Thermo Scientific) with an accuracy of 5%.

Total trace and major elements (Na, K, Mg, Ca, Sr, Ba, Fe, Al, Ni) concentrations, in solutions and suspended matter, were determined using a Thermo Fisher ICAP 6200 Duo ICP-OES (accuracy of 5% and detection limit of 2 μ g/L). Total trace elements (Mn, Co, Cu, Zn, Ag, Cd, Cs, Pb) with lower concentrations (< 2 μ g/L) were measured by Thermo Scientific (Element II) high performance, double focusing ICP-MS (accuracy of 5% and detection limit of 1 ng/L). The SLRS 4 and 5 were used as certified reference materials

for those elements.

127 The mineralogical composition of SPM was determined using X-ray diffraction (XRD) 128 analysis on a PANalytical X'pert Pro diffractometer equipped with a multichannel X'celerator 129 detector and using the Co K α radiation (λ =1.7889 A), in 2 θ range of 20-100⁰.

- 130
- 131

2.2.2. Radionuclides analysis

The following non stable elements 7Be, 60Co, 137Cs, 40K, 228Ac, 234Th, 210Pb were 132 133 analyzed by gamma spectroscopy using Ultra low-level well-type HPGe detectors (Canberra) 134 installed in the Modane underground laboratory (France) under 1 700 m of rock. The well-135 type HPGe detectors are calibrated by Monte Carlo type simulation performed by the codes 136 GeSpeCor (Sima et al., 2001) or Geant3. The simulated model has been validated with the 137 measurements of a standard multi-gamma source in water equivalent resin, contained in 12 138 mL tubes filled up to different heights (1, 3, 6 and 12 mL). The effective germanium crystal 139 volume is 450 cm³. The resolution of the detector is 1.9 keV at 59 keV; 2.2 keV at 662 keV 140 and 2.4 keV at 1332 keV and its background rate is around 7.2 events/h. MeV in the energy 141 range 30-2700 keV. Additional non stable elements were also measured but will not discussed 142 here, the list is given in the supplementary information section.

The discharged water sample (COP-2), was analyzed by gamma spectrometry onto 3 L
of the sampling solution by using an ultra-pure germanium gamma spectrometer (Canberra
EGPC 42-190-R, P type, relative efficiency 41%) installed at Cadarache.

146

147 **3. Geochemical modeling**

In the following we will detail the general modeling strategy outlined in Fig. 3.
Chemical calculations were made using the Visual Minteq computer code (Gustafsson, 2011, version 3.0 for Windows) which allows to calculate the chemical speciation of elements with

151 inorganic ligands, bindings onto organic compounds by using the NICA-Donnan approach 152 (Benedetti et al., 1995, 1996; Kinniburgh, 1999; Milne et al., 2001, 2003) and trace elements 153 sorption onto hydrous ferric oxide by using the model of Dzombak and Morel (1990). 154 Adsorption onto clays was accessed by using a non-electrostatic ion exchange model with 155 Gaines-Thomas exchange constants (Appelo and Postma, 2005). For the modeling of Cs 156 adsorption onto clay borders sites including high affinity sites, the 'Fixed-charge site' model 157 was used (Poinssot et al., 1999). For the modeling of sorption onto calcite, a simplified non-158 electrostatic ion exchange model was used (Zachara et al., 1991; Gaskova et al., 2008, 2009). 159 Input parameters for the simulation of Kd values were: pH, alkalinity, anions, cations, total 160 trace elements (dissolved + SPM), DOC concentrations and the respective amounts of the 161 mineral or organic phases in the SPM (such as POC, hydrous ferric oxide (HFO), clay and 162 calcite) (Fig. 3).

163 In order to describe the interactions between dissolved organic matter and trace 164 elements with the NICA-Donnan model, the knowledge of the nature of the organic matter 165 and its amount is necessary. Humic acid (HA) and fulvic acids (FA) are the two main 166 components used in the NICA-Donnan model as surrogate of the natural organic matter. In 167 natural samples their concentration varies from one sample to another mainly depending on 168 the origin of OM and its degree of degradation. Organic compounds are present in two forms 169 in aquatic samples: the solid form (POC) in SPM, and the so-called dissolved one that may 170 include colloidal components (DOC). According to Tipping (2002), the dissolved organic 171 matter (DOM) is mostly fulvic and the particulate organic matter (POM), which mostly 172 comes from the soils of the watershed, contains more HA. Different compositions with 173 various HA/FA ratios were tested (results not shown) but no significant changes occurred on 174 the log Kd values (i.e. they are within the uncertainties given for the average value of log Rd in table S3 and S4). Consequently, let us assumed that DOM is 100% composed of FA andPOM is 100% composed of HA.

177 The characterization of naturally occurring organic matter (NOM) is expected because 178 the binding capacity of NOM for trace elements most generally depends on NOM quality 179 (Chappaz and Curtis, 2013). Applying an adjustment factor, based on NOM UV-vis quality, 180 Chappaz and Curtis (2013) adjusted the site density for representing the NOM quality but 181 only improved by 30% the goodness of their fits. This gain is of course important for aqueous 182 speciation of the trace elements but it would only lead to a very minor change in log Kd 183 values. NOM's reactivity with trace elements can also be modified due to its own interaction 184 with mineral surfaces. However, such mechanisms are difficult to assess for SPM samples. Therefore, we favored a conservative approach and a ratio of active DOM/DOC and 185 186 POM/POC of 1.65 has been used as suggested by Sjöstedt et al., (2010).

In order to determine the constants related to Cs and Ag complexation with OM we used the approach of Milne (2003) that allows to predict the NICA-Donnan parameter values representative of FA and HA bounds from the first hydrolysis constant (K_{OH}) of the metal by using the correlations. The parameters used for modeling Cs and Ag complexation with OM are those from Milne (2003).

192 Three main types of (hydr)oxides in the SPM were considered: iron, aluminum and 193 manganese (hydr)oxides. Since the concentration of manganese is very low (<10 µg/L), we 194 assumed that trace element adsorption onto manganese oxides is negligible. Lofts and Tipping 195 (2000) showed that the adsorption of metal ions onto aluminum oxides is similar to that 196 generally observed onto iron oxides. Thus, we considered aluminum oxides as iron oxides and 197 associated adsorption properties related to a single mineral grouping these two oxides. In 198 order to describe complexation reactions associated to this generic metal oxide we used the 199 diffuse layer model (DLM) for hydrous ferric oxide (HFO) from Dzombak and Morel (1990) instead of the more robust CD-Music approach proposed by Ponthieu et al., (2006) since
spectroscopic speciation data are lacking for the later approach.

Clay compounds are represented in the form of nontronite (smectite) with a surface area ranging from 650 to 800 m²/g and a cation exchange capacity (CEC) of 100 meq/100g (Dejou, 1987). For the adsorption modeling of Cs onto clay borders sites with a high selectivity (Poinssot *et al.*, 1999) we used a fixed charged model with a concentration of borders sites of 0.1 meq/100g. For the adsorption modeling of the others trace element onto clays we used a non-electrostatic ion exchange model with Gaines-Thomas exchange constants (Appelo and Postma, 2005).

The nature of adsorption and co-precipitation processes with calcite (CaCO₃) surface is complex (Lakshtanov and Stipp, 2007; Wolthers *et al.*, 2008, 2012; Lourino-Cabana *et al.*, 2010). Then for the adsorption modeling on calcite we used simplified non-electrostatic ion exchange model with an exchange position density of $3.6 \cdot 10^{-6}$ mol/g and an average surface area of 12.5 m²/g (Zachara *et al.*, 1991; Gaskova *et al.*, 2008, 2009). The surface of calcite has a near-neutral charge in the range of natural pH values of the Seine River.

For a given metal (noted Me), the calculations of saturation index (SI) of the MeCO₃ show that there is no pure MeCO₃ mineral phase precipitation in the Seine River in our conditions. On the other side the SI of calcite (CaCO₃), aragonite (CaCO₃), dolomite ((Ca,Mg)CO₃), vaterite (CaCO₃) shows the oversaturation of the solution, so CaCO₃ could precipitate with associated metals.

The contribution in the Kd values of Sr, Co and Ba by co-precipitation with calcite wascalculated using the equation (Lourino-Cabana *et al.*, 2010):

222
$$XMe(predicted) = \frac{(Me^{2+}) * (X_{Ca}) * D^{Calcite}_{Me}}{(Ca^{2+})}$$

Where (Ca^{2+}) and (Me^{2+}) correspond to the ionic concentrations of Ca^{2+} and Me^{2+} , respectively, X_{Ca} and X_{Me} are the Ca and Me molar fractions in the particulate calcite fraction at the calcite surface, and $D^{Calcite}_{Me}$ corresponds to distribution coefficient between water and calcite. The $D^{Calcite}_{Me}$ values for Me = Ba, Sr, Ni and Co are 0.06, 0.46, 3.47 and 3.7, respectively (Lourino-Cabana *et al.*,2010).

The adsorption of trace element and radionuclide on quartz (SiO_2) was not considered because of its low reactive surface and by the fact that binding constants to quartz are weak compared to those of OM and FeOOH (Schindler and Stumm, 1987; Benedetti *et al.*, 1996).

231

- **3 Results and discussion**
- **3.1. Field data**

DOC, POC, ion concentrations, trace and major elements concentrations, alkalinity, pH and conductivity measured in the river during field sampling operations are reported in Tables 2 to 4.

237 The studied waters are characteristic of the carbonated watersheds of the Seine River 238 with pH ranging from 8.2 to 8.3 except at the discharge point that displays a pH value of 8.4. Cations concentrations (K^+ , Na^+ , Mg^{2+} , Ca^{2+}) along the lateral transect sampled are uniform 239 (0.050 - 0.056, 0.24 - 0.26, 0.15 and 2.25 - 2.35 mmol/L, respectively) with systematically 240 241 higher values for NPP's discharge (0.066, 0.345, 0.19 and 30 mmol/L, respectively). The distributions of major anions concentrations (Cl⁻, NO₃⁻, SO₄²⁻) are 0.35-0.38, 0.25-0.26 and 242 243 0.15-0.21 mmol/L, respectively, with higher values for the NPP's discharge (0.49, 0.34 and 244 1.35 mmol/L, respectively). The alkalinity was of 3.79 ± 0.02 meg/L for the Seine river 245 samples and 2.93 meq/L for the discharge. The DOC concentrations of the Seine river 246 samples cluster around 1.6 ± 0.1 mg/L, a higher value of 2.2 mg/L was measured at the NPP 247 discharge point. Concentrations in the water samples of the NPP's discharge are higher than 248 in upstream and downstream samples (Tables 3 and 4) for: Be (4.2 times), Ba (5.7 times), Ca (1.3), Cd (4.0), Cu (2.5), K (1.3), Mg (1.3), Na (1.4), Ni (1.8), Pb (2), Sr (1.2), Co (1.5), SO₄²⁻
(8.8), Cl⁻ (1.4), NO₃⁻ (1.4).

SPM concentrations range from 3.5 to 13.5 mg/L without any systematic variations as well as POC concentrations (4.7 - 9.9 %). X-ray analyses for mineral composition showed that SPM from each sample is composed of calcite (CaCO₃) at 75 %, quartz (SiO₂) at 20 % and nontronite (Fe₂H₁₀Na_{0.3}O₁₆Si₄) and clay (smectite type) at 5 %. XRD analyses did not detect the presence of crystalline iron (hydr)oxide minerals (i.e. < 1%), so iron hydroxide was considered as amorphous. XRD analyses did not detect manganese (hydr)oxide indicating a concentration below 1%.

Five percent of SPM is accounted by nontronite, the concentration of amorphous iron hydroxide can be calculated as the difference between the total iron concentration in SPM and the iron concentration in the clay. The amorphous FeOOH concentrations, expressed in mg of Fe per liter of Seine river water, are estimated to vary from 0.1 to 0.2 mg/L in the Seine River samples with the highest concentration observed for the NPP discharge (0.37 mg/L). The Mn concentration in SPM, expressed per liter of water, ranges from 2.6 to 11.4 μ g/L

The concentrations of artificial radionuclides (¹³⁷Cs and ⁶⁰Co) issued from NPP and those of naturally occurring radionuclides (⁷Be, ⁴⁰K, ²²⁸Ac, ²³⁴Th and ²¹⁰Pb) of the Seine River filtrate and SPM samples are reported in Table 3 and Table 4, respectively (see supplementary information for data on other trace elements and radionuclides in Table S1 and S2).

- 268
- 269

3.2. Measured field Rd

270 Measured field Rd values of stable trace elements and anthropogenic and natural 271 radionuclides are presented in Table S3 and Table S4, respectively and in Figure 4.

A literature review, summarized in table S3, shows that average field Rd values of this study are within the range of previously reported values (Alison and Alison, 2005; Sheppard

274 et al., 2009 and Ji et al., 2016). It is, however important to realize that log values tend to 275 minimize differences among samples and sites especially for some trace elements speciation. 276 For instance, if we recompute them in term of percentage of adsorbed metal and dissolved 277 metal similar log Rd will give different distributions. Here for sample COP-1, we give an 278 example for Ba (5% sorbed, 95% dissolved), Cd (41% sorbed and 59% dissolved) and Pb 279 (86% sorbed and 14% dissolved) using the data in tables 2, S2 and S3. Additional 280 calculations, also show that going from COP-1 to COP-2 the Cd field Rd goes from 5.17 to 281 4.74, but concomitantly SPM concentration changes from 4 .26 to 11.26 mg/L of SPM resulting in a much more significant difference in Cd distribution between the two samples 282 283 (i.e. 20.5% Cd sorbed and 79.5% of Cd dissolved) while for Pb going from log Rd 6.11 to 284 5.88 we obtain 80% adsorbed and 20% dissolved a minor change compared to the distribution 285 in COP-1. This clearly show that Rd to be interpreted needs to be used in combination with 286 more advanced chemical or geochemical modelling concepts based on more detailed physico-287 chemical parameters, that we put forward in this manuscript. These measures and the 288 geochemical modelling will provide information on the speciation both in the dissolved phase 289 and in the solid phase which is a very important information regarding the bioavailability (and thus toxicity) of the trace metals and radionuclides and that is not available from a Rd 290 291 parameter.

292

In most cases our results show no significant differences between Rds measured at the various sampling points. Indeed, for potassium Log Rd does not vary or very slightly either for its stable isotope (Table S3) or for its main naturally occurring radioactive isotope, namely 40 K (Table S4) without any significant trends between the samples' location. Log Rd values of stable Cs cluster around 6.2 while lower field Rd values were registered for¹³⁷Cs (4.62 – 5.37). Log Rd for stable Sr and Ba cluster around 3 and 4.5, respectively (Table S3). Log Rds for Ni, Co and Cu range from 4.35 to 4.91, from 5.10 to 5.81 and from 4.84 to 5.35, respectively, and the values increase with increasing distance from NPP's discharge (Table S3) reaching a maximum value in the point COP-5. Average Log Rd of Zn, Cd and Ag were similar and cluster around 5.

303 Log Rd of stable Pb was 5.9 for NPP's discharge and this value is centered at 6.1 for the 304 Seine River samples without any significant trends between the samples' location. Log Rd of 305 ²¹⁰Pb varies from 4.09, upstream, to 4.94, downstream (Table S4). There is a systematic 306 difference between Rd values of stable Pb and ²¹⁰Pb continuously produced by the decay of 307 atmospheric ²²²Rn gas. For the upstream sample this difference is almost two orders of 308 magnitude (Table S3, S4). Usually, this phenomenon can be explained by the different origins 309 of stable and radioactive isotopes: the stable isotope is a constituent of mineral crystal lattices 310 while the radioactive isotope is essentially sorbed onto the surface of particles (FeOOH, MO, 311 clay, etc.) and, therefore, more mobile.

312

313

3.3. Comparison between modeled Kd and field Rd

Fig. 5 presents the modeled distribution of trace element and radionuclide on the different surfaces of SPM. Results show that sorption of Cu and Cd is controlled by complexation with particulate OM (99%). Zn, Ni, and Co are adsorbed predominantly on OM (60-75%) and at 25-40% on Fe hydroxide. Pb is adsorbed predominantly on Fe (hydr)oxide (80%) and 20% of particulate Pb is due to its complexation with particulate OM. Cs is absorbed on clay surface at 100 % (Fig 5).

Modeled values of Log Kd are also presented in Figure 4 (Table S5). As observed for field Rd values, there are no systematic gaps between modeled Kd values for upstream, downstream and discharge samples. 323 It is to be noted that in the present work the parameters were not systematically adjusted 324 to obtain the best fit possible between field Rd and Kd. This is simply because it is not the 325 purpose of this paper. It would make no sense to try to have the perfect fit. Doing that, will 326 jeopardize the demonstration that multicomponent models with generic parameters can be of 327 help to simulate real world systems since they give good Kd predictions and that in addition 328 you can get supplementary information on the major species phases controlling the fate of the 329 elements under investigation for a given geochemical ecosystem. What can be useful is to 330 have an idea on the uncertainties of the parameters used here to develop complementary or 331 new approach based on probabilistic generation of parameters' values for given systems to 332 see if the Rd is within the envelope of potential Kd values generated by the methods as shown 333 by Ciffroy and Benedetti, (2018).

334 Differences induced by filtration will not strongly affect log Rd which are compared on 335 log scale to log Kd since the concentration changes due to different filtration size will affect 336 only by a few % of the bulk concentration the filtrate concentration. Especially for DOM and 337 POM since NOM covers a continuum of sizes that cannot be delimited once for all. 338 Differences observed over several orders of magnitudes like here for log Kd vs log Rd (i.e. 2 339 to 4) cannot be explained by filtration issues but by affinity constant values for the binding 340 sites. Variations of the amount of matter for the simulated log Kd can modify the Kd value by 341 less than a few tens of % but never by orders of magnitude (Ren et al,2015).

However, the difference between field Rd and modelled Kd values could be related to a kinetic effect rather than a defect from the theoretical assumption of equilibrium. Adsorption and desorption from the particle phase can take several hours and may not be equally fast in time (Ciffroy et al., 2003, Wang et al., 2000).

346 3.3.1 Elements for which modeled Kd and field Rd are similar (Be, Cd, Cu, Ni, Pb,347 Zn)

| 348 | Field Rd values for stable Cd, Cu, Ni, Pb and Zn are in good agreement with modeled Kd |
|-----|--|
| 349 | values (Fig. 4). The minimum values assessed for ⁶⁰ Co and Be ⁷ are also in good agreement |
| 350 | with modeled Kd values, supporting the assumptions made for the modelling. |

352 3.3.2 Elements for which modeled Kd is higher than measured Rd (²³⁴Th and ²¹⁰Pb)

There is a difference between stable Pb and ²¹⁰Pb: modeled Kd are in good agreement 353 with Rd of stable Pb and not with Rd of ²¹⁰Pb. Stable Pb is mostly complexed to SPM and 354 355 does not take a part of the SPM crystal lattice (Priadi et al, 2011). The difference in Rd values of stable and ²¹⁰Pb could be explained by the fact that: (1) distribution of ²¹⁰Pb results from 356 357 the sorption of this element but also on the sorption of previous elements of the decay chain 358 of ²¹⁰Pb (e.g. U, Th, ...). These elements (U, Th...) could be more mobile (for example, Kd Th < Kd Pb), consequently more soluble ²¹⁰Pb could be observed compared to sorbed ²¹⁰Pb 359 360 mobile, and so sorption sites could be different for radioactive and stable Pb (Ayrault et al., 2012). It is also possible that the flux of ²¹⁰Pb of atmospheric origin to fresh water increased 361 362 the ²¹⁰Pb concentration in solution, decreasing the Rd if solid/liquid equilibrium is not 363 reached (Ayrault et al., 2012).

364

365 3.3.3 Elements for which modeled Kd is smaller than measured Rd (Sr, Ba, Ag, Co,
366 Cs and ¹³⁷Cs)

For Co and Cs measured Rd are systematically higher than modeled Kd. The explanations of these differences could be the following ones: (1) Cobalt is incorporated in surface precipitates that are not taken into account in the model (Muray, 1975; Thompson et al., 1999; Siebecker et al., 2014; Gou and Li, 2017); (2) constant of complexation OM-Cs and constant of sorption FeOOH-Cs are not well known (Du et al, 1998; Wang et al., 2000) or missing in the database of the speciation code leading to systematic underestimation of the modeled Kd.

374 Modeled Kd values of Th and Ag are systematically smaller than the measured Rd of 375 ²³⁴Th and stable Ag. That could be explained by the lack of robustness of the constants of 376 complexation Th-MO used for the modeling. Like in the case of Pb-OM binding constants the 377 Th-OM and Ag-OM NICA-Donnan constants were estimated by Milne (2003) and not 378 experimentally obtained. In addition, Th and Ag correspond to the two extremes cases of this 379 method using a regression line relating K_{OH} and metal ion binding constant, with the first 380 constants of hydrolysis Log K_{OH} of -3.197 and -11.997, respectively (Table S-5). Such 381 "extreme" binding constant values are derived from the linear regression obtained for small 382 range of K_{OH} and thus may explain the underestimation of modeled Kd values (Martin et al., 383 2020).

Adsorption on calcite modeling in conjunction with modeling of complexation with OM and FeOOH does not show any contribution of calcite in Kd values. So, in perspective for Kd modeling, adsorption on calcite surface could not be considered (Zachara et al., 1991; Uygur and Rimmer, 2000).

388 However, for elements, like Sr, that are known to be Ca analog further investigation is 389 are necessary by considering the element co-precipitation with calcite. Two simulations were 390 done considering the co-precipitation with a monolayer surface only or on the calcite 391 multilayer surface assuming the co-precipitation on the calcite is a long cycle process where 392 trace element co-precipitate and re-co-precipitate. By considering monolayer co-precipitation 393 no evolution of log Kd value is observed in comparison of log Kd calculated without 394 considering co precipitation (2.40±0.17 and 2.35±0.16 (L/kg), respectively). However, taking 395 into consideration the modeling of Sr multilayer co-precipitation increases log Kd values 396 (3.29±0.16 (L/kg)) in line with the log Rd value measured (Table S3). Not taking into account 397 this phenomenon in log Kd calculation could explain the underestimation of modeled Kd for 398 Sr compare to measured Rd (Fig. 4). The same calculations are done for Ba and Co without
399 generating modifications of Kd values suggesting that this phenomenon may not be a major
400 process controlling the Kd values.

Similar observations are made when the adsorption onto clay is modeled. In the later,
our results show that only Cs is a high selectivity element. Consequently, the modelling of
adsorption onto clay is only taken into consideration in the case of Cs.

404 Knowing the trace element distribution between the different sites the current model can 405 be simplified by considering only the major phases and species that control trace element 406 association with solids.

407

408 **3.5 Model fit by adjustment of constitutive fractions**

409

410 Concentrations of stable Cs in SPM are in good agreement with concentrations of stable 411 K, Fe and Al with R² of 0.85, 0.90 and 0.89, respectively (Fig. 6A). This could underline 412 adsorption onto clay compounds (nontroniteFe₂H₁₀Na_{0.3}O₁₆Si₄) and ionic exchange with K. 413 The concentrations of stable Sr correlate with stable Ca (R²=0.90), that could indicate the 414 repetitive long-term processes of multilayer co-precipitation with calcite. The concentrations 415 of stable Ni and Co in SPM are in good agreement ($R^2=0.99$), so we may conclude that these 416 two elements are governed by similar transfer mechanisms and display close adsorption site types. The concentrations of ¹³⁷Cs in SPM correlate with concentrations of ⁴⁰K, ⁷Be, ²¹⁰Pb and 417 ²³⁴Th in SPM with R² of 0.99, 0.92, 0.93 and 0.98, respectively (Fig. 6B). We can consider 418 419 that these radionuclides are concerned by close adsorption sites and behave in the same way 420 in aquatic systems. However, we do not observe any correlations between radionuclides and stable elements. The R² of ¹³⁷Cs with stable K, Fe and Al is of 0.07, 0.11 and 0.007, 421 422 respectively. We can assume therefore that (1) either the mechanism of the radionuclide (in 423 particular ¹³⁷Cs) transport is not due to adsorption onto clay compounds (like in the case of 424 stable Cs), or (2) the water sampling, filtration and radionuclide concentrations measurements 425 were performed before equilibrium could be reached. For example, the sorption equilibrium 426 time of ¹³⁷Cs in the system "water - solid phase" is estimated of 1-3 days (Anikeev and 427 Khristianova, 1973; Behrens et al., 1982; Nosov et al., 2010), whereas our sampling was 428 performed 7-17 h (see Table 1) after the NPP discharge start.

429 Differences of environmental behavior between radiogenic and stable isotopes and 430 consequently the gap between their Kd values are well-known. This was reported by 431 Mundschenk (1996) where measured Rd values for ¹³⁷Cs in the Rhine river system (SPM/Water and Sediments/Water) were systematically one order of magnitude smaller than 432 stable ¹³³Cs. Similar results are described in Sheppard et al. (2009) where Rd values for 433 radiogenic Sr are lower than the Rd values for geogenic stable Sr. Nosov et al. (2010) 434 435 reported that between two isotopes of one single element of significantly different half-lives, 436 the short-lived one is generally mobile, because it does not associate with the crystalline grid 437 of the mineral while weathering, and because, it does not instantaneously diffuse from the 438 solution to the crystalline structure of the host rock. In the aquatic systems (vs rocks and soils) 439 a ratio between 2 isotopes of one single element (ex. U, Th) may vary from the equilibrium 440 one in ten - hundred times (Nosov et al., 2010) depending on their origin. For example, the most common values of ratios²³⁴U/²³⁸U and ²²⁸Th/²³²Th concentrations correspond of 1-1.5 441 442 and 0.9-2.5 for surface waters and 2- 15 and >5.0 for the crystal rocks waters, respectively 443 (Bakhur, 1998).

444

445 **4 Conclusions**

The distribution coefficient, Kd, is an integrative representation of complex processes that characterize the partitioning of trace element between solid/liquid and depends on numerous site-specific environmental parameters. In the frame of health and environmental risk assessments dealing with regulatory or accidental radioactive discharges, it is therefore
crucial to link Kd values to realistic environmental physico-chemical settings before they are
applied to trace element or radionuclides transport modeling in rivers.

Here we acquired in-situ solid/liquid ratios (Rd) values for the Seine river by sampling during a NPP's liquid discharge from regulatory operations and compared the data with the results from a geochemical speciation modeling dedicated to Kd calculation.

455 No significant variations of the solid/liquid ratios values were observed in the samples456 collected in the Seine River during the discharge.

The comparison between measured in situ Rd and modelled Kd values for various trace elements and radionuclides lead to identify the main adsorption phases and their dominant transport mechanisms in aquatic systems.

460 The geochemical modeling of Kd for Cu, Zn, Cd, Ni, Co, Pb, Th, Ba, ⁷Be (with POM 461 and HFO as adsorption phases) and the sequential implementation of additional phases (clay, 462 calcite) show that clay surfaces have to be considered only for Cs because of its high affinity 463 with clay borders and surface basal. For all other trace elements sorption onto clay is not 464 necessary because of its weak exchange constants when compared to complexation constants 465 with organic matter and iron(hydro)oxydes. Considering or not the calcite does not impact 466 significantly their sorption, and consequently their Kd, due to its low surface reactivity and its 467 electro neutrality in natural pH values, and weak constants of exchange TE-calcite by contrast 468 to constants of complexation TE-OM and TE-FeOOH. For further Kd modeling, we may not 469 take into consideration adsorption on calcite surface.

470 Contrariwise, Sr multilayer co-precipitation shows a significant contribution in final Kd.
471 The adsorption of trace element and radionuclide on quartz (SiO₂) was not considered
472 because of its low reactive surface and by the fact that quartz-binding constants are weak
473 compared to those of OM and FeOOH.

This work clearly demonstrate that classical field Rd can be interpreted and completed by advanced chemical or geochemical modelling concepts based on more detailed physicochemical parameters. In order to test the method relevance further investigations on others nuclearized rivers (ex. Rhône or Loire) with different environmental settings (watershed bedrocks, SPM composition, clay proportion, water discharge, macro-composition, pH, etc.) are necessary.

480

481 Acknowledgments

This work was supported by the COPA NEEDS grant (CNRS/IPGP/IRSN/EDF). We
warmly thank L. Cordier, M. Tharaud, H. Lazar, E. Raimbault, S. Nowak, A. Champelovier,
A. De Vismes and C. Cossonnet for their support for chemical analyses and the engineers of
EDF for their help during the sampling campaign. The two anonymous reviewers are warmly
welcomed for their suggestions.

488 **References**

508 509

510

515

- Allison, J. D., and T. L. Allison 2005. Partition coefficients for metals in surface water, soil and waste, Rep. EPA/600/R-05/074, U.S. Environ. Prot. Agency, Off. of Res. and Dev., Washington, D.C.
- 492
 493
 493
 494
 494
 2. Anikeev V.V., Khristianova L.A. 1973. The distribution coefficients of radionuclides between the solid and liquid phases in the reservoirs, M oscow, Atomizdat (in Russian).
- 495
 Appelo C.A.J., Potma D. 2005. Geochemistry, Groundwater and Pollution, CRC
 496 Press 2nd edition, 649 pages
- 497
 4. Ayrault, S., Roy-Barman, M., Le Cloarec, M-F., Priadi, C., Bonté, P., Göpel, C. 2012
 498
 498
 499
 499
 499
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 490
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
 400
- 5. Bakhur, A.E. 1998. Measurement of radioactivity of natural waters and the existing
 regulatory requirements. Moscow, NPP « Doza » (in Russian).
- 502
 6. Behrens H., Klotz D. et al. 1982. Comparison of methods for the determination of 503 retention factors of radionuclides in mineral soils // Environmental migration of long-504 lived radionuclides / IAEA. Vienna, 1982.
- 505
 505
 7. Benedetti M., Milne C., Kinniburgh D., van Riemsdijk W., Koopal L. 1995. Metal ion
 506
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 507
 508
 509
 509
 509
 509
 509
 509
 509
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500
 500</
 - 8. Benedetti M., Van Riemsdijk W. H., Koopal L.K., Kinniburgh D.G., Gooddy D.C., Milne Ch.J. 1996. Metal ion binding by natural organic matter: From the model to the field. Geochim. Cosmochim. Acta 60, 2503-2513.
- Benes P., Picat P., Cernik M., Quinault J.-M.1992. Kinetics of radionuclide interaction with suspended solids in modeling the migration of radionuclides in rivers. I. parameters for two-steps kinetics. J. Radioanal. Nucl. Chem. 159, 175-186.
 Benes P., Cernik M., Slavik O. 1994. Modelling of migration of ¹³⁷Cs accidentally
 - 10. Benes P., Cernik M., Slavik O. 1994. Modelling of migration of ¹³⁷Cs accidentally released into a small river. J. Environ. Radioactiv. 22(3), 279-293.
- 516 11. Billen G., Garnier J., Mouchel J.-M., Silvestre M. 2007. The Seine system:
 517 introduction to a multidisciplinary approach of the functioning of a regional river
 518 system. Sci. Total Environ. 375(1-3), 1-12.
- 519 12. Bird G.A., Schwartz W. 1997. Distribution coefficients, Kds, for iodide in Canadian shield lake sediments under oxic and anoxic conditions. J. Environ. Radioact. 35, 261-279.
 522 13. Boyer P., Wells, C., Howard, B. 2017. Extended Kd distributions for freshwater
 - 13. Boyer P., Wells, C., Howard, B. 2017. Extended Kd distributions for freshwater environment. J. Environ. Radioactiv. 192, 128-142.
- 14. Brach-Papa C., Boyer P., Ternat F., Amielh M., Anselmet F. 2005. Characterization
 and radionuclides sorption of suspended particulate matters in freshwater according to
 their settling kinetics. Radioprotection, Suppl. 1, 40, S315-S321.
- 527 15. Bryan S.E., Tipping E. Hamilton-Taylor J. 2002. Comparison of measured and
 528 modelled copper binding by natural organic matter in freshwaters. Comp. Biochem.
 529 Phys. C 133, 37-49.
- 16. Chappaz A. and Curtis P. J. 2013. Integrating Empirically Dissolved Organic Matter
 Quality for WHAM VI using the DOM Optical Properties: A Case Study of Cu–Al–
 DOM Interactions. Environ. Sci. Technol 47, 2001–2007.
- 533 17. Ciffroy P., Moulin C., Gailhard J. 2000. A model simulating the transport of dissolved
 534 and particulate copper in the Seine river. Ecol. Model. 127(2-3), 99-117.

- 535 18. Ciffroy P., Garnier J. M., Pham M. K. 2001. Kinetics of the adsorption and desorption
 536 of radionuclides of Co, Mn, Cs, Fe, Ag and Cd in freshwater systems: experimental
 537 and modelling approaches. J. Environ. Radioact. 55(1), 71-91.
- 538 19. Ciffroy P., Garnier J. M., Benyahya L. 2003. Kinetic partitioning of Co, Mn, Cs, Fe,
 539 Ag, Zn and Cd in fresh waters (Loire) mixed with brackish waters (Loire estuary):
 540 experimental and modelling approaches. Mar. Pollut. Bull. 46(5), 626-641.
- 541 20. Ciffroy P., Durrieu G., Garnier, J.M. 2009. Probabilistic distribution coefficients
 542 (Kds) in freshwater for radioisotopes of Ag, Am, Ba, Be, Ce, Co, Cs, I, Mn, Pu, Ra,
 543 Ru, Sb, Sr and Th: implications for uncertainty analysis of models simulating the
 544 transport of radionuclides in rivers. J. Environ. Radioact. 100 (9).

546 547

548

549

550

554 555

570 571

572 573

574

- 21. Ciffroy P. and Benedetti M. (2018) A comprehensive probabilistic approach for integrating natural variability and parametric uncertainty in the prediction of trace metals speciation in surface waters. Environmental Pollution 242, 1087–1097.
- 22. Dejou, J. 1987. La surface spécifique des argiles, sa mesure, relation avec la CEC et son importance agronomique. In : La capacité d'échange cationique et la fertilisation des sols. Amyet Y. ed., 72-83.
- 551 23. Du, Z., Dong, W.M., Wang, X.K., Liu, H., Tao, V. 1998 Sorption and desorption of
 552 radiocesium on calcareous soil and its solid components. J. Radioanal. Nucl. Chem.,
 553 231, p. 183
 - 24. Dzombak, D.A. and Morel, F.M.M. 1990. Surface complexation modelling: hydrous ferric oxide. Wiley-Interscience, New York.
- 556 25. EPA 1999. Understanding variation in partition coefficient, Kd, values. Volume II:
 557 Review of Geochemistry and Available Kd Values for Cadmium, Caesium,
 558 Chromium, Lead, Plutonium, Radon, Strontium, Thorium, Tritium (3H), and
 559 Uranium. United States Environmental Protection Agency, Office of Air and
 560 Radiation, Report EPA 402-R-99-004B, August 1999.
- 561 26. Even, S., Billen, G., Bacq, N., Thery, S., Ruelland, D., Garnier, J., Cugier, P., Poulin,
 562 M., Blanc, S., Lamy, F., Paffoni, C. 2007. New tools for modelling water quality of
 563 hydrosystems: An application in the Seine River basin in the frame of the Water
 564 Framework Directive. Science of the Total Environment, 375, 274-291.
- 565 27. Eyrolle-Boyer, F., Renaud, P., Claval, D., Tournieux, D., Le Dore, F., Blanchet, J.,F.,
 566 Loyen, J., Antonelli, C., Cossonnet, C., and Cagnat, X. 2014. Radiological quality
 567 Assessment of the Rhône River filtered waters at its lower course in the frame of
 568 water production for human consumption setting Historical and regional
 569 perspectives, Radioprotection, 49, 3, 183-193.
 - 28. Garnier J.-M., Pham M.K., Ciffroy P. and Martin J.-M. 1997. Kinetics of Trace Element Complexation with Suspended Matter and with Filterable Ligands in Freshwater. *Environ. Sci. Technol.* 31, 1597-1606.
 - 29. Gaskova, O.L., Bukaty, M.B. 2008. Sorption of different cations onto clay minerals: Modelling approach with ion exchange and surface complexation. *Physics and Chemistry of the Earth 33*, 1050-1055.
- 30. Gaskova, O.L., Bukaty, M.B., Shironosova, G.P., Kabannik, V.G. 2009.
 Thermodynamic model for sorption of bivalent heavy metals on calcite in naturaltechnogenicenvironments. *Russian Geology and Geophysics*, 50(2), 87-95.
- 579 31. Gou, W., Ji, J. & Li, W. 2017 An EXAFS investigation of the mechanism of
 580 competitive sorption between Co(II) and Ni(II) at γ-alumina/solution interface. Acta
 581 Geochim 36, 462–464. https://doi.org/10.1007/s11631-017-0196-9
- 582 32. Guérini, M-C., Mouchel, J-M., Meybeck, M., Penven, M-J., Hubert, G., Muxart, T.
 583 1998. Le bassin de la Seine: la confrontation du rural et de l'urbain. In: Meybeck, M.,

- 584 de Marsily, G., Fustec, E., editors. La Seine en son bassin. Fonctionnement écologique 585 d'un système fluvial anthropisé. Elsevier; p. 29–73.
- 586 33. Gustafsson, J., 2011. Visual MINTEO ver. 3.0, 587 http://www2.lwr.kth.se/English/OurSoftware/Vminteg/

604

- 34. International Atomic Energy Agency, IAEA 2010. Handbook of Parameter values for 588 the Prediction of Radionuclide Transfer in Terrestrial and Freshwater Environments, 589 590 Technical Report No 472, Vienna.
- 591 35. Ji, H., Ding, H., Tang, T., Li, C., Gao, Y., Briki, M. 2016 Chemical composition and 592 transportation characteristic of trace metals in suspended particulate matter collected 593 upstream of a metropolitan drinking water source, Beijing, Journal of Geochemical 594 Exploration, Volume 169. Pages 123-136. 595 https://doi.org/10.1016/j.gexplo.2016.07.018.
- 36. Kinniburgh, D.G., van Riemsdijk, W.H., Koopal, L.K., Borkovec, M., Benedetti, 596 597 M.F., Avena, M.J. 1999. Ion binding to natural organic matter: competition, 598 heterogeneity, stoichiometry and thermodynamic consistency. Colloids and Surfaces 599 A 151, 147-166.
- 600 37. Lakshtanov, L. Z., Stipp, S. L. S. 2007. Experimental study of nickel(II) interaction 601 with calcite: Adsorption and coprecipitation. Geochimica et Cosmochimica Acta, 71, 602 3686-3697.
 - 38. Lofts S., Tipping E. 2000. Solid-solution metal partitioning in the Humber rivers: application of WHAM and SCAMP.
- 605 39. Lourino-Cabana, B., Lesven, L., Billon, G., Proix, N., Recourt, P., Ouddane, B., 606 Fischer, J., Boughriet, A. 2010. Impacts of metal contamination in calcareous waters 607 of Deûle river (France) : water quality and thermodynamic studies on metallic 608 mobility. Water Air and Soil Pollution, 206 (1-4), 187-201. DOI : 10.1007/s11270-609 009-0095-8.
- 610 40. Martin L., Simonucci C., Rad S. and Benedetti M. F. 2020 Effect of natural organic matter on thallium and silver speciation. J Environ Sci 93, 185–192.
- 41. Meybeck, M., Horowitz, A. J. and Grosbois, C. 2004. The geochemistry of Seine 612 613 River Basin particulate matter: distribution of an integrated metal pollution index. The 614 Science of the total environment, 328(1-3), 219-236.
- 615 42. Milne, C.J., Kinniburgh, D.G., Tipping, E. 2001. Generic NICADonnan model 616 parameters for proton binding by humic substances. Environmental Science Technology 35, 2049-2059. 617
- 43. Milne, C.J., Kinniburgh, D.G., Van Riemsdijk, W.H., Tipping, E. 2003. Generic 618 619 NICA-Donnan model parameters for metal-ion binding by humic substances. 620 Environmental Science Technology 37, 958-971.
- 44. Mundschenk, H. 1996 Occurrence and behaviour of radionuclides in the Moselle 621 622 River - Part II: Distribution of radionuclides between aqueous phase and suspended 623 matter Journal of Environmental Radioactivity, 30 (3), pp. 215-232
- 624 45. Murray, J.W. 1975 The interaction of cobalt with hydrous manganese dioxide, Geochimica et Cosmochimica Acta, Volume 39, Issue 5, Pages 635-647, 625 https://doi.org/10.1016/0016-7037(75)90007-1. 626
- 46. Nosov A. V., Krylov A. L., Kiselev V. P., Kazakov S. V. 2010. Modeling of migration 627 628 of radioactive substances in surface water.Ed. by R. V. Arutyunyan; Nuclear Safety 629 Institute (IBRAE) RAS.Moscow: Nauka, 253 p.
- 47. O'Connor D. J., Connolly J. P. 1980. The effect of concentration of adsorbing solids 630 631 on the partition coefficient. Water Research 14(10), 1517-1523.
- 632 48. Poinssot, C., Baeyens, B. and Bradbury, M.H. 1999. Experimental and modelling studies of caesium sorption on illite. Geochim. Cosmochim. Acta 63, 3217-3227. 633

- 49. Pokrovsky, O.S., Viers, J., Shirokova, L.S., Shevchenko, V.P., Filipov, A.S., Dupré,
 B. 2010. Dissolved, suspended, and colloidal fluxes of organic carbon, major and trace
 elements in the Severnaya Dvina River and its tributary. *Chemical Geology 273*(1-2),
 136-149.
- 50. Ponthieu M., Juillot F. van RiemsdijkW.H. and Benedetti M.F. 2006. Metal ion
 binding to iron oxides. *Geochimica et Cosmochimica Acta*, 70, 2679-2698.
- 51. Priadi C., Ayrault S., Pacini S. and Bonte P. 2011 Urbanization impact on metals
 mobility in riverine suspended sediment: Role of metal oxides. International Journal
 of Environmental Science and Technology 8, 1–18.
- 52. Radovanovic, H., Koelmans, A.A. 1998. Prediction of in situtrace metal distribution
 coefficients for suspended solids in natural waters. *Environ. Sci. Technol.* 32, 753-759.
- 53. Ren Z.-L., Tella M., Bravin M. N., Comans R. N. J., Dai J., Garnier J.-M., Sivry Y.,
 Doelsch E., Straathof A. and Benedetti M. F. (2015) Effect of dissolved organic
 matter composition on metal speciation in soil solutions. Chemical Geology 398, 61–
 648
- 54. Roy, S., Gaillardet, J., and Allègre, C.J. 1999. Geochemistry of dissolved and
 suspended loads of the Seine River, France: anthropogenic impact, carbonate and
 silicate weathering. Geochimica et Cosmochimica Acta, 63(9), 1277-1292.
- 55. Schindler P. W. and Stumm W. 1987. The Surface chemistry of oxides, hydroxides
 and oxide minerals. In Aquatic Surface Chemistry (ed. W. Stumm). John Wiley and
 Sons, pp. 83–107.
- 56. Sheppard, S., Long, J., Sanipelli, B., Sohlenius, G. 2009. Solid/liquid partition
 coefficients (Kd) for selected soils and sediments at Forsmark and LaxemarSimpevarp. SKB rapport R-09-27, SvenskKarnbranslehantering AB, 78p.
- 57. Shirai N., Toktaganov M., Takahashi H., Yokozuka Y., Sekimoto S. and Ebihara M.
 2015 Multielemental analysis of Korean geological reference samples by INAA, ICPAES and ICP-MS. J. Radioanal Nucl Chem 303:1367–1374
- 58. Sibley, T.H., Wurtz, E.A., Alberts, J.J. 1986. Partition coefficients for ²⁴⁴Cm on
 freshwater and estuarine sediments. Journal of Environmental Radioactivity, 3(3),
 203-217, DOI: 10.1016/0265-931X(86)90026-3
- 59. Siebecker, M., Li, W., Khalid, S. et al. 2014 Real-time QEXAFS spectroscopy
 measures rapid precipitate formation at the mineral-water interface. Nat Commun 5,
 5003. https://doi.org/10.1038/ncomms6003
- 667 60. Sima, O., Arnold, D. & Dovlete, C. GESPECOR: A versatile tool in gamma-ray 668 spectrometry.Journal of Radioanalytical and Nuclear Chemistry 248, 359–364 (2001).
- 669 61. Sjöstedt, C.S., Gustafsson, J.P. and Köhler, S.J. 2010. Chemical equilibrium modeling
 670 of organic acids, pH, aluminum and iron in Swedish surface waters. *Environ. Sci.*671 *Technol. 44*, 8587-8593.
- 672 62. Thompson, H. A., Parks, G. A. and Brown, G. E. 1999 Dynamic interactions of
 673 dissolution, surface adsorption, and precipitation in an aging cobalt(II)-clay-water
 674 system, Geochimica et Cosmochimica Acta, Volume 63, Issues 11–12, Pages 1767675 1779, https://doi.org/10.1016/S0016-7037(99)00125-8.
 - 63. Tipping, E. 2002. Cation binding by humic substances. Cambridge University Press, Cambridge, 442 p.
- 678 64. Tipping, E., Lofts, S., & Lawlor, A. J. 1998. Modeling the chemical speciation of
 679 trace metals in the surface waters of the Humber system. Science of the Total
 680 Environment, 210-211, 63-77.

- 681 65. Tomczak, W., Boyer, P., Krimissa, M., & Radakovitch, O. 2019. Kd distributions in
 682 freshwater systems as a function of material type, mass volume ratio, dissolved
 683 organic carbon and pH. Applied Geochemistry, 105, 68-77.
- 684
 66. Uygur, V. and Rimmer, D.L. 2000 Reactions of zinc with iron-oxide coated calcite
 685
 686
 686
 686
 687
 686
 686
 686
 687
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686
 686</l
 - 67. Vesely, J., Majer, V., Kucera, J., and Havranek, V. 2001. Solid-water partitioning of elements in Czech freshwaters. *Applied Geochemistry*, 16, 437-450.
- 689 68. Wang, X., Dong,W., Li, Z., Du, J., Tao, Z. 2000 Sorption and desorption of
 690 radiocesium on red earth and its solid components: relative contribution and
 691 hysteresis, Applied Radiation and Isotopes, Volume 52, Issue 4, Pages 813-819,
- 692 69. Wolthers, M., Charlet, L., & Van Cappellen, P. 2008. The surface chemistry of divalent metal carbonate minerals; a critical assessment of surface charge and potential data using the charge distribution multi-site ion complexation model. *American Journal of Science* 308, 905-941.
- 696 70. Wolthers, M., Nehrke, G., Gustafsson, J. P., & Van Cappellen, P. 2012. Calcite
 697 growth kinetics: Modeling the effect of solution stoichiometry. Geochimica et
 698 Cosmochimica Acta, 77, 121-134.
- 699 71. Xue, H.B., Gachter, R., Sigg, L., 1997. Comparison of Cu and Zn in eutrophic lakes
 700 with oxic and anoxic hypolimnion. *Aquat. Sci.* 59, 176-189.
 - 72. Zachara, J. M., Cowan, C. E., Resch, C. T. 1991. Sorption of divalent metals on calcite. Geochimica et Cosmochimica Acta 55, 1549-1562.
- 703 73. Zhao, L. X., & Hou, W. G. 2012. The effect of sorbent concentration on the partition
 704 coefficient of pollutants between aqueous and particulate phases. *Colloids and* 705 *Surfaces A: Physicochemical and Engineering Aspects*, 396, 29-34.

701 702

687

688

Figure Captions:

Figure 1. The sampling sites location along the Seine River. Samples were taken at depth between 0 and 0.5 meters.

Figure 2. Geochemical and radionuclide analysis conducted in the field and in the laboratory. The full data set is given in supplementary material. Water constituents taken into account to obtain model Kd values to be compared to field Rd retrieved from the geochemical analysis.

Figure 3. Modelling workflow used to compute trace elements and radionuclides speciation and derived model Kd. For each element the generic data bases of models' parameter were used. Please refer to given references for more detailed information.

Figure 4. Modelled log Kd versus field log Rd for trace elements and radionuclides. The * indicates minimum field log Rd values. Error bars are included in the symbols.

Figure 5. Modelled trace elements distribution among the different surfaces of the suspended particulate matter.

Figure 6. Panel A showing the correlations between the stable K, Fe and Al concentrations and stable Cs concentration. Panel B showing the correlations between concentrations of ⁷Be, ⁴⁰K, ²¹⁰Pb, ²³⁴Th and ¹³⁷Cs in the suspended particulate matter.















TABLES

Table 1. List of collected water samples

| Sample point | Description | Time of sampling from start of NPP discharge, hours |
|-----------------|---|---|
| COP-1 | Upstream point, 250 m upstream the discharge | 7 |
| COP-2 | Effluent Discharge pipe | 8 |
| COP-3 | Middle course of the river, zone of full mix, 1 km downstream the Discharge | 10.5 |
| COP-3.1 | Transect point 1, right waterside, 65 m downstream COP-3 | 10.5 |
| COP-3.2 | Transect point 2, middle flow, 65 m downstream COP-3 | 11.5 |
| COP-3.3 | Transect point 3, left waterside, 65 m downstream COP-3 | 13 |
| COP-4 | Downstream, 4.05 km downstream the Discharge | 15 |
| COP-5 | Downstream, 14.15 km downstream the Discharge | 17 |

| | COP-1 | COP-2 | COP-3.1 | COP-3.2 | COP-3.3 | COP-4 | COP-5 |
|--|-------|-------|---------|---------|---------|-------|-------|
| T, °C | 20.2 | 25.2 | 21.1 | 21.1 | 21.4 | 21.7 | 21.7 |
| рН | 8.21 | 8.41 | 8.26 | 8.27 | 8.26 | 8.28 | 8.32 |
| χ, μS/cm | 484 | 565 | 493 | 500 | 503 | 500 | 493 |
| O ₂ , % | 94 | 100 | 98 | 99 | 100 | 100 | 100 |
| TDS, mg/L | 8.47 | 8.37 | 8.71 | 8.81 | 8.82 | 8.69 | 9.03 |
| Alkalinity, µeq/L | 3820 | 2934 | 3787 | 3787 | 3787 | 3770 | 3770 |
| [DOC], mg/L | 1.61 | 2.19 | 1.59 | 1.59 | 1.64 | 1.66 | 1.67 |
| [F ⁻], μMol/L | 5.36 | 6.60 | 6.30 | 5.83 | 5.96 | 5.38 | 6.41 |
| [Cl ⁻], μMol/L | 354 | 495 | 369 | 368 | 371 | 378 | 380 |
| [NO ₃ ⁻], μMol/L | 251 | 341 | 255 | 253 | 253 | 260 | 259 |
| [SO ₄ ²⁻], µMol/L | 154 | 1355 | 206 | 205 | 205 | 207 | 210 |
| $[K^+], \mu mol/L$ | 50 | 66 | 51 | 50 | 51 | 52 | 56 |
| [Na ⁺], μmol/L | 241 | 345 | 249 | 250 | 256 | 256 | 261 |
| $[Mg^{2+}], \mu mol/L$ | 154 | 191 | 153 | 154 | 156 | 154 | 155 |
| [Ca ²⁺], µmol/L | 2270 | 2970 | 2310 | 2313 | 2358 | 2333 | 2310 |
| [SPM], mg/L | 4.67 | 11.26 | 3.72 | 3.50 | 13.53 | 7.11 | 3.65 |
| [POC], mg/L | 0.36 | 1.11 | 0.37 | 0.33 | 0.64 | 0.47 | 0.27 |
| [K] _{SPM} , g/kg | 9.95 | 10.8 | 9.4 | 10.1 | 8.23 | 9.86 | 9.5 |
| [Ca] _{SPM} , g/kg | 205 | 174 | 184 | 190 | 174 | 194 | 206 |
| [Mg] _{SPM} , g/kg | 4.62 | 4.91 | 4.33 | 4.67 | 3.77 | 4.82 | 4.82 |
| [Fe] _{SPM} , g/kg | 26.8 | 30.5 | 25.1 | 28.2 | 22.3 | 29.9 | 27.7 |
| [Al] _{SPM} , g/kg | 46.5 | 50.6 | 42.9 | 49.0 | 38.4 | 51.2 | 45.9 |
| [Mn] _{SPM} , g/kg | 0.715 | 1.02 | 0.71 | 0.86 | 0.72 | 1.03 | 0.81 |
| Calcite, % in SPM | 75 | 75 | 75 | 75 | 75 | 75 | 75 |
| Quartz, % in SPM | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Clays, % in SPM | 5 | 5 | 5 | 5 | 5 | 5 | 5 |

 Table 2. Geochemical characteristics of the sampling points (August 2013).

| | COP-1 | COP-2 | COP-3 | COP-3.1 | COP-3.2 | COP-3.3 | COP-4 | COP-5 | |
|-------------------|------------|---------|------------|---------|---------|---------|------------|------------|------------------|
| Cs | 0.0047 | 0.00442 | - | 0.00412 | 0.00215 | 0.00201 | 0.00211 | 0.00217 | |
| Sr | 224 | 275 | - | 223 | 224 | 227 | 227 | 228 | |
| Ba | 16.31 | 91.13 | - | 17 | 16.51 | 16.68 | 16.55 | 16.93 | |
| Со | 0.047 | 0.0726 | - | 0.0463 | 0.047 | 0.0475 | 0.0476 | 0.046 | |
| Ni | 0.95 | 1.74 | - | 1.1 | 1.2 | 1.3 | 1.18 | 1.12 | |
| Cu | 0.676 | 1.79 | - | 0.594 | 0.461 | 0.4 | 0.462 | 0.405 | |
| Zn | 2.05 | 3.49 | - | 2.84 | 3.51 | 3.39 | 3.49 | 2.54 | |
| Ag | < 0.001 | < 0.001 | - | 0.002 | < 0.001 | < 0.001 | 0.002 | < 0.001 | |
| Cd | 0.0026 | 0.00832 | - | 0.00411 | 0.00164 | 0.00176 | 0.0031 | 0.00201 | |
| Pb | 0.018 | 0.0372 | - | 0.0236 | 0.0169 | 0.0167 | 0.0212 | 0.0183 | |
| | | | | | | | | | T _{1/2} |
| ¹³⁷ Cs | < 0.000021 | < 0.03 | < 0.000114 | - | - | - | < 0.000027 | < 0.000023 | 30.17 years |
| ⁷ Be | 0.0071 | < 0.5 | 0.0062 | - | - | - | 0.0081 | 0.0091 | 53.3 days |
| ⁶⁰ Co | < 0.000043 | < 0.03 | < 0.000071 | _ | _ | _ | < 0.000059 | < 0.000058 | 5.27 years |
| ²¹⁰ Pb | 0.0048 | <7.2 | 0.00078 | - | - | - | 0.00091 | < 0.0013 | 22.3 years |
| ²³⁴ Th | 0.0033 | <7.6 | 0.0034 | - | - | - | 0.0042 | 0.0036 | 24.1 days |

Table 3. Major and trace elements (μ g/L) and radionuclides (Bq/L) concentrations in the dissolved load.

| | COP-1 | COP-2 | COP-3 | COP-3.1 | COP-3.2 | COP-3.3 | COP-4 | COP-5 |
|-------------------|-------|--------|-------|---------|---------|---------|-------|-------|
| Cs | 4.67 | 5.09 | - | 4.21 | 4.90 | 3.77 | 4.88 | 4.56 |
| Sr | 283 | 244 | - | 257 | 265 | 238 | 263 | 300 |
| Ba | 181 | 428 | - | 175 | 183 | 162 | 301 | 1200 |
| Со | 6.49 | 20.0 | - | 6.25 | 7.51 | 5.96 | 13.9 | 29.7 |
| Ni | 34 | 69 | - | 34 | 36 | 29 | 59 | 92 |
| Cu | 51 | 124 | - | 53 | 72 | 55 | 65 | 90 |
| Zn | 183 | 307 | - | 293 | 319 | 263 | 287 | 228 |
| Ag | 0.446 | 0.710 | - | 0.592 | 0.553 | 0.402 | 0.592 | 0.936 |
| Cd | 0.381 | 0.459 | - | 0.447 | 0.412 | 0.343 | 0.460 | 0.366 |
| Pb | 23 | 28 | - | 25 | 25 | 21 | 25 | 25 |
| ¹³⁷ Cs | 4.78 | 2.9* | 4.79 | - | - | - | 4.89 | 2.27 |
| ⁷ Be | 159.9 | 49* | 176.9 | - | - | - | 187.2 | 62.25 |
| ⁶⁰ Co | <0.46 | <0.26* | 0.74 | - | - | - | 1.32 | 0.39 |
| ²¹⁰ Pb | 59.7 | 38* | 67.3 | - | - | - | 73.4 | 34.6 |
| ²³⁴ Th | 19.3 | 15* | 19.35 | - | - | - | 18.8 | 12.45 |
| | | | | | | | | |

Table 4. Major and trace elements (mg/kg dry) and radionuclides (Bq/kg dry) concentrations in the suspended particulate matter.

* Suspended sediments from the pump (average sample of 1 month)

Declaration of interests

¹ The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

□The authors declare the following financial interests/personal relationships which may be considered as potential competing interests:

Supplementary information

Solid/liquid ratios of trace elements and radionuclides during a Nuclear Power Plant liquid discharge in the Seine River: Field measurements vs geochemical modelling

Svetlana M. Ilina¹, Laura Marang², Beatriz Lourino-Cabana², Frédérique Eyrolle³, Patrick Boyer³, Frederic Coppin³, Yann Sivry¹, Alexandre Gélabert¹, Marc F. Benedetti^{1*}

¹Université de Paris, Institut de physique du globe de Paris, CNRS, IGN, F-75238 Paris, France ² EDF R&D LNHE - Laboratoire National d'Hydraulique et Environnement, 6 quai Watier, 78401 Chatou, France ³ Institut de Radioprotection et de Sûreté Nucléaire (IRSN) PSE-ENV/SRTE, Cadarache, Saint Paul Lez Durance, 11315, France

- Corresponding author
- Professor : Marc F. Benedetti
- Université de Paris, Institut de physique du globe de Paris, CNRS, IGN,
- 1 rue Jussieu F-75238 Paris, France
- E-mail address: <u>benedetti@ipgp.fr</u>

1- RN analysis

The following additional radionuclides were also measured ^{110m}Ag, ²⁴¹Am, ⁵⁷Co, ⁵⁸Co, ¹³⁴Cs, ¹⁵⁴Eu, ⁵⁴Mn, ²²Na, ¹⁰⁶Rh, ¹²⁴Sb, ¹²⁵Sb, were analyzed using Ultra low-level well-type HPGe detectors (Canberra) installed in the Modane underground laboratory (France) under 1 700 m of rock. The well-type HPGe detectors are calibrated by Monte Carlo type simulation performed by the codes GeSpeCor (Sima *et al.*, 2001) or Geant3. The simulated model has been validated with the measurements of a standard multi-gamma source in water equivalent resin, contained in 12 mL tubes filled up to different heights (1, 3, 6 and 12 mL). The effective germanium crystal volume is 450 cm³. The resolution of the detector is 1.9 keV at 59 keV; 2.2 keV at 662 keV and 2.4 keV at 1332 keV and its background rate is around 7.2 events/h. MeV in the energy range 30-2700 keV.

For ⁶³Ni analyses, samples were dissolved together with a known amount of stable nickel used as carrier and chemical yield. Solution were prepared in citrate medium at pH 8 and then passed on a chromatographic column containing dimethylglyoxime (DMG) to form a Ni-DMG complex. After washing the column, the nickel is eluted with 3 M HNO₃. It is then precipitated with DMG again. After filtration and washing the precipitate, the Ni-DMG complex is oxidized to NiO by calcination oven at 500°C. The obtained oxide was dissolved in a mixture HNO₃/HCl. The solution is evaporated and the residue taken up in 6 ml of 0.1M HCl. An aliquot of the final solution is taken for the measurement of total nickel by ICP- AES for the determination of chemical yield and 4 ml were counted by liquid scintillation to determine the ⁶³Ni activity (from Holm *et al.*, 1992). Holm E., Rots P. and Skwarzec B. 1992. Radioanalytical Studies of Fallout 63Ni. Appl. Radiat. Isot. 43(1/2), 371-376.

2- Results

Despite a protocol designed to decrease the quantification limits, the concentrations of ^{110m}Ag, ⁵⁸Co and ⁶³Ni measured in the effluent discharge pipe and in the filtered water and SPM sampled in the Seine River display values below the quantification capabilities. In situ Kd values for these RN's from our field experiment are therefore unavailable. However, the concentrations of ¹³⁷Cs and ⁶⁰Co are below the quantification limits in the filtered waters but above the quantification limits in SPM so it is possible to estimate minimum Kd values for ¹³⁷Cs and ⁶⁰Co: Kd_{min} = [RN]SPM / [RN] w, detection limit.

All artificial RNs concentrations from the discharge were below the limit of quantification (Tables S-2 and S-3) even though suitable analytical tools were used for their detection.

3- Additional tables

| | COP-1 | COP-2 | COP-3 | COP-3.1 | COP-3.2 | COP-3.3 | COP-4 | COP-5 | |
|-------------------|------------|---------|------------|---------|---------|---------|------------|------------|---------------------------|
| Na | 5506 | 7914 | - | 5702 | 5727 | 5871 | 5868 | 5968 | |
| K | 1941 | 2571 | - | 1986 | 1940 | 1993 | 2033 | 2192 | |
| Cs | 0.00470 | 0.00442 | - | 0.00412 | 0.00215 | 0.00201 | 0.00211 | 0.00217 | |
| Mg | 3743 | 4643 | _ | 3720 | 3735 | 3789 | 3751 | 3774 | |
| Ca | 90787 | 118794 | - | 92449 | 92522 | 94331 | 93335 | 92361 | |
| Sr | 224 | 275 | - | 223 | 224 | 227 | 227 | 228 | |
| Ba | 16.31 | 91.13 | - | 17 | 16.51 | 16.68 | 16.55 | 16.93 | |
| Al | 1.54 | 1.49 | - | 0.652 | 2.02 | <0.2 | <0.2 | <0.2 | |
| Mn | 1.20 | 0.925 | - | 1.62 | 1.70 | 1.93 | 1.87 | 1.82 | |
| Fe | 4.75 | 4.34 | - | 2.60 | 3.66 | 3.85 | 3.58 | 4.16 | |
| Co | 0.0470 | 0.0726 | - | 0.0463 | 0.0470 | 0.0475 | 0.0476 | 0.0460 | |
| Ni | 0.950 | 1.74 | - | 1.10 | 1.20 | 1.30 | 1.18 | 1.12 | |
| Cu | 0.676 | 1.79 | - | 0.594 | 0.461 | 0.400 | 0.462 | 0.405 | |
| Zn | 2.05 | 3.49 | - | 2.84 | 3.51 | 3.39 | 3.49 | 2.54 | |
| Ag | < 0.001 | < 0.001 | - | 0.002 | < 0.001 | < 0.001 | 0.002 | < 0.001 | |
| Cd | 0.00260 | 0.00832 | - | 0.00411 | 0.00164 | 0.00176 | 0.00310 | 0.00201 | |
| Sb | 0.0745 | 0.112 | - | 0.0728 | 0.0730 | 0.0736 | 0.0737 | 0.0783 | |
| Pb | 0.0180 | 0.0372 | - | 0.0236 | 0.0169 | 0.0167 | 0.0212 | 0.0183 | |
| | | | | | | | | | T _{1/2} |
| ⁴⁰ K | 0.051 | <0.4 | 0.055 | - | - | - | 0.056 | 0.068 | 1.3·10 ⁹ years |
| ¹³⁷ Cs | < 0.000021 | < 0.03 | <0.000114 | - | - | - | < 0.000027 | < 0.000023 | 30.17 years |
| ⁷ Be | 0.0071 | <0.5 | 0.0062 | - | - | - | 0.0081 | 0.0091 | 53.3 days |
| ⁶⁰ Co | < 0.000043 | < 0.03 | < 0.000071 | - | - | - | <0.000059 | < 0.000058 | 5.27 years |
| ²¹⁰ Pb | 0.0048 | <7.2 | 0.00078 | - | - | - | 0.00091 | < 0.0013 | 22.3 years |
| ²²⁸ Ac | 0.00069 | <0.1 | 0.00059 | - | - | - | 0.00064 | 0.00076 | 6.15 hours |
| ²³⁴ Th | 0.0033 | <7.6 | 0.0034 | - | - | - | 0.0042 | 0.0036 | 24.1 days |

Table S-1. Major and trace elements (μ g/L) and radionuclides (Bq/L) concentrations in the dissolved fraction (august 2013).

| | COP-1 | COP-2 | COP-3 | COP-3.1 | COP-3.2 | COP-3.3 | COP-4 | COP-5 |
|-------------------|--------|--------|-------|---------|---------|---------|--------|--------|
| Na | 1495 | 877 | - | 850 | 670 | 661 | 730 | 1264 |
| К | 9955 | 10822 | - | 9395 | 10085 | 8229 | 9862 | 9496 |
| Cs | 4.67 | 5.09 | - | 4.21 | 4.90 | 3.77 | 4.88 | 4.56 |
| Mg | 4616 | 4906 | - | 4325 | 4669 | 3773 | 4819 | 4814 |
| Ca | 204489 | 173816 | - | 183974 | 189586 | 173620 | 193830 | 206170 |
| Sr | 283 | 244 | - | 257 | 265 | 238 | 263 | 300 |
| Ba | 181 | 428 | - | 175 | 183 | 162 | 301 | 1200 |
| Al | 46509 | 50584 | - | 42859 | 49011 | 38437 | 51174 | 45929 |
| Mn | 715 | 1016 | - | 709 | 861 | 724 | 1030 | 805 |
| Fe | 26812 | 30574 | - | 25141 | 28229 | 22324 | 29889 | 27709 |
| Co | 6.49 | 20.0 | - | 6.25 | 7.51 | 5.96 | 13.9 | 29.7 |
| Ni | 34 | 69 | - | 34 | 36 | 29 | 59 | 92 |
| Cu | 51 | 124 | - | 53 | 72 | 55 | 65 | 90 |
| Zn | 183 | 307 | - | 293 | 319 | 263 | 287 | 228 |
| Ag | 0.446 | 0.710 | - | 0.592 | 0.553 | 0.402 | 0.592 | 0.936 |
| Cd | 0.381 | 0.459 | - | 0.447 | 0.412 | 0.343 | 0.460 | 0.366 |
| Sb | 0.577 | 1.05 | - | 0.746 | 0.541 | 0.491 | 0.516 | 0.509 |
| Pb | 23 | 28 | - | 25 | 25 | 21 | 25 | 25 |
| | | | | | | | | |
| ⁴⁰ K | 275.7 | 181* | 285.7 | - | - | - | 291.0 | 128.5 |
| ¹³⁷ Cs | 4.78 | 2.9* | 4.79 | - | - | - | 4.89 | 2.27 |
| ⁷ Be | 159.9 | 49* | 176.9 | - | - | - | 187.2 | 62.25 |
| ⁶⁰ Co | <0.46 | <0.26* | 0.74 | - | - | - | 1.32 | 0.39 |
| ²¹⁰ Pb | 59.7 | 38* | 67.3 | - | - | - | 73.4 | 34.6 |
| ²²⁸ Ac | 18.4 | 17* | 19.35 | - | - | - | 19.75 | 10.47 |
| ²³⁴ Th | 19.3 | 15* | 19.35 | _ | - | _ | 18.8 | 12.45 |

Table S-2. Major and trace elements (mg/kg dry) and radionuclides (Bq/kg dry) concentrations in suspended particulate matter (august 2013).

* Suspended sediments from the pump (average sample of 1 month)

Table S-3. Measured values of log Rd of the stable elements (L/kg). *literature search taken from J.D. Allison and T.L. Allison, 2005, SPM/Waterlog Kd, L/kg
**literature search taken from Sheppard *et al.*, 2009

| COP-1 | COP-2 | COP-3.1 | COP-3.2 | COP-3.3 | COP-3 average | COP-4 | COP-5 | Average this | Median |
|-------|-------|---------|---------|---------|---------------|-------|-------|--------------|--------|
|-------|-------|---------|---------|---------|---------------|-------|-------|--------------|--------|

| | | | | | | | | | study | literature* |
|----|------|------|------|------|------|------|------|------|-------------------|-----------------|
| К | 3.71 | 3.62 | 3.67 | 3.72 | 3.62 | 3.67 | 3.69 | 3.64 | 3.67±0.04 | - |
| Cs | 6.00 | 6.06 | 6.01 | 6.36 | 6.27 | 6.14 | 6.36 | 6.32 | 6.19±0.15 | 4.23** |
| Sr | 3.10 | 2.95 | 3.06 | 3.07 | 3.02 | 3.04 | 3.06 | 3.12 | 3.05±0.05 | 2.68** |
| Ba | 4.05 | 3.67 | 4.01 | 4.04 | 3.99 | 3.95 | 4.26 | 4.85 | 4.10±0.32 | 4.0 (2.9 -4.5) |
| Co | 5.14 | 5.44 | 5.13 | 5.20 | 5.10 | 5.20 | 5.46 | 5.81 | 5.31±0.23 | 4.7 (3.2 – 6.3) |
| Ni | 4.56 | 4.60 | 4.49 | 4.48 | 4.35 | 4.50 | 4.70 | 4.91 | 4.57±0.16 | 4.6 (3.5 – 5.7) |
| Cu | 4.88 | 4.84 | 4.95 | 5.19 | 5.14 | 5.00 | 5.15 | 5.35 | 5.06±0.16 | 4.7 (3.1 – 6.1) |
| Zn | 4.95 | 4.94 | 5.01 | 4.96 | 4.89 | 4.95 | 4.92 | 4.95 | 4.95±0.03 | 5.1 (3.5 – 6.9) |
| Ag | - | - | 5.50 | - | - | 5.50 | 5.50 | - | $5.50 {\pm} 0.00$ | 4.9 (4.4 - 6.3) |
| Cd | 5.17 | 4.74 | 5.04 | 5.40 | 5.29 | 5.13 | 5.17 | 5.26 | 5.15±0.19 | 4.7 (2.8 – 6.3) |
| Pb | 6.11 | 5.88 | 6.03 | 6.17 | 6.11 | 6.06 | 6.07 | 6.14 | $6.07 {\pm} 0.08$ | 5.6 (3.4 - 6.5) |

Table S-4. Measured values of log Rd of the radionuclides (L/kg).

| | COP-1 | COP-3 | COP-4 | COP-5 | Average this study |
|-------------------|-------|--------|-------|-------|-----------------------|
| ⁴⁰ K | 3.73 | 3.72 | 3.72 | 3.28 | 3.61±0.22 |
| ¹³⁷ Cs | ≥5.37 | ≥ 4.62 | ≥5.26 | ≥5.00 | ≥5.06±0.33 |
| ⁷ Be | 4.35 | 4.46 | 4.36 | 3.84 | 4.25±0.28 |
| ⁶⁰ Co | ≥4.02 | ≥4.02 | ≥4.35 | ≥3.82 | ≥4.05±0.22 |

| ²¹⁰ Pb | 4.09 | 4.94 | 4.91 | ≥4.44 | 4.64±0.48 | |
|-------------------|------|------|------|-------|-----------|--|
| ²³⁴ Th | 3.76 | 3.75 | 3.65 | 3.54 | 3.68±0.10 | |

Table S-5. Modelled values of log Kd (L/kg).

| | COP-1 | COP-2 | COP-3 | COP-4 | COP-5 |
|----|-------|-------|-------|-------|-------|
| Cs | 4.53 | 4.35 | 4.50 | 4.48 | 4.51 |
| Be | 4.68 | - | 4.56 | 4.63 | 4.54 |
| Sr | 2.63 | 2.30 | 2.30 | 2.21 | 2.30 |
| Ba | 2.33 | 2.24 | 2.41 | 2.22 | 2.33 |
| Со | 4.13 | 4.43 | 4.18 | 4.28 | 4.42 |
| Ni | 4.25 | 4.30 | 4.22 | 4.23 | 4.30 |
| Cu | 5.03 | 4.94 | 5.12 | 5.11 | 5.18 |
| Zn | 4.75 | 4.73 | 4.71 | 4.64 | 4.74 |
| Ag | 2.00 | 2.68 | 2.05 | 2.15 | 2.01 |
| Cd | 5.13 | 4.88 | 5.20 | 5.10 | 5.17 |
| Pb | 6.00 | 5.86 | 5.99 | 5.98 | 6.00 |
| Th | 4.99 | - | 5.14 | 4.91 | 4.97 |

Table S-6. Prediction of NICA-Donnan parameters for the metal binding by fulvic and humic acids from the first hydrolysis constant (K_{OH}) by Milne (2001, 2003).

 $n_1 = 0.13 - 0.056 \log K_{OH}$ $n_2 = 0.77 n_1$ $n_1 \log K_1$ (fulvic) = 0.36 log K_{OH} + 2.47

 $n_2 \log K_2$ (fulvic) = 0.91 log K_{OH} + 9.02 $n_1 \log K_1$ (humic) = 0.26 log K_{OH} + 2.55

 $n_2 \log K_2$ (humic) = 0.40 log K_{OH} + 4.93

| | Ag | Cs | Th | |
|----------------------------|-----------------|--------|-------|--|
| logK _{OH} | -11.997-15.6847 | -3.197 | | |
| n ₁ | 0.80 | 1.01 | 0.31 | |
| n ₂ | 0.62 | 0.78 | 0.24 | |
| logK ₁ (fulvic) | -2.306 | -3.150 | 1.65 | |
| logK ₂ (fulvic) | -3.073 | -6.766 | 25.46 | |
| logK ₁ (humic) | -0.710 | -1.515 | 5.44 | |
| logK ₂ (humic) | 0.213 | -1.731 | 15.21 | |