

High order homogenization of the Stokes system in a periodic porous medium

Florian Feppon

▶ To cite this version:

Florian Feppon. High order homogenization of the Stokes system in a periodic porous medium. 2021. hal-02880030v2

HAL Id: hal-02880030 https://hal.science/hal-02880030v2

Preprint submitted on 15 Jan 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

HIGH ORDER HOMOGENIZATION OF THE STOKES SYSTEM IN A PERIODIC POROUS MEDIUM*

FLORIAN FEPPON†

Abstract. We derive high order homogenized models for the incompressible Stokes system in a cubic domain filled with periodic obstacles. These models have the potential to unify the three classical limit problems (namely the "unchanged" Stokes system, the Brinkman model, and the Darcy's law) corresponding to various asymptotic regimes of the ratio $\eta \equiv a_{\varepsilon}/\varepsilon$ between the radius a_{ε} of the holes and the size ε of the periodic cell. What is more, a novel, rather surprising feature of our higher order effective equations is the occurrence of odd order differential operators when the obstacles are not symmetric. Our derivation relies on the method of two-scale power series expansions and on the existence of a "criminal" ansatz, which allows to reconstruct the oscillating velocity and pressure $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ as a linear combination of the derivatives of their formal average $(\boldsymbol{u}_{\varepsilon}^*, p_{\varepsilon}^*)$ weighted by suitable corrector tensors. The formal average $(u_{\varepsilon}^*, p_{\varepsilon}^*)$ is itself the solution to a formal, infinite order homogenized equation, whose truncation at any finite order is in general ill-posed. Inspired by the variational truncation method of [53, 27], we derive, for any $K \in \mathbb{N}$, a well-posed model of order 2K+2 which yields approximations of the original solutions with an error of order $O(\varepsilon^{K+3})$ in the L^2 norm. Furthermore, the error improves up to the order $O(\varepsilon^{2K+4})$ if a slight modification of this model remains well-posed. Finally, we find asymptotics of all homogenized tensors in the low volume fraction limit $\eta \to 0$ and in dimension $d \geq 3$. This allows us to obtain that our effective equations converge coefficient-wise to either of the Brinkman or Darcy regimes which arise when η is respectively equivalent, or greater than the critical scaling $\eta_{\rm crit} \sim \varepsilon^{2/(d-2)}$.

Key words. Homogenization, higher order models, porous media, Stokes system, strange term.

AMS subject classifications. 35B27, 76M50, 35330

2

3

5

6

9

13

14

15

17

18

19

202122

23

24

25

26

27

28

29

30

31

32

33

1. Introduction. This article is concerned with the high order homogenization of the Stokes system in a periodic porous medium. Let $D:=(0,L)^d$ be a d-dimensional box filled with periodic obstacles $\omega_\varepsilon:=\varepsilon(\mathbb{Z}^d+\eta T)\cap D$ obtained by rescaling and repeating periodically a unit hole T (the setting is illustrated on Figure 1). The parameter ε denotes the size of the periodic cell, it is equal to $\varepsilon:=L/N$ where $N\in\mathbb{N}$ is a large integer and L is the length of the box. The parameter η is the scaling ratio between the radius $a_\varepsilon:=\eta\varepsilon$ of the obstacles and the length ε of the cells. The total fluid domain is denoted by $D_\varepsilon:=D\backslash\overline{\omega_\varepsilon}$ and it is assumed to be connected. $P=(0,1)^d$ is the unit cell and $Y=P\backslash\eta T$ denotes its fluid component.

We consider $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon}) \in H^1(D_{\varepsilon}, \mathbb{R}^d) \times L^2(D_{\varepsilon})/\mathbb{R}$ the solution to the Stokes system

$$\begin{cases}
-\Delta \boldsymbol{u}_{\varepsilon} + \nabla p_{\varepsilon} = \boldsymbol{f} \text{ in } D_{\varepsilon} \\
\operatorname{div}(\boldsymbol{u}_{\varepsilon}) = 0 \\
\boldsymbol{u}_{\varepsilon} = 0 \text{ on } \partial \omega_{\varepsilon} \\
\boldsymbol{u}_{\varepsilon} \text{ is } D\text{-periodic,}
\end{cases}$$

where $\mathbf{f} \in \mathcal{C}^{\infty}_{per}(D, \mathbb{R}^d)$ (and all its derivatives) is a smooth, D-periodic right handside. The goal of this paper is to derive high order effective models for (1.1); i.e. a family of well-posed partial differential equations posed in the homogeneous domain

^{*}Submitted to the editors DATE.

Funding: This work was supported by the Association Nationale de la Recherche et de la Technologie (ANRT) [grant number CIFRE 2017/0024] and by the project ANR-18-CE40-0013 SHAPO financed by the French Agence Nationale de la Recherche (ANR).

[†] Centre de Mathématiques Appliquées, École Polytechnique, Palaiseau, France (florian.feppon@polytechnique.edu).




Fig. 1. The perforated domain $D_{\varepsilon} = D \setminus \omega_{\varepsilon}$ and the unit cell $Y = P \setminus (\eta T)$.

D (without the holes) and whose solutions approximate the macroscopic behavior of $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ at any desired order of accuracy in ε as $\varepsilon \to 0$.

The literature [52, 47, 29, 5, 7, 4, 8] describes the occurrence of different asymptotic regimes depending on how the size $a_{\varepsilon} = \eta \varepsilon$ of the holes compares to the critical size $\sigma_{\varepsilon} := \varepsilon^{d/(d-2)}$ in dimension $d \geq 3$ (if d = 2, then these regimes depend on how $\log(a_{\varepsilon})$ compares to $-\varepsilon^{-2}$, see [7]). In loose mathematical terms, these can be summarized as follows (see e.g. [5, 7] for the precise statements):

• if $a_{\varepsilon} = o(\sigma_{\varepsilon})$, then the holes have no effect and $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ converges as $\varepsilon \to 0$ to the solution (\boldsymbol{u}, p) of the Stokes equation in the homogeneous domain D:

47 (1.2)
$$\begin{cases}
-\Delta \boldsymbol{u} + \nabla p = \boldsymbol{f} \text{ in } D \\
\operatorname{div}(\boldsymbol{u}) = 0 \\
\boldsymbol{u} \text{ is } D\text{-periodic.}
\end{cases}$$

• if $a_{\varepsilon} = c\sigma_{\varepsilon}$ for a constant c > 0, then $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ converges as $\varepsilon \to 0$ to the solution (\boldsymbol{u}, p) of the Brinkman equation

$$\begin{cases}
-\Delta \boldsymbol{u} + cF\boldsymbol{u} + \nabla p = \boldsymbol{f} \text{ in } D \\
\operatorname{div}(\boldsymbol{u}) = 0 \\
\boldsymbol{u} \text{ is } D\text{-periodic,}
\end{cases}$$

where the so-called *strange term* cFu involves a symmetric positive definite $d \times d$ matrix F which can be computed by means of an exterior problem in $\mathbb{R}^d \setminus T$ (see [4] and section 5).

• if $\sigma_{\varepsilon} = o(a_{\varepsilon})$ and $a_{\varepsilon} = \eta \varepsilon$ with $\eta \to 0$ as $\varepsilon \to 0$, then the holes are "large" and $(a_{\varepsilon}^{d-2} \varepsilon^{-d} \boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ converges to the solution (\boldsymbol{u}, p) of the Darcy problem

$$\begin{cases}
F \boldsymbol{u} + \nabla p = \boldsymbol{f} \text{ in } D \\
\operatorname{div}(\boldsymbol{u}) = 0 \text{ in } D \\
\boldsymbol{u} \text{ is } D\text{-periodic,}
\end{cases}$$

where F is the same symmetric positive definite $d \times d$ matrix as in (1.3).

• if $a_{\varepsilon} = \eta \varepsilon$ with the ratio η fixed, then $(\varepsilon^{-2} \mathbf{u}_{\varepsilon}, p_{\varepsilon})$ converges to the solution (\mathbf{u}, p) of the Darcy problem

$$\begin{cases} M^0 \boldsymbol{u} + \nabla p = \boldsymbol{f} \text{ in } D \\ \operatorname{div}(\boldsymbol{u}) = 0 \text{ in } D \\ \boldsymbol{u} \text{ is } D\text{-periodic,} \end{cases}$$

where M^0 is another positive symmetric $d \times d$ matrix (which depends on η). Furthermore $M^0/|\log(\eta)| \to F$ if d=2, and $M^0/\eta^{d-2} \to F$ (if $d \ge 3$) when $\eta \to 0$, so that there is a continuous transition from (1.5) to (1.4), see [6].

One of the long-term motivations driving this work is the need to lay down theoretical material that would allow to optimize the design of fluid systems by homogenization methods similar to those available in the context of mechanical structures [21, 20, 10, 50, 14]. To date, the Brinkman [24, 25, 30] and the Darcy models [56, 51] are commonly used by topology optimization algorithms in order to conveniently interpolate the physics of the fluid at intermediate "gray" regions featuring locally a mixture of fluid and solid. However, the above conclusions imply that these models are consistent only in specific ranges of obstacle sizes a_{ε} : the Brinkman model (1.3) is relevant when there are none or tiny obstacles, while the Darcy models (1.4) and (1.5) should be used at locations where the obstacles are large enough. The arising of these different regimes (1.2)–(1.5) is consequently a major obstacle towards the development of 'de-homogenization' methods [14, 37, 50, 39, 40] for the optimal design of fluid systems, which would enable to interpret "gray" designs as locally periodic "black and white" microstructures (featuring for instance many small tubes or thin plates).

It turns out that there is a continuous transition between these regimes which can be captured by higher order homogenized equations, which is the object of the present article. These higher order models are obtained by adding corrective terms scaled by increasing powers of ε to the Darcy equation (1.5); they yield more accurate approximations of $(u_{\varepsilon}, p_{\varepsilon})$ when ε is "not so small". For a desired order $K \in \mathbb{N}$, the homogenized model of order 2K + 2 reads

(1.6)
$$\begin{cases} \sum_{k=0}^{2K+2} \varepsilon^{k-2} \mathbb{D}_{K}^{k} \cdot \nabla^{k} \boldsymbol{v}_{\varepsilon,K}^{*} + \nabla q_{\varepsilon,K}^{*} = \boldsymbol{f}, \\ \operatorname{div}(\boldsymbol{v}_{\varepsilon,K}^{*}) = 0, \\ \boldsymbol{v}_{\varepsilon,K}^{*} \text{ is } D\text{-periodic,} \end{cases}$$

where $(v_{\varepsilon,K}^*, q_{\varepsilon,K}^*)$ is a high order homogenized approximation of $(u_{\varepsilon}, p_{\varepsilon})$. The coefficient \mathbb{D}_K^k is a k-th order matrix valued tensor which can be computed by a procedure involving the resolution of cell problems; it makes $\mathbb{D}_K^k \cdot \nabla^k$ a differential operator of order k (the notation is defined in section 2 below). Finally, the high order equation (1.6) encompasses at least the Brinkman and the Darcy regimes in the sense that it converges coefficient-wise to either of (1.3) and (1.4) for the corresponding asymptotic regime of the scaling η (see Remarks 5.6 and 5.7) (the analysis of the subcritical case leading to the Stokes regime (1.2) requires more sophisticated arguments which are to be investigated in future works).

A rather striking feature of (1.6) is the arising of odd order differential operators despite the symmetry of the Laplace operator $-\Delta$ (these vanish, however, in case the obstacle ηT is symmetric with respect to the cell axes; see Corollary 3.16). This fact is closely related to the vectorial nature of the Stokes system (1.1): the tensors \mathbb{D}_K^k are symmetric and antisymmetric valued matrices for respectively even and odd values of k. This property ensures that $\mathbb{D}_K^k \cdot \nabla^k$ is a symmetric operator for any $0 \le k \le 2K + 2$ (see Remark 3.12). To our knowledge, such terms have so far not been proposed in the literature seeking similar higher order corrections for the Stokes system, although these have been observed in other vectorial contexts [27, 28, 53]. Most of the available works have focused on situations with low regularity for f, T

and D (see [52, 5]), where the homogenization process can be justified only for the approximation at the leading order in ε . Error bounds for higher order approximations of $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ (namely for the truncation of the ansatz (1.7) below) have been obtained in [46, 26], without relating these to effective models. A few additional works have sought corrector terms from physical modelling considerations [35, 18, 17], without considering odd order operators.

Our derivation is inspired from the works [19, 53, 15]; it is based on (non-standard) two-scale asymptotic expansions and formal operations on related power series which give rise to several families of tensors and homogenized equations at any order. We extend our previous works [34, 33] where we investigated the cases of the perforated Poisson problem and of the perforated elasticity system. Expectedly, the major difficulty in extending the analysis to (1.6) is the treatment of the pressure variable p_{ε} and of the incompressibility constraint $\operatorname{div}(\boldsymbol{u}_{\varepsilon}) = 0$. Note that the D-periodicity assumption on \boldsymbol{f} and $\boldsymbol{u}_{\varepsilon}$ is made in order to eliminate additional difficulties related to the arising of boundary layers (see [43, 22, 23, 11]).

The starting point of the method of two-scale expansions is to postulate an ansatz for the velocity and pressure solution $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$:

2 (1.7)
$$\mathbf{u}_{\varepsilon}(x) = \sum_{i=0}^{+\infty} \varepsilon^{i+2} \mathbf{u}_{i}(x, x/\varepsilon), \quad p_{\varepsilon}(x) = \sum_{i=0}^{+\infty} \varepsilon^{i} (p_{i}^{*}(x) + \varepsilon p_{i}(x, x/\varepsilon)), \quad x \in D_{\varepsilon},$$

where the functions $u_i(x, y)$ and $p_i(x, y)$ are P-periodic with respect to $y \in P$, and D-periodic with respect to $x \in D$. In (1.7), the oscillating function $p_i(x, y)$ is required to be of zero average with respect to y:

$$\int_{Y} p_i(x, y) dy = 0, \quad \forall i \ge 0.$$

The aim of the homogenization process is to obtain effective equations for the formal "infinite order" homogenized averages u_{ε}^* and p_{ε}^* defined by

125 (1.8)
$$\boldsymbol{u}_{\varepsilon}^{*}(x) := \sum_{i=0}^{+\infty} \varepsilon^{i+2} \int_{Y} \boldsymbol{u}_{i}(x,y) \mathrm{d}y, \quad p_{\varepsilon}^{*}(x) := \sum_{i=0}^{+\infty} \varepsilon^{i} p_{i}^{*}(x), \quad x \in D.$$

In Proposition 3.7 below, we obtain that $(\boldsymbol{u}_{\varepsilon}^*, p_{\varepsilon}^*)$ solves the following formal "infinite-order" homogenized equation,

128 (1.9)
$$\begin{cases} \sum_{k=0}^{+\infty} \varepsilon^{k-2} M^k \cdot \nabla^k \boldsymbol{u}_{\varepsilon}^* + \nabla p_{\varepsilon}^* = \boldsymbol{f}, \\ \operatorname{div}(\boldsymbol{u}^*) = 0, \\ \boldsymbol{u}_{\varepsilon}^* \text{ is } D\text{-periodic} \end{cases}$$

which involves a family of constant matrix-valued tensors $(M^k)_{k \in \mathbb{N}}$. Classically, truncating directly (1.9) yields, in general, an ill-posed model [12]. Several methods have been proposed to address this issue in order to obtain nonetheless well-posed higher order equations [16, 13, 1, 2, 15]. In our case, we adapt an idea from [53], whereby the coefficients \mathbb{D}_K^k are obtained thanks to a minimization principle (described in section 4) which makes indeed (1.6) well-posed. It is based on the existence of remarkable

identities which relate the oscillating solution $(u_{\varepsilon}, p_{\varepsilon})$ to its formal average $(u_{\varepsilon}^{\varepsilon}, p_{\varepsilon}^{\varepsilon})$:

136 (1.10)
$$\begin{cases} \boldsymbol{u}_{\varepsilon}(x) = \sum_{i=0}^{+\infty} \varepsilon^{i} N^{i}(x/\varepsilon) \cdot \nabla^{i} \boldsymbol{u}_{\varepsilon}^{*}(x) \\ p_{\varepsilon}(x) = p_{\varepsilon}^{*}(x) + \sum_{i=0}^{+\infty} \varepsilon^{i-1} \boldsymbol{\beta}^{i}(x/\varepsilon) \cdot \nabla^{i} \boldsymbol{u}_{\varepsilon}^{*}(x), \end{cases} \quad \forall x \in D_{\varepsilon},$$

where $(N^i(y))_{i\in\mathbb{N}}$ and $(\beta^i(y))_{i\in\mathbb{N}}$ are different families of respectively matrix valued and vector valued P-periodic tensors (of order i). The ansatz (1.10) is substantially different from (1.7); following [15], we call it "criminal" because the expansions of (1.10) depend on u_{ε}^* which is itself a formal power series in ε (eqn. (1.8)).

The order of accuracy at which the solution $(\boldsymbol{v}_{\varepsilon,K}^*, p_{\varepsilon,K}^*)$ yields an approximation of the original solution $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ is determined by how many leading coefficients of (1.6) and (1.9) coincide (Proposition 4.5). In Proposition 4.10, we show that $\mathbb{D}_K^k = M^k$ for $0 \le k \le K$, which allows to infer error estimates of order $O(\varepsilon^{K+3})$ in the $L^2(D)$ norm. It may seem disappointing that one needs to solve an equation of order 2K+2 in order to obtain approximations of order $O(\varepsilon^{K+3})$ "only". This shortcoming is related to the zero-divergence constraint: in the scalar and elasticity cases considered in [34, 33], it turns out that K+1 extra coefficients coincide, namely $\mathbb{D}_K^k = M^k$ for $0 \le k \le 2K+1$, which yields error estimates of order $O(\varepsilon^{2K+4})$. In the present context devoted to the Stokes system (1.1), the equation obtained by substituting \mathbb{D}_K^k with M^k in (1.6) for $K+1 \le k \le 2K+1$,

$$\begin{cases}
\varepsilon^{2K} \mathbb{D}_{K}^{2K+2} \cdot \nabla^{2K+2} \widehat{\boldsymbol{v}}_{\varepsilon,K}^{*} + \sum_{k=0}^{2K+1} \varepsilon^{k-2} M^{k} \cdot \nabla^{k} \boldsymbol{v}_{\varepsilon,K}^{*} + \nabla \widehat{\boldsymbol{q}}_{\varepsilon,K}^{*} = \boldsymbol{f} \\
\operatorname{div}(\widehat{\boldsymbol{v}}_{\varepsilon,K}^{*}) = 0 \\
\widehat{\boldsymbol{v}}_{\varepsilon,K}^{*} \text{ is } D\text{-periodic,}
\end{cases}$$

corresponds to applying the truncation method of [53] to the mixed variational formulation rather than to the minimization problem associated with (1.1) (see Remark 4.11). While the minimization principle ensures that (1.6) is well-posed, we do not know whether this is the case for (1.11). However if it is, then Proposition 4.5 implies that (1.11) improves the approximation accuracy up to the order $O(\varepsilon^{2K+4})$.

The article outlines as follows. Notation conventions related to tensors and technical assumptions are exposed in section 2.

In section 3, we introduce cell problems and their solution tensors $(\mathcal{X}^k, \boldsymbol{\alpha}^k)$ which allow to identify the functions \boldsymbol{u}_i , p_i^* and p_i in the ansatz (1.7). We show that the formal average $(\boldsymbol{u}_{\varepsilon}^*, p_{\varepsilon}^*)$ solves the infinite order homogenized equation (1.9) involving the tensors M^k . After defining the tensors $N^k(y)$ and $\beta^k(y)$, we derive the "criminal" ansatz (1.10) expressing $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ in terms of p_{ε}^* and of the derivatives of $\boldsymbol{u}_{\varepsilon}^*$. Throughout this section, a number of algebraic properties are stated for the various tensors coming at play, such as the symmetry and the antisymmetry of the matrix valued tensors M^k for respectively even and odd values of k, and the simplifications taking place in case the obstacle ηT is symmetric with respect to the cell axes.

Section 4 details the truncation process of the infinite order equation (1.9) leading to the well-posed model (1.6). We then provide an error analysis of the homogenized approximations of $(u_{\varepsilon}, p_{\varepsilon})$ generated by our procedure: our main result is stated in

Corollary 4.15 where we show that the solution $(\boldsymbol{v}_{\varepsilon,K}^*, q_{\varepsilon,K}^*)$ of (1.6) yield approximations of $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ in the $L^2(D_{\varepsilon})$ norm of order K+3 and K+1 for the velocity and the pressure respectively. We establish explicit formulas relating the coefficients \mathbb{D}_K^k to the coefficients M^k and we briefly discuss the improvement provided by (1.11) in case it is well-posed.

The last section 5 investigates asymptotics of the tensors M^k in the low volume fraction limit where the scaling of the obstacle η converges to zero. Our main result is Corollary 5.5 where we obtain the "coefficient-wise" convergence of the infinite order homogenized equation as well as the one of (1.6) towards either of the Brinkman of Darcy regimes (1.4) and (1.5) when η is respectively equivalent or greater than the critical size $\eta_{\rm crit} \sim \varepsilon^{2/(d-2)}$, and towards the Stokes regime (1.3) for $\eta = o(\varepsilon^{2/(d-2)})$ in the case K = 0. Although our error estimates for (1.6), are a priori not uniform in η , this suggests that our higher order model (1.6) has the potential to yield valid approximations in any regime of size of holes (at least for K = 0 or above the critical scale). Note that our analysis is unfortunately unsufficient to establish the convergence of the high order coefficients $\varepsilon^{k-2}M^k$ with k > 2 towards 0 as $\eta \to 0$. Future works will investigate higher order asymptotics of the tensors M^k in the subcritical regime $\eta = o(\varepsilon^{2/(d-2)})$ which are required to establish or invalidate such a claim.

- **2. Setting and notation conventions related to tensors.** In the sequel, we consider the following two classical assumptions for the distributions of the holes ω_{ε} (we recall the schematic of Figure 1), following [5]:
- **(H1)** $Y = P \setminus (\eta T) \subset P$, as a subset of the unit torus (opposite matching faces of $(0,1)^d$ are identified) is a smooth connected set with non-empty interior.
 - **(H2)** The fluid component $D_{\varepsilon} = D \setminus \omega_{\varepsilon}$ is a smooth connected set.

Remark 2.1. Assumption (H1) does not necessarily imply (H2), see [3] for a counterexample. Assumption (H1) is not very restrictive and can easily be generalized to the case where the subset Y has m connected components with $m \in \mathbb{N}$ (see Appendix 7.5.6 in [33]). Assumption (H2) is stronger, but is also more connected to physical applications. It forbids the existence of isolated fluid inclusions. Most of our derivations only assume (H1). However, we rely on both assumptions (H1) and (H2) in order to obtain error bounds section 4, because we use some technical results of [5].

Below and further on, we consider scalar and vectorial functions such as

which are both D and P-periodic with respect to respectively the first and the second variable, and which vanish on the hole $D \times (\eta T)$. The arguments x and y of u(x,y) are respectively called the "slow" and the "fast" or "oscillating" variable. With a small abuse of notation, the partial derivative with respect to the variable y_j (respectively x_j) is simply written ∂_j instead of ∂_{y_j} (respectively ∂_{x_j}) when the context is clear.

The star—"*" – symbol is used to indicate that a quantity is "macroscopic" in the sense that it does not depend on the fast variable x/ε ; e.g. $(\boldsymbol{v}_{\varepsilon,K}^*, q_{\varepsilon,K}^*)$ or $(\boldsymbol{u}_{\varepsilon}^*, p_{\varepsilon}^*)$ in (1.6) and (1.9). In the particular case where a two-variable quantity u(x,y) is given such as (2.1), $u^*(x)$ always denotes the average of $y \mapsto u(x,y)$ with respect to the y variable:

$$u^*(x) := \int_P u(x, y) dy = \int_Y u(x, y) dy, \qquad x \in D,$$

where the last equality is a consequence of u vanishing on $P \setminus Y = \overline{\eta T}$. When a function $\mathcal{X}: P \to \mathbb{R}$ depends only on the y variable, we find occasionally more convenient to write its cell average with the usual angle bracket symbols:

$$\langle \mathcal{X} \rangle := \int_{P} \mathcal{X}(y) \mathrm{d}y.$$

- In all what follows, unless otherwise specified, the Einstein summation convention
- over repeated subscript indices is assumed (but never on superscript indices). Vectors
- $\boldsymbol{b} \in \mathbb{R}^d$ are written in bold face notation. 212
- The notation conventions used for tensor related operations are summarized in the 213
- nomenclature below. Some of them are not standard; they allow to avoid to system-214
- 215 atically write partial derivative indices (e.g. $1 \le i_1 \dots i_k \le d$) and to distinguish them
- from spatial indices (e.g. $1 \le l, m \le d$) associated with vector or matrix components. 216

Scalar, vector, and matrix valued tensors and their coordinates 217

- Vector of \mathbb{R}^d 218 \boldsymbol{b}
- $b^k_{j})_{1 \leq j \leq d}$ Coordinates of the vector \boldsymbol{b} 219
- 220
- \boldsymbol{b}^k 221
- B^k 222
- Scalar valued tensor of order k $(b^k_{i_1...i_k} \in \mathbb{R} \text{ for } 1 \leq i_1, ..., i_k \leq d)$ Vector valued tensor of order k $(b^k_{i_1...i_k} \in \mathbb{R}^d \text{ for } 1 \leq i_1, ..., i_k \leq d)$ Matrix valued tensor of order k $(B^k_{i_1...i_k} \in \mathbb{R}^{d \times d} \text{ for } 1 \leq i_1, ..., i_k \leq d)$ Coordinates of the vector valued tensor \mathbf{b}^k $(b^k_j \text{ is a } scalar \text{ tensor of order})$ $(b_{i}^{k})_{1 \le j \le d}$ 223 224
- $(B_{lm}^k)_{1\leq l,m\leq d}$ Coefficients of the matrix valued tensor B^k (B_{lm}^k is a scalar tensors of 225 226 order k).
- Coefficient of the vector valued tensor \boldsymbol{b}^k $(1 \leq i_1, \dots i_k, j \leq d)$ 227
- $b_{i_1...i_k,j}^k \\ B_{i_1...i_k,lm}^k$ Coefficients of the matrix valued tensor B^k $(1 \le i_1, \dots i_k, l, m \le d)$ 228

Tensor products 229

 $b^p \otimes c^{k-p}$ Tensor product of scalar tensors b^p and c^{k-p} : 230

$$(2.2) (b^p \otimes c^{k-p})_{i_1 \dots i_k} := b^p_{i_1 \dots i_p} c^{k-p}_{i_{p+1} \dots i_k}.$$

Tensor product of a scalar tensors a^p and a vector valued tensor \boldsymbol{b}^{k-p} : $a^p \otimes \boldsymbol{b}^{k-p}$ 232

233
$$(a^p \otimes \boldsymbol{b}^{k-p})_{i_1...i_k} := a^p_{i_1...i_p} \boldsymbol{b}^{k-p}_{i_{p+1}...i_k}.$$

 $B^p \otimes C^{k-p}$ Tensor product of matrix valued tensors B^p and C^{k-p} : 234

235
$$(B^p \otimes C^{k-p})_{i_1...i_k,lm} := B^p_{i_1...i_p,lj} C^{k-p}_{i_{p+1}...i_k,jm}.$$

Hence a matrix product is implicitly assumed in the notation $B^p \otimes C^{k-p}$. 236 Tensor product and Frobenius product of matrix tensors B^p and C^{k-p} : 237

238
$$(2.5) (B^p : C^{k-p})_{i_1 \dots i_k} := B^p_{i_1 \dots i_p, lm} C^{k-p}_{i_{p+1} \dots i_k, lm}.$$

Tensor product and inner product of vector valued tensors b^p and c^{k-p} : $\boldsymbol{b}^p \cdot \boldsymbol{c}^{k-p}$ 239

$$(2.6) (b^p \cdot c^{k-p})_{i_1...i_k} := b^p_{i_1...i_n,m} c^{k-p}_{i_{n+1}...i_k,m}.$$

241 $B^p \cdot c^{k-p}$ Tensor product of a matrix tensor B^p and a vector tensors c^{k-p} :

242
$$(2.7) (B^p \cdot c^{k-p})_{i_1...i_k,l} := B^p_{i_1...i_p,lm} c^{k-p}_{i_{p+1}...i_k,m}.$$

Hence a matrix-vector product is implicitly assumed in $B^p \cdot c^{k-p}$.

244 Contraction with partial derivatives

245 $b^k \cdot \nabla^k$ Differential operator of order k associated with a scalar tensor b^k :

$$b^k \cdot \nabla^k := b^k_{i_1 \dots i_k} \partial^k_{i_1 \dots i_k}.$$

247 $\boldsymbol{b}^k \cdot \nabla^k$ Differential operator of order k associated with a vector tensor \boldsymbol{b}^k : for any smooth vector field $\boldsymbol{v} \in \mathcal{C}^{\infty}_{per}(D, \mathbb{R}^d)$,

$$\mathbf{b}^k \cdot \nabla^k \mathbf{v} = b^k_{i_1 \dots i_k, l} \partial^k_{i_1 \dots i_k} v_l.$$

250 $B^k \cdot \nabla^k$ Differential operator of order k associated with a matrix valued tensor B^k : for any smooth vector field $\mathbf{v} \in \mathcal{C}^{\infty}_{per}(D, \mathbb{R}^d)$,

$$(2.10) (B^k \cdot \nabla^k v)_l = B^k_{i_1 \dots i_k, lm} \partial^k_{i_1 \dots i_k} v_m.$$

253 Special tensors

254 $(e_j)_{1 \leq j \leq d}$ Vectors of the canonical basis of \mathbb{R}^d .

Scalar valued tensor of order 1 given by $e_{j,i_1} := \delta_{i_1j}$ (with $1 \le j \le d$).

256 δ_{ij} Kronecker symbol: $\delta_{ij} = 1$ if i = j and $\delta_{ij} = 0$ if $i \neq j$.

I Identity tensor of order 2:

$$I_{i_1 i_2} = \delta_{i_1 i_2}$$
.

The identity tensor is another notation for the Kronecker tensor and it holds $I = e_j \otimes e_j$ with summation on the index $1 \leq j \leq d$.

 J^{2k} Tensor of order 2k defined by:

$$J^{2k} := \overbrace{I \otimes I \otimes \cdots \otimes I}^{k \text{ times}}.$$

259260

262

263

266

267

268

252

With a small abuse of notation, we consider zeroth order tensors b^0 to be constants (i.e. $b^0 \in \mathbb{R}$ if b^0 is scalar) and we still denote by $b^0 \otimes c^k := b^0 c^k$ the tensor product with a k-th order tensor c^k . The same convention also applies to vector valued and matrix valued tensors.

In all what follows, a k-th order tensor b^k (scalar, vector or matrix valued) truly makes sense when contracted with k partial derivatives, as in (2.8)–(2.10). Therefore all the tensors considered throughout this work are identified to their symmetrization:

$$b_{i_1...i_k}^k \equiv \frac{1}{k!} \sum_{\sigma \in \mathfrak{S}_k} b_{i_{\sigma(1)}...i_{\sigma(k)}},$$

where \mathfrak{S}_k is the permutation group of order k. Consequently, the order in which the (derivative) indices i_1, \ldots, i_k are written in $b_{i_1 \ldots i_k}^k$ does not matter.

Finally, in the whole work, we write C, C_K or $C_K(\mathbf{f})$ to denote universal constants that do not depend on ε but whose values may change from lines to lines (and which may depend on η or on the obstacle T).

Remark 2.2. In a limited number of places, the superscript or subscript indices $p, q \in \mathbb{N}$ are used. Naturally, these are not to be confused with the pressure variables p_{ε} or q_{ε} introduced in (1.1).

3. Infinite order homogenized equation and criminal ansatz. We start by identifying the two-scale structure of $(u_{\varepsilon}, p_{\varepsilon})$ which arise in the form of the ansatz (1.7). Because it helps emphasizing the arising of Cauchy products, we assume, in this section only, that the right-hand side f can be formally decomposed into a power series in ε :

277 (3.1)
$$\forall x \in D, \, \boldsymbol{f}(x) = \sum_{i=0}^{+\infty} \varepsilon^{i} \boldsymbol{f}^{i}(x).$$

3.1. Identification of the "classical" ansatz: tensors $(\mathcal{X}^k, \alpha^k)$. Inserting (1.7) into the Stokes system (1.1) yields the following cascade of equations:

$$\begin{cases}
-\Delta_{yy} \boldsymbol{u}_{i+2} + \nabla_{y} p_{i+2} = \boldsymbol{f}_{i+2} - \nabla_{x} p_{i+2}^{*} - \nabla_{x} p_{i+1} + \Delta_{xy} \boldsymbol{u}_{i+1} + \Delta_{xx} \boldsymbol{u}_{i}, \\
\operatorname{div}_{y}(\boldsymbol{u}_{i+2}) = -\operatorname{div}_{x}(\boldsymbol{u}_{i+1}), \\
\boldsymbol{u}_{-2} = \boldsymbol{u}_{-1} = 0, \ p_{-1} = 0, \\
\boldsymbol{u}_{i}(x, \cdot) = 0 \text{ on } \partial(\eta T) \\
\boldsymbol{u}_{i}(x, \cdot) \text{ is } P\text{-periodic for any } x \in D, \\
\boldsymbol{u}_{i}(\cdot, y) \text{ is } D\text{-periodic for any } y \in P,
\end{cases}$$

for any $i \geq -2$, where the operators $-\Delta_{yy}$, $-\Delta_{xy}$, $-\Delta_{yy}$ are defined by

$$-\Delta_{xx} = -\operatorname{div}_x(\nabla_x \cdot), \quad -\Delta_{xy} = -\operatorname{div}_x(\nabla_y \cdot) - \operatorname{div}_y(\nabla_x \cdot), \quad -\Delta_{yy} := -\operatorname{div}_y(\nabla_y \cdot).$$

- 281 In order to solve (3.2), we introduce a family of respectively vector valued tensors
- $(\mathcal{X}_{j}^{k}(y))_{1\leq j\leq d}$ and scalar valued tensors $(\alpha_{j}^{k}(y))_{1\leq j\leq d}$ defined by induction as the
- unique solutions in $H^1_{ner}(Y,\mathbb{R}^d) \times L^2(Y)/\mathbb{R}$ to the following cell problems:

284 (3.3)
$$\begin{cases} -\Delta_{yy} \boldsymbol{\mathcal{X}}_{j}^{0} + \nabla_{y} \alpha_{j}^{0} = \boldsymbol{e}_{j} \text{ in } Y, \\ \operatorname{div}_{y} (\boldsymbol{\mathcal{X}}_{j}^{0}) = 0 \text{ in } Y \end{cases}$$

290

285 (3.4)
$$\begin{cases} -\Delta_{yy} \boldsymbol{\mathcal{X}}_{j}^{1} + \nabla_{y} \alpha_{j}^{1} = (2\partial_{l} \boldsymbol{\mathcal{X}}_{j}^{0} - \alpha_{j}^{0} \boldsymbol{e}_{l}) \otimes \boldsymbol{e}_{l} \text{ in } Y \\ \operatorname{div}_{y} (\boldsymbol{\mathcal{X}}_{j}^{1}) = -(\boldsymbol{\mathcal{X}}_{j}^{0} - \langle \boldsymbol{\mathcal{X}}_{j}^{0} \rangle) \cdot \boldsymbol{e}_{l} \otimes \boldsymbol{e}_{l} \text{ in } Y, \end{cases}$$

286 (3.5)
$$\begin{cases} -\Delta_{yy} \boldsymbol{\mathcal{X}}_{j}^{k+2} + \nabla_{y} \alpha_{j}^{k+2} = (2\partial_{l} \boldsymbol{\mathcal{X}}_{j}^{k+1} - \alpha_{j}^{k+1} \boldsymbol{e}_{l}) \otimes \boldsymbol{e}_{l} + \boldsymbol{\mathcal{X}}_{j}^{k} \otimes \boldsymbol{I} \text{ in } \boldsymbol{Y} \\ \operatorname{div}_{y} (\boldsymbol{\mathcal{X}}_{j}^{k+2}) = -(\boldsymbol{\mathcal{X}}_{j}^{k+1} - \langle \boldsymbol{\mathcal{X}}_{j}^{k+1} \rangle) \cdot \boldsymbol{e}_{l} \otimes \boldsymbol{e}_{l} \text{ in } \boldsymbol{Y} \end{cases} \quad \forall k \geq 0.$$

Equations (3.3)–(3.5) are supplemented with the following boundary conditions:

289 (3.6)
$$\begin{cases} \int_{Y} \alpha_{j}^{k} dy = 0 \\ \boldsymbol{\mathcal{X}}_{j}^{k} = 0 \text{ on } \partial(\eta T) \\ (\boldsymbol{\mathcal{X}}_{j}^{k}, \alpha_{j}^{k}) \text{ is } P\text{-periodic} \end{cases} \forall k \geq 0.$$

Remark 3.1. In view of the notation conventions of section 2, the non bold symbols $\otimes e_l$ and $\otimes I$ indicate the arising of extra partial derivatives indices. For instance, the first line of (3.5) must be understood as

$$-\Delta_{yy} \mathcal{X}^{k+2}_{j,i_1,\dots i_{k+2}} + \nabla \alpha^{k+2}_{j,i_1\dots i_{k+2}} = 2\partial_{i_{k+2}} \mathcal{X}^{k+1}_{j,i_1\dots i_{k+1}} - \alpha^{k+1}_{j,i_1\dots i_{k+1}} \boldsymbol{e}_{i_{k+2}} + \mathcal{X}^k_{j,i_1\dots i_k} \delta_{i_{k+1}i_{k+2}}.$$

We introduce the k-th order matrix valued tensors \mathcal{X}^k whose columns are the vector valued tensors $(\boldsymbol{\mathcal{X}}_{i}^{k})$:

$$(\mathcal{X}_{ij}^k(y))_{1 \leq i,j \leq d} := \begin{bmatrix} \mathcal{X}_1^k(y) & \dots & \mathcal{X}_d^k(y) \end{bmatrix}, \forall y \in Y, \quad \forall k \geq 0.$$

We also denote by α^k the k-th order vector valued tensor whose coordinates are the scalar tensors α_i^k :

$$\alpha^k(y) := (\alpha_j^k(y))_{1 \le j \le d}, \forall y \in Y, \quad \forall k \ge 0.$$

- Following the conventions of section 2, we use a star notation to denote the average 291 of respectively the tensor \mathcal{X}^k and of the vector fields u_i :
- 292

293 (3.7)
$$\mathcal{X}^{k*} := \int_Y \mathcal{X}^k(y) dy, \forall k \ge 0, \quad \mathbf{u}_i^*(x) := \int_Y \mathbf{u}_i(x, y) dy, \forall x \in D, \forall i \ge 0.$$

- The tensors \mathcal{X}^k and $\boldsymbol{\alpha}^k$ enable to solve the cascade of equations (3.2): 294
- PROPOSITION 3.2. Assume (H1). The solutions $u_i(x,y)$, $p_i(x,y)$ of the cascade 295 of equations (3.2) are given by 296

$$\mathbf{u}_{i}(x,y) = \sum_{k=0}^{i} \mathcal{X}^{k}(y) \cdot \nabla^{k}(\mathbf{f}_{i-k}(x) - \nabla p_{i-k}^{*}(x))$$

$$p_{i}(x,y) = \sum_{k=0}^{i} \boldsymbol{\alpha}^{k}(y) \cdot \nabla^{k}(\mathbf{f}_{i-k}(x) - \nabla p_{i-k}^{*}(x)),$$

where the functions p_i^* are uniquely determined recursively as the solutions to the 298 following elliptic system: for any $i \geq 0$,

$$\begin{cases}
-\operatorname{div}_{x}(\mathcal{X}^{0*}\nabla_{x}p_{i}^{*}) = -\operatorname{div}_{x}(\mathcal{X}^{0*}\boldsymbol{f}_{i}) \\
-\sum_{k=1}^{i}\operatorname{div}(\mathcal{X}^{k*}\cdot\nabla^{k}(\boldsymbol{f}_{i-k}-\nabla_{x}p_{i-k}^{*})) \text{ in } D_{\varepsilon}, \\
\int_{D}p_{i}^{*}\operatorname{d}x = 0 \\
p_{i}^{*} \text{ is } D\text{-periodic.}
\end{cases}$$

Recognizing Cauchy products, the identities (3.8) and (3.9) rewrite formally in terms 301 302 of equality of formal power series:

303 (3.10)
$$\boldsymbol{u}_{\varepsilon}(x) = \sum_{i=0}^{+\infty} \varepsilon^{i+2} \mathcal{X}^{i}(x/\varepsilon) \cdot \nabla^{i}(\boldsymbol{f}(x) - \nabla p_{\varepsilon}^{*}(x)),$$

304 (3.11)
$$p_{\varepsilon}(x) = p_{\varepsilon}^{*}(x) + \sum_{i=0}^{+\infty} \varepsilon^{i+1} \boldsymbol{\alpha}^{i}(x/\varepsilon) \cdot \nabla^{i}(\boldsymbol{f}(x) - \nabla p_{\varepsilon}^{*}(x)),$$

305 (3.12)
$$\operatorname{div}(\boldsymbol{u}_{\varepsilon}^{*}(x)) = 0 \text{ where } \boldsymbol{u}_{\varepsilon}^{*}(x) = \sum_{i=0}^{+\infty} \varepsilon^{i+2} \mathcal{X}^{i*} \cdot \nabla^{i}(\boldsymbol{f}(x) - \nabla p_{\varepsilon}^{*}(x)).$$

Proof. The result is proved by induction. The case i = -1 is straightforward 307 thanks to the convention $u_{-1} = p_{-1} = 0$. In this proof we use the short-hand 308

notation $h_i(x) = f_i(x) - \nabla p_i^*(x)$. Assuming (3.8) and (3.9) hold till rank i + 1 with $i \ge -2$, we compute, substituting (3.8) into (3.2):

$$\begin{cases}
(-\Delta_{yy}\boldsymbol{u}_{i+2} + \nabla_{y}p_{i+2})(x,y) \\
= h_{i+2,j}(x)\boldsymbol{e}_{j} + (2\partial_{l}\boldsymbol{\mathcal{X}}_{j}^{0}(y) - \alpha_{j}^{0}(y)\boldsymbol{e}_{l}) \otimes \boldsymbol{e}_{l}) \cdot \nabla h_{i+1,j}(x) \\
+ \sum_{k=0}^{i} ((2\partial_{l}\boldsymbol{\mathcal{X}}_{j}^{k+1}(y) - \alpha_{j}^{k+1}(y)\boldsymbol{e}_{l}) \otimes \boldsymbol{e}_{l} + \boldsymbol{\mathcal{X}}_{j}^{k}(y) \otimes \boldsymbol{I}) \cdot \nabla^{k+2}h_{i-k,j}(x) \\
\operatorname{div}_{y}(\boldsymbol{u}_{i+2})(x,y) = -\sum_{k=0}^{i+1} (\boldsymbol{\mathcal{X}}_{j}^{k}(y) \cdot \boldsymbol{e}_{l} \otimes \boldsymbol{e}_{l}) \cdot \nabla^{k+1}h_{i+1-k,j}(x).
\end{cases}$$

The system (3.13) admits a unique solution (u_{i+2}, p_{i+2}) with $\int_Y p_{i+2}(x, y) dy = 0$ if and only if the following compatibility condition (the so-called "Fredholm alternative") holds (for any $i \ge -1$):

$$\int_{Y} \operatorname{div}_{y}(\boldsymbol{u}_{i+2})(x,y) dy = -\sum_{k=0}^{i+1} [\langle \boldsymbol{\mathcal{X}}_{j}^{k} \rangle \cdot \boldsymbol{e}_{l} \otimes e_{l}] \cdot \nabla^{k+1} h_{i+1-k,j}(x) = 0.$$

The above equation determines p_{i+1}^* given the values of p_k^* for $0 \le k \le i$:

$$(\langle \boldsymbol{\mathcal{X}}_{j}^{0} \rangle \cdot \boldsymbol{e}_{l}) \partial_{l} (f_{i+1,j} - \partial_{j} p_{i+1}^{*}) = - \sum_{k=1}^{i+1} [\langle \boldsymbol{\mathcal{X}}_{j}^{k} \rangle \cdot \boldsymbol{e}_{l} \otimes e_{l}] \cdot \nabla^{k+1} (f_{i+1-k,j} - \partial_{j} p_{i+1-k}^{*}),$$

which is (3.9) at order i+1. This identity allows to rewrite $\operatorname{div}_y(u_{i+2})$ as

316

317

318

313 (3.14)
$$\operatorname{div}_{y}(\boldsymbol{u}_{i+2})(x,y) = -\sum_{k=0}^{i+1} [(\boldsymbol{\mathcal{X}}_{j}^{k}(y) - \langle \boldsymbol{\mathcal{X}}_{j}^{k} \rangle) \cdot \boldsymbol{e}_{l} \otimes \boldsymbol{e}_{l}] \cdot \nabla^{k+1} h_{i+1-k,j}(x).$$

By linearity, (3.13) and (3.14) and the definitions of $(\mathcal{X}_j^k, \alpha_j^k)$ through the cell problems (3.3)–(3.5) imply the result at rank i+2.

Remark 3.3. The truncation of the series (3.12) at first order yields the well-known Darcy's law [52]. The next terms of the series have been obtained in [46, 26], at least up to the order i = 1.

Remark 3.4. The ansatz (3.10) is already non-standard (when compared to (1.7)) because it features p_{ε}^* which is a formal power series in ε (recall (1.8)); in other words it is not an ansatz but rather a compact way of writing the Cauchy products (3.8).

The next proposition establishes the symmetry and antisymmetry of the matrices \mathcal{X}^{k*} (eqn. (3.7)) for respectively odd and even values of k. We note that similar identities have been found for the Poisson [34] or the wave equation [1].

PROPOSITION 3.5. For any $k \geq 0$ and $0 \leq p \leq k$, $1 \leq i, j \leq d$, the following identity holds for the matrix valued tensor \mathcal{X}^{k*} :

327 (3.15)
$$\mathcal{X}_{ij}^{k*} = (-1)^p \int_{\mathcal{X}} ((-\Delta_{yy} \mathcal{X}_i^p + \nabla \alpha_i^p) \cdot \mathcal{X}_j^{k-p} + \nabla \alpha_j^{k-p} \cdot \mathcal{X}_i^p - \mathcal{X}_j^{k-p-1} \cdot \mathcal{X}_i^{p-1} \otimes I) dy$$

with $\mathcal{X}_i^{-1} = 0$ by convention. In particular, for any $k \geq 0$, \mathcal{X}^{2k*} and \mathcal{X}^{2k+1*} take values respectively in the set of $d \times d$ symmetric and antisymmetric matrices:

330 (3.16)
$$\mathcal{X}_{ij}^{2k*} = (-1)^k \int_{\mathcal{X}} (\nabla \mathcal{X}_i^k : \nabla \mathcal{X}_j^k + \nabla \alpha_i^k \cdot \mathcal{X}_j^k + \nabla \alpha_j^k \cdot \mathcal{X}_i^k - \mathcal{X}_i^{k-1} \cdot \mathcal{X}_j^{k-1} \otimes I) dy$$

331

346

347

332 (3.17)
$$\mathcal{X}_{ij}^{2k+1*} = (-1)^k \int_Y (\mathcal{X}_i^k \cdot \nabla \mathcal{X}_j^k - \mathcal{X}_j^k \cdot \nabla \mathcal{X}_i^k + \alpha_i^k \mathcal{X}_j^k - \alpha_j^k \mathcal{X}_i^k) \cdot \boldsymbol{e}_l \otimes \boldsymbol{e}_l \mathrm{d}y$$

$$+ (-1)^k \int_Y (\mathcal{X}_j^{k-1} \cdot \mathcal{X}_j^k - \mathcal{X}_i^{k-1} \cdot \mathcal{X}_j^k) \mathrm{d}y.$$

Proof. The result holds for p = 0 because

$$\mathcal{X}_{ij}^{k*} = \int_{Y} \mathcal{X}_{j}^{k} \cdot e_{i} dy = \int_{Y} \mathcal{X}_{j}^{k} \cdot (-\Delta_{yy} \mathcal{X}_{i}^{0} + \nabla \alpha_{i}^{0}) dy.$$

Assuming now that (3.15) holds till rank p with $k > p \ge 0$, we prove the result at rank p + 1. We write, after an integration by parts and by using (3.3)–(3.5):

335
$$\mathcal{X}_{ij}^{k*} = (-1)^{p} \int_{Y} [-\mathcal{X}_{i}^{p} \cdot \Delta \mathcal{X}_{j}^{k-p} - \alpha_{i}^{p} \operatorname{div}(\mathcal{X}_{j}^{k-p}) - \alpha_{j}^{k-p} \operatorname{div}(\mathcal{X}_{i}^{p})$$

$$- \mathcal{X}^{k-p-1} \cdot \mathcal{X}_{i}^{p-1} \otimes I] dy$$
336
$$= (-1)^{p} \int_{Y} [(\mathcal{X}_{i}^{p} \cdot (2\partial_{l} \mathcal{X}_{j}^{k-p-1} - \alpha_{j}^{k-p-1} e_{l}) \otimes e_{l} + \mathcal{X}_{j}^{k-p-2} \otimes I - \nabla \alpha_{j}^{k-p}) \cdot \mathcal{X}_{i}^{p}$$

$$+ \alpha_{i}^{p} \mathcal{X}_{j}^{k-p-1} \cdot e_{l} \otimes e_{l} + \alpha_{j}^{k-p} \mathcal{X}_{i}^{p-1} \cdot e_{l} \otimes e_{l} - \mathcal{X}_{j}^{k-p-1} \cdot \mathcal{X}_{i}^{p-1} \otimes I] dy$$
338
$$= (-1)^{p} \int_{Y} [-\mathcal{X}_{j}^{k-p-1} \cdot ((2\partial_{l} \mathcal{X}_{i}^{p} - \alpha_{i}^{p} e_{l}) \otimes e_{l} + \mathcal{X}_{i}^{p-1} \otimes I) + \alpha_{j}^{k-p-1} \operatorname{div}(\mathcal{X}_{i}^{p+1})$$
339
$$- \nabla \alpha_{j}^{k-p} \cdot \mathcal{X}_{i}^{p} - \alpha_{j}^{k-p} \operatorname{div}(\mathcal{X}_{i}^{p}) + \mathcal{X}_{j}^{k-p-2} \cdot \mathcal{X}_{i}^{p} \otimes I] dy$$
340
$$= (-1)^{p} \int_{Y} [-\mathcal{X}_{j}^{k-p-1} \cdot (-\Delta_{yy} \mathcal{X}_{i}^{p+1} + \nabla \alpha_{i}^{p+1})$$

$$- \nabla \alpha_{j}^{k-p-1} \cdot \mathcal{X}_{i}^{p+1} + \mathcal{X}_{j}^{k-p-2} \cdot \mathcal{X}_{i}^{p} \otimes I] dy,$$

whence (3.15) at rank p+1. Finally, the expression (3.16) for \mathcal{X}_{ij}^{2k*} is obtained by setting $k \leftarrow 2k$ and $p \leftarrow k$ in (3.15). The expression for \mathcal{X}_{ij}^{2k+1*} is obtained by setting $k \leftarrow 2k+1$ and $p \leftarrow k$ and performing an integration by parts.

3.2. Derivation of the infinite order homogenized equation and of the criminal ansatz. We now proceed on the derivation of the infinite order homogenized equation (1.9). Let us recall the classical positive definiteness of the Darcy tensor \mathcal{X}^{0*} .

COROLLARY 3.6. Assume (H1). The matrix $\mathcal{X}^{0*} = (\mathcal{X}_{ij}^{0*})_{1 \leq i,j \leq d}$ (defined in 350 (3.7)) is positive symmetric definite.

351 Proof. See [52] or Corollary 7.8 in [33].
$$\square$$

Hence, the following definition of the tensors $(M^k)_{k\in\mathbb{N}}$ makes sense.

PROPOSITION 3.7. Let M^k be the tensor of order k defined by induction as follows:

$$\begin{cases} M^0 = (\mathcal{X}^{0*})^{-1} \\ M^k = -(\mathcal{X}^{0*})^{-1} \sum_{p=0}^{k-1} \mathcal{X}^{k-p*} \otimes M^p, \quad \forall k \ge 1. \end{cases}$$

Then the source terms f_i (eqn. (3.1)) can be expressed in terms of the averaged 356 summands $\mathbf{u}_{i}^{*}(x)$ and $p_{i}^{*}(x)$ ((1.8) and (3.7)) through the following identity: 357

358 (3.19)
$$\forall i \geq 0, \, \boldsymbol{f}_i(x) - \nabla p_i^*(x) = \sum_{k=0}^i M^k \cdot \nabla^k \boldsymbol{u}_{i-k}^*(x).$$

- Recognizing a Cauchy product, (3.19) and (3.12) rewrite formally as the "infinite 359 order" homogenized system (1.9) for the formal average $(\boldsymbol{u}_{\varepsilon}^*, p_{\varepsilon}^*)$ defined in (1.8). 360
- *Proof.* The proof is identical to the one of Proposition 5 in [33], it amounts to 361 average the first line of (3.8) with respect to y and to solve the resulting triangular 362 system determining $f_{i-k} - \nabla p_{i-k}^*$ in terms of u_i^* . 363
- The definition (3.18) essentially states that $\sum_{k=0}^{+\infty} \varepsilon^{k-2} M^k \cdot \nabla^k$ is the inverse of the formal power series $\sum_{k=0}^{+\infty} \varepsilon^{k+2} \mathcal{X}^{k*} \cdot \nabla^k$. In this spirit, it is even possible to write a fully explicit formula (see [34], Proposition 6 and Remark 2 for the proof): 364
- 365
- 366
- PROPOSITION 3.8. For any $k \geq 1$, the tensor M^k is explicitly given by 367

368 (3.20)
$$M^k = \sum_{p=1}^k (-1)^p \sum_{\substack{i_1 + \dots + i_p = k \\ 1 \le i_1, \dots, i_p \le k}} (\mathcal{X}^{0*})^{-1} \otimes \mathcal{X}^{i_1*} \otimes \dots \otimes (\mathcal{X}^{0*})^{-1} \otimes \mathcal{X}^{i_p*} \otimes (\mathcal{X}^{0*})^{-1}.$$

- We now introduce matrix valued tensors N^k and vector valued tensors $\boldsymbol{\beta}^k$ which allow 369
- to obtain the "criminal ansatz" (1.10) expressing the velocity and pressure $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ in
- terms of their formal average $(\boldsymbol{u}_{\varepsilon}^*, p_{\varepsilon}^*)$. 371

Proposition 3.9. Let N^k and β^k be respectively the k-th order matrix valued and vector valued tensors defined for any $k \in \mathbb{N}$ by

$$N^k(y) := \sum_{p=0}^k \mathcal{X}^{k-p}(y) \otimes M^p, \qquad \boldsymbol{\beta}^k(y) := \sum_{p=0}^k (-1)^p M^p \cdot \boldsymbol{\alpha}^{k-p}(y), \qquad \forall y \in Y.$$

- Then the summands $\mathbf{u}_i(x,y)$ and $p_i(x,y)$ of (3.10) and (3.11) are given for any $i \geq 0$ 372
- in terms of the averages \mathbf{u}_{i}^{*} (eqn. (3.7)) and p_{i}^{*} as follows: 373

374 (3.21)
$$\mathbf{u}_{i}(x,y) = \sum_{k=0}^{i} N^{k}(y) \cdot \nabla^{k} \mathbf{u}_{i-k}^{*}(x), \quad p_{i}(x,y) = \sum_{k=0}^{i} \boldsymbol{\beta}^{k}(y) \cdot \nabla^{k} \mathbf{u}_{i-k}^{*}(x).$$

Recognizing Cauchy products, the identities (3.21) can be rewritten formally as the 375 "criminal ansatz" (1.10). 376

Proof. The result is obtained by substituting (3.19) into (3.8) which yields

$$\begin{aligned} \boldsymbol{u}_i(x,y) &= \sum_{p=0}^i \sum_{q=0}^{i-p} \mathcal{X}^p(y) \otimes M^q \cdot \nabla^{p+q} \boldsymbol{u}_{i-p-q}^*(x) \\ &= \sum_{k=0}^i \sum_{p=0}^k (\mathcal{X}^p(y) \otimes M^{p-k}) \cdot \nabla^k \boldsymbol{u}_{i-k}^*(x) \text{ (change of indices } k = p+q) \end{aligned}$$

from where the identity (3.21) for $u_i(x,y)$ follows by inverting the summation. Similarly, we obtain

$$p_i(x,y) = \sum_{k=0}^{i} \sum_{p=0}^{k} ((M^{p-k})^T \cdot \boldsymbol{\alpha}^p(y)) \cdot \nabla^k \boldsymbol{u}_{i-k}^*(x),$$

hence (3.21) by using $(M^{p-k})^T = (-1)^{p-k} M^{p-k}$ (see Corollary 3.11 below). In what follows, we denote by $(\mathbf{N}_j^k)_{1 \leq j \leq d}$ and by $(\beta_j^k)_{1 \leq j \leq d}$ respectively the column vectors and the coefficients of $N^k(y)$ and $\boldsymbol{\beta}^k(y)$:

$$\forall 1 \leq i, j \leq d, \, \mathbf{N}_i^k := N^k \mathbf{e}_j \text{ and } \beta_i^k := \boldsymbol{\beta}^k \cdot \mathbf{e}_j.$$

- In addition, the convention $N_j^{-1} = 0$ is assumed. We shall in the sequel use several times the following properties of (N_j^k, β_j^k) which are dual to those of $(\mathcal{X}_j^k, \alpha_j^k)$.
- PROPOSITION 3.10. The k-th order tensors N^k , $(N_j^k)_{1 \le j \le d}$, $\boldsymbol{\beta}^k$ and $(\beta_j^k)_{1 \le j \le d}$ and $(\beta_j^k)_{1 \le j \le d}$
- 382 (i) $\int_Y N^0(y) dy = I$ and $\int_Y N^k(y) dy = 0$ for any $k \ge 1$;
- 383 (ii) $\int_{V} \boldsymbol{\beta}^{k}(y) dy = 0$ for any $k \ge 0$;
- 384 (iii) For any $k \ge -2$ and $1 \le j \le d$

387 388

385 (3.22)
$$\begin{cases} -\Delta_{yy} \mathbf{N}_j^{k+2} + \nabla \beta_j^{k+2} = (2\partial_l \mathbf{N}_j^{k+1} - \beta_j^{k+1} \mathbf{e}_l) \otimes e_l + \mathbf{N}_j^k \otimes I + M^{k+2} \mathbf{e}_j, \\ \operatorname{div}(\mathbf{N}_j^{k+2}) = -(\mathbf{N}_j^{k+1} - \langle \mathbf{N}_j^{k+1} \rangle) \cdot \mathbf{e}_l \otimes e_l; \end{cases}$$

- 386 Proof. (i) and (ii) are straightforward consequences of (3.18).
 - (iii) is obtained by writing, for $k \geq 0$ (implicit summation on the repeated index j assumed):

$$\begin{split} -\Delta_{yy} \boldsymbol{N}_{j}^{k+2} + \nabla \beta_{j}^{k+2} &= -\Delta_{yy} \left(\sum_{p=0}^{k+2} \boldsymbol{\mathcal{X}}_{i}^{k+2-p}(y) \otimes M_{ij}^{p} \right) + \nabla \left(\sum_{p=0}^{k+2} \alpha_{i}^{k+2-p}(y) \otimes M_{ij}^{p} \right) \\ &= \sum_{p=0}^{k} \left[(2\partial_{l} \boldsymbol{\mathcal{X}}_{i}^{k+1-p} - \alpha_{i}^{k+1-p} \boldsymbol{e}_{l}) \otimes \boldsymbol{e}_{l} + \boldsymbol{\mathcal{X}}_{i}^{k-p} \otimes \boldsymbol{I} \right] M_{ij}^{p} \\ &+ (2\partial_{l} \boldsymbol{\mathcal{X}}_{i}^{0} - \alpha_{i}^{0} \boldsymbol{e}_{l}) M_{ij}^{k+1} + M_{ij}^{k+2} \boldsymbol{e}_{i} \\ &= (2\partial_{l} \boldsymbol{N}_{j}^{k+1} - \beta_{i}^{k+1} \boldsymbol{e}_{l}) \otimes \boldsymbol{e}_{l} + \boldsymbol{N}_{j}^{k} \otimes \boldsymbol{I} + M^{k+2} \boldsymbol{e}_{j}. \end{split}$$

$$\operatorname{div}(\mathbf{N}_{j}^{k+2}) = \sum_{p=0}^{k+2} \operatorname{div}(\mathbf{X}_{i}^{k+2-p}) M_{ij}^{p} = -\sum_{p=0}^{k+1} M_{ij}^{p}(\mathbf{X}_{i}^{k+1-p} - \langle \mathbf{X}_{i}^{k+1-p} \rangle) \cdot \mathbf{e}_{l} \otimes e_{l}.$$

- The proof is identical for k = -1 and k = -2.
- The identity (3.22) allows to infer important properties characterizing the tensors M^k
- 391 which are similar to those of Proposition 3.5.

Corollary 3.11. For any $1 \le p \le k-1$, it holds

$$M_{ij}^k = (-1)^{p+1} \int_Y ((-\Delta_{yy} \mathbf{N}_i^p + \nabla \beta_i^p) \cdot \mathbf{N}_j^{k-p} + \nabla \beta_j^{k-p} \cdot \mathbf{N}_i^p - \mathbf{N}_i^{p-1} \cdot \mathbf{N}_j^{k-p-1} \otimes I) dy$$

- 392 Consequently, for any $k \geq 0$,
 - M^{2k} is a symmetric matrix valued tensor, and the following identities hold:

$$M_{ij}^0 = \int_V \nabla \boldsymbol{N}_i^0 : \nabla \boldsymbol{N}_j^0 \mathrm{d}y,$$

$$\forall k \geq 1, \ M_{ij}^{2k} = (-1)^{k+1} \int_{Y} (\nabla \boldsymbol{N}_{i}^{k} : \nabla \boldsymbol{N}_{j}^{k} + \nabla \beta_{i}^{k} \cdot \boldsymbol{N}_{j}^{k} + \nabla \beta_{j}^{k} \cdot \boldsymbol{N}_{i}^{k} - \boldsymbol{N}_{i}^{k-1} \cdot \boldsymbol{N}_{j}^{k-1} \otimes I) \mathrm{d}y.$$

• M^{2k+1} is an antisymmetric matrix valued tensor and it holds:

$$M_{ij}^{2k+1} = (-1)^{k+1} \int_{Y} (\boldsymbol{N}_{i}^{k} \cdot \nabla \boldsymbol{N}_{j}^{k} - \boldsymbol{N}_{j}^{k} \cdot \nabla \boldsymbol{N}_{i}^{k} + \beta_{i}^{k} \boldsymbol{N}_{j}^{k} - \beta_{j}^{k} \boldsymbol{N}_{i}^{k}) \cdot \boldsymbol{e}_{l} \otimes e_{l} dy$$
$$+ (-1)^{k+1} \int_{Y} (\boldsymbol{N}_{j}^{k-1} \cdot \boldsymbol{N}_{i}^{k} - \boldsymbol{N}_{i}^{k-1} \cdot \boldsymbol{N}_{j}^{k}) \otimes I dy.$$

Proof. The proof is very similar to the one of Proposition 3.5 and is omitted, see also Proposition 7.34 in [33].

Remark 3.12. The antisymmetry of odd order tensors M^{2k+1} ensures that the associated differential operators $\varepsilon^{2k-1}M^{2k+1} \cdot \nabla^{2k+1}$ arising in the "infinite order" homogenized equation (1.9) are symmetric. Indeed, the antisymmetry of M^{2k+1} "compensates" the one induced by odd order derivatives which makes $M^{2k+1} \cdot \nabla^{2k+1}$ be a symmetric operator: for two vector fields $\mathbf{u} := (u_i)_{1 \le i \le d}$, it holds

407 408

$$\int_{Y} \boldsymbol{v} \cdot M^{2k+1} \cdot \nabla^{2k+1} \boldsymbol{u} dy = \int_{Y} (M_{ij}^{2k+1} \cdot \nabla^{2k+1} u_{j}) v_{i} dy = -\int_{Y} (M_{ij}^{2k+1} \cdot \nabla^{2k+1} v_{i}) u_{j} dy$$
$$= \int_{Y} (M_{ji}^{2k+1} \cdot \nabla^{2k+1} v_{i}) u_{j} dy = \int_{Y} \boldsymbol{u} \cdot M^{2k+1} \cdot \nabla^{2k+1} \boldsymbol{v} dy.$$

Remark 3.13. It is not completely straightforward to exhibit an instance of hole ∂T and $k \in \mathbb{N}$ for which we can actually prove that M^{2k+1} is not zero. However simple numerical evidences tend to confirm this conjecture, see section 7.4.5 in [33] for an example featuring $M^1 \neq 0$ in the case of the elasticity system.

3.3. Simplifications for the tensors \mathcal{X}^{k*} and M^k in case of symmetries. In the final part of this section, we examine how the symmetries of the obstacle ηT with respect to the cell axes reflect into the coefficients of the matrix valued tensors \mathcal{X}^{k*} and M^k . Our final result is stated in Corollary 3.16, which implies that odd order tensors \mathcal{X}^{2k+1} and M^{2k+1} vanish in case ηT is symmetric with respect to the cell axes. It is based on the following elementary lemma:

LEMMA 3.14. Let $S \in \mathbb{R}^{d \times d}$ an orthogonal symmetry, i.e. $S = S^T$ and SS = I.

The following identities hold for any smooth vector field \mathcal{X} and scalar field α :

$$-\Delta(SX \circ S) + \nabla(\alpha \circ S) = S(-\Delta X + \nabla \alpha) \circ S,$$

$$\operatorname{div}(S\mathcal{X} \circ S) = \operatorname{div}(\mathcal{X}) \circ S,$$

$$\partial_i(S\mathcal{X} \circ S) = S_{ij}S(\partial_j \mathcal{X}) \circ S.$$

Proof. The first two identities are obtained by writing

$$-\Delta(S\mathcal{X} \circ S) + \nabla(\alpha \circ S) = -S\partial_{ij}\mathcal{X} \circ SS_{il}S_{jl} + S(\nabla\alpha) \circ S$$
$$= -S(\Delta\mathcal{X} + \nabla\alpha) \circ S,$$

$$\operatorname{div}(S\boldsymbol{\mathcal{X}}\circ S)=\operatorname{Tr}(\nabla(S\boldsymbol{\mathcal{X}}\circ S))=\operatorname{Tr}(S(\nabla\boldsymbol{\mathcal{X}})\circ SS)=\operatorname{Tr}((\nabla\boldsymbol{\mathcal{X}})\circ S)=\operatorname{div}(\boldsymbol{\mathcal{X}})\circ S.$$

425 Identity (3.25) is an elementary consequence of the chain rule.

PROPOSITION 3.15. If the cell $Y = P \setminus (\eta T)$ is invariant with respect to a symmetry S, i.e. S(Y) = Y, then the following identity holds for the tensors $(\mathcal{X}_l^k, \alpha_l^k)$ (defined in (3.3)–(3.5)):

429 (3.26)
$$SX_{i_1...i_k,l}^k \circ S = S_{i_1j_1} ... S_{i_kj_k} S_{lm} X_{j_1...j_k,m}^k,$$

430 (3.27)
$$\alpha_{i_1...i_k,l}^k \circ S = S_{i_1j_1} \dots S_{i_kj_k} S_{lm} \alpha_{j_1...j_k,m}^k,$$

with implicit summation over the repeated indices j_1, \ldots, j_k and m. As a consequence,

433 the following identities hold for the constant matrix valued tensors \mathcal{X}^{k*} and M^k :

434 (3.28)
$$\mathcal{X}_{i_1...i_k.lm}^{k*} = S_{i_1j_1} \dots S_{i_kj_k} S_{lp} S_{mq} \mathcal{X}_{i_1...i_k.nq}^{k*}$$

$$M_{i_1...i_k,lm}^k = S_{i_1j_1}...S_{i_kj_k}S_{lp}S_{mq}M_{j_1...j_k,pq}^k.$$

Proof. We prove (3.26) and (3.27) by induction. Applying Proposition 3.15 yields

$$\begin{cases} -\Delta_{yy}(S\boldsymbol{\mathcal{X}}_{l}^{0}\circ S) + \nabla_{y}(\alpha_{l}^{0}\circ S) = S\boldsymbol{e}_{l}\circ S = S\boldsymbol{e}_{l} = S_{mj}\boldsymbol{e}_{m}, \\ \operatorname{div}(S\boldsymbol{\mathcal{X}}_{l}^{0}\circ S) = 0. \end{cases}$$

Since the cell is symmetric with respect to S, $(S\mathcal{X}_l^0 \circ S, \alpha_l^0 \circ S)$ satisfies the same boundary conditions (3.6) than $S_{mj}(\mathcal{X}_m^0, \alpha_m^0)$. Therefore these vector fields are equal and we infer (3.26) and (3.27) at rank k = 0. We then write, for a given $1 \leq i_1 \leq d$:

$$\begin{cases} -\Delta_{yy}(S\boldsymbol{\mathcal{X}}_{i_1,l}^1 \circ S) + \nabla_y(\alpha_{i_1,l}^1 \circ S) = S(2\partial_{i_1}\boldsymbol{\mathcal{X}}_l^0 - \alpha_l^0\boldsymbol{e}_{i_1}) \circ S \\ = S_{i_1j_1}(2\partial_{j_1}(S\boldsymbol{\mathcal{X}}_l^0 \circ S) - \alpha_l^0 \circ S\boldsymbol{e}_{j_1}) = S_{i_1j_1}S_{lm}(2\partial_{j_1}\boldsymbol{\mathcal{X}}_m^0 - \alpha_m^0\boldsymbol{e}_{j_1}), \\ \operatorname{div}_y(S\boldsymbol{\mathcal{X}}_{i_1,l}^1 \circ S) = -(\boldsymbol{\mathcal{X}}_l^0 \circ S - \langle \boldsymbol{\mathcal{X}}_l^0 \rangle) \cdot \boldsymbol{e}_{i_1} \\ = -S_{lm}S(\boldsymbol{\mathcal{X}}_m^0 - \langle \boldsymbol{\mathcal{X}}_m^0 \rangle) \cdot \boldsymbol{e}_{i_1} = -S_{i_1j_1}S_{lm}(\boldsymbol{\mathcal{X}}_m^0 - \langle \boldsymbol{\mathcal{X}}_m^0 \rangle) \cdot \boldsymbol{e}_{j_1}, \end{cases}$$

where we have used $\langle \boldsymbol{\mathcal{X}}_{l}^{0} \rangle = \langle \boldsymbol{\mathcal{X}}_{l}^{0} \circ S \rangle$. This implies similarly (3.26) and (3.27) at rank k = 1. Assuming now the result holds till rank k + 1 with $k \geq 0$, it holds:

$$\begin{cases} -\Delta_{yy}(S\boldsymbol{\mathcal{X}}_{i_{1}...i_{k+2},l}^{k+2}\circ S) + \nabla_{y}(\alpha_{i_{1}...i_{k+2},l}^{k+2}\circ S) \\ &= S(2\partial_{i_{k+2}}\boldsymbol{\mathcal{X}}_{i_{1}...i_{k+1},l}^{k+1} - \alpha_{i_{1}...i_{k+1},l}^{k+1}e_{i_{k+2}})\circ S + S\boldsymbol{\mathcal{X}}_{i_{1}...i_{k},l}^{k}\circ S\delta_{i_{k+1}i_{k+2}} \\ &= S_{i_{k+2}j_{k+2}}(2\partial_{j_{k+2}}(S\boldsymbol{\mathcal{X}}_{i_{1}...i_{k+1},l}^{k+1}\circ S) - \alpha_{i_{1}...i_{k+1},l}^{k+1}\circ Se_{j_{k+2}}) \\ &+ S_{i_{k+1}j_{k+1}}S_{i_{k+2}j_{k+2}}\delta_{j_{k+1}j_{k+2}}S\boldsymbol{\mathcal{X}}_{i_{1}...i_{k},l}^{k}\circ S \\ &= S_{i_{1}j_{1}}\ldots S_{i_{k+2}i_{k+2}}S_{lm}[(2\partial_{j_{k+2}}\boldsymbol{\mathcal{X}}_{j_{1}...j_{k+1},m}^{k+1} - \alpha_{j_{1}...j_{k+1},m}^{k+1}e_{j_{k+2}}) \\ &+ \delta_{j_{k+1}j_{k+2}}\boldsymbol{\mathcal{X}}_{j_{1}...j_{k},m}^{k}] \\ \operatorname{div}_{y}(S\boldsymbol{\mathcal{X}}^{k+2}\circ S) &= -(\boldsymbol{\mathcal{X}}_{i_{1}...i_{k+1},l}^{k+1}\circ S - < \boldsymbol{\mathcal{X}}_{i_{1}...i_{k+1},l}^{k+1}>) \ldots e_{i_{k+2}} \\ &= -S_{i_{1}j_{1}}\ldots S_{i_{k+1}j_{k+1}}S_{lm}S(\boldsymbol{\mathcal{X}}_{j_{1}...j_{k+1},m}^{k+1} - < \boldsymbol{\mathcal{X}}_{j_{1}...j_{k+1},m}^{k+1}>) \cdot e_{i_{k+2}} \\ &= -S_{i_{1}j_{1}}\ldots S_{i_{k+2}j_{k+2}}S_{lm}(\boldsymbol{\mathcal{X}}_{j_{1}...j_{k+1},m}^{k+1} - < \boldsymbol{\mathcal{X}}_{j_{1}...j_{k+1},m}^{k+1}>) \cdot e_{j_{k+2}}, \end{cases}$$

hence (3.26) and (3.27) at rank k + 2. A change of variable then yields:

$$\mathcal{X}_{i_1...i_k,lm}^{k*} = \int_{Y} \boldsymbol{e}_l \cdot \boldsymbol{\mathcal{X}}_{i_1...i_k,m}^k \mathrm{d}y = \int_{Y} (S\boldsymbol{e}_l) \cdot (S\boldsymbol{\mathcal{X}}_{i_1...i_k,m}^k \circ S) \mathrm{d}y.$$

437 This implies (3.28), and then (3.29) by using (3.20).

We apply the above result to two possible families of symmetries:

• for 1 < l < d, the symmetry S^l with respect to the cell axis e_l :

$$S^{l} = 1 - 2e_{l}e_{l}^{T}$$
:

• for $1 \leq m, l \leq d$ with $m \neq l$, the symmetry S^{lm} with respect to the diagonal axis $e_l - e_m$:

$$S^{lm} = I - e_l e_l^T - e_m e_m^T + e_l e_m^T + e_l e_m^T + e_m e_l^T.$$

1. If the cell Y is symmetric with respect to all cell axes $(e_l)_{1 \leq l \leq d}$, i.e. $S^l(Y) = Y$ for any $1 \leq l \leq d$, then

$$\mathcal{X}_{i_1...i_k,pq}^{k*} = 0 \text{ and } M_{i_1...i_k,pq}^k = 0$$

whenever any given integer $1 \le l \le d$ occurs an odd number of times in the indices $i_1 \dots i_k, p, q$. In particular, this implies $\mathcal{X}^{2k+1*} = 0$ and $M^{2k+1} = 0$.

2. If the cell Y is symmetric with respect to all diagonal axes $e_l - e_m$, i.e. $S^{l,m}(Y) = Y$ for any $1 \le l < m \le d$, then for any permutation $\sigma \in \mathfrak{S}_d$,

$$\mathcal{X}^{k*}_{\sigma(i_1)\dots\sigma(i_k),\sigma(p)\sigma(q)}=\mathcal{X}^{k*}_{i_1\dots i_k,pq} \ \ and \ \ M^k_{\sigma(i_1)\dots\sigma(i_k),\sigma(p)\sigma(q)}=M^k_{i_1\dots i_k,pq}.$$

Proof. The result is obtained by applying (3.28) and (3.29) to the particular 441 symmetries S^l and S^{lm} . See also Corollary 3 in [34]. 442

Let us illustrate how the previous properties translate for the tensors M^0 , M^2 and 443 M^4 : 444

> • if the cell Y is symmetric with respect to all cell axes $(e_l)_{1 \le l \le d}$, only the coefficients of the form $M_{i,i}^0$ are non zero. For M^2 , only

$$M^2_{ii,jj}, M^2_{ij,ij}, M^2_{ii,ii}$$

with $i \neq j$ are non zero. For M^4 , only the coefficients of the form

$$M^4_{iijj,kk}, M^4_{iijk,jk}, M^4_{iiii,jj}, M^4_{iijj,ii}, M^4_{iiij,ij}, M^4_{iiii,ii}$$

are non zero with distinct integers i, j, k.

439

440

445

447 448 • If in addition the obstacle is symmetric with respect to all diagonal axes, then the values of the above coefficients do not depend on the choice of the distinct integers i, j, k. As a result, M^0 is proportional to the identity tensor, M^2 reduces to at most three coefficients (the material is said to be orthotropic), and M^4 reduces to at most 6 coefficients for $d \geq 3$, and to 4 coefficients for d=2. For instance there are three constants α, β, γ such that $M^2 \cdot \nabla$ is the operator

$$M^2 \cdot \nabla v = \alpha \Delta v + \beta \nabla \operatorname{div}(v) + \gamma \sum_{i=1}^d \partial_{ii} v_i e_i.$$

4. Homogenized equations of order 2K + 2: tensors \mathbb{D}_K^k . In this section, 446 we derive the well-posed high order homogenized system (1.6) and we justify the homogenization process by means of quantitative error estimates.

The formal identities (1.10) lead us to introduce, for any order $K \in \mathbb{N}$, the 449 truncated ansatz $W_{\varepsilon,K}(v)$ and $Q_{\varepsilon,K}(v,\phi)$ for the reconstructed velocity and pressure: 450

$$\mathbf{W}_{\varepsilon,K}(\mathbf{v})(x,y) := \sum_{k=0}^{K} \varepsilon^k N^k(y) \cdot \nabla^k \mathbf{v}(x), \qquad x \in D, y \in Y$$

452 (4.2)
$$Q_{\varepsilon,K}(\boldsymbol{v},\phi)(x,y) := \phi(x) + \sum_{k=0}^{K} \varepsilon^{k-1} \boldsymbol{\beta}^k(y) \cdot \nabla^k \boldsymbol{v}(x), \qquad x \in D, \ y \in Y$$

453

454 for any $v \in H^{K+1}(D,\mathbb{R}^d)$ and $\phi \in L^2(D)$ which are sought to approximate the

homogenized averages u_{ε}^* and p_{ε}^* respectively. Similarly we denote by $W_{\varepsilon,K}(v)$ and

456 $\widetilde{Q}_{\varepsilon,K}(\boldsymbol{v},\phi)$ the reconstructed oscillating functions defined for any $x \in D_{\varepsilon}$ by

457 (4.3)
$$\widetilde{W}_{\varepsilon,K}(\mathbf{v})(x) := W_{\varepsilon,K}(\mathbf{v})(x,x/\varepsilon), \quad \widetilde{Q}_{\varepsilon,K}(\mathbf{v},\phi)(x) := Q_{\varepsilon,K}(\mathbf{v},\phi)(x,x/\varepsilon).$$

Most of the results of this section are consequences of the following observation:

LEMMA 4.1. For any $K' \in \mathbb{N}$, $(\boldsymbol{v}, \phi) \in H^1(D, \mathbb{R}^d) \times L^2(D)$, the reconstructed

460 velocity and pressure $(\widetilde{W}_{\varepsilon,K'}(v),\widetilde{Q}_{\varepsilon,K'}(v,\phi))$ of (4.3) satisfy

$$-\Delta \widetilde{\boldsymbol{W}}_{\varepsilon,K'}(\boldsymbol{v}) + \nabla \widetilde{Q}_{\varepsilon,K'}(\boldsymbol{v},\phi)$$

$$= \sum_{k=0}^{K'} \varepsilon^{k-2} M^k \nabla^k \boldsymbol{v} - \varepsilon^{K'-1} ((2\partial_l \boldsymbol{N}_j^{K'} - \beta_j^{K'} \boldsymbol{e}_l) \otimes \boldsymbol{e}_l) (\cdot/\varepsilon) \cdot \nabla^{K'+1} v_j.$$

$$+ (\boldsymbol{N}_j^{K'-1} \otimes I) (\cdot/\varepsilon) \cdot \nabla^{K'+1} v_j - \varepsilon^{K'} \boldsymbol{N}_j^{K'} (\cdot/\varepsilon) \otimes I \cdot \nabla^{K'+2} v_j,$$

462

463 (4.5)
$$\operatorname{div}(\widetilde{\boldsymbol{W}}_{\varepsilon,K'}(\boldsymbol{v})) = \operatorname{div}(\boldsymbol{v}) + \varepsilon^{K'} \boldsymbol{N}_{i}^{K'}(\cdot/\varepsilon) \cdot \boldsymbol{e}_{l} \otimes \boldsymbol{e}_{l} \cdot \nabla^{K'+1} v_{j}.$$

Proof. (4.4) and (4.5) are obtained by applying the Laplace and gradient operators on (4.1) and (4.2) and by using the identity (3.22).

4.1. Sufficient conditions leading to error estimates. The purpose of this part is to demonstrate that a sequence of functions $(\boldsymbol{v}_{\varepsilon}^*, q_{\varepsilon}^*)_{\varepsilon>0}$ yields an approximation of $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ at the order $O(\varepsilon^{K'})$ provided it solves the infinite order homogenized equation (1.9) up to a remainder of order $O(\varepsilon^{K'+1})$. The derivation of a *finite-order* homogenized equation such as (1.6) reduces then to determine 2K + 2 - K' tensors \mathbb{D}_K^k for $K' + 1 \le k \le 2K + 2$ such that the equation

$$\sum_{k=K'+1}^{2K+2} \varepsilon^{k-2} \mathbb{D}_{K}^{k} \cdot \nabla^{k} \boldsymbol{v}_{\varepsilon}^{*} + \sum_{k=0}^{K'} \varepsilon^{k-2} M^{k} \cdot \nabla^{k} \boldsymbol{v}_{\varepsilon}^{*} + \nabla q_{\varepsilon}^{*} = \boldsymbol{f}$$

473 is well-posed. The proof is based on the next three technical results.

LEMMA 4.2. There exists a constant C independent of $\varepsilon > 0$ such that for any $\mathbf{v} \in H^1(D_{\varepsilon}, \mathbb{R}^d)$ with $\mathbf{v} = 0$ on $\partial \omega_{\varepsilon}$, the following Poincaré inequality holds:

$$||\boldsymbol{v}||_{L^2(D_{\varepsilon},\mathbb{R}^d)} \leq C\varepsilon||\nabla \boldsymbol{v}||_{L^2(D,\mathbb{R}^{d\times d})}.$$

474 Proof. See e.g. [44] or the appendix of [49].

475 The next lemma states the existence of a continuous right inverse for the divergence

476 B_{ε} —so-called a Bogovskii's operator—with a bound explicit in ε on the uniform con-

477 tinuity constant.

Lemma 4.3. Assume (H1) and (H2). Then there exists a linear operator B_{ε} :

479 $L^2(D_{\varepsilon}) \to H^1(D_{\varepsilon}, \mathbb{R}^d)$ satisfying, for any $\phi \in L^2(D_{\varepsilon})$ with $\int_{D_{\varepsilon}} \phi dx = 0$:

480 (i) $\operatorname{div}(B_{\varepsilon}\phi) = \phi \text{ in } D_{\varepsilon},$

481 (ii) $B_{\varepsilon}\phi = 0$ on $\partial \omega_{\varepsilon}$ and $B_{\varepsilon}\phi$ is D-periodic,

482 (iii) $||\nabla(B_{\varepsilon}\phi)||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})} \leq C\varepsilon^{-1}||\phi||_{L^{2}(D_{\varepsilon})}$, for a constant C>0 independent of ϕ

483 and ε .

COROLLARY 4.4. Assume (H1) and (H2). For any $\mathbf{h} \in L^2(D_{\varepsilon}, \mathbb{R}^d)$ and $g \in L^2(D_{\varepsilon})$ satisfying $\int_{D_{\varepsilon}} g dx = 0$, let $(\mathbf{v}, \phi) \in H^1(D_{\varepsilon}, \mathbb{R}^d) \times L^2(D_{\varepsilon})$ be the unique solution to the Stokes problem

488 (4.7)
$$\begin{cases}
-\Delta \boldsymbol{v} + \nabla \phi = \boldsymbol{h} \text{ in } D_{\varepsilon} \\
\operatorname{div}(\boldsymbol{v}) = g \text{ in } D_{\varepsilon}
\end{cases}$$

$$\int_{D_{\varepsilon}} \phi dx = 0$$

$$\boldsymbol{v} = 0 \text{ on } \partial \omega_{\varepsilon}$$

$$\boldsymbol{v} \text{ is } D\text{-periodic}$$

There exists a constant C independent of ε , **h** and g such that

490 (4.8)
$$||\nabla v||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})} + \varepsilon||\phi||_{L^{2}(D_{\varepsilon})} \le C(\varepsilon||h||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} + \varepsilon^{-1}||g||_{L^{2}(D_{\varepsilon})}),$$

Proof. We use the operator B_{ε} of Lemma 4.3 to lift the divergence of \boldsymbol{v} . Let us define the vector field $\boldsymbol{w} := \boldsymbol{v} - B_{\varepsilon} g \in H^1_{per}(D_{\varepsilon}, \mathbb{R}^d)$ which satisfies

$$\begin{cases} \operatorname{div}(\boldsymbol{w}) = 0 \text{ in } D_{\varepsilon}, \\ \boldsymbol{w} = 0 \text{ on } \partial \omega_{\varepsilon}. \end{cases}$$

After an integration by part, we obtain:

$$\begin{aligned} ||\nabla \boldsymbol{w}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})}^{2} &= \int_{D_{\varepsilon}} \boldsymbol{h} \cdot \boldsymbol{w} dx - \int_{D_{\varepsilon}} \nabla(B_{\varepsilon}g) : \nabla \boldsymbol{w} dx \\ &\leq ||\boldsymbol{h}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} ||\boldsymbol{w}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} + ||\nabla(B_{\varepsilon}g)||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})} ||\nabla \boldsymbol{w}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})} \\ &\leq C(\varepsilon||\boldsymbol{h}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} + ||\nabla(B_{\varepsilon}g)||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})}) ||\nabla \boldsymbol{w}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})}, \end{aligned}$$

where the last inequality is a consequence of Lemma 4.2. Therefore, simplifying by $||\nabla w||_{L^2(D_\varepsilon,\mathbb{R}^{d\times d})}$ and using the point (iii) of Lemma 4.3 yields

$$||\nabla \boldsymbol{v}||_{L^{2}(D,\mathbb{R}^{d\times d})} \leq ||\nabla \boldsymbol{w}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})} + ||\nabla (B_{\varepsilon}g)||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})}$$
$$\leq C(\varepsilon||\boldsymbol{h}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} + \varepsilon^{-1}||g||_{L^{2}(D_{\varepsilon})}),$$

which proves the first part of the bound (4.8) on ∇v . The bound on the pressure is then obtained by using $B_{\varepsilon}\phi$ as a test function: we write

493
$$||\phi||_{L^{2}(D_{\varepsilon})}^{2} = \int_{D_{\varepsilon}} \phi \operatorname{div}(B_{\varepsilon}\phi) dx = -\int_{D_{\varepsilon}} \nabla \phi \cdot B_{\varepsilon}\phi dx$$

$$= \int_{D_{\varepsilon}} (-\Delta \boldsymbol{v} - \boldsymbol{h}) \cdot B_{\varepsilon}\phi dx = \int_{D_{\varepsilon}} (\nabla \boldsymbol{v} \cdot \nabla (B_{\varepsilon}\phi) - \boldsymbol{h} \cdot B_{\varepsilon}\phi) dx$$

$$\leq ||\nabla \boldsymbol{v}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d}\times d)} ||\nabla (B_{\varepsilon}\phi)||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d}\times d)} + ||\boldsymbol{h}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} ||B_{\varepsilon}\phi||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})}$$

$$\leq C(\varepsilon ||\boldsymbol{h}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} + \varepsilon^{-1} ||g||_{L^{2}(D_{\varepsilon})} ||\nabla (B_{\varepsilon}\phi)||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d}\times d)}$$

$$\leq C\varepsilon^{-1}(\varepsilon ||\boldsymbol{h}||_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} + \varepsilon^{-1} ||g||_{L^{2}(D_{\varepsilon})})||\phi||_{L^{2}(D_{\varepsilon})},$$

499 which concludes the proof.

We are now in position to state the main result of this section.

PROPOSITION 4.5. Let $(v_{\varepsilon}^*, q_{\varepsilon}^*)_{\varepsilon>0}$ be a sequence of functions of $H^1(D_{\varepsilon}, \mathbb{R}^d) \times L^2(D_{\varepsilon})$, D-periodic, depending on ε (and possibly on K' and f) satisfying the following conditions:

1. $(\mathbf{v}_{\varepsilon}, q_{\varepsilon})$ solves the infinite order homogenized equation (1.9) up to an error of order $O(\varepsilon^{K'+1})$:

$$(4.9) \qquad \left\| \sum_{k=0}^{K'} \varepsilon^{k-2} M^k \cdot \nabla^k \boldsymbol{v}_{\varepsilon}^* + \nabla q_{\varepsilon}^* - \boldsymbol{f} \right\|_{L^2(D,\mathbb{R}^d)} \leq C_{K'}(\boldsymbol{f}) \varepsilon^{K'+1}$$

 $\begin{array}{ll}
508 & \text{div}(\boldsymbol{v}_{\varepsilon}^*) = 0 \text{ in } D \\
509 & \text{div}(\boldsymbol{v}_{\varepsilon}^*) = 0
\end{array}$

504

505

506

507

511

513

514

515

517 518

519

520

521

522

$$(4.11) (v_{\varepsilon}^*, p_{\varepsilon}^*) is D-periodic.$$

2. For any $m \in \mathbb{N}$, there exists a constant C_m independent of ε such that

$$(4.12) ||\boldsymbol{v}_{\varepsilon}^*||_{H^m(D,\mathbb{R}^d)} \le C_m \varepsilon^2.$$

Then the reconstructed functions $(\widetilde{\boldsymbol{W}}_{\varepsilon,K'}(\boldsymbol{v}_{\varepsilon}^*),\widetilde{Q}_{\varepsilon,K'-1}(q_{\varepsilon}^*,\boldsymbol{v}_{\varepsilon}^*))$ (eqn. (4.1) and (4.2)) yield approximations of $(u_{\varepsilon},p_{\varepsilon})$ of order O(K'+2) in the $H^1(D_{\varepsilon},\mathbb{R}^d)$ norm and $O(\varepsilon^{K'+3})$ in the $L^2(D_{\varepsilon},\mathbb{R}^d)$ norm:

$$\left\| \nabla (\boldsymbol{u}_{\varepsilon} - \widetilde{\boldsymbol{W}}_{\varepsilon,K'}(\boldsymbol{v}_{\varepsilon}^{*})) \right\|_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})} + \varepsilon \left\| p_{\varepsilon} - \widetilde{Q}_{\varepsilon,K'-1}(q_{\varepsilon}^{*},\boldsymbol{v}_{\varepsilon}^{*}) \right\|_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} \leq C_{K'}(\boldsymbol{f})\varepsilon^{K'+2},$$

$$\left\| \boldsymbol{u}_{\varepsilon} - \widetilde{\boldsymbol{W}}_{\varepsilon,K'}(\boldsymbol{v}_{\varepsilon}^{*}) \right\|_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} \leq C_{K'}(\boldsymbol{f})\varepsilon^{K'+3}.$$

Proof. According to Lemma 4.1 and (4.10), it holds

$$-\Delta \widetilde{\boldsymbol{W}}_{\varepsilon,K'+1}(\boldsymbol{v}_{\varepsilon}^{*}) + \nabla \widetilde{Q}_{\varepsilon,K'+1}(q_{\varepsilon}^{*},\boldsymbol{v}_{\varepsilon}^{*}) = \sum_{k=0}^{K'} \varepsilon^{k-2} M^{k} \cdot \nabla^{k} \boldsymbol{v}_{\varepsilon}^{*} + \nabla q_{\varepsilon}^{*} + O_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})}(\varepsilon^{K'+1})$$

$$\operatorname{div}(\widetilde{\boldsymbol{W}}_{\varepsilon,K'+1}) = O_{L^2(D_{\varepsilon})}(\varepsilon^{K'+3}),$$

where we have used (4.12) to estimate the right-hand side terms. Applying now Corollary 4.4 to $(\boldsymbol{v}, \phi) \equiv (\boldsymbol{u}_{\varepsilon} - \widetilde{\boldsymbol{W}}_{\varepsilon,K'+1}(\boldsymbol{v}_{\varepsilon}^*), p_{\varepsilon} - \widetilde{\boldsymbol{Q}}_{\varepsilon,K'}(\boldsymbol{q}_{\varepsilon}^*, \boldsymbol{v}_{\varepsilon}^*))$ yields the error estimate

$$\left\| \left| \nabla (\boldsymbol{u}_{\varepsilon} - \widetilde{\boldsymbol{W}}_{\varepsilon,K'+1}(\boldsymbol{v}_{\varepsilon}^{*})) \right| \right|_{L^{2}(D_{\varepsilon},\mathbb{R}^{d\times d})} + \varepsilon \left\| p_{\varepsilon} - \widetilde{Q}_{\varepsilon,K'+1}(q_{\varepsilon}^{*},\boldsymbol{v}_{\varepsilon}^{*}) \right\|_{L^{2}(D_{\varepsilon})} \leq C_{K'}(\boldsymbol{f})\varepsilon^{K'+2}.$$

Finally, remarking that the highest order terms are already of order $O(\varepsilon^{K'+2})$, i.e.

$$||\nabla(\widetilde{\boldsymbol{W}}_{\varepsilon,K'+1}(\boldsymbol{v}_{\varepsilon}^*) - \widetilde{\boldsymbol{W}}_{\varepsilon,K'}(\boldsymbol{v}_{\varepsilon}^*))||_{L^2(D_{\varepsilon},\mathbb{R}^d)} \leq C_{K'}\varepsilon^{K'+2},$$

$$\varepsilon||\widetilde{Q}_{\varepsilon,K'+1}(q_{\varepsilon}^*, \boldsymbol{v}_{\varepsilon}^*) - \widetilde{Q}_{\varepsilon,K'-1}(q_{\varepsilon}^*, \boldsymbol{v}_{\varepsilon}^*)||_{L^2(D_{\varepsilon})} \le C_{K'}\varepsilon^{K'+2},$$

we obtain the result by using the triangle's inequality.

Remark 4.6. We need only K-1 derivatives in the truncated criminal ansatz $Q_{\varepsilon,K-1}(\boldsymbol{v}_{\varepsilon}^*,q_{\varepsilon}^*)$ for the pressure (eqn. (4.2)), because the term of highest order has a norm of order ε^K while $\boldsymbol{v}_{\varepsilon}^*$ is of order ε^2 by the assumption (4.12).

Remark 4.7. As a result of the scaling ε^{-1} in Corollary 4.4, we pay a factor ε^{-1} in the error induced by the non zero divergence constraint. However we are able to obtain the right order of ε in the error estimates of Proposition 4.5 thanks to the use of higher order terms of the ansatz (3.21) which are removed at the end of the proof. This strategy is quite classical in the truncation analysis of two-scale expansions, see e.g. [26, 11].

4.2. Construction of a well-posed higher order effective models by a minimization principle. We now derive the well-posed homogenized equation (1.6) of (finite) order 2K+2 by following the variational method introduced by Smyshlyaev and Cherednychenko in [53] and used in the further works [28, 27, 34]. In the present context, of the Stokes system (1.1), we shall see that (1.6) can be obtained as (4.6) with K' = K, which yields error estimates of order $O(\varepsilon^{K+3})$ in the $L^2(D_{\varepsilon})$ norm.

Recall that the velocity u_{ε} solution to the Stokes system (1.1) is the unique minimizer of the constrained minimization problem

$$\mathbf{u}_{\varepsilon} = \arg\min_{\mathbf{w} \in H^{1}(D_{\varepsilon}, \mathbb{R}^{d})} \quad J(\mathbf{w}, \mathbf{f}) := \int_{D} \left(\frac{1}{2} \nabla \mathbf{w} : \nabla \mathbf{w} - \mathbf{f} \cdot \mathbf{w}\right) dy$$
531 (4.13)
$$\text{s.t.} \begin{cases} \operatorname{div}(\mathbf{w}) = 0 \text{ in } D_{\varepsilon} \\ \mathbf{w} = 0 \text{ on } \partial \omega_{\varepsilon} \\ \mathbf{w} \text{ is } D\text{-periodic.} \end{cases}$$

In the context of the homogenization of linearized elasticity, the main idea of the method of [53] is to restrict (4.13) to functions of the form $\mathbf{w} = \widetilde{\mathbf{W}}_{\varepsilon,K}(\mathbf{v})$ given by (4.1), where $\mathbf{v} \in H^{K+1}(D, \mathbb{R}^d)$ is an unknown function sought to approximate $\mathbf{u}_{\varepsilon}^*$. In the present setting, we consider the following approximation of (4.13):

$$\min_{\boldsymbol{v} \in H^{K+1}(D, \mathbb{R}^d)} \quad J(\widetilde{\boldsymbol{W}}_{\varepsilon, K}(\boldsymbol{v}), \boldsymbol{f})$$
536 (4.14)
$$s.t. \quad \begin{cases} \operatorname{div}(\boldsymbol{v}) = 0 \text{ in } D, \\ \boldsymbol{v} \text{ is } D\text{-periodic.} \end{cases}$$

523524

528

529

530

542

Note that (4.14) is not exactly the restriction of (4.13) to such functions $\widetilde{W}_{\varepsilon,K}(v)$ because $\operatorname{div}(\widetilde{W}_{\varepsilon,K}(v)) \neq 0$ (it is of order ε^K , see (4.5)). The next step of the process is to eliminate the oscillating variable x/ε in $J(\widetilde{W}_{\varepsilon,K}(v), f)$ so as to obtain an effective energy $J_K^*(v, f, \varepsilon) \simeq J(\widetilde{W}_{\varepsilon,K}(v), f)$ which does not involve oscillating functions. Such is achieved thanks to the classical lemma of two-scale convergence [9].

LEMMA 4.8. Let ϕ be a $P=(0,1)^d$ -periodic function and $f\in\mathcal{C}^\infty_{per}(D)$ be a smooth D-periodic function. Then for any $p\in\mathbb{N}$, there exists a constant $C_p(f,\phi)$ independent of ε such that:

$$\left| \int_{D} f(x)\phi(x/\varepsilon) dx - \int_{D} \int_{P} f(x)\phi(y) dy dx \right| \leq C_{p}(f,\phi)\varepsilon^{p}.$$

Proof. See Appendix C. of [53] or Lemma 7.3 in [33].

Applying Lemma 4.8 to (4.14) in order to pass to the limit in the terms of $J(\widetilde{\boldsymbol{W}}_{\varepsilon,K}(\boldsymbol{v}),\boldsymbol{f})$ which depends on the oscillating variable x/ε , we obtain the existence of a functional J_K^* such that for any $\boldsymbol{v} \in \mathcal{C}_{per}^{\infty}(D,\mathbb{R}^d)$, it holds

$$J(\widetilde{\boldsymbol{W}}_{\varepsilon,K}(\boldsymbol{v}),\boldsymbol{f}) = J_K^*(\boldsymbol{v},\boldsymbol{f},\varepsilon) + o(\varepsilon^p)$$

with $p \in \mathbb{N}$ arbitrarily large. The functional J_K^* is given explicitly by

544 (4.15)
$$J_K^*(\boldsymbol{v}, \boldsymbol{f}, \varepsilon) := \int_D \int_P \frac{1}{2} \left| \left| (\nabla_x + \varepsilon^{-1} \nabla_y) \left(\boldsymbol{W}_{\varepsilon, K}(\boldsymbol{v})(x, y) \right) \right| \right|^2 dy dx - \int_D \boldsymbol{f} \cdot \boldsymbol{v} dx,$$

where we have used the point 1 of Proposition 3.10 to simplify the linear part of the energy. Replacing $J(\widetilde{\boldsymbol{W}}_{\varepsilon,K}(\boldsymbol{v}), \boldsymbol{f})$ by $J_K^*(\boldsymbol{v}, \boldsymbol{f}, \varepsilon)$ in (4.14) allows to obtain the homogenized equation (1.6) of order 2K + 2:

DEFINITION 4.9. For any $K \in \mathbb{N}$, we call homogenized equation of order 2K + 2 associated with the Stokes system (1.1) the Euler-Lagrange equation of the minimization problem

$$\begin{array}{ccc}
& \min & J_K^*(\boldsymbol{v}, \boldsymbol{f}, \varepsilon) \\
& s.t. & \begin{cases}
\boldsymbol{v} \in H^{K+1}(D, \mathbb{R}^d), \\
\operatorname{div}(\boldsymbol{v}) = 0 \text{ in } D, \\
\boldsymbol{v} \text{ is } D\text{-periodic.}
\end{cases}$$

- 552 This Euler-Lagrange equation can be written as (1.6) where the constant (matrix val-
- 553 ued) tensors \mathbb{D}_K^k are inferred from (4.15) and where $(\boldsymbol{v}_{\varepsilon,K}^*,q_{\varepsilon,K}^*) \in H^{K+1}(D,\mathbb{R}^d) \times$
- 554 $L^2(D)$ defines the higher order homogenized solution.
- 555 The next two propositions verify that (1.6) is indeed a "good" candidate effective
- model, by relating the coefficients \mathbb{D}_K^k to the tensors M^k (in view of (4.6)), and by
- establishing the well-posedness of (1.6).
- PROPOSITION 4.10. The coefficients of the matrix valued tensor \mathbb{D}_K^k are explicitly given for any $1 \leq i, j \leq d$ by:

$$\mathbb{D}_{K,ij}^{k} = \begin{cases} M^{k} & \text{if } 0 \leq k \leq K \\ M^{k} + \mathbb{A}_{K}^{k} & \text{if } K + 1 \leq k \leq 2K + 1 \\ (-1)^{K+1} \int_{Y} \mathbf{N}_{i}^{K} \cdot \mathbf{N}_{j}^{K} \otimes I dy & \text{if } k = 2K + 2. \end{cases}$$

where the matrix valued tensor \mathbb{A}^k_K is given for any $K+1 \leq k \leq 2K+1$ by

562 (4.18)
$$\mathbb{A}_{K,ij}^{k} := (-1)^{K+1} \int_{V} (\nabla \beta_{j}^{k-K-1} \cdot \boldsymbol{N}_{i}^{K+1} + (-1)^{k} \nabla \beta_{i}^{k-K-1} \cdot \boldsymbol{N}_{j}^{K+1}) dy.$$

563 *Proof.* Let us denote by V_K the space

564 (4.19)
$$V_K := \{ v \in H^{K+1}(D, \mathbb{R}^d) | \operatorname{div}(v) = 0 \text{ and } v \text{ is } D\text{-periodic} \}.$$

We identify the coefficients \mathbb{D}_K^k by computing the Euler-Lagrange equation associated with (4.15). For any $(\boldsymbol{v}, \boldsymbol{w}) \in V_K$, it holds, in a distributional sense:

567
$$\int_{D} \int_{P} (\nabla_{x} + \varepsilon^{-1} \nabla_{y}) \boldsymbol{W}_{\varepsilon,K}(\boldsymbol{v}) : (\nabla_{x} + \varepsilon^{-1} \nabla_{y}) \boldsymbol{W}_{\varepsilon,K}(\boldsymbol{w}) dxdy$$
568
$$= \int_{D} \int_{P} [(-\Delta_{xx} - \varepsilon^{-1} \Delta_{xy} - \varepsilon^{-2} \Delta_{yy}) \boldsymbol{W}_{\varepsilon,K}(\boldsymbol{v})$$
569
$$+ (\nabla_{x} + \varepsilon^{-1} \nabla_{y}) Q_{\varepsilon,K}(\boldsymbol{v},0)] \cdot \boldsymbol{W}_{\varepsilon,K}(\boldsymbol{w}) dxdy$$
570
$$+ \int_{D} \int_{Y} Q_{\varepsilon,K}(\boldsymbol{v},0) [(\operatorname{div}_{x} + \varepsilon^{-1} \operatorname{div}_{y}) \boldsymbol{W}_{\varepsilon,K}(\boldsymbol{w})] dxdy.$$

572 By using (4.1) and the point (i) of Proposition 3.10, the above quantity is equal to

573
$$\int_{D} \int_{Y} \left[\sum_{k=0}^{K} \varepsilon^{k-2} M^{k} \nabla^{k} \boldsymbol{v}(x) \right] \cdot \sum_{k=0}^{K} \varepsilon^{k} N^{k}(y) \cdot \nabla^{k} \boldsymbol{w}(x) dx dy$$

$$- \int_{D} \int_{Y} \varepsilon^{K-1} \left[(2 \partial_{l} \boldsymbol{N}_{j}^{K}(y) - \beta_{j}^{K}(y) \boldsymbol{e}_{l}) \otimes \boldsymbol{e}_{l} \right) \cdot \nabla^{K+1} v_{j}(x) \right] \cdot \boldsymbol{W}_{\varepsilon,K}(\boldsymbol{w}) dx dy$$

575
$$-\int_{D} \int_{Y} [\varepsilon^{K-1}(\boldsymbol{N}_{j}^{K-1}(y) \otimes I) \cdot \nabla^{K+1}\boldsymbol{v}(x)] \cdot \boldsymbol{W}_{\varepsilon,K}(\boldsymbol{w}) dx dy$$
576
$$-\int_{D} \int_{Y} [\varepsilon^{K}(\boldsymbol{N}_{j}^{K}(y) \otimes I) \cdot \nabla^{K+2}\boldsymbol{v}(x)] \cdot \boldsymbol{W}_{\varepsilon,K}(\boldsymbol{w}) dx dy$$
577
$$+\int_{D} \int_{Y} \sum_{k=0}^{K} \varepsilon^{k+K-1} (\beta_{j}^{k}(y) \cdot \nabla^{k}\boldsymbol{v}_{j}(x)) (\boldsymbol{N}_{i}^{K}(y) \cdot \boldsymbol{e}_{l} \otimes \boldsymbol{e}_{l} \cdot \nabla^{K+1}\boldsymbol{w}_{i}(x)) dy dx$$
578
$$=\int_{D} \left(\sum_{k=0}^{K} \varepsilon^{k-2} M^{k} \cdot \nabla^{k}\boldsymbol{v} + \sum_{k=K+1}^{2K+2} \varepsilon^{k-2} \mathbb{D}_{K}^{k} \cdot \nabla^{k}\boldsymbol{v} \right) \cdot \boldsymbol{w} dx$$
579

where we identify (by integration by parts) $\mathbb{D}_{K,ij}^{2K+2} := -(-1)^K \int_Y \mathbf{N}_i^K \cdot \mathbf{N}_j^K \otimes I dy$ as claimed. The coefficients of the tensor \mathbb{D}_K^k are given for $K+1 \leq k \leq 2K+1$ by

$$\begin{split} \mathbb{D}_{K,ij}^k &= -(-1)^{k-K-1} \int_Y ((2\partial_l \boldsymbol{N}_j^K - \beta_j^K \boldsymbol{e}_l) \otimes \boldsymbol{e}_l + \boldsymbol{N}_j^{K-1} \otimes \boldsymbol{I}) \cdot \boldsymbol{N}_i^{k-K-1} \mathrm{d}y \\ &- (-1)^{k-K-2} \int_Y \boldsymbol{N}_j^K \cdot \boldsymbol{N}_i^{k-K-2} \otimes \boldsymbol{I} \mathrm{d}y + (-1)^{K+1} \int_Y \beta_j^{k-K-1} \boldsymbol{N}_i^K \cdot \boldsymbol{e}_l \otimes \boldsymbol{e}_l \mathrm{d}y \\ &= -(-1)^{K+1} \int_Y (-1)^k (-\Delta_{yy} \boldsymbol{N}_j^{K+1} + \nabla \beta_j^{K+1} - \boldsymbol{M}^{K+1} \boldsymbol{e}_j) \cdot \boldsymbol{N}_i^{k-K-1} \mathrm{d}y \\ &+ (-1)^{K+1} \int_Y [(-1)^k \boldsymbol{N}_j^K \cdot \boldsymbol{N}_i^{k-K-2} \otimes \boldsymbol{I} + \beta_j^{k-K-1} \boldsymbol{N}_i^K \cdot \boldsymbol{e}_l \otimes \boldsymbol{e}_l] \mathrm{d}y, \end{split}$$

where we have used extensively Proposition 3.10. We now distinguish two cases: 1. if k = K + 1, then the above expression reads

$$\mathbb{D}_{K,ij}^{K+1} = (M^{K+1}\boldsymbol{e}_j) \cdot \boldsymbol{e}_i - \int_Y \boldsymbol{N}_j^{K+1} \cdot (-\Delta_{yy}\boldsymbol{N}_i^0 + \nabla\beta_i^0) dy + \int_Y \nabla\beta_i^0 \cdot \boldsymbol{N}_j^{K+1} + (-1)^{K+1} \int_Y \nabla\beta_j^{k-K-1} \cdot \boldsymbol{N}_i^{K+1} dy = M_{ij}^{K+1} + \mathbb{A}_{ij}^{K+1},$$

whence the result for k = K + 1; 2. if $K + 2 \le k \le 2K + 1$, then we read instead

588

$$\mathbb{D}_{K,ij}^{k} = (-1)^{k+K} \int_{Y} ((-\Delta_{yy} \mathbf{N}_{j}^{K+1} + \nabla \beta_{j}^{K+1}) \cdot \mathbf{N}_{i}^{k-K-1} + \nabla \beta_{i}^{k-K-1} \cdot \mathbf{N}_{j}^{K+1}) dy$$
$$- (-1)^{k+K} \int_{Y} \mathbf{N}_{j}^{K} \cdot \mathbf{N}_{i}^{k-K-2} \otimes I dy + \mathbb{A}_{ij}^{k}.$$

Applying finally Corollary 3.11 with p = K + 1, we obtain that the first two term of the above equation are equal to $(-1)^k M_{ji}^k = M_{ij}^k$, which yields the final result.

Remark 4.11. In view of the proof of Proposition 4.10, it is possible to show that (1.11) (with the same definition for the leading coefficient \mathbb{D}_K^{2K+2}) is the strong form of the following "mixed" variational formulation: find $(\widehat{v}_{\varepsilon,K}^*, \widehat{q}_{\varepsilon,K}^*) \in V_K \times L^2(D)$ such that for any $(\boldsymbol{w}, \phi) \in V_K \times L^2(D)$,

589 (4.20)
$$\int_{D} \int_{Y} \left[(\varepsilon^{-1} \nabla_{y} + \nabla_{x}) \boldsymbol{W}_{\varepsilon,K} (\widehat{\boldsymbol{v}}_{\varepsilon,K}^{*}) \right] : \left[(\varepsilon^{-1} \nabla_{y} + \nabla_{x}) \boldsymbol{W}_{\varepsilon,K} (\boldsymbol{w}) \right] dy dx$$

$$- \int_{D} \int_{Y} Q_{\varepsilon,K} (\widehat{\boldsymbol{v}}_{\varepsilon,K}^{*}, \widehat{q}_{\varepsilon,K}^{*}) \left[(\varepsilon^{-1} \operatorname{div}_{y} + \operatorname{div}_{x}) \boldsymbol{W}_{\varepsilon,K} (\boldsymbol{w}) \right] dy dx$$

$$-\int_{D}\int_{Y}Q_{\varepsilon,K}(\boldsymbol{w},\phi)\big[(\varepsilon^{-1}\mathrm{div}_{y}+\mathrm{div}_{x})\boldsymbol{W}_{\varepsilon,K}(\widehat{\boldsymbol{v}}_{\varepsilon,K}^{*})\big]\mathrm{d}y\mathrm{d}x=\int_{D}\boldsymbol{f}\cdot\boldsymbol{w}\mathrm{d}x.$$

This result is quite surprising. Indeed, (4.20) is built from the truncated ansatz 593 $(\boldsymbol{W}_{\varepsilon,K}(\widehat{\boldsymbol{v}}_{\varepsilon,K}^*), Q_{\varepsilon,K}(\widehat{\boldsymbol{v}}_{\varepsilon,K}^*, \widehat{q}_{\varepsilon,K}^*))$ which is expected to yield approximations of $(\boldsymbol{u}_{\varepsilon}, p_{\varepsilon})$ 594 at order $O(\varepsilon^{K+3})$ only (eqn. (4.1) and (4.2)). However, the strong form (1.11) turns out to exhibit 2K+1 "correct" coefficients M^k . As a result, if (1.11) is well-596 posed, the reconstructed oscillating functions $\widetilde{\boldsymbol{W}}_{\varepsilon,2K+1}(\widehat{\boldsymbol{v}}_{\varepsilon,K}^*)$ and $\widetilde{Q}_{\varepsilon,2K}(\widehat{\boldsymbol{v}}_{\varepsilon,K}^*,\widehat{q}_{\varepsilon,K}^*)$ approximate u_{ε} and p_{ε} with an error rate as good as $O(\varepsilon^{2K+4})$ in the $L^2(D_{\varepsilon})$ norm 598 (Proposition 4.5). This improvement (which had not been noticed in the original 599 paper [53]) actually holds in the context of the Poisson or elasticity equations for which there is no difference between (1.6) and (1.11) (see [34, 33]). Unfortunately in 601 the case of the Stokes system, we do not know whether the mixed formulation (4.20)602 with the "velocity-dependent" pressure $Q_{\varepsilon,K}(\boldsymbol{w},\phi)$ yields a well-posed problem, hence 603 our commitment to consider (1.6) instead of (1.11). 604

The leading tensor \mathbb{D}_{K}^{2K+2} is nonnegative according to (4.17). Under a rather unrestrictive additional non-degeneracy assumption, we obtain that the minimization principle (4.16) makes (1.6) be a well posed problem.

PROPOSITION 4.12. Assume the dominant tensor $\mathbb{D}_{K}^{2K+2} = (-1)^{K+1} \mathbb{B}_{K}^{K+1,K+1}$ is non-degenerate, that is there exists a constant $\nu > 0$ such that for any constant vector tensor $\boldsymbol{\xi}^{K+1} = \boldsymbol{\xi}_{i_1...i_{K+1},p}^{K+1} \in \mathbb{R}^{d^{K+1}} \times \mathbb{R}^d$ of order K+1, it holds

611 (4.21)
$$\int_{Y} [(N^{K} \otimes e_{l}) \cdot \boldsymbol{\xi}^{K+1}] \cdot [(N^{K} \otimes e_{l}) \cdot \boldsymbol{\xi}^{K+1}] dy \ge \nu \, \boldsymbol{\xi}_{i_{1}...i_{K+1}}^{K+1} \cdot \boldsymbol{\xi}_{i_{1}...i_{K+1}}^{K+1}.$$

614

615

616

617

618

619

620

621 622 623

624

625

627

Then there exists a unique velocity and pressure couple $(\mathbf{v}_{\varepsilon,K}^*, q_{\varepsilon,K}^*) \in H^{K+1}(D, \mathbb{R}^d) \times L^2(D)/\mathbb{R}$ solving the higher order homogenized equation (1.6).

Proof. The proof relies on the positivity of the quadratic part of the energy $J_K^*(\boldsymbol{v}, \boldsymbol{f}, \varepsilon)$. By adapting the arguments of the proof of Proposition 12 in [34], we obtain indeed that the bilinear form associated with the energy (4.15) is coercive on the space V_K defined in (4.19). This is enough to apply standard theory for saddle point problems involving the zero divergence constraint (see e.g. the textbooks [55, 54, 38, 31]) which ensures the existence and uniqueness of a solution for (1.6).

Remark 4.13. The assumption (4.21) could fail for $K \geq 1$ in case the obstacle ηT is invariant along some of the directions \mathbf{e}_i of the cell P, however it is not restrictive. Indeed, since the leading order tensor \mathbb{D}^{2K+2}_K has no influence on the error estimates of Proposition 4.5, it is always possible to add to \mathbb{D}^{2K+2}_K a small non-negative tensor making it non-degenerate.

4.3. Error estimates: justification of the homogenization process. We conclude this section by stating error estimates holding for the solution $(\boldsymbol{v}_{\varepsilon,K}^*, q_{\varepsilon,K}^*)$ to the high order homogenized model (1.6). We know from Proposition 4.10 that $\mathbb{D}_K^k = M^k$ for $0 \le k \le K$, therefore the assumptions of Proposition 4.5 are satisfied provided we verify the uniform regularity estimate (4.12).

LEMMA 4.14. The solution $(\mathbf{v}_{\varepsilon,K}^*, q_{\varepsilon,K}^*)$ of (1.6) is smooth and for any $m \in \mathbb{N}$, there exists a constant $C_m(\mathbf{f})$ depending only on m and \mathbf{f} such that

$$||\boldsymbol{v}_{\varepsilon,K}^*||_{H^m(D,\mathbb{R}^d)} \leq C_m(\boldsymbol{f})\varepsilon^2.$$

Proof. Using Fourier series in the periodic domain D, the well-posedness of (1.6)is equivalent to the invertibility of the matrix

$$P(\xi) := \begin{bmatrix} \sum_{k=0}^{2K+2} (2i\pi/L)^k \mathbb{D}_K^k \cdot \xi^k & (2i\pi/L)\xi \\ (2i\pi/L)\xi^T & 0 \end{bmatrix}.$$

The variable $\xi = (\xi_i) = (\varepsilon q_i)$ is the product of the Fourier variable q and ε and we have denoted by ξ^k the scalar tensor defined by $\xi^k_{i_1...i_k} := \xi_{i_1} \dots \xi_{i_k}$ (hence $\mathbb{D}_K^{2K+2} \cdot \xi^{2K+2}$)

631

and $M^k \cdot \xi^k$ are $d \times d$ matrix). The results are obtained by using the positivity of 632 (4.15) and adapting the arguments of the proof of Lemma 5 in [34]. 633

Since we have verified that all the assumptions of Proposition 4.5 hold with K' = K, 634

we are finally in position to state the following error bounds. 635

COROLLARY 4.15. Let $(\boldsymbol{v}_{\varepsilon,K}^*, q_{\varepsilon,K}^*)$ be the unique solution to the high order homogenized equation (1.6). There exists a constant $C_K(\boldsymbol{f})$ independent of ε (but depending on K, f, and a priori on the shape of the hole (ηT) such that the following error estimates hold:

$$\left\| \boldsymbol{u}_{\varepsilon} - \sum_{k=0}^{K} \varepsilon^{k} N^{k}(\cdot/\varepsilon) \cdot \nabla^{k} \boldsymbol{v}_{\varepsilon,K}^{*} \right\|_{L^{2}(D_{\varepsilon},\mathbb{R}^{d})} \leq C_{K}(\boldsymbol{f}) \varepsilon^{K+3},$$

$$\left\| \nabla \left(\boldsymbol{u}_{\varepsilon} - \sum_{k=0}^{K} \varepsilon^{k} N^{k}(\cdot/\varepsilon) \cdot \nabla^{k} \boldsymbol{v}_{\varepsilon,K}^{*} \right) \right\|_{L^{2}(D_{\varepsilon},\mathbb{R}^{d \times d})} \leq C_{K}(\boldsymbol{f}) \varepsilon^{K+2},$$

$$\left\| p_{\varepsilon} - \left(q_{\varepsilon,K}^{*} + \sum_{k=0}^{K-1} \varepsilon^{k-1} \boldsymbol{\beta}^{k}(\cdot/\varepsilon) \cdot \nabla^{k} \boldsymbol{v}_{\varepsilon,K}^{*} \right) \right\|_{L^{2}(D_{\varepsilon})} \leq C_{K}(\boldsymbol{f}) \varepsilon^{K+1}.$$

Remark 4.16. As the reader may expect, error bounds with the same order of convergence hold for the truncation at order K of the "classical" ansatz (1.7), see [26, 46] up to the order K = 1, and in Proposition 7.37 of [33] at all orders.

636

637

638

639 640

643

644

649

5. Low volume fraction limits when the scaling η of the obstacle vanishes. In this section, we provide evidences that (1.6) is "well-behaved" in the sense that it has the potential to capture the homogenized regimes (1.2)–(1.4) in the low volume fraction limit where the size of the obstacles vanish. Our results supporting this claim are obtained by analyzing the asymptotics of the tensors \mathcal{X}^{k*} , M^k and \mathbb{D}_{K}^{2K+2} as the scaling ratio η converges to 0.

In this whole subsection, we assume for simplicity, that the space dimension is greater than 3:

$$d \geq 3$$
.

645 Similar results are expected to hold in dimension d=2 but would require a different treatment, as e.g. in [6, 41]. The hole ηT is assumed to be an non-empty open subset 646 strictly included in the unit cell for any $\eta \leq 1$ (it does not touch the boundary): 647 648

Let us recall the definition of the Deny-Lions (or Beppo-Levi) space denoted by $\mathcal{D}^{1,2}(\mathbb{R}^d \setminus T, \mathbb{R}^d)$ (the reader is referred to [6, 4, 8] and also [48], p.59. for more details).

DEFINITION 5.1 (Deny-Lions space). The Deny-Lions space $\mathcal{D}^{1,2}(\mathbb{R}^d \setminus T, \mathbb{R}^d)$ is the completion of the space of smooth vector fields by the L^2 norm of their gradients:

$$\mathcal{D}^{1,2}(\mathbb{R}^d\backslash T,\mathbb{R}^d):=\overline{\mathcal{D}(\mathbb{R}^d\backslash T,\mathbb{R}^d)}^{||\nabla\cdot||_{L^2(\mathbb{R}^d\backslash T,\mathbb{R}^d)}},$$

- where $\mathcal{D}(\mathbb{R}^d \setminus T, \mathbb{R}^d)$ is the space of compactly supported smooth vector fields. When 651 $d \geq 3$, it is admits the following characterization: 652
- 653 $\mathcal{D}^{1,2}(\mathbb{R}^d \backslash T, \mathbb{R}^d)$ 654
- $= \{ \boldsymbol{v} \ \textit{measurable} \ \big| \ ||\boldsymbol{v}||_{L^{2d/(d-2)}(\mathbb{R}^d \setminus T, \mathbb{R}^d)} < +\infty \ \textit{and} \ ||\nabla \boldsymbol{v}||_{L^2(\mathbb{R}^d \setminus T, \mathbb{R}^d \times d)} < +\infty \}.$ 655
- For any $1 \leq j \leq d$, we consider the unique solution (Ψ_j, σ_j) to the exterior Stokes 657 problem 658

$$\begin{cases}
-\Delta \Psi_j + \nabla \sigma_j = 0 \text{ in } \mathbb{R}^d \backslash T \\
\operatorname{div}(\Psi_j) = 0 \text{ in } \mathbb{R}^d \backslash T \\
\Psi_j = 0 \text{ on } \partial T \\
\Psi_j \to \mathbf{e}_j \text{ at } \infty \\
\sigma_j \in L^2(\mathbb{R}^d \backslash T).
\end{cases}$$

- 660
- The convergence condition $\Psi_j \to e_j$ at infinity must be understood in the sense that $\Psi_j e_j$ belongs to $\mathcal{D}^{1,2}(\mathbb{R}^d \setminus T, \mathbb{R}^d)$. Similarly, the pressures $(\sigma_j)_{1 \leq j \leq d}$ are uniquely 661
- determined by the condition $\sigma_j \in L^2(\mathbb{R}^d \setminus T)$ (see e.g. Lemma 1.1, article V. of [36]).
- We denote by $F := (F_{ij})_{1 \le i,j \le d}$ the matrix collecting the drag force components: 663

664 (5.2)
$$F_{ij} := \int_{\mathbb{R}^d \setminus T} \nabla \mathbf{\Psi}_i : \nabla \mathbf{\Psi}_j dx = -\int_{\partial T} \mathbf{e}_j \cdot (\nabla \mathbf{\Psi}_i - \sigma_i I) \cdot \mathbf{n} ds,$$

- where the normal n is pointing inward T. 665
- **5.1.** Technical estimates in the growing periodic domain $\eta^{-1}P\backslash T$. In all 666 this section, vector fields of the rescaled cell $\eta^{-1}P$ are indicated by a tilde notation. 667 For a given vector field $\widetilde{v} \in L^2(\eta^{-1}P, \mathbb{R}^d)$, we denote by $\langle \widetilde{v} \rangle$ the average $\langle \widetilde{v} \rangle :=$ 668 $\eta^d \int_{n^{-1}P} \widetilde{\boldsymbol{v}}(y) \mathrm{d}y.$ 669
- Let us recall that for any $v \in H^1(P \setminus (\eta T), \mathbb{R}^d)$, if \tilde{v} is the rescaled function defined 670 by $\widetilde{\boldsymbol{v}}(y) := v(\eta y)$ in the rescaled cell $\eta^{-1} P \backslash T$, then the L^2 norms of $\boldsymbol{v}, \widetilde{\boldsymbol{v}}$ and of their 671 gradients are related by the following identities:

673
$$||\boldsymbol{v}||_{L^{2}(P\setminus(\eta T),\mathbb{R}^{d})} = \eta^{d/2}||\widetilde{\boldsymbol{v}}||_{L^{2}(\eta^{-1}P\setminus T,\mathbb{R}^{d})}$$

$$||\nabla \boldsymbol{v}||_{L^{2}(P\setminus(\eta T),\mathbb{R}^{d\times d})} = \eta^{d/2-1}||\nabla \widetilde{\boldsymbol{v}}||_{L^{2}(\eta^{-1}P\setminus T,\mathbb{R}^{d\times d})}.$$

- The asymptotic behaviors of the tensors \mathcal{X}^{k*} , M^k are obtained by following the 676 methodology of [6, 41, 34], which relies on several technical results stated in this part. 677
- Lemma 5.2. Assume $d \geq 3$. There exists a constant C > 0 independent of $\eta > 0$ 678 such that for any $\widetilde{v} \in H^1(\eta^{-1}P \setminus T, \mathbb{R}^d)$ which vanishes on the hole ∂T and which is 679 $\eta^{-1}P$ periodic, the following inequalities hold: 680
- $||\widetilde{\boldsymbol{v}}||_{L^2(n^{-1}P\setminus T,\mathbb{R}^d)} \leq C\eta^{-d/2}||\nabla\widetilde{\boldsymbol{v}}||_{L^2(n^{-1}P\setminus T,\mathbb{R}^d\times d)},$ (5.3)681
- $|\langle \widetilde{\boldsymbol{v}} \rangle| \leq C ||\nabla \widetilde{\boldsymbol{v}}||_{L^2(n^{-1}P \setminus T \mathbb{R}^{d \times d})},$ (5.4)682
- $||\widetilde{\boldsymbol{v}} \langle \widetilde{\boldsymbol{v}} \rangle||_{L^2(n^{-1}P \setminus T \mathbb{R}^n d)} \leq C \eta^{-1} ||\nabla \widetilde{\boldsymbol{v}}||_{L^2(n^{-1}P \setminus T \mathbb{R}^{d \times d})},$ (5.5)683
- $||\widetilde{\boldsymbol{v}} \langle \widetilde{\boldsymbol{v}} \rangle||_{L^{2d/(d-2)}(n^{-1}P \setminus T\mathbb{R}^d)} \le C||\nabla \widetilde{\boldsymbol{v}}||_{L^2(n^{-1}P \setminus T\mathbb{R}^d \times d)}.$ (5.6)684

686 *Proof.* See
$$[41, 45, 6, 42]$$
.

LEMMA 5.3. Consider $\mathbf{h} \in L^2(\eta^{-1}P \backslash T, \mathbb{R}^d)$ and $g \in L^2(\eta^{-1}P \backslash T)$ a function satisfying $\int_{\eta^{-1}P \backslash T} g dx = 0$. Let $(\mathbf{v}, \phi) \in H^1(\eta^{-1}P \backslash T, \mathbb{R}^d) \times L^2(\eta^{-1}P \backslash T)$ be the unique solution to the following Stokes system:

690 (5.7)
$$\begin{cases}
-\Delta \boldsymbol{v} + \nabla \phi = \boldsymbol{h} \text{ in } \eta^{-1} P \backslash T \\
\operatorname{div}(\boldsymbol{v}) = g \text{ in } \eta^{-1} P \backslash T
\end{cases}$$

$$\begin{cases}
\int_{\eta^{-1} P \backslash T} \phi dx = 0 \\
\boldsymbol{v} = 0 \text{ on } \partial T \\
\boldsymbol{v} \text{ is } \eta^{-1} P - periodic}
\end{cases}$$

There exists a constant C > 0 independent of η , h and g such that

692
693 (5.8)
$$||\nabla v||_{L^2(\eta^{-1}P\setminus T,\mathbb{R}^{d\times d})} + ||\phi||_{L^2(\eta^{-1}P\setminus T)}$$

$$\leq C(\eta^{-1}||\boldsymbol{h} - \langle \boldsymbol{h} \rangle||_{L^{2}(\eta^{-1}P \setminus T, \mathbb{R}^{d})} + \eta^{-d}|\langle \boldsymbol{h} \rangle| + ||g||_{L^{2}(\eta^{-1}P \setminus T)}).$$

696 Proof. From Lemma 2.2.4 in [7], for any $\eta > 0$, there exists a linear "Bogovskii's" 697 operator $B_{\eta}: L^{2}(P\backslash(\eta T)) \to H^{1}(P\backslash(\eta T), \mathbb{R}^{d})$ satisfying for any $\phi \in L^{2}(P\backslash(\eta Y))$ 698 such that $\int_{P\backslash(\eta T)} \phi dy = 0$:

(i) $\operatorname{div}(B_{\eta}\phi) = \phi$,

699

- 700 (ii) $B_{\eta}\phi = 0$ on $\partial(\eta T)$,
- 701 (iii) $B_{\eta}\phi$ is P-periodic,
- 702 (iv) $||\dot{\nabla}(B_{\eta}\phi)||_{L^{2}(P\setminus(\eta T),\mathbb{R}^{d\times d})} \leq C||\phi||_{L^{2}(P\setminus(\eta T))}$ for a constant C independent of η and ϕ .

For any $\widetilde{\phi} \in L^2(\eta^{-1}P \backslash T)$ such that $\int_{\eta^{-1}P \backslash T} \widetilde{\phi} dy = 0$, we define

$$\widetilde{B}_{\eta}(\widetilde{\phi}) := \eta^{-1} [B_{\eta}(\widetilde{\phi}(\eta^{-1} \cdot))(\eta \cdot)].$$

704 The operator $\widetilde{B}_{\eta}: L^2(\eta^{-1}P\backslash T) \to H^1(\eta^{-1}P\backslash T, \mathbb{R}^d)$ satisfies the following properties: 705 for any $\widetilde{\phi} \in L^2(\eta^{-1}P\backslash T)$ such that $\int_{\eta^{-1}P\backslash T} \widetilde{\phi} dx = 0$,

- 706 (i) $\operatorname{div}(\widetilde{B}_{\eta}\widetilde{\phi}) = \widetilde{\phi} \text{ in } \eta^{-1}P\backslash T,$
- 707 (ii) $\widetilde{B}_{\eta}\widetilde{\phi} = 0$ on ∂T ,
- 708 (iii) $\widetilde{B}_{\eta}\widetilde{\phi}$ is $\eta^{-1}P$ -periodic,
- 709 (iv) $||\nabla(\widetilde{B}_{\eta}\widetilde{\phi})||_{L^{2}(\eta^{-1}P\setminus T,\mathbb{R}^{d\times d})} \leq C||\widetilde{\phi}||_{L^{2}(\eta^{-1}P\setminus T)}$ for a constant C independent of η and ϕ .
- The proof follows then classically along the lines of Corollary 4.4. Upon an integration by parts and by using Lemma 5.2, it is readily obtained with $\boldsymbol{w} := \boldsymbol{v} \widetilde{B}_{\eta}g$:

713
$$||\nabla \boldsymbol{w}||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})}^{2} = \int_{\eta^{-1}P\backslash T} \boldsymbol{h} \cdot \boldsymbol{w} dy$$
714
$$= \int_{\eta^{-1}P\backslash T} (\boldsymbol{h} - \langle \boldsymbol{h} \rangle) \cdot (\boldsymbol{w} - \langle \boldsymbol{w} \rangle) dy + \int_{\eta^{-1}P\backslash T} \langle \boldsymbol{h} \rangle \cdot \langle \boldsymbol{w} \rangle dy$$
715
$$\leq C(||\boldsymbol{h} - \langle \boldsymbol{h} \rangle||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d})} ||\boldsymbol{w} - \langle \boldsymbol{w} \rangle||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d})} + \eta^{-d}|\langle \boldsymbol{h} \rangle||\langle \boldsymbol{w} \rangle|)$$
716
$$\leq C(||\boldsymbol{h} - \langle \boldsymbol{h} \rangle||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d})} + \eta^{-d}|\langle \boldsymbol{h} \rangle|)||\nabla \boldsymbol{w}||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})}$$
717
$$\leq C(\eta^{-1}||\boldsymbol{h} - \langle \boldsymbol{h} \rangle||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d})} + \eta^{-d}|\langle \boldsymbol{h} \rangle|)||\nabla \boldsymbol{w}||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})}$$

for a constant C > 0 independent of η and h. This implies

$$||\nabla \boldsymbol{v}||_{L^{2}(\eta^{-1}P\backslash T)} \leq ||\nabla \boldsymbol{w}||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})} + ||\nabla(\widetilde{B}_{\eta}g)||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})}$$
$$\leq C(||\nabla \boldsymbol{w}||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})} + ||g||_{L^{2}(\eta^{-1}P\backslash T)}),$$

whence the bound on $||\nabla \boldsymbol{v}||_{L^2(\eta^{-1}P\setminus T,\mathbb{R}^{d\times d})}$ by using (5.9). The bound for the pressure is obtained by writing

720721

722 723

725

726

728

729

$$\int_{\eta^{-1}P\backslash T} \phi^2 dx = \int_{\eta^{-1}P\backslash T} \phi \operatorname{div}(B_{\eta}\phi) dx$$

$$= -\int_{\eta^{-1}P\backslash T} \nabla \phi \cdot B_{\eta} \phi dx = \int_{\eta^{-1}P\backslash T} (\nabla \boldsymbol{v} : \nabla (B_{\eta}\phi) - \boldsymbol{h} \cdot (B_{\eta}\phi)) dx,$$

724 from where (5.8) follows analogously.

5.2. Asymptotic convergences of homogenized tensors in the low volume fraction limit $\eta \to 0$. The asymptotics of the corrector tensors $(\mathcal{X}_j^0, \alpha_j^0)$ and of \mathcal{X}^{0*} (defined in (3.3) and (3.7)) have been obtained in of Theorem 3.1 in [6]. The following proposition extends this result to the whole family of tensors $(\mathcal{X}^k, \alpha_j^k)_{k \in \mathbb{N}}$ and $(\mathcal{X}^{k*})_{k \in \mathbb{N}}$.

PROPOSITION 5.4. Assume $d \geq 3$. For any $k \geq 0$ and $1 \leq j \leq d$, denote by $(\widetilde{\boldsymbol{\mathcal{X}}}_{j}^{2k}, \widetilde{\alpha}_{j}^{2k})$ and $(\widetilde{\boldsymbol{\mathcal{X}}}_{j}^{2k+1}, \widetilde{\alpha}_{j}^{2k+1})$ the rescaled tensors in $\eta^{-1}P\backslash T$ defined by

$$\begin{cases} \widetilde{\boldsymbol{\mathcal{X}}}_{j}^{2k}(x) := \eta^{(d-2)(k+1)} \boldsymbol{\mathcal{X}}_{j}^{2k}(\eta x) \\ \widetilde{\alpha}_{j}^{2k}(x) := \eta^{(d-2)(k+1)-1} \alpha_{j}^{2k}(\eta x) \end{cases} \qquad \begin{cases} \widetilde{\boldsymbol{\mathcal{X}}}_{j}^{2k+1}(x) := \eta^{(d-2)(k+1)} \boldsymbol{\mathcal{X}}_{j}^{2k+1}(\eta x) \\ \widetilde{\alpha}_{j}^{2k+1}(x) := \eta^{(d-2)(k+1)-1} \alpha_{j}^{2k+1}(\eta x) \end{cases}$$

730 for any $x \in \eta^{-1}P \backslash T$. Then:

1. there exists a constant C independent of $\eta > 0$ such that

$$\forall \eta > 0, \, ||\nabla \widetilde{\boldsymbol{\mathcal{X}}}_{j}^{2k}||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})} + ||\widetilde{\alpha}_{j}^{2k}||_{L^{2}(\eta^{-1}P\backslash T)} \leq C,$$

$$\forall \eta > 0, \, ||\nabla \widetilde{\boldsymbol{\mathcal{X}}}_{j}^{2k+1}||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})} + ||\widetilde{\alpha}_{j}^{2k+1}||_{L^{2}(\eta^{-1}P\backslash T)} \leq C;$$

731 2. the following convergences hold as $\eta \to 0$:

732 (5.10)
$$(\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k}, \widetilde{\alpha}_{i}^{2k}) \rightharpoonup (c_{ij}^{2k} \boldsymbol{\Psi}_{j}, c_{ij}^{2k} \sigma_{j}) \quad \text{weakly in } H^{1}_{loc}(\mathbb{R}^{d} \backslash T, \mathbb{R}^{d}) \times L^{2}_{loc}(\mathbb{R}^{d} \backslash T),$$

733 (5.11)
$$(\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+1}, \widetilde{\alpha}_{i}^{2k+1}) \rightharpoonup (0,0)$$
 weakly in $H_{loc}^{1}(\mathbb{R}^{d} \backslash T, \mathbb{R}^{d}) \times L_{loc}^{2}(\mathbb{R}^{d} \backslash T)$,

734 (5.12)
$$\mathcal{X}^{2k*} \sim \frac{1}{\eta^{(d-2)(k+1)}} c^{2k},$$

735 (5.13)
$$\mathcal{X}^{2k+1*} = o\left(\frac{1}{\eta^{(d-2)(k+1)}}\right),$$

where c_{ij}^{2k} denotes the coefficients of the matrix valued tensor $c^{2k} := (c_{ij}^{2k})_{1 \leq i,j \leq d}$ of order 2k given by

$$c^{2k} := F^{-(k+1)}J^{2k}$$
 with $J^{2k} = \overbrace{I \otimes I \otimes \cdots \otimes I}^{k \text{ times}}$.

737 *Proof.* The result is proved by induction on k.

738 1. Case 2k with k=0. The tensor $(\widetilde{\boldsymbol{\mathcal{X}}}_i^0, \widetilde{\alpha}_i^0)$ satisfies

739 (5.14)
$$\begin{cases} -\Delta \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{0} + \nabla \widetilde{\boldsymbol{\alpha}}_{i}^{0} = \eta^{d} \boldsymbol{e}_{i} \text{ in } \mathbb{R}^{d} \backslash T \\ \operatorname{div}(\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{0}) = 0 \text{ in } \mathbb{R}^{d} \backslash T, \end{cases}$$

as well as the other boundary conditions of (5.7). Lemma 5.3 implies then

$$||\nabla \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{0}||_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})} + ||\widetilde{\alpha}_{i}^{0}||_{L^{2}(\eta^{-1}P\backslash T)} \leq C\eta^{-d}\eta^{d}|\langle \boldsymbol{e}_{i}\rangle| \leq C.$$

From (5.4), we also obtain that $\langle \widetilde{\boldsymbol{\mathcal{X}}}_i^0 \rangle$ is bounded. Hence, up to extracting a subsequence, there exists a constant matrix $c^0 := (c_{ij}^0)_{1 \leq i,j \leq d}$, and fields $(\widehat{\boldsymbol{\Psi}}_i^0, \widehat{\boldsymbol{\sigma}}_i^0)_{1 \leq i \leq d}$ such that

$$\langle \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{0} \rangle \cdot \boldsymbol{e}_{j}
ightarrow c_{ij}^{0},$$

$$(\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{0}, \widetilde{\alpha}_{i}^{0}) \rightharpoonup (\widehat{\boldsymbol{\Psi}}_{i}^{0}, \widehat{\sigma}_{i}^{0})$$
 weakly in $H_{loc}^{1}(\eta^{-1}P \backslash T, \mathbb{R}^{d}) \times L_{loc}^{2}(\eta^{-1}P \backslash T)$.

Multiplying (5.14) by a compactly supported test function $\Phi \in \mathcal{C}_c^{\infty}(\mathbb{R}^d \backslash T)$ and integrating by parts yields

$$\int_{\eta^{-1}P\setminus T} (\nabla \widetilde{\boldsymbol{\mathcal{X}}}_i^0 : \nabla \boldsymbol{\Phi} - \widetilde{\alpha}_i^0 \operatorname{div}(\boldsymbol{\Phi})) dx = \int_{\eta^{-1}P\setminus T} \eta^d \boldsymbol{\Phi} \cdot \boldsymbol{e}_i dx.$$

Passing to the limit as $\eta \to 0$ implies then

$$\begin{cases} -\Delta \widehat{\boldsymbol{\Psi}}_i^0 + \nabla \widehat{\sigma}_i^0 = 0 \text{ in } \mathbb{R}^d \backslash T \\ \operatorname{div}(\boldsymbol{\Psi}_i^0) = 0 \text{ in } \mathbb{R}^d \backslash T \\ \boldsymbol{\Psi}_i^0 = 0 \text{ on } \partial T. \end{cases}$$

By applying the point (5.6) of Lemma 5.2 and by using the lower semi-continuity of the Lebesgue space norms, we infer $(\widehat{\Phi}_i^0 - c_{ij}^0 e_j, \widehat{\sigma}_i^0) \in \mathcal{D}^{1,2}(\mathbb{R}^d \backslash T) \times L^2(\mathbb{R}^d \backslash T)$ (see the proof of Theorem 3.1 in [6] for a detailed justification). By linearity, it is then necessary that $(\widehat{\Phi}_i^0, \widehat{\sigma}_i^0) = (c_{ij}^0 \Psi_j, c_{ij}^0 \sigma_j)$ where (Ψ_j, σ_j) are the solution to the exterior problem (5.1). In order to identify the coefficient c_{ij}^0 , we integrate (5.1) by parts against the test function $\Phi = e_j$ then yields

$$0 = \eta^d \int_{\eta^{-1}P \setminus T} \delta_{ij} dx + \int_{\partial T} \boldsymbol{e}_j \cdot (\nabla \widetilde{\boldsymbol{\mathcal{X}}}_i^0 - \widetilde{\alpha}_i^0 I) \cdot \boldsymbol{n} dx.$$

Passing to the limit as $\eta \to 0$ by using the continuity of the drag force with respect to the weak convergence and (5.2) yields then

$$0 = \delta_{ij} + \int_{\partial T} \boldsymbol{e}_j \cdot (\nabla \widehat{\boldsymbol{\Phi}}_i^0 - \widehat{\boldsymbol{\sigma}}_i^0) \cdot \boldsymbol{n} dx = \delta_{ij} - c_{ip}^0 F_{pj}.$$

This implies $c^0 = F^{-1}$ as claimed and the convergence of the whole sequence by uniqueness of the limit. The asymptotic for \mathcal{X}^{0*} as $\eta \to 0$ follows by the change of variable $y = \eta x$:

$$\mathcal{X}_{ij}^{0*} = \boldsymbol{e}_i \cdot \int_{P \setminus (\eta T)} \boldsymbol{\mathcal{X}}_j^0 \mathrm{d}y = \eta^{2-d} \eta^d \boldsymbol{e}_i \cdot \int_{\eta^{-1}P \setminus T} \widetilde{\boldsymbol{\mathcal{X}}}_j^0 \mathrm{d}y \sim \eta^{2-d} \langle \widetilde{\boldsymbol{\mathcal{X}}}_j^0 \rangle \cdot \boldsymbol{e}_i \sim \eta^{2-d} c_{ji}^0.$$

740 2. Case 2k+1 with k=0. The tensor $(\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{1}, \widetilde{\alpha}_{i}^{1})$ satisfies

741 (5.15)
$$\begin{cases} -\Delta \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{1} + \nabla \widetilde{\alpha}_{i}^{1} = \eta(2\partial_{l}\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{0} - \widetilde{\alpha}_{j}^{0}\boldsymbol{e}_{l}) \otimes \boldsymbol{e}_{l} \text{ in } \eta^{-1}P \backslash T \\ \operatorname{div}(\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{1}) = -\eta(\widetilde{\boldsymbol{\mathcal{X}}}_{j}^{0} - \langle \widetilde{\boldsymbol{\mathcal{X}}}_{j}^{0} \rangle) \cdot \boldsymbol{e}_{l} \otimes \boldsymbol{e}_{l} \text{ in } \eta^{-1}P \backslash T. \end{cases}$$

Applying Lemma 5.3 and remarking that $\langle 2\partial_l \widetilde{\boldsymbol{\mathcal{X}}}_i^0 - \widetilde{\alpha}_i^0 \boldsymbol{e}_l \rangle = 0$, we obtain

$$||\nabla \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{1}||_{L^{2}(\eta^{-1}P\setminus T,\mathbb{R}^{d\times d})} + ||\widetilde{\alpha}_{i}^{1}||_{L^{2}(\eta^{-1}P\setminus T)} \leq C.$$

Integrating (5.15) by parts against a compactly supported test function $\Phi \in \mathcal{C}^c(\mathbb{R}^d \setminus T)$ and passing to the limit as $\eta \to 0$, we obtain similarly the existence of a matrix valued tensor $c^1 := (c^1_{ij})_{1 \le i,j \le d}$ (of order 1) such that, up to the extraction of a subsequence:

$$\langle \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{1} \rangle \cdot \boldsymbol{e}_{j} \rightarrow c_{ij}^{1},$$

$$(\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{1}, \widetilde{\alpha}_{i}^{1}) \rightharpoonup (c_{ij}^{1} \Psi_{j}, c_{ij}^{1} \sigma_{j})$$
 weakly in $H_{loc}^{1}(\eta^{-1}P \backslash T, \mathbb{R}^{d}) \times L_{loc}^{2}(\eta^{-1}P \backslash T)$.

- Integrating (5.15) by parts against the test function e_j and passing to the limit as $\eta \to 0$ yields in this situation $0 = c_{ij}^1 F_{pj}$ whence $c^1 = 0$.
- 743 $\eta \to 0$ yields in this situation $0 = c_{ij} r_{pj}$ whence c = 0. 744 3. General case. Assuming that the result holds till rank k, the differential equations
- satisfied by the rescaled tensors in $\eta^{-1}P \setminus T$ read:

746 (5.16)
$$\begin{cases} -\Delta \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+2} + \nabla \widetilde{\alpha}_{i}^{2k+2} = \eta^{d-1} (\partial_{l} \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+1} - \widetilde{\alpha}_{i}^{2k+1} \boldsymbol{e}_{l}) \otimes \boldsymbol{e}_{l} + \eta^{d} \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k} \otimes \boldsymbol{I} \\ \operatorname{div}(\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+2}) = -\eta^{d-1} (\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+1} - \langle \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+1} \rangle) \cdot \boldsymbol{e}_{l} \otimes \boldsymbol{e}_{l}. \end{cases}$$

747

748 (5.17)
$$\begin{cases} -\Delta \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+3} + \nabla \widetilde{\alpha}_{i}^{2k+3} = \eta(\partial_{l} \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+2} - \widetilde{\alpha}_{i}^{2k+2} \boldsymbol{e}_{l}) \otimes \boldsymbol{e}_{l} + \eta^{d} \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+1} \otimes \boldsymbol{I} \\ \operatorname{div}(\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+3}) = -\eta(\widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+2} - \langle \widetilde{\boldsymbol{\mathcal{X}}}_{i}^{2k+2} \rangle) \cdot \boldsymbol{e}_{l} \otimes \boldsymbol{e}_{l}. \end{cases}$$

Using Lemma 5.2, Lemma 5.3 and the point 1. of the proposition at rank k, we readily obtain

$$\|\nabla \widetilde{\mathcal{X}}_{i}^{2k+2}\|_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})} + \|\widetilde{\alpha}_{i}^{2k+2}\|_{L^{2}(\eta^{-1}P\backslash T)} \leq C,$$
$$\|\nabla \widetilde{\mathcal{X}}_{i}^{2k+3}\|_{L^{2}(\eta^{-1}P\backslash T,\mathbb{R}^{d\times d})} + \|\widetilde{\alpha}_{i}^{2k+3}\|_{L^{2}(\eta^{-1}P\backslash T)} \leq C.$$

Repeating the above arguments, we obtain, up to the extraction of a subsequence, the existence of matrix valued tensors c^{2k+2} and c^{2k+3} such that

$$\begin{split} \langle \widetilde{\boldsymbol{\mathcal{X}}}_i^{2k+2} \rangle \cdot \boldsymbol{e}_j \rightharpoonup c_{ij}^{2k+2} \text{ and } \langle \widetilde{\boldsymbol{\mathcal{X}}}_i^{2k+3} \rangle \cdot \boldsymbol{e}_j \rightharpoonup c_{ij}^{2k+3}, \\ (\widetilde{\boldsymbol{\mathcal{X}}}_i^{2k+2}, \widetilde{\alpha}_i^{2k+2}) \rightharpoonup (c_{ij}^{2k+2} \boldsymbol{\Psi}_j, c_{ij}^{2k+2} \sigma_j) \text{ weakly in } H^1_{loc}(\mathbb{R}^d \backslash T, \mathbb{R}^d) \times L^2_{loc}(\mathbb{R}^d \backslash T), \\ (\widetilde{\boldsymbol{\mathcal{X}}}_i^{2k+3}, \widetilde{\alpha}_i^{2k+3}) \rightharpoonup (c_{ij}^{2k+3} \boldsymbol{\Psi}_j, c_{ij}^{2k+3} \sigma_j) \text{ weakly in } H^1_{loc}(\mathbb{R}^d \backslash T, \mathbb{R}^d) \times L^2_{loc}(\mathbb{R}^d \backslash T). \end{split}$$

The last step consists in integrating (5.16) and (5.17) by part against the test function e_j and to pass to the limit as $\eta \to 0$ in order to identify c_{ij}^{2k+2} and c_{ij}^{2k+3} . Performing this computation as above yields

$$0 = c_{ij}^{2k} \otimes I - c_{ip}^{2k+2} F_{pj},$$

$$0 = c_{ij}^{2k+1} \otimes I - c_{ip}^{2k+3} F_{pj}$$

from where we infer $c^{2k+2} = c^{2k}F^{-1} \otimes I$, $c^{2k+3} = c^{2k+1}F^{-1} \otimes I$, whence the result (recall $c^1 = 0$ from the point 2. of the proof).

Using the identity of (3.20), we obtain the asymptotics for the coefficients M^k of the infinite order homogenized equation (1.9).

COROLLARY 5.5. Assume $d \geq 3$. The following convergences hold for the matrix valued tensors M^k as $\eta \to 0$:

755 (5.18)
$$M^0 \sim \eta^{d-2} F,$$

756 (5.19)
$$M^{1} = o\left(\eta^{d-2}\right),$$

757 (5.20)
$$M^2 \to -I$$
,

764

758 (5.21)
$$\forall k \ge 2, \, M^{2k} = o\left(\frac{1}{\eta^{(d-2)(k-1)}}\right),$$

759 (5.22)
$$\forall k \ge 1, M^{2k+1} = o\left(\frac{1}{\eta^{(d-2)(k-1)}}\right).$$

Proof. We replace the asymptotics of (5.4) in the explicit formula for the tensors M^k given in (3.20). (5.18) is an immediate consequence of $M^0 = (\mathcal{X}^{0*})^{-1}$. The convergence (5.20) is obtained by writing, according to (3.20):

$$M^{2} = -(\mathcal{X}^{0*})^{-1} \otimes \mathcal{X}^{2*} \otimes (\mathcal{X}^{0*})^{-1} + (\mathcal{X}^{0*})^{-1} \otimes \mathcal{X}^{1*} \otimes (\mathcal{X}^{0*})^{-1} \otimes \mathcal{X}^{1*} \otimes (\mathcal{X}^{0*})^{-1}$$

$$= -\frac{\eta^{2(d-2)}}{\eta^{2(d-2)}} F \otimes c^{2} \otimes F + o\left(\frac{\eta^{3(d-2)}}{\eta^{2(d-2)}}\right) = -(FF^{-2}F) \otimes I + o(\eta^{d-2})$$

$$= -I + o(\eta^{d-2}).$$

For M^{2k+1} with $k \geq 0$, we use (3.20) and we observe that, for any $0 \leq p \leq 2k+1$ and indices $1 \leq i_1 \dots i_p \leq 2k+1$ such that $i_1 + \dots + i_p = 2k+1$, there exists at least one odd index i_q with $1 \leq q \leq p$. Using (5.12) and (5.13), we arrive at

765
$$(\mathcal{X}^{0*})^{-1} \otimes \mathcal{X}^{i_1*} \otimes \cdots \otimes (\mathcal{X}^{0*})^{-1} \otimes \mathcal{X}^{i_p*} \otimes (\mathcal{X}^{0*})^{-1}$$

$$= o\left(\frac{\eta^{(p+1)(d-2)}}{\eta^{(p+\lfloor i_1/2\rfloor+\cdots+\lfloor i_p/2\rfloor)(d-2)}}\right) = o\left(\frac{1}{\eta^{(d-2)(k-1)}}\right),$$

which implies (5.19) and (5.22). For M^{2k} with k > 1, we separate the summands of (3.20) into two categories. For a given p indices such that $1 \le p \le 2k$ and $i_1 + \cdots + i_p = 2k$, there are only two possibilities:

1. either there exists at least one odd index i_q , in that case the above reasoning implies as well

$$(\mathcal{X}^{0*})^{-1} \otimes \mathcal{X}^{i_1*} \otimes \cdots \otimes (\mathcal{X}^{0*})^{-1} \mathcal{X}^{i_p*} \otimes (\mathcal{X}^{0*})^{-1} = o\left(\frac{1}{\eta^{(d-2)(k-1)}}\right).$$

771 2. or all indices $i_1 + \cdots + i_p$ are even, in that case we may write, as $\eta \to 0$:

772
$$(\mathcal{X}^{0*})^{-1} \otimes \mathcal{X}^{i_{1}*} (\mathcal{X}^{0*})^{-1} \otimes \cdots \otimes (\mathcal{X}^{0*})^{-1} \mathcal{X}^{i_{p}*} \otimes (\mathcal{X}^{0*})^{-1}$$
773
$$\sim \frac{\eta^{(d-2)(p+1)}}{\eta^{(d-2)(p+k)}} F \otimes c^{i_{1}} \otimes \cdots \otimes F \otimes c^{i_{p}} \otimes F$$
774
$$\sim \frac{1}{\eta^{(d-2)(k-1)}} (FF^{-(i_{1}/2+1)}) \times \cdots \times (FF^{-(i_{p}/2+1)}) FJ^{2k}$$
775
$$\sim \frac{1}{\eta^{(d-2)(k-1)}} F^{-(k-1)} \otimes J^{2k} .$$

Note that in the latter case, the asymptotic does not depend on the choice of indices $i_1 + \cdots + i_p = 2k$. Therefore, by isolating the terms featuring only even indices $i_1 := 2j_1, \ldots, i_p := 2j_p$ in (3.20), we obtain finally

$$M^{2k} = \frac{1}{\eta^{(d-2)(k-1)}} F^{-(k-1)} \otimes J^{2k} \left(\sum_{p=1}^{2k} (-1)^p \sum_{\substack{2j_1 + \dots + 2j_p = 2k \\ 1 \leq j_1, \dots, j_p \leq k}} 1 \right) + o\left(\frac{1}{\eta^{(d-2)(k-1)}}\right).$$

The asymptotic (5.21) follows from the fact that the summation over p in the above expression is zero (see e.g. the end of the proof of Corollary 6 in [34]).

Remark 5.6. We have therefore obtained the following asymptotic estimates for the coefficients $\varepsilon^{k-2}M^k$ of the infinite order homogenized equation (1.9) as $\eta \to 0$:

781
$$\varepsilon^{-2}M^{0} \sim (\eta^{d-2}/\varepsilon^{2})F,$$
782
$$\varepsilon^{-1}M^{1} = o\left(\varepsilon(\eta^{d-2}/\varepsilon^{2})\right),$$
783
$$\varepsilon^{0}M^{2} \rightarrow -I,$$
784
$$\varepsilon^{2k-2}M^{2k} = o\left(\left(\varepsilon^{2}/\eta^{d-2}\right)^{k-1}\right) \text{ for } k \geq 2,$$
785
$$\varepsilon^{2k-1}M^{2k+1} = o\left(\varepsilon\left(\varepsilon^{2}/\eta^{d-2}\right)^{k-1}\right) \text{ for } k \geq 1.$$

These asymptotics bring into play the ratio ε^2/η^{d-2} and so the critical scaling $\eta_{\rm crit} \sim \varepsilon^{2/(d-2)}$. They imply thus the "coefficient-wise" convergence of (1.9) to the Brinkman regime (1.3) at the critical rate $\eta \sim \varepsilon^{2/(d-2)}$, in which case $\varepsilon^{-2}M^0 \to F$ and $\varepsilon^{k-2}M^k \to 0$ for any k > 2. Note that $\varepsilon^0M^2 \to -I$ whatever the rate of convergence at which $\eta \to 0$. The Darcy regimes (1.4) and (1.5) correspond to the situation where $\eta^{d-2}/\varepsilon^2 \to +\infty$; in that case the zeroth order term $\varepsilon^{-2}M^0$ is dominant.

Finally, the leading coefficients of the Stokes regime (1.2) are retrieved for $\eta = o(\varepsilon^{2/(d-2)})$, since in this case, $\varepsilon^{-2}M^0 \to 0$, $\varepsilon^{-1}M^1 \to 0$ and $\varepsilon^0M^0 \to -I$. However the present analysis is not sufficient to conclude that the coefficients $\varepsilon^{k-2}M^k$ of order k > 2 converge to zero in the subcritical regime $\eta = o(\varepsilon^{2/(d-2)})$. Indeed $\varepsilon^{k-2}M^k$ is just bounded by $(\varepsilon^2/\eta^{d-2})^k$, a quantity which can potentially blow up for too small values of η . This matter is to be adressed in a future work through a more accurate analysis of the rate of convergence of the coefficients \mathcal{X}^{2k*} and \mathcal{X}^{2k+1*} in the asymptotic (5.12) and (5.13). To date, let us note that Jing obtained recently $\mathcal{X}^{0*} = F/\eta^{d-2} + O(1)$ in the scalar case (proof of the Lemma 5.1 in [41]) by using layer potential techniques.

Remark 5.7. From the estimates of (5.4), we obtain that the coefficients (\mathbb{D}_K^k) of (1.6) satisfy the same asymptotic convergences of Corollary 5.5. Indeed, by using the definition (3.21) we find that there exists a constant C > 0 independent of η such that for any $K \ge 0$, $K + 1 \le k \le 2K + 1$ and $1 \le j \le d$:

$$||\nabla N_j^K||_{L^2(Y,\mathbb{R}^{d\times d})} \le C\eta^{-(d-2)\lfloor K/2\rfloor} \eta^{d/2-1}$$
$$||\beta_j^{k-K-1}||_{L^2(Y,\mathbb{R}^d)} \le C\eta^{-(d-2)\lfloor \frac{k-K-1}{2}\rfloor + 1} \eta^{d/2}.$$

Applying the inequality $\lfloor x \rfloor + \lfloor y \rfloor \leq \lfloor x + y \rfloor$, we obtain that the coefficients \mathbb{A}_{ij}^k of Proposition 4.10 satisfy for $K+1 \leq k \leq 2K+1$,

$$|\mathbb{A}_{ij}^k| \le C\eta^d \eta^{-\lfloor \frac{k-1}{2} \rfloor (d-2)} \le C\eta^2 M_{ij}^k.$$

776

787

789

790

791

792

793

794

796

798

Hence the discrepancy induced by the coefficients \mathbb{A}^k_{ij} is small and $\mathbb{D}^k_{K,ij}$ also satisfies (5.21) and (5.22) for $K+1 \leq k \leq 2K+1$. Similarly (see Corollary 7 of [34]), we may show that $\mathbb{D}^2_0 \to -I$. The remaining coefficients \mathbb{D}^k_K are equal to M^k . 802 803 804

Acknowledgments. This work was supported by the Association Nationale de la Recherche et de la Technologie (ANRT) [grant number CIFRE 2017/0024] and by the project ANR-18-CE40-0013 SHAPO financed by the French Agence Nationale de la Recherche (ANR). The author is grateful towards G. Allaire, C. Dapogny and S. Fliss for insightful discussions and their helpful comments and revisions.

810 REFERENCES

805

806

807

809

814 815

816

817 818

819

820

821

822 823

824

825

826

827

828

829

830

831

832

833

834 835

836

841

842 843

844

845

846 847

848

849 850

851 852

- 811 [1] A. ABDULLE AND T. POUCHON, Effective models for the multidimensional wave equation in heterogeneous media over long time and numerical homogenization, Mathematical Models 812 and Methods in Applied Sciences, 26 (2016), pp. 2651-2684. 813
 - [2] A. ABDULLE AND T. POUCHON, Effective models and numerical homogenization for wave propagation in heterogeneous media on arbitrary timescales, Foundations of Computational Mathematics, (2020), pp. 1–43.
 - [3] E. Acerbi, V. Chiadopiat, G. Dal Maso, and D. Percivale, An extension theorem from connected sets, and homogenization in general periodic domains, Nonlinear Analysis: Theory, Methods & Applications, 18 (1992), pp. 481–496.
 - [4] G. Allaire, Homogénéisation des équations de Stokes et de Navier-Stokes, PhD thesis, Université Paris 6, 1989.
 - [5] G. Allaire, Homogenization of the Stokes flow in a connected porous medium, Asymptotic Analysis, 2 (1989), pp. 203-222.
 - G. ALLAIRE, Continuity of the Darcy's law in the low-volume fraction limit, Annali della Scuola Normale Superiore di Pisa. Classe di Scienze. Serie IV, 18 (1991), pp. 475-499.
 - [7] G. Allaire, Homogenization of the Navier-Stokes equations in open sets perforated with tiny holes I. Abstract framework, a volume distribution of holes, Archive for Rational Mechanics and Analysis, 113 (1991), pp. 209-259.
 - [8] G. Allaire, Homogenization of the Navier-Stokes equations with a slip boundary condition, Communications on pure and applied mathematics, 44 (1991), pp. 605-641.
 - [9] G. Allaire, Homogenization and two-scale convergence, SIAM Journal on Mathematical Analysis, 23 (1992), pp. 1482-1518.
 - [10] G. Allaire, Shape optimization by the homogenization method, vol. 146, Springer Science & Business Media, 2012.
 - [11] G. Allaire and M. Amar, Boundary layer tails in periodic homogenization, ESAIM: Control, Optimisation and Calculus of Variations, 4 (1999), pp. 209–243.
- 837 [12] G. Allaire, M. Briane, and M. Vanninathan, A comparison between two-scale asymptotic expansions and Bloch wave expansions for the homogenization of periodic structures, 838 839 SEMA journal, 73 (2016), pp. 237-259.
- 840 [13] G. Allaire and C. Conca, Bloch wave homogenization and spectral asymptotic analysis, Journal de mathématiques pures et appliquées, 77 (1998), pp. 153-208.
 - [14] G. Allaire, P. Geoffroy-Donders, and O. Pantz, Topology optimization of modulated and oriented periodic microstructures by the homogenization method, Computers & Mathematics with Applications, (2018).
 - [15] G. Allaire, A. Lamacz, and J. Rauch, Crime Pays; Homogenized Wave Equations for Long Times, arXiv preprint arXiv:1803.09455, (2018).
 - [16] G. Allaire and T. Yamada, Optimization of dispersive coefficients in the homogenization of the wave equation in periodic structures, Numerische Mathematik, 140 (2018), pp. 265-326.
 - [17] J.-L. Auriault, On the domain of validity of Brinkman's equation, Transp. Porous Media, 79 (2009), pp. 215–223.
 - [18] J.-L. Auriault, C. Geindreau, and C. Boutin, Darcy's law, Brinkman's law and poor separation of scales, Poromechanics III: Biot Centennial (1905-2005) - Proceedings of the 3rd Biot Conference on Poromechanics, (2005), pp. 553–558.
- [19] N. Bakhvalov and G. Panasenko, Homogenisation: averaging processes in periodic media, 854 vol. 36 of Mathematics and its Applications (Soviet Series), Kluwer Academic Publishers 855 856 Group, Dordrecht, 1989.
- 857 [20] C. Barbarosie, Shape optimization of periodic structures, Computational Mechanics, 30 858 (2003), pp. 235–246.

868

869

870 871

872

873 874

875

876

877 878

879

880

881

882

883

884

885

886

887

888

889

890 891

892 893

894

895

896

897

898 899

900

901

902

903

908

909

- [21] M. P. BENDSØE AND N. KIKUCHI, Generating optimal topologies in structural design using a homogenization method, Computer methods in applied mechanics and engineering, 71 (1988), pp. 197–224.
- 862 [22] F. Blanc and S. Nazarov, Asymptotics of solutions to the Poisson problem in a perforated
 863 domain with corners, Journal de mathématiques pures et appliquées, 76 (1997), pp. 893–
 864 911.
- [23] X. Blanc, C. Le Bris, and P.-L. Lions, Local profiles for elliptic problems at different scales:
 defects in, and interfaces between periodic structures, Communications in Partial Differential Equations, 40 (2015), pp. 2173–2236.
 - [24] T. BORRVALL AND J. PETERSSON, Large-scale topology optimization in 3D using parallel computing, Computer methods in applied mechanics and engineering, 190 (2001), pp. 6201–6229.
 - [25] T. BORRVALL AND J. PETERSSON, Topology optimization of fluids in Stokes flow, International Journal for Numerical Methods in Fluids, 41 (2003), pp. 77–107.
 - [26] A. BOURGEAT, E. MARUVSIC-PALOKA, AND A. MIKELIC, Weak nonlinear corrections for Darcy's law, Mathematical Models and Methods in Applied Sciences, 6 (1996), pp. 1143–1155.
 - [27] K. D. CHEREDNICHENKO AND J. A. EVANS, Full Two-Scale Asymptotic Expansion and Higher-Order Constitutive Laws in the Homogenization of the System of Quasi-static Maxwell Equations, Multiscale Modeling & Simulation, 14 (2016), pp. 1513–1539.
 - [28] K. D. CHEREDNICHENKO AND V. P. SMYSHLYAEV, On full two-scale expansion of the solutions of nonlinear periodic rapidly oscillating problems and higher-order homogenised variational problems, Archive for rational mechanics and analysis, 174 (2004), pp. 385–442.
 - [29] C. CONCA, F. MURAT, AND O. PIRONNEAU, The Stokes and Navier-Stokes equations with boundary conditions involving the pressure, Japanese journal of mathematics. New series, 20 (1994), pp. 279–318.
 - [30] S. B. DILGEN, C. B. DILGEN, D. R. FUHRMAN, O. SIGMUND, AND B. S. LAZAROV, Density based topology optimization of turbulent flow heat transfer systems, Structural and Multidisciplinary Optimization, 57 (2018), pp. 1905–1918.
 - [31] A. ERN AND J.-L. GUERMOND, Theory and practice of finite elements, vol. 159, Springer Science & Business Media, 2013.
 - [32] E. Feireisl and Y. Lu, Homogenization of stationary Navier-Stokes equations in domains with tiny holes, Journal of Mathematical Fluid Mechanics, 17 (2015), pp. 381–392.
 - [33] F. FEPPON, Shape and topology optimization of multiphysics systems, PhD thesis, Thèse de doctorat de l'Université Paris Saclay préparée à l'École polytechnique, 2019.
 - [34] F. Feppon, High order homogenization of the Poisson equation in a perforated periodic domain.

 To appear in the Radon Series on Computational and Applied Mathematics, Mar. 2020.
 - [35] M. FIRDAOUSS, J.-L. GUERMOND, AND P. LE QUÉRÉ, Nonlinear corrections to Darcy's law at low Reynolds numbers, Journal of Fluid Mechanics, 343 (1997), pp. 331–350.
 - [36] G. P. Galdi, Steady Stokes Flow in Exterior Domains, Springer New York, New York, NY, 1994, pp. 244–303.
 - [37] P. GEOFFROY-DONDERS, G. ALLAIRE, AND O. PANTZ, 3-d topology optimization of modulated and oriented periodic microstructures by the homogenization method, Journal of Computational Physics, 401 (2020), p. 108994.
 - [38] V. GIRAULT AND P.-A. RAVIART, Finite element approximation of the Navier-Stokes equations, vol. 749, Springer Science & Business Media, 1979.
- [39] J. P. GROEN AND O. SIGMUND, Homogenization-based topology optimization for high-resolution
 manufacturable microstructures, International Journal for Numerical Methods in Engineering, 113 (2018), pp. 1148–1163.
 [40] J. P. GROEN, F. C. STUTZ, N. AAGE, J. A. BÆRENTZEN, AND O. SIGMUND, De-homogenization
 - [40] J. P. GROEN, F. C. STUTZ, N. AAGE, J. A. BÆRENTZEN, AND O. SIGMUND, De-homogenization of optimal multi-scale 3d topologies, Computer Methods in Applied Mechanics and Engineering, 364 (2020), p. 112979.
- 910 [41] W. Jing, A unified homogenization approach for the Dirichlet problem in Perforated Domains, 911 arXiv preprint arXiv:1901.08251, (2019).
- [42] O. A. LADYZHENSKAYA, The mathematical theory of viscous incompressible flow, vol. 2, Gordon and Breach New York, 1969.
 [43] J.-L. LIONS, Perturbations singulières dans les problèmes aux limites et en contrôle optimal,
 - [43] J.-L. Lions, Perturbations singulières dans les problèmes aux limites et en contrôle optimal, Lecture Notes in Mathematics, Vol. 323, Springer-Verlag, Berlin-New York, 1973.
- 916 [44] J.-L. Lions, Some methods in the mathematical analysis of systems and their control, Beijing, 917 Science Press, (1981).
- 918 [45] Y. Lu, Homogenization of stokes equations in perforated domains: a unified approach, arXiv 919 preprint arXiv:1908.08259, (2019).
- 920 [46] E. MARUVSIC-PALOKA, Asymptotic expansion for a flow in a periodic porous medium, Comptes

- 921 Rendus de l'Academie des Sciences-Series IIB-Mechanics-Physics-Chemistry-Astronomy, 922 325 (1997), pp. 369–374.
- 923 [47] F. Murat and J. Simon, Sur le contrôle par un domaine géométrique, Publication du Labo-924 ratoire d'Analyse Numérique de l'Université Pierre et Marie Curie, (1976).
- [925] [48] J.-C. NÉDÉLEC, Acoustic and electromagnetic equations: integral representations for harmonic
 [926] problems, Springer Science & Business Media, 2001.
- 927 [49] E. S. PALENCIA, Non-homogeneous media and vibration theory, Lecture Notes in Physics, 127 (1980).

929

930

931

932

933

934

935

936

937

938

- [50] O. Pantz and K. Trabelsi, A post-treatment of the homogenization method for shape optimization, SIAM Journal on Control and Optimization, 47 (2008), pp. 1380–1398.
- [51] N. POLLINI, O. SIGMUND, C. S. ANDREASEN, AND J. ALEXANDERSEN, A "poor man's" approach for high-resolution three-dimensional topology design for natural convection problems, Advances in Engineering Software, 140 (2020), p. 102736.
- [52] E. SANCHEZ-PALENCIA, Fluid flow in porous media, Non-homogeneous media and vibration theory, (1980), pp. 129–157.
- [53] V. P. SMYSHLYAEV AND K. CHEREDNICHENKO, On rigorous derivation of strain gradient effects in the overall behaviour of periodic heterogeneous media, Journal of the Mechanics and Physics of Solids, 48 (2000), pp. 1325–1357.
- [54] L. Tartar, Topics in nonlinear analysis, Publications mathématiques d'Orsay, 78 (1978).
- 940 [55] R. Temam, Navier stokes equations: Theory and numerical analysis, vol. 45, North-Holland 941 Publishing Company, 1977.
- 942 [56] X. Zhao, M. Zhou, O. Sigmund, and C. Andreasen, A "poor man's approach" to topology 943 optimization of cooling channels based on a Darcy flow model, International Journal of 944 Heat and Mass Transfer, 116 (2018), pp. 1108–1123.