

# CFD numerical simulation of particle suspension and hydromechanical stress in various designs of multi-stage bioleaching reactors

Jonathan Chéron, Céline Loubière, Stéphane Delaunay, Anne-Gwenaelle

Guezennec, Eric Olmos

# ▶ To cite this version:

Jonathan Chéron, Céline Loubière, Stéphane Delaunay, Anne-Gwenaelle Guezennec, Eric Olmos. CFD numerical simulation of particle suspension and hydromechanical stress in various designs of multi-stage bioleaching reactors. Hydrometallurgy, 2020, 197, pp.105490. 10.1016/j.hydromet.2020.105490 . hal-02968771

# HAL Id: hal-02968771 https://hal.science/hal-02968771

Submitted on 17 Oct 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

- 1 CFD numerical simulation of particle suspension and hydromechanical stress in various designs of
- 2 multi-stage bioleaching reactors
- Jonathan CHERON<sup>a</sup>, Céline LOUBIERE<sup>b</sup>, Stéphane DELAUNAY<sup>a</sup>, Anne-Gwénaëlle GUEZENNEC<sup>b</sup>, Eric
   OLMOS<sup>a,\*</sup>
- 5 <sup>a</sup> Laboratoire Réactions et Génie des Procédés, Université de Lorraine, CNRS, LRGP, 54000 Nancy,
- 6 France
- 7 <sup>b</sup> Bureau de Recherches Géologiques et Minières, BRGM, 45100 Orléans, France
- 9 \*Corresponding author: eric.olmos@univ-lorraine.fr (E. Olmos).
- 10

11 Abstract: The performance of bioleaching stirred tank reactors (STR) is related to the homogeneity of 12 biomass, substrates and dissolved gases. This work was focused on the characterization of the impeller 13 design on bioreactor hydrodynamics and, more specifically on power, mixing efficiency and particle 14 stress. Few studies addressed the issue of the impact of the impeller design on these, especially for 15 multi-stage bioreactors which are the most commonly used at the industrial scale. To fill this lack, a 16 two-stage solid-liquid computational fluid dynamics (CFD) model was simulated on more than 50 17 conditions to assess power consumption, dissipated power, suspension quality and particle stress. A 18 dual impeller configuration was chosen using Rushton turbines, R600, Hydrofoil, Elephant Ear and 19 HTPG impellers. Grinded pyrite-rich materials (average particles size: 80 µm) were considered as the 20 solid phase at 3 different solid concentrations (10, 18 and 26 % w/w). Considering the impeller power 21 number  $(N_p)$ , the configuration with an axial impeller consumed less energy than a radial impeller in 22 concordance with literature data. The results show that the impeller design had few to no effect on 23 mixing efficiency considering a given power dissipation per unit volume. Independently on the impeller 24 used, unique relationships were found between particle stress and mixing efficiency. This study gives 25 new insights for reactor design and scaling of bioleaching stirred tank reactor and more specifically on 26 the reduction of shear stress for the attached bacterial communities.

27

## 1. Introduction

28 29

30 In the last decades, bioleaching has been successfully implemented at the industrial scale and used, 31 either in the form of dump or heap treatments, or by using large-scale stirred tank reactors (STR) (Clark 32 et al., 2006; Brierley and Brierley, 2013). Dump or heap treatments were widely used for low-grade 33 copper-based sulphides because of the low cost of implementation and maintenance of these 34 processes. On the other hand, bioleaching STR have proven to be more efficient to extract metals from 35 low-grade or refractory ores but are limited to precious metals because of their significant cost of 36 implementation (Rawlings and Johnson, 2007). Nonetheless, bioleaching is evolving towards the 37 exploitation of 'unconventional' resources caused by the declining trend in mean ore grades (Mudd et 38 al., 2013; Frenzel et al., 2017). These resources are represented with unusual features such as very 39 low-grades, complex mineralogy, or high sulphur content. If heap bioleaching has been the main 40 process option for their treatment until now, it is not always suitable. The main reasons that precludes 41 heap application are the composition of the materials to be treated (presence of carbonate causing 42 heap clogging, or high concentrations of sulphides that lead to uncontrolled and excessive 43 temperature increase in the heap) and the lack of sufficient space, especially in densely populated 44 areas like in Europe. In such cases, bioleaching STR might be a technical alternative but is mostly too 45 expensive except in very few cases when the metal value is high enough (e.g. such as in Uganda for the 46 cobalt recovery in flotation tailings (Morin and d'Hugues, 2007) or in Finland for the valorization of 47 nickel from talc mining residues (Wakeman et al., 2011; Neale et al., 2017)). The expansion of STR 48 bioleaching requires thus further technical optimization to reach an economic viability.

49 As in any chemical engineering process, the management of bioleaching bioreactors is aimed at 50 optimizing the reacting conditions to accelerate the oxidation processes of the sulphides and to 51 maximize the solubilization or liberation efficiency of valuable metals. This optimization of the reacting conditions is closely related to the homogeneity of biomass, substrates and dissolved gases throughout 52 53 the reactor. This is especially important considering that the interactions between the microorganisms 54 and sulphides (microbial attachment and biofilm formation) are considered key parameters to improve 55 bioleaching (Brierley and Brierley, 2013). To this end, improving mixing efficiency would result in a 56 better mass transfer of the components in the system (Petersen, 2010; Buffo et al., 2016). 57 Furthermore, significant power consumption of the process comes from mechanical mixing, which is directly related to the solid content (through sufficient agitation rate ensuring suspension and gas-58 59 liquid mass transfer efficiency) and its physical properties (Bujalski et al., 1999; Jafari et al., 2012). 60 Bioleaching in STR involves substantial power consumption, which results in high operating costs that limit, until now, the use of this technology to the treatment of high added-value resources (mainly 61 62 refractory gold ores). Besides these commodities, the expansion of bioleaching to 'unconventional' 63 primary resources with lower value, such as low-grade ores or base metal ores and tailings, requires adapting the STR process to the characteristics of these resources in order to limit investment and 64 65 operating costs while maintaining high extraction efficiency (Bouquet and Morin, 2006; Morin and 66 d'Hugues, 2007) as these resources present a wide range of shape, size and physical properties.

Solid-liquid stirred tanks were widely studied in the literature to define standard designs in order to optimize their efficiency through a better solid distribution (Montante et al., 2012; Tamburini et al., 2014). The power consumption per unit of volume P/V is generally considered as one of the best criterion for the scale-up of these vessels (Rushton, 1950; Chapple et al., 2002) as it could be related to mass transfer capacities or mixing times (Bouaifi and Roustan, 2001; Zhang et al., 2017). Dimensional analysis indicates that its value is provided by dimensionless models relating the power number  $N_p$  to

the Reynolds number Re, the impeller power number  $N_p$  being represented by the following equation:

$$N_p = \frac{P}{\rho_1 N^3 D^5} = f\left(Re = \frac{\rho_1 N D^2}{\mu}\right) \tag{1}$$

74 with *P* the power required for the impeller rotation,  $\rho_1$  the fluid density, *N* the agitation rate,  $\mu$  the 75 liquid viscosity and *D* the impeller diameter. It is a well-known result that, in baffled vessels, the power 76 number is independent of the Reynolds number in the turbulent regime ( $Re > 10^4$ ) and reaches a 77 constant value that only depends on bioreactor design (Rushton, 1950). It is also important to 78 emphasize that the required power *P* (which is related to the electric power consumption) should be 79 preferentially minimized to limit the OPEX of the bioleaching process.

80 Nevertheless, this parameter is not sufficient to describe the suspension quality, defined by the spatial distribution of the particles within the flow. To describe the suspension quality, the just-suspended 81 82 agitation rate  $N_{\rm is}$ , defined as the minimal agitation rate ensuring the suspension of all solid particles, has often been used as a good compromise between optimal mass transfer and minimal power 83 84 consumption (Zwietering, 1958; Brucato et al., 2010; Tamburini et al., 2012, 2011). However, this 85 criterion fails to describe the solid suspension quality (Harrison et al., 2012). Mak (1992) used the 86 standard deviation of the local solid concentration as a way to characterize the solid distribution but 87 the experimental set-up complexity makes difficult the use of this method to screen a high number of 88 bioreactor designs. Furthermore, the solid distribution within the liquid phase should be related to the 89 local values of turbulent dissipation rates (Kumaresan and Joshi, 2006) which strongly depend on both 90 the vessel and the impeller design (Houcine et al., 2000). However, while an increase of power 91 dissipation is expected to sensibly improve the mixing efficiency of the bioreactor from a physical point 92 of view, the hydromechanical stress generated by the agitation may also weaken the microbial 93 adhesion or even lower the process performances. This is particularly detrimental for bioleaching

processes due to the major importance of microbial attachment and biofilm formation (Rodríguez et 94 95 al., 2003; Guezennec et al., 2017). This was observed with Acidithiobacillus ferrooxidans cultures in shaking flasks (Xia et al., 2008). Similar observations were made in STR during thermophilic cultures of 96 97 Sulfolobus sp. (d'Hugues et al., 2002; Sissing and Harrison, 2003). Moreover, it was shown by Wang et 98 al. (2014) that, for moderately thermophiles cultures, the proportion of attached cells is higher than 99 of planktonic cells. Also, altering the capacity of the cell to attach on the mineral surface leads to a 100 decrease of bioleaching efficiency (d'Hugues et al., 2008). Considering the effect of solid loading, it was 101 demonstrated by Witne and Phillips (2001) that the increase of solid concentration in continuous STR 102 induced an increase of the leaching rate until a point where it had a negative effect, which could be 103 caused by the attrition of cells. Similar results were observed by Raja (2005) in shaking bottles where 104 a decrease in specific oxygen consumption rate and cell viability was observed at increasing quartzite 105 concentrations. In the same way, Nemati and Harrison (2000) observed that if a partial suspension of the pulp was obtained for a concentration of 18 % w/v (corresponding to 16 % w/w with the hypothesis 106 107 of  $\rho_{\rm s}$  = 2610 kg m<sup>-3</sup>), the rate of iron solubilization was reduced. However, achieving complete particle 108 suspension led to an apparent cell damage, as shown by a reduced cell count. More generally, it must 109 be underlined that solid concentration has not the same influence on mesophilic and moderately 110 thermophilic bacteria (such as Leptosirillum and Acidithiobacillus sp.), and extremely thermophilic 111 archaea (such as Acidianus, Metallosphaera, and Sulfolobus sp.). As reviewed by Brierley and Brierley 112 (2013), STR bioleaching with archaea, which have no rigid cell wall, necessitates a somewhat lower 113 solid concentration than 12.5 % in reactor opposed to the common 20 % in plants processing sulfidic-114 gold concentrates with mesophilic and moderately thermophilic bacteria, due to their difference of 115 shear sensitivity.

116 To understand the previous results, it is important to consider that, in bioleaching reactors, 117 hydromechanical stresses may impact the process performance following three phenomena: (i) direct shear of the liquid phase on the microorganisms in suspension (Fig. 1a), (ii) shear stress on particles 118 119 that potentially hold adhered microorganisms or biofilms (Fig. 1b), and (iii) particle-particle frictions 120 and collisions (Fig. 1c). The occurrence of direct shear is still debated. It is generally assumed, but not completely demonstrated, that hydrodynamics has no impact on planktonic microorganisms if, locally, 121 122 the Kolmogorov length scale  $l_K = (v^3/\varepsilon)^{0.25}$  is higher than the microorganism diameter (Nienow, 2006). In this equation,  $\varepsilon$  (W kg<sup>-1</sup>) is the power dissipation per unit of mass (or turbulent dissipation 123 124 rate) and  $\nu$  is the kinematic viscosity (m<sup>2</sup> s<sup>-1</sup>). Considering microorganisms of the micrometer scale, the 125 maximal power dissipation necessary to induce direct cell damage would be  $\varepsilon \sim 10^6$  W kg<sup>-1</sup>, which is 126 unlikely to be reached in standard stirred tank bioreactors. In comparison, the value of power 127 dissipation that would induce hydrodynamic stress on particle with a diameter in the range 10-100 µm 128 would be  $\varepsilon \sim 0.01$ -100 W kg<sup>-1</sup>, which is more likely to be observed with usual mixing conditions. Lastly, 129 particle-particle frictions frequency and intensity depend on the local volume fraction of particles and 130 the relative velocity between particles, and consequently on the design of the bioreactor, the agitation

131 rate and the mean particle concentration.



Fig. 1: Description of the hydromechanical stress applied on microorganisms due to: (a) direct shear of
 the liquid; (b) shear stress on particles; (c) particle-particle frictions and collisions.

136 From a physical point of view, a quantitative description of the bioreactor hydrodynamics relies on a 137 better knowledge of the coupling between bioreactor design, operating conditions, solid distribution 138 within the bioreactor and particle stress. Computational Fluid Dynamics (CFD) can be used as an 139 efficient approach to locally represent or calculate the hydrodynamics parameters of these processes. 140 Among others, the local solid concentration, the liquid mean and fluctuating velocities and the impeller torque are representative parameters (Wadnerkar et al., 2012; Zheng et al., 2018b). In a gas-mixed 141 142 leaching tank, Song et al. (2015) used a gas-liquid Euler-Euler approach to enhance the design of the 143 reactor in terms of bubble diameter or draft tube diameter. In the study of Gradov et al. (2017), the 144 rheology of the slurry was modelled using a power law while a gas-liquid Euler-Euler approach was 145 used to determine the volumetric distribution of the gas-liquid mass transfer coefficient within the 146 bioreactor. Three-phase flow was simulated in a vessel equipped with an HEDT impeller by Zheng et 147 al. (2018a) ; the authors showed that a gas-liquid-solid Euler-Euler-Euler combined with a  $k-\varepsilon$ 148 turbulence model was able to predict the mechanical power dissipation with an error lower than 15 149 %. Recently, Loubière et al. (2019) developed strategies to determine optimal bioreactor 150 configurations for the culture of mesenchymal stem cells in stirred tank vessels, on spherical 151 microcarriers by using a coupled CFD-genetic algorithm approach. The optimization criterion was a 152 minimization of power dissipation encountered by the particles, at the particle just-suspended state.

153 Despite the referenced studies, the identification of the impact of impeller geometry choice on 154 bioleaching reactor hydrodynamics remains incomplete, especially in multi-stage bioreactors, which 155 are the most commonly used at the industrial scale. Moreover, no studies put into evidence the 156 coupling between power dissipation, solid homogeneity and occurrence of particle stress. The present 157 work was focused on the comparison of the effects of the impellers design on the hydrodynamics of a 158 two-stage solid-liquid bioleaching reactor. For this, more than 50 CFD simulations based on a liquid-159 solid granular Euler-Euler model were carried-out with six radial and axial impeller designs. The 160 performance of each impeller was quantified through the power number  $N_p$  and compared with literature data. Furthermore, the standard deviation of the solid concentration distribution was 161 162 calculated to determine the respective efficiency of the impellers on solid scattering. The spatial distribution of hydromechanical stress on particles was determined for each bioreactor configuration 163 and for three solid concentrations of 10, 18 and 26 % w/w. 164

165

- 166 **2.** Material and Methods
- 167 2. 1. Model description

- 168 In this work, a steady-state Eulerian-Eulerian multiphase approach was used to simulate the solid-
- 169 liquid flow, where the continuous and dispersed phases are considered as interpenetrating continua.
- 170 Both phases are identified by their own volume fraction and are related as:

$$\alpha_{\rm s} + \alpha_{\rm l} = 1 \tag{2}$$

171 where  $\alpha_s$  and  $\alpha_l$  are the volume fractions of the solid and liquid phases respectively. The continuity 172 equation for each phase can be written as:

$$\nabla \cdot (\alpha_{l} \rho_{l} \mathbf{u}_{l}) = -\nabla (\gamma_{s} \nabla \alpha_{s})$$
(3)

$$\nabla \cdot (\alpha_{\rm s} \rho_{\rm s} \mathbf{u}_{\rm s}) = \mathbf{F}_{\rm TD} = \nabla (\gamma_{\rm s} \nabla \alpha_{\rm s}) \tag{4}$$

173 where  $\rho$  and **u** are the density and velocity of each phase, and  $\mathbf{F}_{TD}$  is related to the turbulent dispersion

- force. This turbulent dispersion force takes into account the dispersion due to turbulent velocity fluctuations and was modelled using the diffusion-in-VOF model. The diffusion coefficient  $\gamma_s$  is related to the turbulent viscosity  $\mu_{t,l}$  by  $\gamma_s = (\mu_{t,l}/0.75)$ . The momentum conservation equation for each
- 177 phase is:

$$\nabla \cdot (\alpha_{l}\rho_{l}\mathbf{u}_{l}\mathbf{u}_{l}) = -\alpha_{l}\nabla p + \alpha_{l}\rho_{l}\mathbf{g} + \nabla \cdot \overline{\mathbf{\tau}}_{l} + \mathbf{F}_{\mathrm{D},\mathrm{ls}}$$
(5)

$$\nabla \cdot (\alpha_{s}\rho_{s}\mathbf{u}_{s}\mathbf{u}_{s}) = -\alpha_{s}\nabla p - \nabla p_{s} + \alpha_{s}\rho_{s}\mathbf{g} + \nabla \cdot \overline{\overline{\mathbf{\tau}}}_{s} - \mathbf{F}_{\mathrm{D,ls}}$$
(6)

- where *p* is the pressure field shared by the two phases,  $p_s$  is the solid pressure, **g** the gravitational acceleration,  $\overline{\overline{\tau}}$  the phase stress strain tensor and  $\mathbf{F}_{D,ls}$  the interphase momentum transfer.
- 180 Interphase forces that are generally expected in a multiphase liquid-solid flow include: turbulent dispersion, drag, virtual mass, Basset and lift forces. Previous studies have shown that solid-liquid flows 181 182 in STR are correctly represented using only turbulent dispersion and drag forces with a low effect of 183 other forces on simulation results (Ljungqvist and Rasmuson, 2001; Khopkar et al., 2006; Qi et al., 184 2013). The turbulent dispersion force  $\mathbf{F}_{\mathrm{TD}}$  should be modelled when the size of turbulent eddies is larger than the particle size (Kasat et al., 2008; Wadnerkar et al., 2012) which is a priori expected in 185 standard bioreactors. Furthermore, the virtual mass, Basset and lift forces may be neglected as they 186 have a much lower magnitude than the drag forces. (Tatterson, 1991; Tamburini et al., 2014; Raja 187 188 Ehsan Shah et al., 2015).
- 189 The drag force  $\mathbf{F}_{D,ls}$  between liquid and solid phases was calculated by the following equation:

$$\mathbf{F}_{\mathrm{D,ls}} = K_{\mathrm{ls}}(\mathbf{u}_{\mathrm{s}} - \mathbf{u}_{\mathrm{l}}) \tag{7}$$

190 with  $K_{ls}$  the interphase exchange coefficient between liquid and solid phases respectively, determined 191 by:

$$K_{\rm ls} = C_{\rm D,ls} \frac{3}{4} \rho_{\rm l} \frac{\alpha_{\rm s} \alpha_{\rm l}}{d_{\rm p}} |\mathbf{u}_{\rm s} - \mathbf{u}_{\rm l}|$$
(8)

192 The drag coefficient  $C_{D,ls}$  is given by the Schiller and Naumann model (Schiller, 1933):

$$C_{\rm D,ls} = \begin{cases} 24(1+0.15Re_{\rm p}^{0.687})/Re_{\rm p} & Re_{\rm p} < 1000\\ 0.44 & Re_{\rm p} \ge 1000 \end{cases}$$
(9)

193 with  $Re_p$  the particle Reynolds number:

$$Re_{\rm p} = d_{\rm p}(\mathbf{u}_{\rm s} - \mathbf{u}_{\rm l})/v_{\rm l} \tag{10}$$

194 The dispersed  $k - \varepsilon$  model was chosen as it is recommended for multiphase flows considering a 195 continuous and a dispersed phases with a density ratio between phases equal or higher to 2.5 (s.n. Ansys, 2019). This is often validated in bioleaching as most substrates are sulphidic materials of density higher than 2.5. In our case, water was chosen as the liquid phase ( $\rho_l = 1000 \text{ kg m}^{-3}$ ,  $\mu_l = 0.001 \text{ Pa s}$ ) and particles with the characteristics of grinded pyrite-rich materials ( $\rho_s = 2610 \text{ kg m}^{-3}$ ,  $d_p = 80 \text{ µm}$ , pyrite fraction = 51 %) were considered for the solid phase. In this approach, turbulence is fullymodelled for the continuous phase and the turbulence of the dispersed phase is possibly taken into account through additional interaction terms. The  $k - \varepsilon$  model provides the transport equations of the turbulent kinetic energy k and its dissipation rate  $\varepsilon$ :

$$\nabla \cdot (\alpha_{l}\rho_{l}\mathbf{u}_{l}k_{l}) = \nabla \cdot \left(\alpha_{l}\left(\mu_{l} + \frac{\mu_{t,l}}{\delta_{k}}\right)\nabla k_{l}\right) + \alpha_{l}G_{k,l} - \alpha_{l}\rho_{l}\varepsilon_{l}$$
(11)

$$\nabla \cdot (\alpha_{l}\rho_{l}\mathbf{u}_{l}\varepsilon_{l}) = \nabla \cdot \left(\alpha_{l}\left(\mu_{l} + \frac{\mu_{t,l}}{\delta_{\varepsilon}}\right)\nabla\varepsilon_{l}\right) + \alpha_{l}\frac{\varepsilon_{l}}{k_{l}}\left(C_{\varepsilon 1}G_{k,l} - C_{\varepsilon 2}\rho_{l}\varepsilon_{l}\right)$$
(12)

203  $\mu_{t,l}$  is the turbulent viscosity of the continuous liquid phase:

$$\mu_{t,l} = \rho_l C_\mu \frac{k_l^2}{\varepsilon_l} \tag{13}$$

204  $G_{k,1}$  is the term of production of turbulent kinetic energy and the constants are defined as follow: 205  $C_{\mu} = 0.09, C_{\varepsilon 1} = 1.44, C_{\varepsilon 2} = 1.92, \delta_k = 1 \text{ and } \delta_{\varepsilon} = 1.$ 

Lastly, no additional interaction terms were taken into account for turbulence as preliminary simulations showed no impact of these terms on simulation results (data not shown).

The particle-particle interactions were modelled by the kinetic theory of granular flows, which is an extension of the model for molecular motion in a dense gas phase. It aims at determining the solid pressure  $p_s$  which represents the normal forces due to particle interactions. From the kinetic theory, Jenkins and Savage (1983) proposed that this solid pressure is the sum of a kinetic energy term and of one term that includes the particle-particle collisions:

$$p_{\rm s} = \alpha_{\rm s} \rho_{\rm s} \theta_{\rm s} + 2\rho_{\rm s} (1 + e_{\rm ss}) \alpha_{\rm s}^2 r_0 \theta_{\rm s} \tag{14}$$

213 The coefficient of restitution of particle collision  $e_{ss}$  is set to 0.9. The granular temperature  $\theta_s$  is a 214 measure of the kinetic energy due to the fluctuating velocities  $u'_s$  of the particles:

$$\theta_{\rm s} = \frac{1}{3} {u_{\rm s}^\prime}^2 \tag{15}$$

Neglecting the convective and diffusive transports, the transport of the granular temperature withinthe bioreactor is provided by Ding and Gidaspow (1990):

$$\left(-p_{\rm s}\bar{\bar{\mathbf{I}}}+\bar{\bar{\mathbf{\tau}}}_{\rm s}\right):\nabla\mathbf{u}_{\rm s}-\gamma_{\theta_{\rm s}}+\Phi_{\rm ls}\tag{16}$$

217 First-term of the left-hand side represents the generation of fluctuating energy due to the solid

- 218 pressure and viscous force; the second term is the dissipation of the fluctuating energy and the last
- term is the exchange of fluctuating energy between liquid and solid phases respectively. The transferof fluctuating energy is given by:

$$\Phi_{\rm ls} = -3K_{\rm ls}\theta_{\rm s} \tag{17}$$

221 The collisional dissipation of energy  $\gamma_{\theta_s}$  is provided by:

$$\gamma_{\theta_{\rm S}} = \frac{12(1 - e_{\rm ss}^2)r_0}{d_{\rm p}\pi^{0.5}}\rho_{\rm s}\alpha_{\rm s}^2\theta_{\rm s}^{3/2} \tag{18}$$

The radial distribution function  $r_0$  is a correction factor that modifies the probability of collisions between particles when the solid granular phase becomes dense:

$$r_0 = \frac{a + d_p}{a} \tag{19}$$

with *a* the distance between the particles. In our case, this distribution is determined by:

$$r_0 = \left[1 - \left(\frac{\alpha_{\rm s}}{\alpha_{\rm s,max}}\right)^{1/3}\right]^{-1} \tag{20}$$

- with  $\alpha_{s,max}$  = 82 % w/w (corresponding to 63 % v/v), the particle packing limit.
- The solid shear stress tensor  $\overline{\overline{\tau}}_s$  arises from particle momentum exchange due to translations and collisions and depends on the solid viscosity:

$$\bar{\bar{\mathbf{\tau}}}_{s} = \mu_{s} \nabla \mathbf{u}_{s} = (\mu_{s,col} + \mu_{s,kin}) \nabla \mathbf{u}_{s}$$
<sup>(21)</sup>

228 The collisional contribution to the shear viscosity is given by:

$$\mu_{\rm s,col} = \frac{4}{5} \alpha_{\rm s} \rho_{\rm s} d_{\rm p} r_0 (1 + e_{\rm ss}) \left(\frac{\theta_{\rm s}}{\pi}\right)^{1/2} \tag{22}$$

229 And the kinetic viscosity by:

$$\mu_{\rm s,kin} = \frac{10\rho_{\rm s}d_{\rm s}\sqrt{\theta_{\rm s}\pi}}{96\alpha_{\rm s}(1+e_{\rm ss})r_{\rm 0}} \left[1 + \frac{4}{5}r_{\rm 0}\alpha_{\rm s}(1+e_{\rm ss})\right]^2$$
(23)

230

#### 231 2. 2. Simulation setup

- The geometry setup for the simulation of the lab-scale bioreactor is shown on Fig. 2; this bioreactor is
- routinely used for bioleaching experiments. The tank was a cylindrical vessel of diameter T = 0.12 m and liquid height H = 0.187 m. The tank was equipped with four conical baffles of width equal to T/10, placed symmetrically.



Fig. 2: Planar view (left), cross-section (middle) and mesh (right) of the two-stage stirred tank reactor.

A dual impeller configuration was chosen using various bottom impeller designs but a fixed design for the top impeller (Fig. 3). Considering the height on tank diameter ratio, the choice of a multi-stage design is recommended to provide sufficient liquid mixing near the surface. As the focus was put on particles suspension and stress, and to limit the number of configurations simulated, only the bottom impeller design was modified. The bottom impellers had a fixed diameter D = 0.05 m with an offbottom clearance C = D. The top impeller, a three-blade hydrofoil (A310), was positioned at a spacing S = 0.06 m above the bottom impeller and had a diameter equal to 0.06 m.



Fig. 3: Impellers used in simulations. (a) 6-bladed Rushton turbine (RT6B); (b) 4-bladed Rushton turbine (RT4B); (c) R600 spiral backswept impeller (R600); (d) Elephant-Ear impeller operating in downpumping mode (EEd); (e) HTPG impeller operating in down-pumping mode (HTPGd); (f) Lightnin A310 impeller operating in up-pumping mode (A310).

Each impeller configuration was simulated at 6 different agitation rates (N = 200, 300, 400, 500, 600and 700 rpm), ensuring fully turbulent conditions for each case ( $10^4 < Re < 5 \times 10^4$ ). Moreover, the impact of the solid concentration on solid-liquid suspension was also determined by fixing three different solid concentrations: 10, 18 and 26 % w/w. A non-uniform mesh structure was created to divide the geometry setup using the Fluent Meshing tool and was composed of 400,000 tetrahedral elements. Refinements were done along the wall and in the impellers regions. Mesh independence was preliminary verified by comparing velocity vectors fields and volume-averaged power dissipation.

#### 255 2. 3. Power consumption

To obtain the power number  $N_p$  defined in eq. (1), the power consumption P was calculated by the following equation:

$$P = 2\pi N C_{\rm w} \tag{24}$$

with *N* the agitation rate and  $C_w$  the impeller torque, which was determined by the numerical simulations. Mechanical energy balance within the bioreactor imposes that the power consumption *P* should be of the same order of magnitude as the dissipated power  $P_{diss}$  determined by the turbulence model:

$$P_{\rm diss} = \rho_{\rm l}(\varepsilon) V_{\rm l} \tag{25}$$

262

263 2. 4. Solid dispersion

Solid dispersion is a key process parameter in solid-liquid bioreactors as it strongly impacts the mass transfer to the particles but also the microenvironment of substrates around the particles. One way to determine the suspension quality is to use the Zwietering correlation which models the just-suspended agitation rate of the particles  $N_{js}$  in the bioreactor (based on the Zwietering criterion that considers the particles as they do not remain settled more than 2 seconds near the vessel bottom at the justsuspended state). It is generally assumed that the bioreactor and impeller geometries have an impact on  $N_{js}$  but also on the operating conditions of the process:

$$N_{\rm js} \propto \nu_{\rm l}^{0.1} \left[ \frac{g(\rho_{\rm s} - \rho_{\rm l})}{\rho_{\rm l}} \right]^{0.45} \cdot X^{0.13} d_{\rm p}^{0.2} D^{-0.85}$$
(26)

Thus, for a given bioreactor configuration and operating conditions, the scaling law  $N_{js} \propto X^{0.13}$  should be obtained. Despite the interest of determining this criterion, it is insufficient if the distribution of particle concentrations or stresses are also looked for. One way to improve the description of the particles suspension behaviour is to determine the suspension quality  $H_s$  which can be calculated as the volume-averaged difference between the local and the mean concentration of solid particles (Mak, 1992; Khopkar et al., 2006; Murthy et al., 2007; Hosseini et al., 2010). This parameter is determined using the local fraction of each elements of the mesh:

$$H_{\rm s} = 1 - \sqrt{\frac{1}{V_{\rm tot}} \cdot \iiint_{V_{\rm tot}} (\alpha_{\rm s} - \langle \alpha_{\rm s} \rangle)^2 dV}$$
(27)

where  $\alpha_s$  denotes the local volume fraction of the solid phase and  $\langle \alpha_s \rangle$  represents the volumeaveraged value of particle concentration in the vessel. This value of  $H_s$  had to be adjusted to take into account the packing limit of the particles given by the maximal local solid concentration of 82 % w/w:

$$H_{\rm s,adj} = \frac{H_{\rm s} - H_{\rm s,min}}{H_{\rm s,max} - H_{\rm s,min}}$$
(28)

281

where  $0.75 < H_{s,min} < 0.85$  and  $H_{s,max} = 1$  are respectively the minimal and maximal values of  $H_s$  for  $\alpha_s = \alpha_{s,max} = 0.82$  and  $\alpha_s = \alpha_{s,min} = \langle \alpha_s \rangle$ . The value of  $H_{s,min}$  is dependent on the volumeaveraged concentration of particles considered in the calculations.

285 2. 5. Solution method

286 The commercial software ANSYS Fluent 2019R3 was used for the numerical simulation of the 287 multiphase flow. The conservation equations presented in Eq. (2-23) were applied in all meshes and were solved using the steady-state Eulerian method. The impellers rotation was modelled using the 288 multiple reference frame approach. The rotating domain was positioned at  $r_{\rm bottom}$  = 0.035 m, 0.036 289 290  $m \le z_{bottom} \le 0.066$  m and  $r_{top} = 0.040$  m, 0.096 m  $\le z_{top} \le 0.126$  m, respectively for the bottom and 291 the top impellers. The pressure-velocity based solver using the SIMPLE algorithm was used to solve the 292 set of conservation equations. Discretization of the mass, momentum and volume fraction equations 293 was carried-out using the second-order upwind scheme while pressure was spatially discretized using 294 the PRESTO! scheme (s.n. Ansys, 2019). Convergence of the simulations was admitted when transport 295 equations residuals were less than 10<sup>-3</sup> and when the local solid volume fraction reached a steady state 296 at three locations of the vessel (r = 0.025 m and z = 0.025, 0.090 and 0.160 m).

297

#### 298 3. Results and discussion

299 3.1. Liquid flow patterns

300 Firstly, to validate the accuracy of the CFD model, the flow patterns were qualitatively compared with 301 data from the literature. The dimensionless liquid velocity profiles shown in Fig. 4 present the flow 302 patterns induced by the dual-impellers bioreactor. The top A310 showed the predicted pattern of a 303 mixed flow, presenting a one-loop flow pattern as it operates in up-pumping mode, which was also 304 shown by Vrábel et al. (2000) on a multiple impellers configuration. The proximity of the liquid surface 305 promoted the formation of two supplementary liquid loops. For the bottom impeller, various flow 306 patterns were observed depending on the impeller used: the radial impellers (RT4B, RT6B and R600) 307 generated a two-loop pattern with a radial ejection of the liquid towards the reactor wall while the 308 down-flow axial impellers (HTPGd and EEd) showed a single-loop flow pattern. These results agreed 309 with the experimental results of previous studies as similar flow patterns were shown for radial 310 impellers by Zhang et al. (2017) and for down-flow axial impellers by Bouaifi and Roustan (2001). As 311 expected, the choice of the tip speed  $u_{tip} = \pi ND$  as a representative design parameter is highly questionable, as shown by the variability of the flow pattern from one configuration to another 312 313 (Nienow, 2006).





Fig. 4: Normalized liquid velocity vectors profiles at 500 rpm for: (a) the RT4B-A310 configuration; (b)

- the RT6B-A310 configuration; (c) the R600-A310 configuration; (d) the HTPGd-A310 configuration; (e) the EEd-A310 configuration. The tip speed was given by  $u_{tip} = \pi ND$ .
- 318 3.2. Power consumption

319 The power numbers of each impeller were calculated using eq. (1) for each agitation rates and solid

concentrations and the mean value obtained and standard deviation were compared with data from
 literature, as shown in Table 1.

Table 1. Mean value and standard deviation of the calculated impeller power numbers for each impeller configuration used and comparison with data from literature (referenced  $N_p$ ).

Impeller	Calculated $N_p$	Referenced $N_p$	Literature reference
RT4B	3.1 ± 0.1	4.0	Roustan (2005)
RT6B	$4.0 \pm 0.1$	4.0 - 6.0	Chapple et al. (2002)
R600	3.6 ± 0.3	4.2	Roustan (2005)
HTPGd	0.73 ± 0.07	0.67	Roustan (2005)
EEd	$1.9 \pm 0.1$	1.7 - 2.1	Zhu et al. (2009); Loubière et al. (2019)
A310	0.76 ± 0.05	0.3 - 0.5	Kumaresan and Joshi (2006)

324

325 The results showed that for fully turbulent conditions, the variation of agitation rates induced few 326 variations of the power numbers compared to the expected values, as classically expected in turbulent 327 regime (Rushton, 1950; Furukawa et al., 2012). Moreover, the predicted values of  $N_p$ , calculated for 328 each impeller in the two-stage configurations, are similar to those reported for single-impeller 329 configurations meaning that the total power consumption is approximately equal to the additive 330 power consumption of both impellers. This can be explained by the fact that, with enough spacing 331 between the impellers (S/D > 1), the respective dissipated power of the impellers in a two-stage 332 reactor is similar to those obtained in a single-stage reactor (Hudcova et al., 1989; You et al., 2014). 333 Lastly, the power consumption of the upper A310 impeller was independent of the bottom impeller 334 design (data not shown), which confirmed that both impellers were not interacting with each other. 335 The CFD simulations also showed that the power dissipation calculated by the turbulence model was, 336 on average over all configurations, equal to 58 % of the power consumption determined by the torque 337 of the impeller. This result is in accordance with most CFD simulations carried-out with the  $k-\varepsilon$ 338 turbulence model (Ochieng and Onyango, 2008).

339 As shown by Loubière et al. (2019) for various designs of impellers, the particle just-suspended state is 340 clearly related to the total power consumption per unit of volume  $P_{tot}/V$ , which considers the power 341 demand of both impellers. Thus, the values of this parameter were evaluated for the different impeller 342 configurations in order to determine the best configuration in term of particle suspension, at a given 343 agitation rate (Fig. 5). The results showed that, independently of the agitation rate, the configurations 344 with a bottom axial impeller (HTPGd and EEd) consumed less energy than the configurations with a 345 bottom radial impeller (RT4B, RT6B and R600). This agreed with the relative power numbers given in 346 Table 1 and with the experimental results reported by Bouaifi and Roustan (2001) and Wang et al. 347 (2010).







352 3.3. Particle mixing degree

353 To determine the particle mixing degree, the values of  $H_{s,adi}$  were calculated for each configuration 354 and operating condition of the bioreactor (Fig. 6). The values obtained showed a logarithmic increase 355 with the agitation rate, with values ranging from 35 to 95 %. All configurations showed the same shape 356 of particle mixing profile but with non-negligible relative differences, especially at low agitation rates. 357 These differences were up to 40 % at 200 rpm between HTPGd and RT6B impellers but less than 10 % 358 at 500 rpm and below. Independently of the agitation rate, both the RT6B and the EEd were the best 359 to scatter particles throughout the tank at a given agitation rate. On the other hand, the HTPGd was 360 the less efficient impeller in term of solid homogenization, with the lowest  $H_{s,adj}$  for all the simulated 361 agitation rates. This was emphasized by the discrepancies observed on the particle distribution, as 362 shown by Fig. 7 (a-b) for 400 rpm. While for the RT6B impeller, the just-suspended state was clearly 363 observed, the suspension of particles was still partial in the case of the HTPGd impeller, as indicated by the occurrence of settled particles ( $\alpha_{s,max} = 0.82 \text{ w/w}$ ) near the vessel bottom. Moreover, the 364 365 radial impellers clearly showed a higher efficiency at bringing the particles upward (Fig. 7a), making the particle bed evolves to a cone shape at high agitation rate while the axial impellers promoted a 366 367 pseudo-planar shape of particle bed.





370 Fig. 6: Suspension quality  $H_{s,adj}$  for each impeller configuration. Particle concentration was 10 % w/w.



Fig. 7: Simulated particles distribution at N = 400 rpm for: (a) RT6B-A310 configuration with 10 % w/w solid; (b) HTPGd-A310 configuration with 10 % w/w solid; (c) RT6B-A310 configuration with 26 % w/w solid; (d) HTPGd-A310 configuration with 26 % w/w solid. Comparison of the particle size with the Kolmogorov length scale  $(l_K/d_p)$  for: (e) RT6B-A310 configuration with 10 % w/w solid; (f) HTPGd-A310 configuration with 10 % w/w solid; (g) RT6B-A310 configuration with 26 % w/w solid; (h) HTPGd-A310 configuration with 26 % w/w solid.

Aiming at determining a robust design criterion, the suspension quality  $H_{s,adj}$  variation with the total 379 380 power dissipation per unit volume was also determined (Fig. 8a). This variation could be divided into two zones. For power dissipation per unit of volume less than 600 W m<sup>-3</sup> approximately, the parameter 381 382  $H_{\rm s,adi}$  rapidly increased till a value of  $H_{\rm s,adi} \simeq 0.90$ ; regarding the particles distribution obtained for this range of power dissipation, only partial suspension was determined. For  $P_{tot}/V$  higher than 600 383 384 W m<sup>-3</sup>, the value of  $H_{s,adj}$  slowly increased till 0.95 approximately, indicating a progressive particle 385 homogenization beyond the just-suspended state. Thus, a substantial increase of mechanical energy 386 consumption is required to achieve a minor enhancement of the particle homogenization. Moreover, 387 it was also shown that total homogeneity ( $H_{s,adj} = 1.0$ ) is not achievable as all the data tend to stagnate 388 below  $H_{s,adi}$  = 0.95. This could be explained by the fact that, even for high power dissipations per unit of volume, a small region near the free surface remained free or poorly concentrated in particles, as 389 390 demonstrated by Delafosse et al. (2018). Lastly, it is interesting to note that, for a given power 391 dissipation per unit of volume, the variations of  $H_{s,adi}$  were approximately independent of the bioreactor designs, meaning that power dissipation per unit of volume could be used not only as scaling 392 393 parameter for particles just-suspended state determination but also to predict the quality of particles 394 homogenization. Previous experiments by Magelli et al. (1991) have shown similar results in a single-395 stage vessel and pointed that it could be a basis for design optimization. Based on these results, it 396 could be advised to promote the use an impeller which can achieve a high power dissipation per unit 397 volume, even at the lowest agitation rate. This could indeed allow to get particle suspension at lower values of agitation rate and tip speed, which should limit the mechanical problems expected at high 398 399 tip speeds.



Fig. 8: Solid distribution  $H_{s,adj}$  as a function of power dissipation per unit volume  $P_{tot}/V$  (left) ; Suspension quality  $H_{s,adj}$  as a function of the sheared fraction (right). Particle concentration was 10 % w/w.

#### 405 3.4. Particle stress

As discussed in the introductive part, it is generally assumed that only the turbulent eddies of the same 406 407 order of length or lower than the particle size are potentially detrimental to the particles and thus the 408 microbial adhesion and biofilm formation. Henzler (2000) stated that turbulent eddies of the same size of the particles are the most likely to damage the particles. In this case, namely some turbulent eddies 409 410 are lower than the particle diameter, particles are transported in the inertial subrange of turbulence 411 and are subjected to turbulent stresses. To quantify the relationships between particle stress and 412 hydrodynamics, Thomas (1964) provided the expression of particle stress as related to the local mean 413 square fluctuating liquid velocities  $\overline{u'_1}$ .

$$\sigma_{\rm p} = \rho_{\rm l} \overline{u_{\rm l}^{\prime 2}} = 0.7 \rho_{\rm l} \left(\varepsilon d_{\rm p}\right)^{2/3} \propto \varepsilon^{2/3} \tag{29}$$

In isotropic and homogeneous turbulence, the local mean square fluctuating liquid velocities depends on the local turbulent dissipation rate  $\varepsilon$  and on particle diameter  $d_p$ . If  $d_p < l_K$ , the particles are transported in the viscous subrange of the turbulence and are mainly subjected to viscous stresses given by:

$$\sigma_{\rm p} = \mu G = \mu \sqrt{\frac{\varepsilon}{\nu_{\rm l}}} \propto \varepsilon^{1/2} \tag{30}$$

418 with G (s<sup>-1</sup>) the local velocity gradient.

From the preceding results, it appears clear that the determination of hydromechanical stresses acting on particles when suspended in the mixing tank should be determined locally and considering the relative ratio of the particle size on the Kolmogorov length scale. Thus, it was proposed here to assert the hydromechanical stress by calculating the sheared fraction *SF* (eq. 31), representing the percentage of particles volume under sheared conditions, namely in areas showing Kolmogorov scales lower than the particle diameter ( $l_K < d_p$ ).

$$SF = \frac{1}{V_{\rm s}} \cdot \iiint_{V_{\rm s}(l_K < d_{\rm p})} dV_{\rm s} = \frac{1}{V_{\rm s}} \cdot \iiint_{V_{\rm s}(l_K < d_{\rm p})} \alpha_{\rm s} \cdot dV$$
(31)

The variation of the sheared fraction SF with the suspension quality  $H_{s,adj}$  was reported in Fig. 8. As 425 426 one could expect, the stress on particles was growing higher as the suspension quality increased. You 427 et al. (2020) obtained similar results using bioleaching continuous STR and reported that it was clearly 428 linked to the mechanical forces acting on microbial productivity through the damaging mechanisms 429 explained in this work. The variation of SF also showed that all the impeller designs presented the same 430 linear evolution of SF, meaning that all the configurations would generate a similar particle stress for 431 a given suspension quality. This could be partially explained by the previous results that put into 432 evidence the relation between particle homogenization and total power demand. It is also interesting 433 to note that, reaching a quasi-consistent homogenization of the particles implied that almost all the 434 particles would encounter potentially damaging turbulent eddies that could promote biofilm 435 detachment. When particles were not homogeneously distributed in the bioreactor, it is also important 436 to consider the spatial distribution of the Kolmogorov length scales  $l_K$ , as it differed from one impeller 437 to another, as shown in Fig. 7e and Fig. 7f. In conclusion, despite each bioreactor configuration 438 generated different turbulent dissipation fields, the physical link between flow velocity, turbulent 439 dissipation and particle concentrations led to unique relationships between sheared fraction of 440 particles and suspension quality, whatever the impeller used. This also potentially questions the 441 existence of 'shearing' or 'non-shearing' impellers when the degree of homogenization is considered 442 as comparison parameter.

#### 443 3.5. Impact of particle concentrations on bioreactor hydrodynamics

444 Considering that an increase of solid concentrations could potentially simultaneously promote an 445 increase in bioprocess productivity and detrimental physical phenomena, the impact of solid 446 concentration (from 10 to 18 and 26 % w/w) on bioreactor hydrodynamics was determined. For these 447 simulations, only the designs RT6B-A310 and HTPGd-A310 were considered. First, regarding the justsuspended state of the particles, the basic Zwietering's model predicts that the just-suspended 448 agitation rate would be related to  $N_{is} \propto X^{0.13}$ . The influence of X on  $N_{is}$  was confirmed by the CFD 449 450 simulations of the particles distributions generated by the RT6B and HTPGd configurations using solid 451 concentrations of 10 and 26 % w/w as shown in Fig.7(a-d). Whereas no particle accumulation was 452 observed for a particle loading of 10 % w/w at an agitation rate of 400 rpm for the RT6B impeller, 453 settled particles were predicted by the simulations at the same agitation rate for a solid concentration 454 of 26 % w/w, indicating that the agitation rate switched below  $N_{is}$  (Fig.7a and Fig 7c). For the HTPGd impeller, the small accumulation observed for a solid concentration of 10 % was clearly magnified for 455 456 a solid concentration of 26 % (Fig. 7b and Fig. 7d). Considering the Zwietering's model, for a constant power number expected in the turbulent regime, the total power demand at the just-suspended state 457 would be  $P_{js} \propto N_{js}^3 \propto X^{0.4}$ . On the basis of this global scaling law, the power demand for a mean solid 458 concentration of 26 % would be  $P_{is}^{26\%} \simeq 1.55 \cdot P_{is}^{10\%}$ . 459

460 The effect of the solid concentration on particle homogenization is shown in Fig. 9 for RT6B-A310 and 461 HTPGd-A310 configurations. For both of them, the CFD simulation results confirmed that the increase in solid concentration led to a rise of power demand per unit volume to reach a given suspension 462 quality. Moreover, it was also put into evidence that the asymptotic value of  $H_{s,adi}$ , obtained for the 463 464 highest  $P_{tot}/V$  considered in this study, was progressively reduced as long as the solid concentration 465 increased. For comparison, the power needed to achieve  $H_{s,adj}$  = 0.90 with the RT6B was 466  $(P_{\text{tot}}/V)_{26\%} \simeq 2 \cdot (P_{\text{tot}}/V)_{18\%} \simeq 6 \cdot (P_{\text{tot}}/V)_{10\%}$ . A similar trend was observed for the HTPGd with a smaller increase of power demand as the solid concentration rose, for  $H_{\rm s,adj}$  = 0.87,  $(P_{\rm tot}/V)_{26\%}$   $\simeq$ 467

 $1.7 \cdot (P_{tot}/V)_{18\%} \simeq 3 \cdot (P_{tot}/V)_{10\%}$ . Considering the sheared fraction SF, it was shown that, for a 468 469 given  $H_{s,adi}$ , a higher fraction of particles was transported in the inertial subrange at higher solid 470 concentrations. However, for both configurations and the three solid concentrations, the parameter SF reached a value close to 1 for the highest degrees of homogenization  $H_{s,adj}$  (Fig. 10). This could 471 explained by the fact that, for the particles that were suspended, the local variations in solid 472 473 concentration in the areas where  $d_p > l_K$  were similar between 10 and 26 % w/w (Fig. 7 (e-h)). This 474 was not true near the reactor bottom where settling was predicted for particle concentration of 26 % 475 w/w and which explained the less efficient particle homogenization.





Fig. 9: Solid distribution  $H_{s,adj}$  as a function of power consumption per unit volume  $P_{tot}/V$  at different solid concentration for: (left) the RT6B-A310 configuration; (right) the HTPGd-A310 configuration.





482

479

#### 483 **4. Conclusion**

The effect of the impeller design on the solid suspension was determined using 5 dual-impeller configurations and 3 solid concentrations. For this, the power consumption per unit of volume, the 486 mixing efficiency and the particle stress were characterized by 50 CFD numerical simulations and487 theoretical models of particle stress.

488 The results indicated that the power demand per unit volume could be used to predict the suspension

489 quality as the variations of  $H_{s,adj}$  were independent of the bioreactor design for a given  $P_{tot}/V$ . 490 However, due to higher power numbers, the impellers RT6B and EEd could achieve particle suspension

- 491 at lower agitation rates. Furthermore, it was shown that increasing the solid loading let to a significant
- 492 rise of the power consumption per unit volume to attain a given suspension quality. Lastly, the impact
- 493 of each configuration on particle stress was assessed and the results showed that particle stress was
- independent of the reactor design at a given suspension quality. Consequently, it is difficult to advise
   a specific configuration and experimental conditions regarding particle stress when using the
- 496 suspension quality as an optimisation criterion.
- The choice of impeller design in a bioleaching STR is critical to ensure the best solid dispersion within the tank while maintaining a low power consumption and limiting the impact of shear stress on particles. For higher scales (pilot and industrial scales), the energy cost due to mixing represents a large part of OPEX expenses and impeller optimization should be closely considered. Nonetheless, further studies are still necessary to take into account the biological aspect of bioleaching and the impact of the design and the agitation on biomass.
- 503

507

## 504 Acknowledgments

505 The authors acknowledge the Institut Carnot ICEEL and the Institut Carnot BRGM for their financial 506 support.

### Nomenclature

#### Variables

а	distance between particles, m
С	impeller off bottom clearance, m
C <sub>D</sub>	drag coefficient
$C_{\varepsilon 1}, \ C_{\varepsilon 2}, C_{\mu}$	constants in turbulent equations
$C_w$	impeller torque, N m <sup>-1</sup>
D	impeller diameter, m
$d_{ m p}$	particle diameter, m
D	impeller diameter, m
ess	particle collision restitution coefficient
F	force per unit volume, N m <sup>-3</sup>
g	acceleration of gravity, m s <sup>-2</sup>
G	local velocity gradient, m s <sup>-1</sup>
$G_k$	turbulence production
Н	liquid height, m
H <sub>s</sub>	suspension quality
k	turbulent kinetic energy, m <sup>2</sup> s <sup>-2</sup>
Κ	interphase exchange coefficient
$l_K$	Kolmogorov length scale, m
Ν	impeller speed, rpm
p	pressure, Pa
Р	impeller power consumption, W
$r_0$	radial distribution function
S	spacing between both impellers, m
SF	sheared fraction
Т	tank diameter, m
и	velocity, m s <sup>-1</sup>

V	working volume, m <sup>3</sup>			
X	particle concentration, w/w			
<b>Greek Letters</b>				
α	volume fraction			
γ	diffusion coefficient			
$\gamma_{\theta_s}$	collisional dissipation of energy, m <sup>2</sup> s <sup>-2</sup>			
δ	turbulent Prandtl number			
ε	turbulence eddy dissipation rate, m <sup>2</sup> s <sup>-3</sup>			
$\theta_{s}$	granular temperature, m <sup>2</sup> s <sup>-2</sup>			
μ	viscosity, Pa s			
ν	kinematic viscosity, m <sup>2</sup> s <sup>-1</sup>			
ρ	density, kg m <sup>-3</sup>			
$\sigma_{\rm p}$	particle stress			
$\bar{\bar{\tau}}$	stress strain tensor, Pa			
${\Phi}$	transfer of fluctuating energy, m <sup>2</sup> s <sup>-2</sup>			
Dimensionless number				
Nn	Power number			
Re	Revnolds number			
Subscripts	,			
adi	adiusted			
col	collisional			
D	drag			
diss	dissipated			
is	just-suspended state			
kin	kinetic			
1	liquid phase			
ls	action between liquid and solid			
max	maximal			
р	particle			
S	solid phase			
t	turbulence			
tot	total			
TD	turbulent dispersion			
v	volume			
w	weight			
Abbreviations				
A310	Lightnin A310 impeller			
CFD	computational fluid dynamics			
EEd	Elephant-Ear down impeller			
HTPGd	HTPG down impeller			
RT4B	4-bladed Rushton turbine			
RT6B	6-bladed Rushton turbine			
R600	R600 spiral backswept impeller			
STR	stirred tank reactor			

509 References

510 Bouaifi, M., Roustan, M., 2001. Power consumption, mixing time and homogenisation energy in dual-511 impeller agitated gas-liquid reactors. Chem. Eng. Process.: Process Intensif. 40, 87-95. 512 https://doi.org/10.1016/S0255-2701(00)00128-8 513 Bouquet, F., Morin, D., 2006. BROGIM<sup>®</sup>: A new three-phase mixing system testwork and scale-up. Hydrometall., 16th International Biohydrometallurgy Symposium 83, 97–105. 514 https://doi.org/10.1016/j.hydromet.2006.03.040 515 516 Brierley, C.L., Brierley, J.A., 2013. Progress in bioleaching: part B: applications of microbial processes 517 by the minerals industries. Appl. Microbiol. Biotechnol. 97, 7543–7552. 518 https://doi.org/10.1007/s00253-013-5095-3 519 Brucato, A., Cipollina, A., Micale, G., Scargiali, F., Tamburini, A., 2010. Particle suspension in top-520 covered unbaffled tanks. Chem. Eng. Sci. 65, 3001–3008. 521 https://doi.org/10.1016/j.ces.2010.01.026 522 Buffo, M.M., Corrêa, L.J., Esperança, M.N., Cruz, A.J.G., Farinas, C.S., Badino, A.C., 2016. Influence of 523 dual-impeller type and configuration on oxygen transfer, power consumption, and shear rate 524 in a stirred tank bioreactor. Biochemical Engineering Journal 114, 130–139. 525 https://doi.org/10.1016/j.bej.2016.07.003 526 Bujalski, W., Takenaka, K., Paoleni, S., Jahoda, M., Paglianti, A., Takahashi, K., Nienow, A.W., Etchells, 527 A.W., 1999. Suspension and Liquid Homogenization in High Solids Concentration Stirred 528 Chemical Reactors. Chemical Engineering Research and Design, Process and Product 529 Development 77, 241-247. https://doi.org/10.1205/026387699526151 530 Chapple, D., Kresta, S.M., Wall, A., Afacan, A., 2002. The Effect of Impeller and Tank Geometry on 531 Power Number for a Pitched Blade Turbine. Chem. Eng. Res. Des. 80, 364–372. 532 https://doi.org/10.1205/026387602317446407 533 Clark, M.E., Batty, J.D., van Buuren, C.B., Dew, D.W., Eamon, M.A., 2006. Biotechnology in minerals 534 processing: Technological breakthroughs creating value. Hydrometall., 16th International 535 Biohydrometallurgy Symposium 83, 3–9. https://doi.org/10.1016/j.hydromet.2006.03.046 536 d'Hugues, P., Foucher, S., Gallé-Cavalloni, P., Morin, D., 2002. Continuous bioleaching of chalcopyrite 537 using a novel extremely thermophilic mixed culture. International Journal of Mineral 538 Processing 66, 107-119. https://doi.org/10.1016/S0301-7516(02)00004-2 539 d'Hugues, P., Joulian, C., Spolaore, P., Michel, C., Garrido, F., Morin, D., 2008. Continuous bioleaching 540 of a pyrite concentrate in stirred reactors: Population dynamics and exopolysaccharide 541 production vs. bioleaching performance. Hydrometallurgy, 17th International 542 Biohydrometallurgy Symposium, IBS 2007, Frankfurt a.M., Germany, 2-5 September 2007 94, 543 34-41. https://doi.org/10.1016/j.hydromet.2008.05.045 544 Delafosse, A., Loubière, C., Calvo, S., Toye, D., Olmos, E., 2018. Solid-liquid suspension of 545 microcarriers in stirred tank bioreactor – Experimental and numerical analysis. Chem. Eng. 546 Sci. 180, 52–63. https://doi.org/10.1016/j.ces.2018.01.001 Ding, J., Gidaspow, D., 1990. A bubbling fluidization model using kinetic theory of granular flow. 547 AIChE J. 36, 523-538. https://doi.org/10.1002/aic.690360404 548 549 Frenzel, M., Kullik, J., Reuter, M.A., Gutzmer, J., 2017. Raw material 'criticality'-sense or nonsense? 550 J. Phys. D: Appl. Phys. 50, 123002. https://doi.org/10.1088/1361-6463/aa5b64 551 Furukawa, H., Kato, Y., Inoue, Y., Kato, T., Tada, Y., Hashimoto, S., 2012. Correlation of Power Consumption for Several Kinds of Mixing Impellers. Int. J. Chem. Eng. 2012, 1–6. 552 553 https://doi.org/10.1155/2012/106496 Gradov, D.V., González, G., Vauhkonen, M., Laari, A., Koiranen, T., 2017. Experimental and Numerical 554 555 Study of Multiphase Mixing Hydrodynamics in Batch Stirred Tank Applied to Ammoniacal 556 Thiosulphate Leaching of Gold. J. Chem. Eng. Process Technol. 08. 557 https://doi.org/10.4172/2157-7048.1000348 558 Guezennec, A.-G., Joulian, C., Jacob, J., Archane, A., Ibarra, D., de Buyer, R., Bodénan, F., d'Hugues, P., 559 2017. Influence of dissolved oxygen on the bioleaching efficiency under oxygen enriched 560 atmosphere. Miner. Eng., Biohydrometallurgy 106, 64-70. 561 https://doi.org/10.1016/j.mineng.2016.10.016

- 562 Harrison, S.T.L., Stevenson, R., Cilliers, J.J., 2012. Assessing solids concentration homogeneity in Rushton-agitated slurry reactors using electrical resistance tomography (ERT). Chem. Eng. 563 564 Sci. 71, 392–399. https://doi.org/10.1016/j.ces.2011.10.053
- 565 Henzler, H.-J., 2000. Particle Stress in Bioreactors, in: Schügerl, K., Kretzmer, G., Henzler, H.J., Kieran, P.M., Kretzmer, G., MacLoughlin, P.E., Malone, D.M., Schumann, W., Shamlou, P.A., Yim, S.S. 566 (Eds.), Influence of Stress on Cell Growth and Product Formation, Advances in Biochemical 567 568 Engineering/Biotechnology. Springer, Berlin, Heidelberg, pp. 35-82.
- 569 https://doi.org/10.1007/3-540-47865-5 2

- 570 Hosseini, S., Patel, D., Ein-Mozaffari, F., Mehrvar, M., 2010. Study of Solid-Liquid Mixing in Agitated 571 Tanks through Computational Fluid Dynamics Modeling. Ind. Eng. Chem. Res. 49, 4426–4435. 572 https://doi.org/10.1021/ie901130z
- 573 Houcine, I., Plasari, E., David, R., 2000. Effects of the Stirred Tank's Design on Power Consumption 574 and Mixing Time in Liquid Phase. Chem. Eng. Technol. 23, 605–613.
  - https://doi.org/10.1002/1521-4125(200007)23:7<605::AID-CEAT605>3.0.CO;2-0
- 576 Hudcova, V., Machon, V., Nienow, A.W., 1989. Gas–liquid dispersion with dual Rushton impellers. 577 Biotechnol. Bioeng. 34, 617-628. https://doi.org/10.1002/bit.260340506
- 578 Jafari, R., Tanguy, P.A., Chaouki, J., 2012. Experimental investigation on solid dispersion, power 579 consumption and scale-up in moderate to dense solid-liquid suspensions. Chemical 580 Engineering Research and Design 90, 201–212. https://doi.org/10.1016/j.cherd.2011.07.009
- Jenkins, J.T., Savage, S.B., 1983. A theory for the rapid flow of identical, smooth, nearly elastic, 581 582 spherical particles. J. Fluid. Mech. 130, 187–202. 583
  - https://doi.org/10.1017/S0022112083001044
- Kasat, G.R., Pandit, A.B., Ranade, V.V., 2008. CFD Simulation of Gas-Liquid Flows in a Reactor Stirred 584 585 by Dual Rushton Turbines. Int. J. Chem. React. Eng. 6. https://doi.org/10.2202/1542-586 6580.1628
- 587 Khopkar, A.R., Kasat, G.R., Pandit, A.B., Ranade, V.V., 2006. Computational Fluid Dynamics Simulation 588 of the Solid Suspension in a Stirred Slurry Reactor. Ind. Eng. Chem. Res. 45, 4416–4428. 589 https://doi.org/10.1021/ie050941q
- 590 Kumaresan, T., Joshi, J.B., 2006. Effect of impeller design on the flow pattern and mixing in stirred 591 tanks. Chem. Eng. J. 115, 173–193. https://doi.org/10.1016/j.cej.2005.10.002
- 592 Ljungqvist, M., Rasmuson, A., 2001. Numerical Simulation of the Two-Phase Flow in an Axially Stirred 593 Vessel. Chem. Eng. Res. Des., Fluid Flow 79, 533-546. 594 https://doi.org/10.1205/02638760152424307
- 595 Loubière, C., Delafosse, A., Guedon, E., Toye, D., Chevalot, I., Olmos, E., 2019. Optimization of the 596 Impeller Design for Mesenchymal Stem Cell Culture on Microcarriers in Bioreactors. Chem. 597 Eng. Technol. 42, 1702–1708. https://doi.org/10.1002/ceat.201900105
- 598 Magelli, F., Fajner, D., Nocentini, M., Pasquali, G., Marisko, V., Ditl, P., 1991. Solids concentration 599 distribution in slurry reactors stirred with multiple axial impellers. Chem. Eng. Process.: 600 Process Intensif. 29, 27-32. https://doi.org/10.1016/0255-2701(91)87003-L
- 601 Mak, A.T.-C., 1992. Solid-liquid mixing in mechanically agitated vessels (Doctoral). Doctoral thesis, 602 University of London. University of London.
- 603 Montante, G., Paglianti, A., Magelli, F., 2012. Analysis of dilute solid–liquid suspensions in turbulent 604 stirred tanks. Chem. Eng. Res. Des. 90, 1448-1456. 605 https://doi.org/10.1016/j.cherd.2012.01.009
- 606 Morin, D.H.R., d'Hugues, P., 2007. Bioleaching of a Cobalt-Containing Pyrite in Stirred Reactors: a 607 Case Study from Laboratory Scale to Industrial Application, in: Rawlings, D.E., Johnson, D.B. 608 (Eds.), Biomining. Springer, Berlin, Heidelberg, pp. 35–55. https://doi.org/10.1007/978-3-609 540-34911-2 2
- 610 Mudd, G.M., Weng, Z., Jowitt, S.M., 2013. A Detailed Assessment of Global Cu Resource Trends and 611 Endowments. Econ. Geol. 108, 1163–1183. https://doi.org/10.2113/econgeo.108.5.1163
- 612 Murthy, B.N., Ghadge, R.S., Joshi, J.B., 2007. CFD simulations of gas-liquid-solid stirred reactor: 613 Prediction of critical impeller speed for solid suspension. Chemical Engineering Science, 8th

614 International Conference on Gas-Liquid and Gas-Liquid-Solid Reactor Engineering 62, 7184– 615 7195. https://doi.org/10.1016/j.ces.2007.07.005 Neale, J., Seppälä, J., Laukka, A., Aswegen, P., Barnett, S., Gericke, M., 2017. The MONDO Minerals 616 617 Nickel Sulfide Bioleach Project: From Test Work to Early Plant Operation. Solid State Phenom. 262, 28-32. https://doi.org/10.4028/www.scientific.net/SSP.262.28 618 619 Nemati, M., Harrison, S.T.L., 2000. Effect of solid loading on thermophilic bioleaching of sulfide 620 minerals. Journal of Chemical Technology & Biotechnology 75, 526–532. 621 https://doi.org/10.1002/1097-4660(200007)75:7<526::AID-JCTB249>3.0.CO;2-4 622 Nienow, A.W., 2006. Reactor Engineering in Large Scale Animal Cell Culture. Cytotechnol. 50, 9. 623 https://doi.org/10.1007/s10616-006-9005-8 624 Ochieng, A., Onyango, M.S., 2008. Homogenization energy in a stirred tank. Chem. Eng. Process.: 625 Process Intensif. 47, 1853–1860. https://doi.org/10.1016/j.cep.2007.10.014 626 Petersen, J., 2010. Modelling of bioleach processes: Connection between science and engineering. 627 Hydrometall., 18th International Biohydrometallurgy Symposium, IBS2009, Bariloche-628 Argentina, 13-17 September 2009 104, 404–409. 629 https://doi.org/10.1016/j.hydromet.2010.02.023 630 Qi, N., Zhang, H., Zhang, K., Xu, G., Yang, Y., 2013. CFD simulation of particle suspension in a stirred tank. Particuology 11, 317–326. https://doi.org/10.1016/j.partic.2012.03.003 631 632 Raja Ehsan Shah, R.S.S., Sajjadi, B., Abdul Raman, A.A., Ibrahim, S., 2015. Solid-liquid mixing analysis in stirred vessels. Rev. Chem. Eng. 31. https://doi.org/10.1515/revce-2014-0028 633 634 Raja, S., 2005. The effect of particulate-induced hydrodynamic stress on the bioleaching of 635 chalcopyrite by a Sulfolobus sp. Rawlings, D.E., Johnson, D.B., 2007. The microbiology of biomining: development and optimization of 636 637 mineral-oxidizing microbial consortia. Microbiol. 153, 315–324. 638 https://doi.org/10.1099/mic.0.2006/001206-0 639 Rodríguez, Y., Ballester, A., Blázquez, M.L., González, F., Muñoz, J.A., 2003. Study of Bacterial 640 Attachment During the Bioleaching of Pyrite, Chalcopyrite, and Sphalerite. Geomicrobiology 641 Journal 20, 131–141. https://doi.org/10.1080/01490450303880 642 Roustan, M., 2005. Agitation. Mélange - Caractéristiques des mobiles d'agitation. Tech. Ing. 643 Rushton, J.H., 1950. Power Characteristics of Mixing Impellers Part 1. Chem. Eng. Prog. 46, 395–404. 644 Schiller, L., 1933. A Drag Coefficient Correlation. Zeit. Ver. Deutsch. Ing. 77, 318–320. 645 Sissing, A., Harrison, S.T.L., 2003. Thermophilic mineral bioleaching performance: A compromise 646 between maximizing mineral loading and maximizing microbial growth and activity. J. South. 647 Afr. Inst. Min. Metall. 4. 648 s.n. Ansys, 2019. Fluent Theory Guide 962. 649 Song, T., Jiang, K., Zhou, J., Wang, D., Xu, N., Feng, Y., 2015. CFD modelling of gas-liquid flow in an 650 industrial scale gas-stirred leaching tank. Int. J. Miner. Process., Mineral processing in 651 Australia and China 142, 63–72. https://doi.org/10.1016/j.minpro.2015.01.005 652 Tamburini, A., Brucato, A., Cipollina, A., Micale, G., Ciofalo, M., 2012. CFD Predictions of Sufficient 653 Suspension Conditions in Solid-Liquid Agitated Tanks. Int. J. Nonlinear Sci. Numer. Simul. 13. 654 https://doi.org/10.1515/ijnsns-2012-0027 655 Tamburini, A., Cipollina, A., Micale, G., Brucato, A., Ciofalo, M., 2014. Influence of drag and 656 turbulence modelling on CFD predictions of solid liquid suspensions in stirred vessels. Chem. 657 Eng. Res. Des. 92, 1045–1063. https://doi.org/10.1016/j.cherd.2013.10.020 658 Tamburini, A., Cipollina, A., Micale, G., Brucato, A., Ciofalo, M., 2011. CFD simulations of dense solid-659 liquid suspensions in baffled stirred tanks: Prediction of suspension curves. Chem. Eng. J. 660 178, 324–341. https://doi.org/10.1016/j.cej.2011.10.016 Tatterson, G.B., 1991. Fluid Mixing and Gas Dispersion in Agitated Tanks. McGraw-Hill. 661 Thomas, D.G., 1964. Turbulent disruption of flocs in small particle size suspensions. AIChE J. 10, 517– 662 663 523. https://doi.org/10.1002/aic.690100420 664 Vrábel, P., van der Lans, R.G.J.M., Luyben, K.Ch.A.M., Boon, L., Nienow, A.W., 2000. Mixing in large-665 scale vessels stirred with multiple radial or radial and axial up-pumping impellers: modelling

666 and measurements. Chem. Eng. Sci. 55, 5881–5896. https://doi.org/10.1016/S0009-667 2509(00)00175-5 668 Wadnerkar, D., Utikar, R.P., Tade, M.O., Pareek, V.K., 2012. CFD simulation of solid-liquid stirred 669 tanks. Adv. Powder Technol. 23, 445–453. https://doi.org/10.1016/j.apt.2012.03.007 670 Wakeman, K.D., Honkavirta, P., Puhakka, J.A., 2011. Bioleaching of flotation by-products of talc 671 production permits the separation of nickel and cobalt from iron and arsenic. Process 672 Biochem. 46, 1589–1598. https://doi.org/10.1016/j.procbio.2011.04.016 673 Wang, T., Yu, G., Yong, Y., Yang, C., Mao, Z.-S., 2010. Hydrodynamic Characteristics of Dual-Impeller 674 Configurations in a Multiple-Phase Stirred Tank. Ind. Eng. Chem. Res. 49, 1001–1009. 675 https://doi.org/10.1021/ie9006886 Wang, Y., Su, L., Zeng, W., Wan, L., Chen, Z., Zhang, L., Qiu, G., Chen, X., Zhou, H., 2014. Effect of pulp 676 677 density on planktonic and attached community dynamics during bioleaching of chalcopyrite 678 by a moderately thermophilic microbial culture under uncontrolled conditions. Miner. Eng. 679 61, 66–72. https://doi.org/10.1016/j.mineng.2014.03.012 680 Witne, J.Y., Phillips, C.V., 2001. Bioleaching of Ok Tedi copper concentrate in oxygen- and carbon 681 dioxide-enriched air. Miner. Eng. 14, 25–48. https://doi.org/10.1016/S0892-6875(00)00158-8 682 Xia, L., Liu, X., Zeng, J., Yin, C., Gao, J., Liu, J., Qiu, G., 2008. Mechanism of enhanced bioleaching 683 efficiency of Acidithiobacillus ferrooxidans after adaptation with chalcopyrite. Hydrometall. 684 92, 95–101. https://doi.org/10.1016/j.hydromet.2008.01.002 You, J., Solongo, S.K., Gomez-Flores, A., Choi, S., Zhao, H., Urík, M., Ilyas, S., Kim, H., 2020. Intensified 685 686 bioleaching of chalcopyrite concentrate using adapted mesophilic culture in continuous 687 stirred tank reactors. Bioresource Technology 307, 123181. 688 https://doi.org/10.1016/j.biortech.2020.123181 689 You, S.T., Raman, A.A.A., Shah, R.S.S.R.E., Mohamad Nor, M.I., 2014. Multiple-impeller stirred vessel studies. Rev. Chem. Eng. 30. https://doi.org/10.1515/revce-2013-0028 690 691 Zhang, J., Gao, Z., Cai, Y., Cao, H., Cai, Z., Bao, Y., 2017. Power consumption and mass transfer in a 692 gas-liquid-solid stirred tank reactor with various triple-impeller combinations. Chem. Eng. 693 Sci., 13th International Conference on Gas-Liquid and Gas-Liquid-Solid Reactor Engineering 694 170, 464–475. https://doi.org/10.1016/j.ces.2017.02.002 Zheng, C., Guo, J., Wang, C., Chen, Y., Zheng, H., Yan, Z., Chen, Q., 2018a. Experimental study and 695 696 simulation of a three-phase flow stirred bioreactor. Chin. J. Chem. Eng. 697 https://doi.org/10.1016/j.cjche.2018.06.010 698 Zheng, C., Huang, Y., Guo, J., Cai, R., Zheng, H., Lin, C., Chen, Q., 2018b. Investigation of cleaner 699 sulfide mineral oxidation technology: Simulation and evaluation of stirred bioreactors for 700 gold-bioleaching process. J. Clean. Prod. 192, 364–375. 701 https://doi.org/10.1016/j.jclepro.2018.04.172 Zhu, H., Nienow, A.W., Bujalski, W., Simmons, M.J.H., 2009. Mixing studies in a model aerated 702 703 bioreactor equipped with an up- or a down-pumping 'Elephant Ear' agitator: Power, hold-up 704 and aerated flow field measurements. Chem. Eng. Res. Des. 87, 307-317. 705 https://doi.org/10.1016/j.cherd.2008.08.013 706 Zwietering, Th.N., 1958. Suspending of solid particles in liquid by agitators. Chem. Eng. Sci. 8, 244– 707 253. https://doi.org/10.1016/0009-2509(58)85031-9 708