

Nanomechanics of macromolecules: Force-extension response of biological macromolecules

Manon Benedito, Stefano Giordano

▶ To cite this version:

Manon Benedito, Stefano Giordano. Nanomechanics of macromolecules: Force-extension response of biological macromolecules. 3rd IEEE Sensors France International Workshop 2020, Nov 2020, Lille, France. hal-02974292

HAL Id: hal-02974292 https://hal.science/hal-02974292

Submitted on 21 Oct 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Nanomechanics of macromolecules : Force-extension response of biological macromolecules

Manon Benedito¹, Stefano Giordano²

^{1,2} Univ.Lille, CNRS, CentraleLille, ISEN, Univ.Valenciennes, LIA LICS/LEMAC, UMR8520- IEMN-Institute of Electronics, Microelectronics and Nanotechnology, F-59000Lille, France

The development in recent years of single-molecule force spectroscopy experiments allowed a better knowledge of macromolecules of biological interest, such as DNA and proteins. The work presented here describes the modelling of the macromolecules' response to deformation and to thermal fluctuations with the help of the statistical mechanics, through comparison with the experimental results obtained by single-molecule force spectroscopy, providing valuable information on the static and dynamic responses induced by applied forces. These analyses are even more important for bistable macromolecules with conformational transitions, thus corresponding to folding/unfolding processes and to two stable positions (folded and unfolded). In order to analytically obtain the force-deformation response of a chain composed of bistable units, it is necessary to calculate the partition functions, which are essential in the statistical mechanics and allow to obtain average values of parameters of interest. Thus, the bistable potential energy is decomposed into two parabolas, both corresponding to the folded and unfolded states and identified using the spin variable technique. Several extensions are added to this technique, in order to bring the model closer to reality, such as the extensibility of the bonds between the bistable units, the interactions existing among the bistable units, thanks to the Ising model, or again the heterogeneity, an important parameter to determine the unfolding sequence in proteins folding. Finally, the influence of the pulling speed on the force peaks is considered in the dynamic study, provided with the help of the Langevin method.

AIMAN-FILMS

Nanomechanics of macromolecules

Force-extension response of biological macromolecules

lemn Institut d'Electronique, de Microélectronique et de Nanotechnologie **UMR CNRS 8520**


Manon Benedito, Stefano Giordano


General context


Single-molecule force spectroscopy


Gibbs and Helmholtz ensembles

Spin variable Spin variable model









We introduced a new technique called the spin variables method to theoretically analyze the behavior of bistable chains, exhibiting the so-called conformational transitions. This method is based on the introduction of a sequence of « spin » variables, able to describe the state of all elements of the chain. Indeed, the exact calculation of the Gibbs and Helmholtz partition functions is complicated as the potential energy is represented by a double-well energy potential. Therefore, to define the system in a simpler way, we add internal variables, belonging to the phase space and considered as standard variables of the statistical mechanics. These variables are discrete and behave as spin variables. The spin variable allows to **identify the potential well explored by** the domain under consideration and to know if the chain is folded or unfolded. Hence, each potential well is now described by a quadratic potential, which simplifies calculations.

Extensibility and interactions

20

10


 $\frac{\langle f \rangle \ell}{k_B T}$

Heterogeneity and dynamics


• Freely jointed chain model.


- Bistable units undergoing conformational transitions.
- Here, the bonds between the units are **extensible** (*k* > 0, finite value).
- We observe a cooperative (synchronized) process in the Gibbs ensemble and a non cooperative (unsynchronized) process in the Helmholtz ensemble, confirming the experimental results.
- We note the strong reduction of the force peaks with increasing the elastic constant.
- We used for the first time **Hermite** polynomials H_{-m} with negative index to solve the partition function integral

Extensibility










Heterogeneous chain



Heterogeneous chain

Scheme of an heterogeneous chain under isometric condition where the units have different ΔE_i (energy jumps) and k_i (elastic constants).

Scheme of an heterogeneous chain

under isotensional condition where the

units have different ΔE_i (energy jumps)

and k_i (elastic constants).

10

Average value of the spin variable versus extension in the Helmholtz ensemble, for a chain of N units with finite intrinsic stiffness. The heterogeneity concerns the basal energy. The black curve is the average spin value of all Monte-Carlo simulations. The red curves are the average spin variable for each unit: we observe an unfolding sequence. The curves have been obtained with $\Delta E = 5 K_{B}T$, N = 5, $\chi = 3$, with a number of Monte-Carlo trials MC = 10.


12


Benedito & Giordano, Physics Letters A 384, 126124 (2020)

• Another aspect to consider to be even closer to the reality concerns the heterogeneity in chains of bistable units. The latter may concern elastic response, basal energy or other parameters characterizing the units. We suppose the system at thermodynamic equilibrium. In practice, this equilibrium corresponds to a very low pulling speed of extension of the chain.

• In the homogeneous case, all units are identical, so that all folded units have the same probability to fold or unfold at each event. This means that we can not obtain a folding/unfolding sequence because of the homogeneity of the chain. This is not the case in real experiments, where the folding/unfolding sequence can be exactly identified and depends on heterogeneous aspects of the chain (the quenched disorder breaks the symmetry). We propose this model to determine the actual folding/unfolding pathway and relative unfolding probabilities of units. We introduce the heterogeneity at the energetic level, using the Monte-Carlo method to generate basal energies.

Heterogeneity






- (a) Chain of m two-state units with Ising interactions. While the first end-terminal is tethered, the second one has an applied force (Gibbs condition) or an imposed position (Helmholtz condition).
- (b) Potential energy of a single unit of the chain (dashed black curve). The potential wells are approximated through two parabolic profiles, identified by $S_i = -1$ and $S_i = +1$.

Benedito & Giordano, Physical Review E 98, 052146 (2018)

Force-extension response for a chain of interacting units with finite intrinsic stiffness. In each panel, the response without interaction (λ = 0, black curves) is shown together with the results for $\lambda = +1 K_B T$ (dark red curves) and $\lambda = -1 K_B T$ (orange curves). The Gibbs and Helmholtz responses correspond to dashed and solid lines, respectively.

- To represent interactions existing among units, we chose the Ising model. The Ising coefficient, λ , allows to take account of interactions between units, bringing our model closer to the reality. This term is directly included in the Hamiltonian and can be associated to **affinity** in chemistry.
- If $\lambda > 0$, we consider that the interaction is **positive**, namely units in the same state (folded or unfolded) want to be close to each other. This case can be associated to an **ferromagnetic-like interaction**.
- If $\lambda < 0$, we consider that the interaction is **negative**, namely units in opposite state (folded and unfolded) want to be close to each other. This case can be associated to an **anti-ferromagnetic-like interaction**.
- It is possible to introduce in the spin variable model both the extensibility and the Ising interactions (see right panel). Limiting cases have been studied to find completely analytical solutions and compare them with our semi-analytical/semi-numerical model, for instance, strong ferromagnetic-like interactions.
- The Ising interactions induce a specific cooperativity, which can be detected in the modification of the hierarchy of forces in the sawtooth-like response, as recently observed in force spectroscopy experiments of proteins (e.g., in Filamin A).



Dynamics

Comparison between numerical results and experimental data for the filamin protein. Panel a): scheme of the force spectroscopy experiment conducted on the filamin unit (N = 1). Image from the RCSB PDB (rcsb.org) of PDB ID: 1KSR. Panel b): average force exerted on the filamin unit versus the prescribed device position (average curves determined over MC = 2000 trajectories). Panel c): assumed bistable potential energy of the filamin and potential energy of the AFM device.

Panels d) and e): force peak versus the applied pulling velocity in linear scale, and in semi-log scale, respectively. In panels b), d) and e), we adopted different pulling velocities from 0.35 to 10 μ m/s, coherently with experimental data. The dashed black curve in panel b) represents the force-extension response at thermodynamic equilibrium. The curves have been obtained with $\Delta B = 18.2 K_B T$, $\Delta E = 4.5 K_B T$, T = 300 K, $N = 1, \ell = 4.1 \text{ nm}, \chi = 1.58, k_F = 0.295 \text{ N/m}, k_U = 0.059 \text{ N/m}, k_d = 0.00985 \text{ N/m}, and \eta$ variable ranging from η = 2.6 m/N with Δt = 2.6 × 10⁻⁷ s for v = 0.35 μ m/s, to η = 0.09 m/N with Δt = 9.05 × 10⁻⁹ s for v = 10 $\mu m/s$.

Benedito & al., Physical Biology **17**, 056002 (2020)

- We propose to study the unfolding processes under dynamic regime in order to better represent real SMFS experiments. Indeed, about experiences in the Helmholtz ensemble, chain extension is progressively increased with a speed of around 1 μm/s, which can generate dynamic effects corresponding to an out-of-equilibrium statistical mechanics regime.
- However, there are currently two methods to deal with this problem: the first one is the analytical calculation, which provides correct results only for very low extension speeds (equilibrium), and the second one is the numerical calculation (molecular dynamics), which can only be applied for high extension speeds, due to cost of calculation, which limits total time of simulation. This implies that we can not work with intermediary extension speeds, which are necessary to interpret the SMFS experiments.
- Therefore, we used the Langevin equation to study the out-of-equilibrium processes. As a result of the dynamics, force peaks depend on pulling velocity, and this dependence can be used to measure the energy barrier between folded and unfolded states, which plays a crucial role in determining characteristic times of the process.



