

Existence of traveling wave solutions for the Diffusion Poisson Coupled Model: a computer-assisted proof

Maxime Breden, Claire Chainais-Hillairet, Antoine Zurek

▶ To cite this version:

Maxime Breden, Claire Chainais-Hillairet, Antoine Zurek. Existence of traveling wave solutions for the Diffusion Poisson Coupled Model: a computer-assisted proof. 2020. hal-03082893v1

HAL Id: hal-03082893 https://hal.science/hal-03082893v1

Preprint submitted on 18 Dec 2020 (v1), last revised 19 Jul 2021 (v2)

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

EXISTENCE OF TRAVELING WAVE SOLUTIONS FOR THE DIFFUSION POISSON COUPLED MODEL: A COMPUTER-ASSISTED PROOF

MAXIME BREDEN, CLAIRE CHAINAIS-HILLAIRET, AND ANTOINE ZUREK

ABSTRACT. The Diffusion Poisson Coupled Model describes the evolution of a dense oxide layer appearing at the surface of carbon steel canisters in contact with a claystone formation. It involves drift-diffusion equations on the density of species (electrons, ferric cations and oxygen vacancies), coupled with a Poisson equation on the electrostatic potential and with moving boundary equations. Traveling wave solutions are defined by stationary profiles on a fixed size domain with interfaces moving at the same velocity. In this paper, we present and apply a computer-assisted method in order to prove the existence of these traveling wave solutions. We also establish a precise and certified description of the solutions.

1. Introduction

The Diffusion Poisson Coupled Model (DPCM) describes the corrosion processes that arise at the surface of carbon steel canisters which are in contact with a claystone formation. It has been proposed by Bataillon *et al.* in [4] and is part of a general study of the long-term safety of the geological repository of nuclear wastes.

The model focuses on the development of a dense oxide layer in the region of contact between the metal and the claystone. It consists in a system of drift-diffusion equations for the transport of charge carriers (electrons, ferric cations and oxygen vacancies) and a Poisson equation for the electric potential, set on a moving domain. The boundary conditions are prescribed by the electrochemical reactions and the potential drops at the boundaries with the claystone and with the metal; they are of Fourier type. The system also includes moving boundary equations. It will be introduced in detail in Section 2.

Up to now, no existence result has been established for the DPCM model. Some finite volume methods have been proposed in [5], which led to the development of the code CALIPSO; they are justified by a stability analysis and by the study of their numerical performance. Numerical experiments with real-life data are presented in [4, 5]; they show the efficiency of the developed methods and the relevance of the model. These numerical experiments have also highlighted the long-time behavior of the model: after a transient period, a kind of stationary regime is reached. It can be seen as a traveling wave solution:

Date: December 18, 2020.

²⁰¹⁰ Mathematics Subject Classification, 35C07, 35Q92, 47H10, 65G20, 65N35.

Key words and phrases. Rigorous numerics, corrosion model, traveling wave solutions, spectral methods, fixed-point argument.

the size of the domain stays constant, both interfaces are moving with the same velocity while the densities of charge carries and the electric potential have stationary profiles. The traveling wave solutions can be defined as solutions of a stationary DPCM model, which will be also detailed in Section 2.

In [14], the existence of traveling waves solutions for the DPCM model has been investigated. An existence result is established for a simplified model, where the electroneutrality in the oxide layer is assumed, so that the electric field is constant. Numerical methods for the computation of the traveling waves solutions are also proposed in [14] and numerical analysis of the simplified model is done.

The main novelty of the current paper is to prove the existence of traveling waves solution for the general DPCM, and to obtain a precise and certified description of the solutions (including the width of the oxide layer, and the value of the corrosion velocity). In order to do so, we use a computer-assisted argument, which allows us to validate a posteriori a numerically computed approximate solution. More precisely, we construct a fixed-point map which is based on a numerical solution, and use a combination of analytic estimates and interval arithmetic computations to prove that this map is contracting in an explicit neighborhood of the numerical solution. This yields both the existence of a true solution and guaranteed error bounds. For a broader overview of these computer-assisted arguments, we refer the reader to the surveys [6, 17, 18, 22] and the books [20, 25]. Our work follows in particular the techniques introduced in [19, 23] for computer-assisted proofs using Chebyshev series.

The outline of the paper is the following. In Section 2, we present the evolutive DPCM model and the associate stationary model which defines the traveling waves. The main result of the paper is given in this section and settled in Theorem 2.1. For the stationary model, we develop a spectral method for the computation of numerical solutions. This method is based on the expansion of the different unknowns into Chebychev series. It leads to a nonlinear systems of equations which is solved by a Newton method. The numerical method is introduced in Section 3. Then, the aim is to certify the existence of a strong solution to the stationary DPCM model in the neighborhood of a numerical solution. The tools needed for the proof are presented in Section 4. Finally, numerical experiments are given in Section 5. All the numerical results are computed by the spectral method and the existence of an exact solution in the neighborhood is certified. Appendix A is devoted to the presentation of the test case used in Section 5: values of the numerous physical parameters and definition of the associate scaled parameters.

2. Presentation of the DPCM models

2.1. The evolutive DPCM model. The DPCM model introduced in [4] describes the evolution of a dense oxide layer at the surface of carbon steel canisters in contact with a claystone formation under anaerobic conditions. As the size of the oxide layer is very thin compared to the waste overpack size, it is a one-dimensional model. The unknowns are the density of charge carriers -C for the oxygen vacancies, N for the electrons and P for

the ferric cations –, the electric potential Ψ and the position of the interfaces of the oxide layer: X_0, X_1 .

In this paper, we restrict our attention to the dimensionless model. The scaling process has been partly described in [13, Section 5]. It will be detailed in Appendix A. When it is possible, we will use the generic notation U for the carrier densities: U can be either C, N or P. For instance, we denote by z_U the charge of each associated species: $z_U = 2, -1, 3$ for U = C, N, P. We also denote by D_U the mobility or diffusion coefficient for the corresponding species. As the time scale chosen for the scaling is the characteristic time scale of the ferric cations, the scaled quantities $\varepsilon_U = D_P/D_U$ appear in the scaled system.

The equations for the carrier densities C, N, P, as the boundary conditions, have the same form. For U = C, N or P, they write:

(1a)
$$\varepsilon_U \partial_t U + \partial_x J_U = 0$$
, $J_U = -\partial_x U - z_U U \partial_x \psi$ in $(X_0(t), X_1(t))$, $\forall t > 0$,

(1b)
$$-J_U + \varepsilon_U X_0'(t) U = r_U^0(U(X_0(t)), \psi(X_0(t))), \quad \text{on } x = X_0(t), \ \forall t > 0,$$

(1c)
$$J_U - \varepsilon_U X_1'(t) U = r_U^1(U(X_1(t)), \psi(X_1(t)), V), \text{ on } x = X_1(t), \ \forall t > 0,$$

The functions r_U^0 and r_U^1 are prescribed by the kinetics of the electrochemical reactions at the interfaces. They can be written under the following generic form:

$$r_U^0(s,x) = \beta_U^0(x)s - \gamma_U^0(x),$$

$$r_U^1(s,x,V) = \beta_U^1(V-x)s - \gamma_U^1(V-x),$$

where the functions β_U^0 , β_U^1 , γ_U^0 and γ_U^1 are smooth and positive functions. We will specify their definitions in Appendix A.

The electric potential satisfies the following Poisson equation:

(2a)
$$-\lambda^2 \partial_{xx}^2 \psi = z_C C + z_N N + z_P P + \rho_{hl}, \quad \text{in } (X_0(t), X_1(t)),$$

(2b)
$$\psi - \alpha_0 \partial_x \psi = \Delta \psi_0^{pzc}, \quad x = X_0(t),$$

(2c)
$$\psi + \alpha_1 \partial_x \psi = V - \Delta \psi_1^{pzc}, \quad x = X_1(t),$$

and the moving boundary equations write:

(3a)
$$X'_0(t) = v_d^0(t) + X'_1(t) (1 - \Pi), \quad \forall t > 0,$$

(3b)
$$X_1'(t) = -\frac{\kappa}{\varepsilon_C} \left(J_C(X_1(t)) - \varepsilon_C C X_1'(t) \right), \quad \forall t > 0.$$

Let us comment on the different parameters arising in the last equations:

- ρ_{hl} is the net charge density of the ionic species in the host lattice.
- $\Delta \psi_0^{pzc}$, $\Delta \psi_1^{pzc}$ are respectively the scaled outer and inner voltages of zero charge.
- λ^2 , α_0 and α_1 are positive dimensionless parameters coming from the scaling.
- $v_d^0(t)$ is the dissolution speed of the layer, given by

$$v_d^0(t) = k_d^0 e^{\rho_{hl} a_d^0 \psi(X_0(t))}$$

• Π and κ are positive dimensionless parameters.

They all will be introduced in Appendix A.

In the system (1)–(3), V is a given dimensionless applied potential. Let us already mention that it is deduced from a physical value V_a (expressed in Volts and evaluated relatively to the electrode reference NHE) thanks to the scaling detailed in Appendix A. The system (1)–(3), where V is given, is called "potentiostatic case". In this case, one output quantity of interest is the total current of electrons at the inner interface defined by

(5)
$$J_{tot} = -3\left(\frac{1}{4\varepsilon_C}\left(J_C(X_1(t)) - \varepsilon_C C X_1'(t)\right) + J_P(X_1(t)) - \varepsilon_P P X_1'(t)\right) + \frac{1}{\varepsilon_N}\left(J_N(X_1(t)) - \varepsilon_N N X_1'(t)\right).$$

Then, it is also interesting to search V such that the electron charge balance at the inner interface is fixed to a given constant \tilde{J} , which means

$$J_{tot} = \tilde{J}$$

The system (1)–(3) with the additional unknown V and the additional equation (6) is referred as the "galvanostatic case". If $\tilde{J} = 0$, we speak of free corrosion and V is called "free corrosion potential".

Finally, the system is supplemented with some initial conditions:

$$P(x,0) = P^{0}(x), \quad N(0,x) = N^{0}(x), \quad C(0,x) = C^{0}(x), \quad \forall x \in (X_{0}(0), X_{0}(1)),$$

 $X_{0}(0) = 0, \quad X_{1}(0) = 1.$

2.2. Reformulation of the evolutive DPCM model on a fixed domain. In the one-dimensional framework, it is always possible to define a change of variables that transform a system of partial differential equations written on a moving domain into a new system of partial differential equations defined on a fixed domain. It has been already done for the evolutive DPCM model in [5], so that the numerical methods for the DPCM model are defined on a fixed domain, with a fixed mesh. The same change of variables is used in [14] and in both cases the system is rewritten in $[0,1] \times [0,\infty)$.

As we plan to expand the unknowns into Chebychev series in order to use a spectral numerical method for the pseudo-stationary DPCM model, we rewrite now the system of equations (1)-(3) in $[-1,1] \times [0,\infty)$. Therefore, we use the following change of variable:

$$\bigcup_{t \in [0,\infty)} [X_0(t), X_1(t)] \times \{t\} \to [-1, 1] \times [0, \infty),$$

$$(x,t) \mapsto \left(\xi(x,t) = 2 \frac{x - X_0(t)}{X_1(t) - X_0(t)} - 1, t\right).$$

It allows us to associate to every function w (w = C, N, P or ψ) defined on $\bigcup_{t \in \mathbb{R}_+} [X_0(t), X_1(t)] \times \{t\}$ a function \overline{w} defined on $[-1, 1] \times [0, \infty)$ by the relation

$$w(x,t) = \overline{w}(\xi(x,t),t).$$

We also define the size of the domain by

$$L(t) = X_1(t) - X_0(t).$$

Therefore, we obtain

$$\partial_x w(x,t) = \frac{2}{L(t)} \partial_{\xi} \overline{w}(\xi(x,t),t), \quad \partial_{xx}^2 w(x,t) = \frac{4}{L(t)^2} \partial_{\xi\xi}^2 \overline{w}(\xi(x,t),t).$$

We do not give here the details of the computation as they are classical and similar to those done in [5]. Moreover, we forget the bars and we come back to the notation x instead of ξ in the reformulated system. The equations on the carrier densities U = C, N, P then write:

(7)
$$\varepsilon_U L(t)\partial_t (L(t)U) + \partial_x J_U = 0, \quad \text{in } (-1,1), \ \forall t > 0,$$
 with $J_U = -4\partial_x U - 4z_U U \partial_x \psi - \varepsilon_U L(t) \left(2X_0'(t) + (x+1)L'(t) \right) U$,

and are supplemented with the Fourier boundary conditions:

(8a)
$$-J_U(-1,t) = 2L(t)r_U^0(U(-1,t), \psi(-1,t)), \quad \forall t > 0,$$

(8b)
$$J_U(1,t) = 2L(t)r_U^1(U(1,t), \psi(1,t), V), \quad \forall t > 0.$$

The electric potential satisfies the following Poisson equation

(9a)
$$-\frac{4\lambda^2}{L(t)^2}\partial_{xx}^2\psi = z_C C + z_N N + z_P P + \rho_{hl}, \quad \text{in } (-1,1),$$

(9b)
$$\psi(-1,t) - \frac{2\alpha_0}{L(t)} \partial_x \psi(-1,t) = \Delta \psi_0^{pzc},$$

(9c)
$$\psi(1,t) + \frac{2\alpha_1}{L(t)} \partial_x \psi(1,t) = V - \Delta \psi_1^{pzc}.$$

The moving boundary equations are written as:

(10a)
$$X_0'(t) = v_d^0(t) + X_1'(t) (1 - \Pi), \quad \forall t > 0,$$

(10b)
$$X_1'(t) = -\frac{\kappa}{\varepsilon_C} r_C^1(C(1,t), \psi(1,t), V), \quad \forall t > 0.$$

Finally, in the galvanostatic case, the relation (6) rewrites as

(11)
$$-3\left(\frac{1}{4\varepsilon_C}J_C + J_P\right) + \frac{1}{\varepsilon_N}J_N = 2L(t)J_{tot}, \quad \text{on } x = 1.$$

2.3. The stationary DPCM model. Numerical experiments show the existence of traveling wave solutions for the DPCM model (1)-(3), see [4]. These solutions have stationary profiles in a fixed size domain, whose boundaries are moving at the same velocity. Therefore, they must be solutions of a stationary DPCM model, obtained from (7)-(10) by letting down the dependency with respect to time. Moreover, we set $L(t) = \ell$ the constant size of the domain and $X'_0(t) = X'_1(t) = \delta$ the constant velocity of the interfaces.

The equations for the charge carrier densities U = C, N, P then write as:

(12a)
$$\partial_x J_U = 0$$
, $J_U = -4\partial_x U - 4z_U U \partial_x \psi - 2\varepsilon_U \delta \ell U$ in $(-1, 1)$,

(12b)
$$-J_U(-1) = 2\ell r_U^0(U(-1), \psi(-1)),$$

(12c)
$$J_U(1) = 2\ell r_U^1(U(1), \psi(1), V).$$

The equations for the electric potential write as:

(13a)
$$-\frac{4\lambda^2}{\ell^2} \,\partial_{xx}^2 \psi = z_C C + z_N N + z_P P + \rho_{hl}, \quad \text{in } (-1,1),$$

(13b)
$$\psi(-1) - \frac{2\alpha_0}{\ell} \partial_x \psi(-1) = \Delta \psi_0^{pzc},$$

(13c)
$$\psi(1) + \frac{2\alpha_1}{\ell} \partial_x \psi(1) = V - \Delta \psi_1^{pzc}.$$

Finally, from the moving boundary equations (10), we deduce the following equations on the size ℓ and the velocity δ :

(14a)
$$\delta = \frac{1}{\Pi} k_d^0 e^{\rho_{hl} a_d^0 \psi(-1)},$$

(14b)
$$\ell = -\frac{\kappa J_C(1)}{2\delta\varepsilon_C}.$$

Moreover, in the galvanostatic case, the additional equation (11) becomes

(15)
$$-3\left(\frac{1}{4\varepsilon_C}J_C + J_P\right) + \frac{1}{\varepsilon_N}J_N = 2\ell J_{tot}, \quad \text{on } x = 1.$$

We stress that the width ℓ of the oxide layer and the velocity of its interfaces δ are not input parameters, but part of the unknowns of the system, and that we have to solve for them. In this paper, we focus on the potentiostatic case (12)-(14). We both prove the existence of solutions of (12)-(14), and get quantitative, certified information about these solutions. These results will be presented in more details in Section 5.2, but Theorem 2.1 exhibits our main result for a given set of data.


Theorem 2.1. Let pH = 8.5, $V_a = 0.5$ Volts, and take all the other parameters of the model as in Appendix A. There exist analytic functions $\psi, C, N, P : [-1, 1] \to \mathbb{R}$ and $\delta, \ell > 0$ such that $(\psi, C, N, P, \delta, \ell)$ is a solution of (12)-(14). Besides, this solution satisfies

$$\sup_{[-1,1]} |\psi - \bar{\psi}| \le 1.3 \times 10^{-9},$$

$$\sup_{[-1,1]} |C - \bar{C}| \leq 1.1 \times 10^{-10}, \quad \sup_{[-1,1]} |N - \bar{N}| \leq 4.9 \times 10^{-10}, \quad \sup_{[-1,1]} |P - \bar{P}| \leq 1.4 \times 10^{-10},$$

where $\bar{\psi}$, \bar{C} , \bar{N} and \bar{P} are explicitly known functions (in fact polynomials) represented on Figure 1, and δ and ℓ fulfill

$$\delta \in [33.4947256\mathbf{0}, 33.4947256\mathbf{4}], \quad \ell \in [1.703352535\mathbf{2}, 1.703352535\mathbf{6}].$$






FIGURE 1. An approximate pseudo-stationary steady state $(\bar{\psi}, \bar{C}, \bar{N}, \bar{P})$ for pH = 8.5 and $V_a = 0.5$ Volts.

We emphasize that the parameter values pH = 8.5 and $V_a = 0.5$ Volts play no particular role in our proof. We get similar results for different values of pH and V_a in Section 5.2. There, we also give the corresponding values of δ and ℓ in physical units (remember that all the quantities in (12)-(14) were adimensionalized).

3. Expansion into Chebychev series and computation of a numerical solution

A numerical scheme, based on finite volumes, was introduced in [14] in order to obtain approximate solutions of the stationary DPCM model. Here, we adopt a different strategy, which is more easily compatible with computer-assisted proofs: The solutions (both approximate and rigorous) of (12)-(14) will be built as Chebychev series. We start by recalling some basics facts about Chebychev series, and we then introduce the numerical method we use for the computation of an approximate solution to (12)-(14). The extension to the galvanostatic case is straightforward: we simply need to incorporate the additional unknown V and the additional equation (15), so we do not discuss it more in this paper.

3.1. Basics about Chebychev series. We introduce few results and notations about Chebychev polynomials and series, while referring to [24] for a more detailed presentation. Let T_k be the Chebychev polynomials of the first kind defined by

$$T_k(\cos(\theta)) = \cos(k\theta), \quad \forall \theta \in \mathbb{R}, \ \forall k \in \mathbb{N}.$$

They satisfy

(16)
$$T_k(1) = 1, \quad T_k(-1) = (-1)^k, \quad \forall k \in \mathbb{N}.$$

Every Lipschitz continuous function $u:[-1,1]\to\mathbb{R}$ admits a unique Chebychev expansion defined as

(17)
$$u(x) = u_0 + 2\sum_{k=1}^{\infty} u_k T_k(x) = \sum_{k \in \mathbb{Z}} u_k T_k(x), \quad \forall x \in [-1, 1],$$

with the conventions

$$u_{-k} = u_k$$
 and $T_{-k} = T_k$, $\forall k \in \mathbb{N}$.

Moreover, for every function $u: [-1,1] \to \mathbb{R}$ which admits a Chebychev expansion given by (17), the following integration formula holds for all $x \in (-1,1)$:

(18)
$$\int_{-1}^{x} \sum_{k \in \mathbb{Z}} u_k T_k(s) \, ds = \left(u_0 - \frac{u_1}{2} - 2 \sum_{k=2}^{\infty} \frac{(-1)^k u_k}{k^2 - 1} \right) T_0(x) + \sum_{k \in \mathbb{Z}^*} \frac{u_{k-1} - u_{k+1}}{2k} T_k(x).$$

Proposition 3.1 gives the relation between the coefficients of the Chebychev series of a given function u and the coefficients of the Chebychev series of its derivative v = u'.

Proposition 3.1. Let $u, v : [-1, 1] \to \mathbb{R}$ be C^1 functions such that

$$u = u_0 + 2\sum_{k=1}^{\infty} u_k T_k$$
 and $v = v_0 + 2\sum_{k=1}^{\infty} v_k T_k$.

Let us assume that u'(x) = v(x), for all $x \in (-1,1)$. Then, the Chebyschev coefficients of u and v satisfy

(19)
$$u_k + \frac{1}{2k}(v_{k+1} - v_{k-1}) = 0, \quad k \ge 1.$$

Proof. As u'(x) = v(x), for all $x \in (-1,1)$, we deduce that

$$u(x) = u(-1) + \int_{-1}^{x} v(s) ds, \quad \forall x \in [-1, 1],$$

so that

$$\sum_{k\in\mathbb{Z}} u_k T_k(x) = u(-1) + \int_{-1}^x \sum_{k\in\mathbb{Z}} v_k T_k(s) \, ds.$$

Using formula (18) and identifying the coefficients of the Chebychev expansions yields (19). \Box

3.2. Functional analysis framework. In the sequel, we will need some functional analysis framework for the Chebychev series. We will denote by \boldsymbol{u} any sequence $(u_k)_{k\in\mathbb{N}}$ in $\mathbb{R}^{\mathbb{N}}$ and throughout this note we will identify a function $u:[-1,1]\to\mathbb{R}$, at least Lipschitz continuous, with the sequence $\boldsymbol{u}=(u_k)_{k\in\mathbb{N}}$ of its Chebychev coefficients.

Definition 3.1. Let $\nu > 1$. We define the sequence $\xi(\nu)$ by

$$\xi_k(\nu) = \begin{cases} 1 & \text{for } k = 0, \\ 2\nu^k & \text{for } k \ge 1. \end{cases}$$

For any sequence $\mathbf{u} \in \mathbb{R}^{\mathbb{N}}$ we define the ν -norm of \mathbf{u} as

(20)
$$||\mathbf{u}||_{\nu} = \sum_{k \in \mathbb{N}} |u_k| \, \xi_k(\nu) = |u_0| + 2 \sum_{k > 1} |u_k| \nu^k,$$

We also introduce the following Banach space

$$\ell^1_
u = \{ \boldsymbol{u} \in \mathbb{R}^\mathbb{N} : ||\boldsymbol{u}||_
u < \infty \}.$$

Definition 3.2. Let $u, v : [-1,1] \to \mathbb{R}$ be Lipschitz continuous functions identified to \boldsymbol{u} and \boldsymbol{v} . Then, the expansion into Chebychev series of the product uv is given by:

(21)
$$uv = c_0 + 2\sum_{k=1}^{\infty} c_k T_k$$
, with $c_k = (\boldsymbol{u} * \boldsymbol{v})_k = \sum_{\substack{k_1 + k_2 = k \\ k_1, k_2 \in \mathbb{Z}}} u_{|k_1|} v_{|k_2|}$, $\forall k \ge 0$.

Let us notice that for every $\boldsymbol{u}, \boldsymbol{v} \in \ell^1_{\nu}$ we define $\boldsymbol{u} * \boldsymbol{v}$ thanks to (21). This definition of a convolution product on ℓ^1_{ν} induce a natural Banach algebra structure on ℓ^1_{ν} , as stated in Lemma 3.1.

Lemma 3.1. The space $(\ell_{\nu}^1, *)$ is a Banach algebra with

$$||oldsymbol{u}*oldsymbol{v}||_{
u} \le ||oldsymbol{u}||_{
u}\,||oldsymbol{v}||_{
u}, \quad orall oldsymbol{u}, oldsymbol{v} \in \ell^1_
u$$

Proof. This follows from Definition 3.2 and the triangle inequality.

Definition 3.3. We define the operator $S : u \in \mathbb{R}^{\mathbb{N}} \mapsto Su \in \mathbb{R}^{\mathbb{N}}$ such that

(22)
$$(Su)_k = \begin{cases} 0, & \text{for } k = 0, \\ u_{k+1} - u_{k-1}, & \text{for any } k \ge 1. \end{cases}$$

Moreover, on the space $\mathbb{R}^{\mathbb{N}}$ we define a ν -seminorm $|\cdot|_{\nu}$ as

(23)
$$|\mathbf{u}|_{\nu} = \sum_{k \in \mathbb{N}} |(\mathcal{S}\mathbf{u})_{k}| \left(\nu^{k} + \nu^{-k}\right) = \sum_{k \geq 1} |u_{k+1} - u_{k-1}| \left(\nu^{k} + \nu^{-k}\right).$$

If $\nu \geq 1$ then $\nu^{-k} \leq \nu^k$ for all $k \geq 1$ and, for all $\boldsymbol{u} \in \ell^1_{\nu}$, we have $|\boldsymbol{u}|_{\nu} \leq ||\mathcal{S}\boldsymbol{u}||_{\nu}$

3.3. Reformulation of the stationary DPCM model using Chebychev series. We restrict here the presentation to the potentiostatic case (12)–(14).

The system (12)–(14) is based on second order differential equations on the densities U=C,N,P and the electric potential ψ . However, considering the currents J_U for U=C,N,P and the electric field $E=\partial_x\Psi$ as additional unknowns, it can be rewritten as a system of first order differential equations. More precisely, the inner equations (12a) and (13a) rewrite as:

(24)
$$\begin{cases} \partial_x \psi = E, \\ \partial_x E = \frac{\ell^2}{4\lambda^2} \left(-z_C C - z_N N - z_P P - \rho_{hl} \right), \\ \partial_x J_U = 0, & \text{for } U = C, N, P, \\ \partial_x U = -\frac{1}{4} J_U - z_U U E - \frac{\varepsilon_U}{2} \delta \ell U, & \text{for } U = C, N, P, \end{cases}$$

while the boundary conditions and the equations for the velocity δ and the thickness ℓ lead to:

(25)
$$\begin{cases}
J_{U}(-1) + 2\ell r_{U}^{0}((U(-1), \psi(-1)) = 0, & \text{for } U = C, N, P, \\
-J_{U}(1) + 2\ell r_{U}^{1}((U(1), \psi(1), V) = 0, & \text{for } U = C, N, P, \\
\psi(-1) - \frac{2\alpha_{0}}{\ell} E(-1) - \Delta \psi_{0}^{pzc} = 0, \\
\psi(1) + \frac{2\alpha_{1}}{\ell} E(1) - V + \Delta \psi_{1}^{pzc} = 0, \\
\delta - \frac{1}{\Pi} k_{d}^{0} \exp(\rho_{hl} a_{d}^{0} \psi(-1)) = 0, \\
\ell + \frac{\kappa J_{C}(1)}{2\delta \varepsilon_{C}} = 0.
\end{cases}$$

Assume that the system (24)–(25) admits a smooth solution $(\psi, E, (U, J_U)_{U=C,N,P}, \delta, \ell)$, so that ψ , E, U and J_U for U = C, N, P can be expanded into Chebychev series:

(26)
$$\psi = \psi_0 + 2\sum_{k=1}^{\infty} \psi_k T_k, \quad E = E_0 + 2\sum_{k=1}^{\infty} E_k T_k,$$

$$U = U_0 + 2\sum_{k=1}^{\infty} U_k T_k, \quad J_U = J_{U,0} + 2\sum_{k=1}^{\infty} J_{U,k} T_k, \quad \text{for } U = C, N, P.$$

We identify each function ψ , E, U and J_U to the sequence of its coefficients in the Chebychev series: ψ , E, U and J_U . As the net charge density of the host lattice ρ_{hl} is a given constant, we can introduce the sequence $\rho_{hl} \in \mathbb{R}^{\mathbb{N}}$ defined by $\rho_{hl} = (\rho_{hl}, 0, ...)$. Then, plugging the series expansions (26) into (24) and using the relation (21) and Proposition 3.1, we obtain the following infinite dimensional set of algebraic equations

$$\begin{cases} \psi_{k} + \frac{1}{2k} (\mathcal{S}\boldsymbol{E})_{k} = 0, & \forall k \geq 1, \\ E_{k} + \frac{1}{2k} \frac{\ell^{2}}{4\lambda^{2}} \left(\mathcal{S} \left(-z_{C}\boldsymbol{C} - z_{N}\boldsymbol{N} - z_{P}\boldsymbol{P} - \boldsymbol{\rho}_{hl} \right) \right)_{k} = 0, & \forall k \geq 1, \\ J_{U,k} = 0, & \text{for } U = C, N, P, & \forall k \geq 1, \\ U_{k} + \frac{1}{2k} \left(\mathcal{S} \left(-\frac{1}{4}\boldsymbol{J}_{U} - z_{U}\boldsymbol{U} * \boldsymbol{E} - \frac{\varepsilon_{U}}{2}\delta\ell\boldsymbol{U} \right) \right)_{k} = 0, & \text{for } U = C, N, P, & \forall k \geq 1. \end{cases}$$

It is supplemented by the following relations, obtained by plugging the series expansions (26) into (25) and applying (16):

$$\begin{cases}
J_{U,0} + 2\ell r_U^0 \left(U_0 + 2\sum_{k=1}^{\infty} (-1)^k U_k, \psi_0 + 2\sum_{k=1}^{\infty} (-1)^k \psi_k \right) = 0, & \text{for } U = C, N, P, \\
-J_{U,0} + 2\ell r_U^1 \left(U_0 + 2\sum_{k=1}^{\infty} U_k, \psi_0 + 2\sum_{k=1}^{\infty} \psi_k, V \right) = 0, & \text{for } U = C, N, P, \\
\psi_0 + 2\sum_{k=1}^{\infty} (-1)^k \psi_k - \frac{2\alpha_0}{\ell} \left(E_0 + 2\sum_{k=1}^{\infty} (-1)^k E_k \right) - \Delta \psi_0^{pzc} = 0, \\
\psi_0 + 2\sum_{k=1}^{\infty} \psi_k + \frac{2\alpha_1}{\ell} \left(E_0 + 2\sum_{k=1}^{\infty} E_k \right) - V + \Delta \psi_1^{pzc} = 0, \\
\delta - \frac{1}{\Pi} k_d^0 \exp\left(\rho_{hl} a_d^0 \left(\psi_0 + 2\sum_{k=1}^{\infty} (-1)^k \psi_k \right) \right) = 0, \\
\ell + \frac{\kappa J_{C,0}}{2\delta \varepsilon_C} = 0.
\end{cases}$$

Let us notice that since $J_{U,k} = 0$ for all $k \geq 1$ and U = C, N, P, the Chebychev expansion of the function J_U is given only by the first mode $J_{U,0}$, i.e., $\boldsymbol{J}_U = (J_{U,0}, 0, \ldots)$. For better readability we will forget the subscript 0 and write J_U . Moreover, in the sequel we will identify the real number J_U with its natural injection in $\mathbb{R}^{\mathbb{N}}$ given by the sequence $\boldsymbol{J}_U = (J_U, 0, \ldots)$. We will also identify δ and ℓ with their natural injection in $\mathbb{R}^{\mathbb{N}}$.

3.4. The formulation $F(\mathbf{X}) = 0$. We now rewrite the infinite system of nonlinear equations (27)–(28) under the form $F(\mathbf{X}) = 0$ where the unknown is

$$X = (\psi, E, C, N, P, J_C, J_N, J_P, \delta, \ell) \in (\mathbb{R}^{\mathbb{N}})^5 \times \mathbb{R}^3 \times (\mathbb{R} \setminus \{0\})^2$$

and the function F is defined by

$$F = (F^{(\psi)}, F^{(E)}, F^{(C)}, F^{(N)}, F^{(N)}, F^{(P)}, F^{(J_C)}, F^{(J_N)}, F^{(J_P)}, F^{(\delta)}, F^{(\ell)}),$$

with (29) $\begin{cases} F_0^{(\psi)}(\boldsymbol{X}) = \psi_0 + 2\sum_{k=1}^{\infty} (-1)^k \psi_k - \frac{2\alpha_0}{\ell} \left(E_0 + 2\sum_{k=1}^{\infty} (-1)^k E_k \right) - \Delta \psi_0^{pzc}, \\ F_k^{(\psi)}(\boldsymbol{X}) = \psi_k + \frac{1}{2k} (\mathcal{S}\boldsymbol{E})_k, \quad k \ge 1, \\ F_0^{(E)}(\boldsymbol{X}) = \psi_0 + 2\sum_{k=1}^{\infty} \psi_k + \frac{2\alpha_1}{\ell} \left(E_0 + 2\sum_{k=1}^{\infty} E_k \right) - V + \Delta \psi_1^{pzc}, \\ F_k^{(E)}(\boldsymbol{X}) = E_k + \frac{1}{2k} \frac{\ell^2}{4\lambda^2} \left(\mathcal{S} \left(-z_C \boldsymbol{C} - z_N \boldsymbol{N} - z_P \boldsymbol{P} - \boldsymbol{\rho_{hl}} \right) \right)_k, \quad k \ge 1, \\ F_0^{(U)}(\boldsymbol{X}) = J_U + 2\ell r_U^0 \left(U_0 + 2\sum_{k=1}^{\infty} (-1)^k U_k, \psi_0 + 2\sum_{k=1}^{\infty} (-1)^k \psi_k \right), \quad \text{for } U = C, N, P, \\ F_k^{(U)}(\boldsymbol{X}) = U_k + \frac{1}{2k} \left(\mathcal{S} \left(-\frac{1}{4} \boldsymbol{J}_U - z_U \boldsymbol{U} * \boldsymbol{E} - \frac{\varepsilon_U}{2} \delta \ell \boldsymbol{U} \right) \right)_k, \quad k \ge 1, \quad \text{for } U = C, N, P, \\ F^{(J_U)}(\boldsymbol{X}) = -J_U + 2\ell r_U^1 \left(U_0 + 2\sum_{k=1}^{\infty} U_k, \psi_0 + 2\sum_{k=1}^{\infty} \psi_k, V \right), \quad \text{for } U = C, N, P, \\ F^{(\delta)}(\boldsymbol{X}) = \delta - \frac{1}{\Pi} k_d^0 \exp \left(\rho_{hl} a_d^0 \left(\psi_0 + 2\sum_{k=1}^{\infty} (-1)^k \psi_k \right) \right), \\ F^{(\ell)}(\boldsymbol{X}) = \ell + \frac{\kappa J_C}{2\delta \varepsilon_C}, \end{cases}$

we recall that ρ_{hl} denotes the sequence given by $\rho_{hl} = (\rho_{hl}, 0, \ldots)$.

We have rewritten the initial system of differential equations (12)–(14) as an infinite system of nonlinear equations of the form $F(\mathbf{X}) = 0$. It remains now to prove that the existence of a solution \mathbf{X} to the system $F(\mathbf{X}) = 0$ yields the existence of a smooth solution to the initial system (12)–(14). To this end we introduce an appropriate Banach space \mathcal{X}_{ν} and in the sequel we will consider that the function F given by (29) acts only on this space.

Let us first introduce \mathbb{I}_{pot} and \mathbb{I}_{pot}^1 the following index sets:

(30)
$$\mathbb{I}_{pot} = \{ \psi, E, C, N, P, J_C, J_N, J_P, \delta, \ell \},$$

and

(31)
$$\mathbb{I}^{1}_{\text{pot}} = \{\psi, E, C, N, P\} \subset \mathbb{I}_{\text{pot}}.$$

Definition 3.4. Let $\nu > 1$ and $\eta \in (0, \infty)^{10}$ be given. We define

$$\mathcal{X}_{\nu} = \left\{ \boldsymbol{u} \in \left(\mathbb{R}^{\mathbb{N}}\right)^{5} \times \mathbb{R}^{3} \times \left(\mathbb{R} \setminus \{0\}\right)^{2} : \sum_{i \in \mathbb{I}_{\text{pot}}^{1}} \eta_{i} ||\boldsymbol{u}_{i}||_{\nu} + \sum_{i \in \mathbb{I}_{\text{pot}} \setminus \mathbb{I}_{\text{pot}}^{1}} \eta_{i} |u_{i}| < \infty \right\}.$$

Moreover for $\mathbf{u} \in (\mathbb{R}^{\mathbb{N}})^5 \times \mathbb{R}^3 \times (\mathbb{R} \setminus \{0\})^2$ we define

(32)
$$||\boldsymbol{u}||_{\mathcal{X}_{\nu},\eta} = \sum_{i \in \mathbb{I}_{\text{pot}}^1} \eta_i ||\boldsymbol{u}_i||_{\nu} + \sum_{i \in \mathbb{I}_{\text{pot}} \setminus \mathbb{I}_{\text{pot}}^1} \eta_i |u_i|.$$

Remark 3.1. The norm $||\cdot||_{\mathcal{X}_{\nu,\eta}}$ depends on several parameters: $\nu \in (1,+\infty)$ and $\eta \in (0,+\infty)^{10}$, which must be carefully chosen in practice. We refer to Section 5.1 for a more in-depth discussion.

In the sequel, we will denote every $X \in \mathcal{X}_{\nu}$ as

$$\boldsymbol{X} = (\boldsymbol{\psi}, \boldsymbol{E}, \boldsymbol{C}, \boldsymbol{N}, \boldsymbol{P}, J_C, J_N, J_P, \delta, \ell),$$

and we will consider that F acts on the space $(\mathcal{X}_{\nu}, ||\cdot||_{\mathcal{X}_{\nu},\eta})$. Then, Lemma 3.2 summarizes and justifies in a precise statement all the formal computations and substitutions made previously.

Lemma 3.2. Let $\nu > 1$ and $\eta \in (0, \infty)^{10}$. Assume that there exists

$$\boldsymbol{X} = (\boldsymbol{\psi}, \boldsymbol{E}, \boldsymbol{C}, \boldsymbol{N}, \boldsymbol{P}, J_C, J_N, J_P, \delta, \ell) \in \mathcal{X}_{\nu},$$

such that $F(\mathbf{X}) = 0$ and consider as in (26) the functions ψ , E, U and J_U for U = C, N, P. Then ψ , E, U and J_U for U = C, N, P are smooth functions which, together with ℓ and δ , solve (12)-(14).

Proof. First notice that since $\mathbf{X} \in \mathcal{X}_{\nu}$ with $\nu > 1$, the Chebychev coefficients are decaying geometrically fast to 0, and thus the functions ψ , E, U and J_U for U = C, N, P are well defined and smooth (in fact analytic), see [24, Section 8]. Then, having $F(\mathbf{X}) = 0$ means exactly that the sequences $\boldsymbol{\psi} = (\psi_k)_{k \geq 0}$, $\boldsymbol{E} = (E_k)_{k \geq 0}$, $\boldsymbol{U} = (U_k)_{k \geq 0}$, J_U for U = C, N, P, δ and ℓ solve (27)-(28), which in turn implies that the functions ψ , E, U and J_U for U = C, N, P, δ and ℓ solve (24)-(25). All the derivatives needed in (24)-(25) are legitimate thanks to the geometrical decay of the coefficients.

3.5. Computation of a numerical solution. From the infinite system of equations $F(\mathbf{X}) = 0$, where F is given by (29), we can easily deduce a finite nonlinear system of equations, just by truncating the Chebychev modes of order $K \geq 1$ and higher, for a given K. The unknowns of this new system are $(\psi_k, E_k, C_k, N_k, P_k)_{0 \leq k \leq K-1}, J_C, J_N, J_P, \ell, \delta$ and the size of the system is 5K + 5.

Let us denote by $\pi_K : \ell^1_{\nu} \to \mathbb{R}^K$ the finite dimensional projection obtained by truncating the Chebychev modes of order $K \geq 1$ and higher, i.e. $\pi_K(\mathbf{u}) = (u_0, \dots, u_{K-1})$ for $\mathbf{u} \in \ell^1_{\nu}$. Then, we extend the definition of π_K to $\pi_K : \mathcal{X}_{\nu} \to \mathbb{R}^{5K} \times \mathbb{R}^5$ by

$$\pi_K(\boldsymbol{X}) = (\pi_K(\boldsymbol{\psi}), \pi_K(\boldsymbol{E}), \pi_K(\boldsymbol{C}), \pi_K(\boldsymbol{N}), \pi_K(\boldsymbol{P}), J_C, J_N, J_P, \delta, \ell).$$

We also denote by i_K the natural injection from \mathbb{R}^{5K+5} to \mathcal{X}_{ν} . We may now define

$$F^{[K]} = (\pi_K \circ F \circ \imath_K).$$

We can compute an approximate solution, $\overline{X} \in \mathbb{R}^{5K+5}$ to F = 0 by solving numerically the finite dimensional problem $F^{[K]} = 0$. We refer again to Section 5.1 for more details on

the resolution of this finite dimensional problem. In the sequel, we use the same notation to denote $\overline{X} \in \mathbb{R}^{5K+5}$ an approximate solution to $F^{[K]} = 0$ and its injection into \mathcal{X}_{ν} .

4. Towards a computer-assisted proof of the existence of solutions

4.1. Presentation of the general strategy. We present in this section the strategy that will be used in order to prove the existence of a solution to (12)-(14). In Section 3, we have reformulated the problem as a zero finding problem F(X) = 0 for a suitable operator F defined on a Banach space. We are now going to introduce a Newton-like operator T (see (38)) whose fixed points are in one-to-one correspondence with the zeros of F. The existence and enclosure of the solution then follow by the Banach fixed point theorem, once the operator T is proven to be a contraction on some complete set. The following theorem, very reminiscent of the Newton-Kantorovich theorem, provides us with an efficient way of finding an explicit neighborhood of the numerical solution \overline{X} on which the operator is a contraction. Many similar versions of this theorem have been used in the last decades in computer-assisted proofs (see e.g. [2, 15, 20, 27] and the references therein).

Theorem 4.1. Let $(\mathcal{X}, ||\cdot||_{\mathcal{X}})$, $(\mathcal{Y}, ||\cdot||_{\mathcal{Y}})$ be Banach spaces and $F: \mathcal{X} \to \mathcal{Y}$ a C^2 function. Let $A: \mathcal{Y} \to \mathcal{X}$ and $A^{\dagger}: \mathcal{X} \to \mathcal{Y}$ be linear operators, with A injective. Let $r^* > 0$, $\overline{X} \in \mathcal{X}$ and assume that there exist positive constants Y, Z_0, Z_1 and Z_2 such that

$$\left|\left|\left|I - AA^{\dagger}\right|\right|\right|_{\mathcal{X}} \le Z_0,$$

(35)
$$\left| \left| \left| A(DF(\overline{X}) - A^{\dagger}) \right| \right|_{\mathcal{X}} \le Z_1,$$

(36)
$$\left| \left| \left| AD^2 F(\boldsymbol{X}) \right| \right| \right|_{\mathcal{X}} \leq Z_2, \qquad \forall \ \left\| \boldsymbol{X} - \overline{\boldsymbol{X}} \right\|_{\mathcal{X}} \leq r^*,$$

where $|||\cdot|||_{\mathcal{X}}$ denotes the operator norm on \mathcal{X} . Define the radii polynomial P as

(37)
$$P(r) = \frac{Z_2}{2}r^2 - (1 - (Z_1 + Z_0))r + Y.$$

Assume that there exists r > 0 such that P(r) < 0 and let \underline{r} and \overline{r} denote the two non-negative roots of P, with $\underline{r} < \overline{r}$. Then, provided $\underline{r} < r^*$, the operator $T : \mathcal{X} \to \mathcal{X}$ defined as

$$(38) T = I - AF,$$

has a unique fixed point in $\overline{B}_{\mathcal{X}}(\overline{\mathbf{X}},r)$ the closed ball of \mathcal{X} , centered at $\overline{\mathbf{X}}$ and of radius r for all r in $[r_{\min}, r_{\max})$ where

$$r_{\min} = \underline{r}$$
 and $r_{\max} = \min\left(\frac{\underline{r} + \overline{r}}{2}, r^*\right)$.

Moreover since we assume that A is an injective operator, then F has a unique zero in $\overline{B}_{\mathcal{X}}(\overline{\mathbf{X}},r)$ for all $r \in [r_{\min}, r_{\max})$.

The proof simply consists in checking that T is a contraction on $\overline{B}_{\mathcal{X}}(\overline{X}, r)$ for all $r \in [r_{\min}, r_{\max})$. We refer to the above-mentioned references for a detailed proof.

Remark 4.1. Let us make a few comments about Theorem 4.1.

• Since P is simply a quadratic polynomial, the existence of an r > 0 such that P(r) < 0 is equivalent to having

(39)
$$Z_1 + Z_0 < 1$$
 and $2Z_2Y < (1 - (Z_1 + Z_0))^2$,

and so these two conditions are sufficient conditions for T to be a contraction on $\overline{B}_{\mathcal{X}}(\overline{\mathbf{X}},r)$.

- We are going to take for A an approximate inverse of $DF(\overline{X})$, and for A^{\dagger} an approximation of $DF(\overline{X})$ itself (which will in fact be used to construct A). If we could take $A = (DF(\overline{X}))^{-1}$ we would get $DT(\overline{X}) = 0$, i.e. a very strong contraction near \overline{X} . However, getting explicit estimates on $(DF(\overline{X}))^{-1}$ can be very hard, which is why we introduce these approximations instead. The condition $Z_0 + Z_1 < 1$ tells us how good these approximations have to be.
- Finally, if this condition $Z_0 + Z_1 < 1$ is satisfied, we only have to get good enough numerical approximation \overline{X} , or more precisely a small enough residual error Y, for the second condition $2Z_2Y < (1 (Z_1 + Z_0))^2$ to hold.
- In the sequel, we derive formula for Y, Z_0 , Z_1 and Z_2 satisfying (33)-(36), which are explicit but cannot easily be evaluated by hand, since they depend on numerical data (and in particular on \overline{X}). Therefore, we evaluate them with a computer, but using interval arithmetic (in our case with Intlab [21]) to ensure that the rounding errors are controlled.

Theorem 4.1 is the cornerstone of our computer-assisted proof. In Section 3.4, we have already introduced the function F defined on the Banach space $(\mathcal{X}_{\nu}, ||\cdot||_{\mathcal{X}_{\nu,\eta}})$ such that the solutions of F = 0 correspond to the solutions of (12)-(14). Moreover in Section 3.5, we have defined $\overline{X} \in \mathbb{R}^{5K} \times \mathbb{R}^{5}$ (identified with its injection in \mathcal{X}_{ν}) as an approximate solution of the finite dimensional problem $F^{[K]} = 0$. It remains:

- to define the linear operators A and A^{\dagger} ,
- to define and compute the bounds Y, Z_i satisfying (33)-(36),
- to check that P(r) given in (37) is negative for some r > 0.

In what follows, we detail each of these steps.

4.2. **Definition of the operators** A and A^{\dagger} . Recalling that we want A^{\dagger} to be an approximation of $DF(\overline{X})$, we define for every $X \in \mathcal{X}_{\nu}$ the operator A^{\dagger} as

(40)
$$\begin{cases} A^{\dagger} \pi_K(\mathbf{X}) = DF^{[K]} \left(\overline{\mathbf{X}} \right) \pi_K(\mathbf{X}), \\ A^{\dagger} \mathbf{X}_k = \mathbf{X}_k = (\boldsymbol{\psi}, \boldsymbol{E}, \boldsymbol{C}, \boldsymbol{N}, \boldsymbol{P})_k, \quad \forall k \ge K, \end{cases}$$

where π_K denotes the finite dimensional projection introduced in Section 3.5.

Then, we consider the operator A as an approximate inverse of A^{\dagger} . To do so, we define $A^{[K]}$ as a numerically computed inverse of $DF^{[K]}(\overline{X})$, and we define for every $X \in \mathcal{X}_{\nu}$ the

operator A as

(41)
$$\begin{cases} A\pi_K(\mathbf{X}) = A^{[K]} \pi_K(\mathbf{X}), \\ A\mathbf{X}_k = \mathbf{X}_k = (\boldsymbol{\psi}, \mathbf{E}, \mathbf{C}, \mathbf{N}, \mathbf{P})_k, \quad \forall k \ge K. \end{cases}$$

4.3. **Operator norms.** In order to compute the bounds Z_0 , Z_1 and Z_2 in Theorem 4.1 we need to introduce some operator norms. First, let us consider a linear operator $B: \ell^1_{\nu} \to \ell^1_{\nu}$. We denote by $|||B|||_{\nu}$ the operator norm of B, i.e.

$$|||B|||_{\nu} = \sup_{||\boldsymbol{u}||_{\nu}=1} ||B\boldsymbol{u}||_{\nu}.$$

It will be convenient to think of B as an "infinite dimensional matrix", written in the canonical Schauder basis of ℓ^1 . That is, B is characterized by the coefficients $(B_{k,n})_{k,n\in\mathbb{N}}$ such that, for all $\mathbf{u} \in \ell^1_{\nu}$ and all $k \in \mathbb{N}$,

$$(B\boldsymbol{u})_k = \sum_{n \in \mathbb{N}} B_{k,n} u_n.$$

Similarly to the well know formula for matrix norms, we can express the operator norm of B in terms of these coefficients.

Lemma 4.1. Let $B: \ell^1_{\nu} \to \ell^1_{\nu}$ be a linear operator. Then

(42)
$$|||B|||_{\nu} = \sup_{n \ge 0} \frac{1}{\xi_n(\nu)} \sum_{k \in \mathbb{N}} |B_{k,n}| \xi_k(\nu),$$

where $(B_{k,n})_{k,n\geq 0}$ is the matrix representation of the operator B.

In particular, we deduce that if the matrix B has a finite number of non zero coefficients, then $||B|||_{\nu}$ can be evaluated on a computer (and using interval arithmetic we can get a rigorous upper bound of this norm). It will be convenient to introduce the notation $\mathbf{B}_{\cdot,n} = (B_{k,n})_{k\geq 0}$ for every $n\geq 0$. Notice that we can then rewrite (42) as

(43)
$$|||B|||_{\nu} = \sup_{n \ge 0} \frac{1}{\xi_n(\nu)} \sum_{k \in \mathbb{N}} |B_{k,n}| \xi_k(\nu) = \sup_{n \ge 0} \frac{1}{\xi_n(\nu)} ||\mathbf{B}_{\cdot,n}||_{\nu}.$$

Now, let $B: \mathcal{X}_{\nu} \to \mathcal{X}_{\nu}$ be a linear operator and let us consider the following block-representation of B

$$B = \left(B^{(i,j)}\right)_{i,j\in\mathbb{I}_{\text{pot}}},$$

where the set \mathbb{I}_{pot} is given by (30). Due to the definition of \mathcal{X}_{ν} , let us notice that for instance $B^{(J_U,J_U)}: \mathbb{R} \to \mathbb{R}$, $B^{(\psi,J_U)}: \ell^1_{\nu} \to \ell^1_{\nu}$ for U = C, N, P and $B^{(\psi,\delta)}: \mathbb{R} \to \ell^1_{\nu}$. However, post-composing some blocks of B by i_1 , the natural injection from \mathbb{R} to ℓ^1_{ν} , we can see every of these blocks as some linear operators from ℓ^1_{ν} or \mathbb{R} to ℓ^1_{ν} . Moreover, this slight modification does not change the value of the operator norm of the blocks. For instance, for U = C, N, P we have $|B^{(J_U,J_U)}| = ||i_1 \circ B^{(J_U,J_U)}||_{\nu}$ and we omit to write the composition by i_1 in the sequel.

Now, still considering $B: \mathcal{X}_{\nu} \to \mathcal{X}_{\nu}$, we slightly abuse the notation by applying the ℓ^{1}_{ν} operator norm component wise to B, i.e. we define

$$|||B|||_{\nu} = (|||B^{(i,j)}|||_{\nu})_{i,j\in\mathbb{I}_{pot}},$$

where for each block $B^{(i,j)} = \left(B_{k,n}^{(i,j)}\right)_{k,n\geq 0}$ for $i,j\in\mathbb{I}_{\mathrm{pot}}$, we use formula (43) to evaluate its operator norm. Let us now introduce for $\eta\in(0,\infty)^{10}$ the following weighted operator norm

$$\left| |||B|||_{\nu} \right|_{\eta} = \max_{j \in \mathbb{I}_{\text{pot}}} \frac{1}{\eta_{j}} \sum_{i \in \mathbb{I}_{\text{pot}}} \eta_{i} \left| \left| \left| B^{(i,j)} \right| \right| \right|_{\nu} = \max_{j \in \mathbb{I}_{\text{pot}}} \frac{1}{\eta_{j}} \sum_{i \in \mathbb{I}_{\text{pot}}} \eta_{i} \sup_{n \geq 0} \frac{1}{\xi_{n}(\nu)} \sum_{k \in \mathbb{N}} \left| B_{k,n}^{(i,j)} \right| \xi_{k}(\nu).$$

We recall that the practical choice of η will be discussed in Section 5.1. If all the blocks of B have a finite number of non zero coefficients, then the quantity $|||B|||_{\mathcal{X}_{\nu}}|_{\eta}$ can be evaluated on a computer (and rigorously upper-bounded using interval arithmetic). Moreover, we notice that

$$\begin{aligned} |||B|||_{\mathcal{X}_{\nu},\eta} &= \max_{j \in \mathbb{I}_{pot}} \frac{1}{\eta_{j}} \left| \left| \left| B^{(\cdot,j)} \right| \right| \right|_{\mathcal{X}_{\nu},\eta} \\ &= \max_{j \in \mathbb{I}_{pot}} \frac{1}{\eta_{j}} \sup_{n \geq 0} \frac{1}{\xi_{n}(\nu)} \sum_{i \in \mathbb{I}_{pot}} \sum_{k \in \mathbb{N}} \left| B_{k,n}^{(i,j)} \right| \xi_{k}(\nu) \, \eta_{i} \\ &\leq \max_{j \in \mathbb{I}_{pot}} \frac{1}{\eta_{j}} \sum_{i \in \mathbb{I}_{pot}} \eta_{i} \sup_{n \geq 0} \frac{1}{\xi_{n}(\nu)} \sum_{k \in \mathbb{N}} \left| B_{k,n}^{(i,j)} \right| \xi_{k}(\nu), \end{aligned}$$

that is

$$|||B|||_{\mathcal{X}_{\nu},\eta} \le ||||B|||_{\nu}|_{\eta}.$$

Therefore, as soon as we can rigorously compute $|||B|||_{\nu}|_{\eta}$, we get a computable and rigorous upper bound for $|||B|||_{\mathcal{X}_{\nu},\eta}$.

- 4.4. **Definition of the bounds** Y and Z_i . In this section, for $K \geq 1$ fixed we derive some computable bounds Y, Z_0 , Z_1 and Z_2 satisfying the assumptions (33)-(36) of Theorem 4.1. We assume that $\overline{X} \in \mathbb{R}^{5K+5}$ is given (in practice we should chose it so that $F^{[K]}(\overline{X}) = (\pi_K \circ F \circ \iota_K)(\overline{X}) \approx 0$). In the sequel we identify \overline{X} with its injection in \mathcal{X}_{ν} , with $\overline{X}_k = (0,0,0,0,0)$ for all $k \geq K$.
- 4.4.1. The bound Y. We simply define Y as

$$Y = \left| \left| AF(\overline{\boldsymbol{X}}) \right| \right|_{\mathcal{X}_{\nu}, \eta}.$$

Since the vector \overline{X} has only a finite number of non zero coefficients, i.e. $\overline{X}_k = (0, 0, 0, 0, 0)$ for every $k \geq K$, we have

$$F_k^{(\psi)}(\overline{\boldsymbol{X}}) = 0, \quad \forall k \ge K + 1,$$

 $F_k^{(E)}(\overline{\boldsymbol{X}}) = 0, \quad \forall k \ge K + 1,$

$$F_k^{(U)}(\overline{\boldsymbol{X}}) = 0, \quad \forall k \ge 2K, \quad \text{for } U = C, N, P,$$

which implies that $F(\overline{X})$ has only a finite number of non zero coefficients. Moreover, since A acts only diagonally on the tail of the elements of $F(\overline{X})$, $AF(\overline{X})$ also has only a finite number of non zero coefficients. Thus, the bound Y can be evaluated on a computer (using interval arithmetic).

4.4.2. The bound Z_0 . Using the notations and definitions introduced in Section 4.3 we obtain the following result:

Proposition 4.1. Let $\nu > 1$ and $\eta \in (0, \infty)^{10}$. Consider A^{\dagger} and A defined in (40) and (41), the index set \mathbb{I}_{pot} given by (30) and the linear operator $B = I - AA^{\dagger}$. Then

$$(45) Z_0 = ||||B|||_{\nu}|_{n}$$

$$= \max_{j \in \mathbb{I}_{pot}} \frac{1}{\eta_j} \sum_{i \in \mathbb{I}_{pot}} \eta_i \sup_{n \ge 0} \frac{1}{\xi_n(\nu)} \sum_{k \in \mathbb{N}} \left| B_{k,n}^{(i,j)} \right| \, \xi_k(\nu).$$

satisfies

$$\left|\left|\left|\left(I - AA^{\dagger}\right)\right|\right|\right|_{\mathcal{X}_{\nu}, \eta} \le Z_0.$$

We point out that, by construction of A^{\dagger} and A, each block $B^{(i,j)}$ for $i, j \in \mathbb{I}_{pot}$ has only a finite number of non zero coefficients (recall that the "tail" parts of A^{\dagger} and A act as the identity), and hence the ℓ^1_{ν} operator norms $|||B^{(i,j)}|||_{\nu}$ can all be evaluated on a computer (using interval arithmetic).

Proof. The proof of the result follows directly from (44).

4.4.3. The bound Z_1 . We now explain how to define a constant Z_1 such that

$$\left|\left|\left|A(DF(\overline{X}) - A^{\dagger})\right|\right|\right|_{\mathcal{X}_{\nu}, \eta} \le Z_{1}.$$

First, we consider the linear operator $G = A(DF(\overline{X}) - A^{\dagger})$ and we denote $G^{(i,j)}$ for $i, j \in \mathbb{I}_{pot}$ (recall definition (30) of \mathbb{I}_{pot}) the block-representation of G. Then, applying (44) we have

$$|||G|||_{\mathcal{X}_{\nu},\eta} \le ||||G|||_{\nu}|_{\eta} = \max_{j \in \mathbb{I}_{pot}} \frac{1}{\eta_{j}} \sum_{i \in \mathbb{I}_{pot}} |||G^{(i,j)}|||_{\nu} \eta_{i}.$$

We are going to bound the ℓ^1_{ν} operator norm of each $G^{(i,j)}$ independently, using the following splitting:

$$(49) \qquad \left| \left| \left| \left| G^{(i,j)} \right| \right| \right|_{\nu} = \max \left[\max_{0 \le l \le 2K-1} \frac{1}{\xi_l(\nu)} \sum_{k \in \mathbb{N}} \left| G^{(i,j)}_{k,l} \right| \xi_k(\nu), \sup_{l \ge 2K} \frac{1}{\xi_l(\nu)} \sum_{k \in \mathbb{N}} \left| G^{(i,j)}_{k,l} \right| \xi_k(\nu) \right].$$

Then, we define for all $i, j \in \mathbb{I}_{pot}$

(50)
$$\Gamma_{\text{finite}}^{(i,j)} = \max_{0 \le l \le 2K-1} \frac{1}{\xi_l(\nu)} \sum_{k \in \mathbb{N}} \left| G_{k,l}^{(i,j)} \right| \xi_k(\nu), \quad i, j \in \mathbb{I}_{\text{pot}},$$

where $\Gamma_{\text{finite}}^{(i,j)}$ reduces to

$$\Gamma_{\text{finite}}^{(i,j)} = \sum_{k \in \mathbb{N}} \left| G_{k,0}^{(i,j)} \right| \xi_k(\nu),$$

in the case where the block $G^{(i,j)}$ admits only one column. Let us notice, due to the structure of $DF(\overline{X})$, A^{\dagger} and A, that $G^{(i,j)}_{\cdot,l}$ has a finite number of non zero coefficients, for $0 \leq l \leq 2K-1$, and in particular the constant $\Gamma^{(i,j)}_{\text{finite}}$ can be evaluated on a computer (using interval arithmetic). Moreover, following the splitting used in (49), we are also going to introduce some constants $\Gamma^{(i,j)}_{\text{tail}}$ for $i,j \in \mathbb{I}^1_{\text{pot}} = \{\psi,E,C,N,P\}$, such that

(51)
$$\sup_{l \ge 2K} \frac{1}{\xi_l(\nu)} \sum_{k \in \mathbb{N}} \left| G_{k,l}^{(i,j)} \right| \xi_k(\nu) \le \Gamma_{\text{tail}}^{(i,j)}.$$

We set those constants to zero if the block $G^{(i,j)}$ admits only one column.

Introducing $\Gamma^{(i,j)} = \max \left(\Gamma_{\text{finite}}^{(i,j)}, \Gamma_{\text{tail}}^{(i,j)}\right)$, we end up with

$$|||G|||_{\mathcal{X}_{\nu},\eta} \le \max_{j \in \mathbb{I}_{\mathrm{pot}}} \frac{1}{\eta_j} \sum_{i \in \mathbb{I}_{\mathrm{pot}}} \Gamma^{(i,j)} \eta_i.$$

Finally, we can define the constant Z_1 as

$$Z_1 = \max_{j \in \mathbb{I}_{pot}} \frac{1}{\eta_j} \sum_{i \in \mathbb{I}_{pot}} \Gamma^{(i,j)} \, \eta_i,$$

which implies that Z_1 satisfies (48). The following result summarizes this approach and gives a precise definition of the constants $\Gamma_{\text{tail}}^{(i,j)}$ for $i, j \in \mathbb{I}_{\text{pot}}$.

Proposition 4.2. Let $\nu > 1$, $\eta \in (0, \infty)^{10}$ and $\overline{X} \in \mathbb{R}^{5K+5}$ (identified with its injection in \mathcal{X}_{ν}). Consider F, A^{\dagger} and A defined by (29), (40) and (41). Define $G = A(DF(\overline{X}) - A^{\dagger})$ and

$$\Gamma_{\text{finite}}^{(i,j)} = \max_{0 \le l \le 2K-1} \frac{1}{\xi_l(\nu)} \sum_{k \in \mathbb{N}} \left| G_{k,l}^{(i,j)} \right| \xi_k(\nu), \quad \forall i, j \in \mathbb{I}_{\text{pot}},$$

with

$$\Gamma_{\text{finite}}^{(i,j)} = \sum_{k \in \mathbb{N}} \left| G_{k,0}^{(i,j)} \right| \xi_k(\nu),$$

if the block $G^{(i,j)}$ admits only one column. Moreover, let us introduce

$$\Gamma_{\text{tail}}^{(i,j)} = \Gamma_{\text{tail},1}^{(i,j)} + \Gamma_{\text{tail},2}^{(i,j)}, \quad \forall i, j \in \mathbb{I}_{\text{pot}},$$

where

(52)
$$\Gamma_{\text{tail},1}^{(i,j)} = \frac{\chi_{\mathbb{I}_{\text{pot}}^{1}}(j)}{\xi_{2K}(\nu)} \max_{l=1,2} \left[\sum_{k=0}^{K-1} \left| \sum_{m \in \mathbb{I}_{\text{pot}}} A_{k,0}^{(i,m)} DF(\overline{\boldsymbol{X}})_{0,l}^{(m,j)} \right| \xi_{k}(\nu) \right],$$

with $\mathbb{I}^1_{\text{pot}} \subset \mathbb{I}_{\text{pot}}$ defined in (31) and $\chi_{\mathbb{I}^1_{\text{pot}}}$ the characteristic function of $\mathbb{I}^1_{\text{pot}}$. Moreover, the values of $\Gamma^{(i,j)}_{\text{tail},2}$ are given in Table 1 for $i, j \in \mathbb{I}^1_{\text{pot}}$ and $\Gamma^{(i,j)}_{\text{tail},2} = 0$ in all other cases. Finally, introducing

$$\Gamma^{(i,j)} = \max\left(\Gamma_{\text{finite}}^{(i,j)}, \Gamma_{\text{tail}}^{(i,j)}\right), \quad \forall i, j \in \mathbb{I}_{\text{pot}},$$

and

(53)
$$Z_1 = \max_{j \in \mathbb{I}_{pot}} \frac{1}{\eta_j} \sum_{i \in \mathbb{I}_{pot}} \Gamma^{(i,j)} \eta_i,$$

we have

$$\left|\left|\left|A(DF(\overline{\boldsymbol{X}})-A^{\dagger})\right|\right|\right|_{\mathcal{X}_{\nu},\eta}\leq Z_{1}.$$

(i, j)	ψ	E C		N	P
ψ	0	$\frac{1}{2} \left[\frac{\nu^{-1}}{2K - 1} + \frac{\nu}{2K + 1} \right]$	0	0	0
E	0	0	$\frac{ z_C \bar{\ell}^2}{8\lambda^2} \left[\frac{\nu^{-1}}{2K-1} + \frac{\nu}{2K+1} \right]$	$\frac{ z_N \bar{\ell}^2}{8\lambda^2} \left[\frac{\nu^{-1}}{2K-1} + \frac{\nu}{2K+1} \right]$	$ \frac{ z_P \bar{\ell}^2}{8\lambda^2} \left[\frac{\nu^{-1}}{2K-1} + \frac{\nu}{2K+1} \right] $
C	0	$\frac{\left z_{C}\right \left \overline{C}\right _{\nu}}{2K}$	$\frac{\left -z_{C}\overline{\boldsymbol{E}}-\varepsilon_{C}\overline{\delta}\overline{\ell}\boldsymbol{e}/2\right _{\nu}}{2K}$	0	0
N	0	$\frac{\left z_{N}\right \left \overline{N}\right _{\nu}}{2K}$	0	$\frac{\left -z_N\overline{\boldsymbol{E}} - \varepsilon_N \overline{\delta}\overline{\ell}\boldsymbol{e}/2\right _{\nu}}{2K}$	0
P	0	$\frac{\left z_{P}\right \left \overline{P}\right _{\nu}}{2K}$	0	0	$\frac{\left -z_{P}\overline{\boldsymbol{E}}-\varepsilon_{P}\overline{\delta}\overline{\ell}\boldsymbol{e}/2\right _{\nu}}{2K}$

TABLE 1. Definition of the constants $\Gamma_{\text{tail},2}^{(i,j)}$ for $i, j \in \mathbb{I}_{\text{pot}}^1$ in the potentiostatic case, where $|\cdot|_{\nu}$ is given by (23) and $e = (1,0,0,\ldots)$.

Proof. Let $l \geq 2K > 1$ be fixed. First, by construction of A^{\dagger} , $(DF(\overline{X}) - A^{\dagger})_{p,l}^{(m,j)} = 0$ for every $p \geq 0$ if $j \in \mathbb{I}_{pot} \setminus \mathbb{I}_{pot}^1 = \{J_C, J_N, J_P, \delta, \ell\}$, therefore

$$\frac{1}{\xi_l(\nu)} \sum_{k \in \mathbb{N}} \left| G_{k,l}^{(i,j)} \right| \xi_k(\nu) = \frac{\chi_{\mathbb{I}_{\text{pot}}^1}(j)}{\xi_l(\nu)} \sum_{k \in \mathbb{N}} \left| \sum_{m \in \mathbb{I}_{\text{pot}}} \sum_{p \geq 0} A_{k,p}^{(i,m)} \left(DF(\overline{\boldsymbol{X}}) - A^{\dagger} \right)_{p,l}^{(m,j)} \xi_k(\nu) \right|,$$

where we recall that $\mathbb{I}^1_{\mathrm{pot}} = \{\psi, E, C, N, P\} \subset \mathbb{I}_{\mathrm{pot}}$ and $\chi_{\mathbb{I}^1_{\mathrm{pot}}}$ denotes the characteristic function of $\mathbb{I}^1_{\mathrm{pot}}$. Using the definition of $DF(\overline{\boldsymbol{X}})$ and A^{\dagger} we obtain $(DF(\overline{\boldsymbol{X}}) - A^{\dagger})_{p,l}^{(m,j)} = 0$ for any $0 and any <math>m, j \in \mathbb{I}_{\mathrm{pot}}$. In particular, since we only consider here $l \geq 2K$, $(DF(\overline{\boldsymbol{X}}) - A^{\dagger})_{p,l}^{(m,j)} = 0$ for any 0 , which yields

$$\frac{1}{\xi_l(\nu)} \sum_{k \in \mathbb{N}} \left| G_{k,l}^{(i,j)} \right| \xi_k(\nu) \le \frac{\chi_{\mathbb{I}_{\text{pot}}^1}(j)}{\xi_l(\nu)} \sum_{k \in \mathbb{N}} \left| \sum_{m \in \mathbb{I}_{\text{pot}}} A_{k,0}^{(i,m)} \left(DF(\overline{\boldsymbol{X}}) - A^{\dagger} \right)_{0,l}^{(m,j)} \xi_k(\nu) \right|$$

$$+ \frac{\chi_{\mathbb{I}_{\text{pot}}^{1}}(j)}{\xi_{l}(\nu)} \sum_{k \in \mathbb{N}} \left| \sum_{m \in \mathbb{I}_{\text{pot}}} \sum_{p \geq K} A_{k,p}^{(i,m)} \left(DF(\overline{\boldsymbol{X}}) - A^{\dagger} \right)_{p,l}^{(m,j)} \xi_{k}(\nu) \right|.$$

Besides, by construction of A, if $i \neq m$ then $A_{k,p}^{(i,m)} = 0$ as soon as $k \geq K$ or $p \geq K$, and if i = m then $A_{k,p}^{(i,i)} = \chi_{\mathbb{I}^1_{\text{pot}}}(i)\delta_{k,p}$ as soon as $k \geq K$ or $p \geq K$. Therefore, we get

$$\frac{1}{\xi_{l}(\nu)} \sum_{k \in \mathbb{N}} \left| G_{k,l}^{(i,j)} \right| \xi_{k}(\nu) \leq \frac{\chi_{\mathbb{I}_{pot}^{1}}(j)}{\xi_{2K}(\nu)} \sum_{k=0}^{K-1} \left| \sum_{m \in \mathbb{I}_{pot}} A_{k,0}^{(i,m)}(DF(\overline{X}) - A^{\dagger})_{0,l}^{(m,j)} \xi_{k}(\nu) \right| \\
+ \frac{\chi_{\mathbb{I}_{pot}^{1}}(j)}{\xi_{l}(\nu)} \sum_{k \in \mathbb{N}} \left| \sum_{m \in \mathbb{I}_{pot}} \sum_{p \geq K} A_{k,p}^{(i,m)}(DF(\overline{X}) - A^{\dagger})_{p,l}^{(m,j)} \xi_{k}(\nu) \right| \\
\leq \frac{\chi_{\mathbb{I}_{pot}^{1}}(j)}{\xi_{2K}(\nu)} \sum_{k=0}^{K-1} \left| \sum_{m \in \mathbb{I}_{pot}} A_{k,0}^{(i,m)}(DF(\overline{X}) - A^{\dagger})_{0,l}^{(m,j)} \xi_{k}(\nu) \right| \\
+ \frac{\chi_{\mathbb{I}_{pot}^{1}} \times \mathbb{I}_{pot}^{1}}{\xi_{l}(\nu)} \left| \sum_{p \geq K} (DF(\overline{X}) - A^{\dagger})_{p,l}^{(i,j)} \xi_{p}(\nu) \right|.$$

Moreover, still by construction of $DF(\overline{X})$ and A^{\dagger} , we notice that $(DF(\overline{X}) - A^{\dagger})_{0,l}^{(m,j)} = DF(\overline{X})_{0,l}^{(m,j)}$ for all $l \geq 2K$ and $m \in \mathbb{I}_{pot}$ and $j \in \mathbb{I}_{pot}^1$, which implies

$$\frac{1}{\xi_{l}(\nu)} \sum_{k \in \mathbb{N}} \left| G_{k,l}^{(i,j)} \right| \xi_{k}(\nu) \leq \frac{\chi_{\mathbb{I}_{pot}^{1}}(j)}{\xi_{2K}(\nu)} \sum_{k=0}^{K-1} \left| \sum_{m \in \mathbb{I}_{pot}} A_{k,0}^{(i,m)} DF(\overline{\boldsymbol{X}})_{0,l}^{(m,j)} \xi_{k}(\nu) \right| + \frac{\chi_{\mathbb{I}_{pot}^{1} \times \mathbb{I}_{pot}^{1}}^{1}(i,j)}{\xi_{l}(\nu)} \left| \sum_{p > K} (DF(\overline{\boldsymbol{X}}) - A^{\dagger})_{p,l}^{(i,j)} \xi_{p}(\nu) \right|.$$

Let us now give the explicite value of the first term in the right hand side in the case where i = C and j = E for instance. Then, we have

$$\sum_{k=0}^{K-1} \left| \sum_{m \in \mathbb{I}_{pot}} A_{k,0}^{(i,m)} DF(\overline{X})_{0,l}^{(m,j)} \xi_k(\nu) \right| = \sum_{k=0}^{K-1} \left| (-1)^{l+1} \frac{4\alpha_0}{\overline{\ell}} A_{k,0}^{(C,\psi)} + \frac{4\alpha_1}{\overline{\ell}} A_{k,0}^{(C,E)} \right| \xi_k(\nu) \\
\leq \max_{l=1,2} \left[\sum_{k=0}^{K-1} \left| (-1)^{l+1} \frac{4\alpha_0}{\overline{\ell}} A_{k,0}^{(C,\psi)} + \frac{4\alpha_1}{\overline{\ell}} A_{k,0}^{(C,E)} \right| \xi_k(\nu) \right].$$

Writing down the explicite value of the other terms, we observe, as in the former example, that this value only depends on the parity of ℓ . Thus, we obtain

$$\frac{1}{\xi_{l}(\nu)} \sum_{k \in \mathbb{N}} \left| G_{k,l}^{(i,j)} \right| \xi_{k}(\nu) \leq \frac{\chi_{\mathbb{I}_{pot}^{1}}(j)}{\xi_{2K}(\nu)} \max_{l=1,2} \left[\sum_{k=0}^{K-1} \left| \sum_{m \in \mathbb{I}_{pot}} A_{k,0}^{(i,m)} DF(\overline{\boldsymbol{X}})_{0,l}^{(m,j)} \right| \xi_{k}(\nu) \right] + \frac{\chi_{\mathbb{I}_{pot}^{1} \times \mathbb{I}_{pot}^{1}}^{1}(i,j)}{\xi_{l}(\nu)} \left| \sum_{p > K} (DF(\overline{\boldsymbol{X}}) - A^{\dagger})_{p,l}^{(i,j)} \xi_{p}(\nu) \right|.$$

Now, let us explain how we derive the bounds $\Gamma_{\text{tail},2}^{(i,j)}$ given in Table 1. To this end we need to estimate the second term in the right hand side of the previous inequality. We consider first the case $i = \psi$ and j = E. Then, we notice that

$$\frac{1}{\xi_l(\nu)} \left| \sum_{p > K} (DF(\overline{\boldsymbol{X}}) - A^{\dagger})_{p,l}^{(\psi,E)} \xi_p(\nu) \right| = \frac{1}{\xi_l(\nu)} \left| \sum_{p > K} \frac{\partial F_p^{(\psi)}}{\partial E_l} (\overline{\boldsymbol{X}}) \, \xi_p(\nu) \right|.$$

Thus, remembering that we only consider here $l \geq 2K$,

$$\frac{1}{\xi_{l}(\nu)} \left| \sum_{p \geq K} (DF(\overline{X}) - A^{\dagger})_{p,l}^{(\psi,E)} \xi_{p}(\nu) \right| = \frac{1}{\xi_{l}(\nu)} \left| \frac{\xi_{l-1}(\nu)}{2(l-1)} - \frac{\xi_{l+1}(\nu)}{2(l+1)} \right| \\
\leq \frac{1}{2} \left(\frac{\nu^{-1}}{2K-1} + \frac{\nu}{2K+1} \right) = \Gamma_{\text{tail},2}^{(\psi,E)}.$$

Using similar arguments we obtain the different values of $\Gamma_{\text{tail},2}^{(E,U)}$ for U=C,N,P. Let us then consider the case i=C and j=E. We have

$$\frac{1}{\xi_l(\nu)} \left| \sum_{p > K} (DF(\overline{\boldsymbol{X}}) - A^{\dagger})_{p,l}^{(C,E)} \xi_p(\nu) \right| = \frac{1}{\xi_l(\nu)} \left| \sum_{p > K} \frac{\partial F_p^{(C)}}{\partial E_l} (\overline{\boldsymbol{X}}) \, \xi_p(\nu) \right|,$$

and a meticulous but rather straightforward analysis of the terms in $\frac{\partial F_p^{(C)}}{\partial E_l}$ leads to

$$\frac{1}{\xi_{l}(\nu)} \left| \sum_{p \geq K} (DF(\overline{X}) - A^{\dagger})_{p,l}^{(C,E)} \xi_{p}(\nu) \right| = \frac{|z_{C}|}{2\xi_{l}(\nu)} \left| \sum_{p \geq K} \left[-\frac{\overline{C}_{|p+1-l|} + \overline{C}_{|p+1+l|}}{p} + \frac{\overline{C}_{|p-1-l|} + \overline{C}_{|p-1+l|}}{p} \right] \xi_{p}(\nu) \right|.$$

Then, we recall that $\overline{C}_k = 0$ for all $k \geq K$, which allows us to rewrite the above sum as follows

$$\left| \frac{1}{\xi_l(\nu)} \left| \sum_{p \geq K} (DF(\overline{\boldsymbol{X}}) - A^{\dagger})_{p,l}^{(C,E)} \xi_p(\nu) \right| \leq \frac{|z_C|}{2\xi_l(\nu)} \frac{1}{K} \sum_{p=l-K}^{l+K} \left| \overline{C}_{|p+1-l|} - \overline{C}_{|p-1-l|} \right| \xi_p(\nu) \right|$$

$$= \frac{|z_C|}{2\xi_l(\nu)} \frac{1}{K} \sum_{p=-K}^K |\overline{C}_{|p+1|} - \overline{C}_{|p-1|}| \, \xi_{p+l}(\nu)$$

$$\leq \frac{|z_C|}{2K} \sum_{p=1}^K |(\mathcal{S}\overline{C})_p| \, (\nu^p + \nu^{-p})$$

$$\leq \frac{|z_C|}{2K} |\overline{C}|_{\nu} = \Gamma_{\text{tail},2}^{(C,E)}.$$

Applying similar arguments we obtain the values $\Gamma_{\text{tail},2}^{(N,E)}$ and $\Gamma_{\text{tail},2}^{(P,E)}$ given in Table 1. Eventually, let us derive the bound $\Gamma_{\text{tail},2}^{(U,U)}$ for U=C,N,P. To this aim, we notice that

$$\frac{1}{\xi_l(\nu)} \left| \sum_{p > K} (DF(\overline{\boldsymbol{X}}) - A^{\dagger})_{p,l}^{(U,U)} \xi_p(\nu) \right| = \frac{1}{\xi_l(\nu)} \left| \sum_{p > K} \frac{\partial F_p^{(U)}}{\partial U_l} (\overline{\boldsymbol{X}}) \, \xi_p(\nu) \right|.$$

Then, a similar analysis that the one done to derive the bound $\Gamma_{\text{tail},2}^{(C,E)}$ leads to

$$\frac{1}{\xi_{l}(\nu)} \left| \sum_{p \geq K} (DF(\overline{X}) - A^{\dagger})_{p,l}^{(U,U)} \xi_{p}(\nu) \right| = \frac{1}{2\xi_{l}(\nu)} \left| -\sum_{p=l-K}^{l+K} z_{U} \left[\frac{\overline{E}_{|p+1-l|} - \overline{E}_{|p-1-l|}}{p} \right] \xi_{p}(\nu) - \frac{\varepsilon_{U} \, \overline{\delta} \, \overline{\ell}}{2} \left(\frac{\xi_{l-1}(\nu)}{l-1} - \frac{\xi_{l+1}(\nu)}{l+1} \right) \right|.$$

Using $l \geq 2K > K$ and reordering the terms we deduce

$$\frac{1}{\xi_{l}(\nu)} \left| \sum_{p \geq K} (DF(\overline{X}) - A^{\dagger})_{p,l}^{(U,U)} \xi_{p}(\nu) \right| \leq \frac{1}{2K} \left| -\sum_{p=1}^{K} z_{U} \left(\mathcal{S}\overline{E} \right)_{p} \left(\nu^{p} + \nu^{-p} \right) + \frac{\varepsilon_{U} \overline{\delta} \overline{\ell}}{2} \left(\nu - \nu^{-1} \right) \right|.$$

Thus

$$\frac{1}{\xi_{l}(\nu)} \left| \sum_{p \geq K} (DF(\overline{X}) - A^{\dagger})_{p,l}^{(U,U)} \xi_{p}(\nu) \right| \leq \frac{1}{2K} \left| -\sum_{p=1}^{K} z_{U} \left(\mathcal{S}\overline{E} \right)_{p} \left(\nu^{p} + \nu^{-p} \right) + \frac{\varepsilon_{U} \overline{\delta} \overline{\ell}}{2} \left(\nu + \nu^{-1} \right) \right|.$$

It remains to notice that we can rewrite the previous sum as

$$\frac{1}{\xi_l(\nu)} \left| \sum_{p \geq K} (DF(\overline{X}) - A^{\dagger})_{p,l}^{(U,U)} \xi_p(\nu) \right| \leq \frac{1}{2K} \left| \sum_{p=1}^K \left(\mathcal{S} \left(-z_U \overline{E} - \frac{\varepsilon_U \overline{\delta} \overline{\ell}}{2} e \right) \right)_p \left(\nu^p + \nu^{-p} \right) \right|,$$

where e denotes the first element of the Schauder basis of ℓ^1 , i.e., e = (1, 0, 0, ...) so that Se = (0, -1, 0, ...). Applying the triangular inequality and recalling definition (23) of the seminorm $|\cdot|_{\nu}$ yields

$$\frac{1}{\xi_l(\nu)} \left| \sum_{p > K} (DF(\overline{\boldsymbol{X}}) - A^{\dagger})_{p,l}^{(U,U)} \xi_p(\nu) \right| \leq \frac{1}{2K} \left| -z_U \overline{\boldsymbol{E}} - \frac{\varepsilon_U \,\overline{\delta} \,\overline{\ell} \,\boldsymbol{e}}{2} \right|_{\nu} = \Gamma_{\text{tail},2}^{(U,U)},$$

which concludes the proof of Proposition 4.2.

4.4.4. The bound Z_2 .

Proposition 4.3. Let $\nu > 1$, $\eta \in (0, \infty)^{10}$, $r^* > 0$ and $\overline{X} \in \mathbb{R}^{5K+5}$ (identified with its injection in \mathcal{X}_{ν}). Consider F, A^{\dagger} and A defined by (29), (40) and (41) and the index set \mathbb{I}_{pot} given by (30) and define

(54)
$$Z_2 = \max_{j_1, j_2 \in \mathbb{I}_{pot}^2} \sum_{i_1 \in \mathbb{I}_{pot}} \frac{\eta_{i_1}}{\eta_{j_1} \eta_{j_2}} \sum_{i_2 \in \mathbb{I}_{pot}} \left| \left| \left| A^{(i_1, i_2)} \right| \right| \right|_{\boldsymbol{\mathcal{X}} - \overline{\boldsymbol{\mathcal{X}}}} \left\| \sum_{\boldsymbol{\mathcal{X}} \in \boldsymbol{\mathcal{X}}} \left| \left| \left| D^2_{(j_1, j_2)} F^{(i_2)}(\boldsymbol{\mathcal{X}}) \right| \right| \right|_{\boldsymbol{\mathcal{X}}}.$$

Then,

$$\left|\left|\left|A D^2 F(\boldsymbol{X})\right|\right|\right|_{\mathcal{X}_{\nu,\eta}} \le Z_2, \qquad \forall \|\boldsymbol{X} - \overline{\boldsymbol{X}}\|_{\mathcal{X}_{\nu,\eta}} \le r^*.$$

Proof. We first notice that $AD^2F(\mathbf{X})$ is a bilinear operator. Its operator norm, still denoted $|||AD^2F(\mathbf{X})|||_{\mathcal{X}_{n,n}}$ is defined by

$$\left|\left|\left|AD^{2}F(\boldsymbol{X})\right|\right|\right|_{\mathcal{X}_{\nu},\eta} = \sup_{\substack{\|\boldsymbol{X}_{m}\|_{\mathcal{X}_{\nu},\eta}=1,\\m=1,2}} \left|\left|\left|AD^{2}F(\boldsymbol{X})(\boldsymbol{X}_{1},\boldsymbol{X}_{2})\right|\right|\right|_{\mathcal{X}_{\nu},\eta},$$

and the following inequality hold

$$\left| \left| \left| AD^{2}F(\boldsymbol{X}) \right| \right| \right|_{\mathcal{X}_{\nu},\eta} \leq \max_{j_{1},j_{2} \in \mathbb{I}_{pot}^{2}} \frac{1}{\eta_{j_{1}} \eta_{j_{2}}} \sum_{i_{1} \in \mathbb{I}_{pot}} \left| \left| \left| \left[AD^{2}F(\boldsymbol{X}) \right]^{(i_{1},j_{1},j_{2})} \right| \right| \right|_{\nu} \eta_{i_{1}}.$$

Then we notice that for $i_1, j_1, j_2 \in \mathbb{I}_{pot}$ we have

$$\left[AD^2F(\boldsymbol{X})\right]^{(i_1,j_1,j_2)} = \sum_{i_2 \in \mathbb{I}_{\text{pot}}} A^{(i_1,i_2)} D^2_{(j_1,j_2)} F^{(i_2)}(\boldsymbol{X}).$$

Applying the triangle inequality we obtain

$$\left| \left| \left| AD^{2}F(\boldsymbol{X}) \right| \right| \right|_{\mathcal{X}_{\nu},\eta} \leq \max_{j_{1},j_{2} \in \mathbb{I}_{\text{pot}}^{2}} \sum_{i_{1} \in \mathbb{I}_{\text{pot}}} \frac{\eta_{i_{1}}}{\eta_{j_{1}} \eta_{j_{2}}} \sum_{i_{2} \in \mathbb{I}_{\text{pot}}} \left| \left| \left| A^{(i_{1},i_{2})}D^{2}_{(j_{1},j_{2})}F^{(i_{2})}(\boldsymbol{X}) \right| \right| \right|_{\nu}.$$

Finally, we conclude the proof of Proposition 4.3 using the fact that the ν -norm is an algebra norm.

Let us notice that the computation of $||A^{(i_1,i_2)}||_{\nu}$ for $i_1, i_2 \in \mathbb{I}_{pot}$ requires to take into account the tail part of $A^{(i_1,i_2)}$ for $i_1 = i_2 \in \{\psi, E, P, N, C\}$ (recall that by construction the tail part of the other blocks have all entries equal to zero). However, since it has

a diagonal structure we can explicitly compute the operator norm of these blocks (using interval arithmetic). For instance, using $A_{k,j}^{(\psi,\psi)} = \delta_{kj}$ for $j \geq K$ and $k \in \mathbb{N}$, we have

$$\begin{aligned} |||A^{(\psi,\psi)}||| &= \sup_{j \ge 0} \frac{1}{\xi_{j}(\nu)} \sum_{k \in \mathbb{N}} \left| A_{k,j}^{(\psi,\psi)} \right| \, \xi_{k}(\nu) \\ &= \max \left[\sup_{0 \le j \le K-1} \frac{1}{\xi_{j}(\nu)} \sum_{k=0}^{K-1} \left| A_{k,j}^{(\psi,\psi)} \right| \, \xi_{k}(\nu), \sup_{j \ge K} \frac{1}{\xi_{j}(\nu)} \sum_{k \in \mathbb{N}} \left| A_{k,j}^{(\psi,\psi)} \right| \, \xi_{k}(\nu) \right] \\ &= \max \left[\sup_{0 \le j \le K-1} \frac{1}{\xi_{j}(\nu)} \sum_{k=0}^{K-1} \left| A_{k,j}^{(\psi,\psi)} \right| \, \xi_{k}(\nu), 1 \right]. \end{aligned}$$

5. Implementation, results and comments

5.1. **Implementation details.** The starting point of our theorem is an approximate solution \overline{X} to the stationary DPCM model. As mentioned previously, we obtain such an approximate solution by applying Newton's method to the finite dimensional projection $F^{[K]}$ of F.

Of course, the initialization of Newton's method has to be done carefully. In order to get a suitable initial condition, we use a code from [14] which computes a solution of a simplified version of the stationary DPCM model, where the coupling between the electric potential and the charge carriers is removed in the Poisson equation, i.e. with 0 in the r.h.s. of (13a). Starting from such an approximation, we use numerical continuation to gradually put the coupling back, until we get an approximate solution of (12)-(14). This is not the only option, and one could for instance integrate the time-dependent model for long enough, until we are close to the pseudo-stationary state, since it seems to be globally attracting.

One of the difficulty in the numerical study of this model, which is exacerbated when one tries to get rigorous results based on numerical simulations, is the presence of vastly different scales, which leads in particular to parameters having different orders of magnitude. In practice, this means $DF^{[K]}(\overline{X})$ is rather ill-conditioned. These characteristics of the model have two main consequences for us. First, it makes it hard to obtain a very accurate approximate solution of F = 0 using Newton's method, and thus to get a small enough Y bound for Theorem 4.1. Second, the norm of $A^{[K]}$ (and thus of A) becomes rather large, which has a negative impact on all the bounds needed in Theorem 4.1. In practice, this leads to (39) not being satisfied and therefore we cannot rigorously validate the numerical solution X. In order to soften this issue, we manually preconditioned F by factoring out the worst constants. That is, instead of working directly with F as in (29), we divide $F_0^{(C)}$ by k_C^0 , $F_0^{(P)}$ by k_P^0 , and $F_0^{(J_P)}$ by k_P^1 , where k_C^0 , k_P^0 and k_P^1 are rather large parameters appearing in the boundary conditions (see Appendix A for more details). Obviously this modified F has the same zeros as the original one, but this new version allows us (together with well chosen weights, see the discussion below) to rigorously validate the solutions, whereas the initial one did not.

The only thing that remains to be discussed before we present the results of the computerassisted proofs is the important choice of the weights in the norm $||\cdot||_{\mathcal{X}_{\nu,\eta}}$ we use on the space \mathcal{X}_{ν} . Actually, the crucial part for this problem is the careful choice of $\eta \in (0,\infty)^{10}$, while ν can be chosen a bit more carelessly. Indeed, ν must be strictly larger than 1 because we need terms like (52) to be small, and not too large because we do not want the various $\|\cdot\|_{\nu}$ norms appearing in the bounds to explode (this is related to the domain of analyticity of the functions Ψ , P, N and C), but we did not have to carefully select it in order for the proof to succeed: for all the results presented below $\nu = 1.1$ is good enough. On the other hand, a naive choice for η like $\eta = (1, 1, ..., 1)$ never leads to a successful proof, because Z_1 ends up being way larger than 1 (remember (39)), so a deliberate choice of η is needed. This is again linked to the fact that the different components of F still have rather different orders of magnitude, even if the worst of it was taken care of by our preconditioning. The key point to notice is that most of the computations required for the proof, and in particular the most expensive ones like inverting $DF^{[K]}(\overline{X})$ to get $A^{[K]}$ or computing $\Gamma_{\text{finite}}^{(i,j)}$ (see Proposition 4.2), are independent of η . Therefore, considering Y, Z_0, Z_1 and Z_2 as function of η , where the dependency in η is explicit (see (45), (53) or (54)) it is cheap to numerically optimize for η according to our needs. A possible optimization criteria, which has been successfully used in the past [10] and amounts to the computation of a Perron-Frobenius eigenvector, is to take η such that Z_1 is minimal. However, for our current problem such a choice often leads to Z_2 being too large, and thus to the second condition in (39) no longer being satisfied. Therefore, we instead try to optimize for η such that the two roots of P (see (37)) are the furthest apart, under the constraints that the discriminant of P is positive and that $Z_0 + Z_1 < 1$. The optimization is done using an algorithm from Matlab's optimization toolbox. We emphasize that we do not actually care whether the η we obtain is close to a global minimizer or not, as long as it is qood enough for the conditions (39) to be satisfied. A slightly different approach to optimize the choice of the norm is discussed in [9].

5.2. Results. The set of parameters we use as test case is given in Appendix A. For three different values of pH, namely 7, 8.5 and 10, we numerically compute approximate solutions of (12)-(14) for 50 different values of the applied potential V_a regularly spaced between $V_a = 0$ Volts and $V_a = 0.7$ Volts. All these solutions are then rigorously validated using the procedure described in the paper, that is by evaluating the estimates derived in Section 4.4, and checking that the assumptions of Theorem 4.1 are satisfied. In Figure 2, we show the validated values of the width ℓ of the oxide layer, the velocity δ at which both interfaces move, and the total current J_{tot} (recall definition (11)), all scaled back to physical units. While we can (and did) compute and validate solutions up to $V_a = 0$ Volts also when the pH is equal to 7 or 8.5, but the physical meaning of the obtained solutions is unclear, since the width of the oxide layer becomes smaller than 1 nanometer, and this is why the curves are truncated in these cases.

In Figures 3 and 4, we show some of the corresponding densities ψ , C, N and P (see also Figure 1). Notice that, while the qualitative behavior of the profiles does not change




FIGURE 2. We display here the evolution of the width ℓ of the oxide layer, of the corrosion speed δ and of the total current J_{tot} (all rescaled back to physical units) in terms of the potential V_a (expressed in Volts and evaluated relatively to the electrode reference NHE), for several values of pH.

much with V_a , the interfaces get sharper when V_a increases. We point out that our results match those obtained via the code CALIPSO [3].

The Matlab code used for this paper, including the implementation of all the bounds needed for the validation, can be found at [12].

Remark 5.1. While the setup presented in this paper only allows for the validation of solutions for a given set of parameters, we mention that a slight generalization of these techniques could be used to rigorously validate curves of solutions, when for instance all but one parameter is fixed (say all but V_a), and V_a is varying, see e.g. [7, 11, 16, 26, 8, 1].

ACKNOWLEDGMENTS

We thank C. Bataillon for helpful discussions about the parameters used in the DPCM model, and for providing us with some simulations done with the code CALIPSO that we




FIGURE 3. A pseudo-stationary steady state for pH = 7 and $V_a = 0.3$ Volts (top) and $V_a = 0.7$ Volts (bottom).

could compare our results to. M. Breden and C. Chainais-Hillairet have been supported by the program NEEDS, via the project POCO.

APPENDIX A. ABOUT THE TEST CASE: SCALING, DEFINITION OF THE BOUNDARY CONDITIONS AND VALUES OF THE PARAMETERS

A.1. Scaling leading to the Poisson equation (2). The DPCM system in physical variables has been introduced in [4]. The original densities of electrons, Fe^{3+} cations and oxygen vacancies can be denoted $C_{\rm e}$, $C_{\rm Fe}$ and $C_{\rm ox}$. The associate current densities will be denoted by $J_{\rm e}$, $J_{\rm Fe}$ and $J_{\rm ox}$. The last unknowns are the electric potential Φ and the position of the interfaces $X_0(t)$ and $X_1(t)$.

Table 2 gives the universal constants involved in the model, while Table 3 gives parameters describing the oxide. Let us note that $\Delta\Phi_0^{pzc}$ depends on the pH and on $\gamma = \frac{F}{RT}$.




FIGURE 4. A pseudo-stationary steady state for pH = 10 and $V_a = 0.3$ Volts (top) and $V_a = 0.7$ Volts (bottom).

$R (J \cdot K \cdot mol)$	$F(C \cdot mol^{-1})$	$k_B (J \cdot K^{-1})$	$\chi_0 (F \cdot m^{-2})$
8.314	$9.6485 \cdot 10^4$	$1.38 \cdot 10^{-23}$	$8.854 \cdot 10^{-12}$

Table 2. Universal constants.

T(K)	$\Omega_{ox} \ (m^3 \cdot mol^{-1})$	χ	$\Gamma_0, \Gamma_1 \ (F \cdot m^{-2})$	$\Delta\Phi_0^{pzc}$ (V)	$\Delta\Phi_1^{pzc} \ (V)$
298	$4.474 \cdot 10^{-5}$	10	0.5, 1.0	$0.190302 - \ln(10) \frac{pH}{\gamma}$	-0.105302

Table 3. Parameters of the oxide.

The factor $\gamma = \frac{F}{RT}$ (in V^{-1}) is used for the scaling of the potentials Φ , $\Delta \Phi_0^{pzc}$, $\Delta \Phi_1^{pzc}$ and V_a , leading to the scaled quantities ψ , $\Delta \psi_0^{pzc}$, $\Delta \psi_1^{pzc}$ and V. The scale factor for the

different densities is Ω_{ox} and the reference length is set to $L_0 = 1$ nm. It is the scale factor for x, X_0, X_1 . This scaling leads to the Poisson equation (2) with the dimensionless parameters given in Table 4.

λ^2	$ ho_{hl}$	α_0	α_1
$\frac{\chi \chi_0 RT \Omega_{ox}}{F^2 L_0^2}$	-5	$\frac{\chi\chi_0}{\Gamma_0L_0}$	$\frac{\chi\chi_0}{\Gamma_1L_0}$

Table 4. Dimensionless parameters involved in the Poisson equation.

A.2. Scaling leading to the drift-diffusion equations (1). We give in Table 5 the diffusion coefficients of the different species in the oxide. As the current densities in the original variables have the generic form

$$J_{\rm s} = -D_{\rm s}(\partial_x C_{\rm s} - z_{\rm s} \gamma C_{\rm s} \partial_x \Phi)$$
 for $s = {\rm e, Fe, ox,}$

the scaling on the densities and the potential implies that

$$J_C = \frac{L_0 \Omega_{ox}}{D_C} J_{ox}, \quad J_N = \frac{L_0 \Omega_{ox}}{D_N} J_{e}, \quad J_P = \frac{L_0 \Omega_{ox}}{D_P} J_{Fe}.$$

For the time, we use the scaling relative to the characteristic time of the cations. It means

Oxygen vacancies: D_C	Electrons: D_N	Cations: D_P
10^{-20}	10^{-6}	10^{-23}

Table 5. Diffusion coefficients of the species in the oxide, in $m^2 \cdot s^{-1}$.

that the scale factor for the time is L_0^2/D_P . This yields finally the convection-diffusion equations (1a) for the scaled densities U = C, N, P.

Let us now focus on the boundary conditions for the densities equations in order to define the boundary functions (r_U^0, r_U^1) for U = C, P, N involved in (8). These boundary conditions are prescribed by the kinetics of the electrochemical reactions at the interfaces. At the interface oxide/solution, $x = X_0$, the electrochemical reactions are the ferric release for the cations, the ferrous release and the proton reduction for the electrons and the oxygen exchange for the oxygen vacancies. At the interface oxide/metal, $x = X_1$, they are the iron oxydation for the cations, the electron exchange for the electrons and oxide host lattice growth for the oxygen vacancies. These boundary conditions can be written under the generic form, for s = e, Fe, ox,

$$-J_{s}(X_{0}) + C_{s}(X_{0})X'_{0} = \beta_{s}^{0}(\gamma\Phi(X_{0}))C_{s}(X_{0}) - \gamma_{s}^{0}(\gamma\Phi(X_{0})),$$

$$J_{s}(X_{1}) + C_{s}(X_{1})X'_{1} = \beta_{s}^{1}(\gamma(V_{a} - \Phi(X_{1})))C_{s}(X_{1}) - \gamma_{s}^{1}(\gamma(V_{a} - \Phi(X_{1}))).$$

For the oxygen vacancies, we have:

$$\beta_{\text{ox}}^{0}(x) = (m_{ox}^{0} 10^{-n_{ox} pH} e^{-2b_{C}^{0} x} + k_{ox}^{0} e^{2a_{C}^{0} x}) \frac{\Omega_{ox}}{4}, \qquad \gamma_{\text{ox}}^{0}(x) = m_{ox}^{0} 10^{-n_{ox} pH} e^{-2b_{C}^{0} x},$$

$$\beta_{\text{ox}}^{1}(x) = (m_{ox}^{1} e^{-3b_{C}^{1} x} + k_{ox}^{1} e^{3a_{C}^{1} x}) \frac{\Omega_{ox}}{4}, \qquad \gamma_{\text{ox}}^{1}(x) = 4k_{ox}^{1} e^{3b_{C}^{1} x}.$$

The kinetics of the interface reactions for the cations are given by Butler-Volmer laws, which lead to:

$$\beta_{\text{Fe}}^{0}(x) = (m_{Fe}^{0} a_{Fe^{3+}} e^{-3b_{P}^{0}x} + k_{Fe}^{0} e^{3a_{P}^{0}\gamma x}), \qquad \gamma_{\text{Fe}}^{0}(x) = m_{Fe}^{0} a_{Fe^{3+}} e^{-3b_{P}^{0}x} C_{Fe}^{m},$$

$$\beta_{\text{Fe}}^{1}(x) = (m_{Fe}^{1} e^{-3b_{P}^{1}x} + k_{Fe}^{1} e^{3a_{P}^{1}x}), \qquad \gamma_{\text{Fe}}^{1}(x) = k_{Fe}^{1} e^{3a_{P}^{1}x} C_{Fe}^{m}.$$

Let us mention here that $a_{Fe^{3+}}$ is the activity of the ferric cations and C_{Fe}^m is the maximum occupancy for octahedral iron in cations in the oxide layer.

For the electrons, the kinetics of the interface reactions yields:

$$\beta_{e}^{0}(x) = k_{e}^{0} 10^{-n_{e} pH} e^{-a_{N}^{0} x} + k_{r}^{0} a_{Fe^{3+}} e^{-b_{r}^{0} x},$$

$$\gamma_{e}^{0}(x) = m_{e}^{0} 10^{-n_{e} pH} e^{-\gamma E_{redox}} e^{b_{N}^{0} x} + m_{r}^{0} a_{Fe^{2+}} e^{a_{r}^{0} x},$$

$$\beta_{e}^{1}(x) = m_{e}^{1},$$

$$\gamma_{e}^{1}(x) = k_{e}^{1} (k_{B} T n_{DOS}) \log(1 + e^{-x}),$$

with $a_{Fe^{2+}}$ the activity of the ferrous cations, E_{redox} the redox potential in the solution, n_{DOS} the density of state of electrons in the metal.

Applying the scaling, we obtain that the functions β_U^0 , β_U^1 , γ_U^0 and γ_U^1 are defined by

$$\begin{split} \beta_C^0(x) &= \frac{1}{4} \left(m_C^0 e^{-2b_C^0 x} + k_C^0 e^{2a_C^0 x} \right), & \beta_C^1(y) &= \frac{1}{4} \left(m_C^1 e^{-3b_C^1 y} + k_C^1 e^{3a_C^1 y} \right), \\ \gamma_C^0(x) &= m_C^0 e^{-2b_C^0 x}, & \gamma_C^1(y) &= k_C^1 e^{3a_C^1 y}, \\ \beta_N^0(x) &= k_N^0 e^{-a_N^0 x} + p_N^0 e^{-b_r^0 x}, & \beta_N^1(y) &= m_N^1, \\ \gamma_N^0(x) &= m_N^0 e^{b_N^0 x} + n_N^0 e^{a_r^0 x}, & \gamma_N^1(y) &= k_N^1 N_{\text{metal log}}(1 + e^{-y}), \\ \beta_P^0(x) &= m_P^0 e^{-3b_P^0 x} + k_P^0 e^{3a_P^0 x}, & \beta_P^1(y) &= m_P^1 e^{-3b_P^1 y} + k_P^1 e^{3a_P^1 y}, \\ \gamma_P^0(x) &= m_P^0 P^m e^{-3b_P^0 x}, & \gamma_P^1(y) &= k_P^1 P^m e^{3a_P^1 y}, \end{split}$$

with the scaled kinetics coefficients defined in Table 6.

A.3. Scaling of the moving boundary equations. Let us now finish with the parameters involved in the moving boundary equations (10). The Pilling-Bedworth ratio Π and the parameter κ depend on the molar volume of the metal Ω_{Fe} . The dissolution kinetics contant k_d^0 involved in the dissolution speed v_d^0 is obtained after the scaling of the corresponding physical value $\bar{k}_d^0 10^{-n_d pH}$. These parameters are presented in Table 7.

m_C^0	k_C^0	m_C^1	k_C^1
$\frac{L_0 \Omega_{ox}}{D_C} m_{ox}^0 10^{-n_{ox} pH}$	$\frac{L_0 \Omega_{ox}}{D_C} k_{ox}^0$	$4\frac{L_0\Omega_{ox}}{D_C}m_{ox}^1$	$4\frac{L_0\Omega_{ox}}{D_C}k_{ox}^1$
m_N^0	k_N^0	p_N^0	n_N^0
$\frac{L_0 \Omega_{ox}}{D_N} m_e^0 10^{-n_e pH} e^{-\gamma E_{redox}}$	$\frac{L_0}{D_N} k_e^0 10^{-n_e pH}$	$\frac{L_0}{D_N} k_r^0 a_{Fe^{3+}}$	$\frac{L_0\Omega_{ox}}{D_N}m_r^0a_{Fe^{2+}}$
m_N^1	k_N^1	$N_{ m metal}$	P^m
$\frac{L_0}{D_N} m_e^1$	$\frac{L_0}{D_N} k_e^1$	$\Omega_{ox}k_BTn_{DOS}$	$\Omega_{ox}C_{Fe}^{m}$
m_P^0	k_P^0	m_P^1	k_P^1
$\frac{L_0}{D_P} m_{Fe}^0 a_{Fe^{3+}}$	$rac{L_0}{D_P} k_{Fe}^0$	$rac{L_0}{D_P} m_{Fe}^1$	$rac{L_0}{D_P} k_{Fe}^1$

Table 6. Scaling of the kinetics coefficients.

П	κ	k_d^0
$\frac{\Omega_{ox}}{\Omega_{Fe}}$	$\frac{\Omega_{Fe}}{4\Omega_{ox}}$	$\frac{\Omega_{ox}L_0}{D_P}\bar{k}_d^0 10^{-n_dpH}$

Table 7. Parameters involved in the moving boundary equations.

A.4. **Definition of the test case.** All the numerical simulations have been done with the set of parameters already presented in Tables 2, 3, 5 and the last ones given now in Table 8. These parameters values are the ones currently used in the code CALIPSO [3]. The only parameters that we let vary for the moment are the pH (which influences the parameters $\Delta \psi_0^{pzc}$, k_d^0 , m_N^0 , m_C^0 and k_N^0 appearing in the model) and the potential V_a (which influences the non-dimensional potential V_a appearing in the model).

$\boxed{m_{ox}^0 \ (mol \cdot m^2 \cdot s^{-1})}$	$k_{ox}^0 \ (mol \cdot m^2 \cdot s^{-1})$	$m^1_{ox} \; (mol \cdot m^2 \cdot s^{-1})$	$k_{ox}^1 \ (mol \cdot m^2 \cdot s^{-1})$
$2.71838 \cdot 10^{1}$	10^{-2}	$2.73855 \cdot 10^{-8}$	$6 \cdot 10^{-6}$
$m_e^0 \; (mol \cdot m^2 \cdot s^{-1})$	$k_e^0 \ (m \cdot s^{-1})$	$k_r^0 \ (m \cdot s^{-1})$	$m_r^0 \; (mol \cdot m^2 \cdot s^{-1})$
0	$1.3 \cdot 10^{-5}$	$2.54255 \cdot 10^6$	10^{-4}
$m_e^1 \ (m \cdot s^{-1})$	$k_e^1 \ (m \cdot s^{-1})$	$n_{DOS} \ (mol \cdot J \cdot m^{-3})$	$C_{Fe}^m \ (mol \cdot m^{-3})$
$2.6804 \cdot 10^4$	$2.6804 \cdot 10^4$	$0.135 \cdot 10^{25}$	$\frac{2.005}{\Omega_{ox}}$
$m_{Fe}^0 \; (m \cdot s^{-1})$	$k_{Fe}^0 \ (m \cdot s^{-1})$	$m_{Fe}^1 \; (m \cdot s^{-1})$	$k_{Fe}^1 \; (m \cdot s^{-1})$
1.32927	10^{-4}	10^{-9}	10^{-3}
$(a_{Fe^{3+}},a_{Fe^{2+}})$	$(a_U^{0,1}, b_U^{0,1}), (a_r^0, b_r^0)$	$\bar{k}_d^0 \ (mol \cdot m^2 \cdot s^{-1}), \ a_d^0$	$\Omega_{Fe} \ (m^3 \cdot mol^{-1})$
(0,0)	(0.5, 0.5)	$2.854 \cdot 10^{-9}, 0.257$	$7.105 \cdot 10^{-6}$
$E_{redox}(V)$	n_{ox}	n_e	n_d
-0.3	2	1	0.5

Table 8. Values of the parameters used for the numerical experiments.

References

- [1] G. Arioli, F. Gazzola and H. Koch. Uniqueness and bifurcation branches for planar steady Navier-Stokes equations under Navier boundary conditions *Preprint*, 2020.
- [2] G. Arioli, H. Koch, and S. Terracini. Two novel methods and multi-mode periodic solutions for the Fermi-Pasta-Ulam model. *Communications in mathematical physics*, 255(1):1–19, 2005.
- [3] C. Bataillon, private communications, 2020.
- [4] C. Bataillon, F. Bouchon, C. Chainais-Hillairet, C. Desgranges, E. Hoarau, F. Martin, M. Tupin, and J. Talandier, "Corrosion modelling of iron based alloy in nuclear waste repository," *Electrochimica Acta*, vol. 55, no. 15, pp. 4451–4467, 2010.
- [5] C. Bataillon, F. Bouchon, C. Chainais-Hillairet, J. Fuhrmann, E. Hoarau and R. Touzani. Numerical methods for simulation of a corrosion model with moving oxide layer *J. Comput. Phys.*, 231, 6213-6231, 2012.
- [6] J. B. van den Berg and J.-P. Lessard. Rigorous numerics in dynamics. Notices Amer. Math. Soc., 62(9), 2015.
- [7] J. B. van den Berg, J.-P. Lessard and K. Mischaikow. Global smooth solution curves using rigorous branch following. *Math. Comp.*, 79(271), 1565- 1584, 2010.

- [8] J. B. van den Berg and E. Queirolo. A general framework for validated continuation of periodic orbits in systems of polynomial ODEs. *Preprint*, 2019.
- [9] J. B. van den Berg and J. F. Williams. Optimal periodic structures with general space group symmetries in the OhtaKawasaki problem. *Physica D: Nonlinear Phenomena*, 415, 132732, 2021.
- [10] M. Breden and C. Kuehn. Rigorous validation of stochastic transition paths. J. Math. Pures Appl., 131, 88-129, 2019.
- [11] M. Breden, J.-P. Lessard, and M. Vanicat. Global bifurcation diagrams of steady states of systems of pdes via rigorous numerics: a 3-component reaction-diffusion system. *Acta applicandae mathematicae*, 128(1), 113-152, 2013.
- [12] M. Breden, C. Chainais-Hillairet and A. Zurek. Matlab code for "Existence of traveling wave solutions for the Diffusion Poisson Coupled Model: a computer-assisted proof", 2020. https://sites.google.com/site/maximebreden/research
- [13] C. Chainais-Hillairet and C. Bataillon. Mathematical and numerical study of a corrosion model. *Numer. Math.*, 110(1), 1-25, 2008.
- [14] C. Chainais-Hillairet and T.O. Gallouët. Study of a pseudo-stationary state for a corrosion model: existence and numerical approximation. *Nonlinear Anal-Real.*, 31, 38–56, 2016.
- [15] S. Day, J.-P. Lessard and K. Mischaikow. Validated continuation for equilibria of PDEs. SIAM J. Numer. Anal., 45(4), 1398-1424, 2007.
- [16] M. Gameiro, J.-P. Lessard, and A. Pugliese. Computation of smooth manifolds via rigorous multi-parameter continuation infinite dimensions. *Found. Comput. Math.*, 16(2) 531-575, 2016.
- [17] J. Gómez-Serrano. Computer-assisted proofs in pde: a survey. SeMA Journal, 76(3):459–484, 2019.
- [18] H. Koch, A. Schenkel, and P. Wittwer. Computer-assisted proofs in analysis and programming in logic: a case study. SIAM review, 38(4):565–604, 1996.
- [19] J.-P. Lessard and C. Reinhardt. Rigorous numerics for nonlinear differential equations using Chebyshev series. SIAM J. Numer. Anal., 52(1):1–22, 2014.
- [20] M. T. Nakao, M. Plum, and Y. Watanabe. Numerical verification methods and computer-assisted proofs for partial differential equations. Springer, 2019.
- [21] S. M. Rump. INTLAB INTerval LABoratory. Developments in Reliable Computing, Kluwer Academic Publishers, Dordrecht, pp, pages 77–104, 1999.
- [22] S. M. Rump. Verification methods: Rigorous results using floating-point arithmetic. *Acta Numer*, 19:287–449, 2010.
- [23] R. S. S. Sheombarsing. Validated Chebyshev-based computations for ordinary and partial differential equations. PhD thesis, Vrije Universiteit Amsterdam, 2018.
- [24] L. Trefethen. Approximation theory and approximation practice. SIAM, 2013.
- [25] W. Tucker. Validated numerics: a short introduction to rigorous computations. Princeton University Press, 2011.
- [26] T. Wanner. Computer-assisted bifurcation diagram validation and applications in materials science. In Rigorous numerics in dynamics, volume 74 of Proc. Sympos. Appl. Math., pages 123-174. Amer. Math. Soc., Providence, RI, 2018.
- [27] N. Yamamoto. A numerical verification method for solutions of boundary value problems with local uniqueness by Banach's fixed-point theorem. SIAM J. Numer. Anal., 35:2004–2013, 1998.

CENTRE DE MATHÉMATIQUES APPLIQUÉES, ECOLE POLYTECHNIQUE, ROUTE DE SACLAY, 91128 PALAISEAU CEDEX, FRANCE

 $Email\ address \hbox{: \tt maxime.breden@polytechnique.edu}$

Univ. Lille, CNRS, UMR 8524, Inria – Laboratoire Paul Painlev, F-59000 Lille, France $Email\ address$: claire.chainais@univ-lille.fr

Institute for Analysis and Scientific Computing, Vienna University of Technology, Wiedner Hauptstrasse 8–10, 1040 Wien, Austria

 $Email\ address: {\tt antoine.zurek@tuwien.ac.at}$