

# Effects of different routes of exposure to metals on bioaccumulation and population growth of the cyclopoid copepod Paracyclopina nana

Paul Dayras, Capucine Bialais, Baghdad Ouddane, Jae-Seong Lee, Sami

Souissi

## ▶ To cite this version:

Paul Dayras, Capucine Bialais, Baghdad Ouddane, Jae-Seong Lee, Sami Souissi. Effects of different routes of exposure to metals on bioaccumulation and population growth of the cyclopoid copepod Paracyclopina nana. Chemosphere, 2020, 248, pp.125926. 10.1016/j.chemosphere.2020.125926 . hal-03116522

## HAL Id: hal-03116522 https://hal.science/hal-03116522

Submitted on 7 Mar 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Version of Record: https://www.sciencedirect.com/science/article/pii/S0045653520301181 Manuscript\_c80761a763d50263c60c0a9320f6cfce

1	<chemosphere></chemosphere>
2	
3	Effects of different routes of exposure to metals on
4	bioaccumulation and population growth of the cyclopoid
5	copepod Paracyclopina nana*
6	
7	Paul Dayras <sup>1,*</sup> , Capucine Bialais <sup>1</sup> , Baghdad Ouddane <sup>2</sup> , Jae-Seong Lee <sup>3</sup> ,
8	Sami Souissi <sup>1,**</sup>
9	
10	<sup>1</sup> Université de Lille, CNRS, Université du Littoral Côte d'Opale, UMR 8187 LOG,
11	Laboratoire d'Océanologie et de Géosciences, F-62930 Wimereux, France.
12	paul.dayras@univ-lille.fr; capucine.bialais@univ-lille.fr; sami.souissi@univ-lille.fr
13	<sup>2</sup> Université de Lille, UMR CNRS 8516, Laboratoire LASIR, Equipe Physico-Chimie de
14	l'Environnement, F-59655 Villeneuve d'Ascq Cedex, France. baghdad.ouddane@univ-
15	lille.fr
16	<sup>3</sup> Department of Biological Science, College of Science, Sungkyunkwan University, Suwon
17	16419, South Korea. jslee2@skku.edu
18	
19	
20	
21	
22	
23	
24	*This study is a part of the Ph.D. thesis of Paul Dayras from the University of Lille which is
25	half-funded by the University of Lille and half-funded by the region Hauts-de-France.

- 26 \*\*Corresponding author: Sami Souissi Station Marine, 28 avenue Foch, BP 80, F-62930
- 27 Wimereux, France, +33321992908, sami.souissi@univ-lille.fr

- 1 Abstract
- 2

3 We examined effects of the three metals cadmium (Cd), copper (Cu), and nickel (Ni) on two 4 subpopulations of the cyclopoid copepod *Paracyclopina nana*. We sought to investigate the 5 effects of metal exposure on population growth and structure of *P. nana* and to understand the 6 parameters affecting the metal bioaccumulation in copepods. A first experiment tested the 7 hypothesis of competition between these metals in a mixture using a *P. nana* mass culture in 8 10 L beakers with the sublethal concentrations (1/3 of LC50) as determined for E. affinis. A 9 second experiment pursued the same with a P. nana population which was adapted to a higher Cu concentration for several generations (226.9  $\pm$  15.9 µg.g<sup>-1</sup> dw Cu in copepods) and using 10 11 the proper sublethal concentrations for P. nana. After 96h of exposure, results from the first 12 experiment showed a decreasing population growth and instead of an increasing metal 13 accumulation in copepods. Cd also appeared to be more accumulated when it was alone, 14 confirming the hypothesis of metal competition in mixture. Results from the second 15 experiment revealed less marked effects. When metal concentrations increased in the 16 treatment it decreased in copepods, indicating depuration activity in the population already 17 adapted to metal exposure. This paper is the first one investigating the parameters affecting 18 the bioaccumulation capacity of *P. nana* in response to metals. It offers a better understanding 19 of copepod responses to metal contamination in a complex aquatic environment.

20

#### 21 **KEYWORDS**

Bioaccumulation, copepod, ecotoxicology, trace metal, *Paracyclopina nana*, populationgrowth.

24

### 25 1. INTRODUCTION

27 Most aquatic ecosystems are increasingly contaminated with a mixture of trace metals, such as cadmium (Cd), copper (Cu), and nickel (Ni) which became common contaminants in 28 29 freshwater and oceanic environments (Rollin & Ouiot, 2006). Their high concentrations in 30 natural waters are originating from several anthropogenic activities including agriculture and aquaculture, industry, or urbanization (Thévenot et al., 2009; Förstner & Wittmann, 2012). 31 Some metals such as Cu and Ni appear to be functionally essential to the metabolism of cer-32 33 tain organisms at low concentrations (Langston & Bebianno, 1998) but can become toxic 34 when they exceed a certain threshold concentration (Rainbow, Phillips & Depledge, 1990; 35 Ansari et al., 2004). Cadmium was shown to be toxic only and without known physiological 36 functions in any organism (Larsson et al., 1976; Yang et al., 1996; Godt et al., 2006). Cadmi-37 um is recognized as one of the most toxic non-essential metals for aquatic organisms (Taylor, 38 1983), leading to alterations of the endocrine system, development, reproduction, and behaviour (Sullivan et al., 1983; Toudal & Riisgård, 1987). Besides showing these direct toxic ef-39 fects, metals show combined effects and have a high potential of bioaccumulation within or-40 41 ganisms and within ecosystems (Rainbow, 1990; Pavlaki et al., 2017). Metals commonly bio-42 accumulate within organisms, and can reach harmful levels, causing physiological changes and cascading problems in trophic webs (Dobbs et al., 1996; Kouba et al., 2010). 43

44 In aquatic ecosystems, copepods represent an important trophic link between lower trophic levels such as phytoplankton producers and secondary consumers like fish or invertebrate 45 46 larvae (Breteler et al., 1990; Mauchline et al., 1998; Støttrup, 2000). Therefore, they can be 47 an important factor in the biomagnification of toxic contaminants in aquatic food webs (Fisher et al., 2000; Stewart & Fisher, 2003). Due to their central position in marine food webs, 48 49 copepods are often used as bioindicators and are used as invertebrate models in aquatic ecotoxicology studies (Raisuddin et al., 2007; Kwok et al., 2015; Dahms et al., 2016a). In addi-50 51 tion, they are easy to cultivate because of their short life cycle and high fecundity (Raisuddin 52 et al., 2007; Kulkarni et al., 2013). Of them, the brackish water cyclopoid copepod Paracy-53 clopina nana Smirnov, 1935 has demonstrated a high potential both for the aquaculture in54 dustry and for ecotoxicological research (Lee et al., 2006; Lee et al., 2013; Dahms et al., 2016b). Native to the bays and estuaries of Eastern Asia (Japan, Taiwan, and South Korea), it 55 56 presents a small size at adult stage (600 µm of total length on average), a high tolerance to 57 temperature and salinity changes, and supports to be cultured at high densities (Lee et al., 58 2012; Lee et al., 2017). Its whole genome has even been sequenced and annotated (Ki et al., 59 2009; Han et al., 2015; Lee et al., 2015; Jeong et al., 2017) and is available at this web link: http://rotifer.skku.edu:8080/Pn. The first exposure tests of P. nana to environmental contami-60 61 nants and other stressors showed interesting results on its molecular and biochemical re-62 sponses. For example, induction of vitellogenin is used as a biomarker of exposure to metals. It could be shown that upon exposure to several metals (Cd, Cu, and As), the expression of 63 vitellogenin transcripts in P. nana was induced in a stronger and increasing manner through-64 65 out its life cycle (Hwang et al., 2010). Also, in P. nana ovigerous females, increasing antioxidant enzyme and DNA repair activities coupled to an increasing mortality were shown in a 66 dose-dependent manner in response to gamma radiation (Won and Lee, 2014). However, 67 68 these studies were mostly carried out at a small scale with low individual numbers and often 69 using a single contaminant for each treatment. Given the current ecotoxicological challenges 70 with combined effects of several contaminants at the same time, it is demanding to use large 71 individual numbers in larger mesocosms and several contaminants which is closer to the real 72 world situation. An understanding of the effects of contaminant cocktails, such as metals, can 73 provide a better understanding about ecological risks in natural situations. To date, the com-74 bined effects of metals on copepods are poorly known and some studies showed their additive or synergetic effects (Hagopian-Schlekat et al., 2001; Wong & Pak, 2004). Similarly, the bio-75 76 availability of metals is an important parameter to consider and only a few studies show that 77 this parameter is closely correlated to the chemical speciation of metals (Batley et al., 2004). Recently, the bioaccumulation rates of Cd, Cu, and Ni were studied in the estuarine calanoid 78 79 copepod E. affinis (Zidour et al., 2019). The authors found that the accumulation rate of each 80 metal was higher in treatments alone than the combined effect of a three-metal mixture. A 81 lower bioaccumulation with the mixture could be explained by a competitive complexation 82 occurring between the three metals, resulting in a saturation phenomenon of metal-binding 83 sites. It would be interesting if this phenomenon applies also to another copepod species. 84 Moreover, quantitative studies about the bioaccumulation of metals in cyclopoid copepods 85 are still lacking. Furthermore, for tiny cyclopoids like *P. nana*, any experimental protocol for 86 bioaccumulation study should consider a high number of individuals to reach the threshold 87 value of a few mg of dry weight required for metal detection.

88 We firstly performed a bioaccumulation experiment with P. nana using 1/3 50% lethal concentration (LC50) of each metal based on the values to *E. affinis* applied to *P. nana*, from 89 90 the point of view of pure comparison of the applied protocol and the attested effects. Then, 91 the LC50 concentrations of *P. nana* for Cd, Cu, and Ni were measured by using the same 92 protocol described in Tlili et al. (2016). This step allowed to perform a second bioaccumulation experiment using 1/3 LC50 of P. nana. Furthermore, we slightly modified 93 94 the long-term mass culture conditions between both experiments by using a higher 95 concentration of Cu in the second culture, as Cu seems to be the most labile metal in copepod 96 bioaccumulation. It is important to compare both kinetics of bioaccumulation when initial 97 conditions, in terms of initial loading of Cu in copepods, are totally different. Thus, we first replicated the experiment performed with *E. affinis* in the same conditions but by changing 98 99 the copepod species (Experiment 1). Then we performed another experiment focused on the 100 mixture using 1/3 LC50 of Cd, Cu, and Ni specific for P. nana but started the experiment 101 with individuals already saturated in terms of Cu bioaccumulation (Experiment 2).

In this study, we used the animal model copepod *P. nana* to quantify the bioaccumulation of Cd, Cu, and Ni *via* waterborne uptake and the effect of these trace metals on population growth and structure. We particularly challenged the competition hypothesis between these metals when combined.

106

## 107 2. MATERIALS AND METHODS

## 109 **2.1. Copepod culture and experimental set-up**

110

The copepod P. nana used in this experiment was initially obtained in 2015 from Prof. Jae-111 112 Seong Lee's lab at Sungkyunkwan University, South Korea and has been added to the 113 copepod strain collection of Lille University in the Marine Station of Wimereux, France. 114 Copepods are grown in the laboratory in large-scale culture systems of 300 L cylindrical 115 acrylic tanks. The experimental conditions were the same as the regular culture conditions 116 and also the same as in Zidour et al. (2019):  $T = 18^{\circ}C$ , salinity = 15 psu, 12h light: 12h dark 117 photoperiod, and fed with the microalga Rhodomonas salina as in Arias et al. (2017). This 118 widely distributed microalgae is the main species used to feed copepod cultures in the 119 laboratory because of its fast growth and its nutritional value (Dahl et al., 2009). The protocol 120 used for these two experiments is also the same as the one used in Arias et al. (2017) and as 121 described below, with only few minor differences between the two of them.

For each experiment, a whole column of 300 L of *P. nana* was filtered on a 33 μm mesh to keep the whole population. Half of the amount of copepods was kept for the experiment and concentrated in a 10 L beaker containing 15 psu seawater (filtered and autoclaved seawater + distilled water). This salinity was kept constant using a multiparametric probe. The remaining copepods was transferred to a new clean 300 L culture.

Several experimental 10 L beakers were set-up. We tested the effect of feeding copepods
with *P. nana* on the bioaccumulation capacity in Experiment 2. The respective experimental
set-ups and beaker labels used for each experiment were detailed in Fig. 1.



FIGURE 1. Flow chart of the experimental design and beaker labels used for eachexperiment.

134

Each beaker was filled with 8 L of seawater at a salinity of 15. For each experiment and 135 after homogenization, 1 L of the volume of concentrated copepods was added in each beaker 136 137 of the experiment, and 3 L were used for initial sampling. Three volumes of 500 mL (n = 3) were individually filtered on a 33 µm mesh and concentrated with 70% ethanol for initial 138 139 counting of the population structure, and three volumes of 500 mL (n = 3) were filtered through cellulose nitrate filters of 0.45 µm porosity (Whatman International Ltd., 140 Maidstone, England). Filters containing copepods were dried in a desiccator for 72h and 141 weighted for later metal analysis. Each time, 50 mL (n = 3) of the filtrate corresponding to 142 143 culture water was collected and conditioned immediately in 50 µL pure nitric acid (HNO<sub>3</sub>, Merck Suprapur 65%) for further analysis of residual metal concentrations. For each 144

145 experiment, the fed-treatments were initially fed with the microalga *R. salina* according to the146 protocol provided by Souissi et al. (2010).

147

#### 148 **2.2. Experimental monitoring**

149

150 Daily sampling was the same as the initial sampling and was performed at 48h, 72h and 96h. 151 The only difference was that a volume of 1 L was sampled from each beaker and filtered on a 152 cellulose nitrate filter for metal analysis. Obtained filters were also weighed and dried daily 153 in a desiccator throughout the whole experiment and the same volume of 50  $\mu$ L of filtrate was 154 collected and fixed. A volume of 1 L was also sampled daily from each beaker and fixed with 155 70% ethanol for population structure analysis. Also, the fed beakers were given *R. salina* 156 daily following the same method as mentioned above.

157

### 158 **2.3. Copepod individual counting**

159

160 Copepods fixed with 70% ethanol were individually counted according to their sex and life 161 stage using a stereomicroscope (model Olympus SZX12, Tokyo, Japan) and a desk manual 162 counter with several units. Nauplii, copepodites (C1-C4), C5 males, C5 females, adult males, 163 adult females and ovigerous females were differentiated according to morphological details 164 (Hwang et al., 2010).

165

### 166 **2.4. Metal analysis**

167

Metal analysis was performed in the LASIR Laboratory, University of Lille (France) as described by Ouddane et al. (1999) with some modifications specified below. Once filters containing copepod samples were dry, they were mineralized with 3 mL ultrapure nitric acid (HNO<sub>3</sub>, Merck Suprapur, 65%) in a Block Digestion System (Environmental Express HotBlock® SC100, Charleston, SC, USA) at 105°C for two hours. Obtained solutions were
then diluted with ultrapure water to a final volume of 10 mL. Respective elemental
concentrations of the three targeted metals in the copepod and water samples were measured
in triplicate against multi-element standards using an inductively coupled plasma atomic
emission spectrometer (Agilent Technologies ICP-AES 5110, dual view, Santa Clara, CA,
USA). Data obtained were expressed as the mean ± standard deviation (SD).

178

## 179 **2.5. Statistical analysis**

180

181 In order to compare the concentration of each metal (Cd, Cu and Ni) in copepods and in wa-182 ter, two similar databases were built for each experiment. In the first column, supposed to be 183 our dependent variable, we considered the metal concentration. Then we encoded in four different columns all sources of variability starting by replicate number, treatments (food, no 184 185 food), metal (Cd, Cu, Ni) and exposure duration (48, 72, 96h). Then for each metal we first 186 performed a multiway (n-way) analysis of variance (ANOVA) to test the effects of multiple 187 factors on the mean of metal concentration either in copepods or in water. Then in a second 188 step and because no significant differences between the treatments having two replicates were detected, we performed a two-way analysis of variance by considering only two factors 189 190 treatment (food, no food) and exposure duration (48, 72, 96h). We also considered the inter-191 action between these two factors in a two-way ANOVA model.

The same procedure was applied to the population structure of *P. nana* by using a similar database with the number of individuals per L as dependent variable and 4 factors composed of replicate, treatment, exposure duration, and life stage. The latter factor considered the following seven life stages: nauplii, copepodites (C1-C4), C5 males, C5 females, adult males, adult females, and ovigerous females. An additional variable composed by the sum of preadult (C5) and adult stages was also considered. The multi-way ANOVA and two-way ANO-

198	VA were applied in the same way as described for metals but by considering each develop-
199	mental stage separately as well as a combination of them (8 variables in total).
200	For all two-way ANOVA analyses, a post-hoc test was performed by using the interactive
201	graphical interface of MULTCOMPARE function of Matlab.
202	These analyses were performed using Matlab Software (Mathworks Inc., Version, 7.5).
203	
204	3. RESULTS
205	
206	3.1. Effects of metals on population growth of Paracyclopina nana
207	
208	Total population growth
209	
210	The total number of P. nana individuals obtained for each condition of each experiment is
211	shown in <b>Table 1</b> .
212	
213	TABLE 1. Detailed labels of the different conditions and their respective total population at
214	96h for each experiment.

Treatment	Microcosm	Labal	Total population	Total population
description	number	Laber	in Experiment 1	in Experiment 2
Control with				
food	#1	Cfood1	8268	1960
Control with	"2			1/00
food	#2	Ctood2	-	1698
Control without	11.1	<b>C C</b> 11		1500
food	#1	Chorood1	/4/0	1532
Control without	#2	Cnofood2	7616	1374

food				
Cadmium without food	#1	Cd1	5916	
Cadmium without food	#2	Cd2	5956	
Mixture (Cd+Cu+Ni) with food	#1	Mixfood1		2094
Mixture (Cd+Cu+Ni) with food	#2	Mixfood2		2152
Mixture (Cd+Cu+Ni) without food	#1	Mix1 / Mixnofood1	7216	1340
Mixture (Cd+Cu+Ni) without food	#2	Mix2 / Mixnofood2	6440	1252

For Experiment 1, the three control conditions showed more individuals than in the 217 218 conditions exposed to the contaminants, Cd and Mix. Nevertheless, the Cnofood1 and 219 Cnofood2 beakers corresponding to the unfed controls showed less individuals after 96h than 220 the fed control (Cfood) which led to the highest population density with 8268 individuals  $L^{-1}$ . At exposed conditions, the Cd-exposed beakers (Cd1 and Cd2) final populations appeared 221 still below those of all other conditions, with 5916 individuals  $L^{-1}$  and 5956 individuals  $L^{-1}$ , 222 223 respectively. Conversely, Mix1 and Mix2 beakers presented higher final populations than 224 those of beakers exposed only to Cd. At the end of Experiment 2 at 96h, all control beakers 225 (fed and unfed) showed a higher population density than the unfed exposed beakers

226 (Mixnofood1 and Mixnofood2), while populations in Cfood beakers were always higher than 227 in the Cnofood ones. However, the Mixfood1 and Mixfood2 beakers presented the highest 228 populations at 96h, even higher than all the control ones, with 2094 individuals L<sup>-1</sup> and 2152 229 individuals L<sup>-1</sup>, respectively. Comparing the two experiments, overall results demonstrated 230 that the one based on *E. affinis* LC50 concentrations was presenting always more individuals 231 at each condition than the one using the proper *P. nana* LC50 concentrations.

232

## 233 Stage-specific composition

234

For the first experiment, all 3-way ANOVA (replicates, treatments and exposition duration as
factors) performed on the 8 life stages (or aggregated stages) showed significant levels
(p<0.05) for only two factors (treatment and duration). Consequently, we performed 2-way</li>
ANOVA using only those factors and by adding their interaction.
Fig. 2 presents the stage-specific composition of Experiment 1 over time.



FIGURE 2. Stage-specific composition of the *Paracyclopina nana* populations for each
condition during Experiment 1: Nauplii (a), Copepodites (b), C5 Males (c), C5 Females (d),
Adult males (e), Adult females (f), Ovigerous females (g), C5+Adults+Ovigerous (h).

241

The density of nauplii (**Fig. 2a**) was relatively high in every condition of the experiment. Both factors were significant but not their interaction (p = 0.188). In fact, nauplii showed an increasing density over time, and particularly in contaminant-exposed beakers, they reached 3956 ± 51 individuals L<sup>-1</sup> for the Cd beakers and 4638 ± 614 individuals L<sup>-1</sup> for the combined treatments. Copepodite (**Fig. 2b**) populations gradually aligned over time between the 251 different conditions, slightly decreasing in the control but increasing in the treatments, reaching 730  $\pm$  3 individuals L<sup>-1</sup> for the Cd and 688  $\pm$  51 individuals L<sup>-1</sup> for the Mix 252 treatments. However, only the treatment factor was statistically significant (p < 0.05). In the 253 254 pre-adult stages (C5), the observed patterns in males (Fig. 2c) and females (Fig. 2d) were 255 similar to the highest densities observed in the treatments of Cd and Mix at the beginning of 256 the experiment, and then their numbers decreased over time, reaching the lowest density after 257 96h of exposure. Both tested factors and their interaction were statistically significant 258 (p<0.05). The density of adult males (Fig. 2e) increased during the experiment in the fed control (Cfood), but their number varied slightly in other conditions over time. Only a slight 259 260 decrease in their number was observed both in the unfed control (Cnofood) and in Cd and Mix conditions  $(372 \pm 17 \text{ individuals } L^{-1} \text{ and } 392 \pm 6 \text{ individuals } L^{-1}$ , respectively). Only the 261 262 treatment factor was statistically significant. Contrary to adult females (ovigerous and nonovigerous), the interaction of both factors were statistically significant. Adult females (Fig. 263 264 2f) showed an increasing number during the experiment in the fed control (Cfood) and a 265 rather stable population in the unfed control (Cnofood). Their density was increasing over time in both Cd and Mix-exposed conditions (584  $\pm$  28 individuals L<sup>-1</sup> and 702  $\pm$  25 266 individuals L<sup>-1</sup>, respectively). The number of ovigerous females (Fig. 2g) globally decreased 267 during the experiment in the control beakers (Cfood and Cnofood) but it decreased even more 268 in the Cd and Mix-exposed beakers (112 individuals  $L^{-1}$  and 132 ± 57 individuals  $L^{-1}$ , 269 270 respectively, after 96h).

271 The stage-specific composition of Experiment 2 over time is shown in **Fig. 3**.

When 3-way ANOVA was applied to all stages only two factors (treatment and duration) showed significant levels. Consequently, we performed 2-way ANOVA using only those factors and their interaction.



FIGURE 3. Stage-specific compositions of the *Paracyclopina nana* populations for each
condition during Experiment 2: Nauplii (a), Copepodites (b), C5 Males (c), C5 Females (d),
Adult males (e), Adult females (f), Ovigerous females (g), C5+Adults+Ovigerous (h).

The density of nauplii (**Fig. 3a**) was decreasing until the end of the experiment for all conditions. Only a slight increase was noted in the Mixfood beakers at 96h (Mixfood:  $84 \pm 18$ individuals L<sup>-1</sup>; Mixnofood:  $107 \pm 20$  individuals L<sup>-1</sup>). Both factors were significant (p<0.05) but not their interaction. Copepodites observed a fall in all the beakers at 72h, particularly for Mix conditions but their number slightly increased at each condition at 96h with the Mix ones always lower than the control ones (Mixfood:  $134 \pm 8$  individuals L<sup>-1</sup>; Mixnofood:  $107 \pm 14$ 

individuals L<sup>-1</sup>) (Fig. 3b). However, statistically only the treatment factor was significant 286 (p<0.05). The density of C5 males (Fig. 3c) was increasing in all the beakers during the 287 experiment with Mixfood and Mixnofood being the highest after 96h with  $105 \pm 13$ 288 individuals  $L^{-1}$  and 82 ± 7 individuals  $L^{-1}$ , respectively. Both factors and their interaction 289 were significant. C5 females observed a global increase also in each condition, with a very 290 high final number in Mixfood beakers ( $203 \pm 23$  individuals L<sup>-1</sup>) (**Fig. 3d**), while Mixnofood 291 beakers were lower than the control ones (112  $\pm$  4 individuals L<sup>-1</sup>). The two-way ANOVA 292 293 provided similar results for C5 females. The density of adult males increased after 96h in both the fed conditions Cfood and Mixfood (205  $\pm$  22 individuals L<sup>-1</sup> and 254  $\pm$  40 294 individuals L<sup>-1</sup>, respectively) (Fig. 3e), whereas it decreased in the unfed treatments Cnofood 295 and Mixnofood (104  $\pm$  17 individuals L<sup>-1</sup> and 85  $\pm$  10 individuals L<sup>-1</sup>, respectively). Only the 296 297 treatment factor was significant for males whereas both factors and their interaction were significant for females. The numbers of adult females increased in the fed treatments after 298 96h (Cfood: 200  $\pm$  26 individuals L<sup>-1</sup>; Mixfood: 264  $\pm$  10 individuals L<sup>-1</sup>) but decreased in 299 Cnofood (143  $\pm$  13 individuals L<sup>-1</sup>) and Mixnofood (154  $\pm$  18 individuals L<sup>-1</sup>) (Fig. 3f). 300 Initial densities of ovigerous females were very low but increased substantially after 96h in 301 the fed conditions Cfood and Mixfood (34  $\pm$  11 individuals L<sup>-1</sup> and 16  $\pm$  12 individuals L<sup>-1</sup>, 302 respectively) (Fig. 3g). Both factors and their interaction were significant (p < 0.05). 303

304

## 305 **3.2. Bioaccumulation of metals in** *Paracyclopina nana*

306

## 307 Initial concentrations in copepods and water

308

309 The concentrations of the three metals were measured both in copepods and water from the310 initial copepod stock cultures used for each experiment (**Table 2**).

- 311 **TABLE 2.** Concentrations of cadmium (Cd), copper (Cu) and nickel (Ni) both in copepods
- 312 and water from initial stock cultures for each experiment.

Experiment 1	Initial concentration	Initial concentration	Concentration used (1/3
Experiment	in copepods ( $\mu g.g^{-1} dw$ )	in water ( $\mu g.L^{-1}$ )	LC50 of <i>E. affinis</i> ) ( $\mu$ g.L <sup>-1</sup> )
Cd	$0.02 \pm 0.04$	$0.26 \pm 0.5$	92
Cu	$20.7 \pm 1.6$	$44.3 \pm 5.9$	21
Ni	$3.7 \pm 0.2$	$36.5 \pm 0.9$	96
Experiment 2	Initial concentration	Initial concentration	Concentration used (1/3
Experiment 2	Initial concentration in copepods (µg.g <sup>-1</sup> dw)	Initial concentration in water (µg.L <sup>-1</sup> )	Concentration used (1/3 LC50 of <i>P. nana</i> ) ( $\mu$ g.L <sup>-1</sup> )
Experiment 2 Cd	Initial concentration in copepods ( $\mu g.g^{-1} dw$ ) $0.08 \pm 0.02$	Initial concentration in water ( $\mu$ g.L <sup>-1</sup> ) 0.45 ± 0.05	Concentration used (1/3 LC50 of <i>P. nana</i> ) (µg.L <sup>-1</sup> ) 87
Experiment 2 Cd Cu	Initial concentration in copepods ( $\mu g.g^{-1} dw$ ) $0.08 \pm 0.02$ $226.9 \pm 15.9$	Initial concentration in water ( $\mu$ g.L <sup>-1</sup> ) 0.45 ± 0.05 2.4 ± 0.1	Concentration used (1/3 LC50 of <i>P. nana</i> ) (µg.L <sup>-1</sup> ) 87 58

315 Concentrations in copepods for the pre-exposed population always showed higher values for each metal than the copepods used for Experiment 1, particularly for Cu which was reaching 316  $226.9 \pm 15.9 \ \mu g.g^{-1}$  dw, but was  $20.7 \pm 1.6 \ \mu g.g^{-1}$  dw for Experiment 1. Conversely, 317 concentrations in the water of each initial culture were generally higher for Experiment 1 than 318 for Experiment 2, except for Cd, which reached  $0.45 \pm 0.05 \ \mu g.L^{-1}$  in the culture intended for 319 Experiment 2 but was  $0.26 \pm 0.5 \,\mu g.L^{-1}$  for Experiment 1. Initial Cu and Ni concentrations in 320 water for Experiment 1 were really high, with 44.3  $\pm$  5.9 µg.L<sup>-1</sup> and 36.5  $\pm$  0.9 µg.L<sup>-1</sup>, 321 respectively, whereas it was at  $2.4 \pm 0.1 \ \mu g.L^{-1}$  and  $1.1 \pm 0.4 \ \mu g.L^{-1}$ , respectively, in the water 322 323 of the pre-exposed culture.

324

325 Concentration in copepods







FIGURE 4. Final concentrations of cadmium (Cd), copper (Cu) and nickel (Ni) in copepods
of each treatment of Experiment 1 (a) and Experiment 2 (b) after 96h of exposure.

332 Looking at the results of Experiment 1 (**Fig. 4a**), cadmium was present at very low 333 concentrations in controls (Cfood: 0.16  $\mu$ g.g<sup>-1</sup> dw; Cnofood: 0.21  $\mu$ g.g<sup>-1</sup> dw) and at high

concentrations in the Cd and Mix conditions (18.8  $\pm$  1.5 µg.g<sup>-1</sup> dw and 14.8  $\pm$  2.8 µg.g<sup>-1</sup> dw, 334 respectively), but still higher for Cd alone. The two-way ANOVA performed on Cd loadings 335 showed that only the treatment factor was significant (p < 0.05). Ni was only noticeably 336 present at separate exposure; Mix ( $14 \pm 0.6 \mu g.g^{-1} dw$ ). Statistical analyses showed that only 337 treatment and the interaction 'treatment x duration' were significant (p < 0.05). Cu appeared as 338 339 the most detected metal in copepods, showing high concentrations in the individuals from the Mix beakers, the only ones exposed to it  $(172.2 \pm 50.6 \ \mu g.g^{-1} \ dw)$ . However, Cu was also 340 present in high and quite similar concentrations in both controls and Cd condition  $(33.5 \pm$ 341  $0.03 \ \mu g.g^{-1}$  dw for the Cd treatment). Both factors were significant but not their interaction. 342 Additionally, both Cu and Ni appeared to be higher in the fed control copepods than in the 343 344 unfed ones. In Experiment 2, Cd was present at very low concentrations in the control (Cfood: 0.04 µg.g<sup>-1</sup> dw; Cnofood: 0.06 µg.g<sup>-1</sup> dw) but more concentrated in copepods from 345 the Mix conditions (Fig. 4b). Thus, its accumulation was higher when copepods were fed 346 (Mixfood: 6.7  $\mu$ g.g<sup>-1</sup> dw; Mixnofood: 3.3  $\mu$ g.g<sup>-1</sup> dw). The same tendency appeared for Ni, 347 348 which was present at elevated concentrations under Mix conditions as well, and was very high in the Mixfood one (Mixfood: 12.5 µg.g<sup>-1</sup> dw; Mixnofood: 4.9 µg.g<sup>-1</sup> dw). Cu was also 349 350 the most detected metal in copepods, showing important concentrations in the exposed Mix conditions, with 98.7 µg.g<sup>-1</sup> dw for Mixfood and 149.5 µg.g<sup>-1</sup> dw for Mixnofood. Like Cd 351 352 and Ni, Cu was higher in the fed controls than in the unfed ones, but was more concentrated 353 in the copepods from Mixnofood than in the ones from Mixfood. Only for all metals the treatment factor was satatistically significant (p<0.05). 354

The concentrations of the three tested metals during the whole experiments in the copepods from the Mixfood conditions are shown in **Fig. 5**.



FIGURE 5. Concentrations of cadmium (Cd), copper (Cu) and nickel (Ni) in copepods of the
Mixfood condition during Experiment 1 (a) and Experiment 2 (b).

361	The relative bioaccumulation values for Experiment 1 (Fig. 5a) showed that Cu
362	concentrations in copepods always increased over time. It was by far the most accumulated
363	metal in copepods, whereas it was the one introduced at the lowest concentration. Cd and Ni,
364	for their part, showed similarly increasing bioaccumulation rates, in a much lower range than
365	Cu. Looking at the results for Experiment 2 (Fig. 5b), Cu appeared once again as the most
366	concentrated metal in copepods, but its concentration in the sample was decreasing over time.
367	The accumulation of Cd and Ni was quite identical as for the other experiment and still low
368	compared to Cu. Both of their concentrations increased in copepods during the experiment.
369	
370	Concentration of metals in water
371	
372	The final respective concentrations of the three tested metals in the water samples are shown

373 in **Fig. 6**.



374

FIGURE 6. Final concentrations of cadmium (Cd), copper (Cu) and nickel (Ni) in the water
of each condition of Experiment 1 (a) and Experiment 2 (b) after 96h of exposure.

Results for Experiment 1 (**Fig. 6a**) showed that Cd concentrations in the water of the beakers at the end of the experiment was low in all the controls but were very high in all the exposed ones, with  $72.7 \pm 1.2 \ \mu g.L^{-1}$  for Cd and  $72.9 \pm 3.3 \ \mu g.L^{-1}$  for Mix. The same trend was found with Ni, which was very low in all controls and the Cd-exposed beakers (Cd) but very high in the water of the exposed Mix beakers (59.4 ± 3.7  $\mu g.L^{-1}$ ). Cu was the highest in the Mix

beakers  $(15.7 \pm 3.3 \ \mu g.L^{-1})$  but generally low compared to the Cd and Ni concentrations. 383 These trends were obviously due to the initial addition of high concentrations of metals in the 384 exposed beakers. The two-way ANOVA performed on each metal showed similar results for 385 386 Cd and Ni, with treatment, duration and their interaction significant (p<0.05). But for Cu only treatment factor was significant. Fig. 6b shows the results for Experiment 2. Very low 387 388 concentrations of the three tested metals were observed in the water of all the control beakers, 389 fed and unfed, but high concentrations appeared in both Mixfood and Mixnofood beakers at the end of the experiment, with similar values for the three metals, all of them between 42 390 and 46  $\mu$ g.L<sup>-1</sup>. Only the treatment factor was statistically significant in all metals. 391

392 The respective concentrations in the water of the Mix and Mixfood beakers during the 393 experiments were compared in **Fig. 7**.



FIGURE 7. Concentrations of cadmium (Cd), copper (Cu) and nickel (Ni) in the water of the
Mix condition during Experiment 1 (a) and the Mixfood condition during Experiment 2 (b).

398	Results for Experiment 1 (Fig. 7a) indicate that all concentrations in the Mix beakers were
399	quite steady throughout the whole experiment, with Cd and Ni being the highest compared to
400	Cu. Fig. 7b shows the corresponding results for Experiment 2. The concentration of all of the
401	three tested metals in the water of the Mixfood beakers was increasing throughout the whole
402	experiment, slightly for Cd and Ni but considerably for Cu, which presented the lowest
403	concentration among the three at the beginning but became the highest after 96h of exposure.
404	
405	4. DISCUSSION
406	
407	4.1. Effects of metals on population growth of Paracyclopina nana
408	
409	Total population growth
410	

411 Overall results for Experiment 1 and for Experiment 2 showed that the total number of 412 individuals was always higher in the control than in the treaments with metals. It is 413 recognized that trace metals have toxic effects on marine organisms and can even affect their 414 survival (Bryan, 1971; Calabrese et al., 1977; Florence et al., 1994; Zyadah & Abdel-Baky, 415 2000; Berasategui et al., 2018). Here, the decreasing populations observed among the 416 different conditions of the experiments were due to mortality that occurred during the *P. nana* 417 life cycle.

Results of Experiment 1 showed that the lowest final population size among all conditions was obtained when copepods were exposed to Cd alone, whereas the mixture led to an increasing and higher final population density. Zidour et al. (2019) also found that the metal mixture composed of sublethal concentrations of Cd, Cu, and Ni did not present additive or synergistic effect in terms of mortality to the calanoid copepod *E. affinis*, whereas Cu alone induced a very high mortality rate. Brand et al. (2004) also showed that the total population size of the copepod *Tisbe holothuriae* was always reduced when exposed to Cd only, even at
low concentrations.

426 All conditions from Experiment 2 provided increasing population densities after 96h of 427 exposure, except the populations from the unfed controls (Cnofood). The highest final 428 populations were even obtained from the Mixfood beakers, being higher than all the control 429 populations. The exposure to the mixture, therefore, did not affect the growth of the copepod 430 population used for Experiment 2. This initial copepod cultures were grown for several 431 months in 15 psu seawater made of the classic seawater used in the laboratory and tap water 432 containing above average concentrations of Cu. Therefore, copepods growing in this culture 433 were chronically exposed to the metal and already accumulated it in an abnormally high 434 concentration, and were even already saturated in Cu before the beginning of the experiment. 435 This led to the fact that copepods were not able to bioaccumulate more Cd, Cu, and Ni used 436 at sublethal concentrations in the Mix beakers, and they were also not able to fully release 437 their high accumulated metal concentrations due to a lack of completely uncontaminated 438 water. These results may shed light on a phenomenon of tolerance to metals, and particularly 439 Cu, that appeared in the *P. nana* population before the experiment. Moraitou-Apostolopoulou et al. (1983) observed a tendency for higher tolerance to Cu over generations of the marine 440 441 copepod *Tisbe holothuriae* due to acclimation. The delay in maturation time induced by Cu in 442 the F2 generation appeared less pronounced in F3 and similar to that of untreated individuals. 443 The initial 48h-LC50 also presented an increase in the F3 and F5 generations. The P. nana 444 population used for our experiment may have developed a metal tolerance over generations 445 during its several months of acclimation. In addition, the Mixfood beakers eventually turned 446 out to be those offering a most similar environment to the one where copepods were adapted to, containing metals and food. Therefore, were not affected by these conditions but 447 448 developed at these particular treatments. Another hypothesis proposed by Kadiene et al. 449 (2019) was followed here as well. The authors showed that copepods are able to take in water 450 orally thanks to a dyed medium and that the dye concentrated into the gut epithelium of the 451 copepods. This phenomenon supported the idea that oral water intake may be involved in the 452 higher metal body accumulation observed in copepods exposed to dissolved metals compared 453 to those exposed to dietary metals. Feeding would then reduce the stress associated with 454 exposure to dissolved metals in copepods by filling the guts, and preventing it from 455 additional intake of metal-loaded water.

In both experiments, the unfed control Cnofood presented a decreasing population 456 457 whereas the population for the fed control Cfood was always increasing to become one of the 458 highest. In the Cfood beakers, these already contaminated copepods were fed and able to eliminate a part of their accumulated metals to the ambient water. It became obvious that 459 460 starved copepods had decreasing population densities due to mortality (Cowey & Corner, 1963; Threlkeld, 1976). The mortality rate of *Calanus helgolandicus* was 5.0-6.5% per day 461 462 for starved copepods and below 1% for fed ones in the starvation experiment performed by Cowey & Corner (1963). But this effect was reinforced when subjects are exposed to 463 464 contaminants or additional stress such as non-optimal salinity (Devreker et al., 2004). Results 465 of Experiment 2 showed that copepod populations of the Mixnofood beakers were lowest. 466 The exposure to metals coupled to a lack of food amplified copepod mortality and population decrease. Pedroso et al. (2007) exposed the euryhaline copepod Acartia tonsa to silver and 467 proved that the mortality observed in starved copepods was explained by a decrease in the 468 body concentration of Mg<sup>2+</sup> due to the inhibition of the associated enzymes by increasing 469 470 silver concentrations.

471 Comparing results from Experiment 1 and Experiment 2 demonstrated higher population
472 densities in *P. nana* of Experiment 1 using the LC50 concentrations of *E. affinis*. This proves
473 that LC50 concentrations for the same metals were higher than for *P. nana* than those for *E. affinis*, and so that *P. nana* appears as a less sensitive copepod species to metals compared to
475 *E. affinis* (Dahms et al., 2016).

476

## 477 Stage-specific composition

Our results from Experiment 1 showed an abundance of nauplii in all treatments with an 479 480 increasing density over time, particularly in the conditions exposed to metals, Cd and Mix. 481 Zidour et al. (2019) also demonstrated an increasing number of nauplii of E. affinis in the Cd 482 treatment. In their study, the copepodite density also increased at the end of the experiment 483 particularly with Cd. Increased copepodites likely correspond to the high number of resisting 484 nauplii who turned into copepodites. The increasing densities of larval and juvenile stages 485 despite the exposure to metals may also be explained by the concentrations used for this 486 experiment corresponded to the respective LC50 values of E. affinis and were too low for P. 487 nana, which appeared as less sensitive to metals. Pre-adult individuals (C5 males and 488 females) appeared to be much affected by metal exposure as their densities decreased over 489 time in the metal treatments. The same pattern was found by Zidour et al. (2019), the number 490 of pre-adults of E. affinis decreased after exposure to Cd, Cu, and Ni, studied alone and in 491 mixture. Copepod C5 individuals, therefore, appeared as a metal-sensitive life stage. This 492 sensitivity could be related to the physiological requirements and the energetic cost of 493 maturation from C5 to the final reproductive C6 stage. A slight decrease appeared in the 494 densities of adult males at the end of the experiment in Cd and Mix conditions. Conversely, 495 the number of adult females globally increased at all conditions, particularly the exposed 496 ones. In copepods, male sensitivity was often described as higher than those of females. The 497 male survival of the harpacticoid copepod Amphiascus tenuiremis exposed to Cu, Pb and Ni 498 was significantly lower than that of female (Hagopian-Schlekat et al., 2001). Finally, our 499 results showed that the densities of *P. nana* ovigerous females globally dropped at all the 500 conditions of the experiment, and even more at metal exposure. The number of E. affinis 501 ovigerous females decreased considerably when exposed both to Cd and Ni compared to the 502 control, whereas no effect was observed in the combined treatment (Zidour et al., 2019). A 503 similar phenomenon happened in our study as the population of ovigerous females in the Mix 504 beakers decreased after 96h but appeared always higher than that of the Cd beakers and even reached one of the highest abundance, comparable to the controls. Ovigerous female densities were generally low indicating that this life stage was most sensitive to metals as shown earlier (Dur et al., 2009).

508 For Experiment 2, the densities of nauplii and copepodites started very low compared to Experiment 1 and had lower densities at all conditions. There was only a slight increase of 509 510 population densities at 96h in some exposed beakers. It has been widely reported that nauplii 511 are a particularly sensitive life stage when exposed to high metal concentrations (Kadiene et 512 al., 2019). The most sensitive life stage of the copepod Tisbe holothuriae to both Cu and Cd was the one-day-old nauplius (Verriopoulos and Moraitou-Apostopoulou, 1982). Similarly, 513 514 nauplii of the marine copepod Tigriopus brevicornis appeared to be two to four times more 515 sensitive than adults and copepodites for exposure to all tested contaminants, including Cd, 516 arsenic (As), and four different pesticides (Forget et al., 1998). The Cd LC50 of the naupliar and copepodites stages of the asiatic copepod Pseudodiaptomus annandalei were very low, 517 with 40.3 µg.L<sup>-1</sup> Cd and 120.4 µg.L<sup>-1</sup> Cd, respectively (Kadiene et al., 2019). Accordingly, in 518 519 this study, the newly hatched nauplii showed a drastic decrease. The reduction of larval 520 survival affected the recruitment potential of nauplii and resulted in a decreasing copepodites 521 population. Conversely, the densities of C5 males and C5 females increased at all conditions during the experiment, particularly in the fed ones, with very high final densities for the 522 523 Mixfood beakers. Moreover, a similar trend was observed for the adult stage: the numbers of 524 adult males, females, and ovigerous females all increased overall at fed conditions, and 525 particularly in the Mixfood treatment. This phenomenon can be explained by the fact that C5 526 individuals introduced in the experiment were already used to metal-contaminated water 527 because of their prior acclimation. The pre-adult individuals from this population appeared to 528 be tolerant to metals and thus developed within the experiment, especially in the exposed and 529 fed beakers that correspond to their acclimation living conditions, and lead to thriving adults. 530 The introduction of the food parameter in the experiment also confirmed this acclimation phenomenon in copepods since these individuals developed better under fed conditions than 531

532 unfed and were, therefore, more affected by the lack of food than by exposure to metals. This 533 can be explained by the necessity of energy supplies assisting in the energetic costs of detoxification. The occurrence of metal tolerance has already been reported in copepods. 534 535 Kwok et al. (2009) studied the marine copepod *Tigriopus japonicus* and showed that it can develop a Cu resistance through multigeneration acclimation to high Cu levels and that this 536 resistance was increased from the very first generation of acclimation. Similarly, chronically 537 538 exposed lines of the copepod *Tigriopus californicus* to sub-lethal Cu concentrations for 12 539 generations showed an increasing Cu tolerance over time from generation 3 onwards (Sun et 540 al., 2014). Multigenerational exposure to Cu, therefore, generated a response consistent with 541 the procedure of long-term acclimation in our study.

For both experiments, our results showed much lower adult male numbers than females. 542 543 Particularly in Experiment 2, which led to about half as many males as females. This parameter is affected by several factors such as species-specificity, but it was shown before 544 545 that copepod males are more sensitive than females to contaminants. The study of the 546 different lethal responses between male and female copepods to Cd toxicity revealed that 547 males of P. annandalei were almost twice as sensitive as females when comparing their respective LC50 (120.6 µg.L<sup>-1</sup> Cd for males and 239.5 µg.L<sup>-1</sup> Cd for females) (Kadiene et al., 548 2017). The same conclusion was established for E. affinis before in terms of Cu and Ni 549 toxicity as LC50 for males were 25.0 mg.L<sup>-1</sup> Cd and 90.0 mg.L<sup>-1</sup> Ni, whereas female LC50 550 were  $38.0 \text{ mg.L}^{-1} \text{ Cd}$  and  $161.0 \text{ mg.L}^{-1} \text{ Ni}$  (Zidour et al., 2019). 551

When comparing results from both experiments, we clearly saw that Experiment 2 gave far fewer individuals of each life stage in each condition than Experiment 1. The second experiment resulted in more than half as many adult males and females, and even more than ten time less ovigerous females than the first one. This is explained by the lack of survival of newly hatched nauplii, resulting in low recruitment and low population growth.

557

## 558 **4.2. Bioaccumulation of metals in** *Paracyclopina nana*

Copepods from Experiment 1 accumulated high concentrations of metals at exposed 561 conditions, and particularly in combined treatments as mixtures. This is explained by the fact 562 that the population was originally grown in uncontaminated water without any acclimation to 563 high metal concentrations. Results showed low initial concentrations of each metal in these copepods. We observed an upward trend with exposure time in the accumulation of the three 564 565 tested metals. At the same time, a slight decrease of the three metal concentrations in water 566 was noticed. All three metals were highly concentrated in copepods from the combined 567 treatments, but Cu concentrations were always increasing over time and became particularly 568 high after 96h. Besides, Cu concentrations in the water of the combined treatments were 569 lowest compared to Cd and Ni which were highly concentrated, thus showing the opposite 570 trend. However, Cu was the metal introduced at the lowest concentration at the beginning of 571 the experiment. Cu therefore appeared as a more easily accumulable metal than Cd and Ni. 572 This is explained by Cu being an essential trace metal and marine invertebrates present the 573 ability to accumulate dissolved Cu from water directly by absorption through body surfaces 574 (Pinho et al., 2007). The calanoid copepods E. affinis and P. annandalei both demonstrated a 575 higher uptake of Cu than Cd and Ni from the dissolved phase, whereas it was the lowest 576 concentrated in the dissolved metal mixture at the beginning of the experiment (Kadiene et 577 al., 2019). This may also introduce the idea of a competition for the absorption between the 578 metals present in a mixture, as found for the same three metals with E. affinis (Zidour et al., 579 2019). The metal presenting the highest affinity with the metal-binding sites in the body of 580 copepods may thus saturate these sites, preventing other metals to fix themselves, and 581 resulting in being the most accumulated metal among the combined treatments. This idea is 582 confirmed when comparing the respective Cd bioaccumulation levels in both the treatment 583 with Cd alone and with the mixture. Higher Cd concentrations were found in copepods from 584 the Cd alone beakers than in copepods from the mixture. Copepods were not able to accumulate as much Cd in the mixture as the diversity of metals introduced a competition forbinding sites and their rapid saturation preventing a higher Cd absorption.

587 In Experiment 2, copepods also accumulated metals more at the exposed conditions than 588 the controls, but to a lesser extent. Cu was the most detected metal in copepod samples but 589 lower concentrations of each metal were found in copepods from Mixfood than in 590 Experiment 1. Cd was even half as accumulated as in the first experiment. Copepods from the 591 second experiment were growing for months in water containing sub-lethal concentrations of 592 metals and, therefore, had acclimated to metal exposure. Initial concentrations showed that 593 individuals from this population had already concentrated metal levels, particularly in Cu, 594 and so their bioaccumulation capacity against the exposure conditions of the experiment was 595 not as high as the population used in Experiment 1. That explains the three tested metals had high concentrations (more than 40  $\mu$ g.L<sup>-1</sup>) in the water of all the Mix beakers of the second 596 597 experiment. Interestingly, Cu concentrations were always decreasing over time in copepods 598 from Mixfood. It was also the lower concentrated metal in water of these beakers at the 599 beginning of the experiment. However, it constantly increased over time to concentrations 600 more than twice as high as that of Experiment 1. At the beginning of this experiment, 601 copepods were actually more concentrated in metals than the water they were transferred to where they depurated and released their accumulated metals into the experimental water, 602 particularly for Cu. Such rapid uptake and depuration rates of contaminants suggest that 603 604 copepods are able to quickly respond to changing concentrations in their environment, 605 confirming their strong potential as bioindicators in aquatic environments.

When comparing overall results for the feeding parameter, metal concentrations in copepods were mainly higher for the fed conditions than the unfed ones, and for both experiments. Each of the three metals was more concentrated in copepods from the fed controls than in the unfed ones for the two experiments. Looking at exposed conditions, Cd and Ni were also higher in copepods from Mixfood than Mixnofood of Experiment 2. Copepods therefore, accumulate more metals when they are fed, for the same exposure

612 concentrations. Some studies already proved the existence of an increased effect of food 613 presence on the bioaccumulation of contaminants and that food-borne contamination is a 614 major factor to consider for the body concentrations of several elements (Kadiene et al., 615 2019). Assimilation efficiency of trace elements is expected to increase with longer gut 616 passage time, therefore corresponding to feeding and digestive intervals.

617

#### 618 5. CONCLUSIONS

619

The contrasting results from the two different populations revealed the plastic survival and 620 621 bioaccumulation capacity of P. nana for metals. The first experiment based on a regular 622 population showed that metal exposure induces reduction in population growth and increased 623 bioaccumulation in individuals. Cd was even more accumulated when it was treated separately than when in combined mixture. This unveils a phenomenon of competition 624 between metals in mixture for the absorption in copepods. The second experiment started 625 626 with a population already pre-exposed to metals over several generations and revealed a 627 population growth that was less affected by metals and lower metal concentrations in exposed 628 individuals. The overall metal concentrations decreased in the copepods and increased in experimental waters, demonstrating a depuration phenomenon in this population that was 629 630 already loaded with metals and acclimated to metal exposure. The overall results also showed 631 that food attenuated the effects of metal exposure on population growth but increased the 632 bioaccumulation capacity of metals. This study sheds light on the parameters that affect the 633 bioaccumulation of metals of copepods in contaminated aquatic ecosystems.

634

### 635 ACKNOWLEDGEMENTS

636

637 This study is a part of the Ph. D. thesis of Paul Dayras from the University of Lille which is638 half-funded by the University of Lille and half-funded by the region Hauts-de-France. This

639 work is a contribution to the COPEFISH project (a Young Researcher Emerging Project of 640 the Nord-Pas-de-Calais Regional Council and a long-term partnership between Aquarium Nausicaa and University of Lille) and also to the CPER 2014-2020 MARCO project funded 641 642 by the French government and the region Hauts-de-France, Europe (FEDER) and IFREMER. We thank the Agglomeration Community of Boulogne-sur-Mer (CAB) for providing 643 644 experimental facilities in the business incubator Haliocap allowing to perform copepod mass 645 cultures and experiments under controlled conditions. We are very thankful to Mahammed 646 Zidour for his great help and contribution to metal analyses. We are grateful to Dominique 647 Menu for his help with the installation and maintenance of the experimental space. We also 648 thank all past and current team members of Sami Souissi for their efforts to continuously 649 maintain micro-algae and copepod cultures. This work benefitted from the French GDR 650 "Aquatic Ecotoxicology" framework which aims at fostering stimulating scientific 651 discussions and collaborations for more integrative approaches.

652

### 653 **REFERENCES**

- 654
- Ansari, T. M., Marr, I. L., & Tariq, N. (2004). Heavy metals in marine pollution
  perspective—a mini review. *Journal of Applied Sciences*, 4(1), 1-20.
  https://doi.org/10.3923/jas.2004.1.20
- Arias, A. H., Souissi, A., Glippa, O., Roussin, M., Dumoulin, D., Net, S., Ouddane, B., ... &
  Souissi, S. (2017). Removal and biodegradation of phenanthrene, fluoranthene and
  pyrene by the marine algae *Rhodomonas baltica* enriched from North Atlantic
  Coasts. *Bulletin of Environmental Contamination and Toxicology*, 98(3), 392-399.
  https://doi.org/10.1007/s00128-016-1967-4
- Batley, G. E., Apte, S. C., & Stauber, J. L. (2004). Speciation and bioavailability of trace
  metals in water: progress since 1982. *Australian Journal of Chemistry*, 57(10), 903-919.
- 665 https://doi.org/10.1071/CH04095

- 666 Berasategui, A. A., Biancalana, F., Fricke, A., Fernandez–Severini, M. D., Uibrig, R., Dutto,
- M. S., ... & Hoffmeyer, M. S. (2018). The impact of sewage effluents on the fecundity
  and survival of *Eurytemora americana* in a eutrophic estuary of Argentina. *Estuarine*, *Coastal and Shelf Science*, 211, 208-216. https://doi.org/10.1016/j.ecss.2017.08.034
- 670 Brand, G. W., Fabris, G. J., & Arnott, G. H. (1986). Reduction of population growth in *Tisbe*
- 671 holothuriae Humes (Copepoda: Harpacticoida) exposed to low cadmium 672 concentrations. Marine Freshwater *Research*, *37*(4), 475-479. and 673 https://doi.org/10.1071/MF9860475
- Breteler, W. K., Schogt, N., & Gonzalez, S. R. (1990). On the role of food quality in grazing
  and development of life stages, and genetic change of body size during cultivation of
- 676 pelagic copepods. Journal of Experimental Marine Biology and Ecology, 135(3), 177-
- 677 189. https://doi.org/10.1016/0022-0981(90)90117-U
- Bryan, G. W. (1971). The effects of heavy metals (other than mercury) on marine and
  estuarine organisms. *Proceedings of the Royal Society of London. Series B. Biological Sciences*, 177(1048), 389-410. https://doi.org/10.1098/rspb.1971.0037
- Calabrese, A., MacInnes, J. R., Nelson, D. A., & Miller, J. E. (1977). Survival and growth of
  bivalve larvae under heavy-metal stress. *Marine Biology*, 41(2), 179-184.
  https://doi.org/10.1007/BF00394024
- Cowey, C. B., & Corner, E. D. S. (1963). On the nutrition and metabolism of zooplankton II.
  The relationship between the marine copepod *Calanus helgolandicus* and particulate
  material in Plymouth sea water, in terms of amino acid composition. *Journal of the Marine Biological Association of the United Kingdom*, 43(2), 495-511.
- 688 https://doi.org/10.1017/S0025315400000473
- Dahl, U., Lind, C. R., Gorokhova, E., Eklund, B., & Breitholtz, M. (2009). Food quality
  effects on copepod growth and development: implications for bioassays in
  ecotoxicological testing. *Ecotoxicology and Environmental Safety*, 72(2), 351-357.
- 692 https://doi.org/10.1016/j.ecoenv.2008.04.008

- 693 Dahms, H.-U., Won, E.-J., Kim, H.-S., Han, J., Park, H. G., Souissi, S., & Lee, J.-S. (2016a).
- 694 Potential of the small cyclopoid copepod *Paracyclopina nana* as an invertebrate model
- 695 for ecotoxicity testing. Aquatic Toxicology, 180, 282-294.
  696 https://doi.org/10.1016/j.aquatox.2016.10.013
- 697 Dahms, H.-U., Huang, D.-J., Lee, S.H., Chen, W.-Y., Soong, K., & Hwang J.-S. (2016b). The
- 698 challenging role of life cycle monitoring evidence from bisphenol A on the copepod
- *Tigriopus japonicus. Hydrobiologia* Special volume "Challenging roles of Aquatic
   Sciences" 784, 81–91. https://doi.org/10.3354/hydr.194211
- 701 Devreker, D., Souissi, S., & Seuront, L. (2004). Development and mortality of the first
- 702 naupliar stages of *Eurytemora affinis* (Copepoda, Calanoida) under different conditions
- of salinity and temperature. Journal of Experimental Marine Biology and
- 704 *Ecology*, *303*(1), 31-46. https://doi.org/10.1016/j.jembe.2003.11.002
- Dobbs, M. G., Cherry, D. S., & Cairns Jr, J. (1996). Toxicity and bioaccumulation of
  selenium to a three trophic level food chain. *Environmental Toxicology and Chemistry:*

707 *An International Journal*, *15*(3), 340-347. https://doi.org/10.1002/etc.5620150318

- 708 Dur, G., Souissi, S., Devreker, D., Ginot, V., Schmitt, F. G., & Hwang, J.-S. (2009). An
- individual-based model to study the reproduction of egg bearing copepods: Application
- to *Eurytemora affinis* (Copepoda Calanoida) from the Seine estuary, France. *Ecological*
- 711 *Modelling*, 220(8), 1073-1089. https://doi.org/10.1016/j.ecolmodel.2008.12.013
- 712 Fisher, N. S., Stupakoff, I., Sañudo-Wilhelmy, S., Wang, W. X., Teyssié, J. L., Fowler, S. W.,
- 713 & Crusius, J. (2000). Trace metals in marine copepods: a field test of a bioaccumulation
- model coupled to laboratory uptake kinetics data. *Marine Ecology Progress Series*, 194,
- 715 211-218. https://doi.org/10.3354/meps194211
- Florence, T. M., Stauber, J. L., & Ahsanullah, M. (1994). Toxicity of nickel ores to marine
  organisms. *Science of the Total Environment*, *148*(2-3), 139-155.
  https://doi.org/10.1016/0048-9697(94)90391-3

- Forget, J., Pavillon, J. F., Menasria, M. R., & Bocquene, G. (1998). Mortality and
  LC50Values for Several Stages of the Marine Copepod *Tigriopus brevicornis* (Müller)
- 721 Exposed to the Metals Arsenic and Cadmium and the Pesticides Atrazine, Carbofuran,
- Dichlorvos, and Malathion. *Ecotoxicology and Environmental Safety*, 40(3), 239-244.
- 723 https://doi.org/10.1006/eesa.1998.1686
- Förstner, U., & Wittmann, G. T. (2012). *Metal Pollution in the Aquatic Environment*.
  Springer Science & Business Media, 488 p.
- Godt, J., Scheidig, F., Grosse-Siestrup, C., Esche, V., Brandenburg, P., Reich, A., &
  Groneberg, D. A. (2006). The toxicity of cadmium and resulting hazards for human
  health. *Journal of Occupational Medicine and Toxicology*, *1*(1), 22.
- 729 https://doi.org/10.1186/1745-6673-1-22
- Hagopian-Schlekat, T., Chandler, G. T., & Shaw, T. J. (2001). Acute toxicity of five sedimentassociated metals, individually and in a mixture, to the estuarine meiobenthic
  harpacticoid copepod *Amphiascus tenuiremis*. *Marine Environmental Research*, *51*(3),
- 733 247-264. https://doi.org/10.1016/S0141-1136(00)00102-1
- 734 Han, J., Won, E.-J., Kim, H. S., Nelson, D. R., Lee, S.-J., Park, H. G., & Lee, J.-S. (2015).
- 735 Identification of the full 46 cytochrome P450 (CYP) complement and modulation of
- 736 CYP expression in response to water-accommodated fractions of crude oil in the
- 737 cyclopoid copepod *Paracyclopina nana*. Environmental Science & Technology, 49(11),
- 738 6982-6992. https://doi.org/10.1021/acs.est.5b01244
- 739 Hwang, D.-S., Lee, K.-W., Han, J., Park, H. G., Lee, J., Lee, Y.-M., & Lee, J.-S. (2010).
- 740 Molecular characterization and expression of vitellogenin (Vg) genes from the cyclopoid
- 741 copepod, Paracyclopina nana exposed to heavy metals. Comparative Biochemistry and
- 742 Physiology Part C: Toxicology & Pharmacology, 151(3), 360-368.
  743 https://doi.org/10.1016/j.cbpc.2009.12.010
- 744 Jeong, C.-B., Kang, H.-M., Lee, M.-C., Kim, D.-H., Han, J., Hwang, D.-S., & Lee, J.-S.
- 745 (2017). Adverse effects of microplastics and oxidative stress-induced MAPK/Nrf2

- pathway-mediated defense mechanisms in the marine copepod *Paracyclopina nana. Scientific reports*, 7, 41323. https://doi.org/10.1038/srep41323
- Kadiene, E. U., Bialais, C., Ouddane, B., Hwang, J. S., & Souissi, S. (2017). Differences in
  lethal response between male and female calanoid copepods and life cycle traits to
  cadmium toxicity. *Ecotoxicology*, 26(9), 1227-1239. https://doi.org/10.1007/s10646017-1848-6
- Kadiene, E. U., Ouddane, B., Hwang, J. S., & Souissi, S. (2019). Bioaccumulation of metals
  in calanoid copepods by oral intake. *Scientific Reports*, 9(1), 9492.
  https://doi.org/10.1038/s41598-019-45987-2
- Ki, J.-S., Park, H. G., & Lee, J.-S. (2009). The complete mitochondrial genome of the
  cyclopoid copepod *Paracyclopina nana*: A highly divergent genome with novel gene
  order and atypical gene numbers. *Gene*, 435(1), 13-22.
  https://doi.org/10.1016/j.gene.2009.01.005
- Kouba, A., Buřič, M., & Kozák, P. (2010). Bioaccumulation and effects of heavy metals in
  crayfish: a review. *Water, Air, & Soil Pollution, 211*(1-4), 5-16.
  https://doi.org/10.1007/s11270-009-0273-8
- 762 Kulkarni, D., Gergs, A., Hommen, U., Ratte, H. T., & Preuss, T. G. (2013). A plea for the use
- of copepods in freshwater ecotoxicology. *Environmental Science and Pollution Research*, 20(1), 75-85. https://doi.org/10.1007/s11356-012-1117-4
- Kwok, K. W. T., Grist, E. P., & Leung, K. M. Y. (2009). Acclimation effect and fitness cost of
  copper resistance in the marine copepod *Tigriopus japonicus*. *Ecotoxicology and Environmental Safety*, 72(2), 358-364. https://doi.org/10.1016/j.ecoenv.2008.03.014
- 768 Kwok, K. W. T., Souissi, S., Dur, G., Won, E.-J., & Lee, J.-S. (2015). Copepods as references
- species in estuarine and marine waters. In Aquatic Ecotoxicology (pp. 281-308).
- 770 Academic Press. https://doi.org/10.1016/B978-0-12-800949-9.00012-7
- 771 Langston, W. J., & Bebianno, M. J. (Eds.). (1998). Metal Metabolism in Aquatic
- 772 *Environments* (No. 7). Springer Science & Business Media.

- Larsson, A., Bengtsson, B. E., & Svanberg, O. (1976). Some haematological and biochemical
- effects of cadmium in fish. In *Effects of Pollutants on Aquatic Organisms (Soc. Exp. Biol. Seminar Ser.* (Vol. 2, p. 1976).
- Lee, K.-W., Park, H. G., Lee, S. M., & Kang, H. K. (2006). Effects of diets on the growth of
- the brackish water cyclopoid copepod *Paracyclopina nana* Smirnov. *Aquaculture*, 256(1-
- 4), 346-353. https://doi.org/10.1016/j.aquaculture.2006.01.015
- Lee, K.-W., Rhee, J.-S., Han, J., Park, H. G., & Lee, J.-S. (2012). Effect of culture density
- and antioxidants on naupliar production and gene expression of the cyclopoid copepod,
- 781 Paracyclopina nana. Comparative Biochemistry and Physiology Part A: Molecular &
- 782 Integrative Physiology, 161(2), 145-152. https://doi.org/10.1016/j.cbpa.2011.10.019
- Lee, K.-W., Dahms, H.-U., Park, H. G., & Kang, J. H. (2013). Population growth and
  productivity of the cyclopoid copepods *Paracyclopina nana*, *Apocyclops royi* and the
  harpacticoid copepod *Tigriopus japo*nicus in mono and polyculture conditions:
  Alaboratory study. *Aquaculture Research*, 44(5), 836-840. https://doi.org/10.1111/j.13652109.2011.03071.x
- 788 Lee, B.-Y., Kim, H.-S., Choi, B.-S., Hwang, D.-S., Choi, A.-Y., Han, J., ... & Park, H. G. 789 (2015). RNA-seq based whole transcriptome analysis of the cyclopoid copepod 790 Paracyclopina nana focusing on xenobiotics metabolism. Comparative Biochemistry 791 and Physiology Part D: Genomics Proteomics, 15, 12-19. and 792 https://doi.org/10.1016/j.cbd.2015.04.002
- Lee, S.-H., Lee, M.-C., Puthumana, J., Park, J. C., Kang, S., Hwang, D.-S., Shin, K.-H., Park,
  H. G., Souissi, S., Om, A.-S., Lee, J.-S. (2017). Effects of salinity on growth, fatty acid
  synthesis, and expression of stress response genes in the cyclopoid copepod *Paracyclopina* nana. Aquaculture, 470, 182-189.
- 797 https://doi.org/10.1016/j.aquaculture.2016.12.037
- Mauchline, J. (1998). The biology of calanoid copepods. Adv. Mar. Biol., 33, 1-710.

- 799 Moraitou-Apostolopoulou, M., Kiortsis, M., Verriopoulos, V., & Platanistioti, S. (1983).
- 800 Effects of copper sulphate on *Tisbe holothuriae* Humes (Copepoda) and development of
- to copper. *Hydrobiologia*, 99(2), 145-150.
- 802 https://doi.org/10.1007%2FBF00015041
- Ouddane, B., Skiker, M., Fischer, J.C. & Wartel M. (1999). Distribution of iron and
   manganese in the Seine river estuary: approach with experimental laboratory mixing.
- *Journal of Environmental Monitoring 1 (5), 489-496. https://doi.org/10.1039/A903721G*
- 806 Pavlaki, M. D., Morgado, R. G., van Gestel, C. A., Calado, R., Soares, A. M., & Loureiro, S.
- 807 (2017). Influence of environmental conditions on the toxicokinetics of cadmium in the
- 808 marine copepod Acartia tonsa. Ecotoxicology and environmental safety, 145, 142-149.
- 809 https://doi.org/10.1016/j.ecoenv.2017.07.008
- 810 Pedroso, M. S., Pinho, G. L., Rodrigues, S. C., & Bianchini, A. (2007). Mechanism of acute
- silver toxicity in the euryhaline copepod *Acartia tonsa*. *Aquatic Toxicology*, 82(3), 173180. https://doi.org/10.1016/j.aquatox.2007.02.009
- 813 Pinho, G. L. L., Pedroso, M. S., Rodrigues, S. C., de Souza, S. S., & Bianchini, A. (2007).
- 814 Physiological effects of copper in the euryhaline copepod *Acartia tonsa*: waterborne
- 815 versus waterborne plus dietborne exposure. *Aquatic Toxicology*, 84(1), 62-70.
- 816 https://doi.org/10.1016/j.aquatox.2007.06.001
- 817 Rainbow, P. S. (1990). Heavy metal levels in marine invertebrates. *Heavy metals in the*
- 818 *marine environment*, 67-79, Robert W. Furness, CRC Press, 262 p.
- Rainbow, P. S., Phillips, D. J., & Depledge, M. H. (1990). The significance of trace metal
  concentrations in marine invertebrates: a need for laboratory investigation of
  accumulation strategies. *Marine Pollution Bulletin*, 21(7), 321-324.
  https://doi.org/10.1016/0025-326X(90)90791-6
- Raisuddin, S., Kwok, K. W. T., Leung, K. M. Y., Schlenk, D., & Lee, J.-S. (2007). The copepod *Tigriopus*: a promising marine model organism for ecotoxicology and

- 825
- environmental genomics. *Aquatic*

826 https://doi.org/10.1016/j.aquatox.2007.04.005

- Rollin, C., & Quiot, F. (2006). Eléments traces métalliques-guide méthodologique:
  recommandations pour la modélisation des transferts des éléments traces métalliques
  dans les sols et les eaux souterraines. *Rapp. d'étude INERIS*.
- Souissi, A., Souissi, S., Devreker, D., & Hwang, J.-S. (2010). Occurence of intersexuality in a
  laboratory culture of the copepod *Eurytemora affinis* from the Seine estuary
  (France). *Marine Biology*, *157*(4), 851-861. https://doi.org/10.1007/s00227-009-1368-x
- Stewart, G. M., & Fisher, N. S. (2003). Bioaccumulation of polonium-210 in marine
  copepods. *Limnology and Oceanography*, 48(5), 2011-2019.
  https://doi.org/10.4319/lo.2003.48.5.2011
- Støttrup, J. G. (2000). The elusive copepods: their production and suitability in marine
  aquaculture. *Aquaculture Research*, *31*(8-9), 703-711. https://doi.org/10.1046/j.13652109.2000.318488.x
- Sullivan, B. K., Buskey, E., Miller, D. C., & Ritacco, P. J. (1983). Effects of copper and
  cadmium on growth, swimming and predator avoidance in *Eurytemora affinis*(Copepoda). *Marine Biology*, 77(3), 299-306. https://doi.org/10.1007/BF00395819
- 842 Sun, P. Y., Foley, H. B., Handschumacher, L., Suzuki, A., Karamanukyan, T., & Edmands, S.
- 843 (2014). Acclimation and adaptation to common marine pollutants in the copepod
- 844 *Tigriopus californicus. Chemosphere*, 112, 465-471.
- 845 https://doi.org/10.1016/j.chemosphere.2014.05.023
- Taylor, D. (1983). The significance of the accumulation of cadmium by aquatic
  organisms. *Ecotoxicology and Environmental Safety*, 7(1), 33-42.
  https://doi.org/10.1016/0147-6513(83)90046-5
- 849 Thévenot, D. R., Lestel, L., Tusseau-Vuillemin, M. H., Gonzalez, J. L., & Meybeck, M.
  850 (2009). Les métaux dans le bassin de la Seine. *Programme Interdisciplinaire de*851 *Recherche sur l'Environnement de la Seine (PIREN-SEINE)*.
  - 40

- 852 Threlkeld, S. T. (1976). Starvation and the size structure of zooplankton 853 communities. Freshwater Biology, 6(6),489-496. https://doi.org/10.1111/j.1365-854 2427.1976.tb01640.x
- Tlili, S., Ovaert, J., Souissi, A., Ouddane, B., & Souissi, S. (2016). Acute toxicity, uptake and
  accumulation kinetics of nickel in an invasive copepod species: *Pseudodiaptomus marinus. Chemosphere*, 144, 1729-1737.
- 858 https://doi.org/10.1016/j.chemosphere.2015.10.057
- Toudal, K., & Riisgård, H. U. (1987). Acute and sublethal effects of cadmium on ingestion,
  egg production and life-cycle development in the copepod *Acartia tonsa*. *Marine Ecology Progress Series*, *37*, 141-146.
- Verriopoulos, G., & Moraitou-Apostolopoulou, M. (1982). Differentiation of the sensitivity to
  copper and cadmium in different life stages of a copepod. *Marine Pollution Bulletin*, *13*(4), 123-125. https://doi.org/10.1016/0025-326X(82)90368-X
- Won, E.-J., & Lee, J.-S. (2014). Gamma radiation induces growth retardation, impaired egg
  production, and oxidative stress in the marine copepod *Paracyclopina nana*. *Aquatic Toxicology*, *150*, 17-26. https://doi.org/10.1016/j.aquatox.2014.02.010
- Wong, C. K., & Pak, A. P. (2004). Acute and subchronic toxicity of the heavy metals copper,
  chromium, nickel, and zinc, individually and in mixture, to the freshwater copepod *Mesocyclops pehpeiensis*. *Bulletin of Environmental Contamination and*
- 871 *Toxicology*, 73(1), 190-196. https://doi.org/10.1007/s00128-004-0412-2
- 872 Yang, X., Baligar, V. C., Martens, D. C., & Clark, R. B. (1996). Cadmium effects on influx
- and transport of mineral nutrients in plant species. Journal of Plant Nutrition, 19(3-4),
- 874 643-656. https://doi.org/10.1080/01904169609365148
- 875 Zidour, M., Boubechiche, Z., Pan, Y. J., Bialais, C., Cudennec, B., Grard, T., Drider D.,
- 876 Flahaut C., Ouddane B., & Souissi, S. (2019). Population response of the estuarine
- 877 copepod *Eurytemora affinis* to its bioaccumulation of trace metals. *Chemosphere*, 220,
- 878 505-513. https://doi.org/10.1016/j.chemosphere.2018.12.148

- 879 Zyadah, M. A., & Abdel-Baky, T. E. (2000). Toxicity and bioaccumulation of copper, zinc,
- and cadmium in some aquatic organisms. *Bulletin of Environmental Contamination and*
- 881 *Toxicology*, *64*(5), 740-747. https://doi.org/10.1007/s001280000066

