

Effects of different routes of exposure to metals on bioaccumulation and population growth of the cyclopoid copepod Paracyclopina nana

Paul Dayras, Capucine Bialais, Baghdad Ouddane, Jae-Seong Lee, Sami Souissi

▶ To cite this version:

Paul Dayras, Capucine Bialais, Baghdad Ouddane, Jae-Seong Lee, Sami Souissi. Effects of different routes of exposure to metals on bioaccumulation and population growth of the cyclopoid copepod Paracyclopina nana. Chemosphere, 2020, 248, pp.125926. 10.1016/j.chemosphere.2020.125926. hal-03116522

HAL Id: hal-03116522 https://hal.science/hal-03116522v1

Submitted on 7 Mar 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



1 <Chemosphere>

2

6

9

- 3 Effects of different routes of exposure to metals on
- 4 bioaccumulation and population growth of the cyclopoid
- 5 copepod Paracyclopina nana*
- 7 Paul Dayras^{1,*}, Capucine Bialais¹, Baghdad Ouddane², Jae-Seong Lee³,
- 8 Sami Souissi^{1,**}
- 10 ¹ Université de Lille, CNRS, Université du Littoral Côte d'Opale, UMR 8187 LOG,
- 11 Laboratoire d'Océanologie et de Géosciences, F-62930 Wimereux, France.
- paul.dayras@univ-lille.fr; capucine.bialais@univ-lille.fr; sami.souissi@univ-lille.fr
- ² Université de Lille, UMR CNRS 8516, Laboratoire LASIR, Equipe Physico-Chimie de
- 14 l'Environnement, F-59655 Villeneuve d'Ascq Cedex, France. baghdad.ouddane@univ-
- 15 lille.fr
- ³ Department of Biological Science, College of Science, Sungkyunkwan University, Suwon
- 17 16419, South Korea. jslee2@skku.edu
- 1920

- 21
- 22
- 23 _____
- 24 *This study is a part of the Ph.D. thesis of Paul Dayras from the University of Lille which is
- 25 half-funded by the University of Lille and half-funded by the region Hauts-de-France.

- 26 **Corresponding author: Sami Souissi Station Marine, 28 avenue Foch, BP 80, F-62930
- Wimereux, France, +33321992908, sami.souissi@univ-lille.fr

Abstract

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

1

We examined effects of the three metals cadmium (Cd), copper (Cu), and nickel (Ni) on two subpopulations of the cyclopoid copepod *Paracyclopina nana*. We sought to investigate the effects of metal exposure on population growth and structure of *P. nana* and to understand the parameters affecting the metal bioaccumulation in copepods. A first experiment tested the hypothesis of competition between these metals in a mixture using a *P. nana* mass culture in 10 L beakers with the sublethal concentrations (1/3 of LC50) as determined for E. affinis. A second experiment pursued the same with a P. nana population which was adapted to a higher Cu concentration for several generations (226.9 \pm 15.9 μ g.g⁻¹ dw Cu in copepods) and using the proper sublethal concentrations for *P. nana*. After 96h of exposure, results from the first experiment showed a decreasing population growth and instead of an increasing metal accumulation in copepods. Cd also appeared to be more accumulated when it was alone, confirming the hypothesis of metal competition in mixture. Results from the second experiment revealed less marked effects. When metal concentrations increased in the treatment it decreased in copepods, indicating depuration activity in the population already adapted to metal exposure. This paper is the first one investigating the parameters affecting the bioaccumulation capacity of *P. nana* in response to metals. It offers a better understanding of copepod responses to metal contamination in a complex aquatic environment.

20

21

19

KEYWORDS

- 22 Bioaccumulation, copepod, ecotoxicology, trace metal, *Paracyclopina nana*, population
- 23 growth.

24

1. INTRODUCTION

26

Most aquatic ecosystems are increasingly contaminated with a mixture of trace metals, such as cadmium (Cd), copper (Cu), and nickel (Ni) which became common contaminants in freshwater and oceanic environments (Rollin & Ouiot, 2006). Their high concentrations in natural waters are originating from several anthropogenic activities including agriculture and aquaculture, industry, or urbanization (Thévenot et al., 2009; Förstner & Wittmann, 2012). Some metals such as Cu and Ni appear to be functionally essential to the metabolism of certain organisms at low concentrations (Langston & Bebianno, 1998) but can become toxic when they exceed a certain threshold concentration (Rainbow, Phillips & Depledge, 1990; Ansari et al., 2004). Cadmium was shown to be toxic only and without known physiological functions in any organism (Larsson et al., 1976; Yang et al., 1996; Godt et al., 2006). Cadmium is recognized as one of the most toxic non-essential metals for aquatic organisms (Taylor, 1983), leading to alterations of the endocrine system, development, reproduction, and behaviour (Sullivan et al., 1983; Toudal & Riisgård, 1987). Besides showing these direct toxic effects, metals show combined effects and have a high potential of bioaccumulation within organisms and within ecosystems (Rainbow, 1990; Pavlaki et al., 2017). Metals commonly bioaccumulate within organisms, and can reach harmful levels, causing physiological changes and cascading problems in trophic webs (Dobbs et al., 1996; Kouba et al., 2010). In aquatic ecosystems, copepods represent an important trophic link between lower trophic levels such as phytoplankton producers and secondary consumers like fish or invertebrate larvae (Breteler et al., 1990; Mauchline et al., 1998; Støttrup, 2000). Therefore, they can be an important factor in the biomagnification of toxic contaminants in aquatic food webs (Fisher et al., 2000; Stewart & Fisher, 2003). Due to their central position in marine food webs, copepods are often used as bioindicators and are used as invertebrate models in aquatic ecotoxicology studies (Raisuddin et al., 2007; Kwok et al., 2015; Dahms et al., 2016a). In addition, they are easy to cultivate because of their short life cycle and high fecundity (Raisuddin et al., 2007; Kulkarni et al., 2013). Of them, the brackish water cyclopoid copepod Paracyclopina nana Smirnov, 1935 has demonstrated a high potential both for the aquaculture in-

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

dustry and for ecotoxicological research (Lee et al., 2006; Lee et al., 2013; Dahms et al., 2016b). Native to the bays and estuaries of Eastern Asia (Japan, Taiwan, and South Korea), it presents a small size at adult stage (600 µm of total length on average), a high tolerance to temperature and salinity changes, and supports to be cultured at high densities (Lee et al., 2012; Lee et al., 2017). Its whole genome has even been sequenced and annotated (Ki et al., 2009; Han et al., 2015; Lee et al., 2015; Jeong et al., 2017) and is available at this web link: http://rotifer.skku.edu:8080/Pn. The first exposure tests of *P. nana* to environmental contaminants and other stressors showed interesting results on its molecular and biochemical responses. For example, induction of vitellogenin is used as a biomarker of exposure to metals. It could be shown that upon exposure to several metals (Cd, Cu, and As), the expression of vitellogenin transcripts in P. nana was induced in a stronger and increasing manner throughout its life cycle (Hwang et al., 2010). Also, in P. nana ovigerous females, increasing antioxidant enzyme and DNA repair activities coupled to an increasing mortality were shown in a dose-dependent manner in response to gamma radiation (Won and Lee, 2014). However, these studies were mostly carried out at a small scale with low individual numbers and often using a single contaminant for each treatment. Given the current ecotoxicological challenges with combined effects of several contaminants at the same time, it is demanding to use large individual numbers in larger mesocosms and several contaminants which is closer to the real world situation. An understanding of the effects of contaminant cocktails, such as metals, can provide a better understanding about ecological risks in natural situations. To date, the combined effects of metals on copepods are poorly known and some studies showed their additive or synergetic effects (Hagopian-Schlekat et al., 2001; Wong & Pak, 2004). Similarly, the bioavailability of metals is an important parameter to consider and only a few studies show that this parameter is closely correlated to the chemical speciation of metals (Batley et al., 2004). Recently, the bioaccumulation rates of Cd, Cu, and Ni were studied in the estuarine calanoid copepod E. affinis (Zidour et al., 2019). The authors found that the accumulation rate of each metal was higher in treatments alone than the combined effect of a three-metal mixture. A

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

lower bioaccumulation with the mixture could be explained by a competitive complexation occurring between the three metals, resulting in a saturation phenomenon of metal-binding sites. It would be interesting if this phenomenon applies also to another copepod species. Moreover, quantitative studies about the bioaccumulation of metals in cyclopoid copepods are still lacking. Furthermore, for tiny cyclopoids like *P. nana*, any experimental protocol for bioaccumulation study should consider a high number of individuals to reach the threshold value of a few mg of dry weight required for metal detection.

We firstly performed a bioaccumulation experiment with *P. nana* using 1/3 50% lethal concentration (LC50) of each metal based on the values to *E. affinis* applied to *P. nana*, from the point of view of pure comparison of the applied protocol and the attested effects. Then, the LC50 concentrations of *P. nana* for Cd, Cu, and Ni were measured by using the same protocol described in Tlili et al. (2016). This step allowed to perform a second bioaccumulation experiment using 1/3 LC50 of *P. nana*. Furthermore, we slightly modified the long-term mass culture conditions between both experiments by using a higher concentration of Cu in the second culture, as Cu seems to be the most labile metal in copepod bioaccumulation. It is important to compare both kinetics of bioaccumulation when initial conditions, in terms of initial loading of Cu in copepods, are totally different. Thus, we first replicated the experiment performed with *E. affinis* in the same conditions but by changing the copepod species (Experiment 1). Then we performed another experiment focused on the mixture using 1/3 LC50 of Cd, Cu, and Ni specific for *P. nana* but started the experiment with individuals already saturated in terms of Cu bioaccumulation (Experiment 2).

of Cd, Cu, and Ni *via* waterborne uptake and the effect of these trace metals on population growth and structure. We particularly challenged the competition hypothesis between these metals when combined.

In this study, we used the animal model copepod *P. nana* to quantify the bioaccumulation

2. MATERIALS AND METHODS

2.1. Copepod culture and experimental set-up

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

109

The copepod P. nana used in this experiment was initially obtained in 2015 from Prof. Jae-Seong Lee's lab at Sungkyunkwan University, South Korea and has been added to the copepod strain collection of Lille University in the Marine Station of Wimereux, France. Copepods are grown in the laboratory in large-scale culture systems of 300 L cylindrical acrylic tanks. The experimental conditions were the same as the regular culture conditions and also the same as in Zidour et al. (2019): $T = 18^{\circ}C$, salinity = 15 psu, 12h light: 12h dark photoperiod, and fed with the microalga Rhodomonas salina as in Arias et al. (2017). This widely distributed microalgae is the main species used to feed copepod cultures in the laboratory because of its fast growth and its nutritional value (Dahl et al., 2009). The protocol used for these two experiments is also the same as the one used in Arias et al. (2017) and as described below, with only few minor differences between the two of them. For each experiment, a whole column of 300 L of *P. nana* was filtered on a 33 µm mesh to keep the whole population. Half of the amount of copepods was kept for the experiment and concentrated in a 10 L beaker containing 15 psu seawater (filtered and autoclaved seawater + distilled water). This salinity was kept constant using a multiparametric probe. The remaining copepods was transferred to a new clean 300 L culture. Several experimental 10 L beakers were set-up. We tested the effect of feeding copepods

130

with *P. nana* on the bioaccumulation capacity in Experiment 2. The respective experimental

set-ups and beaker labels used for each experiment were detailed in Fig. 1.




FIGURE 1. Flow chart of the experimental design and beaker labels used for each experiment.

Each beaker was filled with 8 L of seawater at a salinity of 15. For each experiment and after homogenization, 1 L of the volume of concentrated copepods was added in each beaker of the experiment, and 3 L were used for initial sampling. Three volumes of 500 mL (n = 3) were individually filtered on a 33 μm mesh and concentrated with 70% ethanol for initial counting of the population structure, and three volumes of 500 mL (n = 3) were filtered through cellulose nitrate filters of 0.45 μm porosity (Whatman International Ltd., Maidstone, England). Filters containing copepods were dried in a desiccator for 72h and weighted for later metal analysis. Each time, 50 mL (n = 3) of the filtrate corresponding to culture water was collected and conditioned immediately in 50 μL pure nitric acid (HNO₃, Merck Suprapur 65%) for further analysis of residual metal concentrations. For each

experiment, the fed-treatments were initially fed with the microalga *R. salina* according to the protocol provided by Souissi et al. (2010).

2.2. Experimental monitoring

Daily sampling was the same as the initial sampling and was performed at 48h, 72h and 96h. The only difference was that a volume of 1 L was sampled from each beaker and filtered on a cellulose nitrate filter for metal analysis. Obtained filters were also weighed and dried daily in a desiccator throughout the whole experiment and the same volume of 50 μ L of filtrate was collected and fixed. A volume of 1 L was also sampled daily from each beaker and fixed with 70% ethanol for population structure analysis. Also, the fed beakers were given *R. salina*

2.3. Copepod individual counting

daily following the same method as mentioned above.

Copepods fixed with 70% ethanol were individually counted according to their sex and life stage using a stereomicroscope (model Olympus SZX12, Tokyo, Japan) and a desk manual counter with several units. Nauplii, copepodites (C1-C4), C5 males, C5 females, adult males, adult females and ovigerous females were differentiated according to morphological details (Hwang et al., 2010).

2.4. Metal analysis

Metal analysis was performed in the LASIR Laboratory, University of Lille (France) as described by Ouddane et al. (1999) with some modifications specified below. Once filters containing copepod samples were dry, they were mineralized with 3 mL ultrapure nitric acid (HNO₃, Merck Suprapur, 65%) in a Block Digestion System (Environmental Express

HotBlock® SC100, Charleston, SC, USA) at 105°C for two hours. Obtained solutions were then diluted with ultrapure water to a final volume of 10 mL. Respective elemental concentrations of the three targeted metals in the copepod and water samples were measured in triplicate against multi-element standards using an inductively coupled plasma atomic emission spectrometer (Agilent Technologies ICP-AES 5110, dual view, Santa Clara, CA, USA). Data obtained were expressed as the mean \pm standard deviation (SD).

2.5. Statistical analysis

In order to compare the concentration of each metal (Cd, Cu and Ni) in copepods and in water, two similar databases were built for each experiment. In the first column, supposed to be our dependent variable, we considered the metal concentration. Then we encoded in four different columns all sources of variability starting by replicate number, treatments (food, no food), metal (Cd, Cu, Ni) and exposure duration (48, 72, 96h). Then for each metal we first performed a multiway (n-way) analysis of variance (ANOVA) to test the effects of multiple factors on the mean of metal concentration either in copepods or in water. Then in a second step and because no significant differences between the treatments having two replicates were detected, we performed a two-way analysis of variance by considering only two factors treatment (food, no food) and exposure duration (48, 72, 96h). We also considered the interaction between these two factors in a two-way ANOVA model.

The same procedure was applied to the population structure of *P. nana* by using a similar database with the number of individuals per L as dependent variable and 4 factors composed of replicate, treatment, exposure duration, and life stage. The latter factor considered the following seven life stages: nauplii, copepodites (C1-C4), C5 males, C5 females, adult males, adult females, and ovigerous females. An additional variable composed by the sum of preadult (C5) and adult stages was also considered. The multi-way ANOVA and two-way ANO-

198 VA were applied in the same way as described for metals but by considering each develop-199 mental stage separately as well as a combination of them (8 variables in total).

For all two-way ANOVA analyses, a post-hoc test was performed by using the interactive graphical interface of MULTCOMPARE function of Matlab.

These analyses were performed using Matlab Software (Mathworks Inc., Version, 7.5).

3. RESULTS

3.1. Effects of metals on population growth of Paracyclopina nana

Total population growth

The total number of *P. nana* individuals obtained for each condition of each experiment is shown in **Table 1**.

TABLE 1. Detailed labels of the different conditions and their respective total population at 96h for each experiment.

Treatment	Microcosm	Label	Total population	Total population
description	number	Lauci	in Experiment 1	in Experiment 2
Control with food	#1	Cfood1	8268	1960
Control with food	#2	Cfood2	-	1698
Control without food	#1	Cnofood1	7476	1532
Control without	#2	Cnofood2	7616	1374

food				
Cadmium without food	#1	Cd1	5916	
Cadmium without food	#2	Cd2	5956	
Mixture				
(Cd+Cu+Ni)	#1	Mixfood1		2094
with food				
Mixture				
(Cd+Cu+Ni)	#2	Mixfood2		2152
with food				
Mixture		Mix1/		
(Cd+Cu+Ni)	#1	Mixnofood1	7216	1340
without food		Miniotodu		
Mixture		Mix2/		
(Cd+Cu+Ni)	#2	Mixnofood2	6440	1252
without food		MAHOIOOUZ		

For Experiment 1, the three control conditions showed more individuals than in the conditions exposed to the contaminants, Cd and Mix. Nevertheless, the Cnofood1 and Cnofood2 beakers corresponding to the unfed controls showed less individuals after 96h than the fed control (Cfood) which led to the highest population density with 8268 individuals L⁻¹. At exposed conditions, the Cd-exposed beakers (Cd1 and Cd2) final populations appeared still below those of all other conditions, with 5916 individuals L⁻¹ and 5956 individuals L⁻¹, respectively. Conversely, Mix1 and Mix2 beakers presented higher final populations than those of beakers exposed only to Cd. At the end of Experiment 2 at 96h, all control beakers (fed and unfed) showed a higher population density than the unfed exposed beakers

(Mixnofood1 and Mixnofood2), while populations in Cfood beakers were always higher than in the Cnofood ones. However, the Mixfood1 and Mixfood2 beakers presented the highest populations at 96h, even higher than all the control ones, with 2094 individuals L⁻¹ and 2152 individuals L⁻¹, respectively. Comparing the two experiments, overall results demonstrated that the one based on *E. affinis* LC50 concentrations was presenting always more individuals at each condition than the one using the proper *P. nana* LC50 concentrations.

Stage-specific composition

- For the first experiment, all 3-way ANOVA (replicates, treatments and exposition duration as factors) performed on the 8 life stages (or aggregated stages) showed significant levels (p<0.05) for only two factors (treatment and duration). Consequently, we performed 2-way ANOVA using only those factors and by adding their interaction.
- Fig. 2 presents the stage-specific composition of Experiment 1 over time.




FIGURE 2. Stage-specific composition of the *Paracyclopina nana* populations for each condition during Experiment 1: Nauplii (a), Copepodites (b), C5 Males (c), C5 Females (d), Adult males (e), Adult females (f), Ovigerous females (g), C5+Adults+Ovigerous (h).

The density of nauplii (**Fig. 2a**) was relatively high in every condition of the experiment. Both factors were significant but not their interaction (p = 0.188). In fact, nauplii showed an increasing density over time, and particularly in contaminant-exposed beakers, they reached 3956 ± 51 individuals L⁻¹ for the Cd beakers and 4638 ± 614 individuals L⁻¹ for the combined treatments. Copepodite (**Fig. 2b**) populations gradually aligned over time between the

different conditions, slightly decreasing in the control but increasing in the treatments, reaching 730 \pm 3 individuals L⁻¹ for the Cd and 688 \pm 51 individuals L⁻¹ for the Mix treatments. However, only the treatment factor was statistically significant (p<0.05). In the pre-adult stages (C5), the observed patterns in males (Fig. 2c) and females (Fig. 2d) were similar to the highest densities observed in the treatments of Cd and Mix at the beginning of the experiment, and then their numbers decreased over time, reaching the lowest density after 96h of exposure. Both tested factors and their interaction were statistically significant (p<0.05). The density of adult males (Fig. 2e) increased during the experiment in the fed control (Cfood), but their number varied slightly in other conditions over time. Only a slight decrease in their number was observed both in the unfed control (Cnofood) and in Cd and Mix conditions (372 \pm 17 individuals L⁻¹ and 392 \pm 6 individuals L⁻¹, respectively). Only the treatment factor was statistically significant. Contrary to adult females (ovigerous and nonovigerous), the interaction of both factors were statistically significant. Adult females (Fig. 2f) showed an increasing number during the experiment in the fed control (Cfood) and a rather stable population in the unfed control (Cnofood). Their density was increasing over time in both Cd and Mix-exposed conditions (584 \pm 28 individuals L⁻¹ and 702 \pm 25 individuals L⁻¹, respectively). The number of ovigerous females (Fig. 2g) globally decreased during the experiment in the control beakers (Cfood and Cnofood) but it decreased even more in the Cd and Mix-exposed beakers (112 individuals L^{-1} and 132 \pm 57 individuals L^{-1} , respectively, after 96h).

- The stage-specific composition of Experiment 2 over time is shown in **Fig. 3**.
- When 3-way ANOVA was applied to all stages only two factors (treatment and duration)
- showed significant levels. Consequently, we performed 2-way ANOVA using only those
- factors and their interaction.

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270




FIGURE 3. Stage-specific compositions of the *Paracyclopina nana* populations for each condition during Experiment 2: Nauplii (a), Copepodites (b), C5 Males (c), C5 Females (d), Adult males (e), Adult females (f), Ovigerous females (g), C5+Adults+Ovigerous (h).

The density of nauplii (**Fig. 3a**) was decreasing until the end of the experiment for all conditions. Only a slight increase was noted in the Mixfood beakers at 96h (Mixfood: 84 ± 18 individuals L⁻¹; Mixnofood: 107 ± 20 individuals L⁻¹). Both factors were significant (p<0.05) but not their interaction. Copepodites observed a fall in all the beakers at 72h, particularly for Mix conditions but their number slightly increased at each condition at 96h with the Mix ones always lower than the control ones (Mixfood: 134 ± 8 individuals L⁻¹; Mixnofood: 107 ± 14

individuals L-1) (Fig. 3b). However, statistically only the treatment factor was significant (p<0.05). The density of C5 males (Fig. 3c) was increasing in all the beakers during the experiment with Mixfood and Mixnofood being the highest after 96h with 105 ± 13 individuals L^{-1} and 82 ± 7 individuals L^{-1} , respectively. Both factors and their interaction were significant. C5 females observed a global increase also in each condition, with a very high final number in Mixfood beakers (203 \pm 23 individuals L⁻¹) (**Fig. 3d**), while Mixnofood beakers were lower than the control ones (112 \pm 4 individuals L⁻¹). The two-way ANOVA provided similar results for C5 females. The density of adult males increased after 96h in both the fed conditions Cfood and Mixfood (205 \pm 22 individuals L⁻¹ and 254 \pm 40 individuals L⁻¹, respectively) (Fig. 3e), whereas it decreased in the unfed treatments Cnofood and Mixnofood (104 \pm 17 individuals L⁻¹ and 85 \pm 10 individuals L⁻¹, respectively). Only the treatment factor was significant for males whereas both factors and their interaction were significant for females. The numbers of adult females increased in the fed treatments after 96h (Cfood: 200 ± 26 individuals L⁻¹; Mixfood: 264 ± 10 individuals L⁻¹) but decreased in Cnofood (143 \pm 13 individuals L⁻¹) and Mixnofood (154 \pm 18 individuals L⁻¹) (**Fig. 3f**). Initial densities of ovigerous females were very low but increased substantially after 96h in the fed conditions Cfood and Mixfood (34 \pm 11 individuals L⁻¹ and 16 \pm 12 individuals L⁻¹, respectively) (**Fig. 3g**). Both factors and their interaction were significant (p<0.05).

304

305

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

3.2. Bioaccumulation of metals in *Paracyclopina nana*

306

307

Initial concentrations in copepods and water

308

309

- The concentrations of the three metals were measured both in copepods and water from the initial copepod stock cultures used for each experiment (**Table 2**).
- 311 **TABLE 2.** Concentrations of cadmium (Cd), copper (Cu) and nickel (Ni) both in copepods
 312 and water from initial stock cultures for each experiment.

Experiment 1	Initial concentration	Initial concentration	Concentration used (1/3
	in copepods (µg.g ⁻¹ dw)	in water (µg.L ⁻¹)	LC50 of E. affinis) (µg.L-1)
Cd	0.02 ± 0.04	0.26 ± 0.5	92
Cu	20.7 ± 1.6	44.3 ± 5.9	21
Ni	3.7 ± 0.2	36.5 ± 0.9	96
Expariment 2	Initial concentration	Initial concentration	Concentration used (1/3
Experiment 2	in copepods (µg.g ⁻¹ dw)	in water (μg.L ⁻¹)	LC50 of <i>P. nana</i>) (µg.L ⁻¹)
Cd	0.08 ± 0.02	0.45 ± 0.05	87
Cu	226.9 ± 15.9	2.4 ± 0.1	58
Ni	4.4 ± 0.6	1.1 ± 0.4	90

Concentrations in copepods for the pre-exposed population always showed higher values for each metal than the copepods used for Experiment 1, particularly for Cu which was reaching $226.9 \pm 15.9 \ \mu g.g^{-1}$ dw, but was $20.7 \pm 1.6 \ \mu g.g^{-1}$ dw for Experiment 1. Conversely, concentrations in the water of each initial culture were generally higher for Experiment 1 than for Experiment 2, except for Cd, which reached $0.45 \pm 0.05 \ \mu g.L^{-1}$ in the culture intended for Experiment 2 but was $0.26 \pm 0.5 \ \mu g.L^{-1}$ for Experiment 1. Initial Cu and Ni concentrations in water for Experiment 1 were really high, with $44.3 \pm 5.9 \ \mu g.L^{-1}$ and $36.5 \pm 0.9 \ \mu g.L^{-1}$, respectively, whereas it was at $2.4 \pm 0.1 \ \mu g.L^{-1}$ and $1.1 \pm 0.4 \ \mu g.L^{-1}$, respectively, in the water of the pre-exposed culture.

Concentration in copepods

Final concentrations of the three tested metals in the copepod samples are presented in Fig. 4.




FIGURE 4. Final concentrations of cadmium (Cd), copper (Cu) and nickel (Ni) in copepods of each treatment of Experiment 1 (a) and Experiment 2 (b) after 96h of exposure.

Looking at the results of Experiment 1 (**Fig. 4a**), cadmium was present at very low concentrations in controls (Cfood: 0.16 µg.g⁻¹ dw; Cnofood: 0.21 µg.g⁻¹ dw) and at high

concentrations in the Cd and Mix conditions (18.8 \pm 1.5 μ g.g⁻¹ dw and 14.8 \pm 2.8 μ g.g⁻¹ dw, respectively), but still higher for Cd alone. The two-way ANOVA performed on Cd loadings showed that only the treatment factor was significant (p<0.05). Ni was only noticeably present at separate exposure; Mix ($14 \pm 0.6 \mu g.g^{-1}$ dw). Statistical analyses showed that only treatment and the interaction 'treatment x duration' were significant (p<0.05). Cu appeared as the most detected metal in copepods, showing high concentrations in the individuals from the Mix beakers, the only ones exposed to it $(172.2 \pm 50.6 \,\mu g.g^{-1} \,dw)$. However, Cu was also present in high and quite similar concentrations in both controls and Cd condition (33.5 \pm 0.03 µg.g⁻¹ dw for the Cd treatment). Both factors were significant but not their interaction. Additionally, both Cu and Ni appeared to be higher in the fed control copepods than in the unfed ones. In Experiment 2, Cd was present at very low concentrations in the control (Cfood: 0.04 µg.g⁻¹ dw; Cnofood: 0.06 µg.g⁻¹ dw) but more concentrated in copepods from the Mix conditions (Fig. 4b). Thus, its accumulation was higher when copepods were fed (Mixfood: 6.7 µg.g⁻¹ dw; Mixnofood: 3.3 µg.g⁻¹ dw). The same tendency appeared for Ni, which was present at elevated concentrations under Mix conditions as well, and was very high in the Mixfood one (Mixfood: 12.5 μg.g⁻¹ dw; Mixnofood: 4.9 μg.g⁻¹ dw). Cu was also the most detected metal in copepods, showing important concentrations in the exposed Mix conditions, with 98.7 µg.g⁻¹ dw for Mixfood and 149.5 µg.g⁻¹ dw for Mixnofood. Like Cd and Ni, Cu was higher in the fed controls than in the unfed ones, but was more concentrated in the copepods from Mixnofood than in the ones from Mixfood. Only for all metals the treatment factor was satatistically significant (p<0.05). The concentrations of the three tested metals during the whole experiments in the

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

The concentrations of the three tested metals during the whole experiments in the copepods from the Mixfood conditions are shown in **Fig. 5**.




FIGURE 5. Concentrations of cadmium (Cd), copper (Cu) and nickel (Ni) in copepods of the Mixfood condition during Experiment 1 (a) and Experiment 2 (b).

The relative bioaccumulation values for Experiment 1 (**Fig. 5a**) showed that Cu concentrations in copepods always increased over time. It was by far the most accumulated metal in copepods, whereas it was the one introduced at the lowest concentration. Cd and Ni, for their part, showed similarly increasing bioaccumulation rates, in a much lower range than Cu. Looking at the results for Experiment 2 (**Fig. 5b**), Cu appeared once again as the most concentrated metal in copepods, but its concentration in the sample was decreasing over time. The accumulation of Cd and Ni was quite identical as for the other experiment and still low compared to Cu. Both of their concentrations increased in copepods during the experiment.

Concentration of metals in water

- The final respective concentrations of the three tested metals in the water samples are shown
- 373 in **Fig. 6**.




FIGURE 6. Final concentrations of cadmium (Cd), copper (Cu) and nickel (Ni) in the water of each condition of Experiment 1 (a) and Experiment 2 (b) after 96h of exposure.

Exposure conditions

Results for Experiment 1 (**Fig. 6a**) showed that Cd concentrations in the water of the beakers at the end of the experiment was low in all the controls but were very high in all the exposed ones, with $72.7 \pm 1.2 \,\mu g.L^{-1}$ for Cd and $72.9 \pm 3.3 \,\mu g.L^{-1}$ for Mix. The same trend was found with Ni, which was very low in all controls and the Cd-exposed beakers (Cd) but very high in the water of the exposed Mix beakers (59.4 \pm 3.7 $\mu g.L^{-1}$). Cu was the highest in the Mix

beakers (15.7 \pm 3.3 μ g.L⁻¹) but generally low compared to the Cd and Ni concentrations. These trends were obviously due to the initial addition of high concentrations of metals in the exposed beakers. The two-way ANOVA performed on each metal showed similar results for Cd and Ni, with treatment, duration and their interaction significant (p<0.05). But for Cu only treatment factor was significant. **Fig. 6b** shows the results for Experiment 2. Very low concentrations of the three tested metals were observed in the water of all the control beakers, fed and unfed, but high concentrations appeared in both Mixfood and Mixnofood beakers at the end of the experiment, with similar values for the three metals, all of them between 42 and 46 μ g.L⁻¹. Only the treatment factor was statistically significant in all metals.

experiments were compared in Fig. 7.




FIGURE 7. Concentrations of cadmium (Cd), copper (Cu) and nickel (Ni) in the water of the Mix condition during Experiment 1 (a) and the Mixfood condition during Experiment 2 (b).

Results for Experiment 1 (**Fig. 7a**) indicate that all concentrations in the Mix beakers were quite steady throughout the whole experiment, with Cd and Ni being the highest compared to Cu. **Fig. 7b** shows the corresponding results for Experiment 2. The concentration of all of the three tested metals in the water of the Mixfood beakers was increasing throughout the whole experiment, slightly for Cd and Ni but considerably for Cu, which presented the lowest concentration among the three at the beginning but became the highest after 96h of exposure.

4. DISCUSSION

4.1. Effects of metals on population growth of *Paracyclopina nana*

Total population growth

Overall results for Experiment 1 and for Experiment 2 showed that the total number of individuals was always higher in the control than in the treaments with metals. It is recognized that trace metals have toxic effects on marine organisms and can even affect their survival (Bryan, 1971; Calabrese et al., 1977; Florence et al., 1994; Zyadah & Abdel-Baky, 2000; Berasategui et al., 2018). Here, the decreasing populations observed among the different conditions of the experiments were due to mortality that occurred during the *P. nana* life cycle.

Results of Experiment 1 showed that the lowest final population size among all conditions was obtained when copepods were exposed to Cd alone, whereas the mixture led to an increasing and higher final population density. Zidour et al. (2019) also found that the metal mixture composed of sublethal concentrations of Cd, Cu, and Ni did not present additive or synergistic effect in terms of mortality to the calanoid copepod *E. affinis*, whereas Cu alone induced a very high mortality rate. Brand et al. (2004) also showed that the total population

size of the copepod *Tisbe holothuriae* was always reduced when exposed to Cd only, even at low concentrations.

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

All conditions from Experiment 2 provided increasing population densities after 96h of exposure, except the populations from the unfed controls (Cnofood). The highest final populations were even obtained from the Mixfood beakers, being higher than all the control populations. The exposure to the mixture, therefore, did not affect the growth of the copepod population used for Experiment 2. This initial copepod cultures were grown for several months in 15 psu seawater made of the classic seawater used in the laboratory and tap water containing above average concentrations of Cu. Therefore, copepods growing in this culture were chronically exposed to the metal and already accumulated it in an abnormally high concentration, and were even already saturated in Cu before the beginning of the experiment. This led to the fact that copepods were not able to bioaccumulate more Cd, Cu, and Ni used at sublethal concentrations in the Mix beakers, and they were also not able to fully release their high accumulated metal concentrations due to a lack of completely uncontaminated water. These results may shed light on a phenomenon of tolerance to metals, and particularly Cu, that appeared in the *P. nana* population before the experiment. Moraitou-Apostolopoulou et al. (1983) observed a tendency for higher tolerance to Cu over generations of the marine copepod Tisbe holothuriae due to acclimation. The delay in maturation time induced by Cu in the F2 generation appeared less pronounced in F3 and similar to that of untreated individuals. The initial 48h-LC50 also presented an increase in the F3 and F5 generations. The P. nana population used for our experiment may have developed a metal tolerance over generations during its several months of acclimation. In addition, the Mixfood beakers eventually turned out to be those offering a most similar environment to the one where copepods were adapted to, containing metals and food. Therefore, were not affected by these conditions but developed at these particular treatments. Another hypothesis proposed by Kadiene et al. (2019) was followed here as well. The authors showed that copepods are able to take in water orally thanks to a dyed medium and that the dye concentrated into the gut epithelium of the copepods. This phenomenon supported the idea that oral water intake may be involved in the higher metal body accumulation observed in copepods exposed to dissolved metals compared to those exposed to dietary metals. Feeding would then reduce the stress associated with exposure to dissolved metals in copepods by filling the guts, and preventing it from additional intake of metal-loaded water.

In both experiments, the unfed control Cnofood presented a decreasing population whereas the population for the fed control Cfood was always increasing to become one of the highest. In the Cfood beakers, these already contaminated copepods were fed and able to eliminate a part of their accumulated metals to the ambient water. It became obvious that starved copepods had decreasing population densities due to mortality (Cowey & Corner, 1963; Threlkeld, 1976). The mortality rate of *Calanus helgolandicus* was 5.0-6.5% per day for starved copepods and below 1% for fed ones in the starvation experiment performed by Cowey & Corner (1963). But this effect was reinforced when subjects are exposed to contaminants or additional stress such as non-optimal salinity (Devreker et al., 2004). Results of Experiment 2 showed that copepod populations of the Mixnofood beakers were lowest. The exposure to metals coupled to a lack of food amplified copepod mortality and population decrease. Pedroso et al. (2007) exposed the euryhaline copepod *Acartia tonsa* to silver and proved that the mortality observed in starved copepods was explained by a decrease in the body concentration of Mg²⁺ due to the inhibition of the associated enzymes by increasing silver concentrations.

Comparing results from Experiment 1 and Experiment 2 demonstrated higher population densities in *P. nana* of Experiment 1 using the LC50 concentrations of *E. affinis*. This proves that LC50 concentrations for the same metals were higher than for *P. nana* than those for *E. affinis*, and so that *P. nana* appears as a less sensitive copepod species to metals compared to *E. affinis* (Dahms et al., 2016).

Stage-specific composition

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

Our results from Experiment 1 showed an abundance of nauplii in all treatments with an increasing density over time, particularly in the conditions exposed to metals, Cd and Mix. Zidour et al. (2019) also demonstrated an increasing number of nauplii of E. affinis in the Cd treatment. In their study, the copepodite density also increased at the end of the experiment particularly with Cd. Increased copepodites likely correspond to the high number of resisting nauplii who turned into copepodites. The increasing densities of larval and juvenile stages despite the exposure to metals may also be explained by the concentrations used for this experiment corresponded to the respective LC50 values of E. affinis and were too low for P. nana, which appeared as less sensitive to metals. Pre-adult individuals (C5 males and females) appeared to be much affected by metal exposure as their densities decreased over time in the metal treatments. The same pattern was found by Zidour et al. (2019), the number of pre-adults of E. affinis decreased after exposure to Cd, Cu, and Ni, studied alone and in mixture. Copepod C5 individuals, therefore, appeared as a metal-sensitive life stage. This sensitivity could be related to the physiological requirements and the energetic cost of maturation from C5 to the final reproductive C6 stage. A slight decrease appeared in the densities of adult males at the end of the experiment in Cd and Mix conditions. Conversely, the number of adult females globally increased at all conditions, particularly the exposed ones. In copepods, male sensitivity was often described as higher than those of females. The male survival of the harpacticoid copepod Amphiascus tenuiremis exposed to Cu, Pb and Ni was significantly lower than that of female (Hagopian-Schlekat et al., 2001). Finally, our results showed that the densities of P. nana ovigerous females globally dropped at all the conditions of the experiment, and even more at metal exposure. The number of E. affinis ovigerous females decreased considerably when exposed both to Cd and Ni compared to the control, whereas no effect was observed in the combined treatment (Zidour et al., 2019). A similar phenomenon happened in our study as the population of ovigerous females in the Mix beakers decreased after 96h but appeared always higher than that of the Cd beakers and even reached one of the highest abundance, comparable to the controls. Ovigerous female densities were generally low indicating that this life stage was most sensitive to metals as shown earlier (Dur et al., 2009).

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

For Experiment 2, the densities of nauplii and copepodites started very low compared to Experiment 1 and had lower densities at all conditions. There was only a slight increase of population densities at 96h in some exposed beakers. It has been widely reported that nauplii are a particularly sensitive life stage when exposed to high metal concentrations (Kadiene et al., 2019). The most sensitive life stage of the copepod *Tisbe holothuriae* to both Cu and Cd was the one-day-old nauplius (Verriopoulos and Moraitou-Apostopoulou, 1982). Similarly, nauplii of the marine copepod *Tigriopus brevicornis* appeared to be two to four times more sensitive than adults and copepodites for exposure to all tested contaminants, including Cd, arsenic (As), and four different pesticides (Forget et al., 1998). The Cd LC50 of the naupliar and copepodites stages of the asiatic copepod *Pseudodiaptomus annandalei* were very low, with 40.3 μg.L⁻¹ Cd and 120.4 μg.L⁻¹ Cd, respectively (Kadiene et al., 2019). Accordingly, in this study, the newly hatched nauplii showed a drastic decrease. The reduction of larval survival affected the recruitment potential of nauplii and resulted in a decreasing copepodites population. Conversely, the densities of C5 males and C5 females increased at all conditions during the experiment, particularly in the fed ones, with very high final densities for the Mixfood beakers. Moreover, a similar trend was observed for the adult stage: the numbers of adult males, females, and ovigerous females all increased overall at fed conditions, and particularly in the Mixfood treatment. This phenomenon can be explained by the fact that C5 individuals introduced in the experiment were already used to metal-contaminated water because of their prior acclimation. The pre-adult individuals from this population appeared to be tolerant to metals and thus developed within the experiment, especially in the exposed and fed beakers that correspond to their acclimation living conditions, and lead to thriving adults. The introduction of the food parameter in the experiment also confirmed this acclimation phenomenon in copepods since these individuals developed better under fed conditions than unfed and were, therefore, more affected by the lack of food than by exposure to metals. This can be explained by the necessity of energy supplies assisting in the energetic costs of detoxification. The occurrence of metal tolerance has already been reported in copepods. Kwok et al. (2009) studied the marine copepod *Tigriopus japonicus* and showed that it can develop a Cu resistance through multigeneration acclimation to high Cu levels and that this resistance was increased from the very first generation of acclimation. Similarly, chronically exposed lines of the copepod *Tigriopus californicus* to sub-lethal Cu concentrations for 12 generations showed an increasing Cu tolerance over time from generation 3 onwards (Sun et al., 2014). Multigenerational exposure to Cu, therefore, generated a response consistent with the procedure of long-term acclimation in our study. For both experiments, our results showed much lower adult male numbers than females. Particularly in Experiment 2, which led to about half as many males as females. This parameter is affected by several factors such as species-specificity, but it was shown before that copepod males are more sensitive than females to contaminants. The study of the different lethal responses between male and female copepods to Cd toxicity revealed that males of P. annandalei were almost twice as sensitive as females when comparing their respective LC50 (120.6 µg.L⁻¹ Cd for males and 239.5 µg.L⁻¹ Cd for females) (Kadiene et al.,

When comparing results from both experiments, we clearly saw that Experiment 2 gave far fewer individuals of each life stage in each condition than Experiment 1. The second experiment resulted in more than half as many adult males and females, and even more than ten time less ovigerous females than the first one. This is explained by the lack of survival of newly hatched nauplii, resulting in low recruitment and low population growth.

2017). The same conclusion was established for E. affinis before in terms of Cu and Ni

toxicity as LC50 for males were 25.0 mg.L⁻¹ Cd and 90.0 mg.L⁻¹ Ni, whereas female LC50

557

558

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

4.2. Bioaccumulation of metals in Paracyclopina nana

were 38.0 mg.L⁻¹ Cd and 161.0 mg.L⁻¹ Ni (Zidour et al., 2019).

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

Copepods from Experiment 1 accumulated high concentrations of metals at exposed conditions, and particularly in combined treatments as mixtures. This is explained by the fact that the population was originally grown in uncontaminated water without any acclimation to high metal concentrations. Results showed low initial concentrations of each metal in these copepods. We observed an upward trend with exposure time in the accumulation of the three tested metals. At the same time, a slight decrease of the three metal concentrations in water was noticed. All three metals were highly concentrated in copepods from the combined treatments, but Cu concentrations were always increasing over time and became particularly high after 96h. Besides, Cu concentrations in the water of the combined treatments were lowest compared to Cd and Ni which were highly concentrated, thus showing the opposite trend. However, Cu was the metal introduced at the lowest concentration at the beginning of the experiment. Cu therefore appeared as a more easily accumulable metal than Cd and Ni. This is explained by Cu being an essential trace metal and marine invertebrates present the ability to accumulate dissolved Cu from water directly by absorption through body surfaces (Pinho et al., 2007). The calanoid copepods E. affinis and P. annandalei both demonstrated a higher uptake of Cu than Cd and Ni from the dissolved phase, whereas it was the lowest concentrated in the dissolved metal mixture at the beginning of the experiment (Kadiene et al., 2019). This may also introduce the idea of a competition for the absorption between the metals present in a mixture, as found for the same three metals with E. affinis (Zidour et al., 2019). The metal presenting the highest affinity with the metal-binding sites in the body of copepods may thus saturate these sites, preventing other metals to fix themselves, and resulting in being the most accumulated metal among the combined treatments. This idea is confirmed when comparing the respective Cd bioaccumulation levels in both the treatment with Cd alone and with the mixture. Higher Cd concentrations were found in copepods from the Cd alone beakers than in copepods from the mixture. Copepods were not able to accumulate as much Cd in the mixture as the diversity of metals introduced a competition for binding sites and their rapid saturation preventing a higher Cd absorption.

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

In Experiment 2, copepods also accumulated metals more at the exposed conditions than the controls, but to a lesser extent. Cu was the most detected metal in copepod samples but lower concentrations of each metal were found in copepods from Mixfood than in Experiment 1. Cd was even half as accumulated as in the first experiment. Copepods from the second experiment were growing for months in water containing sub-lethal concentrations of metals and, therefore, had acclimated to metal exposure. Initial concentrations showed that individuals from this population had already concentrated metal levels, particularly in Cu, and so their bioaccumulation capacity against the exposure conditions of the experiment was not as high as the population used in Experiment 1. That explains the three tested metals had high concentrations (more than 40 µg.L⁻¹) in the water of all the Mix beakers of the second experiment. Interestingly, Cu concentrations were always decreasing over time in copepods from Mixfood. It was also the lower concentrated metal in water of these beakers at the beginning of the experiment. However, it constantly increased over time to concentrations more than twice as high as that of Experiment 1. At the beginning of this experiment, copepods were actually more concentrated in metals than the water they were transferred to where they depurated and released their accumulated metals into the experimental water, particularly for Cu. Such rapid uptake and depuration rates of contaminants suggest that copepods are able to quickly respond to changing concentrations in their environment, confirming their strong potential as bioindicators in aquatic environments.

When comparing overall results for the feeding parameter, metal concentrations in copepods were mainly higher for the fed conditions than the unfed ones, and for both experiments. Each of the three metals was more concentrated in copepods from the fed controls than in the unfed ones for the two experiments. Looking at exposed conditions, Cd and Ni were also higher in copepods from Mixfood than Mixnofood of Experiment 2. Copepods therefore, accumulate more metals when they are fed, for the same exposure

concentrations. Some studies already proved the existence of an increased effect of food presence on the bioaccumulation of contaminants and that food-borne contamination is a major factor to consider for the body concentrations of several elements (Kadiene et al., 2019). Assimilation efficiency of trace elements is expected to increase with longer gut passage time, therefore corresponding to feeding and digestive intervals.

5. CONCLUSIONS

The contrasting results from the two different populations revealed the plastic survival and bioaccumulation capacity of *P. nana* for metals. The first experiment based on a regular population showed that metal exposure induces reduction in population growth and increased bioaccumulation in individuals. Cd was even more accumulated when it was treated separately than when in combined mixture. This unveils a phenomenon of competition between metals in mixture for the absorption in copepods. The second experiment started with a population already pre-exposed to metals over several generations and revealed a population growth that was less affected by metals and lower metal concentrations in exposed individuals. The overall metal concentrations decreased in the copepods and increased in experimental waters, demonstrating a depuration phenomenon in this population that was already loaded with metals and acclimated to metal exposure. The overall results also showed that food attenuated the effects of metal exposure on population growth but increased the bioaccumulation capacity of metals. This study sheds light on the parameters that affect the bioaccumulation of metals of copepods in contaminated aquatic ecosystems.

ACKNOWLEDGEMENTS

This study is a part of the Ph. D. thesis of Paul Dayras from the University of Lille which is half-funded by the University of Lille and half-funded by the region Hauts-de-France. This

work is a contribution to the COPEFISH project (a Young Researcher Emerging Project of the Nord-Pas-de-Calais Regional Council and a long-term partnership between Aquarium Nausicaa and University of Lille) and also to the CPER 2014-2020 MARCO project funded by the French government and the region Hauts-de-France, Europe (FEDER) and IFREMER. We thank the Agglomeration Community of Boulogne-sur-Mer (CAB) for providing experimental facilities in the business incubator Haliocap allowing to perform copepod mass cultures and experiments under controlled conditions. We are very thankful to Mahammed Zidour for his great help and contribution to metal analyses. We are grateful to Dominique Menu for his help with the installation and maintenance of the experimental space. We also thank all past and current team members of Sami Souissi for their efforts to continuously maintain micro-algae and copepod cultures. This work benefitted from the French GDR "Aquatic Ecotoxicology" framework which aims at fostering stimulating scientific discussions and collaborations for more integrative approaches.

652

653

639

640

641

642

643

644

645

646

647

648

649

650

651

REFERENCES

- Ansari, T. M., Marr, I. L., & Tariq, N. (2004). Heavy metals in marine pollution
- 656 perspective—a mini review. Journal of Applied Sciences, 4(1), 1-20.
- 657 https://doi.org/10.3923/jas.2004.1.20
- Arias, A. H., Souissi, A., Glippa, O., Roussin, M., Dumoulin, D., Net, S., Ouddane, B., ... &
- Souissi, S. (2017). Removal and biodegradation of phenanthrene, fluoranthene and
- pyrene by the marine algae *Rhodomonas baltica* enriched from North Atlantic
- 661 Coasts. Bulletin of Environmental Contamination and Toxicology, 98(3), 392-399.
- https://doi.org/10.1007/s00128-016-1967-4
- Batley, G. E., Apte, S. C., & Stauber, J. L. (2004). Speciation and bioavailability of trace
- metals in water: progress since 1982. Australian Journal of Chemistry, 57(10), 903-919.
- 665 https://doi.org/10.1071/CH04095

- Berasategui, A. A., Biancalana, F., Fricke, A., Fernandez-Severini, M. D., Uibrig, R., Dutto,
- M. S., ... & Hoffmeyer, M. S. (2018). The impact of sewage effluents on the fecundity
- and survival of *Eurytemora americana* in a eutrophic estuary of Argentina. *Estuarine*,
- 669 Coastal and Shelf Science, 211, 208-216. https://doi.org/10.1016/j.ecss.2017.08.034
- Brand, G. W., Fabris, G. J., & Arnott, G. H. (1986). Reduction of population growth in *Tisbe*
- 671 holothuriae Humes (Copepoda: Harpacticoida) exposed to low cadmium
- 672 concentrations. Marine and Freshwater Research, 37(4), 475-479.
- https://doi.org/10.1071/MF9860475
- Breteler, W. K., Schogt, N., & Gonzalez, S. R. (1990). On the role of food quality in grazing
- and development of life stages, and genetic change of body size during cultivation of
- pelagic copepods. Journal of Experimental Marine Biology and Ecology, 135(3), 177-
- 677 189. https://doi.org/10.1016/0022-0981(90)90117-U
- Bryan, G. W. (1971). The effects of heavy metals (other than mercury) on marine and
- estuarine organisms. Proceedings of the Royal Society of London. Series B. Biological
- Sciences, 177(1048), 389-410. https://doi.org/10.1098/rspb.1971.0037
- Calabrese, A., MacInnes, J. R., Nelson, D. A., & Miller, J. E. (1977). Survival and growth of
- bivalve larvae under heavy-metal stress. Marine Biology, 41(2), 179-184.
- 683 https://doi.org/10.1007/BF00394024
- 684 Cowey, C. B., & Corner, E. D. S. (1963). On the nutrition and metabolism of zooplankton II.
- The relationship between the marine copepod *Calanus helgolandicus* and particulate
- material in Plymouth sea water, in terms of amino acid composition. Journal of the
- 687 Marine Biological Association of the United Kingdom, 43(2), 495-511.
- https://doi.org/10.1017/S0025315400000473
- Dahl, U., Lind, C. R., Gorokhova, E., Eklund, B., & Breitholtz, M. (2009). Food quality
- 690 effects on copepod growth and development: implications for bioassays in
- 691 ecotoxicological testing. Ecotoxicology and Environmental Safety, 72(2), 351-357.
- https://doi.org/10.1016/j.ecoenv.2008.04.008

- 693 Dahms, H.-U., Won, E.-J., Kim, H.-S., Han, J., Park, H. G., Souissi, S., & Lee, J.-S. (2016a).
- Potential of the small cyclopoid copepod *Paracyclopina nana* as an invertebrate model
- 695 for ecotoxicity testing. *Aquatic Toxicology*, 180, 282-294.
- 696 https://doi.org/10.1016/j.aquatox.2016.10.013
- 697 Dahms, H.-U., Huang, D.-J., Lee, S.H., Chen, W.-Y., Soong, K., & Hwang J.-S. (2016b). The
- challenging role of life cycle monitoring evidence from bisphenol A on the copepod
- 699 Tigriopus japonicus. Hydrobiologia Special volume "Challenging roles of Aquatic
- 700 Sciences" 784, 81–91. https://doi.org/10.3354/hydr.194211
- 701 Devreker, D., Souissi, S., & Seuront, L. (2004). Development and mortality of the first
- naupliar stages of *Eurytemora affinis* (Copepoda, Calanoida) under different conditions
- of salinity and temperature. Journal of Experimental Marine Biology and
- 704 *Ecology*, 303(1), 31-46. https://doi.org/10.1016/j.jembe.2003.11.002
- 705 Dobbs, M. G., Cherry, D. S., & Cairns Jr, J. (1996). Toxicity and bioaccumulation of
- selenium to a three trophic level food chain. *Environmental Toxicology and Chemistry:*
- 707 *An International Journal*, 15(3), 340-347. https://doi.org/10.1002/etc.5620150318
- 708 Dur, G., Souissi, S., Devreker, D., Ginot, V., Schmitt, F. G., & Hwang, J.-S. (2009). An
- individual-based model to study the reproduction of egg bearing copepods: Application
- to Eurytemora affinis (Copepoda Calanoida) from the Seine estuary, France. Ecological
- 711 *Modelling*, 220(8), 1073-1089. https://doi.org/10.1016/j.ecolmodel.2008.12.013
- 712 Fisher, N. S., Stupakoff, I., Sañudo-Wilhelmy, S., Wang, W. X., Teyssié, J. L., Fowler, S. W.,
- & Crusius, J. (2000). Trace metals in marine copepods: a field test of a bioaccumulation
- model coupled to laboratory uptake kinetics data. Marine Ecology Progress Series, 194,
- 715 211-218. https://doi.org/10.3354/meps194211
- 716 Florence, T. M., Stauber, J. L., & Ahsanullah, M. (1994). Toxicity of nickel ores to marine
- organisms. Science of the Total Environment, 148(2-3), 139-155.
- 718 https://doi.org/10.1016/0048-9697(94)90391-3

- 719 Forget, J., Pavillon, J. F., Menasria, M. R., & Bocquene, G. (1998). Mortality and
- 720 LC50Values for Several Stages of the Marine Copepod *Tigriopus brevicornis* (Müller)
- Exposed to the Metals Arsenic and Cadmium and the Pesticides Atrazine, Carbofuran,
- Dichlorvos, and Malathion. Ecotoxicology and Environmental Safety, 40(3), 239-244.
- 723 https://doi.org/10.1006/eesa.1998.1686
- Förstner, U., & Wittmann, G. T. (2012). Metal Pollution in the Aquatic Environment.
- 725 Springer Science & Business Media, 488 p.
- Godt, J., Scheidig, F., Grosse-Siestrup, C., Esche, V., Brandenburg, P., Reich, A., &
- Groneberg, D. A. (2006). The toxicity of cadmium and resulting hazards for human
- health. Journal of Occupational Medicine and Toxicology, 1(1), 22.
- 729 https://doi.org/10.1186/1745-6673-1-22
- Hagopian-Schlekat, T., Chandler, G. T., & Shaw, T. J. (2001). Acute toxicity of five sediment-
- associated metals, individually and in a mixture, to the estuarine meiobenthic
- harpacticoid copepod Amphiascus tenuiremis. Marine Environmental Research, 51(3),
- 733 247-264. https://doi.org/10.1016/S0141-1136(00)00102-1
- 734 Han, J., Won, E.-J., Kim, H. S., Nelson, D. R., Lee, S.-J., Park, H. G., & Lee, J.-S. (2015).
- 735 Identification of the full 46 cytochrome P450 (CYP) complement and modulation of
- 736 CYP expression in response to water-accommodated fractions of crude oil in the
- 737 cyclopoid copepod Paracyclopina nana. Environmental Science & Technology, 49(11),
- 738 6982-6992. https://doi.org/10.1021/acs.est.5b01244
- 739 Hwang, D.-S., Lee, K.-W., Han, J., Park, H. G., Lee, J., Lee, Y.-M., & Lee, J.-S. (2010).
- Molecular characterization and expression of vitellogenin (Vg) genes from the cyclopoid
- 741 copepod, Paracyclopina nana exposed to heavy metals. Comparative Biochemistry and
- 742 Physiology Part C: Toxicology & Pharmacology, 151(3), 360-368.
- 743 https://doi.org/10.1016/j.cbpc.2009.12.010
- 744 Jeong, C.-B., Kang, H.-M., Lee, M.-C., Kim, D.-H., Han, J., Hwang, D.-S., & Lee, J.-S.
- 745 (2017). Adverse effects of microplastics and oxidative stress-induced MAPK/Nrf2

- pathway-mediated defense mechanisms in the marine copepod Paracyclopina
- 747 *nana. Scientific reports*, 7, 41323. https://doi.org/10.1038/srep41323
- Kadiene, E. U., Bialais, C., Ouddane, B., Hwang, J. S., & Souissi, S. (2017). Differences in
- lethal response between male and female calanoid copepods and life cycle traits to
- 750 cadmium toxicity. *Ecotoxicology*, 26(9), 1227-1239. https://doi.org/10.1007/s10646-
- 751 017-1848-6
- Kadiene, E. U., Ouddane, B., Hwang, J. S., & Souissi, S. (2019). Bioaccumulation of metals
- 753 in calanoid copepods by oral intake. Scientific Reports, 9(1), 9492.
- 754 https://doi.org/10.1038/s41598-019-45987-2
- 755 Ki, J.-S., Park, H. G., & Lee, J.-S. (2009). The complete mitochondrial genome of the
- 756 cyclopoid copepod *Paracyclopina nana*: A highly divergent genome with novel gene
- 757 order and atypical gene numbers. Gene, 435(1), 13-22.
- 758 https://doi.org/10.1016/j.gene.2009.01.005
- Kouba, A., Buřič, M., & Kozák, P. (2010). Bioaccumulation and effects of heavy metals in
- 760 crayfish: a review. Water, Air, & Soil Pollution, 211(1-4), 5-16.
- 761 https://doi.org/10.1007/s11270-009-0273-8
- Kulkarni, D., Gergs, A., Hommen, U., Ratte, H. T., & Preuss, T. G. (2013). A plea for the use
- of copepods in freshwater ecotoxicology. Environmental Science and Pollution
- 764 Research, 20(1), 75-85. https://doi.org/10.1007/s11356-012-1117-4
- Kwok, K. W. T., Grist, E. P., & Leung, K. M. Y. (2009). Acclimation effect and fitness cost of
- copper resistance in the marine copepod Tigriopus japonicus. Ecotoxicology and
- 767 Environmental Safety, 72(2), 358-364. https://doi.org/10.1016/j.ecoenv.2008.03.014
- Kwok, K. W. T., Souissi, S., Dur, G., Won, E.-J., & Lee, J.-S. (2015). Copepods as references
- species in estuarine and marine waters. In *Aquatic Ecotoxicology* (pp. 281-308).
- 770 Academic Press. https://doi.org/10.1016/B978-0-12-800949-9.00012-7
- 771 Langston, W. J., & Bebianno, M. J. (Eds.). (1998). Metal Metabolism in Aquatic
- 772 Environments (No. 7). Springer Science & Business Media.

- Larsson, A., Bengtsson, B. E., & Svanberg, O. (1976). Some haematological and biochemical
- effects of cadmium in fish. In Effects of Pollutants on Aquatic Organisms (Soc. Exp.
- 775 *Biol. Seminar Ser.* (Vol. 2, p. 1976).
- Lee, K.-W., Park, H. G., Lee, S. M., & Kang, H. K. (2006). Effects of diets on the growth of
- the brackish water cyclopoid copepod *Paracyclopina nana* Smirnov. *Aquaculture*, 256(1-
- 778 4), 346-353. https://doi.org/10.1016/j.aquaculture.2006.01.015
- Lee, K.-W., Rhee, J.-S., Han, J., Park, H. G., & Lee, J.-S. (2012). Effect of culture density
- and antioxidants on naupliar production and gene expression of the cyclopoid copepod,
- 781 Paracyclopina nana. Comparative Biochemistry and Physiology Part A: Molecular &
- 782 Integrative Physiology, 161(2), 145-152. https://doi.org/10.1016/j.cbpa.2011.10.019
- 783 Lee, K.-W., Dahms, H.-U., Park, H. G., & Kang, J. H. (2013). Population growth and
- productivity of the cyclopoid copepods Paracyclopina nana, Apocyclops royi and the
- harpacticoid copepod *Tigriopus japo*nicus in mono and polyculture conditions:
- Alaboratory study. Aquaculture Research, 44(5), 836-840. https://doi.org/10.1111/j.1365-
- 787 2109.2011.03071.x
- 788 Lee, B.-Y., Kim, H.-S., Choi, B.-S., Hwang, D.-S., Choi, A.-Y., Han, J., ... & Park, H. G.
- 789 (2015). RNA-seq based whole transcriptome analysis of the cyclopoid copepod
- 790 Paracyclopina nana focusing on xenobiotics metabolism. Comparative Biochemistry
- 791 and Physiology Part D: Genomics and Proteomics, 15, 12-19.
- 792 https://doi.org/10.1016/j.cbd.2015.04.002
- 793 Lee, S.-H., Lee, M.-C., Puthumana, J., Park, J. C., Kang, S., Hwang, D.-S., Shin, K.-H., Park,
- H. G., Souissi, S., Om, A.-S., Lee, J.-S. (2017). Effects of salinity on growth, fatty acid
- synthesis, and expression of stress response genes in the cyclopoid copepod
- 796 Paracyclopina nana. Aquaculture, 470, 182-189.
- 797 https://doi.org/10.1016/j.aquaculture.2016.12.037
- Mauchline, J. (1998). The biology of calanoid copepods. Adv. Mar. Biol., 33, 1-710.

- Moraitou-Apostolopoulou, M., Kiortsis, M., Verriopoulos, V., & Platanistioti, S. (1983).
- Effects of copper sulphate on *Tisbe holothuriae* Humes (Copepoda) and development of
- to copper. Hydrobiologia, 99(2), 145-150.
- 802 https://doi.org/10.1007%2FBF00015041
- 803 Ouddane, B., Skiker, M., Fischer, J.C. & Wartel M. (1999). Distribution of iron and
- manganese in the Seine river estuary: approach with experimental laboratory mixing.
- *Journal of Environmental Monitoring 1 (5)*, 489-496. https://doi.org/10.1039/A903721G
- Pavlaki, M. D., Morgado, R. G., van Gestel, C. A., Calado, R., Soares, A. M., & Loureiro, S.
- 807 (2017). Influence of environmental conditions on the toxicokinetics of cadmium in the
- marine copepod Acartia tonsa. Ecotoxicology and environmental safety, 145, 142-149.
- https://doi.org/10.1016/j.ecoenv.2017.07.008
- Pedroso, M. S., Pinho, G. L., Rodrigues, S. C., & Bianchini, A. (2007). Mechanism of acute
- silver toxicity in the euryhaline copepod Acartia tonsa. Aquatic Toxicology, 82(3), 173-
- 812 180. https://doi.org/10.1016/j.aquatox.2007.02.009
- Pinho, G. L. L., Pedroso, M. S., Rodrigues, S. C., de Souza, S. S., & Bianchini, A. (2007).
- Physiological effects of copper in the euryhaline copepod *Acartia tonsa*: waterborne
- versus waterborne plus dietborne exposure. Aquatic Toxicology, 84(1), 62-70.
- 816 https://doi.org/10.1016/j.aquatox.2007.06.001
- Rainbow, P. S. (1990). Heavy metal levels in marine invertebrates. *Heavy metals in the*
- marine environment, 67-79, Robert W. Furness, CRC Press, 262 p.
- Rainbow, P. S., Phillips, D. J., & Depledge, M. H. (1990). The significance of trace metal
- 820 concentrations in marine invertebrates: a need for laboratory investigation of
- 821 accumulation strategies. Marine Pollution Bulletin, 21(7), 321-324.
- 822 https://doi.org/10.1016/0025-326X(90)90791-6
- 823 Raisuddin, S., Kwok, K. W. T., Leung, K. M. Y., Schlenk, D., & Lee, J.-S. (2007). The
- 824 copepod *Tigriopus*: a promising marine model organism for ecotoxicology and

- 825 environmental genomics. Aquatic Toxicology, 83(3), 161-173.
- 826 https://doi.org/10.1016/j.aquatox.2007.04.005
- 827 Rollin, C., & Quiot, F. (2006). Eléments traces métalliques-guide méthodologique:
- recommandations pour la modélisation des transferts des éléments traces métalliques
- dans les sols et les eaux souterraines. Rapp. d'étude INERIS.
- 830 Souissi, A., Souissi, S., Devreker, D., & Hwang, J.-S. (2010). Occurence of intersexuality in a
- laboratory culture of the copepod Eurytemora affinis from the Seine estuary
- 832 (France). *Marine Biology*, 157(4), 851-861. https://doi.org/10.1007/s00227-009-1368-x
- 833 Stewart, G. M., & Fisher, N. S. (2003). Bioaccumulation of polonium-210 in marine
- copepods. Limnology and Oceanography, 48(5), 2011-2019.
- https://doi.org/10.4319/lo.2003.48.5.2011
- 836 Støttrup, J. G. (2000). The elusive copepods: their production and suitability in marine
- 837 aquaculture. Aquaculture Research, 31(8-9), 703-711. https://doi.org/10.1046/j.1365-
- 838 2109.2000.318488.x
- 839 Sullivan, B. K., Buskey, E., Miller, D. C., & Ritacco, P. J. (1983). Effects of copper and
- 840 cadmium on growth, swimming and predator avoidance in Eurytemora affinis
- 841 (Copepoda). *Marine Biology*, 77(3), 299-306. https://doi.org/10.1007/BF00395819
- 842 Sun, P. Y., Foley, H. B., Handschumacher, L., Suzuki, A., Karamanukyan, T., & Edmands, S.
- 843 (2014). Acclimation and adaptation to common marine pollutants in the copepod
- 844 Tigriopus californicus. Chemosphere, 112, 465-471.
- https://doi.org/10.1016/j.chemosphere.2014.05.023
- 846 Taylor, D. (1983). The significance of the accumulation of cadmium by aquatic
- organisms. Ecotoxicology and Environmental Safety, 7(1), 33-42.
- 848 https://doi.org/10.1016/0147-6513(83)90046-5
- Thévenot, D. R., Lestel, L., Tusseau-Vuillemin, M. H., Gonzalez, J. L., & Meybeck, M.
- 850 (2009). Les métaux dans le bassin de la Seine. Programme Interdisciplinaire de
- Recherche sur l'Environnement de la Seine (PIREN-SEINE).

- 852 Threlkeld, S. T. (1976). Starvation and the size structure of zooplankton
- 853 communities. Freshwater Biology, 6(6), 489-496. https://doi.org/10.1111/j.1365-
- 854 2427.1976.tb01640.x
- Tlili, S., Ovaert, J., Souissi, A., Ouddane, B., & Souissi, S. (2016). Acute toxicity, uptake and
- 856 accumulation kinetics of nickel in an invasive copepod species: Pseudodiaptomus
- 857 *marinus. Chemosphere*, 144, 1729-1737.
- https://doi.org/10.1016/j.chemosphere.2015.10.057
- Toudal, K., & Riisgård, H. U. (1987). Acute and sublethal effects of cadmium on ingestion,
- 860 egg production and life-cycle development in the copepod Acartia tonsa. Marine
- 861 *Ecology Progress Series*, *37*, 141-146.
- Verriopoulos, G., & Moraitou-Apostolopoulou, M. (1982). Differentiation of the sensitivity to
- sees copper and cadmium in different life stages of a copepod. Marine Pollution
- 864 Bulletin, 13(4), 123-125. https://doi.org/10.1016/0025-326X(82)90368-X
- Won, E.-J., & Lee, J.-S. (2014). Gamma radiation induces growth retardation, impaired egg
- production, and oxidative stress in the marine copepod *Paracyclopina nana*. Aquatic
- 867 *Toxicology*, 150, 17-26. https://doi.org/10.1016/j.aquatox.2014.02.010
- Wong, C. K., & Pak, A. P. (2004). Acute and subchronic toxicity of the heavy metals copper,
- chromium, nickel, and zinc, individually and in mixture, to the freshwater copepod
- 870 Mesocyclops pehpeiensis. Bulletin of Environmental Contamination and
- 871 *Toxicology*, 73(1), 190-196. https://doi.org/10.1007/s00128-004-0412-2
- Yang, X., Baligar, V. C., Martens, D. C., & Clark, R. B. (1996). Cadmium effects on influx
- and transport of mineral nutrients in plant species. *Journal of Plant Nutrition*, 19(3-4),
- 874 643-656. https://doi.org/10.1080/01904169609365148
- 875 Zidour, M., Boubechiche, Z., Pan, Y. J., Bialais, C., Cudennec, B., Grard, T., Drider D.,
- Flahaut C., Ouddane B., & Souissi, S. (2019). Population response of the estuarine
- 877 copepod Eurytemora affinis to its bioaccumulation of trace metals. Chemosphere, 220,
- 878 505-513. https://doi.org/10.1016/j.chemosphere.2018.12.148

879	Zyadah, M. A., & Abdel-Baky, T. E. (2000). Toxicity and bioaccumulation of copper, zinc
880	and cadmium in some aquatic organisms. Bulletin of Environmental Contamination and
881	Toxicology, 64(5), 740-747. https://doi.org/10.1007/s001280000066

