

Supplementary materials:

In this section, the selection of the literature data used for the thermodynamic modelling of the Fe–Nb binary system and the Fe–Nb–Zr ternary system are detailed in order to complement the brief description given in our previous paper [1].

The complete quinary database is also provided within this section.

1. The Fe–Nb binary system

1.1 Selection of data

The temperatures and compositions of the invariant reactions, the homogeneity range of the C14 and μ phases, the solubility of the terminal solid solutions as well as the liquidus temperatures between the two eutectic reactions were taken from Voss *et al.* [2]. We also have considered the measurements of the homogeneity range of the C14 and μ phases reported by Bejarano *et al.* [3]. The solubility of the fcc and bcc solid solutions in the Fe-rich side performed by Eggers *et al.* [4], Genders *et al.* [5], Abrahamson *et al.* [6], Bejarano *et al.* [3] and Fischer *et al.* [7] are considered in this study. In addition, we have taken into account the liquidus temperature measurements reported by Voronov [8], Eggers *et al.* [4] and Gibson *et al.* [9] in the Fe-rich side. Finally, the solubility of the bcc solid solution in the Nb-rich side are taken from Bejarano *et al.* [3] and Takeyama *et al.* [10]. Just note that the measurements of the liquidus temperatures in the Nb-rich side performed by Goldschmidt *et al.* [11] are not considered in this study. Indeed, these measurements exhibit important disagreements with the critical assessments available in the literature [12,13]. This set of experimental data seems to be incompatible with other experimental data available in the literature. Concerning the thermodynamic parameters, we have taken into

account the values of the formation enthalpies of the $C14$ and μ phases calculated by Liu *et al.* [14], Mathon *et al.* [15] and Ladines *et al.* [16] as well as our own DFT calculations and the recent measurement of Syutkin *et al.* [17]. We considered the measurements of the mixing enthalpies of the liquid phase performed by Iguchi *et al.* [18] at 1873 K and Schaefers *et al.* [93]. We also considered activity measurements reported by Ichise *et al.* [20].

2. The Fe–Nb–Zr ternary system

2.1 Selection of data

All the phase equilibria determined by Liang *et al.* [21] at 973 K and Ramos *et al.* [22,23] at 1073 K and 1173 K and Toffolon *et al.* [24] at 1173 K were considered, except for those involving the $C36$ phase. Indeed, the $C36$ phase is found to be unstable according to our experimental investigations as well as our DFT calculations as reported in our previous paper [1]. More generally, the phase equilibria in the Zr-poor region reported by Granovsky *et al.* [25], Tang *et al.* [26] and Liang *et al.* [21] are not compatible with each other and thus are not considered in this study. At last, it should be noted that the recent measurements of Long *et al.* [27] agree well with those of Ramos *et al.* [96] and Granovsky *et al.* [25] for the $C14$ phase as well as those of Granovsky *et al.* [25] for the Ti_2Ni phase.

References

- [1] C. Toffolon-Masclet, L. Martinelli, C. Desgranges, P. Lafaye, J.C. Brachet, F. Legendre, J.-C. Crivello, J.-M. Joubert, D. Monceau, Development of thermokinetic tools for phase transformation studies of Zr alloys in service and LOCA conditions, in: Zirconium in the Nuclear Industry, ASTM International, Manchester, UK, May 2019 (to be published).
- [2] S. Voss, M. Palm, F. Stein, D. Raabe, Phase Equilibria in the Fe-Nb System, *J. Phase Equilibria Diffus.* 32 (2011) 97–104. <https://doi.org/10.1007/s11669-010-9808-3>.

- [3] J. Bejarano, S. Gama, C. Ribeiro, G. Effenberg, The Iron Niobium Phase-Diagram, *Z. Met.* 84 (1993) 160–164.
- [4] H. Eggers, W. Peter, The Iron-Niobium Phase Diagram, *Mitt Kaiser-Wilhelm Inst Eisenforsch.* 20 (1938) 199–203.
- [5] R. Genders, R. Harrison, Niobium-Iron Alloys, *J Iron Steel Inst.* 140 (1939) 29–37.
- [6] E.P. Abrahamson, S.L. Lopata, The Lattice Parameters and Solubility Limits of Alpha Iron as Affected by Some Binary Transition-Element Additions, *Trans.Metall.Soc.AIME.* 236 (1966) 76–87.
- [7] W. Fischer, K. Lorenz, H. Fabritius, D. Schlegel, Examination of a Gamma Transformation in Very Pure Binary Alloys of Iron with Molybdenum, Vanadium, Tungsten, Niobium, Tantalum, Zirconium and Cobalt, *Arch. Eisenhuttenwesen.* 41 (1970) 489.
- [8] N.M. Voronov, Alloys of Iron with Niobium, *Izv Akad Nauk SSSR Khim.* 1 (1937) 1369–1379. <https://doi.org/10.1007/BF02869000>.
- [9] W.S. Gibson, J.R. Lee, W. Hume-Rothery, Liquidus-solidus relations in iron-rich iron-niobium and iron-molybdenum alloys, *J Iron Steel Inst.* 198 (1961) 64–66.
- [10] M. Takeyama, N. Gomi, S. Morita, T. Matsuo, Phase Equilibria and Lattice Parameters of Fe₂Nb Laves Phase in Fe-Ni-Nb Ternary System at Elevated Temperatures, *MRS Online Proc. Libr. Arch.* 842 (2004). <https://doi.org/10.1557/PROC-842-S5.37>.
- [11] H.J. Goldschmidt, The Constitution of the Iron-Niobium-Silicon System, *J. Iron Steel Inst.* 194 (1960) 169–180.
- [12] H.-J. Lu, N. Zou, X.-S. Zhao, J.-Y. Shen, X.-G. Lu, Y.-L. He, Thermodynamic investigation of the Zr-Fe-Nb system and its applications, *Intermetallics.* 88 (2017) 91–100. <https://doi.org/10.1016/j.intermet.2017.05.008>.
- [13] A.V. Khvan, B. Hallstedt, Thermodynamic description of the Fe–Mn–Nb–C system, *Calphad.* 39 (2012) 62–69. <https://doi.org/10.1016/j.calphad.2012.09.001>.
- [14] S. Liu, B. Hallstedt, D. Music, Y. Du, Ab initio calculations and thermodynamic modeling for the Fe–Mn–Nb system, *Calphad.* 38 (2012) 43–58. <https://doi.org/DOI:10.1016/j.calphad.2012.03.004>.
- [15] M. Mathon, D. Connétable, B. Sundman, J. Lacaze, Calphad-type assessment of the Fe–Nb–Ni ternary system, *Calphad.* 33 (2009) 136–161. <https://doi.org/10.1016/j.calphad.2008.10.005>.
- [16] A.N. Ladines, T. Hammerschmidt, R. Drautz, Structural stability of Fe-based topologically close-packed phases, *Intermetallics.* 59 (2015) 59–67. <https://doi.org/10.1016/j.intermet.2014.12.009>.
- [17] E.A. Syutkin, A. Jacob, C. Schmetterer, A.V. Khvan, B. Hallstedt, A.T. Dinsdale, Experimental determination of the thermodynamic properties of the Laves phases in the Cr–Fe–Nb system, *Thermochim. Acta.* 624 (2016) 47–54. <https://doi.org/10.1016/j.tca.2015.12.001>.
- [18] Y. Iguchi, S. Nobori, K. Saito, T. Fuwa, A Calorimetric Study of Heats of Mixing of Liquid Iron Alloys Fe–Cr, Fe–Mo, Fe–W, Fe–V, Fe–Nb, Fe–Ta, *J Iron Steel Inst Jpn.* 68 (1982) 633–640. https://doi.org/10.2355/tetsutohagane1955.68.6_633.
- [19] K. Schaefers, M. Rösner-Kuhn, J. Qin, M.G. Frohberg, Mixing enthalpy and heat-content measurements of liquid binary iron niobium alloys, *Steel Res.* 66 (1995) 183–187.
- [20] E. Ichise, K. Horikawa, Thermodynamic Study of Fe–Ta and Fe–Nb Alloys by Means of the Knudsen Cell Mass Spectrometry, *ISIJ Int.* 29 (1989) 843–851. <https://doi.org/10.2355/isijinternational.29.843>.

- [21] J. Liang, M. Zhang, Y. Ouyang, G. Yuan, J. Zhu, J. Shen, M.R. Daymond, Contribution on the phase equilibria in Zr–Nb–Fe system, *J. Nucl. Mater.* 466 (2015) 627–633.
<https://doi.org/10.1016/j.jnucmat.2015.09.005>.
- [22] C. Ramos, C. Saragovi, M. Granovsky, D. Arias, Effects of Nb content on the Zr₂Fe intermetallic stability, *J. Nucl. Mater.* 312 (2003) 266–269. [https://doi.org/10.1016/S0022-3115\(02\)01677-X](https://doi.org/10.1016/S0022-3115(02)01677-X).
- [23] C. Ramos, C. Saragovi, M.S. Granovsky, Some new experimental results on the Zr–Nb–Fe system, *J. Nucl. Mater.* 366 (2007) 198–205. <https://doi.org/10.1016/j.jnucmat.2007.01.216>.
- [24] C. Toffolon-Masclet, J. Brachet, C. Servant, J. Joubert, P. Barberis, N. Dupin, P. Zeller, Contribution of Thermodynamic Calculations to Metallurgical Studies of Multi-Component Zirconium Based Alloys, Zirconium in the Nuclear Industry 15th Int. Symp. (2009).
<https://doi.org/10.1520/JAI101122>.
- [25] M.S. Granovsky, M. Canay, E. Lena, D. Arias, Experimental investigation of the Zr corner of the ternary Zr–Nb–Fe phase diagram, *J. Nucl. Mater.* 302 (2002) 1–8.
[https://doi.org/10.1016/S0022-3115\(02\)00718-3](https://doi.org/10.1016/S0022-3115(02)00718-3).
- [26] Y.-Y. Tang, C.-Z. Liao, J.-L. Meng, J.-M. Zhu, Q.-M. Zhu, L.-Q. Nong, J.-L. Liang, Phase equilibria in the Fe–Nb–Zr ternary system at 1,200 °C, *Rare Met.* 32 (2013) 201–207.
<https://doi.org/10.1007/s12598-013-0039-8>.
- [27] F. Long, M. Griffiths, Z. Yao, M.R. Daymond, Characterization of phases in the Zr–Nb–Fe ternary system at the Zr–Nb rich side of the phase diagram, *J. Nucl. Mater.* 534 (2020) 152142. <https://doi.org/10.1016/j.jnucmat.2020.152142>.

TDB :

ELEMENT /-	ELECTRON_GAS	0.0000E+00	0.0000E+00
0.0000E+00!			
ELEMENT VA	VACUUM	0.0000E+00	0.0000E+00
0.0000E+00!			
ELEMENT FE	BCC_A2	5.5847E+01	4.4890E+03
2.7280E+01!			
ELEMENT CR	BCC_A2	5.1996E+01	4.0500E+03
2.3560E+01!			
ELEMENT NB	BCC_A2	9.2906E+01	5.2200E+03
3.6270E+01!			
ELEMENT SN	BCT_A5	9.2906E+01	5.2200E+03
3.6270E+01!			
ELEMENT ZR	HCP_A3	9.1224E+01	5.5663E+03
3.9181E+01!			
FUNCTION GHSERCR 298.15 -8856.94+157.48*T-26.908*T*LN(T)+.00189435*T**2			
-1.47721E-06*T**3+139250*T**(-1); 2180 Y			
-34869.344+344.18*T-50*T*LN(T)-2.88526E+32*T**(-9); 6000 N !			
FUNCTION GLIQCR 298.15 +GHSERCR#+24339.955-11.420225*T+2.37615E-			
21*T**7;			
2180 Y			
-16459.984+335.616316*T-50*T*LN(T); 6000 N !			
FUNCTION GFCCR 298.15 +GHSERCR#+7284+.163*T; 6000 N !			
FUNCTION GHPCR 298.15 +GHSERCR#+4438; 6000 N !			
FUNCTION GHSERFE 298.15 +1225.7+124.134*T-23.5143*T*LN(T) -			
.00439752*T**2			
-5.8927E-08*T**3+77359*T**(-1); 1811 Y			
-25383.581+299.31255*T-46*T*LN(T)+2.29603E+31*T**(-9); 6000 N !			
FUNCTION GFCCFE 298.15 -236.7+132.416*T-24.6643*T*LN(T)-.00375752*T**2			
-5.8927E-08*T**3+77359*T**(-1); 1811 Y			
-27097.396+300.25256*T-46*T*LN(T)+2.78854E+31*T**(-9); 6000 N !			
FUNCTION GLIQFE 298.15 +13265.87+117.57557*T-23.5143*T*LN(T)			
-.00439752*T**2-5.8927E-08*T**3+77359*T**(-1)-3.67516E-21*T**7; 1811			
Y			
-10838.83+291.302*T-46*T*LN(T); 6000 N !			
FUNCTION GHCPFE 298.15 -2480.08+136.725*T-24.6643*T*LN(T)			
-.00375752*T**2-5.8927E-08*T**3+77359*T**(-1); 1811 Y			
-29340.78+304.56206*T-46*T*LN(T)+2.78854E+31*T**(-9); 6000 N !			
FUNCTION GHSERNB 298.15 -8519.353+142.045475*T-26.4711*T*LN(T)			
+2.03475E-04*T**2-3.5012E-07*T**3+93399*T**(-1); 2750 Y			
-37669.3+271.720843*T-41.77*T*LN(T)+1.528238E+32*T**(-9); 6000 N !			
FUNCTION GLIQNB 298.15 +GHSERNB#+29781.555-10.816418*T-3.06098E-			
23*T**7;			
2750 Y			
-7499.398+260.756148*T-41.77*T*LN(T); 6000 N !			
FUNCTION GFCCNB 298.15 +GHSERNB#+13500+1.7*T; 6000 N !			
FUNCTION GHCPNB 298.15 +GHSERNB#+10000+2.4*T; 6000 N !			

```

FUNCTION GHSERSN    100 -7958.517+122.765451*T-25.858*T*LN(T)
+5.1185E-04*T**2-3.192767E-06*T**3+18440*T**(-1); 250 Y
-5855.135+65.443315*T-15.961*T*LN(T)-.0188702*T**2+3.121167E-06*T**3
-61960*T**(-1); 505.08 Y
+2524.724+4.005269*T-8.2590486*T*LN(T)-.016814429*T**2
+2.623131E-06*T**3-1081244*T**(-1)-1.2307E+25*T**(-9); 800 Y
-8256.959+138.99688*T-28.4512*T*LN(T)-1.2307E+25*T**(-9); 3000 N !
FUNCTION GLIQSN    100 +GHSERSN#+7103.092-14.087767*T+1.47031E-18*T**7;
505.08 Y
+9496.31-9.809114*T-8.2590486*T*LN(T)-.016814429*T**2
+2.623131E-06*T**3-1081244*T**(-1); 800 Y
-1285.372+125.182498*T-28.4512*T*LN(T); 3000 N !
FUNCTION GFCCSN   100 +GHSERSN#+5510-8.46*T; 3000 N !
FUNCTION GBCCSN   100 +GHSERSN#+4400-6*T; 3000 N !
FUNCTION GHCPSEN  100 +GHSERSN#+3900-7.646*T; 3000 N !

FUNCTION GHSERZR   130 -7827.595+125.64905*T-24.1618*T*LN(T)-
.00437791*T**2
+34971*T**(-1); 2128 Y
-26085.921+262.724183*T-42.144*T*LN(T)-1.342896E+31*T**(-9); 6000 N
!
FUNCTION GLIQZR    298.15 +GHSERZR#+18147.69-9.080812*T+1.6275E-22*T**7;
2128 Y
-8281.26+253.812609*T-42.144*T*LN(T); 6000 N !
FUNCTION GFCCZR   298.15 +GHSERZR#+7600-.9*T; 6000 N !
FUNCTION GBCCZR   298.15 -525.539+124.9457*T-25.607406*T*LN(T)
-3.40084E-04*T**2-9.729E-09*T**3+25233*T**(-1)-7.6143E-11*T**4; 2128
Y
-30705.955+264.284163*T-42.144*T*LN(T)+1.276058E+32*T**(-9); 6000 N
!
FUNCTION UN_ASS    298.15 +0.0; 300 N !

TYPE_DEFINITION % SEQ *!
DEFINE_SYSTEM_DEFAULT ELEMENT 2 !
DEFAULT_COMMAND DEF_SYS_ELEMENT VA /- !

```

```

PHASE LIQUID:L % 1 1.0 !
CONSTITUENT LIQUID:L :CR,FE,NB,SN,ZR : !

```

PARAMETER G(LIQUID,CR;0)	298.15 +GLIQCR#; 6000 N!
PARAMETER G(LIQUID,FE;0)	298.15 +GLIQFE#; 6000 N!
PARAMETER G(LIQUID,NB;0)	298.15 +GLIQNB#; 6000 N!
PARAMETER G(LIQUID,SN;0)	298.15 +GLIQSN#; 6000 N!
PARAMETER G(LIQUID,ZR;0)	298.15 +GLIQZR#; 6000 N!
PARAMETER G(LIQUID,CR,FE;0)	298.15 -1.35020689E+03
-6.49496588*T; 6000 N!	
PARAMETER G(LIQUID,CR,FE;1)	298.15 -4.65239023E+03; 6000 N!
PARAMETER G(LIQUID,CR,NB;0)	298.15 -9.80133887E+03; 6000 N!
PARAMETER G(LIQUID,CR,NB;1)	298.15 +2.64365541E+03; 6000 N!
PARAMETER G(LIQUID,CR,SN;0)	298.15 +102321.4-57.46*T; 6000 N!
PARAMETER G(LIQUID,CR,SN;1)	298.15 +11102; 6000 N!

```

PARAMETER G(LIQUID,CR,SN;2) 298.15 -20421.1; 6000 N!
PARAMETER G(LIQUID,CR,SN;3) 298.15 -13611.1; 6000 N!
PARAMETER G(LIQUID,CR,ZR;0) 298.15 -5.3900910E+03-1.5966076*T;
6000 N!
PARAMETER G(LIQUID,CR,ZR;1) 298.15 -1.5555731E+03-.74677683*T;
6000 N!
PARAMETER G(LIQUID,CR,ZR;2) 298.15 -8.2848000E+03+.92113665*T;
6000 N!
PARAMETER G(LIQUID,FE,NB;0) 298.15 -7.48576874E+04
+99.67*T-10*T*LN(T); 6000 N !
PARAMETER G(LIQUID,FE,NB;1) 298.15 +17624-10.805*T;
6000 N !
PARAMETER G(LIQUID,FE,SN;0) 298.15 +2.1340220E+04; 6000 N !
PARAMETER G(LIQUID,FE,SN;1) 298.15 -6.3445215E+03; 6000 N !
PARAMETER G(LIQUID,FE,SN;2) 298.15 -5.5179448E+03; 6000 N !
PARAMETER G(LIQUID,FE,ZR;0) 298.15 -70236.4553; 6000 N!
PARAMETER G(LIQUID,FE,ZR;1) 298.15 -3000; 6000 N!
PARAMETER G(LIQUID,NB,SN;0) 298.15 19380.504; 6000 N !
PARAMETER G(LIQUID,NB,SN;1) 298.15 13332.524-13.048484*T; 6000
N!
PARAMETER G(LIQUID,NB,ZR;0) 298.15 +1.3191882E+04; 6000 N!
PARAMETER G(LIQUID,NB,ZR;1) 298.15 +1.0054607E+04; 6000 N!
PARAMETER G(LIQUID,SN,ZR;0) 298.15 -1.04315795E+05
-1.93095423E+01*T; 6000 N!
PARAMETER G(LIQUID,SN,ZR;1) 298.15 1.25541031E+04; 6000 N!

PARAMETER G(LIQUID,CR,FE,NB;0) 298.15 +35000; 6000 N !
PARAMETER G(LIQUID,CR,FE,NB;1) 298.15 +25000; 6000 N !
PARAMETER G(LIQUID,CR,FE,NB;2) 298.15 -30000; 6000 N !

PARAMETER G(LIQUID,CR,FE,ZR;0) 298.15 -80000; 6000 N !

```

PHASE FCC_A1 % 2 1 1 !

CONSTITUENT FCC_A1 :CR,FE,NB,SN,ZR : VA : !

```

PARAMETER G(FCC_A1,CR:VA;0) 298.15 +GFCCR#; 6000 N!
PARAMETER TC(FCC_A1,CR:VA;0) 298.15 -1109; 6000 N!
PARAMETER BMAGN(FCC_A1,CR:VA;0) 298.15 -2.46; 6000 N!
PARAMETER G(FCC_A1,FE:VA;0) 298.15 +GFCCFE#; 6000 N!
PARAMETER TC(FCC_A1,FE:VA;0) 298.15 -201; 6000 N!
PARAMETER BMAGN(FCC_A1,FE:VA;0) 298.15 -2.1; 6000 N!
PARAMETER G(FCC_A1,NB:VA;0) 298.15 +GFCCNB#; 6000 N!
PARAMETER G(FCC_A1,SN:VA;0) 298.15 +GFCCSN#; 6000 N!
PARAMETER G(FCC_A1,ZR:VA;0) 298.15 +GFCCZR#; 6000 N!
PARAMETER G(FCC_A1,CR,FE:VA;0) 298.15 2.06049365E+04
-1.74384192E+01*T; 6000 N!
PARAMETER G(FCC_A1,CR,FE:VA;1) 298.15 7.35526709E+02; 6000 N!
PARAMETER G(FCC_A1,CR,NB:VA;0) 298.15 -1560+10*T; 6000 N!
PARAMETER G(FCC_A1,CR,NB:VA;1) 298.15 +100710; 6000 N!
PARAMETER G(FCC_A1,CR,SN:VA;0) 298.15 +147582+8*T; 6000 N!

```

PARAMETER G(FCC_A1,CR,SN:VA;1) 298.15 +184890; 6000 N!
 PARAMETER G(FCC_A1,CR,ZR:VA;0) 298.15 4.7603600E+01; 6000 N!
 PARAMETER G(FCC_A1,CR,ZR:VA;1) 298.15 9.6554800E+01; 6000 N!
 PARAMETER G(FCC_A1,FE,NB:VA;0) 298.15 -9122.78+0*T; 6000 N!
 PARAMETER G(FCC_A1,FE,SN:VA;0) 298.15 +23510; 6000 N !
 PARAMETER G(FCC_A1,FE,ZR:VA;0) 298.15 6.0000000E+04; 6000 N!
 PARAMETER G(FCC_A1,NB,SN:VA;0) 298.15 6588.133+10.001*T; 6000 N!
 PARAMETER G(FCC_A1,NB,SN:VA;1) 298.15 -156019.16; 6000 N!
 PARAMETER G(FCC_A1,NB,ZR:VA;0) 298.15 21463; 6000 N!
 PARAMETER G(FCC_A1,NB,ZR:VA;1) 298.15 6868; 6000 N!
 PARAMETER G(FCC_A1,SN,ZR:VA;0) 298.15 -70201; 6000 N!
 PARAMETER G(FCC_A1,SN,ZR:VA;1) 298.15 -87785; 6000 N!

TYPE_DEFINITION & GES A_P_D BCC_A2 MAGNETIC -1.0 4.00000E-01 !

PHASE BCC_A2 %& 2 1 3 !

CONSTITUENT BCC_A2 :CR,FE,NB,SN,ZR : VA : !

PARAMETER G(BCC_A2,CR:VA;0) 298.15 +GHSECR#; 6000 N!
 PARAMETER TC(BCC_A2,CR:VA;0) 298.15 -311.5; 6000 N!
 PARAMETER BMAGN(BCC_A2,CR:VA;0) 298.15 -.008; 6000 N!
 PARAMETER G(BCC_A2,FE:VA;0) 298.15 +GHSERFE#; 6000 N!
 PARAMETER TC(BCC_A2,FE:VA;0) 298.15 +1043; 6000 N!
 PARAMETER BMAGN(BCC_A2,FE:VA;0) 298.15 +2.22; 6000 N!
 PARAMETER G(BCC_A2,NB:VA;0) 298.15 +GHSERNB#; 6000 N!
 PARAMETER G(BCC_A2,SN:VA;0) 298.15 +GBCCSN#; 6000 N!
 PARAMETER G(BCC_A2,ZR:VA;0) 298.15 +GBCCZR#; 6000 N!
 PARAMETER G(BCC_A2,CR,FE:VA;0) 298.15 2.91404675E+04
 -1.92714308E+01*T; 6000 N!
 PARAMETER G(BCC_A2,CR,FE:VA;1) 298.15 -1.53916965E+03; 6000 N!
 PARAMETER BMAGN(BCC_A2,CR,FE:VA;0) 298.15 -.85; 6000 N!
 PARAMETER TC(BCC_A2,CR,FE:VA;0) 298.15 +1650; 6000 N!
 PARAMETER TC(BCC_A2,CR,FE:VA;1) 298.15 +550; 6000 N!
 PARAMETER G(BCC_A2,CR,NB:VA;0) 298.15 +5.24229930E+04
 -1.60494401E+01*T; 6000 N!
 PARAMETER G(BCC_A2,CR,NB:VA;1) 298.15 +1.1827496E+04; 6000 N!

PARAMETER G(BCC_A2,CR,SN:VA;0) 298.15 +240000; 6000 N!
 PARAMETER G(BCC_A2,CR,SN:VA;1) 298.15 +105000; 6000 N!

PARAMETER G(BCC_A2,CR,ZR:VA;0) 298.15 7.5831825E+04-31.779770*T;
 6000 N!

PARAMETER G(BCC_A2,CR,ZR:VA;1) 298.15 1.7682776E+04-11.343029*T;

PARAMETER G(BCC_A2,FE,NB:VA;0) 298.15 -13127+11.835*T; 6000 N!
 PARAMETER G(BCC_A2,FE,NB:VA;1) 298.15 +6812-7.256*T; 6000 N!
 PARAMETER G(BCC_A2,FE,SN:VA;0) 298.15 +3.0E+04
 +5.3132504*T; 6000 N !

PARAMETER G(BCC_A2,FE,SN:VA;1) 298.15 -2.4443000E+04; 6000 N !

PARAMETER TC(BCC_A2,FE,SN:VA;0) 298.15 +918; 6000 N !

PARAMETER BMAGN(BCC_A2,FE,SN:VA;0) 298.15 -5.688; 6000 N !

PARAMETER G(BCC_A2,FE,ZR:VA;0)	298.15	40000	
-1.40169186E+01*T; 6000 N!			
PARAMETER G(BCC_A2,FE,ZR:VA;1)	298.15	50000;	6000 N!
PARAMETER G(BCC_A2,NB,SN:VA;0)	298.15	60092.859-15.72255*T;	6000 N!
PARAMETER G(BCC_A2,NB,SN:VA;1)	298.15	-130164+46.723093*T;	6000 N!
PARAMETER G(BCC_A2,NB,ZR:VA;0)	298.15	+1.4389575E+04	
+4.2621477*T; 6000 N!			
PARAMETER G(BCC_A2,NB,ZR:VA;1)	298.15	+3.4170688E+03;	6000 N!
PARAMETER G(BCC_A2,SN,ZR:VA;0)	298.15	-6.96910873E+04	
-3.83404445E+01*T; 6000 N!			
PARAMETER G(BCC_A2,SN,ZR:VA;1)	298.15	6.68508329E+04	
-3.05051500E+01*T; 6000 N!			
PARAMETER G(BCC_A2,CR,NB,ZR:VA;0)	298.15	-5000;	6000 N!
PARAMETER G(BCC_A2,CR,NB,ZR:VA;1)	298.15	-10200;	6000 N!
PARAMETER G(BCC_A2,CR,NB,ZR:VA;2)	298.15	69500;	6000 N!
PARAMETER G(BCC_A2,NB,SN,ZR:VA;0)	298.15	-320000;	6000 N!
PARAMETER G(BCC_A2,NB,SN,ZR:VA;1)	298.15	0;	6000 N!
PARAMETER G(BCC_A2,NB,SN,ZR:VA;2)	298.15	-95000;	6000 N!
PARAMETER G(BCC_A2,FE,NB,ZR:VA;0)	298.15	000000;	6000 N!
PARAMETER G(BCC_A2,FE,NB,ZR:VA;1)	298.15	000000;	6000 N!
PARAMETER G(BCC_A2,FE,NB,ZR:VA;2)	298.15	00000;	6000 N!

PHASE HCP_A3 % 2 1 .5 !

CONSTITUENT HCP_A3 :CR,FE,NB,SN,ZR : VA : !

PARAMETER G(HCP_A3,CR:VA;0)	298.15	+GHCPCR#;	6000 N!
PARAMETER TC(HCP_A3,CR:VA;0)	298.15	-1109;	6000 N!
PARAMETER BMAGN(HCP_A3,CR:VA;0)	298.15	-2.46;	6000 N!
PARAMETER G(HCP_A3,FE:VA;0)	298.15	+GHCPFE#;	6000 N!
PARAMETER G(HCP_A3,NB:VA;0)	298.15	+GHCPNB#;	6000 N!
PARAMETER G(HCP_A3,SN:VA;0)	298.15	+GHCPSEN#;	6000 N!
PARAMETER G(HCP_A3,ZR:VA;0)	298.15	+GHSERZR#;	6000 N!
PARAMETER G(HCP_A3,CR,FE:VA;0)	298.15	1.545370238E+04	
-1.30788144E+01*T; 6000 N!			
PARAMETER G(HCP_A3,CR,FE:VA;1)	298.15	5.516450318E+02;	6000 N!
PARAMETER G(HCP_A3,CR,NB:VA;0)	298.15	-37923.5+20*T;	6000 N!
PARAMETER G(HCP_A3,CR,NB:VA;1)	298.15	+15349.5;	6000 N!
PARAMETER G(HCP_A3,CR,SN:VA;0)	298.15	+144328;	6000 N!
PARAMETER G(HCP_A3,CR,SN:VA;1)	298.15	+129100;	6000 N!
PARAMETER G(HCP_A3,CR,ZR:VA;0)	298.15	3.4447487E+04+45*T;	
6000 N!			
PARAMETER G(HCP_A3,CR,ZR:VA;1)	298.15	3.4012014E+04+20.00452*T;	
6000 N!			
PARAMETER G(HCP_A3,FE,NB:VA;0)	298.15	25000;	6000 N!
PARAMETER G(HCP_A3,FE,NB:VA;1)	298.15	-90000;	6000 N!
PARAMETER G(HCP_A3,FE,SN:VA;0)	298.15	+23510;	6000 N !
PARAMETER G(HCP_A3,FE,ZR:VA;0)	298.15	25000;	6000 N!
PARAMETER G(HCP_A3,NB,SN:VA;0)	298.15	-23738.459+50*T;	6000 N!
PARAMETER G(HCP_A3,NB,SN:VA;1)	298.15	-1.5539143E+05;	6000 N!
PARAMETER G(HCP_A3,NB,ZR:VA;0)	298.15	+2.4411000E+04;	6000 N!
PARAMETER G(HCP_A3,SN,ZR:VA;0)	298.15	-9.45981738E+04	
+1.12409845*T; 6000 N!			

PARAMETER G(HCP_A3,SN,ZR:VA;1) 298.15 5.82243352E+04; 6000 N!
 PARAMETER G(HCP_A3,FE,SN,ZR:VA;2) 298.15 -700000; 6000 N!

PHASE BCT_A5 % 1 1.0 !

CONSTITUENT BCT_A5 :SN : !

PARAMETER G(BCT_A5,SN;0) 100 +GHSERSN#; 3000 N!

PHASE C54 % 2 2 1 !

CONSTITUENT C54 :SN : ZR : !

PARAMETER G(C54,SN:ZR;0) 298.15 -1.31060501E+05
 -3.64625072E-01*T+2*GHSERSN#+GHSERZR#; 6000 N!

PHASE DIAMOND_A4 % 1 1.0 !

CONSTITUENT DIAMOND_A4 :SN :

PARAMETER G(DIAMOND_A4,SN;0) 100 -9579.608+114.007785*T
 -22.972*T*LN(T)-.00813975*T**2+2.7288E-06*T**3+25615*T**(-1); 298.15 Y
 -9063.001+104.84654*T-21.5750771*T*LN(T)-.008575282*T**2
 +1.784447E-06*T**3-2544*T**(-1); 800 Y
 -10909.353+147.396537*T-28.4512*T*LN(T); 3000 N!

PHASE ETA % 3 5 3 1 !

CONSTITUENT ETA :ZR : SN : SN,VA :

PARAMETER G(ETA,ZR:SN:SN;0) 298.15 -5.23879753E+05
 -7.56093705*T+4*GHSERSN#+5*GHSERZR#; 6000 N!

PARAMETER G(ETA,ZR:SN:VA;0) 298.15 -4.46500931E+05-
 7.56093705*T
 +3*GHSERSN#+5*GHSERZR#; 6000 N!

PARAMETER G(ETA,ZR:SN:SN,VA;0) 298.15 2.73186606E+02; 6000 N!

PARAMETER G(ETA,ZR:SN:SN,VA;1) 298.15 -2.35345135E+04; 6000 N!

PHASE LAVES_C14 % 3 4 2 6 !

CONSTITUENT LAVES_C14 :CR,FE,NB,SN,ZR : CR,FE,NB,SN,ZR : CR,FE,NB,SN,ZR : !

\$ Elements purs

PARAMETER G(LAVES_C14,CR:CR:CR;0) 298.15 +342290.49
 +12*GHSERCR#; 6000 N!

PARAMETER G(LAVES_C14,FE:FE:FE;0) 298.15 148839.37
 +12*GHSERFE; 6000 N!

PARAMETER G(LAVES_C14,NB:NB:NB;0) 298.15 +188611.85
 +12*GHSERNB#; 6000 N!

PARAMETER G(LAVES_C14,SN:SN:SN;0) 298.15 +136760.4
 +12*GHSERSN#; 6000 N!

PARAMETER G(LAVES_C14,ZR:ZER:ZER;0) 298.15 +282926.23
 +12*GHSERZR#; 6000 N !

\$ Cr-Fe

PARAMETER G(LAVES_C14,FE:CR:CR;0)	298.15	347505.48
+8*GHSERCR+4*GHSERFE; 6000 N!		
PARAMETER G(LAVES_C14,CR:FE:CR;0)	298.15	257560.82
+10*GHSERCR+2*GHSERFE; 6000 N!		
PARAMETER G(LAVES_C14,FE:FE:CR;0)	298.15	290386.48
+6*GHSERCR+6*GHSERFE; 6000 N!		
PARAMETER G(LAVES_C14,CR:CR:FE;0)	298.15	172628.09
+6*GHSERCR+6*GHSERFE; 6000 N!		
PARAMETER G(LAVES_C14,CR:FE:FE;0)	298.15	174132.04
+4*GHSERCR+8*GHSERFE; 6000 N!		
PARAMETER G(LAVES_C14,FE:CR:FE;0)	298.15	149253.48
+2*GHSERCR+10*GHSERFE; 6000 N!		

\$ Cr-Nb

PARAMETER G(LAVES_C14,CR:NB:CR;0)	298.15	+591586.16
+10*GHSERCR#+2*GHSERNB#; 6000 N!		
PARAMETER G(LAVES_C14,NB:CR:CR;0)	298.15	-20160.01+8*GHSERCR#
+4*GHSERNB#; 6000 N!		
PARAMETER G(LAVES_C14,CR:CR:NB;0)	298.15	+723727.6+6*GHSERCR#
+6*GHSERNB#; 6000 N!		
PARAMETER G(LAVES_C14,NB:NB:CR;0)	298.15	+106457.2+6*GHSERCR#
+6*GHSERNB#; 6000 N!		
PARAMETER G(LAVES_C14,CR:NB:NB;0)	298.15	+930026+4*GHSERCR#
+8*GHSERNB#; 6000 N!		
PARAMETER G(LAVES_C14,NB:CR:NB;0)	298.15	+159921.66
+2*GHSERCR#+10*GHSERNB#; 6000 N!		

\$ Cr-Sn

PARAMETER G(LAVES_C14,CR:SN:CR;0)	298.15	+493622+10*GHSERCR#
+2*GHSERSN#; 6000 N!		
PARAMETER G(LAVES_C14,SN:CR:CR;0)	298.15	+434780+8*GHSERCR#
+4*GHSERSN#; 6000 N!		
PARAMETER G(LAVES_C14,CR:CR:SN;0)	298.15	+514790+6*GHSERCR#
+6*GHSERSN#; 6000 N!		
PARAMETER G(LAVES_C14,SN:SN:CR;0)	298.15	+1165881+6*GHSERCR#
+6*GHSERSN#; 6000 N!		
PARAMETER G(LAVES_C14,CR:SN:SN;0)	298.15	+765356+4*GHSERCR#
+8*GHSERSN#; 6000 N!		
PARAMETER G(LAVES_C14,SN:CR:SN;0)	298.15	+251386+2*GHSERCR#
+10*GHSERSN#; 6000 N!		

\$ Cr-Zr

PARAMETER G(LAVES_C14,CR:ZR:CR;0)	298.15	+675355.2+2*GHSERZR#
+10*GHSERCR#; 6000 N !		

PARAMETER G(LAVES_C14,ZR:CR:CR;0) 298.15 -2.010158E+04-56.549943*T
 +4*GHSERZR#+8*GHSERCR#; 6000 N !
 PARAMETER G(LAVES_C14,CR:CR:ZR;0) 298.15 +809014.66
 +6*GHSERZR#+6*GHSERCR#; 6000 N !
 PARAMETER G(LAVES_C14,ZR:ZR:CR;0) 298.15 +166977.92
 +6*GHSERZR#+6*GHSERCR#; 6000 N !
 PARAMETER G(LAVES_C14,CR:ZR:ZR;0) 298.15 +1155553.45
 +8*GHSERZR#+4*GHSERCR#; 6000 N !
 PARAMETER G(LAVES_C14,ZR:CR:ZR;0) 298.15 +207810.99
 +10*GHSERZR#+2*GHSERCR#; 6000 N !

PARAMETER G(LAVES_C14,CR,ZR:CR:CR;0) 298.15 2.0004E+04+10.044567*T;
 6000 N !
 PARAMETER G(LAVES_C14,ZR:CR:CR,ZR;0) 298.15 -2.250E+04-8.9287400*T;
 6000 N !

\$ Fe-Nb

PARAMETER G(LAVES_C14,FE:NB:FE;0) 298.15 209135.54+10*GHSERFE#
 +2*GHSERNB#; 6000 N!
 PARAMETER G(LAVES_C14,NB:FE:FE;0) 298.15 -237991+38.7696531*T
 +8*GHSERFE#+4*GHSERNB#; 6000 N!
 PARAMETER G(LAVES_C14,FE:FE:NB;0) 298.15 +492691.98+6*GHSERFE#
 +6*GHSERNB#; 6000 N!
 PARAMETER G(LAVES_C14,NB:NB:FE;0) 298.15 -63529.15+6*GHSERFE#
 +6*GHSERNB#; 6000 N!
 PARAMETER G(LAVES_C14,FE:NB:NB;0) 298.15 +682920+4*GHSERFE#
 +8*GHSERNB#; 6000 N!
 PARAMETER G(LAVES_C14,NB:FE:NB;0) 298.15 +120678.84+2*GHSERFE#
 +10*GHSERNB#; 6000 N!

PARAMETER G(LAVES_C14,FE,NB:FE:FE;0) 298.15 -175475.251
 +38.2965431*T; 6000 N!
 PARAMETER G(LAVES_C14,NB:FE,NB:FE,NB;0) 298.15 -85624;
 6000 N!

\$ Fe-Sn

PARAMETER G(LAVES_C14,FE:SN:FE;0) 298.15 237074.43+10*GHSERFE#
 +2*GHSERSN#; 6000 N!
 PARAMETER G(LAVES_C14,SN:FE:FE;0) 298.15 145561.13+8*GHSERFE#
 +4*GHSERSN#; 6000 N!
 PARAMETER G(LAVES_C14,FE:FE:SN;0) 298.15 635963.84+6*GHSERFE#
 +6*GHSERSN#; 6000 N!
 PARAMETER G(LAVES_C14,SN:SN:FE;0) 298.15 247865.87+6*GHSERFE#
 +6*GHSERSN#; 6000 N!
 PARAMETER G(LAVES_C14,FE:SN:SN;0) 298.15 819584.16+4*GHSERFE#
 +8*GHSERSN#; 6000 N!
 PARAMETER G(LAVES_C14,SN:FE:SN;0) 298.15 266601.75+2*GHSERFE#
 +10*GHSERSN#; 6000 N!

\$ Fe-Zr

PARAMETER G(LAVES_C14,FE:ZR:FE;0) +2*GHSERZR#; 6000 N!	298.15 250115.19+10*GHSERFE#
PARAMETER G(LAVES_C14,ZR:FE:FE;0) +4*GHSERZR#; 6000 N!	298.15 -315773.37+8*GHSERFE#
PARAMETER G(LAVES_C14,FE:FE:ZR;0) +6*GHSERZR#; 6000 N!	298.15 352911.56+6*GHSERFE#
PARAMETER G(LAVES_C14,ZR:ZR:FE;0) +6*GHSERZR#; 6000 N!	298.15 -155030.43+6*GHSERFE#
PARAMETER G(LAVES_C14,FE:ZR:ZR;0) +8*GHSERZR#; 6000 N!	298.15 882932.46+4*GHSERFE#
PARAMETER G(LAVES_C14,ZR:FE:ZR;0) +10*GHSERZR#; 6000 N!	298.15 -11509.69+2*GHSERFE#

\$ Nb-Sn

PARAMETER G(LAVES_C14,NB:SN:NB;0) +2*GHSERSN#; 6000 N !	298.15 +84214+10*GHSERNB#
PARAMETER G(LAVES_C14,SN:NB:NB;0) +4*GHSERSN#; 6000 N !	298.15 +216872+8*GHSERNB#
PARAMETER G(LAVES_C14,NB:NB:SN;0) +6*GHSERSN#; 6000 N !	298.15 +359704+6*GHSERNB#
PARAMETER G(LAVES_C14,SN:SN:NB;0) +6*GHSERSN#; 6000 N !	298.15 +163101+6*GHSERNB#
PARAMETER G(LAVES_C14,NB:SN:SN;0) +8*GHSERSN#; 6000 N !	298.15 +759611+4*GHSERNB#
PARAMETER G(LAVES_C14,SN:NB:SN;0) +10*GHSERSN#; 6000 N !	298.15 +182699+2*GHSERNB#

\$ Nb-Zr

PARAMETER G(LAVES_C14,NB:ZR:NB;0) +2*GHSERZR#; 6000 N !	298.15 +270876.57+10*GHSERNB#
PARAMETER G(LAVES_C14,ZR:NB:NB;0) +4*GHSERZR#; 6000 N !	298.15 +31792.010+8*GHSERNB#
PARAMETER G(LAVES_C14,NB:NB:ZR;0) +6*GHSERZR#; 6000 N !	298.15 +443420.54+6*GHSERNB#
PARAMETER G(LAVES_C14,ZR:ZR:NB;0) +6*GHSERZR#; 6000 N !	298.15 +104099.37+6*GHSERNB#
PARAMETER G(LAVES_C14,NB:ZR:ZR;0) +8*GHSERZR#; 6000 N !	298.15 +491049.23+4*GHSERNB#
PARAMETER G(LAVES_C14,ZR:NB:ZR;0) +10*GHSERZR#; 6000 N !	298.15 +244274.32+2*GHSERNB#

\$ Sn-Zr

PARAMETER G(LAVES_C14,SN:ZR:SN;0) +2*GHSERZR#; 6000 N !	298.15 -7803.59+10*GHSERSN#
PARAMETER G(LAVES_C14,ZR:SN:SN;0) +4*GHSERZR#; 6000 N !	298.15 218147.85+8*GHSERSN#

PARAMETER G(LAVES_C14, SN:SN:ZR; 0)	298.15	-180800.47+6*GHSERSN#
+6*GHSERZR#; 6000 N !		
PARAMETER G(LAVES_C14, ZR:ZR:SN; 0)	298.15	-229854.69+6*GHSERSN#
+6*GHSERZR#; 6000 N !		
PARAMETER G(LAVES_C14, SN:ZR:ZR; 0)	298.15	65760.05+4*GHSERSN#
+8*GHSERZR#; 6000 N !		
PARAMETER G(LAVES_C14, ZR:SN:ZR; 0)	298.15	-97891.46+2*GHSERSN#
+10*GHSERZR#; 6000 N !		

\$ Cr-Fe-Nb

PARAMETER G(LAVES_C14, CR:FE:NB; 0)	298.15	593258.1+4*GHSERCR#
+2*GHSERFE#+6*GHSERNB#; 6000 N !		
PARAMETER G(LAVES_C14, NB:FE:CR; 0)	298.15	-62795.69+6*GHSERCR#
+2*GHSERFE#+4*GHSERNB#; 6000 N !		
PARAMETER G(LAVES_C14, FE:NB:CR; 0)	298.15	500130.79+6*GHSERCR#
+4*GHSERFE#+2*GHSERNB#; 6000 N !		
PARAMETER G(LAVES_C14, FE:CR:NB; 0)	298.15	602467.96+2*GHSERCR#
+4*GHSERFE#+6*GHSERNB#; 6000 N !		
PARAMETER G(LAVES_C14, NB:CR:FE; 0)	298.15	-146641.44+2*GHSERCR#
+6*GHSERFE#+4*GHSERNB#; 6000 N !		
PARAMETER G(LAVES_C14, CR:NB:FE; 0)	298.15	334466.13+4*GHSERCR#
+6*GHSERFE#+2*GHSERNB#; 6000 N !		
PARAMETER G(LAVES_C14, NB:CR, FE:FE; 0)	298.15	-167380+35*T; 6000 N!
PARAMETER G(LAVES_C14, NB:CR, FE:CR; 0)	298.15	-225675-70*T; 6000 N!
PARAMETER G(LAVES_C14, FE,NB:CR:FE; 0)	298.15	-280000; 6000 N!
PARAMETER G(LAVES_C14, CR,NB:FE:CR; 0)	298.15	-450000; 6000 N!
PARAMETER G(LAVES_C14, NB:FE, CR:FE, CR; 0)	298.15	00000; 6000 N!

\$ Cr-Fe-Sn

PARAMETER G(LAVES_C14, CR:FE:SN; 0)	298.15	662283.12+4*GHSERCR#
+2*GHSERFE#+6*GHSERSN#; 6000 N !		
PARAMETER G(LAVES_C14, SN:FE:CR; 0)	298.15	427370.51+6*GHSERCR#
+2*GHSERFE#+4*GHSERSN#; 6000 N !		
PARAMETER G(LAVES_C14, FE:SN:CR; 0)	298.15	552233.44+6*GHSERCR#
+4*GHSERFE#+2*GHSERSN#; 6000 N !		
PARAMETER G(LAVES_C14, FE:CR:SN; 0)	298.15	727353.95+2*GHSERCR#
+4*GHSERFE#+6*GHSERSN#; 6000 N !		
PARAMETER G(LAVES_C14, SN:CR:FE; 0)	298.15	350184.47+2*GHSERCR#
+6*GHSERFE#+4*GHSERSN#; 6000 N !		
PARAMETER G(LAVES_C14, CR:SN:FE; 0)	298.15	377902.95+4*GHSERCR#
+6*GHSERFE#+2*GHSERSN#; 6000 N !		

\$ Cr-Fe-Zr

PARAMETER G(LAVES_C14, CR:FE:ZR; 0)	298.15	350873.17+4*GHSERCR#
+2*GHSERFE#+6*GHSERZR#; 6000 N !		
PARAMETER G(LAVES_C14, ZR:FE:CR; 0)	298.15	-87248.12+6*GHSERCR#
+2*GHSERFE#+4*GHSERZR#; 6000 N !		
PARAMETER G(LAVES_C14, FE:ZR:CR; 0)	298.15	669721.05+6*GHSERCR#

```

+4*GHSERFE#+2*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,FE:CR:ZR;0)      298.15   580965.07+2*GHSERCR#
+4*GHSERFE#+6*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,ZR:CR:FE;0)      298.15   -227433.93+2*GHSERCR#
+6*GHSERFE#+4*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,CR:ZR:FE;0)      298.15   419674.89+4*GHSERCR#
+6*GHSERFE#+2*GHSERZR#; 6000 N !

PARAMETER G(LAVES_C14,ZR:CR,FE:CR;0)    298.15   -2.50612670E+05
+4.00604980E+01*T; 6000 N !
PARAMETER G(LAVES_C14,ZR:CR,FE:FE;0)    298.15   -4.01477708E+05; 6000
N!
PARAMETER G(LAVES_C14,ZR:CR,FE:CR,FE;0) 298.15   -3.91598170E+05; 6000
N!

$ Cr-Nb-Sn

```

```

PARAMETER G(LAVES_C14,CR:NB:SN;0)      298.15   676249.24+4*GHSERCR#
+2*GHSERNB#+6*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C14,NB:SN:CR;0)      298.15   -17107.21+6*GHSERCR#
+4*GHSERNB#+2*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C14,NB:CR:SN;0)      298.15   382817.78+2*GHSERCR#
+4*GHSERNB#+6*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C14,SN:NB:CR;0)      298.15   383249.83+6*GHSERCR#
+2*GHSERNB#+4*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C14,CR:SN:NB;0)      298.15   823755.82+4*GHSERCR#
+6*GHSERNB#+2*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C14,SN:CR:NB;0)      298.15   308296.71+2*GHSERCR#
+6*GHSERNB#+4*GHSERSN#; 6000 N !

```

\$ Cr-Nb-Zr

```

PARAMETER G(LAVES_C14,CR:NB:ZR;0)      298.15   753299.46+4*GHSERCR#
+2*GHSERNB#+6*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,ZR:NB:CR;0)      298.15   50676.13+6*GHSERCR#
+2*GHSERNB#+4*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,NB:ZR:CR;0)      298.15   232336.69+6*GHSERCR#
+4*GHSERNB#+2*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,NB:CR:ZR;0)      298.15   335767.45+2*GHSERCR#
+4*GHSERNB#+6*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,ZR:CR:NB;0)      298.15   60678.11+2*GHSERCR#
+6*GHSERNB#+4*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,CR:ZR:NB;0)      298.15   986560.03+4*GHSERCR#
+6*GHSERNB#+2*GHSERZR#; 6000 N !

```

\$ Cr-Sn-Zr

```

PARAMETER G(LAVES_C14,ZR:SN:CR;0)      298.15   -192018.13-40*T+6*GHSERCR#
+2*GHSERSN#+4*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,SN:CR:ZR;0)      298.15   132860.41+2*GHSERCR#
+4*GHSERSN#+6*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,SN:ZR:CR;0)      298.15   407848.31+6*GHSERCR#

```

```

+4*GHSERSN#+2*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,CR:SN:ZR;0) 298.15 966809.95+4*GHSERCR#
+2*GHSERSN#+6*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,CR:ZR:SN;0) 298.15 531853.43+4*GHSERCR#
+6*GHSERSN#+2*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,ZR:CR:SN;0) 298.15 -77206.91+2*GHSERCR#
+6*GHSERSN#+4*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,ZR:CR,SN:CR;0) 298.15 -105000;
6000 N !

```

\$ Fe-Nb-Sn

```

PARAMETER G(LAVES_C14,FE:NB:SN;0) 298.15 830267.78+4*GHSERFE#
+2*GHSERNB#+6*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C14,NB:SN:FE;0) 298.15 -58986.3+6*GHSERFE#
+4*GHSERNB#+2*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C14,NB:FE:SN;0) 298.15 283489.94+2*GHSERFE#
+4*GHSERNB#+6*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C14,SN:NB:FE;0) 298.15 225731.32+6*GHSERFE#
+2*GHSERNB#+4*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C14,FE:SN:NB;0) 298.15 696281.85+4*GHSERFE#
+6*GHSERNB#+2*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C14,SN:FE:NB;0) 298.15 263228.6+2*GHSERFE#
+6*GHSERNB#+4*GHSERSN#; 6000 N !

```

\$ Fe-Nb-Zr

```

PARAMETER G(LAVES_C14,FE:NB:ZR;0) 298.15 791789.62+4*GHSERFE#
+2*GHSERNB#+6*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,NB:ZR:FE;0) 298.15 52449.98+6*GHSERFE#
+4*GHSERNB#+2*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,NB:FE:ZR;0) 298.15 130401.92+2*GHSERFE#
+4*GHSERNB#+6*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,ZR:NB:FE;0) 298.15 -212044.73+6*GHSERFE#
+2*GHSERNB#+4*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,FE:ZR:NB;0) 298.15 783282.23+4*GHSERFE#
+6*GHSERNB#+2*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C14,ZR:FE:NB;0) 298.15 -62623.21+2*GHSERFE#
+6*GHSERNB#+4*GHSERZR#; 6000 N !

PARAMETER G(LAVES_C14,ZR:FE,NB:FE;0) 298.15 -2.73370695E+05; 6000 N
!
PARAMETER G(LAVES_C14,ZR:FE,NB:NB;0) 298.15 9.33082707E+04; 6000 N
!
PARAMETER G(LAVES_C14,ZR:FE,NB:FE,NB;0) 298.15 -4.79999982E+05; 6000 N
!
PARAMETER G(LAVES_C14,ZR:FE,NB:FE,NB;1) 298.15 -2.03917923E+05; 6000 N
!
PARAMETER G(LAVES_C14,ZR,NB:FE:FE;0) 298.15 1.11405255E+05; 6000 N
!
```

\$ Fe-Sn-Zr

PARAMETER G (LAVES_C14,FE:SN:ZR;0)	298.15	846468.15+4*GHSERFE#
+2*GHSERSN#+6*GHSERZR#;	6000 N !	
PARAMETER G (LAVES_C14,SN:ZR:FE;0)	298.15	156183.94+6*GHSERFE#
+4*GHSERSN#+2*GHSERZR#;	6000 N !	
PARAMETER G (LAVES_C14,SN:FE:ZR;0)	298.15	-44457.99+2*GHSERFE#
+4*GHSERSN#+6*GHSERZR#;	6000 N !	
PARAMETER G (LAVES_C14,ZR:SN:FE;0)	298.15	-305871.31+6*GHSERFE#
+2*GHSERSN#+4*GHSERZR#;	6000 N !	
PARAMETER G (LAVES_C14,FE:ZR:SN;0)	298.15	665829.76+4*GHSERFE#
+6*GHSERSN#+2*GHSERZR#;	6000 N !	
PARAMETER G (LAVES_C14,ZR:FE:SN;0)	298.15	-120232.08+2*GHSERFE#
+6*GHSERSN#+4*GHSERZR#;	6000 N !	

\$ Nb-Sn-Zr

PARAMETER G (LAVES_C14,SN:NB:ZR;0)	298.15	70870.84+2*GHSERNB#
+4*GHSERSN#+6*GHSERZR#;	6000 N !	
PARAMETER G (LAVES_C14,ZR:NB:SN;0)	298.15	-138571.36+2*GHSERNB#
+6*GHSERSN#+4*GHSERZR#;	6000 N !	
PARAMETER G (LAVES_C14,NB:ZR:SN;0)	298.15	306588.24+4*GHSERNB#
+6*GHSERSN#+2*GHSERZR#;	6000 N !	
PARAMETER G (LAVES_C14,NB:SN:ZR;0)	298.15	232854.78+4*GHSERNB#
+2*GHSERSN#+6*GHSERZR#;	6000 N !	
PARAMETER G (LAVES_C14,ZR:SN:NB;0)	298.15	-171874.56+6*GHSERNB#
+2*GHSERSN#+4*GHSERZR#;	6000 N !	
PARAMETER G (LAVES_C14,SN:ZR:NB;0)	298.15	205489.37+6*GHSERNB#
+4*GHSERSN#+2*GHSERZR#;	6000 N !	

PHASE LAVES_C15 % 2 2 1 !

CONSTITUENT LAVES_C15 :CR,FE,NB,SN,ZR : CR,FE,NB,SN,ZR : !

PARAMETER G (LAVES_C15,CR:CR;0)	298.15	+81517.9+3*GHSECR#;
6000 N!		
PARAMETER G (LAVES_C15,FE:FE;0)	298.15	35876.32+3*GHSERFE#;
6000 N!		
PARAMETER G (LAVES_C15,NB:NB;0)	298.15	+49852.8+3*GHSERNB#;
6000 N !		
PARAMETER G (LAVES_C15,SN:SN;0)	298.15	+41313.85+3*GHSERSN#;
6000 N !		
PARAMETER G (LAVES_C15,ZR:ZR;0)	298.15	+88548.52+3*GHSERZR#;
6000 N !		
PARAMETER G (LAVES_C15,CR:FE;0)	298.15	77642.26+2*GHSECR
+1*GHSERFE;	6000 N !	
PARAMETER G (LAVES_C15,FE:CR;0)	298.15	41423.51+1*GHSECR
+2*GHSERFE;	6000 N !	
PARAMETER G (LAVES_C15,CR:NB;0)	298.15	-1.1436335E+04
-7.1542789*T+2*GHSECR#+GHSERNB#;	6000 N !	

PARAMETER G(LAVES_C15,NB:CR;0)	298.15
+229013+2*GHSERNB#+GHSERCR#;	
6000 N!	
PARAMETER G(LAVES_C15,CR:SN;0)	298.15 +107211.75+2*GHSERCR#
+GHSERSN#; 6000 N!	
PARAMETER G(LAVES_C15,SN:CR;0)	298.15 +202124.875
+GHSERCR#+2*GHSERSN#; 6000 N!	
PARAMETER G(LAVES_C15,CR:ZR;0)	298.15 -9.9730000E+03
-11.421675*T+GHSERZR#+2*GHSERCR#; 6000 N!	
PARAMETER G(LAVES_C15,ZR:CR;0)	298.15 +313559.474
+2*GHSERZR#+GHSERCR#; 6000 N!	
PARAMETER G(LAVES_C15,FE:NB;0)	298.15 -44603.6+3*T
+2*GHSERFE#+GHSERNB#; 6000 N !	
PARAMETER G(LAVES_C15,NB:FE;0)	298.15 +171959.1+GHSERFE#
+2*GHSERNB#; 6000 N !	
PARAMETER G(LAVES_C15,FE:SN;0)	298.15 33382.40
+2*GHSERFE#+GHSERSN#; 6000 N !	
PARAMETER G(LAVES_C15,SN:FE;0)	298.15 274636.21
+2*GHSERSN#+GHSERFE#; 6000 N !	
PARAMETER G(LAVES_C15,FE:ZR;0)	298.15 -1.05103630E+05
+1.24407647E+01*T+GHSERZR#+2*GHSERFE#; 6000 N!	
PARAMETER G(LAVES_C15,ZR:FE;0)	298.15 +227815+2*GHSERZR#
+GHSERFE#; 6000 N !	
PARAMETER TC(LAVES_C15,FE:ZR;0)	298.15 +584.15; 6000 N !
PARAMETER BMAGN(LAVES_C15,FE:ZR;0)	298.15 +.05; 6000 N !
PARAMETER G(LAVES_C15,*:FE,ZR;0)	298.15 -2.2000000E+04; 6000 N !
PARAMETER G(LAVES_C15,NB:SN;0)	298.15 +247308.2+GHSERNB#
+1*GHSERSN#; 6000 N !	
PARAMETER G(LAVES_C15,SN:NB;0)	298.15 +51428.4+GHSERNB#
+2*GHSERSN#; 6000 N !	
PARAMETER G(LAVES_C15,NB:ZR;0)	298.15 +13904.474
+2*GHSERNB#+GHSERZR#; 6000 N !	
PARAMETER G(LAVES_C15,ZR:NB;0)	298.15 145110
+GHSERZR#+2*GHSERNB#; 6000 N !	
PARAMETER G(LAVES_C15,SN:ZR;0)	298.15 73306.3
+2*GHSERSN#+GHSERZR#; 6000 N !	
PARAMETER G(LAVES_C15,ZR:SN;0)	298.15 11556.64
+2*GHSERZR#+GHSERSN#; 6000 N !	
PARAMETER G(LAVES_C15,CR:CR,ZR;0)	298.15 -8.9758835E+03; 6000 N !
PARAMETER G(LAVES_C15,CR,ZR:ZR;0)	298.15 -1.5150000E+04; 6000 N !
PARAMETER G(LAVES_C15,CR:CR,NB;0)	298.15 -4.1015233E+04; 6000 N !
PARAMETER G(LAVES_C15,CR,NB:NB;0)	298.15 +4.0303103E+04; 6000 N !
PARAMETER G(LAVES_C15,CR,FE:NB;0)	298.15 -56158+20*T; 6000 N !
PARAMETER G(LAVES_C15,CR:ZR,CR,NB;0)	298.15 -140650; 6000 N !
PARAMETER G(LAVES_C15,CR:NB,ZR;0)	298.15 -18000; 6000 N !
PARAMETER G(LAVES_C15,FE,NB:ZR;0)	298.15 40000; 6000 N !
PARAMETER G(LAVES_C15,CR,FE:ZR;0)	298.15 -8.96505316E+04
+5.18263100E+01*T; 6000 N !	
PARAMETER G(LAVES_C15,CR,FE:ZR;1)	298.15 0000; 6000 N !
PARAMETER G(LAVES_C15,CR,FE:ZR;2)	298.15 -5.75417411E+04
+10*T; 6000 N !	

PARAMETER G(LAVES_C15,FE:SN,ZR;0) 298.15 -110000; 6000 N!

PHASE LAVES_C36 % 3 4 4 16 !
CONSTITUENT LAVES_C36 :CR,FE,NB,SN,ZR : CR,FE,NB,SN,ZR : CR,FE,NB,SN,ZR
: !

\$ Elements purs

PARAMETER G(LAVES_C36,CR:CR:CR;0) 298.15 +621157
+24*GHSERCR#; 6000 N!
PARAMETER G(LAVES_C36,FE:FE:FE;0) 298.15 290739.05
+24*GHSERFE#; 6000 N!
PARAMETER G(LAVES_C36,NB:NB:NB;0) 298.15 +392133
+24*GHSERNB#; 6000 N!
PARAMETER G(LAVES_C36,SN:SN:SN;0) 298.15 +297926
+24*GHSERSN#; 6000 N!
PARAMETER G(LAVES_C36,ZR:ZR:ZR;0) 298.15 +618996.87
+24*GHSERZR#; 6000 N!

\$ Cr-Fe

PARAMETER G(LAVES_C36,FE:CR:CR;0) 298.15 591145.14+20*GHSERCR#
+4*GHSERFE#; 6000 N!
PARAMETER G(LAVES_C36,CR:FE:CR;0) 298.15 614866.36+20*GHSERCR#
+4*GHSERFE#; 6000 N!
PARAMETER G(LAVES_C36,FE:FE:CR;0) 298.15 662413.49+16*GHSERCR#
+8*GHSERFE#; 6000 N!
PARAMETER G(LAVES_C36,CR:CR:FE;0) 298.15 495524.95+8*GHSERCR#
+16*GHSERFE#; 6000 N!
PARAMETER G(LAVES_C36,FE:CR:FE;0) 298.15 317201.51+4*GHSERCR#
+20*GHSERFE#; 6000 N!
PARAMETER G(LAVES_C36,CR:FE:FE;0) 298.15 267175.01+4*GHSERCR#
+20*GHSERFE#; 6000 N!

\$ Cr-Nb

PARAMETER G(LAVES_C36,NB:CR:CR;0) 298.15 +344351+20*GHSERCR#
+4*GHSERNB#; 6000 N!
PARAMETER G(LAVES_C36,CR:NB:CR;0) 298.15 +355728+20*GHSERCR#
+4*GHSERNB#; 6000 N!
PARAMETER G(LAVES_C36,NB:NB:CR;0) 298.15 -63552+16*GHSERCR#
+8*GHSERNB#; 6000 N!
PARAMETER G(LAVES_C36,CR:CR:NB;0) 298.15 +3623516+8*GHSERCR#
+16*GHSERNB#; 6000 N!
PARAMETER G(LAVES_C36,NB:CR:NB;0) 298.15 +1124849+4*GHSERCR#
+20*GHSERNB#; 6000 N!
PARAMETER G(LAVES_C36,CR:NB:NB;0) 298.15 +1132038+4*GHSERCR#
+20*GHSERNB#; 6000 N!

\$ Cr-Sn

PARAMETER G(LAVES_C36,CR:SN:CR;0) +4*GHSERSN#; 6000 N!	298.15 639785+20*GHSERCR#
PARAMETER G(LAVES_C36,SN:CR:CR;0) +20*GHSERCR#+4*GHSERSN#; 6000 N!	298.15 +643667
PARAMETER G(LAVES_C36,SN:SN:CR;0) +8*GHSERSN#; 6000 N!	298.15 +850251+16*GHSERCR#
PARAMETER G(LAVES_C36,CR:CR:SN;0) +16*GHSERSN#; 6000 N!	298.15 +1590155+8*GHSERCR#
PARAMETER G(LAVES_C36,SN:CR:SN;0) +20*GHSERSN#+4*GHSERCR#; 6000 N!	298.15 +967990
PARAMETER G(LAVES_C36,CR:SN:SN;0) +20*GHSERSN#; 6000 N!	298.15 +942683+4*GHSERCR#

\$ Cr-Zr

PARAMETER G(LAVES_C36,ZR:CR:CR;0) +4*GHSERZR#+20*GHSERCR#; 6000 N!	298.15 +407178.74
PARAMETER G(LAVES_C36,CR:ZR:CR;0) +4*GHSERZR#+20*GHSERCR#; 6000 N!	298.15 +417367.15
PARAMETER G(LAVES_C36,ZR:ZR:CR;0) -101.41966*T+8*GHSERZR#+16*GHSERCR#;	298.15 -6.2568000E+04 6000 N!
PARAMETER G(LAVES_C36,CR:CR:ZR;0) +16*GHSERZR#+8*GHSERCR#; 6000 N!	298.15 +2011612.83
PARAMETER G(LAVES_C36,ZR:CR:ZR;0) +20*GHSERZR#+4*GHSERCR#; 6000 N!	298.15 +1510437.04
PARAMETER G(LAVES_C36,CR:ZR:ZR;0) +20*GHSERZR#+4*GHSERCR#; 6000 N!	298.15 +1518505.49

\$ Fe-Nb

PARAMETER G(LAVES_C36,NB:FE:FE;0) +20*GHSERFE#+4*GHSERNB#; 6000 N!	298.15 -115330.03
PARAMETER G(LAVES_C36,FE:NB:FE;0) +20*GHSERFE#+4*GHSERNB#; 6000 N!	298.15 -88672.31
PARAMETER G(LAVES_C36,NB:NB:FE;0) +16*GHSERFE#+8*GHSERNB#; 6000 N!	298.15 -344903.96+24*T
PARAMETER G(LAVES_C36,FE:FE:NB;0) +16*GHSERNB#; 6000 N!	298.15 1426114.63+8*GHSERFE#
PARAMETER G(LAVES_C36,NB:FE:NB;0) +20*GHSERNB#; 6000 N!	298.15 1010258.84+4*GHSERFE#
PARAMETER G(LAVES_C36,FE:NB:NB;0) +20*GHSERNB#; 6000 N!	298.15 993353.86+4*GHSERFE#

\$ Fe-Sn

PARAMETER G(LAVES_C36,SN:FE:FE;0) +20*GHSERFE#+4*GHSERSN#; 6000 N!	298.15 187170.41
PARAMETER G(LAVES_C36,FE:SN:FE;0) +20*GHSERFE#+4*GHSERSN#; 6000 N!	298.15 205083.67
PARAMETER G(LAVES_C36,SN:SN:FE;0)	298.15 286725.9

```

+16*GHSERFE#+8*GHSERSN#; 6000 N!
PARAMETER G(LAVES_C36,FE:FE:SN;0) 298.15 1930551.53+8*GHSERFE#
+16*GHSERSN#; 6000 N!
PARAMETER G(LAVES_C36,SN:FE:SN;0) 298.15 1026302.03+4*GHSERFE#
+20*GHSERSN#; 6000 N!
PARAMETER G(LAVES_C36,FE:SN:SN;0) 298.15 1021720.97+4*GHSERFE#
+20*GHSERSN#; 6000 N!

```

\$ Fe-Zr

```

PARAMETER G(LAVES_C36,ZR:FE:FE;0) 298.15 -279299.82
+20*GHSERFE#+4*GHSERZR#; 6000 N!
PARAMETER G(LAVES_C36,FE:ZR:FE;0) 298.15 -253848.83
+20*GHSERFE#+4*GHSERZR#; 6000 N!
PARAMETER G(LAVES_C36,ZR:ZR:FE;0) 298.15 -7.00971560E+05
+107.2*T+16*GHSERFE#+8*GHSERZR#; 6000 N!
PARAMETER G(LAVES_C36,FE:FE:ZR;0) 298.15 +1791026.12+8*GHSERFE#
+16*GHSERZR#; 6000 N!
PARAMETER G(LAVES_C36,ZR:FE:ZR;0) 298.15 +1419297.01+4*GHSERFE#
+20*GHSERZR#; 6000 N!
PARAMETER G(LAVES_C36,FE:ZR:ZR;0) 298.15 +1375454.88+4*GHSERFE#
+20*GHSERZR#; 6000 N!
PARAMETER G(LAVES_C36,ZR:FE,ZR:FE;0) 298.15 -350000; 6000 N!

```

\$ Nb-Sn

```

PARAMETER G(LAVES_C36,SN:NB:NB;0) 298.15 +331907+20*GHSERNB#
+4*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C36,NB:SN:NB;0) 298.15 +371372+20*GHSERNB#
+4*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C36,SN:SN:NB;0) 298.15 +431938+16*GHSERNB#
+8*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C36,NB:NB:SN;0) 298.15 +1674961+8*GHSERNB#
+16*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C36,NB:SN:SN;0) 298.15 +849588+4*GHSERNB#
+20*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C36,SN:NB:SN;0) 298.15 +942463+4*GHSERNB#
+20*GHSERSN#; 6000 N !

```

\$ Nb-Zr

```

PARAMETER G(LAVES_C36,NB:ZR:ZR;0) 298.15 840489.44+4*GHSERNB#
+20*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C36,ZR:NB:ZR;0) 298.15 836181.9+4*GHSERNB#
+20*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C36,NB:NB:ZR;0) 298.15 1046735.36+8*GHSERNB#
+16*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C36,ZR:ZR:NB;0) 298.15 98448.0+16*GHSERNB#
+8*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C36,NB:ZR:NB;0) 298.15 239672.86+20*GHSERNB#
+4*GHSERZR#; 6000 N !

```

PARAMETER G(LAVES_C36,ZR:NB:NB;0) 298.15 242056.29+20*GHSERNB#
+4*GHSERZR#; 6000 N !

\$ Sn-Zr

PARAMETER G(LAVES_C36,SN:ZR:ZR;0) 298.15 259599.3+4*GHSERSN#
+20*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C36,ZR:SN:ZR;0) 298.15 289212.03+4*GHSERSN#
+20*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C36,SN:SN:ZR;0) 298.15 101940.7+8*GHSERSN#
+16*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C36,ZR:ZR:SN;0) 298.15 474299.2+16*GHSERSN#
+8*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C36,SN:ZR:SN;0) 298.15 415645.01+20*GHSERSN#
+4*GHSERZR#; 6000 N !
PARAMETER G(LAVES_C36,ZR:SN:SN;0) 298.15 416498.92+20*GHSERSN#
+4*GHSERZR#; 6000 N !

\$ Cr-Fe-Nb

PARAMETER G(LAVES_C36,CR:NB:FE;0) 298.15 72590.45+4*GHSERCR#
+16*GHSERFE#+4*GHSERNB#; 6000 N !
PARAMETER G(LAVES_C36,NB:CR:FE;0) 298.15 165198.78+4*GHSERCR#
+16*GHSERFE#+4*GHSERNB#; 6000 N !
PARAMETER G(LAVES_C36,NB:FE:CR;0) 298.15 16398.36+16*GHSERCR#
+4*GHSERFE#+4*GHSERNB#; 6000 N !
PARAMETER G(LAVES_C36,CR:FE:NB;0) 298.15 1834559.47+4*GHSERCR#
+4*GHSERFE#+16*GHSERNB#; 6000 N !
PARAMETER G(LAVES_C36,FE:NB:CR;0) 298.15 304131.63+16*GHSERCR#
+4*GHSERFE#+4*GHSERNB#; 6000 N !
PARAMETER G(LAVES_C36,FE:CR:NB;0) 298.15 1469312.89+4*GHSERCR#
+4*GHSERFE#+16*GHSERNB#; 6000 N !

\$ Cr-Fe-Sn

PARAMETER G(LAVES_C36,CR:SN:FE;0) 298.15 403859.71+4*GHSERCR#
+16*GHSERFE#+4*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C36,SN:CR:FE;0) 298.15 387129.46+4*GHSERCR#
+16*GHSERFE#+4*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C36,SN:FE:CR;0) 298.15 698619.84+16*GHSERCR#
+4*GHSERFE#+4*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C36,CR:FE:SN;0) 298.15 1673960.4+4*GHSERCR#
+4*GHSERFE#+16*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C36,FE:SN:CR;0) 298.15 682137.04+16*GHSERCR#
+4*GHSERFE#+4*GHSERSN#; 6000 N !
PARAMETER G(LAVES_C36,FE:CR:SN;0) 298.15 1671025.77+4*GHSERCR#
+4*GHSERFE#+16*GHSERSN#; 6000 N !

\$ Cr-Fe-Zr

PARAMETER G(LAVES_C36,CR:ZR:FE;0) 298.15 -42991.23+4*GHSERCR#
+16*GHSERFE#+4*GHSERZR#; 6000 N !

PARAMETER G (LAVES_C36,ZR:CR:FE;0) +16*GHSERFE#+4*GHSERZR#;	6000 N !	298.15	-70419.58+4*GHSERCR#
PARAMETER G (LAVES_C36,ZR:FE:CR;0) +4*GHSERFE#+4*GHSERZR#;	6000 N !	298.15	401816.41+16*GHSERCR#
PARAMETER G (LAVES_C36,CR:FE:ZR;0) +4*GHSERFE#+16*GHSERZR#;	6000 N !	298.15	2040727.51+4*GHSERCR#
PARAMETER G (LAVES_C36,FE:ZR:CR;0) +4*GHSERFE#+4*GHSERZR#;	6000 N !	298.15	364656.0+16*GHSERCR#
PARAMETER G (LAVES_C36,FE:CR:ZR;0) +4*GHSERFE#+16*GHSERZR#;	6000 N !	298.15	1937196.35+4*GHSERCR#

\$ Cr-Nb-Sn

PARAMETER G (LAVES_C36,NB:CR:SN;0) +4*GHSERNB#+16*GHSERSN#;	6000 N !	298.15	1588883.81+4*GHSERCR#
PARAMETER G (LAVES_C36,NB:SN:CR;0) +4*GHSERNB#+4*GHSERSN#;	6000 N !	298.15	145348.9+16*GHSERCR#
PARAMETER G (LAVES_C36,CR:NB:SN;0) +4*GHSERNB#+16*GHSERSN#;	6000 N !	298.15	1501474.09+4*GHSERCR#
PARAMETER G (LAVES_C36,SN:NB:CR;0) +4*GHSERNB#+4*GHSERSN#;	6000 N !	298.15	143498.78+16*GHSERCR#
PARAMETER G (LAVES_C36,CR:SN:NB;0) +16*GHSERNB#+4*GHSERSN#;	6000 N !	298.15	983794.43+4*GHSERCR#
PARAMETER G (LAVES_C36,SN:CR:NB;0) +16*GHSERNB#+4*GHSERSN#;	6000 N !	298.15	906444.02+4*GHSERCR#

\$ Cr-Nb-Zr

PARAMETER G (LAVES_C36,CR:ZR:NB;0) +16*GHSERNB#+4*GHSERZR#;	6000 N !	298.15	847499.87+4*GHSERCR#
PARAMETER G (LAVES_C36,ZR:CR:NB;0) +16*GHSERNB#+4*GHSERZR#;	6000 N !	298.15	829117.11+4*GHSERCR#
PARAMETER G (LAVES_C36,ZR:NB:CR;0) +4*GHSERNB#+4*GHSERZR#;	6000 N !	298.15	-70241.42+15*T+16*GHSERCR#
PARAMETER G (LAVES_C36,CR:NB:ZR;0) +4*GHSERNB#+16*GHSERZR#;	6000 N !	298.15	1756054.7+4*GHSERCR#
PARAMETER G (LAVES_C36,NB:ZR:CR;0) +4*GHSERNB#+4*GHSERZR#;	6000 N !	298.15	-67631.61+15*T+16*GHSERCR#
PARAMETER G (LAVES_C36,NB:CR:ZR;0) +4*GHSERNB#+16*GHSERZR#;	6000 N !	298.15	1734866.69+4*GHSERCR#

\$ Cr-Sn-Zr

PARAMETER G (LAVES_C36,ZR:SN:CR;0) +4*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	149604.19+16*GHSERCR#
PARAMETER G (LAVES_C36,CR:SN:ZR;0) +4*GHSERSN#+16*GHSERZR#;	6000 N !	298.15	1307473.28+4*GHSERCR#
PARAMETER G (LAVES_C36,CR:ZR:SN;0) +16*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	1048332.03+4*GHSERCR#
PARAMETER G (LAVES_C36,ZR:CR:SN;0) +16*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	1030802.32+4*GHSERCR#

PARAMETER G (LAVES_C36,SN:ZR:CR;0) +4*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	148835.55+16*GHSERCR#
PARAMETER G (LAVES_C36,SN:CR:ZR;0) +4*GHSERSN#+16*GHSERZR#;	6000 N !	298.15	889552.54+4*GHSERCR#

\$ Fe-Nb-Sn

PARAMETER G (LAVES_C36,NB:SN:FE;0) +4*GHSERNB#+4*GHSERSN#;	6000 N !	298.15	-191483.09+16*GHSERFE#
PARAMETER G (LAVES_C36,SN:NB:FE;0) +4*GHSERNB#+4*GHSERSN#;	6000 N !	298.15	-204576.76+16*GHSERFE#
PARAMETER G (LAVES_C36,FE:NB:SN;0) +4*GHSERNB#+16*GHSERSN#;	6000 N !	298.15	1781043.1+4*GHSERFE#
PARAMETER G (LAVES_C36,NB:FE:SN;0) +4*GHSERNB#+16*GHSERSN#;	6000 N !	298.15	1676344.89+4*GHSERFE#
PARAMETER G (LAVES_C36,FE:SN:NB;0) +16*GHSERNB#+4*GHSERSN#;	6000 N !	298.15	939519.9+4*GHSERFE#
PARAMETER G (LAVES_C36,SN:FE:NB;0) +16*GHSERNB#+4*GHSERSN#;	6000 N !	298.15	899991.01+4*GHSERFE#

\$ Fe-Nb-Zr

PARAMETER G (LAVES_C36,ZR:NB:FE;0) +4*GHSERNB#+4*GHSERZR#;	6000 N !	298.15	-475768.72+16*GHSERFE#
PARAMETER G (LAVES_C36,NB:ZR:FE;0) +4*GHSERNB#+4*GHSERZR#;	6000 N !	298.15	-457974.39+16*GHSERFE#
PARAMETER G (LAVES_C36,FE:NB:ZR;0) +4*GHSERNB#+16*GHSERZR#;	6000 N !	298.15	1629161.51+4*GHSERFE#
PARAMETER G (LAVES_C36,NB:FE:ZR;0) +4*GHSERNB#+16*GHSERZR#;	6000 N !	298.15	1712687.74+4*GHSERFE#
PARAMETER G (LAVES_C36,FE:ZR:NB;0) +16*GHSERNB#+4*GHSERZR#;	6000 N !	298.15	1034449.81+4*GHSERFE#
PARAMETER G (LAVES_C36,ZR:FE:NB;0) +16*GHSERNB#+4*GHSERZR#;	6000 N !	298.15	1000379.26+4*GHSERFE#

\$ Fe-Sn-Zr

PARAMETER G (LAVES_C36,FE:ZR:SN;0) +16*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	1205127.03+4*GHSERFE#
PARAMETER G (LAVES_C36,FE:SN:ZR;0) +4*GHSERSN#+16*GHSERZR#;	6000 N !	298.15	975964.83+4*GHSERFE#
PARAMETER G (LAVES_C36,ZR:FE:SN;0) +16*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	1135254.58+4*GHSERFE#
PARAMETER G (LAVES_C36,SN:FE:ZR;0) +4*GHSERSN#+16*GHSERZR#;	6000 N !	298.15	1175979.59+4*GHSERFE#
PARAMETER G (LAVES_C36,ZR:SN:FE;0) +16*GHSERFE#+4*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	-410267.9-109*T
PARAMETER G (LAVES_C36,SN:ZR:FE;0) +4*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	-368546.27+16*GHSERFE#
PARAMETER G (LAVES_C36,ZR:SN,ZR:FE;0)		298.15	-398285+75*T; 6000 N !

\$ Nb-Sn-Zr

PARAMETER G (LAVES_C36,NB:ZR:SN;0) +16*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	966213.36+4*GHSERNB#
PARAMETER G (LAVES_C36,NB:SN:ZR;0) +4*GHSERSN#+16*GHSERZR#;	6000 N !	298.15	588534.84+4*GHSERNB#
PARAMETER G (LAVES_C36,ZR:NB:SN;0) +16*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	910145.81+4*GHSERNB#
PARAMETER G (LAVES_C36,SN:NB:ZR;0) +4*GHSERSN#+16*GHSERZR#;	6000 N !	298.15	556700.2+4*GHSERNB#
PARAMETER G (LAVES_C36,ZR:SN:NB;0) +4*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	156838.26+16*GHSERNB#
PARAMETER G (LAVES_C36,SN:ZR:NB;0) +4*GHSERSN#+4*GHSERZR#;	6000 N !	298.15	121336.21+16*GHSERNB#

PHASE SIGMA % 2 10 20 !
CONSTITUENT SIGMA :CR,FE,NB : CR,FE,NB : !

PARAMETER G(SIGMA,CR:CR;0) +30*GHSERCR#;	6000 N!	298.15	3.94756000E+05
PARAMETER G(SIGMA,FE:FE;0) +30*GHSERFE#;	6000 N!	298.15	2.26061967E+05

PARAMETER G(SIGMA,CR:FE;0) +10*GHSERCR#+20*GHSERFE#;	6000 N!	298.15	3.12648830E+05
PARAMETER G(SIGMA,FE:CR;0) -1.23246240E+02*T+10*GHSERFE#+20*GHSERCR#;	6000 N!	298.15	9.7003960E+04
PARAMETER G(SIGMA,FE:CR,FE;0) 270.865217*T;	6000 N!	298.15	1.63972164E+04-

PARAMETER G(SIGMA,NB:NB;0) +30*GHSERNB#;	6000 N!	298.15	2.447520000E+05
PARAMETER G(SIGMA,CR:NB;0) +10*GHSERCR#+20*GHSERNB#;	6000 N!	298.15	2.57136E+05
PARAMETER G(SIGMA,NB:CR;0) +10*GHSERNB#+20*GHSERCR#;	6000 N!	298.15	1.26432E+06
PARAMETER G(SIGMA,FE:NB;0) +10*GHSERFE#+20*GHSERNB#;	6000 N!	298.15	3.7251E+04
PARAMETER G(SIGMA,NB:FE;0) +10*GHSERNB#+20*GHSERFE#;	6000 N!	298.15	7.6905E+05

PHASE MU_PHASE % 4 1 4 2 6 !
CONSTITUENT MU_PHASE :CR,FE,NB : NB : CR,FE,NB : CR,FE,NB : !

PARAMETER G(MU_PHASE,CR:NB:CR:CR;0) 298.15
52879+9*GHSERCR#+4*GHSERNB#;
6000 N !

PARAMETER G (MU_PHASE, NB:NB:CR:CR;0) 298.15
 +141350+5*GHSERNB#+8*GHSERCR#;
 6000 N !
 PARAMETER G (MU_PHASE, CR:NB:NB:CR;0) 298.15
 +11604+7*GHSERCR#+6*GHSERNB#;
 6000 N !
 PARAMETER G (MU_PHASE, NB:NB:NB:CR;0) 298.15
 +77325+7*GHSERNB#+6*GHSERCR#;
 6000 N !
 PARAMETER G (MU_PHASE, CR:NB:CR:NB;0) 298.15
 +374342+3*GHSERCR#+10*GHSERNB#;
 6000 N !
 PARAMETER G (MU_PHASE, CR:NB:NB:NB;0) 298.15
 +222612+GHSERCR#+12*GHSERNB#;
 6000 N !
 PARAMETER G (MU_PHASE, FE:NB:NB:NB;0) 298.15 +179830+GHSERFE#
 +12*GHSERNB#; 6000 N!
 PARAMETER G (MU_PHASE, NB:NB:NB:NB;0) 298.15 +221890+13*GHSERNB#;
 6000 N!
 PARAMETER G (MU_PHASE, FE:NB:FE:FE;0) 298.15 9*GHSERFE# +4*GHSERNB#
 -90419; 6000 N!
 PARAMETER G (MU_PHASE, NB:NB:FE:FE;0) 298.15 -24646+8*GHSERFE#
 +5*GHSERNB#; 6000 N!
 PARAMETER G (MU_PHASE, FE:NB:NB:FE;0) 298.15 -260187+51.5*T
 +7*GHSERFE#+6*GHSERNB#; 6000 N !
 PARAMETER G (MU_PHASE, NB:NB:NB:FE;0) 298.15 -122654+6*GHSERFE#
 +7*GHSERNB#; 6000 N!
 PARAMETER G (MU_PHASE, FE:NB:CR:CR;0) 298.15 +37263+GHSERFE#+4*GHSERNB#
 +8*GHSERCR#; 6000 N !
 PARAMETER G (MU_PHASE, CR:NB:FE:CR;0) 298.15
 +88465+7*GHSERCR#+4*GHSERNB#
 +2*GHSERFE#; 6000 N !
 PARAMETER G (MU_PHASE, FE:NB:FE:CR;0) 298.15
 +97266+3*GHSERFE#+4*GHSERNB#
 +6*GHSERCR#; 6000 N !
 PARAMETER G (MU_PHASE, NB:NB:FE:CR;0) 298.15
 +191535+5*GHSERNB#+2*GHSERFE#
 +6*GHSERCR#; 6000 N !
 PARAMETER G (MU_PHASE, FE:NB:NB:CR;0) 298.15 -10355+GHSERFE#+6*GHSERNB#
 +6*GHSERCR#; 6000 N !
 PARAMETER G (MU_PHASE, CR:NB:CR:FE;0) 298.15 -
 49986+3*GHSERCR#+6*GHSERFE#
 +4*GHSERNB#; 6000 N !
 PARAMETER G (MU_PHASE, FE:NB:CR:FE;0) 298.15 -
 42763+7*GHSERFE#+4*GHSERNB#
 +2*GHSERCR#; 6000 N !
 PARAMETER G (MU_PHASE, NB:NB:CR:FE;0) 298.15
 +17354+5*GHSERNB#+2*GHSERCR#
 +6*GHSERFE#; 6000 N !
 PARAMETER G (MU_PHASE, CR:NB:FE:FE;0) 298.15 +34655+GHSERCR#+4*GHSERNB#
 +8*GHSERFE#; 6000 N !
 PARAMETER G (MU_PHASE, CR:NB:NB:FE;0) 298.15 -190602+GHSERCR#

```

+6*GHSERNB#+6*GHSERFE# ; 6000 N !
PARAMETER G(MU_PHASE,FE:NB:CR:NB;0) 298.15
+347534+GHSERFE#+10*GHSERNB#
+2*GHSERCR#; 6000 N !
PARAMETER G(MU_PHASE,NB:NB:CR:NB;0) 298.15
+382750+11*GHSERNB#+2*GHSERCR#;
6000 N !
PARAMETER G(MU_PHASE,CR:NB:FE:NB;0) 298.15
+442921+GHSERCR#+10*GHSERNB#
+2*GHSERFE#; 6000 N !
PARAMETER G(MU_PHASE,FE:NB:FE:NB;0) 298.15 +431760+3*GHSERFE#
+10*GHSERNB#; 6000 N !
PARAMETER G(MU_PHASE,NB:NB:FE:NB;0) 298.15 +507244+2*GHSERFE#
+11*GHSERNB#; 6000 N !
PARAMETER G(MU_PHASE,CR,FE:NB:NB:CR,FE;0) 298.15 -180400-200*T;
6000 N !

```

PHASE FE3SN2 % 2 3 2 !
CONSTITUENT FE3SN2 :FE : SN : !

```

PARAMETER G(FE3SN2,FE:SN;0) 298.15 -6.02835121E+04
+3.24455137E+01*T+3*GHSERFE#+2*GHSERSN#; 6000 N !

```

PHASE FE5SN3_B82 % 2 5 3 !
CONSTITUENT FE5SN3_B82 :FE : SN : !

```

PARAMETER G(FE5SN3_B82,FE:SN;0) 298.15 -6.50170626E+04
+2.3661478E+01*T+5*GHSERFE#+3*GHSERSN#; 6000 N !

```

PHASE FESN2_C16 % 2 1 2 !
CONSTITUENT FESN2_C16 :FE : SN : !

```

PARAMETER G(FESN2_C16,FE:SN;0) 298.15 -4.75103535E+04
+3.36329828E+01*T+GHSERFE#+2*GHSERSN#; 6000 N !

```

PHASE FESN_B35 % 2 1 1 !
CONSTITUENT FESN_B35 :FE : SN : !

```

PARAMETER G(FESN_B35,FE:SN;0) 298.15 -3.49407767E+04
+2.25984950E+01*T+GHSERFE#+GHSERSN#; 6000 N !

```

PHASE C16 % 2 1 2 !
CONSTITUENT C16 :FE,ZR : FE,ZR : !

```

PARAMETER G(C16,FE:ZR;0) 298.15 -5.20495419E+04
+7.91714899*T+GHSERFE#+2*GHSERZR#; 6000 N !
PARAMETER G(C16,ZR:FE;0) 298.15 31048.9727

```

```

+GHSERZR#+2*GHSERFE#; 6000 N!
  PARAMETER G(C16,FE:FE;0)           298.15 106332.6
+3*GHSERFE#; 6000 N!
  PARAMETER G(C16,ZR:ZR;0)           298.15 94770.38
+3*GHSERZR#; 6000 N!
  PARAMETER G(C16,FE,ZR:ZR;0)      298.15 -9.94139318E+04; 6000 N!
  PARAMETER G(C16,FE:ZR,FE;0)       298.15 -2.18320225E+05; 6000 N!

PHASE E1a % 2 1   3 !
  CONSTITUENT E1a :FE,ZR : FE,ZR : ! 

  PARAMETER G(E1a,FE:ZR;0)      298.15 -5.63495417E+04
+7.37466671*T+GHSERFE+3*GHSERZR; 6000 N!
  PARAMETER G(E1a,ZR:FE;0)      298.15 198436.36
+GHSERZR+3*GHSERFE; 6000 N!
  PARAMETER G(E1a,FE:FE;0)      298.15 160799.175
+4*GHSERFE; 6000 N!
  PARAMETER G(E1a,ZR:ZR;0)      298.15 60768.531
+4*GHSERZR; 6000 N!
$$  PARAMETER G(E1a,FE,ZR:ZR;0)  298.15 5.34023303E+05; 6000 N!
$$  PARAMETER G(E1a,FE:ZR,FE;0) 298.15 -1.39498639E+05; 6000 N!

PHASE A15 % 2 3   1 !
  CONSTITUENT A15 :NB,SN,ZR : NB,SN,ZR : ! 

  PARAMETER G(A15,NB:NB;0)        298.15 +40513
-1.0937822E+01*T+4*GHSERNB#;
6000 N!
  PARAMETER G(A15,SN:SN;0)        298.15 +30031
+1.9454908E+01*T+4*GHSERSN#;
6000 N!
  PARAMETER G(A15,ZR:ZR;0)        298.15 8.35000000E+04+4*GHSERZR#;
6000 N!
  PARAMETER G(A15,NB:SN;0)        298.15 -67413.336+12.695285*T
+3*GHSERNB#+GHSERSN#; 6000 N!
  PARAMETER G(A15,SN:NB;0)        298.15 +79925
+5.00773548E+01*T+3*GHSERSN#
+GHSERNB#; 6000 N!
  PARAMETER G(A15,SN:ZR;0)        298.15 +2.01296000E+05
+3*GHSERSN#+GHSERZR#; 6000 N!
  PARAMETER G(A15,ZR:SN;0)        298.15 -1.42326281E+05
-4.43634632*T+GHSERSN#+3*GHSERZR#; 6000 N!
  PARAMETER G(A15,NB:NB,SN;0)    298.15 +77437.483-40.567*T; 6000 N!
  PARAMETER G(A15,ZR:SN,ZR;0)    298.15 -1.39382692E+05; 6000 N!
  PARAMETER G(A15,NB,ZR:SN;0)    298.15 -125000; 6000 N   !
  PARAMETER G(A15,NB,ZR:SN;1)    298.15 -472000+15*T; 6000 N   !
  PARAMETER G(A15,NB,ZR:SN;2)    298.15 -410000; 6000 N   !

PHASE NB6SN5 % 3 24   16   4 !
  CONSTITUENT NB6SN5 :NB : SN : SN : ! 
```

PARAMETER G(NB6SN5,NB:SN:SN;0) 298.15 -5.84500E+05
 +24.9325157*T+24*GHSERNB#+20*GHSERSN#; 6000 N !

PHASE NBSN2 % 2 1 2 !
 CONSTITUENT NBSN2 :NB : SN : !

PARAMETER G(NBSN2,NB:SN;0) 298.15 -45536.552
 +11.070455*T+GHSERNB#+2*GHSERSN#; 6000 N !

PHASE Ti2Ni % 3 1 2 3 !
 CONSTITUENT Ti2Ni :FE,NB,ZR : FE : ZR : !

PARAMETER G(Ti2Ni,FE:FE:ZR;0) 298.15 -125695.7509
 +3*GHSERFE#+3*GHSERZR#; 6000 N !

PARAMETER G(Ti2Ni,NB:FE:ZR;0) 298.15 -69240.15952-
 1.06061520E+01
 +GHSERNB#+2*GHSERFE#+3*GHSERZR#; 6000 N !

PARAMETER G(Ti2Ni,ZR:FE:ZR;0) 298.15 -83988.28431-4.50240672*T
 +2*GHSERFE#+4*GHSERZR#; 6000 N !

PARAMETER G(Ti2Ni,NB,ZR:FE:ZR;0) 298.15 -1.11736263E+05; 6000 N !

PHASE N_FESNZR % 3 16 16 12 !
 CONSTITUENT N_FESNZR :FE : SN : ZR : !

PARAMETER G(N_FESNZR,FE:SN:ZR;0) 298.15 -1420604-175*T
 +16*GHSERFE#+16*GHSERSN#+12*GHSERZR#; 6000 N !

PHASE THETA % 3 1 2 6 !
 CONSTITUENT THETA :FE : SN : ZR : !

PARAMETER G(THETA,FE:SN:ZR;0) 298.15 -377233
 +1*GHSERFE#+2*GHSERSN#+6*GHSERZR#; 6000 N !

PHASE FE6SN6ZR % 3 6 6 1 !
 CONSTITUENT FE6SN6ZR :FE : SN : ZR : !

PARAMETER G(FE6SN6ZR,FE:SN:ZR;0) 298.15 -170972-34*T
 +6*GHSERFE#+6*GHSERSN#+1*GHSERZR#; 6000 N !

PHASE KWON % 3 3 9 20 !
 CONSTITUENT KWON :FE : SN : ZR : !

PARAMETER G(KWON,FE:SN:ZR;0) 298.15 -1360910-148*T
 +3*GHSERFE#+9*GHSERSN#+20*GHSERZR#; 6000 N !

PHASE XDOUBLE % 3 8 20 18 !

CONSTITUENT XDOUBLE :FE : SN : ZR : !
PARAMETER G(XDOUBLE,FE:SN:ZR;0) 298.15 -1971900-160*T
+8*GHSERFE#+20*GHSERSN#+18*GHSERZR#; 6000 N !

PHASE XPRIME % 3 9 20 22 !
CONSTITUENT XPRIME :FE : SN : ZR : !
PARAMETER G(XPRIME,FE:SN:ZR;0) 298.15 -2510000
+9*GHSERFE#+20*GHSERSN#+22*GHSERZR#; 6000 N !

PHASE Y_FESNZR % 3 18 9 5 !
CONSTITUENT Y_FESNZR :FE : SN : ZR : !
PARAMETER G(Y_FESNZR,FE:SN:ZR;0) 298.15 -745000
+18*GHSERFE#+9*GHSERSN#+5*GHSERZR#; 6000 N !

LIST_OF_REFERENCES
NUMBER SOURCE
!