

# Author's reply (in reference to letter to editor proposed by Etem Caliskan, Catherine J. Pachuk, Louis P. Perrault, Maximilian Y Emmert and entitled: preservation solutions to improve graft patency: The devil is in the detail)

Olivier Fouquet, Jean-David Blossier, Simon Dang Van, Pauline Robert, Agnès Barbelivien, Frédéric Pinaud, Patrice Binuani, Maroua Eid, Daniel Henrion, Laurent Loufrani, et al.

### ▶ To cite this version:

Olivier Fouquet, Jean-David Blossier, Simon Dang Van, Pauline Robert, Agnès Barbelivien, et al.. Author's reply (in reference to letter to editor proposed by Etem Caliskan, Catherine J. Pachuk, Louis P. Perrault, Maximilian Y Emmert and entitled: preservation solutions to improve graft patency: The devil is in the detail). Journal of Cardiothoracic Surgery, 2021, 16, 10.1186/s13019-021-01391-4. hal-03379604

HAL Id: hal-03379604

https://hal.science/hal-03379604

Submitted on 15 Oct 2021

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## LETTER TO THE EDITOR

**Open Access** 

Author's reply (in reference to letter to editor proposed by Etem Caliskan, Catherine J. Pachuk, Louis P. Perrault, Maximilian Y Emmert and entitled: preservation solutions to improve graft patency: *The devil is in the detail*)



Olivier Fouquet<sup>1,2\*</sup>, Jean-David Blossier<sup>2,3</sup>, Simon Dang Van<sup>1,2</sup>, Pauline Robert<sup>2</sup>, Agnès Barbelivien<sup>2</sup>, Frédéric Pinaud<sup>1,2</sup>, Patrice Binuani<sup>1</sup>, Maroua Eid<sup>1</sup>, Daniel Henrion<sup>2,4</sup>, Laurent Loufrani<sup>2,4</sup> and Christophe Baufreton<sup>1,2</sup>

#### **Abstract**

Not applicable.

**Keywords:** Venous graft, Graft patency, Preservation solutions

We appreciate the interest and comments from Dr. Caliskan and colleagues [1] about our recently published article [2]. We fully agree that many confounding factors of our experimental study may alter potential beneficial effects of storage solutions reason that the results must be interpreted with caution. The main criticism formulated by Dr. Caliskan concerns the composition of our referent solution, GALA (Glutathione, L-ascorbic acid, L-arginine and glucose; pH= 7.4). From June 2005, the department of cardiac surgery of the University Hospital of Angers uses the GALA solution in clinical practice. Historically, collaboration has been established with the cardiac surgery and perfusionnist team of Veterans Administration Medical Center of West Roxbury (Harvard Medical School) since 1999. In 2003, Thatte H. et al. showed that duration of storage time in GALA solution

(from 1 h to 24 h) did not alter smooth muscle or endothelial cell function [3]. These results constituted a major turning point in our practices for the conservation of venous grafts. The clinical data recently published [4, 5] with the commercially available DuraGraft (Somahlution Inc., Jupiter, Fla) which is formulated based on the GALA solution comforted us in our practice. We have developed our own GALA solution from the formula proposed by the publication of Thatte H [3]. in accordance with European legislation about the injectable solutions. The department of Hospital Pharmacy elaborates the GALA solution with quality controls step by step in order to obtain the most neutral pH possible. We recognize that there is probably a confusion bias in the composition proposed in our article. In fact, each component is mentioned with a unit formula ("the devil is in the details"). Concept solution with these unit formulas must lead to an acid composition. For 1 liter, our solution is initially composed with the following components: 0.67 ml magnesium sulfate (15% amp. 10 ml),

<sup>&</sup>lt;sup>2</sup>Institute MITOVASC CNRS UMR 6015, INSERM, 1083 Angers, France Full list of author information is available at the end of the article



<sup>\*</sup> Correspondence: olfouquet@chu-angers.fr

<sup>&</sup>lt;sup>1</sup>Department of Cardiac Surgery, CHU, Angers, France

59.5 mg potassium hydrogenophosphate, 1 ml magnesium chloride (10% amp.10 ml), 1.4 ml calcium chloride (10% amp. 10 ml), 1.55 ml L-ascorbic acid (1 g/5 ml), 2.67 ml potassium chloride (15% amp. 10 ml), 10 ml heparin (25,000 UI/5 ml), 20 ml D-glucose (5% (50 ml)), 25 ml sodium bicarbonate (1.4% amp. 10 ml), 40 ml sodium chloride (20% amp. 20 ml), 90 mg reduced glutathione, 150 mg L-arginine, sterile water (sufficient quantity for 1 1). The pH is between 7 and 7.8, buffering is performed in order to obtain a pH closest to 7.4 with a control on agar. Then, the packaging is presented in the form of sterile 30 ml polyethylene bottles. Only the sodium phosphate proposed by Thatte is not found in our solution because of European legislation on the pharmacopoeia of injectable solutions. It is noteworthy to mention that amounts of the GALA main components, as the rationale for efficacy of this solution, are exactly similar between the US and Europe formulations. The results of patent venous graft must be interpreted with caution due to the small sample size. Concerning the occluded grafts in particular in the GALA group, we observed an important intimal hyperplasia with intraluminal thrombus. Similar results with or without venous graft treatment were observed in arteriovenous fistula in murine model at 28 days [6] and at 6 weeks important smooth muscle cells and collagen deposits and macrophage infiltration [7].

In summary, we agree with Caliskan that our experimental study has several limitations and the results have to be taken with caution if we extrapolated to clinical practice. However, the composition of GALA solution elaborated for this experimental study is exactly the same for conservation of venous graft in coronary bypass grafting. Venous graft failure involves multiple factors and long-term follow-up in larger randomized studies is needed to evaluate the effect of storage solutions on clinical outcomes.

#### Acknowledgements

Not applicable.

#### Authors' contributions

OF and CB drafted the manuscript. All authors revised the author's reply and approved the final version.

#### **Funding**

Not applicable.

#### Availability of data and materials

Not applicable.

#### Ethics approval and consent to participate

Not applicable

#### Consent for publication

Obtained from the participants.

#### Competing interests

The authors declare they have no competing interests.

#### **Author details**

<sup>1</sup>Department of Cardiac Surgery, CHU, Angers, France. <sup>2</sup>Institute MITOVASC CNRS UMR 6015, INSERM, 1083 Angers, France. <sup>3</sup>Department of Cardiac Surgery, CHU Dupuytren, Limoges, France. <sup>4</sup>University Hospital of Angers, Angers, France.

Received: 14 October 2020 Accepted: 13 January 2021 Published online: 21 January 2021

#### References

- Caliskan E, Pachuk CJ, Perrault LP, Emmert MY. Preservation solutions to improve graft patency: The devil is in the detail. J Cardiothorac Surg. 2020; 15(1):228. Published 2020 Aug 27. https://doi.org/10.1186/s13019-020-01267-7.
- Fouquet O, Blossier JD, Dang Van S, Robert P, Barbelivien A, Pinaud F, et al. Do storage solutions protect endothelial function of arterialized vein graft in an experimental rat model? J Cardiothorac Surg. 2020;15(1):34.
- Thatte HS, Biswas KS, Najjar SF, Birjiniuk V, Crittenden MD, Michel T, et al. Multi-photon microscopic evaluation of saphenous vein endothelium and its preservation with a new solution, GALA. Ann Thorac Surg. 2003;75(4): 1145–52.
- Caliskan E, Sandner S, Misfeld M, Aramendi J, Salzberg SP, Choi YH, et al. A novel endothelial damage inhibitor for the treatment of vascular conduits in coronary artery bypass grafting: protocol and rationale for the European, multicenter, prospective, observational DuraGraft registry. J Cardiothorac Surg. 2019;14(1):174.
- Perrault LP, Carrier M, Voisine P, Olsen PS, Noiseux N, Jeanmart H, et al. Sequential multidetector computed tomography assessments after venous graft treatment solution in coronary artery bypass grafting. J Thoracic Cardiovasc Surg. 2019;S0022–5223(19):32503–6.
- Wong CY, de Vries MR, Wang Y, Van der Vorst JR, Vahrmeijer AL, Zonneveld AJ, et al. Vascular remodeling and intimal hyperplasia in a novel murine model of arteriovenous fistula failure. J Vasc Surg. 2014;59(1):192–201.
- Sun Q, Kawamura T, Masutani K, Peng X, Sun Q, Stolz DB, et al. Oral intake of hydrogen-rich water inhibits intimal hyperplasia in arterialized vein grafts in rats. Cardiovasc Res. 2012;94:144–53.

#### **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

#### Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

