

ENSnano: a 3D modeling software for DNA nanostructures

Nicolas Levy, Nicolas Schabanel

▶ To cite this version:

Nicolas Levy, Nicolas Schabanel. ENS
nano: a 3D modeling software for DNA nanostructures. DNA
27 - 27th International Conference on DNA Computing and Molecular Programming, Sep 2021, Oxford, France.
 $10.4230/{\rm LIPIcs.DNA.2021.12}$. hal-03456477

HAL Id: hal-03456477 https://hal.science/hal-03456477v1

Submitted on 30 Nov 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

ENSnano: a 3D modeling software for DNA

² nanostructures

- 3 Nicolas Levy 🖂 🏠
- $_{\rm 4}$ École Normale Supérieure de Lyon, LIP (UMR 5668, Équipe MC2), France

5 Nicolas Schabanel 🖂 🏠

⁶ CNRS, École Normale Supérieure de Lyon, LIP (UMR 5668, Équipe MC2) and IXXI, France

7 — Abstract

Since the 1990s, increasingly complex nanostructures have been reliably obtained out of self-assembled 8 DNA strands: from "simple" 2D shapes to 3D gears and articulated nano-objects, and even computing 9 structures. The success of the assembly of these structures relies on a fine tuning of their structure 10 to match the peculiar geometry of DNA helices. Various softwares have been developed to help 11 the designer. These softwares provide essentially four kind of tools: an abstract representation of 12 DNA helices (e.g. cadnano, scadnano, DNApen, 3DNA, Hex-tiles); a 3D view of the design (e.g., 13 vHelix, Adenita, oxDNAviewer); fully automated design (e.g., BScOR, Daedalus, Perdix, Talos, 14 Athena), generally dedicated to a specific kind of design, such as wireframe origami; and coarse grain 15 or thermodynamical physics simulations (e.g., oxDNA, MrDNA, SNUPI, Nupack, ViennaRNA,...). 16 MagicDNA combines some of these approaches to ease the design of configurable DNA origamis. 17

We present our first step in the direction of conciliating all these different approaches and 18 purposes into one single reliable GUI solution: the first fully usable version (design from scratch to 19 export) of our general purpose 3D DNA nanostructure design software ENSnano. We believe that 20 21 its intuitive, swift and yet powerful graphical interface, combining 2D and 3D editable views, allows fast and precise editing of DNA nanostructures. It also handles editing of large 2D/3D structures 22 smoothly, and imports from the most common solutions. Our software extends the concept of 23 grids introduced in cadnano. Grids allow to abstract and articulated the different parts of a design. 24 ENSnano also provides new design tools which speeds up considerably the design of complex large 3D 25 structures, most notably: a 2D split view, which allows to edit intricate 3D structures which cannot 26 easily be mapped in a 2D view, and a copy, paste & repeat functionality, which takes advantage 27 of the grids to design swiftly large repetitive chunks of a structure. ENSnano has been validated 28 experimentally, as proven by the AFM images of a DNA origami entirely designed in ENSnano. 29

ENSnano is a *light-weight ready-to-run independent single-file* app, running seamlessly in most of the operating systems (Windows 10, MacOS 10.13+ and Linux). Precompiled versions for Windows and MacOS are ready to download on ENSnano website. As of writing this paper, our software is being actively developed to extend its capacities in various directions discussed in this article. Still, its 3D and 2D editing interface is already meeting our usability goals. Because of its stability and ease of use, we believe that ENSnano could already be integrated in anyone's design chain, when precise editing of a larger nanostructure is needed.

³⁷ 2012 ACM Subject Classification Computer systems organization \rightarrow Molecular computing; Com-³⁸ puting methodologies \rightarrow Molecular simulation; Applied computing \rightarrow Molecular structural biology

- ³⁹ Keywords and phrases Software, DNA nanostructure, Molecular design, molecular self-assembly.
- ⁴⁰ Digital Object Identifier 10.4230/LIPIcs.DNA.2021.12

⁴¹ **Funding** *Nicolas Schabanel*: this work was supported in part by ENSL emergence "Algorithmes en

42 ADN", CNRS MITI "NoPrExProgMol", "AMARP" and "Scalable DNA algorithms", and CNRS

43 INS2I "Algadène" grants.

44 Acknowledgements We want to thank Damien Woods, Pierre-Étienne Meunier, Pierre Marcus,

45 Octave Hazard, Constantine Evans, Trent Rogers, and Dave Doty for fruitful discussions about

 $_{46}$ this project. We would also like to thanks the students who followed the lecture CR11 on DNA

47 computing at the ÉNS de Lyon in 2020 for their contribution to the rocket design in ENSnano.

© N. Levy and N. Schabanel;

licensed under Creative Commons License CC-BY 4.0

27th International Conference on DNA Computing and Molecular Programming (DNA27).

Editors: XX, YY; Article No. 12; pp. 12:0–12:31

Leibniz International Proceedings in Informatics LIPICS Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany

⁴⁸ **1** Introduction

⁴⁹ **DNA nanostructures design.** Since the 1990s, increasingly complex nanostructures have ⁵⁰ been reliably obtained out of self-assembled DNA strands: from "simple" 2D shapes [5, 28] ⁵¹ to 3D gears and articulated nano-objects (e.g. [38, 11]) and even computing structures ⁵² [29, 30, 35]. The success of the assembly of these structures relies on a fine tuning of their ⁵³ structure to match the peculiar geometry of DNA helices. Various softwares have been ⁵⁴ developed to help the designer.

⁵⁵ A tour of existing softwares. These softwares provides essentially four kind of tools:

- an abstract representation of DNA helices, e.g.: cadnano [8], scadnano [7], DNApen [13], 3DNA [14], Hex-tiles [25];
- ⁵⁸ a *3D representation* of the design, e.g.: vHelix [4], Tiamat [33] Adenita [6], oxDNAviewer [27];
- a fully automated design, e.g.: BScOR [4], Daedalus [32], Perdix, Talos, Athena [18, 16, 17].
 These are generally dedicated to a specific kind of design, such as wireframe origami;
- coarse grain or thermodynamic physics simulation, e.g.: oxDNA [9], MrDNA [23], Snupi [20],
 Nupack [37], ViennaRNA [22],...
- Recently, the software MagicDNA [15] proposed to combine some of these approaches to ease the design of configurable DNA origamis. The recent article [12] presents a very detailed survey of all these solutions with their pros and cons. Here is a list of the features of interest found in these softwares:
- High-level description: DNA geometry is very peculiar and hard to grasp. The seminal
 cadnano interface allowed to abstract from it and focus on the relevant aspects of DNA
 helices: it provides a framework to place DNA helices next to each other, as well as guides
 to connect them using crossovers, together with an easily-understandable and printable
 blueprint of the resulting design. In spite of its imperfection in terms of DNA geometry
 (incorrect turn/bp [34] and absence of roll of helices), cadnano is still the reference for
 fine tuning a design.
- *Live (editable) 3D view:* With the raise of 3D complex designs involving DNA helices 75 pointing in various directions or even making curves, various softwares proposed 3D 76 rendering of a design. A notable software in this category is Tiamat [33] which introduced 77 a 3D interface capable of fine tuning and editing of the design. Unfortunately, 3D views 78 are not always the best solution to edit a design beyond placing properly DNA helices 79 in space. Indeed, 3D views are often jammed, even for simple design, and the $3D \rightarrow 2D$ 80 parallax effect makes it hard to evaluate the length of a crossover, especially because its 81 direction, and thus its apparent length, changes when it is moved around. 82
- Fine tuning and editing: As mentioned above, 3D views are not well adapted for editing or 83 fine tuning [12], especially when the 3D view is provided by a "mother" software (Matlab, 84 Maya, or Samson) which was not designed for the specific needs of DNA nanostructures. 85 As it turns out, almost all the softwares, including the all-automated ones, e.g. [15], 86 recommend to export to (s)cadnano for checking and fine tuning their designs. As a 87 matter of fact, the 2D representation of a helix as a double array, initially proposed in 88 cadnano, remains the most practical for editing. Rotating the array representations as 89 in [38, 7] allows an even more convenient rendering of the design. 3D complex designs 90 however cannot be faithfully mapped to 2D, and, no matter what, some helices that are 91 close to each other in 3D, will be mapped at distant locations in a 2D representation. As 92 a result, many crossovers overlay the design and make it confusing to read and edit. 93

12:2 ENSnano: a 3D modeling software for DNA nanostructures

Design versatility: Most softwares focus on a specific class of design: DNA origami,
 wireframe origami or DNA tiles (SST). Only a few provide an abstraction for dealing with
 all of them, e.g.: MagicDNA [15] proposes a common framework for classic and wireframe
 DNA origami. The most versatile remain (s)cadnano(for 2D editing) and Tiamat (for
 3D editing). (s)cadnano make it possible to work with any class of designs, but provides
 almost no specific automation. It should however be noted that Tiamat comes with an
 integrated sequence generator.

Automation: When designing a DNA origami, many tasks are repetitive and dull, such as "stapling" a rectangle. On the opposite, some tasks require a high technical level, such as routing a scaffold in a wireframe design, or designing 3D staples in a 3D bulk. Both of these types of tasks benefit a lot from automation. Algorithms have been designed to complete these tasks and designers can save a lot of time and avoid mistakes by using them, e.g. [4, 32, 16, 15].

Programmable designs: Many designs gain to be specified as the output of a program: 107 either because they are very big and repetitive (e.g., SST designs); or because they require 108 specific angles and lengths (e.g. quasi-crystals in [38]); or because they sometimes require 109 many trials-and-errors to be properly configured, for instance to match the length of 110 the holy M13mp18 scaffold strand. To achieve this goal, scadnano [7] and the prototype 111 codenano [10] define a programming framework consisting of various function calls (in 112 python or rust) to describe helices and strands positions. MagicDNA [15] proposes an 113 interesting, user-friendlier, alternative approach, generalizing the wireframe approach, 114 which consists in describing the design as graph embedded in space, whose edges are 115 replaced by configurable chunks of parallel helices, along which the routing of the scaffold 116 and its staples is algorithmically computed. 117

Simulation: 3D views of a design are only a wishful representation of the design, as strands 118 may not self-assemble as forseen by the designer. If 3D views are essential to choose the 119 right crossovers to bind strands together in order to achieve the desired assembly, they 120 offer no guarantee in the resulting shape. Coarse grained physics simulation [9, 23, 20] 121 and thermodynamic binding estimation [37, 22] softwares allow a much more precise 122 feedback on the feasibility and stability of a design. Their predictions are now considered 123 good enough to demonstrate the validity of a design, e.g. [15]. However, they are 124 computer-intensive and furthermore require a high level of competency to interact with. 125 They can hardly produce a fast-enough feedback to be use during the design process. 126 They are thus usually used at the end of the design chain. Design softwares usually offer 127 to export the design into the sophisticated file format of these simulation softwares for 128 validation. 129

Intuitive fast-responding interface: Various directions have been explored for designing a adequate graphic user interface for designing DNA nanostructure. As mentioned earlier, 3D views did not improve, and in many cases arguably deteriorated the usability of the interface. This is particularly true when the software is embedded in a mother software in charge of the 3D rendering, which offers, most of the time, only slow or little-to-no editing capacities. As a consequence, (s)cadnano remains the most practical interface so far and this is no wonder it is still intensively used, in spite of its limited ergonomics.

 Reliability: Designing complex DNA nanostructures requires focused attention and unfortunate failures or slowness in softwares add considerable stress to the designer.
 Software reliability can only be ensured by developing them in a *safe* programming language, that is, whose compiler imposes rigorous safeguards to the programmers and checks their code in depth to avoid as much as possible bugs at runtime. Untyped



Figure 1 ENSnano interface: the 3D and 2D views of a design

programming languages should thus be ruled out to develop reliable design softwares.

Distribution: The most commonly cited softwares, namely cadnano, oxDNA, oxDNAviewer,
 MrDNA, Nupack and ViennaRNA, are the easiest to install (they are distributed either
 as an independent, python packages or web-based app), and are available for the most
 commonly used operating systems (Windows, MacOS and Linux). We have had varying
 experience with installing and using softwares embedded into a generic-purpose mother
 application. Cross-platform distribution, either as an independent or a web-based app,
 seems thus to be an important usability criteria.

¹⁵⁰ **Our contribution.** In this paper, we present our software ENSnano which introduces a 3D ¹⁵¹ editable view *working together* with a (s)cadnano-like 2D view. As in cadnano, our helices are ¹⁵² attached to *grids* organizing the helices, next to each other, in parallel subsets. We extend ¹⁵³ this grid concept in three ways:

¹⁵⁴ = first, the grids are now freely and precisely placed and oriented in space in the 3D view;

second, grids can be any 1D or 2D lattice, for now: the classic square and hexagonal grids, but also circular lattices to design nanotubes;

third, we take advantage of this lattice structure to introduce a geometry-aware copy paste-&-repeat process.

▶ A 2D and a 3D view working together. 2D and 3D views are illustrated in Fig. 1. The main purpose of the 3D view is to position the grids and helices, from which the coordinates of each nucleotide is deduced. These coordinates are used to suggest crossover positions (see Sec. 3.5). Crossovers can be created indifferently in the 2D or the 3D view. The 3D view provides also indications on the length of the crossovers: crossovers of excessive length are highlighted in black. The 2D view is pretty similar to the standard (s)cadnano view with three important differences:

- ¹⁶⁶ the design of the strands in the 2D view has been drastically simplified;
- ¹⁶⁷ the 2D view can be freely organized with few mouse clicks (see Sec. 3.3 and Fig.C.6);
- the 2D view can be split into two *interacting* views focusing on different parts of the 2D map of the design, as explained next.

The 2D and 3D views are synchronized: modifications of the designs made in one interface is immediately visible in the other one. Moreover hovering a design element (strand, helix

12:4 ENSnano: a 3D modeling software for DNA nanostructures



Figure 2 Editing with the 2D split view. (left) Building a crossover between "2D-distant" helices by dragging the mouse from one split view to the other. **(right)** In a single 2D view, the zoom factor required to see both ends of the crossover (highlighted in red) would be so small that precise editing would be impractical.

¹⁷² or nucleotide) with the mouse cursor in one interface will highlight it in both views, which ¹⁷³ makes the correspondence between the two representations easier to grasp.

► The 2D split view. As mentioned above, 3D complex structures cannot be faithfully 174 mapped into 2D: some parts of the design that are close in 3D, will, no matter what, be 175 mapped far apart from each other in the 2D view. The 2D split view of ENSnano allows 176 to edit parts of the design that are mapped far apart from each other in the 2D view, as 177 if they were next to each other, see Fig. 2. This is particularly useful for creating, moving 178 or deleting a crossover between parts that are mapped across the 2D view. Furthermore, 179 the 3D view interacts naturally with this feature by switching automatically to the 2D split 180 view, when we double-left-click on a crossover that binds nucleotides that cannot be shown 181 together in 2D view at its present zoom factor. Double-clicking on an element allows to 182 switch easily back and forth between its locations in the 3D view and 2D view (or the 2D 183 split view, when needed), see Sec. 3.3. 184

Natural swift point-and-click editing in the 2D view. As shown in Fig. 3, the interface of ENSnano is organized so that most of the editing in the design can be made by clicking directly at the wanted location: the action applied is *deduced* from the *natural mouse movement* associated to the desired action together with the local configuration at the click location (see Sec. 3.3).

Feometry aware copy/pasting ENSnano introduces a geometry-aware copy/pasting of strands and crossovers across the 3D structure, regardless of the actual numbering of the helices and of their arrangement in the 2D view. This allows to build in the blink of a eye a complete set of staples by duplicating repetitively the selected pattern (a subset of strands or crossovers) according to the initial translation, along the helices and across the grid lattice, of the firstly pasted copy (see Fig 9 in Section 3.4).

▶ File format, import and export. ENSnano file format is pretty similar to scadnano and codenano. It consists in a human readable and editable json file (see Sec. B). Currently, ENSnano imports files from scadnano and cadnano (with similar limitations as scadnano).
 ENSnano also exports designs to oxDNA for precise physics simulation.



Figure 3 Swift strand editing in the 2D view. (A) Create a strand: Left click on an empty position and drag. **(B) Extend a domain:** Left click on an end of a domain and drag. Note that the helix automatically extends if needed. **(C) Cut & ligate a strand:** A left click in the middle of strand cuts the strands. A left click on the end of a strand next to another ligates them. **(D) Create a crossover:** A left click and drag up-/down-wards on a strand initiates the creation of a crossover that will bind the initial click position to the position where the mouse is dragged to. **(E) Double/Delete a crossover:** A left click on one end of a crossover will break it. **(F) Move a crossover:** A left click-and-drag at one end of a crossover will move this crossover. Note that the possibly neighboring crossover will be pushed and pulled back during the dragging until the final position is set.

We do not provide yet any python framework to generate ENSnano designs. However, ENSnano files can be generated by a python program with moderate efforts. This issue will be resolved in an upcoming version of ENSnano.

203 ► Sequences export. ENSnano is presently fully functional to design and edit precisely
 204 complex DNA origami and to export its staple sequences for ordering.

▶ DNA parameters. ENSnano uses the DNA helix physical data collected from [34, 31].
 They are presented in appendix in Sec. B.2. They can easily be edited to fit specific needs directly in ENSnano file format (a json text file) as explained in Sec. B.

Distribution and Installation ENSnano is developed in the high performance safe programming language Rust [24]. We rely on the cross platform libraries winit, wgpu and iced [2, 3, 1] to produce an *identical and highly responsive* interface across all commonly used operating systems. ENSnano is distributed as a *single-file app* for Windows and MacOS, as well as an open source repository, ready to be cloned and compiled, for Linux and the brave ones. It

12:6 ENSnano: a 3D modeling software for DNA nanostructures

²¹³ can be downloaded directly from ENSnano website [21].

214 **2** ENSnano concepts

215 2D and 3D editable views. ENSnano combines two graphical interfaces to visualize and
 216 edit DNA nanostructures, each of them serving different purposes:

 $_{217}$ = the 3D view helps to visualize and arrange precisely the different elements composing the

design in space. It enables to navigate inside the nanostructure, to ensure, for instance, that the crossovers that bind it together, are not too short nor too long. It also allows

to arrange complex structures where helices are not parallel. It also provides new 3D tools that helps, for instance, to find suitable positions for crossovers between any kind of

helices.

the 2D view presents the blueprint of the design in a streamlined manner, similar to the one initially proposed in cadnano. This linear representation of the helices is easy to read and arguably more ergonomic for most editing task.

As we will see later, both views work together to facilitate the work of the designer. A particular care was given to provide a homogeneous visual experience for both views, with matching color codes between the views, for instance.

Grids. In ENSnano, like in several other nanostructure design softwares, the strands composing a nanostructure are positioned on helices that are assumed to be rigid shapes — currently, rigid cylinders. The 3D shape of the design is greatly influenced by the relative positions and orientations of these helices. In cadnano, the helices are all parallel and their positions are given by a point on a grid. In ENSnano helices are also positioned on a grid, but several grids can coexist in a design, and these grids can have different orientations, which makes it possible to create designs in which all helices point in different directions.

By grouping helices together on a grid, one can organize their design into bulk components made of parallel helices. Each of this component can be thought as a separated cadnano design. As pointed out in the introduction, the 2D view is typically more ergonomic to edit those components. Connecting two non-parallel components in a 2D interface is however a challenging task. This is where the 3D editing of crossovers and the crossover suggestions based on the 3D positions of the nucleotides are useful.

At the moment, ENSnano offers squared and hexagonal grids, as well as nanotubes made of 5 to 60 helices. Grids are internally implemented as a mapping $\mathbb{Z}^2 \mapsto \mathbb{R}^2$. This flexible representation makes it easy to add new grid types in the future, and could be easily extended to arbitrary Cayley graphs.

Group-based organization of the design. Elements of the designs can be grouped in named 246 groups. These groups can be used to quickly select one part of the design, or to adjust 247 altogether the properties of the elements in the set. Groups can for instance be used to 248 quickly set the color of all the helices of a groups for crossover suggestion. They can also be 249 used to hide or show temporarily parts of the design. Groups will have extended capabilities 250 in upcoming versions of our software. Note that the group structure in ENSnano does not 251 requires the groups to be disjoint. This is typically useful in the case where one wants 252 to visualize the interface between two components linked together by a set of crossovers. 253 One can create two groups, each of them containing one of the components and the set of 254 crossovers. Using these groups one can chose to hide everything in the design but one of the 255 components and the crossovers at the interface, as illustrated in Fig A.1. 256



Figure 4 Crossover suggestions. As none of the three helices are parallel, finding crossover positions may be difficult. We thus assign the helices 1 and 2 (the orange and green stranded) to the green family and helix 3 (the blue stranded) to the red (note that the color family is displayed as the background color of their identifier disc in the 2D view). In the 3D view, the suggested crossovers are indicated by a translucent purple connection between two nucleotides. In the 2d view, the nucleotides that could be bound by a crossover are indicated by pairs of dots of matching color.

Design helpers. When designing a DNA nanostructure, special care must be given when choosing the positions of the crossovers. Indeed, the length and orientation of a crossover between two points of two neighboring helices can vary greatly, because of the spiraling nature of DNA helices. For this reason, DNA nanostructure design softwares often offer a feature that suggests positions at which crossovers between two helices are possible.

262 ► Crossover suggestions. In ENSnano, one can assign to each helix a *color family*: none, 263 red or green. Crossover suggestions will be made between helices of color families red and 264 green: purple translucent clues will show up in the 3D view to indicate possible crossover 265 positions, based on the distance between the nucleotides. Dots of matching colors indicates 266 these same locations in the 2D view. Fig. 4 illustrates this feature.

267 ► Crossover length color shading. In addition to the suggestion for creating new crossovers, 268 ENSnano also offers visual clues for assessing the length of the existing crossovers. In the 3D interface the crossovers are displayed as cylinders, whose color depends on the distance 270 between their extremities. Short crossovers have the same color as the strand they belong to, 271 while crossover of excessive length are shaded from light grey to dark, where a darker color 272 indicates a longer crossover, see Fig. 5.

▶ Helices (auto)roll. Rolling a helix around its axis shifts its strands forward or backward 273 and thus has a huge impact on the position of its possible crossovers with neighboring helices. 274 Reciprocally, placing some crossovers will have an impact on its optimal roll which will in 275 turn impact all the crossovers around it. Choosing the roll of the helices gives more freedom 276 in a design, and improves its feasibility. cadnano for instance ignores this factor. ENSnano 277 enables to either input the value of the helix roll or to run a simple physics simulator which 278 will auto-roll the selected helices according to the torsion forces applied by their crossovers, 279 where each crossover is considered as a spring with free length 0.7nm, the expected length of 280 a crossover. This allows a simple and almost instantaneous sanity check of a design as it is 281 being built. Typical use of the auto-roll feature is when we want a specific crossover between 282 a newly created helix and an other one: we first add this crossover regardless of its length 283 and then we auto-roll the newly created helix so that it adjusts its roll to satisfy this desired 284

12:8 ENSnano: a 3D modeling software for DNA nanostructures



Figure 5 Length color shading of the crossover in the 3D view. (left) In this example, several crossovers of various lengths are visible. Crossovers that are short and don't require the designer's attention are displayed in the same color as their strand. Some crossovers are displayed in light-grey indicating that their moderately excessive length may only represents a minor problem in the design. However, one pair of crossovers is displayed in black. This should catch the designer's eyes and indicates that this pair of crossovers should be rearranged. (right) After correcting the two faulty crossovers, they are now shorter and appear in a lighter shade. This indicates that the design on the right panel is more likely to be feasible.

crossover; the crossover suggestion feature will then adapt and indicate where to place the other crossovers according to the initial one.

Basic stability testing. Dependable physics engines such as oxDNA and MrDNA are com-287 puter intensive and cannot provide a fast enough feedback for a user in doubt while building 288 up a large design. As pointed out in [12], these softwares tend to be used at the end of the 289 design chain, to validate a complete design, before ordering the corresponding strands. In 290 ENSnano, we propose to give up on dependable physics simulations of the resulting shape of a 291 design, but just to focus on its *immediate stability*. Indeed, the commonly accepted motto of 292 DNA nanostructures design is that DNA helices can be abstracted as rigid shapes (cylinder 293 or curves) if correctly tied up together. Dependable physics engines are used to check the 294 correctness of this assumption. But, during the whole design process, we take it for granted, 295 because its correctness relies on it. What we need is thus a fast regular feedback on whether 296 the current (assumed to be) rigid helices are "tied up" satisfyingly to keep the desired shape. 297 For this purpose, ENSnano includes a *very basic* rigid body physics simulator in which: 298

- each crossover is modelled as a spring with free length 0.7nm, the expected length of a covalent bond;
- each contiguous double-stranded part of a helix is modelled as an independent rigid cylinder;
- each single stranded part of an helix is considered as a chain of isolated points connected by crossovers (modelled as spring as above);
- Brownian motion is emulated by jiggling the isolated points (or not), with an adjustable intensity;
- the stiffness of the spring, ambient friction and mass of the nucleotide can be configured live as the simulation runs; we usually recommend to start with a high friction and to lower it slowly as the simulation progresses.
- This very basic model has no other ambition than to provide a quick feedback on the stability of the currently developed design and may not always produce correct results. In particular, we need to review in depth the volume exclusion procedure. Some perfectly valid design may converge to a spaghetti mess.

To get a definitive assessment of the physical viability of their design, users are invited to export it to oxDNA.

316 **Graphical User Interface and tools**

317 3.1 Getting started

The interface of ENSnano is designed so that every action is only one click away: editing either grids, helices, strands, crossovers, 5' or 3' ends of domains,... do not require any edition mode switching; the intended action is naturally guessed by the program. The interface is divided in four area (see Fig. C.6 page 24):

the top bar consists of the Open/Save/Export buttons, the view selector (3D and/or (split) 2D), the zoom fitting button , the undo/redo buttons, and the help & tutorials buttons;

the left bar consists of four panels, from top to bottom: the tool panel, the camera shortcuts, the contextual panel, and the organizer;

 $_{327}$ = the main view(s) represent(s) the design in 2D and/or 3D;

and the status bar at the bottom is currently essentially unused.

The camera panel gathers buttons that set the camera in standard positions, which is useful to align the design with the axis. The contextual panel displays and allows to edit information on the current selection. It also displays the help when nothing is selected. The organizer allows to group the design into (non-disjoint) sets as already discussed in Sec. 2.

The tool panel is composed of six tabs (see Fig. C.7):

 $_{334}$ = the grid tab \boxplus gathers the tools to create grids and add helices to them;

335 ■ the edit tab 🖍 gathers the tools to edit nucleotides, strands and helices;

 $_{336}$ \blacksquare the camera tab \blacksquare presents the visualization parameters;

sar 🔲 the rigid body engine tab 🛰 presents the (very basic) available physics simulation tools;

 $_{338}$ = the sequence tab $_{ATG}$ allows to set and export the sequences of the strands;

and the parameters tab \clubsuit allows to change the font size and the scrolling sensitivity.

What is selected or edited when clicking in the views is determined by the selection mode and by the action mode in the two editing tabs \boxplus and \checkmark :

³⁴² ■ the selection modes are: ● for nucleotides and crossovers, ♥ for strands, 🕅 for helices;

the action modes are: ➤ to edit objects, ↔ to translate objects, ↔ to rotate objects, and
to add helices to a grid.

Grids are added to the design using the buttons: 🛱 for square grid, 🕸 for hexagonal grid, and 🏶 for nanotubes. Helices are added to a grid by clicking on the desired position on the grid. One can chose to equip a helix with a double strand at its creation: just set the starting position and length of the strands in the text fields bellow. By default a phantom helix is displayed when an helix is created, this can be switched off in contextual panel after selecting the grid.

Building a first design. Fig. 6 presents step-by-step how to build a very simple design in
 ENSnano.

353 3.2 The 3D view

³⁵⁴ The main purpose of the 3D view is to visualize and organize the components in space.



Figure 6 Step-by-step construction of a first design in ENSnano.

The camera can be: translated (using the mouse left- or middle-click, or the keyboard 355 arrows), rotated freely (using the mouse right-click or Ctrl/#+middle-click), and zoomed 356 in and out (using the mouse wheel). Rotations and zooms are performed around the *pivot* 357 *point* which is highlighted by a yellow ball. The pivot point is set by right-clicking on an 358 element of the design. The button [•] in the top bar allows to auto-adjust the zoom to fit 359 the whole design in the views. *Right-double-clicking* on an element in the 2D view centers 360 this element in the 3D view. Left-double-clicking on an element in the 3D view centers this 361 element in the 2D view. 362

3D arrangement. The grids and helices can be rearranged by selecting them and choosing the action mode \bigoplus or \bigoplus . Handles appear to be pulled in the three possible directions. Handles are either aligned with the current orientation of the object, or with canonical axes of the design, see Fig. A.2. The latter choice is preferred to align different components precisely. Clicking again on the action mode \bigoplus or \bigoplus switches from one handles alignment to the other.

Fog. Sometimes, the 3D view can be confusing. The *fog* feature in the tab ■ allows to display only the part of the design within a given radius around the pivot or the camera, fading the rest progressively to invisible, see Fig. 7.

Rendering style. By default, the background of the 3D view is a landscape gradient, which is convenient to keep track of the current camera orientation. It can be replaced by a white



Figure 7 The fog feature. (left) no fog: the background is jammed with strands, and it is hard to focus on the crossovers between the two layers; **(right) with fog:** the background is cleared and the crossover is now clearly visible, ready to be adjusted if needed.

background (e.g., for publication) in the rendering section of the tab ■. One can also opt there for a cartoon rendering, where each object is outlined in black (e.g., for printing).

Editing in the 3D view. Sometimes, it is easier to edit directly in the 3D view. Left-clickand-drag on an end of a strand or a crossover allows to translate it along the helix.¹ One can build a crossover by a long-press left-click on a nucleotide (longer than 250ms): a blue ball appears, and dragging to another nucleotide creates the crossover.

380 3.3 The 2D view

The 2D view is the blueprint of the design. It follows and extends the streamlined interface of cadnano and scadnano by adding a list of features that improves its ergonomics:

- Creation and edition of strands, creation and translation of crossovers, cutting and ligating strands are all done in the same edition mode, using only the mouse *left-click*, as shown in Fig. 3. Note that the *selection in the 2D view* is accomplished by *right-clicking*.
- The 2D and 3D views work together: a translucide green ball indicates in the 3D view which nucleotide is hoverred by the mouse in the 2D view (e.g., see Fig. 3F and 3H). Also, double-right-clicking a nucleotide in the 2D view centers it in the 3D view.
- The helix representations automatically extend when needed, e.g. when elongating a strand. The helix representations can be tighten back using the buttons "All/Selected" under "Tighten 2D helices" in the edition tab \checkmark , or simply by clicking on their handles.
- Any helix representation can be translated and rotated arbitrarily in the 2D view, to
 match as closely as possible the 3D arrangement of design, or serve any other purposes,
 e.g. Fig. A.3 or C.6. Left-clicking on their number will translate the selected helices,
 while right-clicking will rotate them.
- ³⁹⁶ Moving is the 2D view is done by middle- or Alt/Σ +left-click-and-drag. Zooming in and ³⁹⁷ out is done by scrolling the mouse wheel.

The 2D split view. As mentioned earlier, 3D complex structures cannot be faithfully mapped into 2D, and some parts that are next to each other in space, will inevitably be mapped far apart in any 2D view. This usually makes 2D representation of 3D DNA nanostructures complex to read and even more to edit. For instance, very long crossovers

¹ Cutting and ligating a strand by left-click are disabled in the 3D view because it is too error-prone.

12:12 ENSnano: a 3D modeling software for DNA nanostructures



Figure 8 Grid geometry-aware copy and paste of strands and crossovers. (left) Duplication of a strand: the red strand gets duplicated on other helices of the grid. One can check in the 3D interface that the path of the strand is correctly being copied, even if the 2D view could be reorganized to present a clearer representation of the strand. (right) Duplication of crossovers: four crossovers are being copied at once on existing strands.

⁴⁰² cross each other in every possible direction in the cadnano representation of the double-layer ⁴⁰³ origami in [31], and make it almost impossible to edit. ENSnano's 2D split view solves this ⁴⁰⁴ issue elegantly by allowing to zoom and to *act seamlessly on two distant parts* of the 2D ⁴⁰⁵ view, as if they were next to each other. Indeed, one can build a crossover from one split ⁴⁰⁶ view to the other just as if it was one single 2D view, see Fig. 2. Moreover, crossovers whose ⁴⁰⁷ ends are in opposite sides of the split view, *are drawn across the views*, making them easy to ⁴⁰⁸ read and edit.

⁴⁰⁹ Note that left double-clicking on a crossover in the 3D view, splits the 2D view as soon ⁴¹⁰ as both of its ends do not fit in the 2D view. We thus recommend to 1) create the desired ⁴¹¹ crossover approximately in the 3D view and then 2) to double-click on it, so that it gets ⁴¹² focused and drawn across the split view, where the user can then edit it comfortably.

3.4 Grid-aware copy, paste & repeat

Grid geometry-aware copy & paste. Many DNA nanostructure designs consist of repeating 414 the same pattern over and over, e.g.: SST nanotubes [36, 35], rectangular DNA origami [34], 415 or SST 3D assemblies [19, 26]... and many more contains many repeating crossover patterns. 416 A designer can thus save a lot of time by copying and pasting patterns, as proposed for 417 instance in scadnano. ENSnano extends with capacity by using the grid structure to compute 418 the 3D path followed by the pattern copied, to paste the same path at a different location, 419 regardless of the numbering of the helices and of their relative positions in the 2D view. 420 Arbitrarily complex strands can thus be copied and pasted across the design, as shown on 421 Fig. 8. For instance, a strand binding two consecutive helices in a nanotube can be copied all 422 around the nanotube: ENSnano will automatically loop the strand around the nanotube from 423 its last to its first helix. In addition to copying strands on empty positions, it is also possible 424 to copy crossovers on existing strands, see Fig. 8. The basic copy and paste functionality 425 if performed by pressing Ctrl/#+C after selecting the source strands/crossovers and then 426 Ctrl/#+V and click to place a copy. 427

Paste & repeat. In addition to the classic copy and paste feature. ENSnano features a geometry-aware *paste and repeat* which remembers as well the translation (in the grid *and* along the helices) between the original and the first pasted pattern, and keeps pasting the pattern with the same translation over and over. This is particularly useful for large repetitive designs such as rectangular part of an origami or SST nanotubes. After copying the strands



Figure 9 Paste & repeat: Starting from the green strand made of two domains of 56 nucleotides each on helices 0 and 1 of a 8-helices nanotube, this strand is copied with Ctrl/**#**+C and pasted with Ctrl/**#**+J, one helix below and 7 nucleotides forward. Repeating Ctrl/**#**+J compulsively 7 more times creates automatically the other strands, applying repetitively the same translation and thus filling the nanotube with strands in no time. Note that ENSnano is aware of the nanotube-grid geometry and places the 7th pasted olive strand appropriately, binding helices 7 and 0.

⁴³³ or crossover pattern with Ctrl/#+C, the first duplication is made by pressing Ctrl/#+J.
⁴³⁴ Once the first copy is positioned, the path from the original to the copy is memorized.
⁴³⁵ Pressing Ctrl/#+J repetitively, will copy over and over the pattern with the same offset as
⁴³⁶ long as there are helices to support them, as illustrated in Fig. 9.

437 3.5 Crossover suggestions

⁴³⁸ Crossover suggestions are currently done by assigning helices to either the green or the red ⁴³⁹ family. Color family are assigned in the organizer, by clicking on the family button which ⁴⁴⁰ displays either: Ø for none, R for red, and G for green. The easiest is to create a group for ⁴⁴¹ each family of helix and to set the color family for each group at once by clicking on the ⁴⁴² family button of the group, see Fig. 10. Crossover suggestion is enabled as soon as there are ⁴⁴³ helices of the red and green families. Setting all the families back to Ø disable the crossover ⁴⁴⁴ suggestion.

3.6 The basic 3D rigid body physics engine

⁴⁴⁶ The tab **%** presents the three possible modes of our rigid body physics engine:

the "Roll" button executes a simple roll of all the helices (see Sec. 2). This is a good way to check the quality of the crossovers. Note that the roll of each helix can be set individually in the tab \checkmark .

the "Rigid grid" button runs the physics engine considering that all the helices belonging
to the same grid act as one rigid body. This allows to evaluate the interactions between
the various components of a design, in particular, the balance of the crossovers between
them.

the "Rigid helices" button runs the physics engine as explained in Sec. 2. In this mode, several parameters can be tuned live: the stiffness of the crossovers, the ambient friction (we recommend to start the simulation with a higher friction and to decrease it with time), and the mass of the nucleotides (beware that tuning this parameter live may explode the design as it will apply some rocket effect). We strongly recommend not to use the volume exclusion option which is inefficient and slow right now. Note that opting for "jiggling



Figure 10 Crossover suggestions between red and green color families. The helices are partitioned into two groups in the organizer: "Frame" and "Rocket" assigned resp. to the red and green families. On can see the pair of matching dots in the split view marking recommended positions for crossovers.

unmatched nucleotides", simulates Brownian motion by adding constantly a random noise
to their positions (the rate and amplitude of the noise can be tuned as well).

The two last modes are still at their infancy. The "Rigid grid" mode is useful when combined with the "Guess grid" feature in the tab \boxplus , when importing a design from (s)cadnano which has no grid and no 3D embedding. Because the volume exclusion implementation is right now inefficient, the "rigid helices" mode should only be considered as a stability indicator, as it may converge to unrealistic configurations. Note that running the rigid body engine can be undone with Ctrl/ \Re +Z or the Undo button.

3.7 Sequences export and scaffold sequence optimization

The tab are gathers the sequence-related tools. As far as sequences are concerned, ENSnano 469 is, for now, "DNA origami-oriented" (this will change in the future). This sequence tab 470 allows to chose the scaffold strand and to assign its sequence. One can load any text file 471 containing a long enough sequence for that purpose. The default scaffold sequence is the 472 M13mp18. In ENSnano, the user can either set the starting position of the cyclic scaffold 473 sequence, or let ENSnano optimize it. When asked to optimize, ENSnano tries to minimize 474 the risk of error in the strand synthesis, by finding the position that minimizes the number 475 of problematic patterns such as $C^{n \ge 4}$, $G^{n \ge 4}$ or $(A|T)^{n \ge 7}$. The higher the n, the heavier 476 the weight of the problem. Once optimized, ENSnano reports on the number of remaining 477 problematic patterns as shown in Fig. A.4. This position is retained and saved for later reuse. 478 This optimization phase allows usually to avoid any C^{5+} or G^{5+} pattern in no time. 479

⁴⁸⁰ Note that nucleotides that are not matched with the scaffold are given a ? symbol in the ⁴⁸¹ exported excel file.

482 4 Experimental validation

⁴⁸³ We have already annealed successfully several DNA origami designed with ENSnano. We ⁴⁸⁴ present here one of them designed together with the students of the class CR11 on Molecular



Figure 11 AFM images of our rocket design. These were obtained on a JPK Fastscan Nanoworld 4 equipped with a Nanoworld USC-F0.3-k0.3 tip in tapping mode — 20μ L sample of: m13mp18 scaffold at 1nM with staples at 10nM in 1× TAE buffer with 12.5mM magnesium.

computing at the ÉNS de Lyon in December 2020: a rocket DNA origami consisting of two 485 layers made of parallel helices making an odd angle. Please refer to Sec. D in the appendix 486 for the full design and staple sequences. Designing this origami was particularly easy with 487 ENSnano thanks to the crossover recommendation and grid systems. We were able to place 488 the crossovers between the two layers, where the strands of the top and bottom layers were 489 the closest, painlessly, and without any calculation. Splitting the 2D view was of great help 490 as well. The possibility to arrange freely the helices in the 2D view allowed to check readily 491 the design in the 2D view as well as in the 3D view. 492

The computed strands were annealed at 10nM together with the m13mp18 scaffold at 1nM in 1× TAE buffer with 12.5mM magnesium: starting from 95°C and decreasing to 55°C at -1° C/min and then from 55°C to 45°C at -1° C/15min and then hold at 25°C. AFM images of the resulting DNA origami are presented in Fig. 11.

⁴⁹⁷ **5** Conclusion and upcoming features

With this first version of ENSnano, its 3D and 2D fast, precise, and versatile editing capacities,
and its stability, we have set the basis for an upcoming complete, GUI based, cross-platform,
DNA nanostructure design suite. This software will evolve at a fast pace in the upcoming
months. Here is a short list of features, we plan to develop next:

- Versatility: presently the design is limited to straight DNA helices. We plan to add soon
 curved double strands and free single strands to the toolbox. We also plan to add soon
 "decorations" (fluorophores, biotin,...). We also plan to extend our concept of grid to
 more complex structures (2D as well as 3D).
- Sequences: ENSnano is presently limited to DNA origami in terms of sequence export.
 We are currently working on an interface to set the sequences for the parts of the design
 which are not matched with a scaffold.
- Programmability: ENSnano file format is a standard json dictionary, very similar to
 scadnano file format. Its complete structure is described in appendix B. Even if it is fairly
 easy to develop a python code to produce ENSnano file, as it was done for the design in
 Fig. C.6, we plan to propose as soon as possible, a python framework to produce ENSnano
- design file programmatically.
- Automation: Designing the staples is a tedious task. Adding auto-stapling algorithms
 will be of great help to the designer. Automatic scaffolding will however require a new
 kind of abstraction of a DNA design.
- 517 *Simulation:* improving the rigid body physics engine will probably require a lot of work.
- Adding a proper volume exclusion is certainly the most interesting direction to follow.

519		References
520	1	iced repository. https://github.com/hecrj/iced.
521	2	winit repository. https://github.com/rust-windowing/winit.
522	3	wpgu repository. https://github.com/gfx-rs/wgpu-rs.
523	4	Erik Benson, Abdulmelik Mohammed, Johan Gardell, Sergej Masich, Eugen Czeizler, Pekka
524		Orponen, and Björn Högberg. DNA rendering of polyhedral meshes at the nanoscale. Nature,
525		523(7561):441-444, 2015. doi:10.1038/nature14586.
526	5	Junghuei Chen and Nadrian C. Seeman. Synthesis from DNA of a molecule with the connectivity
527		of a cube. Nature, 350(6319):631-633, 1991. doi:10.1038/350631a0.
528	6	Elisa de Llano, Haichao Miao, Yasaman Ahmadi, Amanda J Wilson, Morgan Beeby, Ivan Viola,
529		and Ivan Barisic. Adenita: interactive 3D modelling and visualization of DNA nanostructures.
530		Nucleic Acids Research, 48(15):8269-8275, 07 2020. arXiv:https://academic.oup.com/nar/
531		article-pdf/48/15/8269/33697417/gkaa593.pdf, doi:10.1093/nar/gkaa593.
532	7	David Doty, Benjamin L Lee, and Tristan Stérin. scadnano: A Browser-Based, Scriptable
533		Tool for Designing DNA Nanostructures. In Cody Geary and Matthew J. Patitz, editors,
534		26th International Conference on DNA Computing and Molecular Programming (DNA 26),
535		volume 174 of Leibniz International Proceedings in Informatics (LIPIcs), pages 9:1–9:17,
536		Dagstuhl, Germany, 2020. Schloss Dagstuhl-Leibniz-Zentrum für Informatik. URL: https://
537	0	//drops.dagstuhl.de/opus/volltexte/2020/12962, doi:10.4230/LIPICs.DNA.2020.9.
538	0	Snawn M. Douglas, Adam H. Marblestone, Surat Teerapittayanon, Alejandro Vazquez,
539		George M. Church, and Winnam M. Shin. Rapid prototyping of 5D DNA-origanii shapes with
540		car (nor (nor (orticle-ndf/37/15/5001/1675)28)/gkn/36 ndf doi:10.1003/nor (gkn/36)
541	9	Jonathan P. K. Dove, Thomas F. Ouldridge, Ard A. Louis, Flavio Romano, Petr Šulc, Christian
542	5	Matek Benedict F. K. Snodin Lorenzo Boyigatti John S. Schreck Byan M. Harrison and
543		William P. J. Smith Coarse-graining DNA for simulations of DNA nanotechnology <i>Physical</i>
545		Chemistry Chemical Physics, 15(47):20395–20414, 2013, URL: http://dx.doi.org/10.1039/
546		C3CP53545B, doi:10.1039/C3CP53545B.
547	10	Pierre Étienne Meunier, Nicolas Levy, and Damien Woods. Codenano: a code-based tool
548		for designing DNA nanostructures. https://dna.hamilton.ie/2019-07-18-codenano.html,
549		2020.
550	11	Thomas Gerling, Klaus F. Wagenbauer, Andrea M. Neuner, and Hendrik Dietz. Dynamic DNA
551		devices and assemblies formed by shape-complementary, non–base pairing 3D components.
552		$Science, \ 347(6229): 1446-1452, \ 2015. URL: \ \texttt{https://science.sciencemag.org/content/}$
553		347/6229/1446, arXiv:https://science.sciencemag.org/content/347/6229/1446.full.
554		pdf, doi:10.1126/science.aaa5372.
555	12	Martin Glaser, Sourav Deb, Florian Seier, Amay Agrawal, Tim Liedl, Shawn Douglas, Manish K.
556		Gupta, and David M. Smith. The art of designing DNA nanostructures with CAD software.
557		Molecules, 26(8), 2021. URL: https://www.mdpi.com/1420-3049/26/8/2287, doi:10.3390/
558	10	molecules26082287.
559	13	Arnav Goyal, Dixita Limbachiya, Shikhar Kumar Gupta, Foram Joshi, Sushant Pritmani,
560		Akshita Sahai, and Manish K Gupta. Dna pen: A tool for drawing on a molecular canvas,
561	1/	2013. arXiv:1306.0369.
562	14	Sniknar Kumar Gupta, Foram Josni, Dixita Limbachiya, and Manish K. Gupta. 3DNA: A tool for DNA coulting. CoPP. abc/1405 4118, 2014. UDL, http://orgiu.org/abc/1405 4118
563		or Viv: 1405 4119
564	15	Chao Min Huang Aniolica Kucinic Jochua A Johnson Hai Jun Su and Carlos E Castro
505	15	Integrated computer-sided engineering and design for DNA assemblies Nature Materials
567		2021. doi:10.1038/s41563-021-00978-5.
568	16	Hyungmin Jun, Tyson R. Shepherd, Kaiming Zhang, William P. Bricker, Shanshan Li, Wah
569	_ *	Chiu, and Mark Bathe. Automated sequence design of 3d polyhedral wireframe DNA origami
570		with honeycomb edges. ACS Nano, 13(2):2083–2093, 02 2019. doi:10.1021/acsnano.8b08671.

Hyungmin Jun, Xiao Wang, William P. Bricker, Steve Jackson, and Mark Bathe.
 Rapid prototyping of wireframe scaffolded dna origami using athena. *bioRxiv*, 2020.
 URL: https://www.biorxiv.org/content/early/2020/02/10/2020.02.09.940320, arXiv:
 https://www.biorxiv.org/content/early/2020/02/10/2020.02.09.940320.full.pdf,

575 doi:10.1101/2020.02.09.940320.

- Hyungmin Jun, Fei Zhang, Tyson Shepherd, Sakul Ratanalert, Xiaodong Qi, Hao 576 18 57 Yan, and Mark Bathe. Autonomously designed free-form 2D DNA origami. Science Advances.5(1), 2019.URL: https://advances.sciencemag.org/content/5/ 578 1/eaav0655, arXiv:https://advances.sciencemag.org/content/5/1/eaav0655.full.pdf, 579 doi:10.1126/sciadv.aav0655. 580
- Yonggang Ke, Luvena L. Ong, William M. Shih, and Peng Yin. Three-dimensional structures self-assembled from dna bricks. *Science*, 338(6111):1177-1183, 2012. URL: https://science.sciencemag.org/content/338/6111/1177, arXiv:https://science.sciencemag.org/content/338/6111/1177.full.pdf, doi:10.1126/science.1227268.
- Jae Young Lee, Jae Gyung Lee, Giseok Yun, Chanseok Lee, Young-Joo Kim, Kyung Soo Kim,
 Tae Hwi Kim, and Do-Nyun Kim. Rapid computational analysis of dna origami assemblies at
 near-atomic resolution. ACS Nano, 15(1):1002–1015, 01 2021. doi:10.1021/acsnano.0c07717.
- Nicolas Levy and Nicolas Schabanel. Ensnano: A software for designing 3d DNA/rna nanostructures, May 2021. http://www.ens-lyon.fr/ensnano/. URL: http://www.ens-lyon.fr/
 ensnano/.
- Ronny Lorenz, Stephan H. Bernhart, Christian Höner zu Siederdissen, Hakim Tafer, Christoph
 Flamm, Peter F. Stadler, and Ivo L. Hofacker. ViennaRNA package 2.0. Algorithms Mol.
 Biol., 6:26, 2011.
- Christopher Maffeo and Aleksei Aksimentiev. MrDNA: a multi-resolution model for predicting
 the structure and dynamics of DNA systems. *Nucleic Acids Research*, 48(9):5135-5146, 03
 2020. arXiv:https://academic.oup.com/nar/article-pdf/48/9/5135/33220929/gkaa200.
 pdf, doi:10.1093/nar/gkaa200.
- Nicholas D. Matsakis and Felix S. Klock. The rust language. Ada Lett., 34(3):103–104, October
 2014. URL: https://www.rust-lang.org/, doi:10.1145/2692956.2663188.
- Michael Matthies, Nayan P. Agarwal, Erik Poppleton, Foram M. Joshi, Petr Šulc, and Thorsten L. Schmidt. Triangulated wireframe structures assembled using single-stranded dna tiles. ACS Nano, 13(2):1839–1848, 02 2019. doi:10.1021/acsnano.8b08009.
- Luvena L. Ong, Nikita Hanikel, Omar K. Yaghi, Casey Grun, Maximilian T. Strauss, Patrick
 Bron, Josephine Lai-Kee-Him, Florian Schueder, Bei Wang, Pengfei Wang, Jocelyn Y. Kishi,
 Cameron Myhrvold, Allen Zhu, Ralf Jungmann, Gaetan Bellot, Yonggang Ke, and Peng
 Yin. Programmable self-assembly of three-dimensional nanostructures from 10,000 unique
 components. *Nature*, 552(7683):72–77, 2017. doi:10.1038/nature24648.
- Erik Poppleton, Joakim Bohlin, Michael Matthies, Shuchi Sharma, Fei Zhang, and Petr Šulc.
 Design, optimization and analysis of large DNA and RNA nanostructures through interactive
 visualization, editing and molecular simulation. *Nucleic Acids Research*, 48(12):e72–e72, 05
 2020. arXiv:https://academic.oup.com/nar/article-pdf/48/12/e72/33468669/gkaa417.
 pdf, doi:10.1093/nar/gkaa417.
- Paul W. K. Rothemund. Folding DNA to create nanoscale shapes and patterns. *Nature*, 440(7082):297–302, 2006. doi:10.1038/nature04586.
- Paul W. K. Rothemund, Nick Papadakis, and Erik Winfree. Algorithmic self-assembly of DNA
 Sierpinski triangles. *PLoS Biology*, 2:2041–2053, 2004.
- Anupama J. Thubagere, Wei Li, Robert F. Johnson andZibo Chen, Shayan Doroudi, Yae Lim
 Lee, Gregory Izatt, Sarah Wittman, Niranjan Srinivas, Damien Woods, Erik Winfree, and Lulu
 Qian. A cargo-sorting DNA robot. *Science*, 357(6356), 2017. doi:10.1126/science.aan6558.
- Anupama J Thubagere, Wei Li, Robert F Johnson, Zibo Chen, Shayan Doroudi, Yae Lim Lee,
 Gregory Izatt, Sarah Wittman, Niranjan Srinivas, Damien Woods, et al. A cargo-sorting DNA
- robot. *Science*, 357(6356), 2017.

12:18 ENSnano: a 3D modeling software for DNA nanostructures

- Rémi Veneziano, Sakul Ratanalert, Kaiming Zhang, Fei Zhang, Hao Yan, Wah Chiu, and Mark Bathe. Designer nanoscale DNA assemblies programmed from the top down. *Science*, 352(6293):1534, 06 2016. URL: http://science.sciencemag.org/content/352/6293/1534.
 abstract, doi:10.1126/science.aaf4388.
- Sean Williams, Kyle Lund, Chenxiang Lin, Peter Wonka, Stuart Lindsay, and Hao Yan. Tiamat:
 A three-dimensional editing tool for complex DNA structures. In Ashish Goel, Friedrich C.
 Simmel, and Petr Sosík, editors, DNA Computing, pages 90–101, Berlin, Heidelberg, 2009.
 Springer Berlin Heidelberg.
- ⁶³¹ 34 Sungwook Woo and Paul WK Rothemund. Programmable molecular recognition based on the
 ⁶³² geometry of DNA nanostructures. *Nature chemistry*, 3(8):620, 2011.
- 35 Damien Woods, David Doty, Cameron Myhrvold, Joy Hui, Felix Zhou, Peng Yin, and Erik
 Winfree. Diverse and robust molecular algorithms using reprogrammable DNA self-assembly.
 Nature, 567(7748):366-372, 2019.
- ⁶³⁶ 36 Peng Yin, Rizal F. Hariadi, Sudheer Sahu, Harry M. T. Choi, Sung Ha Park, Thomas H. LaBean,
 ⁶³⁷ and John H. Reif. Programming dna tube circumferences. *Science*, 321(5890):824–826, 2008.
 ⁶³⁸ URL: https://science.sciencemag.org/content/321/5890/824, arXiv:https://science.
 ⁶³⁹ sciencemag.org/content/321/5890/824.full.pdf, doi:10.1126/science.1157312.
- ⁶⁴⁰ 37 Joseph H. Zadeh, Conrad D. Steenberg, Justin S. Bois, Brian R. Wolfe, Marshall B. Pierce,
- Asif R. Khan, Robert M. Dirks, and Niles A. Pierce. NUPACK: Analysis and design of nucleic
 acid systems. *Journal of Computational Chemistry*, 32:170–173, 2011.
- Fei Zhang, Shuoxing Jiang, Siyu Wu, Yulin Li, Chengde Mao, Yan Liu, and Hao Yan.
 Complex wireframe DNA origami nanostructures with multi-arm junction vertices. *Nature Nanotechnology*, 10(9):779–784, 2015. doi:10.1038/nnano.2015.162.

646 **A** Omitted figures

⁶⁴⁷ This section gathers the figures cast away in the appendix due to space constraints.



Figure A.1 Using ENSnano's groups to hide elements of the design. (left) The two layers of the rocket design which are spread apart to ease the reading of the crossovers in the figures. Two overlapping heterogeneous groups, gathering helices and crossovers, have been created in the organizer, and can be shown or hidden on demand in the 3D view: (middle) A first group gathering the helices in the rectangular base, and the crossovers between the two layers; (right) A second group gathering the helices of the rocket and the crossovers between the two layers.



Figure A.2 The move and rotate handles to rearrange grids and helices in 3D.



Figure A.3 Comparison between the 2D and 3D interfaces. The 3D interface shows the shape, that we wish that our design will adopt. Since this design is made of two layers making an odd angle. It cannot be faithfully represented in 2D. By separating the helices of the two layers, and adjusting the orientation of the helices composing the rocket layer, one can build a 2D representation of the design that is as close as possible to its intended 3D structure.



Figure A.4 Report on scaffold sequence position optimization.

649 B.1 Top-level structure

- ⁶⁵⁰ In ENSnano, designs are loaded from a json file. Here are the top-level element:
- helices: a dictionary that maps positive integer to Helix object (see the definition of
 Helix object in B.3).
- strands: a dictionary that maps positive integer to Strand object (see the definition of
 Strand objects in B.4).
- dna_parameters: (optional) contains the geometric DNA parameters used for the design.
- If this field is omitted, default values will be used. The members of this field, and theirdefault values are given in B.2.
- grids: an array containing the GridDescriptor objects, that represent the grids of the
 design.
- **scaffold_id**: (optional) the id of the scaffold strand.
- **scaffold_sequence**: (optional) the sequence of the scaffold.
- 662 **scaffold_shift**: (optional) the starting position of the scaffold sequence.
- groups: (optional) a dictionary mapping integers (identifier of helices) to a boolean
 indicating in which group they belong for the cross-over suggestion.
- small_spheres: (optional) a set containing identifiers of the grids whose helices do not display their nucleotides as spheres.
- no_phantoms: (optional) a set containing identifiers of the grids that do not display
 phantom helices.

669 B.2 DNA parameters

- ⁶⁷⁰ The members of the field dna_parameters are:
- z_step: the distance in nanometers between two consecutive bases along the axis of an
 helix. The default value is 0.332nm.
- 673 helix_radius: the radius of an helix in nanometers. The default value is 1nm.
- ⁶⁷⁴ **groove_angle**: the small angle between paired nucleotides. The default value is $2\pi \cdot \frac{12}{12+22}$
- This values comes from the fact that the width of the major groove is 22 Å and the width of the minor groove is 12 Å.
- inter_helix_gap: the distance between two neighbouring helices on a grid. The default
 value is 0.65nm as suggested in [34, 31].
- bases_per_turn: the number of base pairs per full turn of an helix. The default value is
 10.44 bases per full turn as suggested in [34].
- These parameters are illustrated in figure B.5. The coordinates of a nucleotide at index ion an helix, in the helix referential are:

683
$$x = i \cdot \mathbf{z_step}, \quad y = \sin(\theta_i), \text{ and } z = \cos(\theta_i)$$

684 and

 $\theta_{i} = \rho - i \cdot \frac{2\pi}{\text{bases_per_turn}} + \frac{\pi}{2} + \begin{cases} \text{groove_angle} & \text{if the nucleotide is on the forward strand} \\ 0 & \text{otherwise} \end{cases}$

where ρ is the roll of the helix. A shift of $\frac{\pi}{2}$ is added so that the nucleotide at index 0 on the backward strand of an helix is at the top position, following the cadnano convention.

Note that θ_i decreases as index *i* increases. This is because strands turn clockwise when going from 5' to 3'.

12:22 ENSnano: a 3D modeling software for DNA nanostructures



Figure B.5 The configurable DNA geometric parameters: R: the radius of an helix, labelled helix radius; r: the distance between two neighbour helices on a grid, labelled inter helix gap; α : the minor groove angle, labelled **groove_angle**; β : the angle between two consecutive base-pairs. This angle can be obtained by the formula $\beta = \frac{2\pi}{\text{bases_per_turn}}$; z: the distance in nanometers between two consecutive bases along the axis, labelled **z_step**; G: the length of the major groove; g: the length of the minor groove; G, g and α are related to each other by the formula $\alpha = 2\pi \frac{g}{G+q}$.

Helix Object **B.3** 690

- The field of an helix object are 691
- **position**: a 3D point giving the origin of the helix. 692
- orientation: a Rotor² giving the orientation of the helix. See subsection B.5 to see how 693 to obtain a rotor from a direction vector. 694
- roll: an additional roll performed on the helix. 695
- grid_position: (optional) the position of the helix on the grid it is attached to. This 696 field override the position and orientation fields. 697
- isometry2d: (optional) an isometry³ that determines the position and orientation of the 698 helix representation in the 2D view. 699

Strand Object B.4 700

- The field of a strand object are: 701
- domains: the (ordered) vector of domains, where each domain is either an insertion or a 702 directed interval of a helix. 703
- color: an integer encoding the color of the strand with the formula $c = 65536 \times R + 256 \times G + B$ 704
- where $R, G, B \in \{0, \dots, 255\}$ are its red, green and blue components. 705
- junctions: (optional) an array of objects representing the junctions between the strand's 706 domains. 707
- cyclic: a boolean indicating whether the strand is cyclic or not. 708

B.5 A word about rotors 709

- In ENSnano's file format, rotations are represented by *rotors*. 710
- A 3-dimensional rotor has a scalar part $s \in \mathbb{R}$ and a bivector part $bv \in \mathbb{R}^3$. A rotor can 711 be obtained by taking the geometric product of two vectors. The geometric product of a and 712 b is defined by $ab = (a \cdot b + a \wedge b)$, i.e. it is a rotor with scalar $s = a \cdot b$ and bivector $bv = a \wedge b$.
- 713

 $^{^{2}\} https://docs.rs/ultraviolet/0.8.0/ultraviolet/rotor/index.html$

³ https://docs.rs/ultraviolet/0.8.0/ultraviolet/transform/struct.Isometry2.html

⁷¹⁴ By properties of the scalar and exterior product of vectors, one can write

715 $ab = \cos(\theta) + \Omega\sin(\theta)$

723

where $\Omega = \frac{a \wedge b}{\|a \wedge b\|}$ is the axis of the rotation that transforms a in b and θ is the angle between a and b.

Applying the rotor ab to a vector u will rotate the vector u in the oriented plane defined r19 by a and b by twice the angle between a and b.

Obtaining a rotor from a direction vector For the reader who would like to write a program
 to output a design in ENSnano file format, we provide the following procedure that produces
 a rotor from a direction vector.

```
def to_rotor(v):
724
         """ Transform a vector v = (x, y, z) to a rotor
725
         describing the rotation from the x-axis
726
         to the vector
727
         728
        x, y, z = v
729
        norm = (x*x + y * y + z*z)**0.5
730
        x = x/norm
731
        y = y/norm
732
         z = z/norm
733
        s = 1. + x
734
         norm_bv = (z * z + y * y) * * 0.5
735
         if norm_bv < 1e-5:
736
             if x > 0:
737
                  return (1., (0., 0., 0.))
738
             else:
739
                  return(0., (1., 0., 0.))
740
        norm = (z * z + y * y + s*s)**0.5
741
        bv = (-y/norm, -z / norm, 0)
742
         s = s / norm
743
        return(s, bv)
744
745
```

⁷⁴⁶ **C ENSnano's interface**



Figure C.6 Overview of ENSnano interface. (1) Open a design; (2) Save current design; (3) Export current design to oxDNA; (4) Switch between 2D/3D views and split 2D view; (5) Fit the design in the 3D and 2D views; (6) Undo/Redo; (7) Show Help/Link to tutorials in the contextual panel; (8) Tool Panel, organized in tabs (see Figure C.7 for details); (9) Camera shortcut panel; (10) Contextual panel, containing either information about the currently selected object(s), or a reminder of the mouse and keyboard commands. (11) Organizer.

Panels 8–11 have a fixed height, scrolling with the mouse will reveal their possibly hidden contents.



(d) The simulation tab.

(f) The parameters tab.

Figure C.7 The tool panels. (a) Grid: The grid tab contains tool to create grids, nanotubes and helices; it also contains the tools to move and rotate grids and helices; (1) Create square and honeycomb grid; (2) Adjust the length and position of the strands created whith new helices; (3) Create a new nanotube; (4) Adjust the length and number of helices composing the nanotube; (5) Action mode: Edition/Translation/Rotation/Helix creation; (6) Create a grid from a selection of unattached helices — (b) Edition: (7): Change selection mode: Nucleotides/Strands/Helices; (8): Change action mode; (9): Adjust manually or automatically the roll of selected helices; (10) Adjust the length of the helix representation in the 2D view — (c) Camera: (11) Make selection or complementary of selection visible/invisible; (12) Enable/Disable Fog and adjust fog parameters; (13) 3D rendering options — (d) Simulation: (14) Start/Stop a simulation — (e) Sequences: (15) Show/hide DNA sequences; (16) Select/set the scaffold strand; (17) Export staples to IDT .xlsx format.

(e) The sequences tab.



Figure C.8 Our rocket design.

⁷⁴⁷ **D** The rocket design

The ENSnano file for our rocket design, illustrated in Fig. A.3 and imaged in Fig. 11, can be downloaded from ENSnano website:

750

http://www.ens-lyon.fr/ensnano#rocket

⁷⁵¹ Fig. C.8 presents its detailed 2D blueprint of its design.

⁷⁵² The table bellow lists all of its staples as computed by ENSnano. For commodity, ENSnano

⁷⁵³ lists the staples in increasing lexicographical order of the 2D coordinates of their 5'-end in

⁷⁵⁴ the 2D view (i.e., from top to bottom and left to right).

Staple 0001; 5':h1:nt2>3':h2:nt2 Staple 0234; 5':h1:nt26>3':h2:nt26 Staple 0282; 5':h1:nt96>3':h3:nt96 Staple 0301; 5':h1:nt135>3':h3:nt135 Staple 0332; 5':h1:nt159>3':h3:nt159 Staple 0344; 5':h1:nt190>3':h3:nt190 Staple 0246; 5':h2:nt41>3':h4:nt41 Staple 0256; 5':h2:nt56>3':h2:nt56 Staple 0268; 5':h2:nt72>3':h4:nt72 Staple 0345; 5':h2:nt182>3':h1:nt182 Staple 0204; 5':h2:nt231>3':h3:nt231 Staple 0005; 5':h3:nt2>3':h4:nt2 Staple 0235; 5':h3:nt26>3':h1:nt26 Staple 0283; 5':h3:nt88>3':h1:nt88 Staple 0291; 5':h3:nt104>3':h5:nt104 Staple 0302; 5':h3:nt120>3':h1:nt120 Staple 0312; 5':h3:nt135>3':h6:nt135 Staple 0321; 5':h3:nt151>3':h1:nt151 Staple 0333; 5':h3:nt167>3':h5:nt167 Staple 0355; 5':h3:nt198>3':h30:nt198 Staple 0366; 5':h3:nt214>3':h1:nt214 Staple 0247; 5':h4:nt41>3':h6:nt41 Staple 0257; 5':h4:nt56>3':h2:nt56 Staple 0269: 5':h4:nt72>3':h6:nt72 Staple 0202; 5':h4:nt231>3':h5:nt231 Staple 0009; 5':h5:nt2>3':h6:nt2 Staple 0236; 5':h5:nt26>3':h3:nt26 Staple 0284; 5':h5:nt88>3':h3:nt88 Staple 0292; 5':h5:nt104>3':h7:nt104 Staple 0303; 5':h5:nt120>3':h3:nt120 Staple 0322; 5':h5:nt151>3':h3:nt151 Staple 0334; 5':h5:nt167>3':h7:nt167 Staple 0356; 5':h5:nt199>3':h7:nt199 Staple 0367; 5':h5:nt214>3':h3:nt214 Staple 0248; 5':h6:nt41>3':h39:nt41 Staple 0258; 5':h6:nt56>3':h4:nt56 Staple 0270; 5':h6:nt72>3':h8:nt72 Staple 0313; 5':h6:nt124>3':h29:nt124

CAACTTTGAAAGAGGA AGGGAACCGAACTGAC CGGTGTACAGACCAGGCGCATAG TAGCCGGA ATTACCCAAATCAACG ACGGAGATTTGTATC CGCGAAAC AACACCAG GATTTAGGAATACCAC GGAATTAC GGCTTGAGATGGTTT ATTATTACAGGTAGAA CATAACCC ATTGTGAATTACCTTA CTACGTTAATAAAAC ACCAAAAT ACGAGGCG AAACGAAAGAGGCAAA GAGGACTA TGTTACT GCTGGCTGACCTTCATCAAGAGTAATCTTGA TGTCGAAA TCCGCGAC CTCATCTTTGACCCC GAACGAGG GGAACAAC AATTTCAACTTTAATC CCAGTCAGGA GTTTTGCCAGAG TACGTAATGCCACTAC CATTAAACGGGTAAAA CAACCTA CAGACGGTCAATCATA CAGATGAA ATACCAAG ATCGCCTGATAAATTG CAAGAACCGGATATTC AAAGTACA TCGTCACCCTCAGCA GGCCGCTT GCCAAAA ATTCAACTAATGCAGA TAACAAAGCTGCCCCTGACGAGA GAGGCATA ACAGTTCAGAAAACGA CCCTGA GAATATAA AACACTAT AGATTCATCAGTTGA AACGAGTAGTAAATTG TCGTTTA ATATTCATTGAATCCC TGCATCAA AGCGAGAG GATAGCGTCCAATACTGCGGAATCGT GAAGCCCGAAAG AAGGG AAAAGAA CGTTGGGAAGAAAAAT TGCGATTTTAAGAACTGGCTCATTATA AAGACTTT GACAACAACCATCGCC CTTTAATT AGGCTTT AGAATACACTAAAACA CTGCTCCA GTAGCAAC ATTCGGTCGCTGAGG AAATCTCC GGGGTAATAG CAAAGCGAACCA ACAGCTTGATACCGAT GAGGTGAATTTCTTAA CGACAAT TTCATGAGGAAGTTTC GAAGGCAC GAGTTAAA GCGAAAGACAGCATCG CAGCGATT TTGCGGGA GGAATTGCGAATAAT GAAAGGAA GTCTTTA GAATGACCATAAATCA TACATAAC AAGCGGAT CCTCAAATGCTTTAA GTAAGAGC AAAGATT GATAAGAGGTCATTTT CATATA TATCGCG GGATTAGAGAGTACC GAGTAGAT CGAGCTT TAAAATGTTTAGACTG GCTTTTGC GTATCGGT AAATGAATTTTCTGTA CAACGCCTG GAGTGTTGTTCCAG AAGGAGC CACGCATAACCGATAT GGCTACAG AAAAAAAA AACTTTCAACAGTTT TAACACTG TGCTGTAG TTTAAATATGCA GGGGTCGAG GAGCGGGAGCTAAAC

Staple 0346; 5':h6:nt180>3':h2:nt180 Staple 0200; 5':h6:nt231>3':h7:nt231 Staple 0013; 5':h7:nt2>3':h8:nt2 Staple 0237; 5':h7:nt26>3':h5:nt26 Staple 0285; 5':h7:nt88>3':h5:nt88 Staple 0293; 5':h7:nt104>3':h30:nt104 Staple 0323; 5':h7:nt151>3':h28:nt151 Staple 0335; 5':h7:nt165>3':h30:nt165 Staple 0357; 5':h7:nt198>3':h33:nt198 Staple 0368; 5':h7:nt214>3':h5:nt214 Staple 0259; 5':h8:nt56>3':h6:nt56 Staple 0271; 5':h8:nt72>3':h11:nt72 Staple 0304; 5':h8:nt119>3':h5:nt119 Staple 0314; 5':h8:nt135>3':h10:nt135 Staple 0336; 5':h8:nt174>3':h10:nt174 Staple 0197; 5':h8:nt231>3':h9:nt231 Staple 0017; 5':h9:nt2>3':h10:nt2 Staple 0238; 5':h9:nt26>3':h7:nt26 Staple 0249; 5':h9:nt42>3':h11:nt42 Staple 0286; 5':h9:nt88>3':h7:nt88 Staple 0324; 5':h9:nt151>3':h7:nt151 Staple 0347; 5':h9:nt182>3':h5:nt182 Staple 0358; 5':h9:nt198>3':h11:nt198 Staple 0369; 5':h9:nt214>3':h7:nt214 Staple 0260; 5':h10:nt56>3':h26:nt56 Staple 0294; 5':h10:nt102>3':h12:nt102 Staple 0315; 5':h10:nt135>3':h12:nt135 Staple 0337; 5':h10:nt167>3':h34:nt167 Staple 0206; 5':h10:nt231>3':h11:nt231 Staple 0021; 5':h11:nt2>3':h12:nt2 Staple 0239; 5':h11:nt26>3':h9:nt26 Staple 0250; 5':h11:nt42>3':h13:nt42 Staple 0275; 5':h11:nt73>3':h30:nt73 Staple 0287; 5':h11:nt88>3':h29:nt88 Staple 0305; 5':h11:nt120>3':h8:nt120 Staple 0325; 5':h11:nt151>3':h9:nt151 Staple 0348; 5':h11:nt182>3':h9:nt182 Staple 0359; 5':h11:nt198>3':h13:nt198 Staple 0370; 5':h11:nt214>3':h9:nt214 Staple 0261; 5':h12:nt56>3':h10:nt56 Staple 0295; 5':h12:nt102>3':h14:nt102 Staple 0316; 5':h12:nt135>3':h34:nt135 Staple 0338; 5':h12:nt166>3':h14:nt166 Staple 0196; 5':h12:nt231>3':h13:nt231 Staple 0115; 5':h13:nt2>3':h14:nt2 Staple 0240; 5':h13:nt26>3':h11:nt26 Staple 0251; 5':h13:nt42>3':h16:nt42 Staple 0273; 5':h13:nt66>3':h28:nt66

CCTTTT AAGAG CATAA CCAGACGACGATAAAA GAACTAAC GACCGGAAGC TCGCAAATGGTC CTAAAGTTTTGTCGTC TAGTTAGCGTAACGAT CGTTAGT TTATCAGCTTGCTTTC AGTTGCGC TGAGAATA AATTTTTTCACGTTGA CTTGCAGG CAACTAAA GATAGCAAGCCCAAT CACCCTCATTTTC ATT CGGTACGCCA TTTCATTC TGCGGATGGCTT TTAGAATCA GTGCCGTAAA ACAGTT TTTGACGA GACGGGGGAA TTAGTTTG TTGGGGGCG CACCACACCCGC ATACATT AAACTCCAACAGGTCA TTTTAATT CAAACTA TGGGATTTTGCTAAAC GGCTCCAA AGTTTCGT CCACC AAGGA GCCCGTAT TTAGCAAA CATGT CTCAA AAAATCAG CAGGCAAG CTCAGAGCATAAAGCT TATGATAT TCTACTAATAGTAGTA AAACATTATGACCCT GAAAGGC AATAACCTGT TTTTTAGAACCC GTATAGCCCGGAATAG GAGAGGGTTGATATAA CCGTACT CCACAGACAGCCCTCA TTTCCAGA TAGTAC TTTTGCTCAGTACCAG GTTTTAACG AGAGCCAC AGGAACCCATGTACCG CAGCGGAG TGTACCAA GCATTAACATCCAAT TCTGGAAG TTTGCGGG AAAAGG CGAAC TTT AAAGGAG TGGCGAGAAAGG ACTTCAAA TTATTTCA GTAATGTGTAGGTAA GAATCGAT ATAAAAA TTAGCTATATTTTCAT ACCATTAG AGCGGGG CGCCACCCT AAGAGTCCACTATT TGAAAG TTTCGGAACCTATTAT GGCAGGTCA TCAACCGT GCTATTTTTGAGAGAT ATTCGCAT CGGAGACAG GTCATTGCCTG ATTA TCATATATTT TGTCAATCATAT TTTTGATGATACAGGA AAGCGTCATACATGGC GTAATAA GCGGATAAGTGCCGTC GTGTATCA GGGTCAG GAAAGCGCAGTCTCTG GCCACCCTC AAACAGT AAACA ACCACCAGAGCCGCCG TTCATCGG GGTGCCT GCTCACTG CCTGCCTA TATTAAGAGGCTGA TCTATCAG AATCGGCC GAGGGTA TCTAG AAAGC GCAAAGAA GCTATCAG TCAAATCACCATCAA AAATCGGT AAACAAGA AGATTCAAAAGGGTGA GTAATACT GAACGGTA CCCAAAAACAGGAAG ACGCTCAA ACTAGCA TAAATGCAATGCCTGA ACGCAAGG CAGAATG TGCCTTGAGTAACAGT TTAGGATT GACGAT ATTGACAGGAGGTTGA AGCGTCAGA TAAATTAG CAGAACAATATTACCG ACAATATT GCATCGTAACCGTGCATCTG AACCAATA GTAAACGT GAAAAACGCTCATGG TGACCTGA GTACCCCGGT TTGGCAGATTCA CGCCTCCCTCAGAGCC GAGCCACCACCGGAAC CAGAACC AATTTACCGTTCCAGT GTGTACTG AGAGCCA CCATCT GAAAC AAAGGTGAA ACCAGAACC AATAAATCCTCA TATTGGGCG GCAGCAAGCGGAAC

Staple 0306; 5':h13:nt120>3':h31:nt120 Staple 0349; 5':h13:nt182>3':h11:nt182 Staple 0360; 5':h13:nt198>3':h15:nt198 Staple 0371; 5':h13:nt214>3':h11:nt214

Staple 0262; 5':h14:nt56>3':h13:nt56 Staple 0296; 5':h14:nt102>3':h16:nt102 Staple 0176; 5':h14:nt135>3':h16:nt135 Staple 0326; 5':h14:nt150>3':h31:nt150 Staple 0339; 5':h14:nt166>3':h16:nt166 Staple 0194; 5':h14:nt231>3':h15:nt231

Staple 0029; 5':h15:nt2>3':h16:nt2 Staple 0241; 5':h15:nt26>3':h29:nt26 Staple 0276; 5':h15:nt68>3':h33:nt68 Staple 0288; 5':h15:nt88>3':h11:nt88 Staple 0307; 5':h15:nt120>3':h13:nt120 Staple 0350; 5':h15:nt182>3':h13:nt182 Staple 0361; 5':h15:nt198>3':h17:nt198 Staple 0372; 5':h15:nt214>3':h13:nt214

Staple 0252; 5':h16:nt40>3':h18:nt40
Staple 0263; 5':h16:nt56>3':h15:nt56
Staple 0277; 5':h16:nt72>3':h35:nt72
Staple 0297; 5':h16:nt102>3':h18:nt102
Staple 0317; 5':h16:nt135>3':h18:nt135
Staple 0327; 5':h16:nt150>3':h14:nt150
Staple 0340; 5':h16:nt166>3':h18:nt166
Staple 0191; 5':h16:nt231>3':h17:nt231

Staple 0033; 5':h17:nt2>3':h18:nt2 Staple 0242; 5':h17:nt26>3':h15:nt26 Staple 0308; 5':h17:nt120>3':h15:nt120 Staple 0351; 5':h17:nt182>3':h15:nt182 Staple 0362; 5':h17:nt198>3':h19:nt198 Staple 0373; 5':h17:nt214>3':h15:nt214

Staple 0253; 5':h18:nt40>3':h21:nt40 Staple 0264; 5':h18:nt56>3':h16:nt56 Staple 0278; 5':h18:nt82>3':h20:nt82 Staple 0298; 5':h18:nt102>3':h20:nt102 Staple 0318; 5':h18:nt135>3':h20:nt135 Staple 0328; 5':h18:nt150>3':h16:nt150 Staple 0341; 5':h18:nt166>3':h20:nt166 Staple 0190; 5':h18:nt231>3':h19:nt231

Staple 0037; 5':h19:nt2>3':h20:nt2 Staple 0243; 5':h19:nt26>3':h17:nt26 Staple 0265; 5':h19:nt48>3':h18:nt48 Staple 0289; 5':h19:nt88>3':h15:nt88 Staple 0309; 5':h19:nt120>3':h17:nt120 Staple 0352; 5':h19:nt182>3':h17:nt182 Staple 0363; 5':h19:nt198>3':h21:nt198 Staple 0374; 5':h19:nt214>3':h17:nt214 TAATATC AACTCAAACTAT ACTTCTTTGATTA ATCAGTGAGGCCACCGAG ACATTTTG ATTGTATAAGCAAATA TCTGGAGC TCGTCTGA GACATTCTGGCCAAC CGGTCAGT ATTTACA TGATAATCAGAAAAGC ATCGTAAA GCGTTTG CCACCCTCAGAGCCGCC CTGTAG AATCAAGTTTGCCTTT CAAAAGGGC TTTGAATG CCTAAAACATCGCCAT AGTTGAAA GGCACAG CCAGCCAT CACGTTGG GTCTG CTTGCC ACATCA GTGTTT AAGCGTAA ACCACCAGCAGAAGA CAATCAAT CCAGTCACAC CACGCTGAGAGC CCAGCAAAATCACCAG CATTTGGGAATTAGAG TTACCATTAGCAAGGCCG TTTCATAATCAAA GCCCTTCA CCAGTGAGACGGGCAAC ATAGCAG GGTCATAGCCCC AACTC TCACAATTCCACACAA GTGAAATT AGCGACAG CGCGTT CCAGC TGGCCTTGATATTCAC TAATGCCC TGATAGC GCTATTAGTCTTTAAT CTTGCTGG AGGTGAGG AGAGATAGAACCCTTC AAATACCT ATTAACAC TCACCTTGCTGAACC TTACAAAC ACAGTGC GACCAGTAATAAAAGG AATGGATT TTATCAC AGAAACGCAAAGACAC CTGGCATGA ATTCATT GTCACCAATGAAACCATCG AATATTGA TTTGTCACAATCA TGCAGGTCG TCAGGAA GACATT TTACCAGCGCCAAAGA GCCGAACAA GGAATTGA TAACAACTAATAGATT TTATCAGA AATCAAC TAAAAATACCGAACGA GAATACGT ATCTGGTC AATACATTTGAGGAT AGAAGGAG CAGCAGCAAA CTTTGCCCGAAC AAATACATACATAAAG TGTTAGCAAACGTAGA ATATAAA CGTCACCGACTTGAGC TAGCACCA GGAGCAC GGAAGGTTATCTAAAA GCGCGAAC ATTAGACT TCAAATATCAAACCCT TAAAACAG AATTCGAC CATTATCATTTTGCG AATAAAGA TTAAATC TGAAAAATCTAAAGCA CGCCTGCA TTAAGAC GCCCAA ACCCT ATTTGCCAG AAAAGAA CACGGAATAAGTTTAT CGGAAATT GGAAACGCAATAATAACG GCAATAGCTATCTTA ATAAAAAC AGTTAC GAAAAGTAAGCAGATA TGAAAATAG TGATGGCA ATACTTCTGAATAATG GGCGAATT TTCCTGA AGAGCCGTCAATAGAT AGTTGGCA CGGAATTA CCATATCAAAATTAT CTTTGAAT GTTATTAATT ACGTCAGATGA TCAGAGAGATAACCCA TAATTGAGCGCTAATA GAGTTAA TCCTTATTACGCAGTA GTGGCAAC CAAGAAACAATGAAATA GAATACCC CTTTTTAA CAGAAG ATGGT CAACCGATTGAGGGAG TAATCAGT TTGGATT ATTCATCAATATAATC TATCTTTA AAAACAGA GAACAAAGAAACCACC TTAGAAGT AATTGCGT CGGGAGAAACAATAA AAACAGTA AGGTTTA TTAAAAGTTTGAGTAA AACTCGTA

Staple 0279; 5':h20:nt72>3':h22:nt72 Staple 0299; 5':h20:nt102>3':h38:nt102 Staple 0319; 5':h20:nt135>3':h22:nt135 Staple 0329; 5':h20:nt150>3':h18:nt150 Staple 0342; 5':h20:nt166>3':h22:nt166 Staple 0406; 5':h20:nt231>3':h22:nt231 Staple 0041; 5':h21:nt2>3':h22:nt2 Staple 0244; 5':h21:nt26>3':h19:nt26 Staple 0254; 5':h21:nt42>3':h23:nt42 Staple 0266; 5':h21:nt58>3':h35:nt58 Staple 0310; 5':h21:nt120>3':h19:nt120 Staple 0353; 5':h21:nt182>3':h19:nt182 Staple 0364; 5':h21:nt198>3':h23:nt198 Staple 0375; 5':h21:nt214>3':h19:nt214 Staple 0420; 5':h21:nt245>3':h22:nt245 Staple 0280; 5':h22:nt72>3':h24:nt72 Staple 0320; 5':h22:nt133>3':h23:nt133 Staple 0330; 5':h22:nt150>3':h20:nt150 Staple 0343; 5':h22:nt166>3':h24:nt166 Staple 0407; 5':h22:nt229>3':h24:nt229 Staple 0422; 5':h22:nt260>3':h24:nt260 Staple 0417; 5':h22:nt284>3':h21:nt284 Staple 0045; 5':h23:nt2>3':h24:nt2 Staple 0245; 5':h23:nt26>3':h21:nt26 Staple 0255; 5':h23:nt41>3':h23:nt41 Staple 0267: 5':h23:nt58>3':h21:nt58 Staple 0290; 5':h23:nt88>3':h40:nt88 Staple 0300; 5':h23:nt103>3':h23:nt103 Staple 0311; 5':h23:nt118>3':h21:nt118 Staple 0354; 5':h23:nt182>3':h21:nt182 Staple 0365; 5':h23:nt198>3':h23:nt198 Staple 0376; 5':h23:nt214>3':h21:nt214 Staple 0421; 5':h23:nt245>3':h21:nt245 Staple 0281; 5':h24:nt71>3':h23:nt71 Staple 0331; 5':h24:nt158>3':h22:nt158 Staple 0408; 5':h24:nt229>3':h23:nt229 Staple 0423; 5':h24:nt257>3':h23:nt257 Staple 0419; 5':h24:nt284>3':h23:nt284 Staple 0217; 5':h25:nt54>3':h9:nt54 Staple 0233; 5':h26:nt23>3':h30:nt23 Staple 0086; 5':h28:nt2>3':h13:nt2 Staple 0378; 5':h28:nt53>3':h8:nt53 Staple 0208; 5':h28:nt65>3':h9:nt65 Staple 0388; 5':h28:nt98>3':h10:nt98 Staple 0397; 5':h28:nt143>3':h5:nt143 Staple 0210; 5':h29:nt32>3':h27:nt32 Staple 0387; 5':h29:nt72>3':h31:nt72 Staple 0377; 5':h30:nt41>3':h14:nt41

AGGGAAGC TTTATCCCAATCCAA GACTTGCG CAGCCT TGTTTAACGTC ATTCGCCAT TGCGGGCCTCTCAGGCA ATTCATTT AAACATCAAGAAAACA CAAAGAACGC GCGCAGA GAAGGGTTAGAACCTA TCATCATA ACCAAGTT ACAATTTCATTTGAA TGTAAATG ATATACAGTA ATAACCTTGCTTCTGT AAATCAT CCAACGCTAACGAGCG TTTATCCTGAATCTTA GAGCCTA GAACAAAGTCAGAGGG CAAGAATT TTACAAA AGATTAGTTGCTATTT CCGTTTTT CATATTA GCATTAGACGGG TCACG ATGAAAC CAATTACCTGAGCAAA CTGATTGT TTTAATGG CGGATTCGCCTGATTG TTGCACGT CATAAATC CCTCCGGCTTAGGTT ATAAACAC TGAGTGA ACAGTACCTTTTACAT AGATTTTC GCTATTAATTAATTTTCCCCTTAG GACGCTGA GGAGGTTT GCGCCCAATAGCAAG CCCATCCTA GAGAAA CTTCTGACCTAAATTT CAGCTAATGCAGAACGCGCCTGTTTATCAACA TTTAGT CGCAAGA AAATTAATTACATTTA ACAAAATC CTGATGCA GACCGTGTGATAAAT CTGTCCAGACGACGAC AGGTCTGA GCCTGTTTAGTATCAT GCAGAGG GAAGAGTC CTTACCAGTATAAAG GCCATATTTAA CGATAGCTTAGATTAA AATCCTTGAAAACATAG CCAAGTACCGCACTCA AAGAACGGGTATTAAA AAGCAAG TGCACCCAGCTACAAT TCTTTCCA ATTTTCAT ATCAATAATCGGCTGTCTTTCCTTATCATTCC TCGAGAAC CATTACC TGAAGCCTTAAATCA ATAAACAGC ATATAGAA TTTTAGCGAACCTCCC ATAAGAAA GCGATCGG TCAGGCTGCGCAACTGT CCGGTATTC ATAGATAAGTCCTGAACAAGAAAATAATAT CAAATCAG TAATTTCAT ACTTTTTCAAATATAT AGAAGATG AAATAAGA GGGTTATATAACTATA TTACCTTT CGGAATCA ATATAAAGTACCGACAAAAGGTAAAGTAATT AAGGCGTT AGAAAAA GAGACTACCTTTTTAA AATATATG TACAAATT AATAGTGAATTTATCA AAATCGTC ATTTACGAGCATGTAGAAACCA CGTAGGAAT AATAAACAACATGTT AATGGTTTGAAATACC AATCCAAT CATTTTCGAGCCAGTAATAAGAGA TAATTACT CAACGCCAACATGTAATTTAG ATGCGTTA GGCTTAATTGAGAATC CCAACGCTCAACAGTAG TTTGGATCGG TCCGAA CTCCACGCTGG TGGT CAAAAT GTT TAGCATT CAGGAGGTT AAATCCTGTTTGATGG TTTGC AGAGTT CCAGGG ACATTAAT AGCTGATT ATCACCGGAACCA GCCACCCT GTCAAAGGGCGA AAAGAACGTGGACTC AAC CAGAACCG CACCAGTA AAAACCG GACTCCTCAAGAG CTCAGAACCGCCACCCTC GAACCATCACCCAA CCGATTAAAGGG AGGATTAAGCAAT CTGATAAATTATCTGAAACA GCACTAAATC GTGCTTTCCTCG AGAGCTTAATTGCT CTATTATAGTCAGAAGCA TGGTTTTTCTTTTCA CCGCCTGGCCCTGAG CCCAGCAGGCGA AACGCGCG CCAGTCGGGAAACCT TCTGTCC TGCGTTGC AATGAGTGAGCT CTTATTA

Staple 0379; 5':h30:nt57>3':h12:nt57 Staple 0230; 5':h30:nt106>3':h33:nt106 Staple 0393; 5':h30:nt112>3':h8:nt112 Staple 0083; 5':h30:nt148>3':h35:nt148 Staple 0396; 5':h30:nt162>3':h28:nt162 Staple 0214; 5':h30:nt170>3':h9:nt170 Staple 0386; 5':h31:nt73>3':h33:nt73 Staple 0389; 5':h31:nt88>3':h28:nt88 Staple 0395; 5':h32:nt161>3':h8:nt161 Staple 0380; 5':h33:nt41>3':h18:nt41 Staple 0384; 5':h33:nt57>3':h16:nt57 Staple 0385; 5':h33:nt73>3':h35:nt73 Staple 0390; 5':h33:nt103>3':h35:nt103 Staple 0079; 5':h33:nt189>3':h6:nt189 Staple 0067; 5':h34:nt2>3':h19:nt2 Staple 0391; 5':h34:nt88>3':h11:nt88 Staple 0064; 5':h34:nt117>3':h11:nt117 Staple 0381; 5':h35:nt42>3':h37:nt42 Staple 0383; 5':h35:nt57>3':h33:nt57 Staple 0394; 5':h35:nt143>3':h12:nt143 Staple 0215; 5':h35:nt168>3':h32:nt168 Staple 0071; 5':h36:nt23>3':h34:nt23 Staple 0382; 5':h37:nt36>3':h19:nt36 Staple 0072; 5':h37:nt64>3':h35:nt64 Staple 0219; 5':h39:nt23>3':h25:nt23 Staple 0090; 5':h40:nt54>3':h23:nt54

CCCGCTTT GGGAGAGGCGGTTTGCG TTAAAGC GAATCC TTATA GTAATA TGAGTAGA TGAGAA AGGAGG ATCAAGTTTTTT ACTAAAGTACGGTG AAATCATA ATAAC GCACGT GGCGC CTACAG AATGT GAACAAACGG AGCCGGCG CCCCGATTTAGAGCTT GGAACCCTAAAGGGAGC AACG CGGGC GGCAAGTGTAGCGGTC AAC CGAGCTG AGAAGCCT ATCAGTGT CATAAACGCAAATTAA ATTCGTA TAAAAGAG GTCGTGCCAGCAGGAA TTAGACTGCATTAATG GGCGATGGCCCACTACGT GTTGCGCT GCTAGGGC GATTCCCAATTCTG TGGCATCAAT GTTATCCGC GCATGCC ATAGAAAATTCAT GAAACCGA TTTCCTGT CATACGAGCCGGAAG AAAGCCTGG CATTTTC CACCG GGAAGGTA ATCATGGT CGGGTACCGAGCTCGA CCAGTTTGAGGGGAC TTTGTTA ATCAAAAATAATTCGC TGTAGATGGGC CGCGT ACGCTG AAGAAAGCG AATTGCT ACGTTGTAAAACGACG GGGTTTTCCCAG AGAATTAACTGAAC TAATAAGAG GGAACGCC AATCAGCTCATTTTTT CCGTTGTAGCAAT CGGC ATGCCGGA GCCTTCCTGTAGCCAG TAATGGGATAGGT TGCAACAG TAATATTTTGTTAAA CTACAAAG GATCCGATT GCAAGGGCACTCCAGC CTCGCTATTACGC TATCGGCC ACTCTAGAGGATCCC CATAGCTG CGGATTGACCG CTTTCATCAAC AGAG TTTAAATT TCGGATTCTCCGTGG GAGCGAGTAACAACCCG CGCGCTTAATGCGCCG GTACTATG GGGATGTGCT AAGTTGGGTAACGCCA GCCAGTGCCAAGCTT CAGCTGGCGAAAGG TGGGAAGG CGATTTTT TTACAGAGAGAATAAC CCGAAGCC TTCTGGTGCCGGAAA CAGCTTTCCGGCACCGC GACGACAG AATAGCCCGAGATAGG CCCTTATAAATCAAAAG AAGCGCC AAAAA TAAGAACGCGAGGCG GGCTTAT