

Calibration of short-wave infraRed (SWIR) hyperspectral imaging using diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS) to obtain continuous logging of mineral abundances along sediment cores

Stoil Chapkanski, Kevin Jacq, Gilles Brocard, Cécile Vittori, Maxime Debret, Andrea U De Giorgi, Daniele d'Ottavio, Enrico Maria Giuffré, Jean-Philippe Goiran

▶ To cite this version:

Stoil Chapkanski, Kevin Jacq, Gilles Brocard, Cécile Vittori, Maxime Debret, et al.. Calibration of short-wave infraRed (SWIR) hyperspectral imaging using diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS) to obtain continuous logging of mineral abundances along sediment cores. Sedimentary Geology, 2022, 428, pp.106062. 10.1016/j.sedgeo.2021.106062 . hal-03505951

HAL Id: hal-03505951 https://hal.science/hal-03505951v1

Submitted on 8 Jan 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Version of Record: https://www.sciencedirect.com/science/article/pii/S0037073821002141 Manuscript_48b4f712b606e6013759363548be5088

1	Calibration of Short-Wave InfraRed (SWIR) hyperspectral imaging using Diffuse Reflectance
2	Infrared Fourier Transform spectroscopy (DRIFTS) to obtain continuous logging of mineral
3	abundances along sediment cores
4	
5	Chapkanski Stoil ^{1,2} , Jacq Kévin ³ , Brocard Gilles ¹ , Vittori Cécile ^{1,4} , Debret Maxime ³ , De Giorgi Andrea
6	U., D'Ottavio Daniele ⁷ , Giuffré Enrico Maria ⁸ , Goiran Jean-Philippe ¹
7	
8	¹ Archéorient, UMR 5133, University of Lyon 2-CNRS, 7 rue Raulin, 69007 Lyon, France.
9	² Laboratory of Physical Geography (LGP), UMR 8591, University Paris 1, Panthéon-Sorbonne –
10	CNRS,1 place Aristide Briand, 92195 Paris, France.
11	³ Normandie Univ, UNIROUEN, UNICAEN, CNRS, M2C, 76000 Rouen, France
12	⁴ Laboratoire Image Ville Environnement (LIVE), UMR 7362, University of Strasbourg, Faculty of
13	Geography and Urban planning, 3 rue de l'Argonne, 67083 Strasbourg, France
14	⁵ Florida State University, Department of Classics, 324 Dodd Hall, Tallahassee, FL, 32306-1510,
15	United States of America;
16	⁶ Freie Universität, Insitut für Klassische Archäologie, Fabeckstraße 23-25, Berlin, 14195, Germany
17	⁷ Unigeo S.r.I., Via Idrovore della Magliana, n. 147, Rome, Italia
18	⁸ Soprintendenza Archeologia Belle Arti e Paesaggio per le Province di Siena, Grosseto e Arezzo,
19	Siena, Italia
20	
21	Corresponding author
22	Stoil Chapkanski
23	Laboratory of Physical Geography,
24	UMR 8591, Université Paris 1 Panthéon-Sorbonne - CNRS,
25	1 place Aristide Briand, 92195, Paris, France.
26	stoil.chapkanski@protonmail.com
27	+33 1 45 07 55 83
28	
29	
30	

31 Abstract

32

33 Sediment cores are a major source of sub-surface data for a variety of environmental research 34 endeavors, as well as mining and civil engineering applications. In paleo-environmental studies, 35 fluctuations in mineral abundances along sediment cores are used to study climate change, sea-level 36 variations, sediment dynamics, and landscape evolution. Increasing reliance on such proxies spurs 37 the need for reliable and time-saving analytical tools and procedures. Diffuse Reflectance Infrared 38 Fourier Transform spectroscopy (DRIFTS) is a rapid, non-destructive and accurate tool for 39 guantification of mineral abundances. We use DRIFTS to calibrate Short-Wave InfraRed (SWIR) 40 hyperspectral images (HSI) of a sediment core, in order to convert point-specific DRIFTS 41 measurement of mineral abundances into a continuous record of mineral abundances along the core. 42 Initially, single-phase and mineral assemblages of guartz, calcite, and clay mineral are created and 43 measured by DRIFTS to establish calibration curves to convert DRIFTS data into mineral 44 abundances, as %wt of bulk sediment samples. Mineral abundances are then measured by DRIFTS in 45 a set of 60 samples from a core drilled into the Albegna River delta, Tuscany, Italy in the Fall of 2020. 46 SWIR-HSI of the core are then obtained and averaged over the areas corresponding to the samples 47 taken for point-specific DRIFTS measurements. Least squares regressions are established between 48 SWIR-HSI and DRIFTS data over these areas. This calibration is then used to convert SWIR-HSI of 49 the entire core into a continuous prediction of quartz, calcite, and clay minerals abundances along the 50 core. The continuous record highlights sharp changes in mineral composition, smeared out in the 51 discontinuous DRIFTS record. The advantages and limitations of the method, as well as its 52 applicability to other sedimentary environments are discussed.

53

54

- 55
- 56
- 57

58 Keywords: Infrared spectroscopy, hyperspectral imaging, sediment core, chemometrics, minerals,
59 high resolution analysis

60 **1. Introduction**

61

62 Sediment cores are a major source of sub-surface information in stratigraphic and paleo-63 environmental studies. They are used to reconstruct past- climate (Miller et al., 2020), sea-levels 64 (Kelsey et al., 2015), landscapes (Pennington et al., 2017) archeological environments (Delile et al., 65 2018; Salomon et al., 2018); for technical essays in mining and civil engineering (Kahraman et al., 66 2016), and for the assessment of natural (Grand Pre et al., 2012) and anthropogenic (Bigus et al., 67 2014) hazards. Variations of geochemical and mineralogical abundances along sediment cores are 68 used as proxies for fluctuations of past climates (Solotchina et al., 2009; Wan et al., 2007; Tamburini 69 et al., 2003), fluctuations in weathering rate, sedimentation rate, and shifts in depositional patterns 70 (He et al., 2020; Wang et al., 2016; Hamdan et al., 2018; Lupker et al., 2012; Garzanti et al., 2010; 71 2011; Martinelli et al., 1993). They are used to assess sediment provenance and thereby track 72 landscape evolution (Li et al., 2014; Andrews and Eberl, 2012; Liu et al., 2020; Pe-Piper et al., 2016; 73 Heroy et al., 2003; Wahab and Stanley, 1991). Geochemical and mineralogical quantitative analyses 74 traditionally resort to precise but time-consuming and expensive analytical methods, such as atomic 75 absorption spectroscopy - AAS, inductive coupled plasma mass spectroscopy - ICP-MS (Willis, 76 1986), Scanning electron microscopy - SEM (Schulz et al., 2020), X-Ray diffraction - XRD (Moore and 77 Robert, 1997) and Raman spectroscopy (Larkin, 2011). The accelerating growth of sediment core 78 libraries worldwide has motivated the use of faster and less costly analytical approaches, such as 79 portable X-ray fluorescence - PXRF (Duee et al., 2019), Attenuated Total Reflectance Fourier 80 Transform Infrared spectroscopy - ATR-FTIRS (Milosevic, 2012), and Diffuse Reflectance Infrared 81 Fourier Transform spectroscopy - DRIFTS (Frei and MacNeil, 2018). In the meantime, the need for 82 high-resolution information on finely laminated sediments spurred the adaptation of non-destructive 83 scanning and imaging techniques to sediment cores (Rothwell and Rack, 2006), most notably XRF 84 core scanning (Davies et al., 2015), X-Ray tomography (Zonta et al., 2021; Paris et al., 2020), and 85 hyperspectral imaging - HSI (Jacq et al., 2019a, b). Pioneering HSI on soils (Zaeem et al., 2021) and 86 lake sediments (Makri et al., 2020; Rapuc et al., 2020; Ghanbari et al., 2020; Jacq et al., 2019a, b; 87 Van Exem et al., 2018; Rivard et al., 2018; Butz et al., 2017; Aymerich et al., 2016) yields encouraging results. So far, HSI has been applied to organic-rich and silty-clayey lacustrine 88 89 sediments and to nonwater-saturated sedimentary rocks with fairly homogenous grain size distribution

along core. The conversion of HSI data into chemical and mineral abundances requires calibration
against standard analytical methods such as ICP-MS (Zaeem et al., 2021; Rivard et al., 2018), Loss
on Ignition – LOI (Jacq et al., 2019b), particle size distribution – PSD (Jacq et al., 2019), and XRD
(Greene et al., 2019).

FTIRS has been used for five decades (Srodo, 2002) to determine the abundance of carbonates (So et al., 2020; Henry et al., 2017), clay minerals (Srodo, 2002; Joussein et al., 2001), amorphous silica and quartz (Bertaux et al., 1998, Bandopadhyay, 2010; Melucci et al., 2019), other tectosilicates and sulfates (Muller et al., 2014; Bosch-Reig et al., 2017; Painter et al., 1978), total organic carbon (Vogel et al., 2008; Rosen et al., 2010; 2011; Hahn et al., 2011), metals (Moros et al., 2009; Siebielec et al., 2004), and plastic microparticles (Hahn et al., 2019).

100 We used DRIFTS to analyze the evolution of the provenance of sediments deposited during 101 the Holocene in the delta of the Albegna River, in Tuscany, Italy, starting with a 14 m-long core 102 obtained in 2020 (sediment core ALB-1). The analysis was conducted on samples, presenting an 103 average separation of 20 cm. The analysis reveals that the sediment is almost exclusively composed 104 of guartz, calcite and clay minerals, the abundances of which vary widely along core. In order to 105 obtain a more continuous record of these variations, we use a high-resolution Short-Wave InfraRed 106 (SWIR) hyperspectral images (HSI) of sediment core ALB-1, a core retrieved from the delta of the 107 Albegna River, in Tuscany, Italy, in 2020. The HSI is averaged over the characteristic thickness (3) 108 cm) of each of the DRIFTS samples. A calibration of the HSI data using the DRIFTS data is then 109 conducted. It allows converting the HSI into a continuous record of mineral abundances at a 110 resolution of 3 cm. Tectosilicates in general, and quartz in particular, are not detected by SWIR-HIS. 111 In the case at hand, however, the simplicity of the mineral assemblage allows to adduce quartz 112 abundance from the abundance of the two other dominant mineral groups. We also attempt to provide 113 a site-specific prediction of quartz by expecting inverse correlations with calcite or by grain-size 114 texture effects. Practically, the method involves first the establishment of calibration curves of mineral 115 assemblages and DRIFTS data using synthetic mixtures of minerals, in order to convert DRIFTS data 116 into guartz, calcite, and clay content. The calibration is applied to convert the DRIFTS signature of 60 117 samples from core ALB-1 into mineral abundances. The sediment displays marked variations in grain-118 size (from clay to pebble) and of moisture content along core. The SWIR-HSI of untreated core 119 surfaces is not only sensitive to carbonates and clay minerals content, but also to grain-size and 120 moisture. We consider as work hypothesis that calibration of HSI data with DRIFTS of dry and 121 powdered samples could improve the continuous mineral logging along sediment cores. This 122 treatment reveals sharp step-chances in mineral abundances along the core that were poorly visible 123 in the discontinuous record, revealing the existence of very rapid (< 100 y), irreversible paleo-124 environmental changes. After exposing these results, we discuss several aspects of the methodology. 125 We first discuss our selection of DRIFT spectra peaks to assess mineral abundances and the 126 replicability of this approach. We then discuss the relevance of the approach presented here to the 127 establishment of continuous records of mineral abundances in other geological settings. More 128 generally, we discuss the complementarity, advantages and limits of using a two infrared sensors 129 approach. Finally, we discuss the origin of the layering documented in core ALB-1 and the processes 130 that control it.

- 131 **2.** General context
- 132

133 Core ALB-1 was retrieved in 2020 from the Holocene fluvio-deltaic plain of the Albegna River, in 134 Tuscany, Italy (Fig.1). With a length of 70 km and a catchment area of 750 km², the Albegna River is 135 one of the main coastal rivers of Tuscany. The river originates near the Quaternary Monte Amiata 136 volcano, 1,738 m above sea-level (Fig. 1-A). The river flows south-westwards through Pliocene and 137 Quaternary basins (Cornamusini et al., 2011; Bossio et al., 2004). It reaches the Thyrrenian Sea north 138 of the Giannella sand spit (Fig.1-C). The tides along the Thyrrenian coast are microtidal averagely 139 ranging ~ 30 cm (Bertoni et al., 2020). The climate in the area is Mediterranean, with a mean annual 140 temperature of 13.8 °C along the coastal reaches and of 11°C in the Albegna headwaters. Mean 141 annual precipitation ranges from 700 mm/year at the coast to 1500 mm/year on Monte Amiata 142 (Marker et al., 2008). The Albegna River catchment drains Triassic-Cretaceous clayey calcareous 143 limestones, succeeded downstream by Oligocene sandstone, Miocene lagoonal and marine deposits 144 and finally Plio-Pleistocene marine clays close to the coast (Fig. 1-B, Cornamusini et al., 2011; Bossio 145 et al., 2004; Bertini et al., 1967). A sizeable volume of sediments derived from these formations 146 contributes to the > 30 m-thick Holocene infill of the Albegna lower valley, which was incised during 147 the last glacial marine low stands (Mazzini et al., 1999). Geochemical and mineralogical data from 148 widely scattered 30 surface silty-clay samples in the catchments of the Albegna and Fiora Rivers 149 (Gliozzo et al., 2014) indicate mineral abundances in the range of 15-70% for phyllosilicates, 9-58%

- 150 for quartz, and 1-34% for calcite. Phyllosilicates consist mainly of kaolinite, illite, smectite and chlorite.
- 151 Feldspars (2-6%), dolomite (0-3%) and hematite (0-1%) are detected but are much less abundant.

152 **3.** Material and Methods

153 **3.1. Field drilling**

154

155 Mechanical rotation coring was conducted on the left bank of the Albegna River, +1.5 m above the 156 mean sea-level, close to the river mouth (Fig. 1C), next to the historic Forte delle Saline Renaissance 157 fortified tower, and next to the Roman fluvial port of Albinia. The site lies 200 m south of the Albegna 158 River channel, 500 m east of the sea, and 700 m north of the lagoon of Orbetello. An outer core liner 159 was used to prevent contamination of core sections by core wall material during drilling operations. 160 Coring allowed the retrieval of a 14 m-long continuous sedimentary succession. Stratigraphic 161 description in the field includes estimates of sediment color, texture, hardness, and the presence of 162 oxidation, shells, and plant fragments. Absolute ages were obtained by accelerator mass 163 spectrometry radiocarbon dating. The samples were process in the Center for Radiocarbon dating of 164 Lyon UMR 5138, and measured at the LMC14 Artemis Laboratory in Saclay, France (Table 1). 165 Radiocarbon ages were converted into calendar years using the IntCal20 Northern Hemishpere 166 atmospheric calibration curve (Reimer et al., 2020).

167

168 **3.2. Methodological approach**

169 The approach involves five consecutive steps (Fig.2). The part of the sediment core comprised 170 between 2 m and 13.5 m below the ground surface was extracted continuously using a 2 cm-wide 171 plastic U-channel. A total of 11.5 meters, split into 23 U-channel sub-sections (50 cm each) were 172 entirely scanned by SWIR-HSI (Step 1). U-channels prevent damaging of laminated sequences during 173 transport, especially highly non-cohesive sand layers. After image acquisitions, sixty samples were 174 taken from the U-channels (see section 3.2.2.) and measured by DRIFTS (Step 2). Synthetic mineral 175 mixtures were prepared to calibrate the conversion of these DRIFTS data into mineral abundances 176 (Step 3). DRIFTS and SWIR-HSI data were then compared over the areas of DRIFTS sampling to 177 convert SWIR-HSI data into mineral abundances (Step 4). This calibration was then used to obtain a 178 3 cm-resolution continuous record of mineral abundances along the core (Step 5).

179

180 3.2.1. Hyperspectral imaging (Step 1)

181 Short-Wave Infrared (SWIR, Specim Ltd., Finland, OLES22.5) hyperspectral imaging of the sediment 182 core was obtained following the protocol described in Jacq et al. (2020b). The resulting image is 1 cm 183 wide and 11.5 m long. It consists of 45 columns and 53,220 lines of 185 µm²-sized pixels. Each pixel 184 contains a record of 288 individual spectral channels spanning a range of 3,880-10,354 cm⁻¹, 185 corresponding to a wavelength range of 965 to 2,576 nm, with a 5.6 nm resolution. The spectra were 186 subsampled between 3,966 and 9,781 cm⁻¹ (1,016-2,526 nm) in order to remove noisy wavelengths. 187 Reflectance spectra were then converted into pseudo-absorbance values, and pretreated by Standard 188 Normal Variate and a baseline to be formatted in the same way as the DRIFTS data (Matlab R2020a, 189 Mathworks, USA). SWIR-HSI spectra are presented in wavelength (nm) units.

190

191 **3.2.2.** Sediment core sampling (Step 2)

192 Magnetic susceptibility logging of the core (Dearing, 1999) was conducted at 3 cm-resolution using a 193 Bartington MS2 susceptibilimeter and MS2F probe (Oxon, UK) in cgs units (centimeter-gram-second 194 system) before the sampling of the core. Samples 3cm-thick were collected every 20 cm for DRIFTS 195 (Figure 2, Step 2). Additional samples were collected in the thinnest stratigraphic units in order to 196 prevent under-sampling of these units. The samples were dried in an oven at 50°C for seven days. 197 The proportions of clay-silt, sand, and coarser fractions were measured by wet sieving through 0.063 198 mm and 2 mm-mesh size stainless steel sieves of 10 g of sediment. The sand fraction was sieved at 199 0.25, 0,5 and 1 mm to document grain-size distribution in the sand fraction (fine/medium/coarse 200 sand). Subsamples of 5 g bulk sediment were set aside before the sieving and manually grinded 201 using an agate mortar into a fine homogenous powder. The powder was dried at 50°C for 24h prior to 202 spectroscopic measurement.

203

204 3.2.3. Reference minerals and synthetic mineral assemblages (Step 3-A)

205 42 synthetic mineral assemblages were produced for the calibration of the DRIFTS data. Powders of 206 pure quartz (SiO2), calcite (CaCO₃), kaolinite $(Al_2Si_2O_5(OH)_4),$ montmorillonite 207 ((Na,Ca)_{0,3}(AI,Mg)₂Si₄O₁₀(OH)₂)) and illite (K,H₃O(AI,Mg,Fe)₂(Si,AI)₄O₁₀[(OH)₂·(H₂O)]) were used from 208 previously established mineral spectra databases (Chapkanski et al., 2021a,b). Samples (1 g each) of 209 pure minerals were prepared by mixing oven-dried spectroscopic-grade potassium bromide (KBr) with

210 quartz (Q) and calcite (Ca). The clay minerals (Cm) were represented by a 1:1:1 mixture of kaolinite, 211 montmorillonite and illite. Clay species can be successfully discriminated by FTIR spectroscopy 212 (Srodo, 2002; Joussein et al., 2001), but, because their specific absorption bands overlap, it was 213 decided to only consider their spectral signature collectively, to avoid any confusion (Muller et al., 214 2014). Further combinations were prepared: Q + Ca, Q + Cm, Ca + Cm and Q + Ca + Cm (Table 2). 215 Precision of ± 0.1 mg is required when weighing. The powders were mixed by hand using an agate 216 mortar and pestle for five minutes, in dry conditions. The samples were finally stored in an oven for 12 217 hours prior to spectroscopic measurement to maintain a low moisture content.

218

219 **3.2.4.** DRIFTS analysis (Step 3-B)

220 Diffuse Reflectance Infrared Fourier Transform Spectroscopy (DRIFTS) was conducted on the 221 sediment core samples and on the synthetic mixtures. The texture of the powders ensures a good 222 and homogenous penetration of infrared light into the samples (Bertaux et al., 1998). The mid-223 reflected infrared light spectrum of each sample was obtained using a FT-IR Frontier Spectrometer 224 with a KBr beam splitter, a diffuse reflectance sampling accessory and a TGS detector (PerkinElmer, 225 Waltham, MA, USA). Spectroscopic measurements were conducted in a temperature- and humidity-226 controlled room to ensure stable and constant optical air properties during measurement. 10 mg of 227 each sample was placed into a micro-cup and scanned from 4,000 to 450 cm⁻¹, with a 1 cm⁻¹ 228 resolution, corresponding to wavelengths of 2,500 to 22,222 nm. Dried powdered potassium bromide 229 (KBr) was used as background sample. Supplementary technical details are provided in Chapkanski 230 et al., (2020). Middle Infrared spectral data feed a data matrix of "n" lines (where "n" is the number of 231 spectra/samples) and "p" columns (where "p" is the quantity of spectral bands). The reflectance 232 spectra were converted to absorbance, standardized, and finely baselined using Standard Normal 233 Variate and Baseline pretreatments (Camo Unscrambler 10.3, Oslo, Norway). DRIFT spectra are 234 presented in wavenumber (cm⁻¹) units.

235

236 **3.3. Conversion of DRIFT spectra into mineral abundances (Step 3-C)**

Absorbance mid-infrared spectroscopy has been applied to the quantification of mineral assemblages (Srodon, 2002) because the amount of absorbed infrared radiation is proportional to the mineral mass fraction (%weight), thus obeying to the Lamber-Beer's law (Pichard and Frohlich, 1986; Bertaux et al., 240 1998). Therefore, simple linear regressions (Moosavi and Ghassabian, 2018) can be applied to 241 convert the areas of absorbance peaks into weight concentrations (Table 2). Spectroscopic 242 measurements were repeated three times on each synthetic mixture to assess reproducibility. The 243 most discriminating absorbance peaks were selected to quantify the %weight of each mineral species. 244 The center of these peaks are located as follows: for quartz (Q) at 1,874 cm⁻¹, 1,160 cm⁻¹, and 696 245 cm⁻¹; for calcite (Ca) at 2,512 cm⁻¹, 875 cm⁻¹, and 848 cm⁻¹; and for clay minerals (Cm) at 3,696 cm⁻¹, 246 3,622 cm⁻¹, and 1,112 cm⁻¹. The baselined area of these peaks was quantified using the software 247 PerkinElmer Spectrum (Waltham, MA, USA). Overlapping peak areas between the discriminating 248 peaks were excluded to avoid over-quantification. Pure mineral end-members were used as zero-249 abundance standards for other end-member minerals. For instance, the pure quartz spectrum was 250 used as standard zero for calcite calibration. Therefore, the linear regression was used to provide Q, 251 Ca and Cm mineral weight estimates for each sample following: Mineral weight % = (peak area - a)/b. 252 Linear coefficient of determination (R²), mean values, and the standard deviations of residual values 253 were used to evaluate the performance of the calibration (Moosavi and Ghassabian, 2018). Best 254 curve calibrations were obtained at 1,160 cm⁻¹ for guartz, 2,512 cm⁻¹ for calcite, and 3,622 cm⁻¹ for 255 clays. The calibration was then used to quantify mineral species in the synthetic assemblages in order 256 to evaluate the performance of the calibration on samples of known composition (Table 2). Finally, the 257 calibration was used for the quantification of Q, Ca, and Cm abundances in the 60 samples of core 258 ALB-1.

259

260 **3.4.** Calibration of HSI data for mineral abundance prediction (Step 4 and 5)

261 The hyperspectral image was down-sampled to a 3 cm-core thickness resolution over the areas 262 occupied by each DRIFTS sample, such as to match the DRIFTS measurements. The DRIFTS-263 derived mineral abundance of the 60 sampling depth intervals (Fig. 2) was then matched to the 264 corresponding SWIR-HSI spectra matrices. The two datasets were then subjected to partial least 265 squares regressions (Wold et al., 1984) using the software Camo Unscrambler 10.3 (Oslo, Norway) to 266 relate quartz, calcite and clay mineral abundances to the corresponding SWIR-HSI spectra obtained 267 by hyperspectral imaging. Linear coefficients of determination (R^2) and root mean square errors 268 (RMSE) were used to evaluate the performance of these regressions and p-values were provided to 269 verify their statistical significances. Regression coefficient weight vectors of cumulated PLSR

components were used to assess the contribution of each wavelength to the correlation. The calibration was then used to assess the abundance of quartz, calcite, and clay minerals continuously along core ALB-1 at 3 cm-resolution using the SWIR-HSI spectral dataset, yielding a total of 313 measurements over the 14 m-long core. The same PLSR model was also applied to produce maps of mineral abundances. The same PLSR model was also applied to all the HSI pixels (45 columns by 53,220 lines) to produce mineral abundance maps and characterize the deposits at resolution of 185 μm.

277 4. Results

4.1. Stratigraphy, grain-size and magnetic susceptibility in core ALB-1

279 Sediment core ALB-1 intersected three main stratigraphic units (Fig.3). Basal Unit 1 (- 13.5 to - 8.5 m 280 depth) is relatively homogenous and is composed of up to 70%wt fine- to medium-sized grey shelly 281 sand. Its magnetic susceptibility (MS) is low (0-80 cgs). Shell concentration is highest at its base (sub-282 unit 1-A) while the overlying sub-unit 1-B shows coarser and homogenous sands. Unit 2 (- 8.5 to - 3.5 283 m depth) is extremely heterogeneous and composed of alternations of silty clays and sand layers. 284 Brownish, poorly magnetic silty clays at the base of unit 2 (in SU2-A) amount to 70% wt of the 285 sediment. The overlaying sub-unit 2-B is a succession of grey clayey/shelly sand and gravel. 286 Magnetic values range from 0 to 300 cgs with marked peaks in coarse sand and gravely layers. The 287 topmost sub-unit (2-C) is made of interbedded brown, weathered silty clay and sand layers. A well-288 sorted brown medium sand (70%wt of the sand fraction) layer marks the top of sub-unit 2C. Magnetic 289 susceptibly decreases upward throughout unit 2. The last, and topmost stratigraphic unit (SU3) 290 consists of massive, weathered grey silty clay (90%wt of the sediment) dotted by carbonate 291 concretions near its base (SU3-A). Its upper part (SU3-B) is made of dark brown alternations of silty 292 clay and sand containing roman pottery sherds with MS values ranging from 0 to 200 cgs.

293

4.2. Peak identification of Infrared spectra

4.2.1. DRIFT spectra of synthetic assemblages

A selection of DRIFT spectra of pure mineral species and species combination is provided on Figure 4. Quartz exhibits distinctive absorbance peaks at 1,872 cm⁻¹, 1,610 cm⁻¹, 1,352 cm⁻¹, 1,160 cm⁻¹, 813 cm⁻¹ and 696 cm⁻¹. Calcite is identified by peaks at 2,984 cm⁻¹, 2,874 cm⁻¹, 2,512 cm⁻¹, 1,797 cm⁻¹, 1,623 cm⁻¹, 1,400 cm⁻¹, 875 cm⁻¹, 848 cm⁻¹, and 714 cm⁻¹. Clays (kaolinite, montmorillonite, and illite)
absorb mostly at 3,696 cm⁻¹, 3,624 cm⁻¹, 1,240 cm⁻¹, 1,111 cm⁻¹ and 792 cm⁻¹.

301

302 **4.2.2. DRIFT** spectra of core samples

303 Figure 5 provides descriptive statistics (mean, maximum, minimum, Q1 and Q3 quartiles) of all 304 combined core sample DRIFT spectra in the SWIR and MIR light ranges. Absorbance peaks were 305 attributed to specific inorganic and organic compounds using previously established mineralogical 306 spectra database (Chapkanski et al., 2021a,b) as well as extensive spectra libraries (Chukanov and 307 Chervonnyi, 2016). Clay minerals, especially Kaolinite - Al₂Si₂O₅(OH)₄ and Montmorillonite -308 (Na,Ca)_{0,3}(Al,Mg)₂Si₄O₁₀(OH)₂) are associated with absorbance peaks at 3,696 and 3,626 cm⁻¹ and 309 around 3,400 to 3,350 cm⁻¹ in the O - H stretching vibration region. Carbonates, especially calcite 310 CaCO₃ is associated with absorbance peaks at 2,986 cm⁻¹, 2,876 cm⁻¹, 2,640 to 2,460 cm⁻¹, 1,460 to 311 1,360 cm⁻¹ and 874 cm⁻¹. Tectosilicates, especially quartz (SiO₂) clearly absorb at 1,160 and 696 cm⁻¹ 312 while peak of feldspars occurs at 1,290 to 1,270 and 795 cm⁻¹ and could be specifically attributed to 313 albite NaAlSi₃O₈ and orthoclase KAlSi₃O₈. Inosilicate and nesosilicate minerals could absorb at 970 314 and 650 cm⁻¹. Chlorite and mica groups generated the absorbance peak observed at 1,630 cm⁻¹. 315 Aliphatic C-H bands absorb at 2,930 cm⁻¹ and unsaturated bands of alkenes C=C absorb at 1,642 cm⁻¹ 316 1.

317

318 **4.2.3.** Short-Wave Infrared spectra of sediment core images

319 The SWIR spectra show areas of absorbance related to organic and inorganic compounds (Fig. 5). 320 The two main absorption peaks near 1,440 nm and 1,925 nm are produced by hydroxyl bonds mainly 321 induced by moisture (Palmer and Williams, 1974), but they can also be produced by organic and 322 inorganic compounds, especially clays. Clays show absorption peaks related to AI-OH bonds between 323 2,200-2,220 nm and to O-H bonds around 1,410 nm, 2,340 nm and 2,450 nm (Madejova et al., 2017). 324 Carbonates, chlorite and micas also produce multiple absorption peaks around 2,282 and between 325 2,310-2340 nm, but these often overlap with other compounds, such as organic matter (Cloutis, 1989; 326 Krupnik and Khan, 2019; Viscarra Rossel and Behrens, 2010). Organic (C-H) bonds produce 327 numerous absorption peaks, especially around 1,056 nm, 1,146 nm, 1,400 nm, 2,300-2,350 nm and

328 2,400-2,450 nm (Cloutis, 1989). Tectosilicates, including quartz, have no specific absorption peaks in
329 the investigated spectral range (Krupnik and Khan, 2019).

330

4.3. Calibrations of mineral abundances

4.3.1 Performance of the synthetic sample cross-calibration

Weight concentrations (wt%) of minerals (quartz, calcite and clay minerals) were obtained using linear regression equations (Fig 6). Predicted values were plotted against known weight concentrations in order to evaluate the performance of the mineral quantifications (Fig. 6). Quartz, calcite and clay minerals were successfully predicted in single and multi-phase samples with $R^2 > of 0.9$. All correlations are significant with p-values < 0.05. Mean and standard deviations of residual values show slight underestimation of the prediction in single and multi-phases (from -0.5 to -1.5). The standard deviation ranges from 2.2 to 7.

340

341 **4.3.2** Performance of the synthetic sample to core sample DRIFTS calibration

342 The linear regressions established using our synthetic standards were applied to the mid-infrared 343 spectrum of the sediment cores samples (total of 60) to calculate guartz, calcite and clay minerals 344 abundances (Fig. 3.C). Predicted values (in wt%) range between 14 and 64% (±0.2) for quartz, 0 and 345 43% (±0.7) for calcite, and 0 and 41% (±0.9) for clays. Quartz wt% is positively correlated with 346 medium (0.48) and fine (0.53) sand fractions and bears negative correlation with the silty-clay (-0.56) 347 fraction (Table 3). In contrast, clay minerals wt% is highly correlated to the clay-silt fraction (0.91) and 348 negatively correlated to the medium (-0.78) and fine (-0.52) sand fractions. Calcite wt% shows no 349 specific correlation with any grain-size fraction.

350

351 4.4 Calculation of mineral abundance along core ALB-1

352 **4.4.1 Performance of the DRIFTS-core SWIR image calibration**

Partial least squares regression (PLSR) was used to create a predictive model of quartz, calcite and clay abundance at regularly spaced, 3 cm-thick intervals along core ALB-1. The PLSR calibration was carried out between DRIFTS-derived mineral abundances in the 60 core samples and their SWIR spectra obtained by hyperspectral imaging (see section 3.4). The PLSR statistical performance is shown on Fig. 7. Quartz wt%, calcite wt%, and clay minerals wt% are successfully predicted based on 358 the SWIR spectra using seven latent variables (PLS components). In addition to statistical 359 parameters, the plot analysis of the raw regression coefficients allows for evaluating the influence of 360 absorbance bands on the PLS regression loading weights (Vogel et al., 2008; Hahn et al., 2011; 361 2018). High coefficients (either positive or negative) contribute significantly to the prediction of the 362 major mineralogical components (Fig. 7). Calcite regression coefficients show positive values for 363 spectral regions specific to carbonates (2,237 nm, 2,500 nm) and organic matter (1,056 nm, 1,146 364 nm), and negative values for spectral regions induced by clays (1,422 nm, 2,208 nm and 2,415 nm, 365 Cloutis, 1989; Krupnik and Khan, 2019; Madejova et al., 2018; Viscarra Rossel and Behrens, 2010). 366 Positive regression coefficients of clay minerals are related to specific wavelengths of phyllosilicates 367 (1,411 nm, 1,900 nm, 2,202 nm and between 2,380-2,450 nm), while the negative coefficients are 368 related to hydroxyl bonds probably induced by interstitial moisture between the coarser grains (1,445 369 nm, 1,838 nm, 1,945 nm) and to chlorites (2,292 nm, Palmer and Williams, 1974; Cloutis, 1989; 370 Krupnik and Khan, 2019; Viscarra Rossel and Behrens, 2010). Quartz regression coefficients show 371 positive values for spectral regions specific to hydroxyl bonds (1,445 nm and 1,945 nm) and stand out 372 for their anti-correlation with carbonates (-0.82) and clay minerals (-0.42), particularly pronounced for 373 the hydroxyl and carbonates bonds (2,237 nm, 2,500 nm, Fig. 7).

374

375 4.4.2. Performance of the continuous logging and mineral mapping along core ALB-1

376 The calibrated PLSR model was applied to each hyperspectral image data averaged over 3 cm bins, 377 along the sediment (total of 313 bins) in order to assign continuous logging mineral abundances of 378 quartz, calcite and clay minerals (Fig. 3.D). Predicted values range within 19-58% (±4) for quartz, 4-379 48% (±3) for calcite and 0-37% (±3) for clay minerals. They display a high degree of agreement with 380 DRIFTS-derived abundances. Predicted quartz wt% is positively correlated with fine-sand (0.62) and 381 total sand (0.60) fractions, and shows negative correlations with clay minerals (-0.68) and the clay-silt 382 fraction (-0.58, Table 3). Predicted calcite wt% shows no specific correlations with other mineralogical 383 or physical properties of sediments. Predicted clay minerals wt% show strong correlation with the 384 clay-silt fraction (0.86) and hydroxyl bonds peak at 1,450 nm (0.68) and are negatively correlated to 385 the total and medium sand fractions. The basal stratigraphic unit (SU1) is notably rich in guartz and 386 poor in clay compared to other units. For SU1, differences between SWIR-HSI predicted and DRIFTS 387 inferred mineral abundances are averagely 0.33, -0.44 and -0.27 for quartz, calcite and clays

388 respectively. The high resolution maps of mineral abundances (Fig.3D) reveal a faint layering 389 produced by fluctuations in quartz abundance, while calcite and clay content remains fairly stable. 390 The medium stratigraphic units (SU2) is highly heterogeneous, but it stands out for its higher calcite 391 content than units SU1 and SU3, and for its higher clay content relative to SU1. For SU2, differences 392 between predicted and observed mineral abundances are averagely -1.07, 0.26 and -0.35 for quartz, 393 calcite and clays. SU3 is notably clay-rich and calcite-poor compared to the other units. For this unit, 394 differences between predicted and observed mineral abundances are averagely 5.07, 0.17 and 1.34 395 for quartz, calcite and clays respectively.

396

397 **5. Discussion**

398 5.1. Peak selection for DRIFTS assessment of mineral abundances and replicability

399 Numerous studies reported satisfactory mineral calibrations and predictions using Fourier Transform 400 InfraRed (FTIR) measurements on samples with known mineral contents (Pichard and Frohlich, 1986; 401 Bertaux et al., 1998; Moosavi and Ghassabian, 2018). Based on these previous approaches, we 402 converted DRIFTS data into mineral abundances using linear regressions calibrated on single and 403 multi-phase synthetic mineral assemblages. Qualitatively, quartz, calcite and clay minerals can be 404 identified easily in the infrared spectra (Fig. 4) owing to their specific peaks. In quantitative 405 investigations, however, non-overlapping peaks should be selected (Pichard and Frohlich, 1986). 406 Previous quantitative studies used peaks centered at 693 cm⁻¹ and 712 cm⁻¹ to respectively assess 407 quartz and calcite abundances (Pichard and Frohlich, 1986). At these wavenumbers, however, 408 overlaps with clay mineral peaks tend to generate unwanted quantitative distortions, so that better 409 predictions were obtained using 1,160 cm⁻¹ for quartz and 2,512 cm⁻¹ for calcite. Calcite is the most 410 abundant carbonate mineral in our sedimentary sequence, but its peak could be produced in other 411 natural environments by additional carbonates, in particular aragonite (triple bond at 2,546, 2,524 and 412 2,500 cm⁻¹), dolomite (2,526 cm⁻¹) and magnesite (2,538 cm⁻¹). Among clay minerals, slight chemical 413 variations can induce overlapping bonds (Madejova and Komadel, 2001) and different peak shapes 414 (Henry et al., 2017). To overcome this problem, we have combined kaolinite, montmorillonite, and illite 415 absorbances (Muller et al., 2014). The best calibration was obtained using a peak centered at 3,622 416 cm⁻¹, where the three clay species absorb. The accuracy of the linear regressions (Fig. 6) is 417 satisfactory, with high R² coefficients, low residual values, and therefore a direct relationship between

418 absorbance and mineral abundance. Still, discrepancies between known single-phase mineral 419 concentrations and DRIFTS-inferred abundances tend to increase at very low (< of 2%) and high (> of 420 50%) mineral concentration (Henry et al., 2017). Departure from the linear regression at high 421 concentration could result from the lower density of the synthetic powder at such values, whereas 422 departures at low concentration could be influenced by detection limits (Vogel et al., 2016). In multi-423 phase mineral concentrations, DRIFTS-inferred abundances remain satisfactory (Fig. 6) showing that 424 the chosen peaks are not influenced by the absorbance of other minerals.

425 PLS regressions have been widely used to calibrate mineral abundances in FTIR spectra (Fernandes 426 et al., 2020; Hahn et al., 2018; Muller et al., 2014). Predictions often show great performances and 427 efficiency because the calibrations are based on the entire set of wavenumbers and therefore all 428 absorbance peaks are considered. However, as certain peaks are common for two or more mineral 429 phases, leading to over or under estimations (Vogel et al., 2016). Besides, the PLS calibration is 430 population-specific, and must be rerun on each new dataset requiring the availability of the entire 431 calibration dataset. However, these later are often inaccessible. To overcome this issue, this study 432 provides linear regressions that are easily reusable for natural sediment spectra.

433

434 5.2. Calibration of high-resolution imaging SWIR spectra and DRIFTS-inferred mineral 435 abundances

436 In the mid-infrared range used in DRIFTS, absorbance is controlled by vibrations of molecular bonds 437 and functional groups. Therefore, peaks are very meaningful in the detection of carbonates and 438 silicates (Fig. 5). By contrast, in the shorter infrared range (SWIR), absorbance is controlled by broad 439 bonds, overtones and combination of functional groups (Robertson et al., 2016). Consequently, HSI-440 derived spectra are not sensitive to certain mineral phases such as tectosilicates (quartz and 441 feldspar), some oxides, phosphates and sulfides (Krupnik and Khan, 2019). Moreover, spectral 442 analyses are commonly based on chemometrics which, to overcome the absence of well-defined 443 peaks, handle the entire range of wavelengths. Here, we use a PLS regression to assess the 444 relationship between the DRIFTS-inferred mineral abundances and core image spectra, because the 445 PLS regression allows us to assess the accuracy of the calibration. The analysis of PLS regression 446 coefficients is commonly used to evaluate the performance of prediction models (Vogel et al., 2008; 447 Hahn et al., 2011). Models relying on direct relationships between the investigated minerals and the

448 spectra (such as the SWIR-HSI models for calcite and clay minerals) are considered reliable and 449 replicable because absorbance is directly influenced by specific functional bands in the crystalline 450 structure of the minerals (Hahn et al., 2011, 2018). In contrast, models based on indirect relationships 451 (such as the SWIR-HSI model for quartz) rely on inter-correlations between different mineralogical or 452 physical properties that occur in specific sedimentological configurations and may, therefore, not be 453 replicable elsewhere. In the present study, the good SWIR-HSI predictions of calcite and clay 454 minerals result from a direct relationship to their respective functional groups. In the case of the clays, 455 the correlation (> 0.60) that exists between clay minerals and clay-silt texture and hydroxyl bonds (see 456 section 4.4.1, Table 3) may not result from intrinsic spectral properties of the clays, but rather from 457 grain-size and moisture effects affecting the SWIR spectra. Nonetheless, dried and ground samples 458 yield DRIFTS-derived abundance trends and values that are similar to that of the SWIR data implying 459 that the SWIR-HSI prediction of clay minerals is mainly based on their spectral functional bonds, not 460 by grain-size or moisture in the core. Similarly calcite predictions show no correlations with the 461 physical properties of the core. By contrast, the acceptable prediction of quartz abundance by SWIR-462 HSI cannot result from the direct measurement of functional groups, as they do not reflect in that 463 spectral range (see section 4.2.3.). The SWIR-HSI predicted quartz show significant positive 464 correlations (> 0.60) with fine and total sand fractions (Table 3) and negative correlations (< -0.6) with 465 the clay minerals. Moreover, the raw PLSR coefficients of guartz are negatively correlated (-0.82) with 466 the calcite coefficients (Fig. 7). Therefore, quartz prediction by SWIR-HSI is made successful here 467 owing to its close association to a fine and medium sand characterized by a relatively low calcite and 468 clay mineral content, as opposed to silty-clay (rich of clay minerals) or shelly (rich of calcite) sediment 469 with more heterogeneous textures. This association between well sorted, fine-to medium sand, and 470 abundant quartz is a common characteristics of sediments that however is far from systematic. 471 Therefore, the use of the methodology should be conducted with care, with a substantial site-specific 472 foreknowledge of the sediment composition and of its variations. Used inappropriately, the model will 473 generate significant inaccuracies.

474

475 **5.3.** Two-sensors infrared approach: complementarity, advantages and limits.

The two-sensor approach relies on the near- and mid-infrared electromagnetic ranges (Fig. 5).
DRIFTS provides a precise quantification of quartz, calcite and clay minerals content owing to its high

478 sensitivity to specific functional bands in the mid-infrared range: O-H, N-H, C-H stretching, H-O-H 479 deformation, CO₃, Si-O stretching, Si-O-Al and Fe-O (Russell & Fraser, 1994; Chukanov & 480 Chervonnyi, 2016). The use of dried, ground samples ensures homogeneity and replicability of 481 measurements. The analysis does not alter the chemistry and mineralogy of the samples, which can 482 therefore be reused in other analyses. Compared to X-Ray Diffraction, DRIFTS is less sensitive to 483 mineral phases present in small amount. However, is not subject to analytical biases introduced by 484 the differential settling or preferred orientations of minerals (Herbert et al., 1992). Besides, owing to its 485 wide range of wavenumbers (from 4.000 to 450 cm⁻¹), DRIFTS provides good qualitative 486 determination of clay minerals directly on bulk sediments and it is sensitive to both amorphous silica 487 (Meyer-Jacob et al., 2014; Frohlich, 1989) and organic compounds (Francos et al., 2021; Chapman et 488 al., 2001). Therefore, it constitutes a relevant alternative to conventional XRD for the calibration of 489 mineral abundance based on hyperspectral images (Greene et al., 2019). To conduct an optimal HSI 490 modelling, calibration samples should cover the entire range of mineral concentrations (Vogel et al., 491 2008), which is found in the image. To capture the expected range, samples should be collected at 492 regular, and rather short depth-intervals along the core, generating a sizeable number of samples. To 493 process such a large number of samples, DRIFTS is also appropriate because it can be carried out on 494 small (10 mg) samples, because it do not involve hazardous chemical materials nor dangerous 495 radiation emissions. Sample preparation is quick (~1 min/sample) and simple. The establishment of 496 the calibration curves using synthetic mixtures is the most time-consuming step, but future users can 497 simply reuse the linear regression coefficients provided in this study in order to obtain (semi) 498 quantitative mineral abundances from the DRIFT spectra of natural sediments.

499 Although near-infrared spectra obtained by hyperspectral core-imaging are less sensitive to mineral 500 composition and not sensitive to tectosilicates, they provide unprecedented time-saving (2 min/meter), 501 high-resolution investigations (185 µm² pixel) in a completely non-invasive and non-destructive 502 manner. The main challenges arise from the irregular and heterogeneous state of the sediment core 503 surface, which often presents particle size and humidity variations that strongly impact the near 504 infrared spectrum, leading to prediction bias (Verpoorter et al., 2014). For this reason, calibrations 505 with mineral abundance values inferred by the DRIFTS on powdered and dry samples constraint the 506 PLSR algorithm to specific-absorbance of minerals and reduce the effects of moisture and grain-size. 507 The latter can be easily detected using two main absorptions bands by O-H bonds around 1,440 nm

and 1,925 nm, but also by the rise of the spectra baseline in the Near- and Mid-Infrared ranges (Fig 509 5). In the present study, low deviations between DRIFTS-inferred and SWIR-HSI predictions of 510 minerals (< 1.5, see section 4.4.2.) suggest that the heterogeneous grain-size state of the sediment 511 core surface is overcome by the PLSR modelling. By contrast, the prediction of quartz remains 512 strongly dependent of site-specific sediment and mineralogical characteristics.

513

514 5.4. Depositional environments encountered along core ALB-1

515

516 The palaeovalley of the Albegna River has been incised during the last glacial sea-level low stands; it 517 was subsequently infilled by marine and fluvial sediments during the Late-glacial to Holocene 518 transgression (Mazzini et al., 1999). The delta of the Albegna River has progressively prograded and 519 filled its valley, while a sand-spit was building up farther offshore, progressively isolating a lagoon 520 from the open sea. The delta is therefore expected to have grown first in an open marine 521 environment, and then in a lagoonal environment, before reaching the sand spit and shedding its 522 sediment, along the sand spit foreshore. The core is located within the former lagoon, immediately 523 behind the sand spit, at a location that probably emerged just as the emerged delta floodplain was 524 reaching the sand spit,

525 Non-continuous grain-size analysis, continuous magnetic susceptibility, and mineral core-logging 526 reveal three stratigraphic units, which we subdivided into two-three sub-units (Fig. 3). The lower 527 sequence SU1 contains thin (1 cm-thick) silty-clay layers interbedded with fine- to medium- grained, 528 quartz-rich sand containing occasional shells and well-rounded gravel. Considering its age (> 5,300 529 BCE), unit SU1 can be interpreted as deposited in an open marine environment, during the 530 transgression and maximum flooding of the Albegna palaeo-valley. The slight upward coarsening, 531 from SU1-A to SU1-B, may reflect the progradation of the Albegna River delta (Styllas, 2014) after the 532 maximum flooding. It is associated with a slight but continuous increase in guartz abundance, which 533 may result from the positive correlation between quartz abundance and sand grain size. The 534 continuous record (Fig. 3D) reveals an abrupt superposition of the overlying deposits (SU2-1), 535 composed of organic clays. This facies is reminiscent of the quiet lagoonal environment still found 536 today in the remain parts of the lagoon, and is therefore interpreted as resulting from the rapid 537 development of lagoonal conditions behind the sand spit (5,500 to 5,370 BCE) during the Atlantic.

538 This unit is overlaid by extremely heterogeneous sediments (SU2-B) consisting of fine- to medium-539 grained sand deposits interbedded with silty-clayey layers. Calcite content is at its highest and 540 correlates with layers of medium- to coarse-grained sand made of shell fragments. This facies 541 indicates a highly biologically productive in the shallow lagoon occurring between 4,240 and 4,000 542 BCE) at the end of the Atlantic. The greater abundance of sand, compared to the lagoon of Orbetello 543 farther south, indicates the proximity of either an inlet in the sand spit, or/and, most likely, the 544 increasing proximity of the Albegna River mouth, as the river delta progrades across the lagoon 545 toward the coring site. Local peaks in magnetic susceptibility are produced by gravely beds rich in 546 shell fragments and may represent the reworking of the coarsest river sediments. The SU2-B to SU2-547 C evolution from a reducing to oxidizing environment (grey to brown-colored sediments) and the 548 increase in grain-size (from fine-medium- to coarse-grained sand) reflects the progressive shoaling of 549 the lagoon, as the Albegna River mouth gets closer to the coring site. The highest unit (SU3) is 550 composed of emerged floodplain sediments, deposited on the banks of the Albegna River, once the 551 coring site had been integrated into its delta plain between 2,880 and 2,630 cal BC, during the 552 Subboreal. The overbank deposits consist of weathered silty-clay, rich in clay minerals, cemented by 553 carbonate concretions deposited near the water table. The top of the core (SU3-B) consists of dark-554 brown silty-clay and unsorted sands. Its dark brownish color may reflect more advanced pedogenesis, 555 in a floodplain progressively less frequently subjected to flooding. However, interpretation is made 556 difficult by the fact that this sediment has been strongly reworked by anthropogenic activity, which is 557 attested by the high density of Roman sherds in this top unit.

558

559 **5.5. Wider significance**

560 The widespread use of sediment cores for a variety of environmental research, mining and civil 561 engineering applications provides a favorable context for the development of fast techniques that do 562 not require time-consuming pretreatments with chemical products. The need for fast and easily 563 applied techniques encourages approaches based on continuous core-logging calibrated on punctual 564 analyses (Greene et al., 2019). The two-sensor infrared methodology proposed here, involving 565 DRIFTS and SWIR-HSI for the continuous logging of mineral abundances along sediment cores, 566 provides a simple and time-saving approach. Hyperspectral imaging has already demonstrated its 567 added value in the study of lacustrine environments (Sorrel et al., 2021; Makri et al., 2020; Butz et al.,

568 2017; Aymerich et al., 2016). Its application to a wider range of sedimentary environments remains to 569 be tested, especially in contexts, such as here, where substantial grain-size variations occur along 570 core. Here our combined two infrared sensor approach shows sharp mineralogical variations between 571 subunits and within subunits. The maps of mineral abundances provide extremely high-resolution 572 horizontal and vertical values of abundances, highlighting laminations and the fine-scale architecture 573 of the sediment layers. Our analysis, albeit restricted to three major mineral species and groups, 574 illustrates variations that can be tied to major changes in the depositional environment (open sea, 575 lagoonal, fluvio-deltaic). We believe that the high resolution prediction of calcite and clay minerals 576 could be easily applied in other sedimentological environments, but for prediction of quartz we rather 577 recommend to use Mid-Wave InfraRed (MWIR: 2,700-5,300 nm) or Long-Wave InfraRed (LWIR: 578 8,000-12,000 nm) hyperspectral cameras (Contreras Acosta et al., 2020; Lorenz et al., 2019) that are 579 sensible to tectosilicates. To improve processing times, benchtop DRIFTS measurements could be 580 replaced by the emerging hand-operated FTIR, but the use of such non-destructive techniques has to 581 reckon with issues of sample humidity and grainsize variations at the sediment surface. Wider 582 significance of this approach would be found in geoarchaeological stratigraphy (Haburaj et al., 2020; 583 Linderholm et al., 2018) and sequence stratigraphy where hyperspectral imaging could be correlated 584 with Ground Penetrating Radar (GPR) profiles. Moreover, in palaeo-lagoon investigations correlated 585 with seasonal variations of macro- and micro-fauna.

586

587

588 6. Conclusion

589 This study demonstrates the potential of a two-sensor infrared methodology involving Diffuse 590 Reflectance Infrared Fourier Transform spectroscopy (DRIFTS) and Short-Wave InfraRed (SWIR) 591 hyperspectral imaging (HSI) to provide a simple and time-saving approach for continuous logging of 592 mineral abundances along sediment cores. The DRIFT spectra were used to provide quantitative 593 estimations for quartz, calcite and clay minerals abundances of single and multi-phase synthetic 594 mixtures. Therefore, reliable DRIFTS-inferred estimations of these minerals were obtained for 60 595 sediment samples from a 14 meters-depth core (ALB-1), drilled in the deltaic deposits of the Albegna 596 River. The mineral abundance values were fused with the SWIR-HSI data in order to establish partial 597 least squares regression (PLSR) model aiming to assign continuous logging of mineral abundances

598 along the ALB-1 core. The PLSR statistical performance was satisfactory showing high degree of 599 agreement between the DRIFT-induced and SWIR-HSI predicted results. The same predicting model 600 was used to compute maps of mineral abundances evidencing the layered structure of mineral 601 concentrations. The classical sedimentological non-continuous analyses (e.g. grain-size), 602 complemented by combined DRIFTS and SWIR-HSI approach, bring into focus changes of sediment 603 dynamics and depositional patterns recorded into the deltaic facies at high-resolution vertical scale. 604 We contend here that the fused two-sensor infrared approach has a clear potential to help 605 reconstructing fluvial-deltaic sedimentary successions. Calcite and clay minerals could be reliably 606 predicted in other sedimentary environments. However, in terms of quartz prediction, the SWIR-HSI 607 remain limited and it cannot be used for direct spectra modeling of tectosilicates. To overcome this 608 issue, we rather recommend to use Mid-Wave InfraRed (MWIR: 2,700-5,300 nm) or Long-Wave 609 InfraRed (LWIR: 8,000-12,000 nm) hyperspectral cameras. However, these latter significantly costlier. 610 Further analyses are intended in order to provide quantifications of specific phyllosilicates (kaolinite 611 vs. illite vs. smectite) by DRIFTS in order to test whether they could be reliably predicted by SWIR-612 HSI in complex fluvio-deltaic sediment mixtures. Moreover, research involving DRIFT-induced total 613 organic matter and biogenic silica abundances are currently in progress in order to provide a wider 614 understanding of the total sample composition.

615

616 7. Acknowledgement

617 This research was conducted in the framework of the IDEX-Lyon Scientific Breakthrough Program: 618 "Thalassocraties sans ports: fait ou fiction?" directed by Jean-Philippe Goiran and funded by the 619 National Agency for Research. Further financial assistance came from the Mobility program SMI-620 INSHS-CNRS and LabEx IMU programe: URBO, led by Jean-Philippe Goiran. The Alexander von 621 Humboldt Foundation, Germany, generously accorded additional funding to the project and Andrea U. 622 De Giorgi. The study is conducted in close cooperation with the Soprintendenza Archeologica Belle 623 Arti e Paesaggio per le Province di Siena, Grosseto e Arezzo, the World Wide Fund for Nature (WWF 624 Oasi), the Municipality of Orbetello and the French National Centre for Scientific Research CNRS. 625 The equipment and facilities permitting DRIFTS measurements were co-founded by the LabCom 626 Geo-Heritage (ANR-15-LCV4-0002), University of Lyon 2, IDEX-Lyon Scientific Breakthrough 627 Program, European Research Council (Grant Agreement 339123) and the University of Paris 1

628 Pantheon-Sorbonne. The hyperspectral imaging acquisition was made at the University of 629 Normandie-Rouen and was funded by the Region Normandie, which supports the scientific 630 consortium SCALE UMR CNRS 3730. The authors are grateful to Dr. Matteo Milletti and Salvatore 631 Russo for their help at the field in the Torre Saline Area as well, Mauro and Barbara for their help with 632 the accommodation, Maureen le Doaré for the stratigraphic computer assistant drawing and Maël 633 Ogier for the help with the wet sieving and magnetic susceptibility measurements. The authors thank 634 gratefully the two anonymous reviewers for their constructive and detailed feedbacks permitting to 635 improve earlier versions of this manuscript.

636

637 8. Data Availability

All the data that support the findings of this study are available from the corresponding author uponreasonable request.

640

641 References

642 Andrews, J. T., & Eberl, D. D. 2012. Determination of sediment provenance by unmixing the mineralogy 643 of source-area sediments: the "SedUnMix" program. Marine Geology, 291, 24-33.

644 Aymerich, I. F., Oliva, M., Giralt, S., & Martín-Herrero, J. 2016. Detection of tephra layers in Antarctic 645 sediment cores with hyperspectral imaging. PLoS One, 11(1), e0146578.

646 Bandopadhyay, A. K. 2010. Determination of quartz content for Indian coals using an FTIR technique.647 International Journal of Coal Geology, 81(1), 73-78.

648 Bertaux, J., Froehlich, F., & Ildefonse, P. 1998. Multicomponent analysis of FTIR spectra; quantification

of amorphous and crystallized mineral phases in synthetic and natural sediments. Journal ofSedimentary Research, 68(3), 440-447.

651 Bertoni, D., Giacomelli, S., Ciulli, L., & Sarti, G. 2020. Litho-sedimentological and morphodynamic 652 characterization of the Pisa Province coastal area (northern Tuscany, Italy). *Journal of* 653 *Maps*, *16*(2), 108-116.

654 Bertini, M., Cocozza, T., Signorini, R. 1967. Carta geologica d'Italia, Orbetello, Foglio 135, Ser. Geol.
655 Italia.

656 Bigus, P., Tobiszewski, M., & Namieśnik, J. 2014. Historical records of organic pollutants in sediment 657 cores. Marine pollution bulletin, 78(1-2), 26-42. 658 Bosch-Reig, F., Gimeno-Adelantado, J. V., Bosch-Mossi, F., & Doménech-Carbó, A. 2017. Quantification
of minerals from ATR-FTIR spectra with spectral interferences using the MRC method.
Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, 181, 7-12.

661 Bossio, A., Foresi, L. M., Mazzei, R., Salvatorini, G., Sandrelli, F., Bilotti, M., ... & Rossetto, R. 2003.
662 Geology and stratigraphy of the southern sector of the Neogene Albegna River Basin (Grosseto, Tuscany, Italy). Geologica Romana, 37(2003-2004), 165-173.

Butz, C., Grosjean, M., Goslar, T., & Tylmann, W. 2017. Hyperspectral imaging of sedimentary bacterial
pigments: a 1700-year history of meromixis from varved Lake Jaczno, northeast Poland. Journal of
Paleolimnology, 58(1).

667 Chapkanski, S., Ertlen, D., Rambeau, C., & Schmitt, L. 2020. Provenance discrimination of fine
sediments by mid-infrared spectroscopy: Calibration and application to fluvial palaeoenvironmental reconstruction. Sedimentology, 67(2), 1114-1134.

670 Chapman, S. J., Campbell, C. D., Fraser, A. R., & Puri, G. 2001. FTIR spectroscopy of peat in and
bordering Scots pine woodland: relationship with chemical and biological properties. Soil Biology
and Biochemistry, 33(9), 1193-1200.

673 Chukanov, N. V., & Chervonnyi, A. D. 2016. Infrared spectroscopy of minerals and related compounds.674 Springer.

675 Cloutis, E. A. 1989. Spectral reflectance properties of hydrocarbons: Remote-sensing implications. 676 Science, 245(4914), 165–168.

677 Contreras Acosta, I. C., Khodadadzadeh, M., Tolosana Delgado, R., & Gloaguen, R. 2020. Drill-core
678 hyperspectral and geochemical data integration in a superpixel-based machine learning
679 framework. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing,

680 1–16. https://doi.org/10.1109/JSTARS.2020.3011221

681 Cornamusini, G., Foresi, L. M., Massa, G., Bonciani, F., Callegari, I., Da Prato, S., & Ielpi, A. 2011. The

682 Miocene successions of the Fiora Hills: considerations about the development of the minor basins

of Southern Tuscany. Italian Journal of Geosciences, 130(3), 404-424.

684 Davies, S. J., Lamb, H. F., & Roberts, S. J. 2015. Micro-XRF core scanning in palaeolimnology: recent 685 developments. Micro-XRF studies of sediment cores, 189-226.

686 Dearing, J. 1999. Environmental magnetic susceptibility using the Bartington MS2 system. Bartington687 Instruments Ltd. British Library London.

688 Delile, H., Goiran, J. P., & Blichert-Toft, J. 2018. The contribution of geochemistry to ancient harbor 689 geoarcheology: The example of Ostia Antica. Quaternary Science Reviews, 193, 170-187.

690 Duée, C., Orberger, B., Maubec, N., Laperche, V., Capar, L., Bourguignon, A., ... & Koert, P. 2019.
691 Impact of heterogeneities and surface roughness on pXRF, pIR, XRD and Raman analyses:
692 challenges for on-line, real-time combined mineralogical and chemical analyses on drill cores and
693 implication for "high speed" Ni-laterite exploration. Journal of Geochemical Exploration, 198, 1-17.

694 Fernandes, K., Júnior, J. M., de Souza Bahia, A. S. R., Demattê, J. A., & Ribon, A. A. 2020. Landscape695 scale spatial variability of kaolinite-gibbsite ratio in tropical soils detected by diffuse reflectance
696 spectroscopy. Catena, 195, 104795.

697 Francos, N., Ogen, Y., & Ben-Dor, E. 2021. Spectral assessment of organic matter with different 698 composition using reflectance spectroscopy. Remote Sensing, 13(8), 1549.

699 Frei, R. W., & MacNeil, J. D. 2019. Diffuse reflectance spectroscopy in environmental problem-solving.700 CRC press.

701 Fröhlich, F. (1989). Deep-sea biogenic silica: new structural and analytical data from infrared analysis-702 geological implications. Terra nova, 1(3), 267-273.

Garzanti, E., Andó, S., France-Lanord, C., Censi, P., Vignola, P., Galy, V., & Lupker, M. 2011.
Mineralogical and chemical variability of fluvial sediments 2. Suspended-load silt (Ganga–
Brahmaputra, Bangladesh). Earth and Planetary Science Letters, 302(1-2), 107-120.

706 Garzanti, E., Andò, S., France-Lanord, C., Vezzoli, G., Censi, P., Galy, V., & Najman, Y. 2010.
707 Mineralogical and chemical variability of fluvial sediments: 1. Bedload sand (Ganga–Brahmaputra,
708 Bangladesh). Earth and Planetary Science Letters, 299(3-4), 368-381.

Ghanbari, H., Jacques, O., Adaïmé, M. É., Gregory-Eaves, I., & Antoniades, D. 2020. Remote Sensing of
Lake Sediment Core Particle Size Using Hyperspectral Image Analysis. Remote Sensing, 12(23),
3850.

712 Gliozzo, E., Iacoviello, F., & Foresi, L. M. 2014. Geosources for ceramic production: The clays from the 713 Neogene–Quaternary Albegna Basin (southern Tuscany). Applied clay science, 91, 105-116.

714 Greene, J., Kosanke, T. H., & Linton, P. EA. 2019. Quantitative Calibration of Hyperspectral Core
715 Imaging Data: A New Method for Producing Continuous, High-Resolution Mineralogical
716 Characterization of Cores from Both Conventional and Unconventional Reservoirs. Annual
717 Convention and Exhibition (AAPG). 0-20.

718 Haburaj, V., Japp, S., Gerlach, I., Hoelzmann, P., & Schütt, B. 2020. Coupling spectral imaging and
719 laboratory analyses to digitally map sediment parameters and stratigraphic layers in Yeha,
720 Ethiopia. Plos one, 15(9), e0238894.

721 Hahn, A., Gerdts, G., Völker, C., & Niebühr, V. 2019. Using FTIRS as pre-screening method for detection
722 of microplastic in bulk sediment samples. Science of the total environment, 689, 341-346.

Hahn, A., Rosen, P., Kliem, P., Ohlendorf, C., & Zolitschka, B. 2011. Comparative study of infrared
techniques for fast biogeochemical sediment analyses. Geochemistry, Geophysics, Geosystems,
12(10).

726 Hahn, A., Vogel, H., Andó, S., Garzanti, E., Kuhn, G., Lantzsch, H., Schuurman J., Vogt C., & Zabel, M.
727 2018. Using Fourier transform infrared spectroscopy to determine mineral phases in
728 sediments. Sedimentary geology, 375, 27-35.

Hamdan, M. A., Hassan, F. A., Flower, R. J., Leroy, S. A. G., Shallaly, N. A., & Flynn, A. 2019. Source of
Nile sediments in the floodplain at Saqqara inferred from mineralogical, geochemical, and pollen
data, and their palaeoclimatic and geoarchaeological significance. Quaternary international, 501,
272-288.

He, J., Garzanti, E., Dinis, P., Yang, S., & Wang, H. 2020. Provenance versus weathering control on
sediment composition in tropical monsoonal climate (South China)-1. Geochemistry and clay
mineralogy. Chemical Geology, 558, 119860.

736 Henry, D. G., Watson, J. S., & John, C. M. 2017. Assessing and calibrating the ATR-FTIR approach as a
737 carbonate rock characterization tool. Sedimentary geology, 347, 36-52.

Herbert, T. D., Tom, B. A., & Burnett, C. 1992. Precise major component determinations in deep-sea
sediments using Fourier Transform Infrared Spectroscopy. Geochimica et Cosmochimica Acta,
56(4), 1759-1763.

741 Heroy, D. C., Kuehl, S. A., & Goodbred Jr, S. L. 2003. Mineralogy of the Ganges and Brahmaputra
Rivers: implications for river switching and Late Quaternary climate change. Sedimentary Geology,
155(3-4), 343-359.

744 Jacq, K., Giguet-Covex, C., Sabatier, P., Perrette, Y., Fanget, B., Coquin, D., Debret, M., & Arnaud, F.
(2019). High-resolution grain size distribution of sediment core with hyperspectral imaging.
Sedimentary Geology, 393, 105536.

747 Jacq, K., Martinez-Lamas, R., Van Exem, A., & Debret, M. 2020. Hyperspectral core-logger image
acquisition. In Protocols.io. https://protocols.i/view/hyperspectral-core-logger-image-acquisitionbikckcsw

750 Jacq, K., Perrette, Y., Fanget, B., Sabatier, P., Coquin, D., Martinez-Lamas, R., Debret, M., & Arnaud, F.

751 2019. High-resolution prediction of organic matter concentration with hyperspectral imaging on a
752 sediment core. Science of the Total Environment, 663, 236-244.

753 Joussein, E., Petit, S., & Decarreau, A. 2001. Une nouvelle méthode de dosage des minéraux argileux
en mélange par spectroscopie IR. Comptes Rendus de l'Académie des Sciences-Series IIA-Earth
and Planetary Science, 332(2), 83-89.

756 Kahraman, S., Rostami, J., & Naeimipour, A. 2016. Review of ground characterization by using
757 instrumented drills for underground mining and construction. Rock Mechanics and Rock
758 Engineering, 49(2), 585-602.

Kelsey, H. M., Engelhart, S. E., Pilarczyk, J. E., Horton, B. P., Rubin, C. M., Daryono, M. R., Ismail, N.,
Hawkes, A. D., Bernhardt, C. E., & Cahill, N. 2015. Accommodation space, relative sea level, and
the archiving of paleo-earthquakes along subduction zones. Geology, 43(8), 675-678.

762 Krupnik, D., & Khan, S. (2019). Close-range, ground-based hyperspectral imaging for mining applications
763 at various scales: Review and case studies. Earth-Science Reviews, 198, 34.
764 https://doi.org/10.1016/j.earscirev.2019.102952

765 Larkin, P. 2017. Infrared and Raman spectroscopy: principles and spectral interpretation. Elsevier.

766 Li, J., Hu, B., Wei, H., Zhao, J., Zou, L., Bai, F., Dou, Y., Wang, L., & Fang, X. 2014. Provenance
767 variations in the Holocene deposits from the southern Yellow Sea: clay mineralogy evidence.
768 Continental Shelf Research, 90, 41-51.

769 Linderholm, J., Geladi, P., Gorretta, N., Bendoula, R., & Gobrecht, A. 2019. Near infrared and
770 hyperspectral studies of archaeological stratigraphy and statistical
771 considerations. Geoarchaeology, 34(3), 311-321.

772 Liu, J., Zhang, J., Miao, X., Xu, S., & Wang, H. 2020. Mineralogy of the core YRD-1101 of the Yellow
773 River Delta: Implications for sediment origin and environmental evolution during the last~ 1.9 Myr.
774 Quaternary International, 537, 79-87.

775 Lorenz, S., Seidel, P., Ghamisi, P., Zimmermann, R., Tusa, L., Khodadadzadeh, M., Contreras, I. C., &
776 Gloaguen, R. 2019. Multi-Sensor Spectral Imaging of Geological Samples: A Data Fusion

- 777 Approach Using Spatio-Spectral Feature Extraction. Sensors, 19(12), 2787.
 778 https://doi.org/10.3390/s19122787
- 779 Lupker, M., France-Lanord, C., Galy, V., Lavé, J., Gaillardet, J., Gajurel, A. P., Guilmette, C., Rahman,
 780 M., Singh, S. K., & Sinha, R. 2012. Predominant floodplain over mountain weathering of
 781 Himalayan sediments (Ganga basin). Geochimica et Cosmochimica Acta, 84, 410-432.
- 782 Madejova, J., & Komadel, P. 2001. Baseline studies of the clay minerals society source clays: infrared
 783 methods. Clays and clay minerals, 49(5), 410-432.
- 784 Madejová, J., Gates, W.P., Petit, S. 2017. IR Spectra of Clay Minerals. In: Developments in Clay Science
 785 107–149.
- 786 Makri, S., Rey, F., Gobet, E., Gilli, A., Tinner, W., & Grosjean, M. 2020. Early human impact in a 15,000-
- year high-resolution hyperspectral imaging record of paleoproduction and anoxia from a varved
 lake in Switzerland. Quaternary science reviews, 239, 106335.
- 789 Makri, S., Rey, F., Gobet, E., Gilli, A., Tinner, W., & Grosjean, M. 2020. Early human impact in a 15,000790 year high-resolution hyperspectral imaging record of paleoproduction and anoxia from a varved
 791 lake in Switzerland. Quaternary science reviews, 239, 106335.
- Märker, M., Angeli, L., Bottai, L., Costantini, R., Ferrari, R., Innocenti, L., & Siciliano, G. 2008.
 Assessment of land degradation susceptibility by scenario analysis: A case study in Southern
 Tuscany, Italy. Geomorphology, 93(1-2), 120-129.
- Martinelli, L. A., Victoria, R. L., Dematte, J. L. I., Richey, J. E., & Devol, A. H. 1993. Chemical and
 mineralogical composition of Amazon River floodplain sediments, Brazil. Applied Geochemistry,
 8(4), 391-402.
- Mazzini, I., Anadon, P., Barbieri, M., Castorina, F., Ferreli, L., Gliozzi, E., Mola, M., & Vittori, E. (1999).
 Late Quaternary sea-level changes along the Tyrrhenian coast near Orbetello (Tuscany, central
 Italy): palaeoenvironmental reconstruction using ostracods. Marine Micropaleontology, 37(3-4),
 289-311.
- 802 Melucci, D., Zappi, A., Poggioli, F., Morozzi, P., Giglio, F., & Tositti, L. 2019. ATR-FTIR spectroscopy, a 803 new non-destructive approach for the quantitative determination of biogenic silica in marine 804 sediments. Molecules, 24(21), 3927.

805 Meyer-Jacob, C., Vogel, H., Boxberg, F., Rosén, P., Weber, M. E., & Bindler, R. 2014. Independent 806 measurement of biogenic silica in sediments by FTIR spectroscopy and PLS regression. Journal of 807 paleolimnology, 52(3), 245-255.

808 Miller, C., Hahn, A., Liebrand, D., Zabel, M., & Schefuß, E. 2020. Mid-and low latitude effects on eastern 809 South African rainfall over the Holocene. Quaternary Science Reviews, 229, 106088.

810 Milosevic, M. (2012). Internal reflection and ATR spectroscopy (Vol. 176). John Wiley & Sons.

811 Moore, D. M., & Reynolds Jr, R. C. 1989. X-ray Diffraction and the Identification and Analysis of Clay 812 Minerals. Oxford University Press (OUP).

813 Moosavi, S. M., & Ghassabian, S. 2018. Linearity of calibration curves for analytical methods: A review of
criteria for assessment of method reliability. Calibration and Validation of Analytical Methods: A
Sampling of Current Approaches; IntechOpen Limited: London, UK, 109-127.

816 Moros, J., Vallejuelo, S. F. O. D., Gredilla, A., Diego, A. D., Madariaga, J. M., Garrigues, S., & Guardia,
817 M. D. L. 2009. Use of reflectance infrared spectroscopy for monitoring the metal content of the
818 estuarine sediments of the Nerbioi-Ibaizabal River (Metropolitan Bilbao, Bay of Biscay, Basque

819 Country). Environmental science & technology, 43(24), 9314-9320.

820 Müller, C. M., Pejcic, B., Esteban, L., Delle Piane, C., Raven, M., & Mizaikoff, B. 2014. Infrared 821 attenuated total reflectance spectroscopy: an innovative strategy for analyzing mineral 822 components in energy relevant systems. Scientific reports, 4(1), 1-11.

Painter, P. C., Coleman, M. M., Jenkins, R. G., Whang, P. W., & Walker Jr, P. L. 1978. Fourier Transform
Infrared study of mineral matter in coal. A novel method for quantitative mineralogical analysis.
Fuel, 57(6), 337-344.

826 Palmer, K. F., & Williams, D. 1974. Optical Properties of Water in the Near Infrared. Journal of Optical
827 Society of America, 64(8), 1107–1110. https://doi.org/10.1364/JOSA.64.001107

828 Paris, R., Falvard, S., Chagué, C., Goff, J., Etienne, S., & Doumalin, P. 2020. Sedimentary fabric
characterized by X-ray tomography: a case-study from tsunami deposits on the Marquesas
Islands, French Polynesia. Sedimentology, 67(3), 1207-1229.

831 Pennington, B. T., Sturt, F., Wilson, P., Rowland, J., & Brown, A. G. 2017. The fluvial evolution of the

832 Holocene Nile Delta. Quaternary Science Reviews, 170, 212-231.

833 Pe-Piper, G., Piper, D. J., Wang, Y., Zhang, Y., Trottier, C., Ge, C., & Yin, Y. 2016. Quaternary evolution
of the rivers of northeast Hainan Island, China: tracking the history of avulsion from mineralogy
and geochemistry of river and delta sands. Sedimentary Geology, 333, 84-99.

836 Pichard, C., & Frohlich, F. 1986. Analyses IR quantitatives des sédiments. Exemple du dosage du quartz
et de la calcite. Revue de l'Institut français du pétrole, 41(6), 809-819.

838 Pre, C. A. G., Horton, B. P., Kelsey, H. M., Rubin, C. M., Hawkes, A. D., Daryono, M. R., Rosenberg, G.,

& Culver, S. J. 2012. Stratigraphic evidence for an early Holocene earthquake in Aceh, Indonesia.
Quaternary Science Reviews, 54, 142-151.

841 Rapuc, W., Jacq, K., Develle, A. L., Sabatier, P., Fanget, B., Perrette, Y., Coquin, D., Debret, M.,
842 Wilhelm, B., & Arnaud, F. 2020. XRF and hyperspectral analyses as an automatic way to detect
843 flood events in sediment cores. Sedimentary Geology, 409, 105776.

844 Reimer, P., Austin, W., Bard, E., Bayliss, A., Blackwell, P., Bronk Ramsey, C., Butzin, M., Cheng, H.,

845 Edwards, R., Friedrich, M., Grootes, P., Guilderson, T., Hajdas, I., Heaton, T., Hogg, A., Hughen,

846 K., Kromer, B., Manning, S., Muscheler, R., Palmer, J., Pearson, C., van der Plicht, J., Reimer, R.,

Richards, D., Scott, E., Southon, J., Turney, C., Wacker, L., Adolphi, F., Büntgen, U., Capano, M.,

848 Fahrni, S., Fogtmann-Schulz, A., Friedrich, R., Köhler, P., Kudsk, S., Miyake, F., Olsen, J., Reinig,

F., Sakamoto, M., Sookdeo, A., & Talamo, S. (2020). The IntCal20 Northern Hemisphere
radiocarbon age calibration curve (0–55 cal kBP). Radiocarbon, 62.

Rivard, B., Harris, N. B., Feng, J., & Dong, T. 2018. Inferring total organic carbon and major element
geochemical and mineralogical characteristics of shale core from hyperspectral imaging. AAPG
Bulletin, 102(10), 2101-2121.

Robertson, A. J., Shand, C., & Perez-Fernandez, E. 2016. The application of Fourier transform infrared,
near infrared and X-ray fluorescence spectroscopy to soil analysis. Spectroscopy Europe, 28(4), 913.

Rosén, P., Vogel, H., Cunningham, L., Hahn, A., Hausmann, S., Pienitz, R., Zolitschka, B., Wagner, B., &
Persson, P. 2011. Universally applicable model for the quantitative determination of lake sediment
composition using Fourier transform infrared spectroscopy. Environmental science & technology,

860 45(20), 8858-8865.

Rosén, P., Vogel, H., Cunningham, L., Reuss, N., Conley, D. J., & Persson, P. 2010. Fourier transform
 infrared spectroscopy, a new method for rapid determination of total organic and inorganic carbon

and biogenic silica concentration in lake sediments. Journal of Paleolimnology, 43(2), 247-259.

863

864 Rothwell, R. G., & Rack, F. R. 2006. New techniques in sediment core analysis: an introduction. 865 Geological Society, London, Special Publications, 267(1), 1-29.

866 Russell, J. D., & Fraser, A. R. 1994. Infrared methods. In Clay Mineralogy: Spectroscopic and chemical 867 determinative methods. Springer, Dordrecht. 11-67.

868 Salomon, F., Goiran, J. P., Noirot, B., Pleuger, E., Bukowiecki, E., Mazzini, I., ... & Germoni, P. (2018).

869 Geoarchaeology of the Roman port-city of Ostia: Fluvio-coastal mobility, urban development and
870 resilience. Earth-Science Reviews, 177, 265-283.

871 Schulz, B., Sandmann, D., & Gilbricht, S. 2020. SEM-based automated mineralogy and its application in
872 geo-and material sciences. Minerals, 10(11), 1004.

873 Siebielec, G., McCarty, G. W., Stuczynski, T. I., & Reeves III, J. B. 2004. Near-and mid-infrared diffuse
874 reflectance spectroscopy for measuring soil metal content. Journal of environmental quality, 33(6),
875 2056-2069.

876 Solotchina, E. P., Prokopenko, A. A., Kuzmin, M. I., Solotchin, P. A., & Zhdanova, A. N. 2009. Climate
signals in sediment mineralogy of Lake Baikal and Lake Hovsgol during the LGM-Holocene
transition and the 1-Ma carbonate record from the HDP-04 drill core. Quaternary International,
205(1-2), 38-52.

880 Sorrel, P., Jacq, K., Van Exem, A., Escarguel, G., Dietre, B., Debret, M., McGowan, S., Ducept, J., 881 Gauthier, E., & Oberhänsli, H. 2021. Evidence for centennial-scale Mid-Holocene episodes of 882 hypolimnetic anoxia in а high-altitude lake system from central Tian Shan 883 (Kyrgyzstan). Quaternary Science Reviews, 252, 106748.

884 Środoń, J. 2002. Quantitative mineralogy of sedimentary rocks with emphasis on clays and with applications to K-Ar dating. Mineralogical Magazine, 66(5), 677-687.

886 Styllas, M. 2014. A simple approach to define Holocene sequence stratigraphy using borehole and cone
penetration test data. Sedimentology, 61(2), 444-460.

888 Tamburini, F., Adatte, T., Föllmi, K., Bernasconi, S. M., & Steinmann, P. 2003. Investigating the history of
889 East Asian monsoon and climate during the last glacial-interglacial period (0–140 000 years):

890 mineralogy and geochemistry of ODP Sites 1143 and 1144, South China Sea. Marine Geology,
891 201(1-3), 147-168.

892 Van Exem, A., Debret, M., Copard, Y., Verpoorter, C., De Wet, G., Lecoq, N., Sorrel, P., Werner, A.,
893 Roof, S., Laignel, B., & Retelle, M. 2019. New source-to-sink approach in an arctic catchment
894 based on hyperspectral core-logging (Lake Linné, Svalbard). Quaternary Science Reviews, 203,
895 128-140.

896 Verpoorter, C., Carrère, V., & Combe, J.-P. 2014. Visible, near-infrared spectrometry for simultaneous
assessment of geophysical sediment properties (water and grain size) using the Spectral
Derivative-Modified Gaussian Model. Journal of Geophysical Research: Earth Surface, 119(10),
2098–2122. https://doi.org/10.1002/2013JF002969

900 Viscarra Rossel, R. A., & Behrens, T. 2010. Using data mining to model and interpret soil diffuse
901 reflectance spectra. Geoderma, 158(1–2), 46–54. https://doi.org/10.1016/j.geoderma.2009.12.025
902 Vogel, H., Meyer-Jacob, C., Thöle, L., Lippold, J. A., & Jaccard, S. L. 2016. Quantification of biogenic
903 silica by means of Fourier transform infrared spectroscopy (FTIRS) in marine sediments.
904 Limnology and oceanography: methods, 14(12), 828-838.

905 Vogel, H., Rosén, P., Wagner, B., Melles, M., & Persson, P. 2008. Fourier transform infrared
906 spectroscopy, a new cost-effective tool for quantitative analysis of biogeochemical properties in
907 long sediment records. Journal of Paleolimnology, 40(2), 689-702.

Wahab, H. S. A., & Stanley, D. J. 1991. Clay mineralogy and the recent evolution of the north-central Nile
delta, Egypt. Journal of Coastal Research, 317-329.

910 Wan, S., Li, A., Clift, P. D., & Stuut, J. B. W. 2007. Development of the East Asian monsoon:

911 mineralogical and sedimentologic records in the northern South China Sea since 20 Ma.
912 Palaeogeography, Palaeoclimatology, Palaeoecology, 254(3-4), 561-582.

Wang, Y., Fan, D., Liu, J. T., & Chang, Y. 2016. Clay-mineral compositions of sediments in the Gaoping
River-Sea system: Implications for weathering, sedimentary routing and carbon cycling. Chemical
Geology, 447, 11-26.

916 Willis, J. P. 1986. Instrumental analytical techniques in geochemistry: Requirements and applications.

917 Fresenius' Zeitschrift für analytische Chemie, 324(8), 855-864.

918 Wold, S., Ruhe, A., Wold, H., & Dunn, III, W. J. 1984. The Collinearity Problem in Linear Regression. The
919 Partial Least Squares (PLS) Approach to Generalized Inverses. SIAM Journal on Scientific and
920 Statistical Computing, 5(3), 735–743.

921 Zaeem, M., Nadeem, M., Pham, T. H., Ashiq, W., Ali, W., Gillani, S. S. M., Moise, E. R. D., Leier, H.,

922 Kavanagh, V., Galagedara, L., Cheema, M., & Thomas, R. 2021. Development of a hyperspectral

923 imaging technique using LA-ICP-MS to show the spatial distribution of elements in soil cores.

924 Geoderma, 385, 114831.

- 925 Zonta, R., Fontolan, G., Cassin, D., & Dominik, J. 2021. X-ray Computed Tomography as a Tool for
 926 Screening Sediment Cores: An Application to the Lagoons of the Po River Delta (Italy). Journal of
 927 Marine Science and Engineering, 9(3), 323.
- 928

929 Tables

930 Table 1: Summary of synthetic mixture showing the mineral %wt by sample.

- 931 Table 2:Radiocarbon age determination of the ALB-1 core sediments.
- Table 3: Correlation matrix of different mineralogical and physical properties of ALB-1 core sediment
 samples.

934

935 Figures captions

Figure 1: Location map of the Albegna fluvial-deltaic environment at different spatial scales. (A) the Albegna watershed limits and relief, (B) the simplified lithological map of the Albegna watershed and its surroundings and (C) the Albegna low-lying area and the current extensions of the Orbetello lagoon.

940 Figure 2: Schematic demonstration of the research methodology. Step 1: Scanning of the core by

941 SWIR-HSI; Step 2: Measurement of core samples by DRIFTS; Step 3: Conversion of core sample

942 spectra into mineral abundances; Step 4: Combination of SWIR-HSI and DRIFTS spectra over the

943 area sampled for DRIFTS; Step 5: Calibration of SWIR-HSI data to continuous record of mineral

944 abundances along the core.

Figure 3: Chronostratigraphy of the drill core ALB-1. The figure displays: (A) the texture of sediments,

946 (B) the magnetic susceptibility and grain-size analyses, (C) the mineral abundances %wt by sample,

947 inferred by DRIFT spectroscopy and (D) the high resolution prediction of mineral abundances948 obtained by the calibrated SWIR-HSI.

Figure 4: Overview spectra obtained from the synthetic mixture samples composed of pure minerals
and potassium bromide (KBr). The red line highlights the peaks, selected for the establishment of the
calibration curves.

952 Figure 5: Descriptive statistics of the short-wave spectra (nm units) obtained by the Hyperspectral

953 Imaging and the mid-infrared spectra (cm-1 units) obtained by the Diffuse Reflectance Infrared Fourier

954 Transform Spectroscopy. Grey lines highlight specific absorbance peaks discussed in this study.

955 Statistics were performed on 60 SWIR-HSI and 60 DRIFTS corresponding spectra of sediment

956 samples along the entire ALB-1 core.

957 Figure 6: Two-dimensional scatter plot of the DRIFT-inferred mineral %wt and the known mineral

958 %wt. The regression line has drowned in black and the confident levels (0.95) in grey. Linear

959 regression equations employed for the mineral %wt estimations are reported.

960 Figure 7: Two-dimensional scatter plot of PLSR-SWIR predicted mineral %wt and the DRIFT-inferred


961 mineral %wt. The PLSR line is drown in black and the confident levels (0.95) in grey. Raw PLSR

962 coefficients for each modeled mineral are reported. Most discriminant coefficients (peaks) are


963 identified and highlighted.


964


965





42°30'0"N












DRIFT spectra inferred multi phase mixtures %



ID	Quartz wt%	Calcite wt%	KaolMontmIllite (1:1:1) wt%	KBr wt%
Cal	0	1		0 99
Ca2	0	2		0 98
Ca5	0	5		0 95
Ca10	0	10		0 90
Ca15	0	15		0 85
Ca20	0	20		0 80
Ca50	0	50		0 50
Ca100	0	100		0 0
Cm1	0	0		1 99
Cm2	0	0		2 98
Cm5	0	0		5 95
Cm10	0	0	1	0 90
Cm15	0	0	1	5 85
Cm20	0	0	2	0 80
Cm30	0	0	3	0 70
Cm40	0	0	4	0 60
Cm50	0	0	5	0 50
Cm70	0	0	7	0 30
Cm100	0	0	10	0 0
Q1	1	0		0 99
Q2	2	0		0 98
Q5K15Ca10	5	10	1	5 70
Q5	5	0		0 95
Q10K15Ca5	10	5	1	5 70
Q10	10	0		0 90
Q15K5Ca10	15	10		5 70
Q15	15	0		0 85
Q20	20	0		0 80
Q20Cm80	20			
Q30	30	0		0 70
Q40Cm60	40	0	6	0 0
Q40	40			0 60
Q40Ca40	40			0 20
Q50Cm50	50	0	5	0 0
Q50	50			0 50
Q60Cm40	60			0 0
Q70Ca30	70	30		0 0
Q70	70			0 30
Q80Cm20	80			
Q80Ca20	80			0 0
Q90Ca10	90			0 0
Q100	100	0		0 0

Core	Depth (below soil topographic level)	Stratigraphic Units	Laboratory code	Dating support	14 C age in BP	Age calibrated (Reimer et al., 2020)
ALB-1	349 cm	SU2-C	Lyon-18795	Wood	4155 ± 30	2877 to 2630 BC
ALB-1	597 cm	SU2-C	Lyon-18796	Organic matter	5300 ± 30	4241 to 4001 BC
ALB-1	790-792 cm	SU2-B	Lyon-18797	Charcoal	6015 ± 35	5000 to 4797 BC
ALB-1	823-826 cm	SU2-A	Lyon-18798	Organic matter	6485 ± 35	5520 to 5369 BC

Correlations															
DRIFTS inferred quartz (%)	1.00														
DRIFTS inferred calcite (%)	-0.36	1.00													
DRIFTS inferred clay-minerals (%)	-0.58	-0.39	1.00												
PLSR-SWIR predicted quartz (%)	0.89	-0.36	-0.64	1.00											
PLSR-SWIR predicted calcite (%)	-0.35	0.92	-0.37	-0.39	1.00										
PLSR-SWIR predicted clay-minerals (%)	-0.60	-0.35	0.95	-0.68	-0.39	1.00									
Clay-silt texture (%)	-0.56	-0.36	0.91	-0.58	-0.37	0.86	1.00								
Fine-Sand (%)	0.52	-0.13	-0.52	0.62	-0.10	-0.56	-0.62	1.00							
Medium-Sand (%)	0.48	0.39	-0.78	0.46	0.40	-0.75	-0.74	0.23	1.00						
Coarse-Sand (%)	-0.16	0.39	-0.18	-0.21	0.37	-0.06	-0.25	-0.37	0.01	1.00					
Total sand (%)	0.57	0.32	-0.90	0.60	0.34	-0.86	-0.99	0.65	0.74	0.23	1.00				
Gravel (%)	0.00	0.27	-0.13	-0.07	0.25	-0.12	-0.15	-0.16	0.06	0.16	0.01	1.00			
Magnetic susceptibility	-0.25	0.37	-0.02	-0.22	0.45	-0.11	-0.03	0.04	0.08	-0.08	0.02	0.09	1.00		
Moisture peak at 1935 nm	0.09	0.13	-0.04	0.06	0.17	-0.10	-0.06	-0.06	0.30	-0.25	0.03	0.24	0.23	1.00	
Hydroxyl bonds peak at 1450 nm	-0.41	-0.18	0.69	-0.47	-0.17	0.68	0.73	-0.61	-0.37	-0.20	-0.74	-0.01	0.03	0.44	1.00