

### Multi-material topology optimization of a rotating electrical machine with a density-based method

Théodore Cherrière, Luc Laurent, S Hlioui, François Louf, Hamid Ben Ahmed, Mohamed Gabsi

### ► To cite this version:

Théodore Cherrière, Luc Laurent, S Hlioui, François Louf, Hamid Ben Ahmed, et al.. Multimaterial topology optimization of a rotating electrical machine with a density-based method. 8th GAMM Juniors' Summer School (SAMM 2021), Jul 2021, Gratz, Austria. 21 (S1), 2021, 10.1002/pamm.202100259. hal-03541810

### HAL Id: hal-03541810 https://hal.science/hal-03541810

Submitted on 27 Jun 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés. MULTI-MATERIAL TOPOLOGY OPTIMIZATION OF A ROTATING ELECTRICAL MACHINE WITH A DENSITY-BASED METHOD T. Cherrière<sup>1\*</sup>, L. Laurent<sup>2</sup>, S. Hlioui<sup>3</sup>, F. Louf<sup>4</sup>, H. Ben Ahmed<sup>5</sup>, M. Gabsi<sup>6</sup>

<sup>1</sup>Université Paris-Saclay, ENS Paris-Saclay, SATIE, Gif-sur-Yvette, France ; <sup>2</sup>LMSSC, Cnam, Paris, France ; <sup>3</sup>SATIE, CNRS, ENS Paris-Saclay, Cnam, Paris, France ; <sup>4</sup>Université Paris-Saclay, ENS Paris-Saclay, CNRS, LMT, Gif-sur-Yvette, France ; <sup>5</sup>SATIE, ENS Rennes, CNRS, 35170 Bruz, France ; <sup>6</sup>Université Paris-Saclay, ENS Paris-Saclay, SATIE, Gif-sur-Yvette, France \*theodore.cherriere@universite-paris-saclay.fr

### **Context and motivations**

**Topology optimization** has become a popular tool especially in mechanical engineering. Many interesting methods have been developed [1]. Density methods like SIMP have been introduced in electrical engineering by [2], and are now widely used to design electrical actuators. Multimaterials problems involving source distribution have been adressed [3,4]. However, most of the work focuses only on single parts of the machine (rotor, stator teeth), and a few papers such as [5] deal with the coil distribution within the stator. This work presents a **density-based method** which could be used to separately optimize the rotor and the stator of a rotating machine, with the future objective to optimize both from scratch.

# Magnetostatics equation

2D vector potential local formulation

 $-\nabla \cdot [\nu(a_z) \cdot \nabla a_z] = j_z + \nabla \cdot \left( \begin{bmatrix} 0 & 1 \\ -1 & 0 \end{bmatrix} \cdot \mathbf{M} \right)$ 

## **Problem formulation**

The aim of the optimization is to find the discrete density vector  $oldsymbol{
ho}_{opt}$ which maximizes the average torque **Optimization problem** 

find  $\boldsymbol{\rho}_{opt} = \arg \max \langle C(\boldsymbol{a}(\boldsymbol{\rho})) \rangle$ subjected to  $0 \le \rho_i \le 1$  $\forall i \in [\![0, n-1]\!]$ 


# Adjoint variable method

The adjoint variable method was used [3] to compute efficiently the derivatives of the objective function with respect to the density :

Sensitivity expression

# **Principles of density methods**

Density methods rely on a bounded spatial field  $\rho : x \mapsto \rho(x)$  which supports **differentiable** interpolations between material properties and allow to define a differentiable optimization problem.




Intermediate materials should be eliminated during


 $a_z$  is the unknown *z*-component of vector potential,  $\nu$  the magnetic reluctivity which depends on  $a_z$  within ferromagnetic materials,  $j_z$  the zcomponent of current density and **M** the magnetization of permanent magnets.  $\nu = H/B$  is defined by material law (B-H curves). Anti-periodic boundary conditions are used to model a single pole of the machine.

With n the total number of densities. The torque C is computed with Arkkio's method [6]. It depends **implicitely** on  $\rho$  through the discretization of equation (1) by finite elements method : Finite element system

> $K(\boldsymbol{a},\boldsymbol{\rho}).\boldsymbol{a} = \boldsymbol{b}(\boldsymbol{\rho})$ (2)





## **Optimization process**




the optimization process, by the use of penalization (SIMP, RAMP [1]), thresholding, constraints, etc.

# **Optimization of SRM rotor**








**Filtering** inspired by ESO procedure [7] was applied : materials which carried few flux was replaced by air. Then, **flux barriers** [8] appear clearly and correspond to industrial design like ABB<sup>®</sup> SRM :



# **Optimization of PMSM stator**



final design (natural grad.) final design (normalized grad.)

4-materials topology optimization [4] was performed on a onephase PMSM stator with uniform initialization. Two densities per element were used. The convergence is slow near the airgap, so each gradient pair of elementary terms was **normal**ized. As it is multiplied by a symmetric definite matrix, it remains a descent direction and leads to an **asymmet**rical design.

## **Conclusion and outlook**

Encouraging results with **flux barriers** were obtained for the SRM rotor optimization. The multimaterial PMSM stator optimization of the stator leads to intriging asymmetrical design, which is maybe a local optimum. Further research is needed to compare this topology with established ones. It is also necessary to improve the robustness of the method especially for high **current density**, before optimizing both the rotor and the stator. **Multiphysics** considerations will be taken into account in future work.

# Acknowledgements

Many thanks to Pr. P.Duysinx and Pr. C.Geuzaine (Liège univ.) for their insightful advice and to the Moulon Mesocentre team.

### References

0.8

0.6

0.4

0.2

500

400

Ê 300

B200

100

62

- [1] Ole Sigmund and Kurt Maute. Topology optimization approaches: A comparative review. *Structural and Multidisciplinary Optimization*, 48(6):1031–1055, 2013.
- [2] D.N. Dyck and D.A. Lowther. Automated design of magnetic devices by optimizing material distribution. *IEEE Transactions on* Magnetics, 32(3):1188–1192, 1996.
- [3] J.S. Choi and J. Yoo. Structural optimization of ferromagnetic materials based on the magnetic reluctivity for magnetic field problems. Comp. Meth. in Appl. Mech. and Eng., 197:4193-4206, September 2008.
- [4] Y. Jung and S. Min. Material Interpolation in Multi-Material Topology Optimization for Magnetic Device Design. *IEEE Trans*actions on Magnetics, 55(11):2019-2022, 2019.
- [5] T. Labbé and B. Dehez. Convexity-Oriented Mapping Method for the Topology Optimization of Electromagnetic Devices Composed of Iron and Coils. *IEEE Transactions on Magnetics*, 46(5):1177–1185, 2010.
- [6] A. Arkkios. Time-stepping finite element analysis of induction motors. In Proceedings of ICEM. IEEE, 1988.
- [7] Y.M. Xie and G.P. Steven. A simple evolutionary procedure for structural optimization. *Computers & Structures*, 49(5):885–896, 1993.
- [8] M. Martinovic, S. Stipetic, D. Zarko, and M. Klanac. Comparison of synchronous reluctance machines using topology optimization. In SPEEDAM, pages 472-477, 2020.