



**HAL**  
open science

## Diffusion creep in mafic rocks - microstructural and textural features

Sina Marti, Renée Heilbronner, Holger Stünitz, Oliver Plümper, Martyn Drury

► **To cite this version:**

Sina Marti, Renée Heilbronner, Holger Stünitz, Oliver Plümper, Martyn Drury. Diffusion creep in mafic rocks - microstructural and textural features. 20th EGU General Assembly, 2018, Vienne, Austria. pp.4370. hal-03552841

**HAL Id: hal-03552841**

**<https://hal.science/hal-03552841v1>**

Submitted on 2 Feb 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License



## Diffusion creep in mafic rocks – microstructural and textural features

Sina Marti (1), Renée Heilbronner (1), Holger Stünitz (2,3), Oliver Plümper (4), and Martyn Drury (4)

(1) Department of Environmental Sciences, Basel University, Switzerland (sina.marti@unibas.ch), (2) Department of Geosciences, UiT the arctic University of Norway, Norway, (3) Institut des Sciences de la Terre d'Orléans (ISTO), Université d'Orléans, France, (4) Department of Earth Sciences, Utrecht University, Netherlands

Diffusion creep, realized via dissolution precipitation creep (DPC), occurs over a wide temperature range in rock deformation. DPC may be particularly important close to the brittle-viscous transition (BVT) when temperatures are too low to activate dislocation creep in certain minerals.

Here we present rock deformation experiments on 'wet' plagioclase (Pl) - pyroxene (Px) mixtures at  $T = 800\text{ }^{\circ}\text{C}$ ,  $P = 1.0$  and  $1.5\text{ GPa}$  and strain rates of  $\sim 3 \times 10^{-5}\text{ s}^{-1}$ , performed with a Griggs-type solid medium deformation apparatus. At these conditions, the sample material is close to its BVT but deforms dominantly viscous as indicated by the mechanical data. Two sample materials will be discussed, a Pl(Ab40) + Orthopyroxene + Augite mixture (from natural Maryland Diabase), and a synthetic mixture of Pl(Ab99) + Enstatite.

The main deformation mechanisms are identified to be grain boundary sliding (GBS) and DPC. Intracrystalline deformation, such as dislocation glide and  $\dot{\epsilon}$ -creep, is not seen to occur. Strain in the samples is localized in anastomosing shear bands where diffusion creep (DPC+GBS) is enabled by the intense grain size reduction caused by the nucleation of new grains, replacing porphyroclasts of the starting material. Nucleation in the case of the Maryland Diabase material is accompanied by mineral reactions of, e.g. , Pl(Ab40) + Px + H<sub>2</sub>O to form Amphibole (Amp) + Quartz. In the case of the Pl(Ab99) + Enstatite mixture, Albite porphyroclasts are replaced by neo-crystallized Albite grains without a detectable change in solid-solution composition.

Two main, syn-kinematic microstructural features will be discussed:

- (i) The development of a weak but consistent Albite crystallographic preferred orientation within shear bands during diffusion creep. The texture thereby is defined by an alignment of [001] within the shear plane and poles to (010) at a high angle to it.
- (ii) The evolution of Amp reaction coronas. During the hydrostatic pre-deformation stage of an experiment, Amp coronas are observed to grow symmetrically around Px porphyroclasts. When a differential stress is applied, corona thickness decreases at high stress sites and simultaneously increases at low stress sites, a feature highly suggestive of deformation by DPC. DPC is frequently described for naturally deformed Amp but has been rarely reproduced in experiments until now.