

# A Simple Proof of the Riemann's Hypothesis

Charaf Ech-Chatbi

# ▶ To cite this version:

Charaf Ech-Chatbi. A Simple Proof of the Riemann's Hypothesis. 2023. hal-03587353v12

# $\begin{array}{c} {\rm HAL~Id:~hal\text{-}03587353} \\ {\rm https://hal.science/hal\text{-}03587353v12} \end{array}$

Preprint submitted on 13 Mar 2023 (v12), last revised 2 Nov 2023 (v15)

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# A Simple Proof of the Riemann's Hypothesis

### Charaf ECH-CHATBI \*

## 1 September 2022

#### Abstract

We present a simple proof of the Riemann's Hypothesis (RH) where only undergraduate mathematics is needed.

**Keywords:** Riemann Hypothesis; Zeta function; Prime Numbers; Millennium Problems.

MSC2020 Classification: 11Mxx, 11-XX, 26-XX, 30-xx.

# 1 The Riemann Hypothesis

# 1.1 The importance of the Riemann Hypothesis

The prime number theorem gives us the average distribution of the primes. The Riemann hypothesis tells us about the deviation from the average. Formulated in Riemann's 1859 paper[1], it asserts that all the 'non-trivial' zeros of the zeta function are complex numbers with real part 1/2.

#### 1.2 Riemann Zeta Function

For a complex number s where  $\Re(s) > 1$ , the Zeta function is defined as the sum of the following series:

$$\zeta(s) = \sum_{n=1}^{+\infty} \frac{1}{n^s} \tag{1}$$

In his 1859 paper[1], Riemann went further and extended the zeta function  $\zeta(s)$ , by analytical continuation, to an absolutely convergent function in the half plane  $\Re(s) > 0$ , minus a simple pole at s = 1:

$$\zeta(s) = \frac{s}{s-1} - s \int_{1}^{+\infty} \frac{\{x\}}{x^{s+1}} dx \tag{2}$$

Where  $\{x\} = x - [x]$  is the fractional part and [x] is the integer part of x. Riemann also obtained the analytic continuation of the zeta function to the whole complex plane.

<sup>\*</sup>One Raffles Quay, North Tower. 048583 Singapore. Email: charaf.chatbi@gmail.com. The opinions of this article are those of the author and do not reflect in any way the views or business of his employer.

Riemann[1] has shown that Zeta has a functional equation<sup>1</sup>

$$\zeta(s) = 2^s \pi^{s-1} \sin\left(\frac{\pi s}{2}\right) \Gamma(1-s) \zeta(1-s) \tag{4}$$

Where  $\Gamma(s)$  is the Gamma function. Using the above functional equation, Riemann has shown that the non-trivial zeros of  $\zeta$  are located symmetrically with respect to the line  $\Re(s)=1/2$ , inside the critical strip  $0<\Re(s)<1$ . Riemann has conjectured that all the non trivial-zeros are located on the critical line  $\Re(s)=1/2$ . In 1921, Hardy & Littlewood[2,3,6] showed that there are infinitely many zeros on the critical line. In 1896, Hadamard and De la Vallée Poussin[2,3] independently proved that  $\zeta(s)$  has no zeros of the form s=1+it for  $t\in\mathbb{R}$ . Some of the known results[2,3] of  $\zeta(s)$  are as follows:

- $\zeta(s)$  has no zero for  $\Re(s) > 1$ .
- $\zeta(s)$  has no zero of the form  $s=1+i\tau$ . i.e.  $\zeta(1+i\tau)\neq 0, \forall \tau$ .
- $\zeta(s)$  has a simple pole at s=1 with residue 1.
- $\zeta(s)$  has all the trivial zeros at the negative even integers s=-2k,  $k\in\mathbb{N}^*.$
- The non-trivial zeros are inside the critical strip: i.e.  $0 < \Re(s) < 1$ .
- If  $\zeta(s) = 0$ , then 1 s,  $\bar{s}$  and  $1 \bar{s}$  are also zeros of  $\zeta$ : i.e.  $\zeta(s) = \zeta(1 s) = \zeta(\bar{s}) = \zeta(1 \bar{s}) = 0$ .

Therefore, to prove the "Riemann Hypothesis" (RH), it is sufficient to prove that  $\zeta$  has no zero on the right hand side  $1/2 < \Re(s) < 1$  of the critical strip.

# 1.3 Proof of the Riemann Hypothesis

Let's take a complex number s such that  $s = \sigma + i\tau$ . Unless we explicitly mention otherwise, let's suppose that  $0 < \sigma < 1$ ,  $\tau > 0$  and  $\zeta(s) = 0$ .

We have from the Riemann's integral above:

$$\zeta(s) = \frac{s}{s-1} - s \int_{1}^{+\infty} \frac{\{x\}}{x^{s+1}} dx \tag{5}$$

We have  $s \neq 1$ ,  $s \neq 0$  and  $\zeta(s) = 0$ , therefore:

$$\frac{1}{s-1} = \int_{1}^{+\infty} \frac{\{x\}}{x^{s+1}} dx \tag{6}$$

Or in other terms:

$$\frac{1}{\sigma + i\tau - 1} = \int_{1}^{+\infty} \frac{\{x\}}{x^{\sigma + i\tau + 1}} dx \tag{7}$$

$$\zeta(1-s) = 2^{1-s}\pi^{-s}\cos\left(\frac{\pi s}{2}\right)\Gamma(s)\zeta(s) \tag{3}$$

<sup>&</sup>lt;sup>1</sup>This is slightly different from the functional equation presented in Riemann's paper[1]. This is a variation that is found everywhere in the litterature[2,3,4]. Another variant using the cos:

Let's denote the following functions:

$$\epsilon(x) = \{x\} \tag{8}$$

$$\epsilon(x) = \{x\}$$

$$K(\sigma, \tau) = \frac{\tau}{(1-\sigma)^2 + \tau^2}$$
(8)

To continue, we will prove the following lemmas.

**Lemma 1.1.** Let's consider two variables  $\sigma$  and  $\tau$  such that  $\sigma > 0$  and  $\tau > 0$ . Let's define two integrals  $I(a, \sigma, \tau)$  and  $J(a, \sigma, \tau)$  as follows:

$$I(a,\sigma,\tau) = \int_{1}^{a} \frac{\sin(\tau \ln(x))}{x^{\sigma}} dx \tag{10}$$

$$J(a,\sigma,\tau) = \int_{1}^{a} \frac{\cos(\tau \ln(x))}{x^{\sigma}} dx \tag{11}$$

Therefore

$$I(a,\sigma,\tau) = K(\sigma,\tau) \left( 1 - \frac{\cos(\tau \ln(a))}{a^{\sigma-1}} - \frac{(\sigma-1)}{\tau} \frac{\sin(\tau \ln(a))}{a^{\sigma-1}} \right)$$
(12)

$$I(a,\sigma,\tau) = K(\sigma,\tau) \left(1 - \frac{\cos(\tau \ln(a))}{a^{\sigma-1}} - \frac{(\sigma-1)}{\tau} \frac{\sin(\tau \ln(a))}{a^{\sigma-1}}\right)$$
(12)  
$$J(a,\sigma,\tau) = K(\sigma,\tau) \left(\frac{(\sigma-1)}{\tau} - \frac{(\sigma-1)}{\tau} \frac{\cos(\tau \ln(a))}{a^{\sigma-1}} + \frac{\sin(\tau \ln(a))}{a^{\sigma-1}}\right)$$
(13)

*Proof.* Let's consider two variables  $\sigma$  and  $\tau$  such that  $\sigma > 0$  and  $\tau > 0$ . Let's take a > 1.

$$I(a,\sigma,\tau) = \int_{1}^{a} \frac{\sin(\tau \ln(x))}{x^{\sigma}} dx \tag{14}$$

$$= \int_0^{\ln(a)} \sin(\tau x) e^{(1-\sigma)x} dx \tag{15}$$

$$= K(\sigma, \tau) \left( 1 - \frac{\cos(\tau \ln(a))}{a^{\sigma - 1}} - \frac{(\sigma - 1)}{\tau} \frac{\sin(\tau \ln(a))}{a^{\sigma - 1}} \right)$$
(16)

And the same for  $J(a, \sigma, \tau)$  for a > 0:

$$J(a,\sigma,\tau) = \int_{1}^{a} \frac{\cos(\tau \ln(x))}{x^{\sigma}} dx \tag{17}$$

$$= \int_0^{\ln(a)} \cos(\tau x) e^{(1-\sigma)x} dx \tag{18}$$

$$= K(\sigma,\tau) \left( \frac{(\sigma-1)}{\tau} - \frac{(\sigma-1)}{\tau} \frac{\cos(\tau \ln(a))}{a^{\sigma-1}} + \frac{\sin(\tau \ln(a))}{a^{\sigma-1}} \right) (19)$$

**Lemma 1.2.** Let's consider two variables  $\sigma$  and  $\tau$  such that  $0 < \sigma < 1$ ,  $\tau > 0$  and  $s = \sigma + i\tau$  is a zeta zero. Let's define the sequence of functions  $\epsilon_n$  and  $\overline{\epsilon}_n$  such that  $\epsilon_0(x) = \overline{\epsilon}_0(x) = \{x\}$  and for each  $n \geq 1$ :

$$\epsilon_{n+1}(x) = \frac{1}{x} \int_0^x dt \, \epsilon_n(t)$$
(20)

$$\overline{\epsilon}_{n+1}(x) = \frac{1}{x} \int_{1}^{x} dt \, \overline{\epsilon}_{n}(t)$$
 (21)

$$\epsilon(x) = \sum_{k=0}^{+\infty} \epsilon_k(x) \tag{22}$$

Therefore:

1. For each  $n \ge 1$ :

$$\int_{1}^{+\infty} dx \frac{\epsilon_n(x)}{x^{1+s}} = -\frac{1}{(1-s)2^n}$$
 (23)

2. For each n:

$$\int_{1}^{+\infty} dx \frac{\epsilon_n(x)}{x^{2-s}} = -\frac{1}{s \, 2^n} \tag{24}$$

3. For each  $x \ge 1$ :

$$\epsilon_n(x) = \overline{\epsilon}_n(x) + \frac{1}{2^n x} \sum_{k=0}^{n-1} \frac{2^k \ln^k(x)}{k!}$$
(25)

4. For each n and  $x \ge 1$ :

$$\overline{\epsilon_n}(x) = \frac{1}{(n-1)!} \frac{1}{x} \int_1^x dt \, \overline{\epsilon_0}(t) \left(\ln(\frac{x}{t})\right)^{n-1} \tag{26}$$

5. For each  $x \ge 1$ :

$$\lim_{n \to +\infty} 2^n \, \epsilon_n(x) \quad = \quad x \tag{27}$$

6. For each  $x \ge 1$ :

$$0 \le 2^n \epsilon_n(x) \le x \tag{28}$$

7. For each  $x \ge 0$ :

$$\epsilon(x) = \epsilon_0(x) + \int_0^x dt \, \frac{\epsilon_0(t)}{t} \tag{29}$$

*Proof.* Let's denote the integral A(s) as following:

$$A(s) = \int_{1}^{+\infty} dx \frac{\epsilon_0(x)}{x^{1+s}} = -\frac{1}{(1-s)}$$
 (30)

We use the integration by parts to write the following:

$$A(s) = \int_{1}^{+\infty} dx \frac{\epsilon_0(x)}{x^{1+s}}$$
(31)

$$= \left[ \frac{1}{x^{1+s}} \int_0^x dx \, \epsilon_0(x) \right]_1^{+\infty} + (1+s) \int_1^{+\infty} dx \frac{\epsilon_1(x)}{x^{1+s}}$$
 (32)

$$= -\int_0^1 dx \,\epsilon_0(x) + (1+s) \int_1^{+\infty} dx \frac{\epsilon_1(x)}{x^{1+s}}$$
 (33)

$$= -\int_0^1 dx \,\epsilon_0(x) - (1+s) \int_0^1 dx \,\epsilon_1(x) + (1+s)^2 \int_1^{+\infty} dx \frac{\epsilon_2(x)}{x^{1+s}}$$
 (34)

$$\dots$$
 (35)

$$= -\sum_{k=0}^{n} (1+s)^k \int_0^1 dx \, \epsilon_k(x) + (1+s)^{n+1} \int_1^{+\infty} dx \frac{\epsilon_{n+1}(x)}{x^{2+s}}$$
 (36)

We could do the above integration by parts. Because the functions  $\epsilon_k$  are continuous functions. We also can prove that the functions  $\epsilon_k$  are nonnegative and bounded by 1 as we can prove by recurrence that for each k for each k > 0 that:

$$0 < \epsilon_{k+1}(x) = \frac{1}{x} \int_0^x dt \, \epsilon_k(t) \le \frac{1}{x} \int_0^x 1 \, dt = 1 \tag{37}$$

This can be proven by recurrence using the fact that it is true for the initial case as we have for each  $x \ge 0$ :

$$0 \le \epsilon_0(x) = \{x\} \le 1 \tag{38}$$

Now, we need to calculate the integrals  $I_k$  for  $k \geq 0$ :

$$I_k = \int_0^1 dx \, \epsilon_k(x) \tag{39}$$

For  $x \in (0, 1)$ , we have:

$$\epsilon_0(x) = x \tag{40}$$

And

$$\psi_1(x) = \frac{x}{2} \tag{41}$$

Therefore, we can write for each k for  $x \in (0, 1)$ :

$$\epsilon_k(x) = \frac{x}{2^k} \tag{42}$$

Therefore, for each  $k \geq 1$ :

$$I_k = \frac{1}{2^{k+1}} \tag{43}$$

Therefore, we can conclude:

$$A(s) = -\frac{1}{(1-s)} + (1+s)^{n+1} \left[ \int_{1}^{+\infty} dx \frac{\epsilon_{n+1}(x)}{x^{1+s}} + \frac{1}{(1-s)2^{n+1}} \right]$$
(44)

Since  $1 + s \neq 0$ , we conculde the point 1. The point 2 can be proved the same way by replacing s by 1 - s.

The point 3) can be proved by recurrence. For n=0. We have  $\epsilon_0(x)=\overline{\epsilon_0}(x)$ . Let's assume that it is true till n and let's prove for n+1. We have:

$$\epsilon_{n+1}(x) = \frac{1}{x} \int_0^1 dx \, \epsilon_n(x) + \frac{1}{x} \int_1^x dx \, \epsilon_n(x)$$
 (45)

$$= \frac{1}{x 2^{n+1}} + \frac{1}{x 2^n} \int_1^x \frac{dt}{t} \sum_{k=0}^{n-1} \frac{2^k \ln^k(t)}{k!} + \frac{1}{x} \int_1^x dx \, \overline{\epsilon_n}(x) \quad (46)$$

$$= \frac{1}{x 2^{n+1}} + \frac{1}{x 2^{n+1}} \sum_{k=0}^{n-1} \frac{2^{k+1} \ln^{k+1}(x)}{(k+1)!} + \overline{\epsilon_{n+1}}(x)$$
 (47)

$$= \frac{1}{x 2^{n+1}} \sum_{k=0}^{n} \frac{2^k \ln^k(x)}{(k)!} + \overline{\epsilon_{n+1}}(x)$$
 (48)

Let's prove the  $4^{th}$  point. We proceed by recurrence. For n=1, we retrieve the definition of  $\overline{\epsilon_1}(x)$ . Let's assume that it is true up to n and let's prove it for n+1. We have thanks to the integral order change:

$$\overline{\epsilon}_{n+1}(x) = \frac{1}{x} \int_{1}^{x} dt \, \overline{\epsilon}_{n}(t) \tag{49}$$

$$= \frac{1}{(n-1)!} \frac{1}{x} \int_{1}^{x} \frac{dt}{t} \int_{1}^{t} ds \,\overline{\epsilon}_{1}(s) \left(\ln\left(\frac{t}{s}\right)\right)^{n-1} \tag{50}$$

$$= \frac{1}{(n-1)!} \frac{1}{x} \int_{1}^{x} ds \,\overline{\epsilon}_{1}(s) \int_{s}^{x} \frac{dt}{t} \left(\ln\left(\frac{t}{s}\right)\right)^{n-1} \tag{51}$$

$$= \frac{1}{n!} \frac{1}{x} \int_{1}^{x} ds \,\overline{\epsilon}_{1}(s) \left(\ln(\frac{x}{s})\right)^{n} \tag{52}$$

And this proves our point of the lemma.

Let's now prove the last point. Let's take x>1. Thanks to d'Alembert's criterion, we have for each  $s\in[1,x]$ ,  $\lim_{n\to+\infty}\frac{2^n\left(\ln(\frac{x}{s})\right)^n}{n!}=0$ . From the point (4) of this lemma, we apply the dominated convergence theorem to prove that:

$$\lim_{n \to +\infty} 2^n \,\overline{\epsilon}_n(x) = \frac{1}{x} \int_1^x \lim_{n \to +\infty} \frac{2^n \left(\ln(\frac{x}{s})\right)^n}{n!} \overline{\epsilon}_1(s) ds = 0$$
 (53)

From point (3), we can conclude that:

$$\lim_{n \to +\infty} 2^n \, \epsilon_n(x) = \lim_{n \to +\infty} \left( 2^n \, \overline{\epsilon}_n(x) + \frac{1}{x} \sum_{k=0}^{n-1} \frac{2^k \ln^k(x)}{k!} \right) \tag{54}$$

$$= \lim_{n \to +\infty} \frac{1}{x} \sum_{k=0}^{n-1} \frac{\ln^k(x^2)}{k!}$$
 (55)

$$= \frac{1}{x} \exp(\ln(x^2)) = x \tag{56}$$

Hence the proof of the point (5) of the lemma. Let's now prove the point (6). We have for each x > 0:

$$0 \le \epsilon_0(x) \le x \tag{57}$$

Therefore by integrating the equation above we get:

$$0 \le \frac{1}{x} \int_0^x dt \, \epsilon_0(t) \le \frac{1}{x} \int_0^x dt \, t \tag{58}$$

Therefore

$$0 \le \epsilon_1(x) \le \frac{x}{2} \tag{59}$$

By recurrence, we easily conclude that for each  $n \geq 1$ :

$$0 \le \epsilon_n(x) \le \frac{x}{2^n} \tag{60}$$

Let's now prove the last point. From point (6), we conclude that the function  $\epsilon(x)$  is well defined over  $[0,+\infty)$  thanks to the absolute convergence of the series  $\sum_{n\geq 0} \epsilon_n(x)$  (thanks to the point 6 above). Moreover, one can remark that the function  $\epsilon(x)$  verifies the following differential equation for x>0:

$$\epsilon(x) = \epsilon_0(x) + \frac{1}{x} \int_0^x dt \, \epsilon(t) \tag{61}$$

We solve for this differential equation and conclude the point (7).

**Lemma 1.3.** Let's consider two variables  $\sigma$  and  $\tau$  such that  $0 < \sigma \le \frac{1}{2}$  and  $\tau > 0$  such that  $s = \sigma + i\tau$  is a zeta zero. Let's define the sequence of functions  $E_{n,\sigma}(x)$ ,  $F_{n,\sigma}(x)$ ,  $G_{n,\sigma}(x)$  and  $H_{n,\sigma}(x)$  over  $[1, +\infty)$  for each  $n \ge 0$  as follows:

$$E_{n,\sigma}(x) = \int_{1}^{x} dt \frac{\sin(\tau \ln(t))}{x^{1+\sigma}} \epsilon_{n}(x)$$
 (62)

$$F_{n,\sigma}(x) = \int_{1}^{x} dt \frac{\cos(\tau \ln(t))}{x^{1+\sigma}} \epsilon_n(x)$$
 (63)

$$G_{n,\sigma}(x) = \left(E_{n,\sigma}(x)\right)^2 + \left(F_{n,\sigma}(x)\right)^2 \tag{64}$$

$$H_{n,\sigma}(x) = G_{n,1-\sigma}(x) - G_{n,\sigma}(x)$$

$$\tag{65}$$

Let's denote  $a_0 = e^{\frac{3}{2\tau}}$  and  $b_0 = e^{\frac{\pi}{2\tau}}$ .

1. For each  $n \ge 0$  there exists  $x_n > b_0$  such as:

$$H_{n,\sigma}(x_n) = 0 (66)$$

2. For each  $n \ge 0$ , there exists  $x_n > b_0$  such as:

$$\sum_{k=n+1}^{+\infty} H_{k,\sigma}(x_n) = 0 \tag{67}$$

In other terms:

$$\sum_{k=n+1}^{+\infty} G_{k,1-\sigma}(x_n) = \sum_{k=n+1}^{+\infty} G_{k,\sigma}(x_n)$$
 (68)

*Proof.* Let's prove the first point. Let's take  $n \geq 0$  an integer. Since  $\sigma \leq \frac{1}{2}$ . We have for each x > 1:  $\frac{1}{x^{1+\sigma}} > \frac{1}{x^{2-\sigma}}$ . Therefore

$$E_{n,\sigma}(b_0) = \int_1^{e^{\frac{\pi}{2\tau}}} dt \, \frac{\sin(\tau \ln(t))}{x^{1+\sigma}} \, \epsilon_n(x) > 0$$
 (69)

$$F_{n,\sigma}(b_0) = \int_1^{e^{\frac{\pi}{2\tau}}} dt \, \frac{\cos(\tau \ln(t))}{x^{1+\sigma}} \, \epsilon_n(x) > 0 \tag{70}$$

$$E_{n,\sigma}(b_0) > E_{n,1-\sigma}(b_0) > 0$$
 (71)

$$F_{n,\sigma}(b_0) > F_{n,1-\sigma}(b_0) > 0$$
 (72)

Therefore

$$\left(E_{n,\sigma}(b_0)\right)^2 > E_{n,1-\sigma}(b_0)\right)^2 \tag{73}$$

$$\left(F_{n,\sigma}(b_0) > \left(F_{n,1-\sigma}(b_0)\right)^2 \tag{74}$$

And therefore

$$G_{n,\sigma}(b_0) > G_{n,1-\sigma}(b_0) \tag{75}$$

$$H_{n,\sigma}(b_0) \quad < \quad 0 \tag{76}$$

We also have from lemma 1.2:

$$\lim_{x \to +\infty} G_{n,\sigma}(x) = \left( \int_{1}^{+\infty} \frac{\sin(\tau \ln(t))}{x^{1+\sigma}} \epsilon_{n}(x) \right)^{2} + \left( \int_{1}^{+\infty} dt \frac{\cos(\tau \ln(t))}{x^{1+\sigma}} \epsilon_{n}(x) \right)^{2}$$
(77)
$$= \frac{1}{2^{2n} ||1-s||^{2}}$$
(78)

$$\lim_{x \to +\infty} G_{n,1-\sigma}(x) = \left( \int_{1}^{+\infty} dt \, \frac{\sin(\tau \ln(t))}{x^{2-\sigma}} \, \epsilon_n(x) \right)^2 + \left( \int_{1}^{+\infty} dt \, \frac{\cos(\tau \ln(t))}{x^{2-\sigma}} \, \epsilon_n(x) \right)^2$$
(79)
$$= \frac{1}{2^{2n} ||s||^2}$$
(80)

Therefore

$$\lim_{x \to +\infty} H_{n,\sigma}(x) = \frac{1}{2^{2n}} \left( \frac{1}{\|s\|^2} - \frac{1}{\|1 - s\|^2} \right) > 0$$
 (81)

Since the function  $H_{n,\sigma}$  is continuous over  $[1, +\infty)$ . From (73) and (78) and thanks to the Mean value theorem, we can conclude that there exists an  $x_n > b_0$  such that:

$$H_{n,\sigma}(x_n) = 0 (82)$$

For the point (2), we proceed the same way as above. We prove it for the case n=0, and the proof remains the same for the general case. From the equation (76), we can deduce that:

$$\sum_{k=0}^{+\infty} H_{k,\sigma}(b_0) \leq 0 \tag{83}$$

Let's define now the sequence of functions  $s(n,\sigma,x)$  such that for  $n\geq 0$  and  $x\geq 1$ :

$$s(n,\sigma,x) = \sum_{k=0}^{n} G_{k,\sigma}(x)$$
 (84)

In order to use the Mean Value theorem like in the point 1) of this lemma, 1) we will prove that the function  $s(+\infty, \sigma, x)$  (resp.  $s(+\infty, 1 - \sigma, x)$ ) is continuous over  $[1, +\infty)$ . and 2) we will prove that:

$$\lim_{x \to +\infty} \sum_{k=0}^{+\infty} H_{k,\sigma}(x) = \frac{4}{3} \left( \frac{1}{\|s\|^2} - \frac{1}{\|1 - s\|^2} \right) > 0$$
 (85)

To prove the two points we can use the term-by-term integration theorem (or the Dominated convergence theorem applied on integral series). But because of the square terms in  $G_{k,\sigma}(x) = E_{k,\sigma}^2(x) + F_{k,\sigma}^2(x)$ , we are going to prove the two results directly using the Double Sequences[8]. Let's take a sequence  $(y_n \ge 1)$  such that it has a limit y. y can be finite or  $+\infty$ . The proof is similar for both cases. So, let's the consider the double sequence  $s(n,\sigma,m)$  such that:

$$s(n,\sigma,m) = s(n,\sigma,y_m) \tag{86}$$

We are going to prove that the double sequence  $(s(n, \sigma, m))$  is a Cauchy sequence. So, let's take (p, q) and (n, m) and N such that  $p > n \ge N$  and  $q > m \ge N$ .

$$s(p, \sigma, q) - s(n, \sigma, m) = \sum_{k=0}^{p} G_{k,\sigma}(y_q) - \sum_{k=0}^{n} G_{k,\sigma}(y_m)$$
(87)

$$= \sum_{k=0}^{n} \left( G_{k,\sigma}(y_q) - G_{k,\sigma}(y_m) \right) + \sum_{k=n+1}^{p} G_{k,\sigma}(y_q)$$
 (88)

And

$$G_{k,\sigma}(y_q) - G_{k,\sigma}(y_m) = E_{k,\sigma}^2(y_q) - E_{k,\sigma}^2(y_m) + F_{k,\sigma}^2(y_q) - F_{k,\sigma}^2(y_m)$$
 (89)

$$= -\left(\int_{y_m}^{y_q} dt \, \frac{\sin(\tau \ln(t))}{t^{1+\sigma}} \, \epsilon_n(t)\right) \left(E_{k,\sigma}(y_q) + E_{k,\sigma}(y_m)\right) \tag{90}$$

$$- \left( \int_{y_m}^{y_q} \frac{\cos(\tau \ln(t))}{t^{1+\sigma}} \epsilon_n(t) \right) \left( F_{k,\sigma}(y_q) + F_{k,\sigma}(y_m) \right)$$
(91)

We simplify the notations as follows:

$$a_k = G_{k,\sigma}(y_q) \tag{92}$$

$$b_k = G_{k,\sigma}(y_m) \tag{93}$$

$$u_k = -\int_{y_m}^{y_q} dt \frac{\sin(\tau \ln(t))}{t^{1+\sigma}} \epsilon_n(t)$$
(94)

$$v_k = E_{k,\sigma}(y_q) + E_{k,\sigma}(y_m) \tag{95}$$

$$v_k = E_{k,\sigma}(y_q) + E_{k,\sigma}(y_m)$$

$$w_k = -\int_{y_m}^{y_q} dt \frac{\cos(\tau \ln(t))}{t^{1+\sigma}} \epsilon_n(t)$$
(95)

$$z_k = F_{k,\sigma}(y_q) + F_{k,\sigma}(y_m) \tag{97}$$

Therefore

$$a_k - b_k = u_k v_k + w_k z_k \tag{98}$$

Therefore

$$s(p,\sigma,q) - s(n,\sigma,m) = \sum_{k=0}^{n} \left( u_k v_k + w_k z_k \right) + \sum_{k=n+1}^{p} G_{k,\sigma}(y_q)$$
 (99)

And thanks to Cauchy-Schwarz inequality, we can write:

$$|s(p,\sigma,q) - s(n,\sigma,m)| \le \sum_{k=0}^{n} |u_k v_k| + \sum_{k=0}^{n} |w_k z_k| + \sum_{k=n+1}^{p} G_{k,\sigma}(y_q)$$
 (100)

$$\sum_{k=0}^{n} |u_k v_k| + \sum_{k=0}^{n} |w_k z_k| \le \left(\sum_{k=0}^{n} u_k^2\right) \left(\sum_{k=0}^{n} v_k^2\right) + \left(\sum_{k=0}^{n} w_k^2\right) \left(\sum_{k=0}^{n} z_k^2\right)$$
(101)

And

$$\sum_{k=0}^{n} u_k^2 \leq \left(\sum_{k=0}^{n} |u_k|\right)^2 \tag{102}$$

$$\leq \left(\sum_{k=0}^{n} \int_{y_m}^{y_q} \frac{\epsilon_k(t)}{t^{1+\sigma}}\right)^2 \tag{103}$$

$$\leq \left(\int_{y_m}^{y_q} \frac{\sum_{k=0}^n \epsilon_k(t)}{t^{1+\sigma}}\right)^2 \tag{104}$$

$$\leq \left(\int_{y_m}^{y_q} dt \frac{\sum_{k=0}^{+\infty} \epsilon_k(t)}{t^{1+\sigma}}\right)^2 \tag{105}$$

$$\leq \gamma_{q,m}^2 = \left(\int_{y_m}^{y_q} \frac{\epsilon(t)}{t^{1+\sigma}}\right)^2 \tag{106}$$

Where

$$\epsilon(x) = \sum_{k=0}^{+\infty} \epsilon_k(x) \tag{107}$$

And the same for  $(w_k)$ :

$$\sum_{k=0}^{n} w_k^2 \leq \gamma_{q,m}^2 = \left( \int_{y_m}^{y_q} dt \, \frac{\epsilon(t)}{t^{1+\sigma}} \right)^2 \tag{108}$$

Therefore

$$|s(p,\sigma,q) - s(n,\sigma,m)| \le \gamma_{q,m}^2 \sum_{k=0}^n (v_k^2 + z_k^2) + \sum_{k=n+1}^p G_{k,\sigma}(y_q)$$
 (109)

$$\leq 2\gamma_{q,m}^{2} \sum_{k=0}^{n} \left( G_{k,\sigma}(y_{q}) + G_{k,\sigma}(y_{m}) \right) + \sum_{k=n+1}^{p} G_{k,\sigma}(y_{q}) \tag{110}$$

For any  $x \ge 1$ , we can write:

$$\sum_{k=0}^{n} G_{k,\sigma}(x) = \sum_{k=0}^{n} \left( E_{k,\sigma}^{2}(x) + F_{k,\sigma}^{2}(x) \right)$$
(111)

$$\leq \sum_{k=0}^{n} \left( \int_{1}^{x} dt \, \frac{\left| \sin(\tau \ln(t)) \right|}{t^{1+\sigma}} \, \epsilon_n(t) + \int_{1}^{x} dt \, \frac{\left| \cos(\tau \ln(t)) \right|}{t^{1+\sigma}} \, \epsilon_n(t) \right)^2 \tag{112}$$

$$\leq \sum_{k=0}^{n} \left( 2 \int_{1}^{x} dt \, \frac{\epsilon_k(t)}{x^{1+\sigma}} \right)^2 \tag{113}$$

$$\leq 4\left(\int_{1}^{x} \frac{\sum_{k=0}^{n} \epsilon_{k}(t)}{t^{1+\sigma}}\right)^{2} \tag{114}$$

$$\leq 4\gamma^2 = 4\left(\int_1^{+\infty} dt \, \frac{\epsilon(x)}{t^{1+\sigma}}\right)^2 \tag{115}$$

And

$$\sum_{k=n+1}^{p} G_{k,\sigma}(x) = \sum_{k=n+1}^{p} \left( E_{k,\sigma}^{2}(x) + F_{k,\sigma}^{2}(x) \right)$$
(116)

$$\leq \sum_{k=n+1}^{p} \left( \int_{1}^{x} \frac{\left| \sin(\tau \ln(t)) \right|}{t^{1+\sigma}} \epsilon_n(t) + \int_{1}^{x} \frac{\left| \cos(\tau \ln(t)) \right|}{t^{1+\sigma}} \epsilon_n(t) \right)^2 \quad (117)$$

$$\leq \sum_{k=n+1}^{p} \left( 2 \int_{1}^{x} dt \, \frac{\epsilon_k(t)}{x^{1+\sigma}} \right)^2 \tag{118}$$

$$\leq 4\left(\int_{1}^{x} dt \frac{\sum_{k=n+1}^{p} \epsilon_k(t)}{t^{1+\sigma}}\right)^2 \tag{119}$$

$$\leq 4\gamma_n^2 = 4\left(\int_1^{+\infty} dt \, \frac{\sum_{k=n+1}^{+\infty} \epsilon_k(t)}{t^{1+\sigma}}\right)^2 \tag{120}$$

Therefore

$$|s(p,\sigma,q) - s(n,\sigma,m)| \le 16 \gamma^2 \gamma_{q,m}^2 + 4 \gamma_n^2$$
 (121)

From lemma 1.2, we have for each  $x \ge 1$ :

$$0 < \epsilon(x) \le 2 + \ln(x) \tag{122}$$

And also, for each  $x \geq 1$ :

$$\lim_{n \to +\infty} \sum_{k=n+1}^{+\infty} \epsilon_k(x) = 0 \tag{123}$$

Since we have

$$\int_{1}^{+\infty} dt \, \frac{\epsilon(t)}{t^{1+\sigma}} < \int_{1}^{+\infty} dt \, \frac{2 + \ln(t)}{t^{1+\sigma}} < +\infty \tag{124}$$

Therefore, thanks to the Dominated Convergence theorem, we conclude that:

$$\lim_{n \to +\infty} \gamma_n = 0 \tag{125}$$

And also

$$\lim_{q,m\to+\infty} \gamma_{q,m} = 0 \tag{126}$$

Therefore, from (121), we conclude that the sequence  $(s(n, \sigma, m))$  is a Cauchy sequence. And therefore the double sequence  $(s(n, \sigma, m))$  converges and the iterated limits are equal[8]. Hence the continuity of the function  $s(+\infty, \sigma, x)$  (resp.  $s(+\infty, 1 - \sigma, x)$ ) over  $[1, +\infty)$  and moreover we have for each  $n \ge 0$ :

$$\lim_{x \to +\infty} \sum_{k=n}^{+\infty} G_{k,\sigma}(x) = \sum_{k=n}^{+\infty} G_{k,\sigma}(+\infty)$$
 (127)

$$\lim_{x \to +\infty} \sum_{k=n}^{+\infty} G_{k,1-\sigma}(x) = \sum_{k=n}^{+\infty} G_{k,1-\sigma}(+\infty)$$
 (128)

Also, from lemma 1.2, we have for each  $k \geq 0$ :

$$G_{k,\sigma}(+\infty) = \frac{1}{4^k \|1 - s\|^2}$$
 (129)

$$G_{k,1-\sigma}(+\infty) = \frac{1}{4^k \|s\|^2}$$
 (130)

Therefore

$$\lim_{x \to +\infty} \sum_{k=n}^{+\infty} G_{k,\sigma}(x) = \frac{1}{3} \frac{1}{4^{n-1} \|1 - s\|^2}$$
 (131)

$$\lim_{x \to +\infty} \sum_{k=n}^{+\infty} G_{k,1-\sigma}(x) = \frac{1}{3} \frac{1}{4^{n-1} \|s\|^2}$$
 (132)

Therefore

$$\lim_{x \to +\infty} \sum_{k=-\infty}^{+\infty} H_{k,\sigma}(x) = \frac{1}{3} \frac{1}{4^{n-1}} \left( \frac{1}{\|s\|^2} - \frac{1}{\|1 - s\|^2} \right) > 0$$
 (133)

Since the function  $\sum_{k=n+1}^{+\infty} H_{k,\sigma}(x)$  is continuous over  $[1,+\infty)$ . From (83) and (85) and thanks to the Mean value theorem, we can conclude that there exists an  $x_n > b_0$  such that:

$$\sum_{k=n+1}^{+\infty} H_{n,\sigma}(x_n) = 0 \tag{134}$$

**Lemma 1.4.** Let's consider two variables  $\sigma$  and  $\tau$  such that  $0 < \sigma < \frac{1}{2}$  and  $\tau \geq 1$  such that  $s = \sigma + i\tau$ . Let's consider the sequence of functions  $E_{n,\sigma}(x)$ ,  $F_{n,\sigma}(x)$ ,  $G_{n,\sigma}(x)$  and  $H_{n,\sigma}(x)$  defined in the previous lemma 1.3

1. For each a > 1:

$$4^n G_{n,\sigma}(a) \sim_{n\to+\infty} f_a(1-\sigma)$$
 (135)

Where  $f_a$  is a strictly increasing function defined as follows:

$$f_a(\sigma) = \frac{a^{2\sigma} - 2a^{\sigma}\cos(\tau\ln(a)) + 1}{\sigma^2 + \tau^2}$$
(136)

2. For each a > 1:

$$4^{n} H_{n,\sigma}(a) \sim_{n \to +\infty} f_{a}(\sigma) - f_{a}(1 - \sigma)$$
(137)

3. For a > 1, for large enough integer n:

$$4^n H_{n,\sigma}(a) \quad < \quad 0 \tag{138}$$

In other terms:

$$G_{n,\sigma}(a) > G_{n,1-\sigma}(a) \tag{139}$$

*Proof.* Like in lemma 1.3, let's denote  $a_0=e^{\frac{3}{2\tau}}$  and  $b_0=e^{\frac{\pi}{2\tau}}$ . We have  $\sigma<\frac{1}{2}$ . From lemma 1.2, we have:

$$\lim_{n \to +\infty} 2^n \, \epsilon_n(x) \quad = \quad x \tag{140}$$

Therefore for each  $x \geq 1$ :

$$\lim_{n \to +\infty} \frac{\sin(\tau \ln(x))}{x^{1+\sigma}} 2^n \epsilon_n(x) = \frac{\sin(\tau \ln(x))}{x^{\sigma}}$$
 (141)

$$\lim_{n \to +\infty} \frac{\cos(\tau \ln(x))}{x^{1+\sigma}} 2^n \epsilon_n(x) = \frac{\cos(\tau \ln(x))}{x^{\sigma}}$$
 (142)

$$\lim_{n \to +\infty} \frac{\sin(\tau \ln(x))}{x^{2-\sigma}} 2^n \epsilon_n(x) = \frac{\sin(\tau \ln(x))}{x^{1-\sigma}}$$
 (143)

$$\lim_{n \to +\infty} \frac{\cos(\tau \ln(x))}{x^{2-\sigma}} 2^n \epsilon_n(x) = \frac{\cos(\tau \ln(x))}{x^{1-\sigma}}$$
 (144)

Let's take  $a \ge a_0$ . Thanks to the Dominated Convergence Theorem applied on the sequence of functions in (141-144) over the bounded interval [1, a], we can write:

$$\lim_{n \to +\infty} 2^{2n} G_{n,\sigma}(a) = \left( \int_1^a dt \frac{\sin(\tau \ln(t))}{t^{\sigma}} \right)^2 + \left( \int_1^a dt \frac{\cos(\tau \ln(t))}{t^{\sigma}} \right)^2$$
 (145)

$$\lim_{n \to +\infty} 2^{2n} G_{n,1-\sigma}(a) = \left( \int_{1}^{a} dt \frac{\sin(\tau \ln(t))}{t^{1-\sigma}} \right)^{2} + \left( \int_{1}^{a} dt \frac{\cos(\tau \ln(t))}{t^{1-\sigma}} \right)^{2}$$
 (146)

Thanks to lemma 1.1, we can calculate the integrals in the equations (145-146), we conclude:

$$2^{2n} G_{n,\sigma}(a) \sim_{n\to+\infty} f_a(1-\sigma) = \frac{a^{2(1-\sigma)} - 2a^{(1-\sigma)} \cos(\tau \ln(a)) + 1}{(1-\sigma)^2 + \tau^2}$$
(147)

$$2^{2n} G_{n,1-\sigma}(a) \sim_{n\to+\infty} f_a(\sigma) = \frac{a^{2\sigma} - 2a^{\sigma} \cos(\tau \ln(a)) + 1}{\sigma^2 + \tau^2}$$
(148)

Therefore

$$\lim_{n \to +\infty} 2^{2n} H_{n,\sigma}(a) = f_a(\sigma) - f_a(1 - \sigma)$$
(149)

Let's now study the function  $f_a$ :  $x \to \frac{a^{2x}-2a^x\cos(\tau\ln(a))+1}{x^2+\tau^2}$ . Since  $\tau > 0$ , the function  $f_a$  is infinitely differentiable. Let's calculate its first derivative  $f_a\prime(x)$ :

$$(x^{2} + \tau^{2})^{2} f_{a} \prime (x) = 2 \ln(a) a^{x} \Big( a^{x} - \cos(\tau \ln(a)) \Big) (x^{2} + \tau^{2})$$
 (150)

$$-2x\left(a^{2x} - 2a^x \cos(\tau \ln(a)) + 1\right)$$
 (151)

Since  $a \ge a_0 = e^{\frac{\pi}{2\tau}} > e^{\frac{3}{2\tau}}$ . For x > 0, we have:

$$\left(a^{x} - \cos(\tau \ln \left(a\right))\right) > 0 \tag{152}$$

And we can write:

$$2a^{x} \left( a^{x} - \cos(\tau \ln(a)) \right) = a^{2x} - 2a^{x} \cos(\tau \ln(a)) + 1 + \underbrace{a^{2x} - 1}_{>0}$$
 (153)

$$> (a^{2x} - 2a^x \cos(\tau \ln(a)) + 1) > 0$$
 (154)

And we also have:

$$x^2 + \tau^2 \quad > \quad 2x\tau \tag{155}$$

$$\ln(a) \geq \ln(a_0) = \frac{3}{2\tau} \tag{156}$$

Therefore by combining the inequations (152 - 156), we conclude:

$$2\ln(a) a^{x} \Big(a^{x} - \cos(\tau \ln(a))\Big) (x^{2} + \tau^{2}) > \frac{3}{2\tau} \Big(a^{2x} - 2a^{x} \cos(\tau \ln(a)) + 1\Big) 2x\tau \quad (157)$$

$$> 2x \left(a^{2x} - 2a^x \cos(\tau \ln(a)) + 1\right)$$
 (158)

Therefore for each x > 0:

$$(x^2 + \tau^2)^2 f_a \prime (x) > 0 (159)$$

Therefore, the function  $f_a$  is a strictly increasing function over  $(0, +\infty)$ . Therefore since  $1 - \sigma > \sigma$ ,  $f_a(1 - \sigma) > f_a(\sigma)$ . Therefore, from equations (147 - 148), we can conclude that for large enough integer n, we have:

$$2^{2n} G_{n,\sigma}(a) \sim f_a(1-\sigma) > 2^{2n} G_{n,1-\sigma}(a) \sim f_a(\sigma)$$
 (160)

This ends the proof of the case where  $a \geq a_0$ .

For  $a < a_0$ , as we saw in the proof of lemma 1.3,  $G_{n,\sigma}(a) > G_{n,1-\sigma}(a)$  because  $\sigma < \frac{1}{2}$  and for each  $x \in [1,a]$ :  $\frac{\cos(\tau \ln(x))}{x^{1+\sigma}} > \frac{\cos(\tau \ln(x))}{x^{2-\sigma}} > 0$  and  $\frac{\sin(\tau \ln(x))}{x^{1+\sigma}} > \frac{\sin(\tau \ln(x))}{x^{2-\sigma}} > 0$ . This ends the proof of the lemma.

**Lemma 1.5.** Let's consider two variables  $\sigma$  and  $\tau$  such that  $0 < \sigma < \frac{1}{2}$  and  $\tau \geq 1$  such that  $s = \sigma + i\tau$  is a zeta zero. Let's consider the sequence of functions  $E_{n,\sigma}(x)$ ,  $F_{n,\sigma}(x)$ ,  $G_{n,\sigma}(x)$  and  $H_{n,\sigma}(x)$  defined in the previous lemma 1.3. Let's consider the sequence of numbers  $x_n > b_0$  as defined in point 2) of lemma 1.3 such as:

$$\sum_{k=n+1}^{+\infty} G_{k,1-\sigma}(x_n) = \sum_{k=n+1}^{+\infty} G_{k,\sigma}(x_n)$$
 (161)

Let's define the sequences of sums  $(s(n, \sigma))$  such as:

$$s(n,\sigma) = \sum_{k=n+1}^{+\infty} G_{k,\sigma}(x_n)$$
 (162)

$$s(n,\sigma,x) = \sum_{k=n+1}^{+\infty} G_{k,\sigma}(x)$$
 (163)

$$s^*(n,\sigma) = \sum_{k=n+1}^{+\infty} G_{k,\sigma}(+\infty)$$
 (164)

Therefore:

- 1. The sequence  $(s(n, \sigma))$  converges to zero.
- 2. If the sequence  $(x_n)$  converges to  $+\infty$ , then

$$s(n,\sigma) \sim_{n\to+\infty} s^*(n,\sigma)$$
 (165)

3. If the sequence  $(x_n)$  converges to a finite limit  $x < +\infty$ , then

$$s(n,\sigma) \sim_{n\to+\infty} s(n,\sigma,x)$$
 (166)

*Proof.* Let's prove the first point. Let's take  $n \ge 1$ . Like in the equations (110-114) of lemma 1.3 proof, we can write:

$$\sum_{k=n+1}^{+\infty} G_{k,\sigma}(x_n) \leq \sum_{k=n+1}^{+\infty} \left( E_{k,\sigma}^2(x_n) + F_{k,\sigma}^2(x_n) \right)$$
(167)

$$\leq \sum_{k=n+1}^{+\infty} \left( \int_{1}^{x_n} dt \, \frac{\left| \sin(\tau \ln(t)) \right|}{t^{1+\sigma}} \, \epsilon_n(t) + \int_{1}^{x_n} dt \, \frac{\left| \cos(\tau \ln(t)) \right|}{t^{1+\sigma}} \, \epsilon_n(t) \right)^2 \quad (168)$$

$$\leq \sum_{k=n+1}^{+\infty} \left( 2 \int_{1}^{x_n} dt \, \frac{\epsilon_k(t)}{t^{1+\sigma}} \right)^2 \tag{169}$$

$$\leq 4 \left( \int_{1}^{x_n} dt \, \frac{\sum_{k=n+1}^{+\infty} \epsilon_k(t)}{t^{1+\sigma}} \right)^2 \tag{170}$$

$$\leq 4 \left( \int_{1}^{+\infty} dt \, \frac{\sum_{k=n+1}^{+\infty} \epsilon_k(t)}{t^{1+\sigma}} \right)^2 \tag{171}$$

$$\leq 4\gamma_n^2 \tag{172}$$

Where  $\gamma_n$  is defined in the equation (120). Therefore, the sequence  $(s(n, \sigma))$  converges to zero.

To prove the point 2, like in lemma 1.3, we will use the Cauchy–Schwarz inequality:

$$\left(\sum_{i=1}^{n} u_i v_i\right)^2 \le \left(\sum_{i=1}^{n} u_i^2\right) \left(\sum_{i=1}^{n} v_i^2\right) \tag{173}$$

Let's take  $n \geq 1$ . Let's calculate the following:

$$s(n,\sigma) - s^*(n,\sigma) = \sum_{k=n+1}^{+\infty} \left( G_{k,\sigma}(x_n) - G_{k,\sigma}(+\infty) \right)$$
 (174)

And

$$G_{k,\sigma}(x_n) - G_{k,\sigma}(+\infty) = -\left(\int_{x_n}^{+\infty} dt \, \frac{\sin(\tau \ln(t))}{t^{1+\sigma}} \, \epsilon_n(t)\right) \left(E_{k,\sigma}(x_n) + E_{k,\sigma}(+\infty)\right) \tag{175}$$

$$- \left( \int_{x_n}^{+\infty} dt \, \frac{\cos(\tau \ln(t))}{t^{1+\sigma}} \, \epsilon_n(t) \right) \left( F_{k,\sigma}(x_n) + F_{k,\sigma}(+\infty) \right) \tag{176}$$

We simplify the notations as follows:

$$a_k = G_{k,\sigma}(x_n) \tag{177}$$

$$b_k = G_{k,\sigma}(+\infty) \tag{178}$$

$$u_k = -\int_{\tau}^{+\infty} dt \, \frac{\sin(\tau \ln(t))}{t^{1+\sigma}} \, \epsilon_n(t) \tag{179}$$

$$v_k = E_{k,\sigma}(x_n) + E_{k,\sigma}(+\infty)$$
(180)

$$w_k = -\int_{\tau_n}^{+\infty} dt \, \frac{\cos(\tau \ln(t))}{t^{1+\sigma}} \, \epsilon_n(t) \tag{181}$$

$$z_k = F_{k,\sigma}(x_n) + F_{k,\sigma}(+\infty) \tag{182}$$

Therefore

$$a_k - b_k = u_k v_k + w_k z_k \tag{183}$$

Therefore

$$s(n,\sigma) - s^*(n,\sigma) = \sum_{k=n+1}^{+\infty} \left( u_k v_k + w_k z_k \right)$$
 (184)

And thanks to Cauchy-Schwarz inequality, we can write:

$$|s(n,\sigma) - s^*(n,\sigma)| \le \sum_{k=n+1}^{+\infty} |u_k v_k| + \sum_{k=n+1}^{+\infty} |w_k z_k|$$
 (185)

$$\leq \left(\sum_{k=n+1}^{+\infty} u_k^2\right) \left(\sum_{k=n+1}^{+\infty} v_k^2\right) + \left(\sum_{k=n+1}^{+\infty} w_k^2\right) \left(\sum_{k=n+1}^{+\infty} z_k^2\right) (186)$$

And

$$\sum_{k=n+1}^{+\infty} u_k^2 \leq \left(\sum_{k=n+1}^{+\infty} |u_k|\right)^2 \tag{187}$$

$$\leq \left(\sum_{k=n+1}^{+\infty} \int_{x_n}^{+\infty} dt \, \frac{\epsilon_k(t)}{t^{1+\sigma}}\right)^2 \tag{188}$$

$$\leq \left( \int_{x_n}^{+\infty} dt \, \frac{\sum_{k=n+1}^{+\infty} \epsilon_k(t)}{t^{1+\sigma}} \right)^2 \tag{189}$$

$$\leq \left( \int_{x_n}^{+\infty} dt \, \frac{\sum_{k=0}^{+\infty} \epsilon_k(t)}{t^{1+\sigma}} \right)^2 \tag{190}$$

$$\leq \gamma_n = \left( \int_{x_n}^{+\infty} dt \, \frac{\epsilon(t)}{t^{1+\sigma}} \right)^2 \tag{191}$$

And the same for  $(w_k)$ :

$$\sum_{k=n+1}^{+\infty} w_k^2 \le \gamma_n = \left( \int_{x_n}^{+\infty} dt \, \frac{\epsilon(t)}{t^{1+\sigma}} \right)^2 \tag{192}$$

Therefore

$$|s(n,\sigma) - s^*(n,\sigma)| \leq \gamma_n \sum_{k=n+1}^{+\infty} \left(v_k^2 + z_k^2\right)$$

$$\tag{193}$$

$$\leq 2\gamma_n \sum_{k=n+1}^{+\infty} \left( G_{k,\sigma}(x_n) + G_{k,\sigma}(+\infty) \right) \tag{194}$$

$$\leq 2\gamma_n \left( s(n,\sigma) + s^*(n,\sigma) \right) \tag{195}$$

The sequence  $(\gamma_n)$  converges to zero. Therefore there exist  $n_0$  such that for each  $n \ge n_0$  we have:  $0 < \gamma_n < \frac{1}{10}$ . Therefore for  $n \ge n_0$  we have:

$$\frac{1-2\gamma_n}{1+2\gamma_n} \le \frac{s(n,\sigma)}{s^*(n,\sigma)} \le \frac{1+2\gamma_n}{1-2\gamma_n} \tag{196}$$

Therefore

$$\lim_{n \to +\infty} \frac{s(n,\sigma)}{s^*(n,\sigma)} = 1 \tag{197}$$

And hence

$$s(n,\sigma) \sim_{n\to+\infty} s^*(n,\sigma)$$
 (198)

The point 3 of the lemma can be proved the same way as the point 2 above by replacing the integral over  $(x_n, +\infty)$  by the integral over  $(x_n, x)$  and keep everything else the same. We conclude that:

$$s(n,\sigma) \sim_{n\to+\infty} s(n,\sigma,x)$$
 (199)

**Lemma 1.6.** Let's consider two variables  $\sigma$  and  $\tau$  such that  $0 < \sigma < 1$  and  $\tau \ge 1$  such that  $s = \sigma + i\tau$  is a zeta zero. Therefore for each  $n \ge 1$ :

$$\sigma = \frac{1}{2} \tag{200}$$

*Proof.* This is a direct consequence of lemma 1.5. Let's suppose that  $\sigma < \frac{1}{2}$ . We consider the sequence  $(x_n)$  used in lemma 1.5 and defined in lemma 1.3. We can distinguish between two cases:

- 1. The sequence( $x_n$ ) is bounded.
- 2. The sequence  $(x_n)$  is unbounded.

Case 1: The sequence  $(x_n)$  is bounded In such case, without loss of generality, we can assume that the limit of  $(x_n)$  is  $x \ge b_0 > 0$ . From lemma 1.5, we have:

$$s(n,\sigma) \sim_{n\to+\infty} s(n,\sigma,x)$$
 (201)

$$s(n, 1 - \sigma) \sim_{n \to +\infty} s(n, 1 - \sigma, x)$$
 (202)

And from lemma 1.3, we have for each n:

$$s(n,\sigma) = s(n,1-\sigma) \tag{203}$$

Therefore:

$$s(n,\sigma,x) \sim_{n\to+\infty} s(n,1-\sigma,x)$$
 (204)

Therefore, from lemma 1.4, we can conclude that:

$$\frac{1}{3}\frac{f_x(1-\sigma)}{4^n} \sim_{n\to+\infty} \frac{1}{3}\frac{f_x(\sigma)}{4^n}$$
 (205)

Where the function  $f_x$  is defined in lemma 1.4. Therefore

$$f_x(1-\sigma) = f_x(\sigma) \tag{206}$$

Which is a contradiction, since the function  $f_x$  is increasing and we have  $\sigma < 1 - \sigma$ . Therefore  $\sigma$  can only be  $\frac{1}{2}$ .

Case 2: The sequence  $(x_n)$  is unbounded In this case, without loss of generality, we can assume that the limit of  $(x_n)$  is  $+\infty$ . From lemma 1.5, we have:

$$s(n,\sigma) \sim_{n\to+\infty} s^*(n,\sigma)$$
 (207)

$$s(n, 1 - \sigma) \sim_{n \to +\infty} s^*(n, 1 - \sigma)$$
 (208)

From equations (131-132):

$$s^*(n,\sigma) = \sum_{k=n+1}^{+\infty} G_{k,\sigma}(+\infty) = \frac{1}{3} \frac{1}{4^n \|1 - s\|^2}$$
 (209)

$$s^*(n, 1 - \sigma) = \sum_{k=n+1}^{+\infty} G_{k,1-\sigma}(+\infty) = \frac{1}{3} \frac{1}{4^n \|s\|^2}$$
 (210)

And from (67) and (207-208), we conclude:

$$\frac{1}{3} \frac{1}{4^n \|s\|^2} \sim_{n \to +\infty} \frac{1}{3} \frac{1}{4^n \|1 - s\|^2}$$
 (211)

Therefore

$$\frac{1}{\|s\|^2} = \frac{1}{\|1 - s\|^2} \tag{212}$$

Which is a contradiction since we have  $\sigma < \frac{1}{2}$ . Hence  $\sigma$  must be equal to  $1 - \sigma$ . Therefore  $\sigma = \frac{1}{2}$ . This ends the proof of the Riemann Hypothesis.

#### 1.4 Conclusion

We saw that if s is a zeta zero, then real part  $\Re(s)$  can only be  $\frac{1}{2}$ . Therefore the Riemann's Hypothesis is true: The non-trivial zeros of  $\zeta(s)$  have real part equal to  $\frac{1}{2}$ . In the next article, we will try to apply the same method to prove the Generalized Riemann Hypothesis (GRH).

## Acknowledgments

I would like to thank Farhat Latrach, Giampiero Esposito, Jacques Gélinas, Michael Milgram, Léo Agélas, Ronald F. Fox, Kim Y.G, Masumi Nakajima, Maksym Radziwill and Shekhar Suman for thoughtful comments and discussions on my paper versions on the RH. All errors are mine.

## References

- Bernhard Riemann. On the Number of Prime Numbers less than a Given Quantity https://www.claymath.org/sites/default/files/ezeta.pdf
- [2] Aleksandar Ivic. The Riemann Zeta-Function: Theory and Applica-
- [3] Peter Borwein, Stephen Choi, Brendan Rooney, and Andrea Weirathmueller The Riemann Hypothesis: A Resource for the Afficionado and Virtuoso Alike http://wayback.cecm.sfu.ca/~pborwein/TEMP\_PROTECTED/book.pdf
- [4] Jørgen Veisdal. The Riemann Hypothesis, explained https://medium.com/cantors-paradise/the-riemann-hypothesis-explained-fa01c1f75d3f
- [5] Thai Pham. Dirichlet's Theorem on Arithmetic Progressions https://web.stanford.edu/ thaipham/papers/MIT\_18.104\_Review\_Paper.pdf
- [6] G. H. Hardy. The general theory of dirichlet series. https://archive.org/details/generaltheoryofd029816mbp/page/n9
- [7] Garrett, Paul. Primes in arithmetic progressions, 2011. http://www.math.umn.edu/garrett/m/mfms/notes\_c/dirichlet.pdf
- [8] Eissa D. Habil. Double Sequences and Double Series. https://journals.iugaza.edu.ps/index.php/IUGNS/article/download/1594/1525