

Continuous air purification by front flow photocatalytic reactor: Modelling of the influence of mass transfer step under simulated real conditions

Youcef Serhane, Nacer Belkessa, Abdelkrim Bouzaza, Dominique Wolbert, Aymen Amin Assadi

▶ To cite this version:

Youcef Serhane, Nacer Belkessa, Abdelkrim Bouzaza, Dominique Wolbert, Aymen Amin Assadi. Continuous air purification by front flow photocatalytic reactor: Modelling of the influence of mass transfer step under simulated real conditions. Chemosphere, 2022, 295, pp.133809. 10.1016/j.chemosphere.2022.133809. hal-03594101

HAL Id: hal-03594101

https://hal.science/hal-03594101

Submitted on 22 Mar 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Continuous air purification by front flow photocatalytic reactor:

Modelling of the Influence of mass transfer step under simulated

3 real conditions

- Youcef Serhane^a, Nacer Belkessa^a, Abdelkrim Bouzaza^a, Dominique Wolbert^a,
- 5 Aymen Amin Assadi^{a,*}

- ^a Univ Rennes, École Nationale Supérieure de Chimie de Rennes, CNRS, ISCR (Institut des Sciences
- 8 Chimiques de Rennes) UMR 6226, F-35000 Rennes, France
- 9 *Corresponding author. Tel: +33(0)223238152, Fax: +33(0)223238120,
- 10 E-mail: <u>Aymen.assadi@ensc-rennes.fr</u>

ABSTRACT

In this work, a solution for the treatment of toxic gases based on a photocatalytic process using TiO_2 coated on a cellulosic support, has been investigated. Here, cyclohexane was chosen as the reference for testing its removal efficiency via a continuous front flow reactor as type A anti-gas filters. The photocatalytic support was firstly characterized by EDX, to confirm its elemental composition. Then, the experiments were carried out, starting with a batch reactor in order to evaluate the degradation efficiency of the photocatalytic media, as well as the monitoring of the photocatalytic process which allowed the establishing of a carbon mass balance corresponding to the stoichiometric number of our target pollutant. The transition to a continuous treatment with a front flow reactor aims to highlight the influence of the input concentration $(0.29 - 1.78 \text{ mM m}^{-3})$ under different flow rates $(12, 18 \text{ and } 36 \text{ L} \text{ min}^{-1})$. The relative humidity effect was also investigated (from 5 to 90% of humidity) where an optimum rate was obtained around 35 to 45%. In addition, the mineralization rate was monitored. The major rates obtained were for a cyclohexane

input concentration of 0.29 mM m⁻³ in wet condition (38%) at an air flow rate of 18 L min⁻¹, where the CO₂ selectivity reached 77% for an abatement of 62%. In order to understand the limiting steps of the photocatalytic process, a model considering the reactor geometry and the hydraulic flow was developed. The obtained results showed that the mass transfer must be considered in the photocatalytic process for a continuous treatment. The Langmuir-Hinshelwood bimolecular model was also developed to represent the influence of the humidity.

Keywords

Air treatment, Photocatalytic front flow reactor, kinetic modelling, mass transfer.

1. Introduction

Air pollution is increasingly a major concern, the result of pollution caused by many factors, often of human origin. Faced with the adverse effects of this pollution, both on human health and the environment, scientists are still trying to find new techniques and processes to remedy the problem. Advanced oxidation processes, such as photocatalysis, are a promising process for this application because of its ability to mineralize many volatile organic compounds (VOCs) into CO₂, H₂O and other by-products (Malayeri et al., 2019; Talaiekhozani et al., 2021). The design of the photocatalytic reactor for environmental applications, including air treatment, is both a major and difficult task because of the different factors involved in the process namely, the pollutant, the catalyst as well as the photon flux. (Boyjoo et al., 2017; Sundar and Kanmani, 2020; He et al., 2021).

configuration, even if it is less developed in the laboratory, remains interesting

because it allows to have a compact reactor able to work at high flow rates by

promoting mass transfer whatever the contact time is sacrificed (Vuong., 2011; Debono et al., 2018; Malayeri et al., 2021; Oliveira De Brito Lira et al., 2021). It is well known that tangential flow reactors are most common in the literature, where the residence times is longer but the limitation by mass transfer is more important (Dalida and Ramoso, 2017; Sundar and Kanmani, 2020). For continuous flow reactors, it is generally assumed that they operate under ideal plug flow configuration, and for which, degradation rates are determined ignoring dispersion/diffusion phenomena (Zhong et al., 2017; Salvadores et al., 2020). It has even been reported that when the flow rate is high enough (turbulent flow regime) and the length to diameter ratio of the reactor is significant, the axial dispersion is minimal; therefore, the flow in the reactor can be considered as plug flow (Davis, M.E. and R.J., 2012). The performance of the photocatalytic reactor is often interpreted by two successive phenomena: the transport of the mass of pollutants to the catalyst surface and their elimination by photocatalytic reaction. Most studies (Amrheinet al., 2012; Malayeri et al., 2019) have assumed that the process is limited by kinetic reaction and mass transfer is often ignored in photocatalysis studies, the reason is that they try to focus more on the catalyst activity and its efficiency, even though knowledge of the mass transfer phenomenon plays an essential role in interpreting the experimental results and scaling-up the photocatalytic reactor. In this study, the photocatalytic performance in a front flow reactor was highlighted for the abatement of cyclohexane, which is defined as a reference for testing the effectiveness of type "A" gas filters (INRS., 2011, 2019; Vuong., 2017; Chauveau, 2018). The aim is to establish a kinetic analysis, which presents a powerful tool for the evaluation of the catalytic properties of the experimental device and the reaction

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

rate in the photocatalytic oxidation process. This is done by determining the main

photoreaction, namely the adsorption capacity and the oxidation capacity of the photocatalysts. Langmuir-Hinshelwood (L-H) model, which remains the most widely used kinetic expression, was adopted to formulate the rate of reaction.

The novelty of this study is the development of a model, which considers both the aeraulic of the flow through the residence time distribution (RTD) determination and the mass transfer limitations. Since the relative humidity influences the efficiency of the photocatalytic process, it was therefore essential to consider water molecules in the expression of the reaction rate. Consequently, the Langmuir-Hinshelwood (L-H) biomolecular model was developed to consider the effect of competitions.

2. Materials and methods

In this part, the various commercial catalytic supports used as well as the polluted air generation systems adopted, then the air treatment devices, the analytical techniques, the methodology used are exposed

2.1. Photocatalytic support

The photocatalytic support used is supplied by the Ahlstrom company under the reference Alhström 1049. It is a non-woven fabric made of synthetic and natural cellulose fibers, where a winding press process has been used to coat them with a mixture of TiO₂ and SiO₂, whose masses per square meter are equal to 16 and 13.3 g m⁻² respectively. The colloidal silica used has a specific surface area of about 700 m² g⁻¹, with elementary particles of 20-30 nm in diameter. It acts as an inorganic binder, resistant to UV radiation and photocatalysis, transparent to UV and protecting the TiO₂ fibers. The TiO₂ used for this deposit is a PC-500, marketed by Millennium. The elemental crystals are between 5 and 10 nm in size, with an anatase crystal structure (> 99%) and an S_{BET} surface area of approximately 320 m² g⁻¹. The energy dispersive X-ray (EDX) technique (Fig. S1) allows the determination of elemental

composition of the cellulose media by highlighting these different elements such as: titanium and oxygen, aluminum was a residual compound from the mechanical processing of the textiles, and silicon corresponded to the silica deposit.

2.2. Pollutant studied

The cyclohexane used is supplied by Sigma-Aldrich in liquid form (purity> 98%). It is then volatilized to obtain the desired gas concentrations. Its main characteristics are given in Table S1.

2.3. Reactor and experimental set-up

2.3.1. Batch reactor

The batch reactor is shown in Fig. S2 and contains a central tube for the lamp and ports for sampling/analysis. It is approximately 40 cm high and has a volume of 1.5 L. The catalytic support, with a surface area of 81 cm², giving a mass of TiO₂ of 0.13 g, is deposited on inner wall of the reactor. To generate pollution in the reactor, the pollutant is injected as liquid drops which then evaporate. A magnetic stirrer and a magnetic barrel make it possible to homogenize the gases. The fluorescent UV lamp (Philips PL-L 24W/10/4P) used is purchased from Lum'On (France). This lamp has a wavelength spectrum of 310-390 nm with a maximum of UV intensity at 365 nm. A VLX-3W radiometer equipped with a CX-365 cell is used to measure UV intensity.

A control system based on oxygen analyzer, temperature, humidity and CO₂ sensors was installed on the batch reactor. These sensors were connected to an Arduino board allowing online acquisition of experimental data.

2.3.2. Continuous process

The front flow photocatalytic reactor (P50) illustrated in Fig. 1 is formed by four mountable stainless-steel test chambers with a passage section of 0.01 m² and a

total volume of about 4 L. The first part is used for the main inlet of the flow of water vapor, air, injection of pollutants, and sampling for analysis before handling. The second part contained four photocatalytic media (4 m x 0.01 m of surface giving 0.64 g of TiO₂) and two Philips UV-A lamps (model PLS 9W / 10). The intensity of the light incident at 365 nm on the surface of the catalyst is 20 W m⁻². The last element allows the sampling for analysis after treatment and the exit of the air flow. The air leaving the reactor is evacuated under a hood.




Figure 1: Photo and Schematic of P50, front flow continuous photocatalytic reactor

2.3.2.1. Experimental setup

The dry air coming from the network is the carrier gas, controlled by a valve and estimated using a Gallus G4 gas meter of the Itrón brand. The flow rates tested is equivalent to human respiratory flow rates 13, 18 and 36 L min⁻¹. These flow rates correspond to contact times of 18, 13 and 7 ms respectively. To humidify the air, a bubbler was installed in the circuit containing water to achieve humidity ranges of 30-90%. The pollutant is injected continuously in liquid form by a syringe / syringe pump combination. A heating tape, placed in the injection zone to facilitate the volatilization of the pollutant and a static mixer makes it possible to homogenize the effluent upstream of the photoreactor. Two septas downstream and upstream of the

photoreactor make it possible to sample the outlet and inlet gas with a syringe (Fig. S3).

2.3.2.2. Analytic tools

The concentration of cyclohexane was measured by a Thermo electron corporation gas chromatography (Focus GC) using a flame ionization detector (FID) and an FFAP column (length = 25 m and internal diameter = 0,32 mm). Nitrogen was used as a carrier gas. The temperature conditions of the oven, the injection chamber and the detector were, respectively, 50, 190 and 190 °C. The analysis was performed by direct manual sampling with a 500 µl syringe and injection into the GC. The calibration was carried out by evaporating different quantities of cyclohexane on a closed bottle. The correlation of the pollutant with a peak area of GC-FID as a function of its concentration was carried out. Operation is done by Azur™ software.

- The CO₂ was analyzed by a Fourier transform infrared spectrophotometer (FTIR) from Environment SA (MIR 9000H).
- The overall rate of photocatalytic degradation is an important factor in evaluating VOC's removal performance. VOC's removal efficiency is defined:

$$RE (\%) = \frac{[VOCs]in - [VOCs]out}{[VOCs]in} 100 \%$$
 (1)

The overall rate of photocatalytic degradation of cyclohexane is calculated as:

$$r = \left(\frac{Q}{S}\right) \left(\frac{[VOCs]in}{100}\right) RE (\%)$$
 (2)

Where [VOCs] in and [VOCs] out are respectively the inlet and outlet pollutant concentration (mM m⁻³), Q is the volumetric flow rate (L min⁻¹) and S the mean surface of the support (m²).

The overall selectivity of CO_2 can be a useful parameter in evaluating the performance of the photocatalytic reactor with respect to the removal of VOCs. It makes it possible to estimate the rate of mineralization, that is to say the final reaction step of the process. The global selectivity of CO_2 is expressed as follows

$$SCO_2(\%) = \frac{[CO_2]out - [CO_2]in}{N_C RE(\%) [VOCS]in} 10^4$$
 (3)

Where [CO₂]_{in} and [CO₂]_{out} refer respectively to the concentration of carbon dioxide at the air inlet and outlet (mM m⁻³). The number N_c represents the stoichiometric coefficient of the overall degradation reaction (in our case, it is equal to 6).

2.3.2.3. Experimental procedure

With batch reactor, different amounts of pollutants are injected in liquid form with a syringe. The stirrer is turned on and the reactor is covered with an opaque bag. When adsorption equilibrium is reached (approximately 30 min), the UV lamp is turned on and samples are taken regularly (every 5 min), to monitor changes in concentrations. The samples are taken with a 500 µl syringe and are directly analyzed by gas chromatography with flame ionization detection.

Concerning the P50, once the adsorption process reaches equilibrium (depending on the concentration), as indicated by an identical input / output Volatile Organic Compound concentration, the UV lighting is turned on, a transient period precedes a steady state phase which is established when the concentration of pollutant at the outlet becomes constant.

After completing the experiments, the reactor is rinsed under UV lighting for 1 h in ambient air. No deactivation observed during the entire operating time.

3. Results and discussions

3.1.1. Photocatalytic kinetic degradation with using the batch reactor

The performance of the TiO_2 on cellulosic media was investigated in terms of degradation efficiency, degradation and elimination rates at different pollutant concentrations and UV intensity.

Fig. 2a and 2b show the evolution of the concentrations of cyclohexane during photocatalytic reactions under different UV irradiations as a function of time at different input concentrations. From Fig. 2a and by comparing the degradation rate for the different input concentrations at about 20 min. It is observed that the degradation rate decreases proportionally as the initial concentration increases (from 70% for 1.78 mM m⁻³ to 52.5% for 6.53 mM m⁻³). The same trend is always observed when UV intensity is higher (Fig. 2b). This can be interpreted by the unavailability of active sites (Elfalleh et al., 2017).

The results show that at low input concentration, degradation follows pseudo-first order kinetics where degradation is proportional to the input concentration. This can be explained by the fact that all the active sites are not occupied and an increase in the concentration generates a higher surface coverage which implies a better rate of degradation. It also means that the chemical reaction is the limiting step in the process. The results show that light intensity is also an important parameter, which influences the performance of photocatalytic processes. Indeed, the increase in UV intensity seems to be significant on the generation of the active site (Herrmann, 2010; Palau et al., 2012). This can be explained by the fact that as the UV intensity increases, the number of photons hitting the surface of the photocatalyst can increase and lead to more electrons and holes (Brosillon et al., 2008; Assadi et al., 2014).

Thus, the results show a similar behaviour to what is reported in the literature with other pollutants such as toluene, decane and trichloroethylene (TCE) (Debono et al., 2017), Ethylene (Stroe and Rosendahl, 2019), also 2,3-butane-dione (Abidi et al., 2020).




Figure 2: Kinetics of cyclohexane degradation in a batch reactor at: (a) UV intensity = 1.5 W m^{-2} and (b) UV intensity = 12 W m^{-2}

The degradation kinetics are generally represented by Langmuir – Hinshelwood (L-H) model. The latter is defined by the following equation at initial degradation rate (Abidi et al., 2020).

$$r_0 = \frac{kKC_0}{1 + KC_0} \tag{4}$$

Or
$$\frac{1}{r_0} = \frac{1}{kK} \frac{1}{C_0} + \frac{1}{k}$$
 (5)

where r_0 is the initial reaction rate (mM m⁻³ s⁻¹), k the reaction rate constant (mM m⁻³ s⁻¹) et K is the adsorption constant (m³ mM⁻¹).

Initial reaction rate can be obtained from the initial slope of the curve C=f(time) where the influence of by-products is supposed to be negligible. The results are shown in Fig. S4.

By plotting $r_0^{-1} = f(C_0^{-1})$ (Fig. S5) and from the values of the slope and the intercept, the value of the Langmuir-Hinshelwood constants for the two intensity were determined and summarized in table S2.

The results showed that the increase in light intensity leads to a faster elimination of the VOC, reflected by an increase in the kinetic constant from 0.0027 to 0.0051 mM m⁻³ s⁻¹ for l= 1.5 and 12 W m⁻² respectively. It is well known that the degradation rate is linked to the activation of the catalyst. A power relation law is usually used $(k_{app} = k_0.I^{\alpha})$ where α is around 0.5 for intermediate intensities. In our case α seems to be equal to 0.25. This is mainly due to the recombination of the e⁻/ h⁺ pairs versus charge transfer. (Brosillon et al., 2008; Queffeulou et al., 2010; Assadi et al., 2014).

3.1.2. Photocatalytic degradation mechanism of cyclohexane

There is still a need to identify intermediate products of photocatalytic degradation that could be a potential tool to explore the intrinsic kinetics of photocatalytic oxidation. The literature has shown that the gaseous by-products of cyclohexane degradation cannot be identified by GC analysis (Geng et al., 2013). To identify them, other methods have been used where it has been shown that the main degradation intermediates are cyclohexanol and cyclohexanone and the final degradation products are water and CO₂ (Selishchev et al., 2012; Geng et al., 2013; Sannino et al., 2013).

From the above works, a follow-up experiment to monitor the removal of cyclohexane. (millimole per cubic meter), accumulation of CO₂ (millimole per cubic

meter) and H₂O (absolute humidity 'grams per cubic meter of air') in the batch reactor 248 was performed. The results are shown in Fig. S6. 249

The results show that when the UV lamp is tuned ON and the photocatalytic process 250 start, a clear change in the amount of CO₂ and H₂O formed in proportion to the degradation of cyclohexane is observed. 252

251

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

The result of the balance between the quantity of CO2 formed at the end of the degradation process ($[CO_2]_{Formed} = 130.1 \text{ mM m}^3$) relative to the concentration of Cyclohexane introduced initially ([Cyclohexane] $_{initial}$ = 23.3 mM m⁻³), shows that 1 mole of Cyclohexane gives an equivalent of 6 moles of CO2. This carbon balance corresponds to the stoichiometric number of Cyclohexane.

The carbon balance was naturally accompanied by an evolution of the quantity of H₂O from 7.8 g m⁻³_{air} up to 13.45 g m⁻³_{air} which makes an equivalent production of g m⁻³_{air} of Water. It should be noted that the quantity of O₂ was 5.65 sufficient throughout the degradation process.

The results are also consistent with the literature (Zhong et al., 2015; Xu et al., 2022, 2021) regarding the degradation mechanism of cyclohexane. Where initially cyclohexane is oxidized by h⁺ to produce cyclohexyl radicals (C₆H₁₁°) (Eq. 6). the latter react with O_2 to produce a peroxy radical ($C_6H_{11}OO^\circ$) (Eq. 7). The reaction of the peroxy radicals (C₆H₁₁OO°) (Eq. 8) produces cyclohexanone (C₆H₁₀O) and cyclohexanol (C₆H₁₁OH) which will be oxidized by h⁺ in turn to produce cyclohexanone (Eq. 9).

$$C_6H_{12} + h^+ \rightarrow C_6H_{11}^{\circ} + H^+ \tag{6}$$

$$C_6H_{11}^{\circ} + O_2 \rightarrow C_6H_{11}OO^{\circ}$$
 (7)

$$C_6H_{11}OO^{\circ} + C_6H_{11}OO^{\circ} \rightarrow C_6H_{11}OH + C_6H_{10}O + O_2$$
 (8)

 $C_6H_{11}OH + 2 h^+ \rightarrow C_6H_{10}O + 2 H^+$ (9)

273 Cyclohexanone is also produced via the reduction of the radial $C_6H_{11}OO^\circ$ by e^- . This 274 reaction is accompanied mainly by the production of water (Eq. 10).

$$C_6H_{11}OO^{\circ} + e^{-} + 2 H^{+} \rightarrow C_6H_{10}O + H_2O$$
 (10)

After all the steps of cyclohexanone production, it is then decomposed to CO_2 . Even though the detailed decomposition mechanism is not yet clear, our results fit perfectly with the one suggested by the literature (Shiraishi et al., 2017) where h^+ and the reaction with O_2° are involved in the oxidation mechanism of cyclohexanone (Eq. 11).

$$C_6H_{10}O + h^+ + O_2^{\circ} \rightarrow \text{decomposition} \rightarrow CO_2$$
 (11)

3.2. Photocatalytic degradation in continuous reactor

3.2.1. Effect of flow rate and inlet concentration

flow rates is shown in Fig. 3.

The inlet concentration of cyclohexane is varied between 0.29 and 1.78 mM m⁻³, in order to understand its influence on the performance of the photocatalytic reactor.

The removal efficiency of cyclohexane at different input concentrations with different

288

287

276

277

278

279

280

282




Figure 3: Influence of the inlet concentration and the flow rate on the elimination of cyclohexane (HR = 5%, UV Intensity = 20 W m^{-2} , T= $20 \pm 2 \text{ °C}$). Model taking into account the mass transfer step

For a given flowrate, at a higher concentration of pollutants, the rate of degradation will tend towards a limit (RE ~ 9% for 1.78 mM m⁻³), which may be linked to a limitation by the chemical reaction step due to the unavailability of active sites (Abou Saoud et al., 2017, 2018). It can also be noted that the removal efficiency of cyclohexane decreases with increasing flow rate, this is due to a reduction in the contact time between the compound and the catalytic active sites. in line with what was obtained when studying the impact of residence time on the removal efficiency of Methyl Ethyl Ketone (MEK) and toluene (Mamaghani et al., 2018), also, Propionic acid and Benzene (Zadi et al., 2020).

3.2.2. Effect of relative humidity

In order to study the effect of relative humidity on the efficiency of continuous photocatalysis with the P50 reactor, it was necessary to apply a relative humidity

range between 5 % and 87 % at 20 \pm 2 °C under the same concentrations mentioned above. The variation in the elimination efficiency of cyclohexane at different inlet concentrations and under different relative humidity is illustrated in Fig. 4.




Figure 4: Influence of relative humidity on the elimination of cyclohexane and the Bimolecular model curves (Q = 18 L min⁻¹, UV intensity= 20 W m⁻², T= 20 \pm 2 °C).

Firstly, the elimination efficiency of cyclohexane increases with increase of relative humidity, which could be explained by the generation of hydroxyl radicals. An optimum is observed, and thus a permanent decrease in the elimination efficiency occurs. In fact, the more the humidity increases, the more there is deactivation of the active sites of the catalyst due to competitive adsorption on the active sites of the

catalyst between the molecules of water vapor (H₂O) and Cyclohexane (Chen et al., 2011; Vandenbroucke et al., 2011; Zadi et al., 2020; Zhang et al., 2020).

3.2.3. Selectivity of CO₂

314

315

316

317

318

319

320

333

334

- Fig. 5a shows the dependence of the selectivity versus the inlet concentration of Cyclohexane. As expected the input concentration exerts a significant influence on the amount of CO₂ Selectivity, which decreases by increasing the concentration of the pollutant. This is due to the fact that there is less availability of active sites on the surface of the photocatalyst.(Assadi et al., 2014; Zadi et al., 2020). This behaviour also confirms that the process is limited by the availability of active sites.
- The increase of the inlet gas flow rate leads also to a decrease in mineralization rate (Fig.5b). This can be explained by the fact that the contact time is insufficient which will not allow by-products to be degraded. Moreover the competitive phenomena of the by-products formed towards the active sites reduces the selectivity (Assadi et al., 2012).
- Under humid conditions (Fig. 5c), it's clearly voiced the influence of humidity on the CO₂ selectivity for an inlet concentration of 1.78 mM m⁻³ where (i) the rate of mineralization increases from 22.2% to 34.2% when RH increases from 5 to 38%.
- This improvement is due to the increase in water molecules which helps generate

 OH° hydroxyl radicals (according to Eq. (12) and (13).

331
$$H_2O + e^- \rightarrow H^\circ + OH^\circ + e^-$$
 (12)

$$H_2O+ h^+ \rightarrow OH^\circ + H^+ \tag{13}$$

(ii) On the other hand, a decrease in the selectivity is observed (29.3% compared to 34.2%) when RH varies from 38 to 63%). This is due to competition between Water

vapor / Cyclohexane on the surface of the catalyst. These results are in agreement with those reported by literature concerning the oxidation of some VOCs (Assadi et al., 2013; Martinez et al., 2014; Zadi et al., 2018).






Figure 5: Variation of the CO_2 's selectivity (%) with a) the Inlet concentration of Cyclohexane ($Q = 18 \text{ L min}^{-1}$, $RH = 38 \pm 2$ %, UV intensity= 20 W m^{-2} , $T = 20 \pm 2 \text{ C}^{\circ}$), b) the flow rate (C = 1.78 mM m⁻³, HR = 5 %, intensity= 20 W m^{-2} , $T = 20 \pm 2 \text{ C}^{\circ}$) and c) at different Relative Humidity ($C = 1.78 \text{ mM m}^{-3}$, $Q = 18 \text{ L min}^{-1}$, UV intensity= 20 W m^{-2} , $T = 20 \pm 2 \text{ C}^{\circ}$)

3.2.4. Modeling of degradation kinetics and influence of mass transfer, comparison between the constants with batch reactor

The objective of the following part is to propose a model to describe the experimental observed kinetics. This kinetic model will consider the surface reaction and mass transfer step. The degradation kinetics of monocomponents in heterogeneous photocatalytic treatments is often represented by the Langmuir - Hinshelwood model (Queffeulou et al., 2010; Assadi et al., 2015; Muñoz-Batista and Luque, 2021)

Firstly, the aerodynamic conditions of the P50 reactor have to be determined.

A residence time distribution (RTD) experiment was performed. To characterize the gas flow pattern in the photoreactor, and in order to simulate the pulse function (Dirac delta function) a tracer (carbon dioxide) was injected for a very short time interval (Gao et al., 2012; Bérard et al., 2021; Rodrigues, 2021). The output CO₂ concentration is measured using an infrared sensor connected to an Arduino board allowing direct reading as a function of time on a PC. The stock model tanks were used to describe the response of the system. RTD experiments revealed that our flow-through reactor can be likened to a cascade of 18 elementary continuously stirred tank reactors (Fig.S7). Thus our experimental reactor can be considered as a plug flow reactor (Jafarikojour et al., 2014).

3.2.4.1. Model without mass transfer

In this part, only the surface reaction step is considered, that is to say that the mass transfer is neglected, to describe the gas-solid phase reaction for heterogeneous photocatalysis. Assuming that the mass transfer is not the limiting step and that the effect of the intermediate product is negligible, then the reaction rate can be expressed as:

$$r = k \frac{KC}{1 + KC} \tag{14}$$

Where r is the degradation rate (mM m⁻³ s⁻¹), K is the adsorption constant (m³ mM⁻¹), k is the reaction constant (with the same unit as the rate of degradation), and C is the concentration of the contaminant (mM m⁻³). In such a model, the adsorption and desorption steps are kinetically negligible compared to the oxidative reaction step. The pollutant adsorption rate is greater than any by-product adsorption rate and the binding products do not interact with each other or modify the initial activity of the reactive sites.

The reactor is plug flow in a stationary state, the continuous degradation of pollutants along the axial direction should not be ignored. The continuity equation for a contaminant is written:

$$u\frac{dC}{dz} = -r \tag{15}$$

where z represents the axial position in the photoreactor. After rearrangement, integration of Eq. (15) for the entire length of the reactor L leads to (Queffeulou et al., 2010; Assadi et al., 2015):

$$\frac{\ln(C^{in}/C^{out})}{C^{in}-C^{out}} = \frac{k_{app}KL}{\mu} \frac{1}{C^{in}-C^{out}} - K$$
 (16)

Where u is the superficial velocity of the gas (m s⁻¹). The L-H constants k and K are determined by fitting the results for each flow and contaminant with the linear equation. The cross-correlation coefficient is defined as the covariance of the pair k and K divided by the standard deviation of each parameter k and K (Table S3 and Fig. S8).

The model correlates quite well with the experimental data. However, and despite a high R², the values of k and K with this frontal flow reactor vary by varying the flow rate. This variation is less significant compared to the results obtained with tangential reactors, in particular those obtained during the study of (Assadi et al., 2012), whether in the treatment of trimethylamine in an annular reactor or for the treatment of isovaleraldehyde with annular and planar reactors (Assadi et al., 2016) where it has been shown that the mass transfer was more important. This does not prevent the conclusion of the dependence of these constants on the flow rate. Therefore, it seems more appropriate to propose a new model where the mass transfer step is considered.

395

396

397

3.2.4.2. Model with mass transfer step

The limitation of the internal mass transfer step is not considered due to superficial reaction sites (Vincent et al., 2008; Assadi et al., 2012; Palau et al., 2012; Assadi et al., 2013; Assadi et al., 2015; Costa et al., 2017). Therefore, only the external mass transfer is considered. Thus, the mass transfer constant k_m which depends only to the flow regime is considered.

The overall mass balances of the pollutant on the solid and gas phases in a continuous piston reactor leads to the following equations (Yang et al., 2007; Queffeulou et al., 2010; Assadi et al., 2016):

406 In the gas phase:

$$u\frac{dC}{dz} + k_m a_v (C - C^s) = 0 (17)$$

408 In solid phase:

$$k_m a_v (C - C^s) = \frac{k_{app} K C^s}{1 + K C^s}$$
 (18)

where C and C^s are respectively the gas phase concentrations of the overall and average surface area of VOC (mM m⁻³), k_m is the mass transfer coefficient (m s⁻¹) and a_v is the average surface area per unit volume of the reactor (m² m⁻³).

The mass transfer term k_m can be estimated by semi-empirical Williamson expression. Correlation used exclusively for frontal flow (Petit., 2007; Vuong., 2011):

415
$$k_m = 0.44 u Re^{-0.31} Sc^{-0.58}, if: 125 \le Re \le 5000$$
 (19)

Where $(Sc = \frac{\mu}{\rho D_{mol}})$ and $(Re = \frac{d \rho u}{\mu})$ are Schmidt and Reynolds numbers, respectively. With the dynamic viscosity of the gas μ (Pa s), the gaseous density ρ

respectively. With the dynamic viscosity of the gas μ (Pa s), the gaseous density ho

 418 (kg m $^{\text{-}3}$) and the equivalent diameter d (m).

The molecular diffusion coefficient D_{mol} is necessary for the calculation of the Schmidt number. In the case of gas phase applications, the Fuller, Schettler and Giddings relationship has been used. (Perry., 1997).

$$D_{mol} = \frac{10^{-3} \sqrt{\frac{M+29}{M.29}}}{(20,1^{1/3} + V_m^{1/3})^2} \frac{T^{1,75}}{P_{atm}}$$
 (20)

where P is the pressure of the gas flow (Pa), T the absolute temperature (K). V_m is the molecular volume of the gas (m³ M⁻¹), and M is the molecular mass of the pollutant (g M⁻¹). The molecular diffusion coefficient D_{mol} is 0.0509 cm² s⁻¹.

The key values are summarized in Table S4.

430

431

432

433

434

The Reynolds number varies from 1500 to 4600 for flow rates varying from 13 to 36
L min⁻¹ respectively. The flow regime thus confirms that the mass transfer step may
be considered.

To solve Eq. (17) and (18), Maple software is used to develop a system under the series method. In addition, it was established that the second-order development is sufficiently precise (Assadi et al., 2013; Abidi et al., 2021). In the Eq. (21), the two unknown parameters are k and K. They are determined by numerical resolution with the Excel Solver.

435
$$C^{in} - C^{out} = \frac{Lk_m a_v}{2u} \left[C^{in} + \frac{1}{K} + \frac{k}{k_m a_v} - \sqrt{(-C^{in} + \frac{1}{K} + \frac{k}{k_m a_v})^2 + \frac{4C^{in}}{K}} \right]$$
(21)

The model allows a good description of the experimental results (Fig. 3 and 6). The obtained values of k and K are respectively 0,025 mM m⁻³ s⁻¹ and 7,122 m³ mM⁻¹. Obviously, when transfer is neglected, the reaction rate constant (k) is slightly overestimated. Instead, the adsorption constant (K) is underestimated.




Figure 6: Influence of the inlet concentration and the flow rate on the degradation rate of cyclohexane (Q = 18 L min⁻¹, UV intensity= 20 W m⁻², T= 20 \pm 2 °C). Model taking into account the mass transfer step

In addition, it is interesting to note that these constants are not flow dependent. The influence of the flow regime is fully integrated by the k_m parameter. Indeed, the separation between the mass transfer and the chemical reaction steps is obtained. It is also noted that the constants determined in this study depend mainly on the geometry of the reactor, taking into consideration the hydraulics of the flow of the pollutant stream. (Qiao et al., 2012; Assadi et al., 2013; Abidi et al., 2021).

It can also be noted that unlike the effect of the flow rate on the pollutant removal efficiency, when the flow rate increases, the mass transfer rate increases between the gas and the surface of the photocatalyst, which leads to an increase in the reaction rate (Assadi et al., 2013).

Taking into consideration the amount of the catalyst (TiO₂) in the process of Cyclohexane treatment in the batch reactor and the continuous reactor P50 under the same UV intensity, the kinetic constants (k) can be compared, knowing that for the continuous reactor the mass transfer step has to be considered.

The Values of kinetic constants determined with L - H model in batch (0.13 g_{TiO2}) and continuous reactor P50 by considering Mass transfer (0.64 g_{TiO2}) are 0.0392 mM m⁻³ s⁻¹ m_{TiO2}^{-1} and 0.0391 mM m⁻³ s⁻¹ m_{TiO2}^{-1} , respectively. These constants are of the same order. This means that the mass transfer step is negligible for batch reactor due to good homogeneity of the gas phase (mixing). It's obviously shown that model taking account the mass transfer step, allows the access to the real reaction kinetics.

3.3. Effect of the relative humidity on the degradation rate

To correlate the experimental data, the Langmuir - Hinshelwood bimolecular model can be used (L. Zhang et al., 2020), considering the VOC-Water system as a binary mixture. The degradation kinetics can be expressed by:

$$r_A = k_A F_A F_W \tag{22}$$

467 Where
$$F_A = \frac{K_A C_A}{(1 + K_A C_A + K_W C_W)}$$
 (23)

468 and
$$F_W = \frac{K_W' C_W}{(1 + K_A' C_A + k K_W' C_W)}$$
 (24)

469 therefore
$$r_A = k_A \frac{K_A C_A}{(1 + K_A C_A + K_W C_W)} \times \frac{K'_W C_W}{(1 + K'_A C_A + k K'_W C_W)}$$
 (25)

Where C_w is the concentration of water vapor, K_w is the Langmuir adsorption constant of water, K'_A et K'_w are respectively the competitive adsorption constant of the pollutant and water. Constants k_A and K_A are taken from the previous study, where the mass transfer was considered under dry air conditions.

$K'_A (m^3 mM^{-1})$	0,011
K' _w (m ³ mM ⁻¹)	0,0133
K _w (m ³ mM ⁻¹)	0,0129
R ² (%)	99

Table 1: Values of kinetic constants determined with the bimolecular model L – H

All model constants are determined numerically using the Excel solver. The Langmuir-Hinshelwood bimolecular model Eq. (25) correlates well the experimental results and that the validity of this approach is confirmed (Table 1, Fig. 4).

The result shows an optimum humidity for photocatalytic degradation at about 35-45% at different input concentrations. This result is similar to that obtained with our previous works on isovaleraldehyde, trimethylamine, chloroform and glutaraldehyde (Assadi et al., 2012; Abidi et al., 2021), even on BTEX compounds (Martinez et al., 2014) as well as Methyl Ethyl Ketone (Malayeri et al., 2021).

4. Conclusion

The elimination of cyclohexane was studied in two reactors: batch and continuous reactor. The influence of the inlet concentration and the flow rate on the performance of the reactor was studied. The increase in these two parameters leads to a decrease in the efficiency of conversion and elimination of the pollutant. On the other hand, the complex effect of relative humidity on the elimination of Cyclohexane has been

the formation of OH• radicals which contribute to increased degradation.

Moreover, the influence of mass transfer was estimated by testing two models based on the Langmuir-Hinshelwood approach. With considering the limitation of mass transfer, the constants are more realistic and not dependent on flow rates. A bimolecular L-H kinetic model including the effect of relative humidity and the mass transfer step has been highlighted. The model was satisfactory in correlating the experimental data.

studied. The presence of water vapor is beneficial at moderate concentrations due to

References:

490

491

492

493

494

495

496

497

- Abidi, M., Hajjaji, A., Bouzaza, A., Lamaa, L., Peruchon, L., Brochier, C., Rtimi, S., Wolbert, D.,
- Bessais, B., Amin Assadi, A., 2021. Modeling of indoor air treatment using an innovative
- 501 photocatalytic luminous textile: reactor compactness and mass transfer enhancement. Chem.
- 502 Eng. J. 132636. https://doi.org/10.1016/j.cej.2021.132636
- 503 Abidi, M., Hajjaji, A., Bouzaza, A., Trablesi, K., Makhlouf, H., Rtimi, S., Assadi, A.A., Bessais, B., 2020.
- 504 Simultaneous removal of bacteria and volatile organic compounds on Cu2O-NPs decorated TiO2
- 505 nanotubes: Competition effect and kinetic studies. J. Photochem. Photobiol. A Chem. 400.
- 506 https://doi.org/10.1016/j.jphotochem.2020.112722
- Abou Saoud, W., Assadi, A.A., Guiza, M., Bouzaza, A., Aboussaoud, W., Ouederni, A., Soutrel, I.,
- Wolbert, D., Rtimi, S., 2017. Study of synergetic effect, catalytic poisoning and regeneration
- using dielectric barrier discharge and photocatalysis in a continuous reactor: Abatement of
- 510 pollutants in air mixture system. Appl. Catal. B Environ. 213, 53–61.
- 511 https://doi.org/10.1016/j.apcatb.2017.05.012
- 512 Abou Saoud, W., Assadi, A.A., Guiza, M., Bouzaza, A., Aboussaoud, W., Soutrel, I., Ouederni, A.,
- Wolbert, D., Rtimi, S., 2018. Abatement of ammonia and butyraldehyde under non-thermal
- 514 plasma and photocatalysis: Oxidation processes for the removal of mixture pollutants at pilot
- scale. Chem. Eng. J. 344, 165–172. https://doi.org/10.1016/j.cej.2018.03.068
- Amrhein, K., D, Stephan., 2012. Photocatalytic building materials and methods of mea- surement,

517	Ultra-High Performance Concrete and Nanotechnology in Construction. Proceedings of Hipermat
518	2012. 3rd International Symposium on UHPC and Nanotechnology for High Performance
519	Construction Materials, kassel university press GmbH, 2012.
520	Assadi, A.A., Abdelkrim, B., Dominique, W., 2016. Kinetic Modeling of VOC Photocatalytic
521	Degradation Using a Process at Different Reactor Configurations and Scales. Int. J. Chem.
522	React. Eng. 14, 395–405. https://doi.org/10.1515/ijcre-2015-0003
523	Assadi, A.A., Bouzaza, A., Lemasle, M., Wolbert, D., 2015. Acceleration of Trimethylamine Removal
524	Process Under Synergistic Effect of Photocatalytic Oxidation and Surface Discharge Plasma
525	Reactor. Can. J. Chem. Eng. 93, 1239–1246. https://doi.org/10.1002/cjce.22211
526	Assadi, A.A., Bouzaza, A., Wolbert, D., 2012. Photocatalytic oxidation of trimethylamine and
527	isovaleraldehyde in an annular reactor: Influence of the mass transfer and the relative humidity.
528	J. Photochem. Photobiol. A Chem. 236, 61–69. https://doi.org/10.1016/j.jphotochem.2012.03.020
529	Assadi, A.A., Bouzaza, A., Wolbert, D., Petit, P., 2014. Isovaleraldehyde elimination by
530	UV/TiO <inf>2</inf> photocatalysis: comparative study of the process at different reactors
531	configurations and scales. Environ. Sci. Pollut. Res. 21, 11178–11188.
532	https://doi.org/10.1007/s11356-014-2603-7
533	Assadi, A.A., Palau, J., Bouzaza, A., Wolbert, D., 2013. Modeling of a continuous photocatalytic
534	reactor for isovaleraldehyde oxidation: Effect of different operating parameters and chemical
535	degradation pathway. Chem. Eng. Res. Des. 91, 1307–1316.
536	https://doi.org/10.1016/j.cherd.2013.02.020
537	Bérard, A., Blais, B., Patience, G.S., 2021. Residence time distribution in fluidized beds: diffusion,
538	dispersion, and adsorption. Adv. Powder Technol. 32, 1677–1687.
539	https://doi.org/10.1016/j.apt.2021.03.019
540	Boyjoo, Y., Sun, H., Liu, J., Pareek, V.K., Wang, S., 2017. A review on photocatalysis for air treatment:
541	From catalyst development to reactor design. Chem. Eng. J. 310, 537–559.
542	https://doi.org/10.1016/j.cej.2016.06.090
543	Brosillon, S., Lhomme, L., Vallet, C., Bouzaza, A., Wolbert, D., 2008. Gas phase photocatalysis and
544	liquid phase photocatalysis: Interdependence and influence of substrate concentration and

545	photon flow on degradation reaction kinetics. Appl. Catal. B Environ. 78, 232–241.
546	https://doi.org/10.1016/j.apcatb.2007.09.011
547	Chauveau, R., 2018. Modélisation multiparamètre du phénomène d'adsorption : détermination du
548	temps de percée des cartouches de masques à gaz to cite this version : HAL ld : tel-01751295
549	soutenance et mis à disposition de l'ensemble de la Contact : ddoc-theses-contact@uni.
550	Chen, J., Li, G., He, Z., An, T., 2011. Adsorption and degradation of model volatile organic compounds
551	by a combined titania-montmorillonite-silica photocatalyst. J. Hazard. Mater. 190, 416–423.
552	https://doi.org/10.1016/j.jhazmat.2011.03.064
553	Costa, G., Assadi, A.A., Gharib-Abou Ghaida, S., Bouzaza, A., Wolbert, D., 2017. Study of
554	butyraldehyde degradation and by-products formation by using a surface plasma discharge in
555	pilot scale: Process modeling and simulation of relative humidity effect. Chem. Eng. J. 307, 785-
556	792. https://doi.org/10.1016/j.cej.2016.07.099
557	Dalida, M.L.P., Ramoso, P.D., 2017. Design, Mass Transfer Studies, and Optimization of an Air-
558	Sparged Tubular Photocatalytic Reactor for the Degradation of Methylene Blue. Int. J. Chem.
559	Eng. Appl. 8, 5–9. https://doi.org/10.18178/ijcea.2017.8.1.622
560	Davis, M.E. and R.J. Davis, Fundamentals of chemical reaction engineering. 2012: Chaptre 3 -
561	Reactors for mesuring reaction rate, page 76.
562	Debono, O., Gaudion, V., Redon, N., Locoge, N., Thevenet, F., 2018. Photocatalytic treatment of VOC
563	industrial emissions: IPA removal using a sensor-instrumented reactor. Chem. Eng. J. 353, 394-
564	409. https://doi.org/10.1016/j.cej.2018.07.151
565	Debono, O., Hequet, V., Le Coq, L., Locoge, N., Thevenet, F., 2017. VOC ternary mixture effect on
566	ppb level photocatalytic oxidation: Removal kinetic, reaction intermediates and mineralization.
567	Appl. Catal. B Environ. 218, 359–369. https://doi.org/10.1016/j.apcatb.2017.06.070
568	Elfalleh, W., Assadi, A.A., Bouzaza, A., Wolbert, D., Kiwi, J., Rtimi, S., 2017. Innovative and stable
569	TiO2 supported catalytic surfaces removing aldehydes under UV-light irradiation. J. Photochem.
570	Photobiol. A Chem. 343, 96–102. https://doi.org/10.1016/j.jphotochem.2017.04.029
571	Gao, Y., Muzzio, F.J., Ierapetritou, M.G., 2012. A review of the Residence Time Distribution (RTD)
572	applications in solid unit operations. Powder Technol. 228, 416–423.

573	https://doi.org/10.1016/j.powtec.2012.05.060
574	Geng, Q., Wang, Q., Zhang, Y., Wang, L., Wang, H., 2013. Photocatalytic degradation intrinsic
575	kinetics of gaseous cyclohexane in a fluidized bed photocatalytic reactor. Res. Chem. Intermed.
576	39, 1711–1726. https://doi.org/10.1007/s11164-012-0904-3
577	He, F., Jeon, W., Choi, W., 2021. Photocatalytic air purification mimicking the self-cleaning process of
578	the atmosphere. Nat. Commun. 12, 10–13. https://doi.org/10.1038/s41467-021-22839-0
579	Herrmann, J.M., 2010. Photocatalysis fundamentals revisited to avoid several misconceptions. Appl.
580	Catal. B Environ. 99, 461–468. https://doi.org/10.1016/j.apcatb.2010.05.012
581	Hunger, M., Hüsken, G., Brouwers, H.J.H., 2010. Photocatalytic degradation of air pollutants - From
582	modeling to large scale application. Cem. Concr. Res. 40, 313–320.
583	https://doi.org/10.1016/j.cemconres.2009.09.013
584	INRS, 2019. Appareils de protection respiratoire.
585	INRS, 2011. Les appareils de protection respiratoire. Choix et utilisation.
586	Jafarikojour, M., Sohrabi, M., Royaee, S.J., Rezaei, M., 2014. Residence time distribution analysis and
587	kinetic study of toluene photo-degradation using a continuous immobilized photoreactor. RSC
588	Adv. 4, 53097–53104. https://doi.org/10.1039/c4ra05239k
589	Malayeri, M., Haghighat, F., Lee, C.S., 2021. Kinetic modeling of the photocatalytic degradation of
590	methyl ethyl ketone in air for a continuous-flow reactor. Chem. Eng. J. 404, 126602.
591	https://doi.org/10.1016/j.cej.2020.126602
592	Malayeri, M., Haghighat, F., Lee, C.S., 2019. Modeling of volatile organic compounds degradation by
593	photocatalytic oxidation reactor in indoor air: A review. Build. Environ. 154, 309-323.
594	https://doi.org/10.1016/j.buildenv.2019.02.023
595	Mamaghani, A.H., Haghighat, F., Lee, C.S., 2018. Photocatalytic degradation of VOCs on various
596	commercial titanium dioxides: Impact of operating parameters on removal efficiency and by-
597	products generation. Build. Environ. 138, 275–282.
598	https://doi.org/10.1016/j.buildenv.2018.05.002
599	Martinez, T., Bertron, A., Escadeillas, G., Ringot, E., Simon, V., 2014. BTEX abatement by

600	photocatalytic TiO2-bearing coatings applied tocement mortars. Build. Environ. 71, 186–192.
601	https://doi.org/10.1016/j.buildenv.2013.10.004
602	Muñoz-Batista, M.J., Luque, R., 2021. Heterogeneous photocatalysis. ChemEngineering 5, 341–357.
603	https://doi.org/10.3390/chemengineering5020026
604	Oliveira De Brito Lira, J., Riella, H.G., Padoin, N., Soares, C., 2021. An Overview of Photoreactors and
605	Computational Modeling for the Intensification of Photocatalytic Processes in the Gas-Phase:
606	State-of-Art. J. Environ. Chem. Eng. 9. https://doi.org/10.1016/j.jece.2021.105068
607	Palau, J., Penya-Roja, J.M., Gabaldón, C., Álvarez-Hornos, F.J., Martínez-Soria, V., 2012. Effect of
608	pre-treatments based on UV photocatalysis and photo-oxidation on toluene biofiltration
609	performance. J. Chem. Technol. Biotechnol. 87, 65-72. https://doi.org/10.1002/jctb.2683
610	Perry, R.H., Green D., Maloney J.O., 1997. Perry's Chemical Engineers's Handbook, seventh ed., Mc-
611	Graw Hill, New York. 5-48. HEAT AND MASS TRANSFER -TABLE 5-14 Correlations of
612	Diffusivities for Gases.
613	Petit, N., 2007. Couplage des procédés d'adsorption sur charbon actif et de photocatalyse TiO2/UV
614	pour l'élimination des composés organiques volatils. Tableau 5 : Corrélations semi-empiriques
615	pour accéder à k _f , page 43.
616	Qiao, Z., Wang, Z., Zhang, C., Yuan, S., Zhu, Y., Wang, J., 2012. PVAm-PIP/PS composite
617	membrane with high performance for CO ₂ /N ₂ separation. AIChE J. 59, 215–228.
618	https://doi.org/10.1002/aic
619	Queffeulou, A., Geron, L., Schaer, E., 2010. Prediction of photocatalytic air purifier apparatus
620	performances with a CFD approach using experimentally determined kinetic parameters. Chem.
621	Eng. Sci. 65, 5067–5074. https://doi.org/10.1016/j.ces.2010.05.024
622	Rodrigues, A.E., 2021. Residence time distribution (RTD) revisited. Chem. Eng. Sci. 230.
623	https://doi.org/10.1016/j.ces.2020.116188
624	Salvadores, F., Alfano, O.M., Ballari, M.M., 2020. Kinetic study of air treatment by photocatalytic paints
625	under indoor radiation source: Influence of ambient conditions and photocatalyst content. Appl.
626	Catal. B Environ. 268, 118694. https://doi.org/10.1016/j.apcatb.2020.118694
627	Sannino, D., Vaiano, V., Ciambelli, P., Murcia, J.J., Hidalgo, M.C., Navío, J.A., 2013. Gas-phase

628	photocatalytic partial oxidation of cyclohexane to cyclohexanol and cyclohexanone on Au/TiO2
629	photocatalysts. J. Adv. Oxid. Technol. 16, 71–82. https://doi.org/10.1515/jaots-2013-0107
630	Selishchev, D.S., Kolinko, P.A., Kozlov, D. V., 2012. Influence of adsorption on the photocatalytic
631	properties of TiO 2/AC composite materials in the acetone and cyclohexane vapor
632	photooxidation reactions. J. Photochem. Photobiol. A Chem. 229, 11–19.
633	https://doi.org/10.1016/j.jphotochem.2011.12.006
634 635 636	Shiraishi, Y., Shiota, S., Hirakawa, H., Tanaka, S., Ichikawa, S., Hirai, T., 2017. Titanium Dioxide/Reduced Graphene Oxide Hybrid Photocatalysts for Efficient and Selective Partial Oxidation of Cyclohexane. ACS Catal. 7, 293–300. https://doi.org/10.1021/acscatal.6b02611
637	Stroe, R.E., Rosendahl, L.A., 2019. Kinetic study of the photocatalytic oxidation of ethylene over TiO2
638	thin films. IOP Conf. Ser. Mater. Sci. Eng. 628. https://doi.org/10.1088/1757-899X/628/1/012009
639	Sundar, K.P., Kanmani, S., 2020. Progression of Photocatalytic reactors and it's comparison: A
640	Review. Chem. Eng. Res. Des. 154, 135–150. https://doi.org/10.1016/j.cherd.2019.11.035
641	Talaiekhozani, A., Rezania, S., Kim, K.H., Sanaye, R., Amani, A.M., 2021. Recent advances in
642	photocatalytic removal of organic and inorganic pollutants in air. J. Clean. Prod. 278, 123895.
643	https://doi.org/10.1016/j.jclepro.2020.123895
644	Vandenbroucke, A.M., Morent, R., De Geyter, N., Leys, C., 2011. Non-thermal plasmas for non-
645	catalytic and catalytic VOC abatement. J. Hazard. Mater. 195, 30-54.
646	https://doi.org/10.1016/j.jhazmat.2011.08.060
647	Vincent, G., Marquaire, P.M., Zahraa, O., 2008. Abatement of volatile organic compounds using an
648	annular photocatalytic reactor: Study of gaseous acetone. J. Photochem. Photobiol. A Chem.
649	197, 177–189. https://doi.org/10.1016/j.jphotochem.2007.12.021
650	Vuong, F., 2017. Modélisation du comportement des cartouches de protection respiratoire : exposition
651	à des atmosphères complexes de vapeurs organiques et effet des cycles d'utilisation François
652	Vuong To cite this version: HAL ld: tel-01619367 soutenance et mis à dispo.
653	Vuong MD. Dépollution et désodorisons de l'air par photocatalyse assistée par adsorption sur charbon
654	actif en réacteur à flux frontal continu et séquentiel. Thèse Univ. Rennes N° 4201, 2011. Tableau
655	16 : Corrélations empiriques pour accéder à k _f , page 54.

- Xu, G., Zhang, Ying, Peng, D., Sheng, D., Tian, Y., Ma, D., Zhang, Yao, 2021. Nitrogen-doped mixed-
- 657 phase TiO2 with controllable phase junction as superior visible-light photocatalyst for selective
- oxidation of cyclohexane. Appl. Surf. Sci. 536. https://doi.org/10.1016/j.apsusc.2020.147953
- Xu, G., Zhang, Ying, Peng, D., Sheng, D., Zhang, Yao, Tian, Y., Ma, D., 2022. MOF derived carbon
- 660 modified porous TiO2 mixed-phase junction with efficient visible-light photocatalysis for
- 661 cyclohexane oxidation. Mater. Res. Bull. 146. https://doi.org/10.1016/j.materresbull.2021.111602
- 4662 Yang, R., Zhang, Y., Xu, Q., Mo, J., 2007. A mass transfer based method for measuring the reaction
- coefficients of a photocatalyst. Atmos. Environ. 41, 1221–1229.
- https://doi.org/10.1016/j.atmosenv.2006.09.043
- Zadi, T., Assadi, A.A., Nasrallah, N., Bouallouche, R., Tri, P.N., Bouzaza, A., Azizi, M.M., Maachi, R.,
- Wolbert, D., 2018. Treatment of hospital indoor air by a hybrid system of combined plasma with
- photocatalysis: Case of trichloromethane. Chem. Eng. J. 349, 276–286.
- https://doi.org/10.1016/j.cej.2018.05.073
- Zadi, T., Azizi, M., Nasrallah, N., Bouzaza, A., Maachi, R., Wolbert, D., Rtimi, S., Assadi, A.A., 2020.
- Indoor air treatment of refrigerated food chambers with synergetic association between cold
- 671 plasma and photocatalysis: Process performance and photocatalytic poisoning. Chem. Eng. J.
- 672 382, 122951. https://doi.org/10.1016/j.cej.2019.122951
- 673 Zhang, G., Liu, Y., Hashisho, Z., Sun, Z., Zheng, S., Zhong, L., 2020. Adsorption and photocatalytic
- degradation performances of TiO2/diatomite composite for volatile organic compounds: Effects
- of key parameters. Appl. Surf. Sci. 525. https://doi.org/10.1016/j.apsusc.2020.146633
- Zhang, L., Moralejo, C., Anderson, W.A., 2020. A review of the influence of humidity on photocatalytic
- decomposition of gaseous pollutants on TiO2-based catalysts. Can. J. Chem. Eng. 98, 263–273.
- 678 https://doi.org/10.1002/cjce.23652
- Zhong, L., Brancho, J.J., Batterman, S., Bartlett, B.M., Godwin, C., 2017. Experimental and modeling
- study of visible light responsive photocatalytic oxidation (PCO) materials for toluene degradation.
- Appl. Catal. B Environ. 216, 122–132. https://doi.org/10.1016/j.apcatb.2017.05.047
- 682 Zhong, W., Qiao, T., Dai, J., Mao, L., Xu, Q., Zou, G., Liu, X., Yin, D., Zhao, F., 2015. Visible-light-
- responsive sulfated vanadium-doped TS-1 with hollow structure: Enhanced photocatalytic activity
- in selective oxidation of cyclohexane. J. Catal. 330, 208–221.
- 685 https://doi.org/10.1016/j.jcat.2015.06.013