

# Effect of cysteamine hydrochloride-loaded liposomes on skin depigmenting and penetration

Carla Atallah, Celine Viennet, Sophie Robin, Sami Ibazizen, Hélène Greige-Gerges, Catherine Charcosset

#### ▶ To cite this version:

Carla Atallah, Celine Viennet, Sophie Robin, Sami Ibazizen, Hélène Greige-Gerges, et al.. Effect of cysteamine hydrochloride-loaded liposomes on skin depigmenting and penetration. European Journal of Pharmaceutical Sciences, 2022, 168, pp.106082. 10.1016/j.ejps.2021.106082. hal-03759788

HAL Id: hal-03759788

https://hal.science/hal-03759788

Submitted on 24 Aug 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## Effect of cysteamine hydrochloride-loaded liposomes on skin depigmenting

2	and penetration
3	Carla Atallah <sup>a,b</sup> , Celine Viennet <sup>c</sup> , Sophie Robin <sup>d</sup> , Sami Ibazizen <sup>d</sup> , Hélène Greige-Gerges <sup>a</sup> , and
4	Catherine Charcosset <sup>b</sup>
5	<sup>a</sup> Bioactive Molecules Research Laboratory, Faculty of Sciences, Lebanese University,
6	Lebanon.
7	<sup>b</sup> Laboratoire d'Automatique, de Génie des Procédés et de Génie Pharmaceutiques
8	(LAGEPP), Université Claude Bernard Lyon 1, France.
9	<sup>c</sup> UMR 1098 RIGHT INSERM EFS BFC, DImaCell Imaging Ressource Center, University of
10	Bourgogne Franche-Comté, Besançon, 25000, France
11	<sup>d</sup> Bioexigence SAS, Espace Lafayette, Besançon, France
12	
13	

#### Abstract

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

penetration, tyrosinase.

Skin hyperpigmentation is caused by an excessive production of melanin. Cysteamine, an aminothiol compound physiologically synthetized in human body cells, is known as depigmenting agent. The aim of this study was to evaluate the depigmenting activity and skin penetration of liposome formulations encapsulating cysteamine hydrochloride. First, cysteamine hydrochloride-loaded liposomes were prepared and characterized for their size, polydispersity index, zeta potential and the encapsulation efficiency of the active molecule. The stability of cysteamine hydrochloride in the prepared liposome formulations in suspension and freeze-dried forms was then assessed. The in vitro cytotoxicity of cysteamine and cysteamineloaded liposome suspensions (either original or freeze-dried) was evaluated in B16 murine melanoma cells. The measurement of melanin and tyrosinase activities was assessed after cells treatment with free and encapsulated cysteamine. The antioxidant activity of the free and encapsulated cysteamine was evaluated by the measurement of ROS formation in treated cells. The ex vivo human skin penetration study was also performed using Franz diffusion cell. The stability of cysteamine hydrochloride was improved after encapsulation in liposomal suspension. In addition, for the liposome re-suspended after freeze-drying, a significant increase of vesicle stability was observed. The free and the encapsulated cysteamine in suspension (either original or freeze-dried) did not show any cytotoxic effect, inhibited the melanin synthesis as well as the tyrosinase activity. An antioxidant activity was observed for the free and the encapsulated cysteamine hydrochloride. The encapsulation enhanced the skin penetration of cysteamine hydrochloride. The penetration of this molecule was better for the resuspended freeze-dried form than the original liposomal suspension where the drug was found retained in the epidermis layer of the skin. Keywords: Cysteamine hydrochloride, cystamine, cytotoxicity, liposome, melanin, skin

#### 1 Introduction

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

Many compounds such as hydroquinone, kojic acid, and arbutin are used to treat hyperpigmentation; however, their use was associated with cytotoxic effects (Ephrem et al., 2017; Rendon & Gaviria, 2005; Solano et al., 2006). Cysteamine (cyst), an aminiothiol synthetized by human body cells; and its disulfide form, cystamine, have shown to possess a depigmenting effect on black gold fish (Chavin & Schlesinger, 1966; Frenk et al., 1968). Besides, the application of cysteamine Cream® on the ear of black female guinea pigs demonstrated a high depigmenting effect (Hsu et al., 2013). A randomized, double-blind vehicle-controlled clinical trial was also conducted to evaluate the efficacy and safety of this cream to treat epidermal melasma; the treatment with cysteamine cream® decreased the content of melanin (Farshi et al., 2017; Mansouri et al., 2015). It was reported that the depigmenting action of cyst and cystamine is due to the inhibition of tyrosinase activity which is the enzyme that plays a crucial role in the melanogenesis. Unlike hydroquinone, cyst and cystamine mechanisms of action are a melanogenesis inhibition and not a melanocytotoxicity (Qiu et al., 2000). Qiu et al. reported that 100 μM of cyst inhibit 21% of melanin and 87% of tyrosinase while 50 μM of cystamine inhibit 5% of melanin and 89% of tyrosinase (Qiu et al., 2000). These molecules could also reduce the reactive oxygen species (ROS) generation and enhance the intracellular glutathione (Lee et al., 2017; Okamura et al., 2014; Ribeiro et al., 2013; Shin et al., 2011; Sun et al., 2010). The production of (ROS) was significantly suppressed by low dose of cyst on 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced dopaminergic neurodegeneration mice (Sun et al., 2010). Cyst also inhibited tert-butyl hydroperoxide-induced ROS production in human corneal endothelial cells (Shin et al., 2011). It reduced ROS production by 33% in phorbol 12-myristate-13-acetate stimulated macrophages (Okamura et al., 2014). In addition, cyst inhibited vascular endothelial growth factor-induced ROS generation in a concentration-dependent manner, with maximum effect at 50 µM (Lee et al.,

64 2017). Moreover, cystamine decreased ROS levels evoked by H<sub>2</sub>O<sub>2</sub> or staurosporine in mutant 65 cells (Ribeiro et al., 2013). 66 However, cyst presents an offensive odor and is unstable in solutions where it undergoes 67 oxidation to cystamine (Atallah, Charcosset, et al., 2020). The encapsulation of many skin whitening agents in delivery systems improved their stability (Ephrem et al., 2017). Moreover, 68 69 it increased their concentration at the targeted site by improving skin permeation, penetration 70 or distribution (Ephrem et al., 2017). Liposomes are nanometric spherical vesicles able to 71 encapsulate hydrophilic, hydrophobic and amphiphilic molecules. They are biodegradable, 72 biocompatible and present a low toxicity (Zylberberg & Matosevic, 2016). 73 Cyst can be used in different forms such as cyst (base form), cyst hydrochloride (cyst HCl), 74 phosphocyst, and cyst bitartrate (Figure 1). An increase of the stability of the base form of cyst 75 was previously demonstrated after encapsulation in liposomes suspension (original and from 76 freeze-dried form) compared to free cyst (base form) during storage at 4°C (Atallah, Greige-77 Gerges, et al., 2020). However, after 60 hours, the remaining cyst in liposome suspension was 78 very low. Therefore, cyst HCl was used in this study because the salt form of this molecule is 79 more stable than its base form (Wiedmann & Naqwi, 2016). 80 The aim of this study was to investigate the effect of cyst HCl-loaded liposomes on 81 melanogenesis and oxidative stress in cultured B16 cells. Skin penetration assays were also 82 conducted on ex-vivo human skin. Blank and cyst HCl-loaded liposomes were prepared by the 83 ethanol injection method and characterized for their size, polydispersity index and zeta 84 potential. The encapsulation efficiency of cyst HCl (EE%) in liposomes was also calculated. 85 The amount of residual ethanol in the blank liposomes was determined by NMR technique. 86 Blank and cyst HCl-loaded liposomes were freeze-dried according to the optimized protocol 87 previously described (Gharib et al., 2018). The lyophilized liposomes were then re-suspended 88 with ultra-pure water. The stability of free cysteamine dissolved in water and that of the cyst HCl-loaded liposome suspensions (original or freeze-dried form) was evaluated at 4°C during 6 months. The cytotoxicity of free cyst HCl, cystamine and the suspensions of blank- and cyst HCl-loaded liposomes (original or freeze-dried) were evaluated by MTT assay. In addition, the effects of the same formulations on the *in vitro* melanin content and tyrosinase activity were measured. Moreover, the antioxidant activity of the free and the encapsulated cyst HCl was assessed by the measurement of ROS formation induced by the presence of H<sub>2</sub>O<sub>2</sub> in B16 cells. Finally, the skin penetration of free- and cyst HCl-loaded liposomes was compared using the Franz diffusion cell.

#### 2 Materials and Methods

#### 2.1 Materials

Cyst HCl, cystamine dihydrochloride, metformin hydrochloride, (3-(4, 5-dimethylthiazol-2-yl)-2, 5-diphenyltetrazolium bromide), DMSO, L-DOPA and NaOH were purchased from Sigma-Aldrich (Buchs, Switzerland). Phospholipon 90H (90% soybean PC, 4% lysoPC, 2% triglycerides, 2% water, and 0.5% ethanol) was obtained from Lipoid GmbH (Ludwigshafen, Germany). Cholesterol was obtained from the Fisher chemical (Loughborough, UK). HP-β-CD-oral grade (MS=0.85) was purchased from Roquette (Lestrem, France). Sodium dodecyl phosphate and phosphoric acid were obtained from Sigma-Aldrich (China). (trimethylsilyl)-2,2,3,3-tetradeutepropropionic acid sodium salt, 2,7-dichlorodihydrofluorescein diacetate and H<sub>2</sub>O<sub>2</sub> were purchased form Sigma-Aldrich (USA). Deuterium oxide (D<sub>2</sub>O) was purchased from Acros organics (USA). Dulbecco's Modified Eagle Medium (DMEM), fetal bovine serum (FBS), penicillin, and streptomycin were purchased from Dominique Dutscher (France). All other chemicals were of analytical grade.

### 2.2 Cyst HCl-loaded liposomes suspensions preparation (original and re-suspended

#### after freeze-drying)

Liposomes were prepared by ethanol injection method, as described by Sebaaly et al. (2016). The organic phase was prepared by dissolving phospholipon 90H (saturated lipid) (100 mg) and cholesterol (50 mg) in absolute ethanol (10 mL). Then, the organic phase was injected into the aqueous phase (20 mL) containing 5 mg/mL of cyst HCl, using a syringe pump (Fortuna optima, GmbH-Germany), at a temperature above the transition temperature of the phospholipid (55°C) and under magnetic stirring at 400 rpm. The contact between the organic solution and the aqueous phase leads to a spontaneous liposome formation. The liposomal suspensions were then left for 15 min at 25°C under stirring (400 rpm). The ethanol was removed by rotary evaporation (Heidolph GmbH, Germany) under reduced pressure at 40°C

and the obtained liposomal solutions were stored at 4°C. Each preparation was performed in triplicate. The freeze drying of blank- and cyst HCl-loaded liposomes was done as previously reported (Atallah, Greige-Gerges, et al., 2020). In brief, blank liposomes and cyst HCl-loaded liposomes (PH 90H: Chol: cyst molar ratios 1:0.98:10) were freshly prepared; 5 mL were then ultracentrifuged at 170,000g for 1 h at 4 °C. The supernatant was removed, and the pellet was re-dissolved in an aqueous solution of 50 mM HP-β-CD (2 mL). The samples were kept at -20 °C overnight then placed into the drying chamber of Cryonext 23,020 freeze-dryer (Trappes, France), pre-cooled to -20°C, then lowered to -40°C with a slow cooling profile of 0.5°C/min. The product was stabilized for 30 min at -38 °C before the vacuum was applied. Primary drying was executed at a pressure of 150 µbar for 3 h at -10°C, then the temperature of the drying chamber was progressively increased to 5 °C for 6 h at 250 µbar, to reach finally 10°C at 350 μbar for 9 h. A secondary drying step for 10 h at 20°C and 100 μbar pressure was applied. Finally, the vials were removed from the freeze-dryer, closed with rubber caps, and stored at 4°C. The lyophilized liposomes were then re-suspended with ultra-pure water to the original volume (5 mL).

#### 2.3 Cyst HCl-loaded liposomes characterization

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

The size, polydispersity index and zeta potential were determined using Malvern Zetasizer Nanoseries (Zetasizer Nano ZS; Malvern Instruments Ltd, France). All batches were diluted with ultrapure water. The particle-size distribution data were collected using the DTS (nano) software (version 5.10) provided with the instrument. Zeta potential was calculated using Smoluchowski's equation from the electrophoretic mobility of liposomes. All measurements were carried out at  $25^{\circ}$ C after 2 min of equilibration and were performed in triplicate. Data were expressed as the mean values  $\pm$  SD.

For the calculation of EE%, liposomal suspensions (5 mL) were ultra-centrifuged (OptimaTM Ultracentrifuge, Beckman Coulter, USA) at 170,000g for 1 h at 4°C to separate the free cyst HCl (supernatant) from the liposomes loading cyst HCl (pellet). The pellet was re-suspended in water (5 mL). The total liposomal suspension as well as the re-suspended pellet were sonicated and then analyzed by ion pair chromatography method as described below. This allows to determine the total and encapsulated cyst HCl in the liposomal suspensions.

The encapsulation efficiency (EE %) of cyst HCl was calculated using the formula:

153 
$$EE_{Cyst HCl}\% = \frac{[Cyst HCl]_{encapsulated}}{[Cyst HCl]_{total}} \times 100$$

Where [Cyst HCl]<sub>encapsulated</sub> and [Cyst HCl]<sub>total</sub> represent the concentration of encapsulated cyst

HCl (pellet) and the concentration of the total cyst HCl present in the liposomal suspension,

respectively.

#### 2.4 Cyst HCl and cystamine quantification

To quantify cyst HCl and cystamine in the different formulations, an ion-pair chromatography with an isocratic mode consisting of acetonitrile:water containing 0.1% phosphoric acid and sodium dodecyl phosphate (4 mM) (v/v, 45:55) was used. The column was a reverse-phase Kinetex C18 column (4.6 × 100 mm, 2.6  $\mu$ m). 20  $\mu$ L were injected in the column maintained at 25°C with a flow rate of 1.0 mL/min, and the detection wavelength was 215 nm. Metformin (1  $\mu$ g/mL) was used as an internal standard. Linearity was between 2.5 and 100  $\mu$ g/mL for cyst HCl and between 5 and 100  $\mu$ g/mL for cystamine. This method was previously used for the quantification of cyst in its base form; the same chromatographic results were obtained as for cyst HCl (retention time, limits of detection and quantification).

#### 2.5 Ethanol quantification in the blank liposomal suspension

The quantity of ethanol present in the blank liposomal suspension was also determined by NMR technique according to Zuriarrain et al. (Zuriarrain et al., 2015). Blank liposomal suspensions

were centrifuged for 10 min at 11200g. The residual ethanol is supposed to be present in the upper phase. The internal standard used was (trimethylsilyl)-2,2,3,3-tetradeutepropropionic acid sodium salt (TSP) (CH<sub>3</sub>)<sub>3</sub>SiCD<sub>2</sub>CD<sub>2</sub>CO<sub>2</sub>Na. 10 mg of TSP was dissolved in 400  $\mu$ L D<sub>2</sub>O and 300  $\mu$ L of the supernatant of the liposomal suspension. The number of moles of ethanol is calculated from the NMR spectrum using the following equation:

$$n_{EtOH} = \frac{H_{IS}}{H_{CH2}} \times n_{IS} \times \frac{I_{CH2}}{I_{IS}}$$

Where  $H_{IS}$  and  $H_{CH2}$  are the numbers of hydrogen atoms present in the internal standard structure (equals to 9) and in  $CH_2$  group of ethanol (equals to 2),  $n_{IS}$  is the number of moles of the internal standard (equals to  $5.78 \times 10^{-5}$  mole) and  $I_{CH2}$  and  $I_{IS}$  are the integration of the  $CH_2$  group of ethanol and the internal standard peaks.

To simplify, we replaced H<sub>IS</sub>, H<sub>CH2</sub> and n<sub>IS</sub> by their values to obtain the following equation:

181 
$$n_{\text{EtOH (mole)}} = 0.00026 \times \frac{I_{\text{CH2}}}{I_{\text{IS}}}$$

#### 2.6 Stability of free cyst HCl in solution, suspended cyst HCl-loaded liposomes

#### (original and freeze-dried)

The stability of cyst HCl-loaded liposome was compared to that of free cyst HCl. The liposomal suspension (5 mL) was centrifuged, the supernatant was eliminated, and the pellet was resuspended in water. The concentration of the encapsulated cyst HCl was determined after the destruction of liposomes by sonication. A solution of cyst HCl with the same concentration of the encapsulated cyst HCl was also prepared in water and stored at 4°C. After 6 months of storage at 4°C, the concentration of the remaining cyst HCl in free cyst HCl solution and the suspensions of liposomes loading cyst HCl was determined. Also, after three months of storage at 4°C, freeze-dried liposomes were re-suspended in 5 mL water and the remaining cyst HCl concentration was measured using ion-pair chromatography.

#### 2.7 Cell culture

B16 murine melanoma cells (Elabscience, CliniSciences, Nanterre, France) were grown in Dulbecco's Modified Eagle Medium (DMEM) supplemented with 10% heat-inactivated fetal bovine serum (FBS), 100 U/mL penicillin, and 100 μg/mL streptomycin. Cells were maintained in an incubator at 37 °C in a humidified 5% CO<sub>2</sub> atmosphere and passaged weekly using trypsin 0.05%/EDTA 0.02% in PBS to maintain the optimum conditions for exponential growth.

#### 2.8 Preparation of the formulations

Different concentrations of cyst HCl and cystamine (50; 60; 100 and 500  $\mu$ M) were prepared in culture medium. Blank liposomes (original and re-suspended after freeze-drying) were prepared between 0.1 to 5.7% v/v in culture medium to evaluate their cytotoxic effect. The suspensions containing total cyst HCl-loaded liposome (encapsulated and non-encapsulated) were centrifuged and the pellet was re-suspended to obtain the encapsulated cyst HCl-loaded liposome. The total (present in the whole suspension) and the encapsulated cyst HCl-loaded liposome were diluted in culture medium to obtain 0.1 and 2.8 v/v%, respectively. The freeze dried cyst HCl-loaded liposomes were re-suspended in water and then diluted in culture medium to obtain 5.7 v/v%. These dilutions were made to obtain the same concentration of cyst HCl (60  $\mu$ M) in all formulations. Kojic acid (700  $\mu$ M) was prepared in water and used as positive control.

#### 2.9 Cytotoxicity analysis

B16 melanoma cell viability was determined by the (3-(4, 5-dimethylthiazol-2-yl)-2, 5-diphenyltetrazolium bromide) MTT assay. Cells were seeded in 96-well microtiter plates at a density of  $6x10^3$  cells/well. After 24 h of incubation at 37°C in 5% CO<sub>2</sub>, cells were treated with 100  $\mu$ L of each formulation described in section 2.8. After 24 and 48 h of incubation with the different formulations, the medium was removed, cells were washed twice and 100  $\mu$ L of MTT solution (0.5 mg/mL in medium) were added to each well. Cells were incubated for 4 h at 37°C

and the produced formazan salts were then dissolved in DMSO. Absorbance was measured at 571 nm by spectroscopy on a microplate reader (Thermo Scientific, Multiskan FC).

#### 2.10 Melanin measurement

B16 cells were seeded at a density of 10x10<sup>4</sup> cells/well in 6-well plates. Plates were incubated for 24 h at 37°C in 5% CO<sub>2</sub> before being treated with cyst HCl (60 μM), cystamine (60 μM), kojic acid (700 μM), blank liposomes (original suspension and re-suspended freeze-dried form), total cyst HCl-loaded liposome suspension, encapsulated cyst HCl-loaded liposome suspension and suspended freeze-dried cyst HCl-loaded liposome. After 24 and 48 h, cells were collected by scraping into ice-cold PBS and pelleted. Intracellular melanin was extracted by solubilizing cell pellets in 1N NaOH containing 10% DMSO for 2 h at 80°C. The melanin content of cell lysate supernatants was measured spectrophotometrically at an absorbance of 405 nm against a standard curve of synthetic melanin. Intracellular melanin content was adjusted by the amount of protein.

#### 2.11 Tyrosinase activity assay

Intracellular tyrosinase activity was determined by measuring the rate of oxidation of L-DOPA to DOPAchrome. B16 cells were seeded at a density of  $10x10^4$  cells/well in 6-well plates. After 24 h, 2 mL of cyst HCl (60  $\mu$ M), cystamine (60  $\mu$ M), kojic acid (700  $\mu$ M), blank liposomes (original suspension and re-suspended after freeze-drying), whole suspension of cyst HCl-loaded liposome, suspended cyst HCl-loaded liposome (encapsulated) and suspended freeze-dried cyst HCl-loaded liposome were added to cells. 48 and 72h post-treatment, cells were harvested by scraping into ice-cold PBS and lysed at room temperature for 15 min with 0.5% Triton X-100 in PBS. Lysed cell supernatants (100  $\mu$ L) were mixed with 100  $\mu$ L of freshly prepared L-DOPA solution (0.1% in PBS). Following incubation at 37°C for 1 h, absorbance was measured at 450 nm and compared with a standard curve using mushroom tyrosinase.

Tyrosinase activity was normalized to the amount of protein (determined using the Bradford assay).

#### 2.12 Reactive oxygen species content

Intracellular ROS production was detected using the oxidation-sensitive fluorescence dye 2,7-dichlorodihydrofluorescein diacetate (DCFH-DA). Cells were seeded at a density of 6x10<sup>3</sup> cells/well in 96-well plates. After 24 h, they were firstly treated 2 times over a period of 72 h with 100 μL of tested substances, and secondly treated with H<sub>2</sub>O<sub>2</sub> (100 μM in culture medium) for 6 h. Then DCFH-DA solution (1 μM in culture medium) was added to cells for 30 min at 37°C. Immediately after PBS washing, fluorescence was quantified using a spectrofluorophotometer (BioTek, Synergy H1) with 495 nm excitation and 527 nm emission filters. ROS were observed under an inverted fluorescence microscope (Olympus, DP50).

#### 2.13 Ex vivo skin penetration study with Franz cell

Ex vivo percutaneous permeation of cyst HCl was performed on thawed skin from a female caucasian donor. Skin was defatted using a scalpel and then dermatomed with a dermatome (Zimmer Biomet Electric® Dermatome). Skin discs were realized using a circled cutter and the thickness range was between 400 and 600 microns. Skin discs were mounted on a Franz cells system (PermeGear). Franz cells were previously filled with receptor fluid (RF) consisting of PBS-EDTA 0.1% at pH 7.4. Skin discs were equilibrated during 1 h before measurement of TEWL (Trans Epidermal Water Loss) using a tewameter TM300 (MDD 4, Courage & Khazaka). The tested formulations were cyst HCl solution, total and encapsulated cyst HCl-loaded liposomes and resuspended freeze-dried cyst HCl-loaded liposomes. 1 mL of each formulation diluted to obtain 1200μM of cyst HCl as a final concentration has been deposited on the skin. RF was sampled at different time points 0, 1, 4, 18 and 24h. At 24 h, formulations were removed and skin discs were washed with RF (1 mL). Skin compartments were separated using forceps in order to obtain epidermis and dermis. Samples (Washing, Epidermis and

Dermis) were weighed and then the active ingredient was extracted in methanol:water extraction solvent (50:50, v/v) after stirring during 24 h. Finally, extracts were quantified by ion pair chromatography.

#### 2.14 Statistical analysis

- The differences between the treated and the control cells were calculated using ANOVA (GraphPad Prism 9; GraphPad Software, San Diego, CA) with p < 0.05 defining statistical
- significance.

#### 3 Results and discussion

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

#### 3.1 Characterization of cyst HCl-loaded liposomes

The sizes of the blank and cyst HCl-loaded liposomes were similar with  $211 \pm 8$  nm and  $217 \pm$ 22 nm for blank and loaded liposomes, respectively. The polydispersity index was  $0.2 \pm 0.1$  for the blank and cyst HCl-loaded liposomes indicating that the liposomal population was homogeneous. The zeta potential of the blank liposomes (-17.95  $\pm$  4.0 mV) was increased after the addition of cyst HCl (-2.37  $\pm$  0.7 mV). This result indicates the presence of an interaction between cyst HCl and the liposomal suspension. The EE% of the studied formulation was 3.74  $\pm$  0.46 % which is lower than the EE% of cyst-loaded liposome (21  $\pm$  5.0%) found in our previous work using the base form of cyst (Atallah, Greige-Gerges, et al., 2020). Cyst (base form) and cyst HCl differ by their aqueous solubility, pH of their aqueous solution, and their stability. The base form may interact with negatively charged phosphate of phospholipids leading to a greater encapsulation when compared with cyst HCl form. The remaining percentage of ethanol in the liposomal suspension depended on the time of evaporation and the remaining volume of liposomal suspension. In fact, the percentage of the ethanol in the liposomal suspension increased with the increase of the final volume of liposomal suspension. The percentage of ethanol in all the studied conditions was less than 2.6% (Table **S1)**.

#### 3.2 Stability of cyst HCl-loaded liposomes

The stability of cyst HCl-loaded liposomes and free cyst HCl prepared in water was assessed after storage at 4°C. The total degradation of free cyst HCl was obtained after 16 days, whereas a remaining cyst HCl percentage of 9.5% was obtained in the cyst HCl-loaded liposomes in suspension form after 6 months of storage at 4°C. The total concentration of cyst HCl in the resuspended freeze dried liposomes was determined after 3 months of storage at 4°C showing that the concentration of cyst HCl determined at time 0 was stable after 3 months of storage

(Figure 2). The stability of cysteamine in its hydrochloride form was much better than in its base form. For the same concentration of the free drug (200 μg/mL), cysteamine in its base from was totally converted to cystamine after 15h of storage at 4°C (Atallah, Greige-Gerges, et al., 2020) while cyst HCl was totally converted after 16 days of storage at 4°C. The encapsulation of cyst HCl increased its stability in suspension form (total degradation after 6 months of storage) and for a longer time when the formulation was freeze-dried (no degradation after 3 months of storage). The base form of cyst (200 μg/mL) was totally oxidized after 60 h in the liposomal suspension and 4 months in the freeze-dried form (Atallah, Greige-Gerges, et al., 2020).

form)

## 3.3 Cytotoxicity of blank liposomes (original suspension and suspended freeze-dried

The cytotoxicity of the blank liposomes in suspension and the suspended freeze-dried form was evaluated by MTT assay on B16 murine melanoma cells after 24 and 48 h of incubation. Following the ISO 10993-5 guideline, percentages of cell viability above 80% are considered as non-cytotoxic. Blank liposomes in suspension form did not show any cytotoxic effect at the various volume concentrations (0.1; 1; 2; 2.8 and 5% v/v) (**Table S2**). 5% of H<sub>2</sub>O/ethanol solution decreased the cell viability to 83  $\pm$  0.1%. Suspended freeze-dried blank liposomes showed a higher cytotoxicity than the liposomal suspension after 24 h of incubation. For 5% (v/v), the cytotoxicity of blank liposomal suspension was 90  $\pm$  0.1% while it was 75  $\pm$  0.1% for the suspended freeze-dried form (**Table S2**). The cytotoxicity of the liposomes decreased after 48 h. The cytotoxicity observed is probably due to the presence of the HP- $\beta$ -CD (used as a cryoprotectant) in the freeze-dried vesicles (Hammoud et al., 2019).

#### 3.4 Cytotoxicity of free cyst HCl and cystamine

The cytotoxicity of free cyst HCl and cystamine was for the first time evaluated on B16 melanoma cell line. Free cyst HCl and cystamine did not show any cytotoxicity between 50 and

 $\mu$ M (cell viability > 92%). However, cystamine showed a higher cytotoxicity than cyst HCl at 500  $\mu$ M; cell viability was decreased to 59  $\pm$  0.1% and 26  $\pm$  0.1% after 24h of 500  $\mu$ M cyst HCl and cystamine treatments, respectively (**Figure 3A**). Similarly, Qiu et al. showed that cystamine (50 to 100  $\mu$ M) did not present any cytotoxic effect on MM418c5, MM96L and HeLa cells after 6 days of treatment (Qiu et al., 2000). According to these results, cyst HCl at a concentration of 60  $\mu$ M was chosen for the next analysis.

#### 3.5 Cytotoxicity of cyst HCl-loaded liposomes

of melanin than the original suspension (Figure 4).

The cytotoxicity of the total and encapsulated cyst HCl loaded liposomes was also evaluated on B16 melanoma cells. Cell viability of the total and encapsulated cyst HCl-loaded liposomes was  $92 \pm 0.1\%$  and  $95 \pm 0.1\%$ , respectively, after 24 h of incubation. However, the suspended freeze-dried form was more cytotoxic ( $74 \pm 0.1\%$ ) than the liposomal suspension (**Figure 3B**).

#### 3.6 Inhibition of melanin synthesis

To study the effect of cyst HCl loaded liposomes on melanogenesis, we examined the level of melanin produced in B16 cells after 2 treatments during 72 h of incubation with free cyst HCl and cystamine (culture media as control), whole liposome suspension encapsulating cyst HCl and cyst HCl-loaded liposome (original liposome suspension as control), and resuspended freeze-dried cyst HCl-loaded liposome (resuspended freeze-dried liposome as control). Kojic acid was used as a positive control. For the same concentration of cyst HCl and cystamine (60  $\mu$ M), cystamine was able to reduce the melanin content in the cells (33.0  $\pm$  13.0%) more than cyst HCl (26.0  $\pm$  8.6%). Kojic acid used as a reference presented a melanin inhibition of 36.0  $\pm$  9.1%. Suspended freeze-dried blank liposome did not show any inhibition of melanin (data not shown). The inhibition of melanin was lower for the encapsulated (22.0  $\pm$  0.9%) form compared to the free form (26.0  $\pm$  8.6%). The suspended freeze-dried cyst HCl-loaded liposome (23.5  $\pm$  6.3%) showed a better inhibition

#### 3.7 Inhibition of tyrosinase activity

The tyrosinase enzyme plays a crucial role in melanogenesis. Kojic acid (used as positive control) showed a strong inhibition of the enzyme activity ( $36.2 \pm 5.8\%$ ). Cystamine ( $28.2 \pm 12.2\%$ ) and cyst HCl ( $26.8 \pm 5.5\%$ ) inhibited the tyrosinase activity. Therefore, melanogenesis inhibition by cyst HCl and cystamine in B16 cells occurs via direct inhibition of tyrosinase activity, as previously described by Qiu et al. The effect of the cyst HCl encapsulated in liposomes on the inhibition of the tyrosinase activity was investigated. The encapsulation of cyst HCl decreased its inhibition of tyrosinase activity effect ( $26.8 \pm 5.5\%$  was inhibited in presence of free cyst HCl while  $19.6 \pm 4.4\%$  and  $18.3 \pm 2.9\%$  was inhibited for the encapsulated cyst HCl loaded liposome and resuspended freeze-dried cyst HCl-loaded, respectively) (**Figure 4**).

To the best of our knowledge, one study investigated the depigmenting effect of cyst *in vitro* using pigmented melanoma MM418c5 cells. It showed that 100  $\mu$ M of cyst inhibit 21.0% of melanin and 87.0% of tyrosinase while 50  $\mu$ M of cystamine inhibit 5.0% of melanin and 89.0% of tyrosinase (Qiu et al., 2000).

**Figure 5** shows the microscopic observation of the cells after 2 treatments during 72 h of incubation with free, total and encapsulated cyst HCl-loaded liposome in suspension and resuspended freeze-dried forms. It also shows the solubilized cell pellets of the different treated cells. A whitening effect was observed for all the formulations in comparison with the control.

#### 3.8 Reactive oxygen species content

Intracellular oxidative stress was measured by the DCFH-DA assay. The cleavage of two acetate groups of DCFH-DA by esterase will lead to the formation of DCFH that can be oxidized to a highly fluorescent compound DCF by intracellular ROS. Therefore, the fluorescence intensity of DCF can directly reflect the level of ROS in the cell (Rhee et al.,

2010). Hydrogen peroxide (H<sub>2</sub>O<sub>2</sub>) is a well-known inducer of oxidative stress. To estimate the effect of cyst HCl and its encapsulation on the intracellular production of ROS in cultured B16 cells, cells were pretreated 2 times over a period of 72 h with 60 μM of cyst HCl and cystamine; total and encapsulated cyst HCl-loaded liposome in suspension and resuspended freeze-dried forms, and then treated for 6 h with H<sub>2</sub>O<sub>2</sub>. The inhibited percentage of ROS formation was 43.4±10.3% and 38.6±9.8% in the presence of free cyst HCl and cystamine, respectively. This percentage was slightly decreased after the encapsulation of cyst HCl where it was 35.4±10.1% and 33.6±11.6% for the encapsulated cyst HCl in suspension and resuspended freeze dried forms (**Figure 6**). After, the addition of 60 μM cyst or cystamine to the B16 cells, a decrease in ROS levels by a factor of 1.8 and 1.6, respectively, in comparison with the control was observed. The addition of the encapsulated cyst HCl in suspension and resupended freeze dried forms also decreased the relative fluorescence by 1.4 and 1.5 times in comparison with the control. **Figure 7** shows fluorescence microscopy images of B16 cells. A decrease of the DCFH-DA fluorescence in all cultures treated with the formulations containing cyst HCl was observed in comparison to the control.

#### 3.9 Skin penetration study

The cumulative amounts of cyst HCl penetrating the skin and found in the receptor fluid from each of the liposomal formulation and controls over 24 h are shown in **Figure 8**. The encapsulation of cyst HCl in liposomes increased its penetration through the human skin. The quantity of cyst HCl found in the fluid receptor after 24 h of deposition was increased by 2.9-; 3.5- and 3.5-fold for the total, encapsulated and lyophilized cyst HCl loaded liposomes, respectively in comparison to the free drug in solution (**Figure 8**). Cystamine did not penetrate the skin since it was not found in the receptor fluid nor in the epidermis layer.

Figure 9 shows the retention of cyst HCl in the epidermis when the drug was free or encapsulated in liposomes in suspension or in resuspended freeze-dried forms. The highest

quantity of retained cyst HCl in the epidermis was found for the cyst HCl-loaded liposome in the resuspended freeze-dried form (150  $\mu g/cm^2$ ). The presence of HP- $\beta$ -CD could be the reason behind the increase of cyst penetration in the resuspended freeze-dried form. The cyclodextrin is known to be a penetration enhancer of the drug through the membranes (Loftsson & Sigurdardóttir, 1996; Yan et al., 2014).  $\alpha$ -Cyclodextrin demonstrated its ability to promote the trans corneal diffusion of cyst (Pescina et al., 2016). A slight decrease of the retention of the molecule in the epidermis was observed for cyst HCl encapsulated in liposome (120.0  $\mu g/cm^2$ ) in comparison with the free drug (140.0  $\mu g/cm^2$ ) while a higher decrease was obtained for the total cyst HCl loaded liposome (85.0  $\mu g/cm^2$ ). No trace of cystamine was found in the epidermis.

#### 4 Discussion

Liposomes represent the most studied system for drug delivery through the skin. These delivery systems are used to enhance stability, skin penetration, depigmenting effect and antioxidant activity of several compounds. For example, vitamin A demonstrated better stability when loaded into liposomes compared to the free form during exposure to UV radiation (Arsić & Vuleta, 1999). The encapsulation of curcumin in liposomes provided substantially more protection than the encapsulation in CDs (Matloob et al., 2014). Amphotericin B liposome formulations showed a higher stability (shelf life of 1 year) compared to the free drug (4 and 14 days) (Manosroi et al., 2004). The chemical stability of fasudil, an anti-vasospastic agent, was also enhanced after its encapsulation (Ishida et al., 2002). In this article, the encapsulation of cyst HCl in liposomes enhanced its stability; the total degradation of cyst HCl was obtained after 16 days in aqueous medium, and lasted for 6 months for the liposomal suspension. Moreover, cyst HCl loaded liposomes were stable during freeze-drying, and stability was maintained after 3 months of storage.

In addition, the cream containing liposome-encapsulated 4-n-butylresorcinol and resveratrol was shown to be effective and safe for the treatment of melasma. (Kwon et al., 2020). Aloe Vera loaded into liposomes was proposed for melasma treatment and as an effective skin care formulation especially for anti-aging and skin regeneration (Ghafarzadeh & Eatemadi, 2017). In this study, the encapsulation of cyst HCl in liposomes showed a decrease of the depigmenting effect that could be due to the entrapment of the drug in the liposomes aqueous compartment. Hydroxytyrosol liposomes presented better DPPH radical scavenging activity than free hydroxytyrosol, which could be due to the fact that hydroxytyrosol was encapsulated inside the liposomes with a high encapsulation rate (Yuan et al., 2017). Stronger free radical scavenging effect was obtained in Orthosiphon stamineus liposomes that in nonformulated extract (Yücel & Seker Karatoprak, 2017). No variation of the antioxidant activity was observed for the hydrophilic Crithmum maritimum after its encapsulation in liposomes (Alemán et al., 2019). Also, our results are in accordance with Aleman et al. where the antioxidant activity was slightly decreased after encapsulation in liposomes. Liposomes also showed an increase of skin penetration of entrapped and non-entrapped hydrophilic substances into human skin. The penetration study of the liposomal formulation containing encapsulated and non-encapsulated carboxyfluorescein exhibited maximum deposition of this compound in the stratum corneum, whereas the liposomes containing just the encapsulated carboxyfluorescein inside the liposomes showed a higher penetration into deeper skin layers, such as the viable epidermis, and through the skin to the receiver compartment of Franz diffusion cell (Verma et al., 2003). Another study showed that maximum idebenone penetration in dermis was achieved by liposomes compared to leciplex and invasomes (Shah et al., 2015). The skin penetration of itraconazole (ITZ) was studied using an aqueous solution of ITZ, CD/ITZ inclusion complex, ITZ loaded liposomes and the CD/ITZ inclusion complex loaded into liposomes. The complex improved slightly the drug penetration while ITZ-HP-β-

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

CD-loaded liposomes exhibited significant increase in ITZ skin deposition compared to liposomes containing ITZ alone (Alomrani et al., 2014). Our results are in accordance with the literature as an increase of the skin penetration was observed with cyst HCl encapsulation especially the freeze dried form containing HP-β-CD. In this study, phopsholipon 90H (PH90H) and cholesterol were chosen to prepare liposomes encapsulating cyst HCl. Previous studies used PH90H liposomes to enhance the skin penetration of drugs of various pharmacological classes, like methotrexate, idoxuridine and acyclovir. It was shown that their dermal penetration was improved (Ita et al., 2010). Tarnowska et al. also used PH90H liposomes to study the skin absorption of Mg<sup>2+</sup> and Ca<sup>2+</sup> from thermal spring water, and showed that the suspension improved the skin absorption of Ca<sup>2+</sup> (Tarnowska et al., 2020). Beside, a mixture of PH90H and cholesterol was used for preparation of liposomes encapsulating terbinafine HCl by the ethanol injection method. The cutaneous application of this formulation prolonged the antifungal activity (Beeravelli et al., 2014). Similarly, a liposomal formulation based on PH90H and cholesterol encapsulating nadifloxacin showed a better penetration in deeper layers of skin, when compared with the free drug (Shiny et al., 2016). In addition, saturated PH90H are in a gel like state on the skin, due to their melting temperature Tm around 50°C (Dörfler & Brezesinski, 1983). A study successfully confirmed that hydrogenated phospholipids penetrate into the strateum corneum, a high amount of the lipid was found in the upper skin layers and a gradual decrease was noticed in the deeper layers showing an accumulation of saturated phosphatidylcholine in upper epidermal layers (Gutekunst et al., 2018). Liposomes can be applied on the skin under different forms such as gel or cream. Topical gels are commonly prescribed for skin diseases. The use of topical gels is convenient and could provide a prolonged skin retention of the drug, which is beneficial for the treatment of skin

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

disease. Several studies used the liposomal gel for skin applications. For example, Wang et al.

used liposomal gel dual-loaded with all-trans retinoic acid and betamethasone for enhanced therapeutic efficiency of psoriasis (Wang et al., 2020). The dermal delivery of nadifloxacin was enhanced using liposomal gel (Shiny et al., 2016). In addition, liposomal gels were developed for the topical delivery of anthralin (Fathalla et al., 2020).

#### 5 Conclusion

The encapsulation of cyst HCl increased the stability of the molecule especially when the formulation was freeze-dried. The formulation was not cytotoxic with the chosen concentrations. Cyst HCl and cystamine showed an inhibition of melanin and tyrosinase activity but cystamine was not able to penetrate the skin layers. The encapsulation of cyst HCl decreased its inhibition of melanin and tyrosinase activity but increased its penetration in the skin and its retention in the epidermis. The encapsulation didn't affect the antioxidant activity observed for the free cyst HCl. These findings are important for further application of cyst HCl liposomal formulations as a depigmenting agent. In this study, the results of depigmenting and antioxidant activities are based on vitro assays, precisely 2D cultures of B16. The *B16 cell* line is a widely used *model* for skin whitening and pigmentation studies. But potentially 3D models where cells are embedded in complex environments offer a better model of the *in vivo* cell environment than traditional 2D culture.

#### **Acknowledgements**

- 490 Authors thank the Research Funding Program at the Lebanese University and the "Agence
- 491 Universitaire de la Francophonie, projet PCSI" for supporting the project (2018-2020). Authors
- also thank the Lyon 1 University NMR facility for setting up the NMR experiments.

## **Declaration of Competing Interest**

- 494 The authors declare that they have no known competing financial interests or personal
- relationships that could have appeared to influence the work reported in this paper.

## 6 References

497	
498	Alemán, A., Marín, D., Taladrid, D., Montero, P., & Carmen Gómez-Guillén, M. (2019).
499	Encapsulation of antioxidant sea fennel (Crithmum maritimum) aqueous and ethanolic
500	extracts in freeze-dried soy phosphatidylcholine liposomes. Food Research
501	International (Ottawa, Ont.), 119, 665–674.
502	https://doi.org/10.1016/j.foodres.2018.10.044
503	Alomrani, A. H., Shazly, G. A., Amara, A. A., & Badran, M. M. (2014). Itraconazole-
504	hydroxypropyl-β-cyclodextrin loaded deformable liposomes: In vitro skin penetration
505	studies and antifungal efficacy using Candida albicans as model. Colloids and
506	Surfaces. B, Biointerfaces, 121, 74-81. https://doi.org/10.1016/j.colsurfb.2014.05.030
507	Arsić, I., & Vuleta, G. (1999). Influence of liposomes on the stability of vitamin a
508	incorporated in polyacrylate hydrogel. International Journal of Cosmetic Science,
509	21(4), 219–225. https://doi.org/10.1046/j.1467-2494.1999.181682.x
510	Atallah, C., Charcosset, C., & Greige-Gerges, H. (2020). Challenges for cysteamine
511	stabilization, quantification, and biological effects improvement. Journal of
512	Pharmaceutical Analysis, 10(6), 499–516. https://doi.org/10.1016/j.jpha.2020.03.007
513	Atallah, C., Greige-Gerges, H., & Charcosset, C. (2020). Development of cysteamine loaded
514	liposomes in liquid and dried forms for improvement of cysteamine stability.
515	International Journal of Pharmaceutics, 119721.
516	https://doi.org/10.1016/j.ijpharm.2020.119721
517	Beeravelli, S., J. N., R. V., & K. V., R. M. (2014). Formulation, Characterization and ex vivo
518	Studies of Terbinafine HCl Liposomes for Cutaneous Delivery. Current Drug
519	Delivery, 11(4), 521–530.

520	Chavin, W., & Schlesinger, W. (1966). Some potent melanin depigmentary agents in the
521	black goldfish. Die Naturwissenschaften, 53(16), 413-414.
522	Dörfler, HD., & Brezesinski, G. (1983). Phasenumwandlungserscheinungen in
523	Lecithin/Wasser-Systemen. Colloid and Polymer Science, 261(3), 286-292.
524	https://doi.org/10.1007/BF01469677
525	Ephrem, E., Elaissari, H., & Greige-Gerges, H. (2017). Improvement of skin whitening agents
526	efficiency through encapsulation: Current state of knowledge. International Journal of
527	Pharmaceutics, 526(1–2), 50–68. https://doi.org/10.1016/j.ijpharm.2017.04.020
528	Farshi, S., Mansouri, P., & Kasraee, B. (2017). Efficacy of cysteamine cream in the treatment
529	of epidermal melasma, evaluating by Dermacatch as a new measurement method: A
530	randomized double blind placebo controlled study. Journal of Dermatological
531	Treatment, 1-8. https://doi.org/10.1080/09546634.2017.1351608
532	Fathalla, D., Youssef, E. M. K., & Soliman, G. M. (2020). Liposomal and Ethosomal Gels for
533	the Topical Delivery of Anthralin: Preparation, Comparative Evaluation and Clinical
534	Assessment in Psoriatic Patients. <i>Pharmaceutics</i> , 12(5), 446.
535	https://doi.org/10.3390/pharmaceutics12050446
536	Frenk, E., Pathak, M. A., Szabó, G., & Fitzpatrick, T. B. (1968). Selective action of
537	mercaptoethylamines on melanocytes in mammalian skin: Experimental
538	depigmentation. Archives of Dermatology, 97(4), 465-477.
539	Ghafarzadeh, M., & Eatemadi, A. (2017). Clinical efficacy of liposome-encapsulated Aloe
540	vera on melasma treatment during pregnancy. Journal of Cosmetic and Laser
541	Therapy: Official Publication of the European Society for Laser Dermatology, 19(3),
542	181–187. https://doi.org/10.1080/14764172.2017.1279329
543	Gharib, R., Greige-Gerges, H., Fourmentin, S., & Charcosset, C. (2018). Hydroxypropyl-ß-
544	cyclodextrin as a membrane protectant during freeze-drying of hydrogenated and non-

545	hydrogenated liposomes and molecule-in-cyclodextrin-in- liposomes: Application to
546	trans-anethole. Food Chemistry, 267, 67–74.
547	https://doi.org/10.1016/j.foodchem.2017.10.144
548	Gutekunst, D., Hoogevest, P., & Heidecke, C. (2018). The effect of saturated phospholipids
549	on human skin assessed with shotgun lipidomic analysis.
550	Hammoud, Z., Khreich, N., Auezova, L., Fourmentin, S., Elaissari, A., & Greige-Gerges, H.
551	(2019). Cyclodextrin-membrane interaction in drug delivery and membrane structure
552	maintenance. International Journal of Pharmaceutics, 564, 59-76.
553	https://doi.org/10.1016/j.ijpharm.2019.03.063
554	Hsu, C., Mahdi, H. A., Pourahmadi, M., & Ahmadi, S. (2013). Cysteamine cream as a new
555	skin depigmenting product. Journal of the American Academy of Dermatology, 68(4).
556	https://doi.org/10.1016/j.jaad.2012.12.781
557	Ishida, T., Takanashi, Y., Doi, H., Yamamoto, I., & Kiwada, H. (2002). Encapsulation of an
558	antivasospastic drug, fasudil, into liposomes, and in vitro stability of the fasudil-
559	loaded liposomes. International Journal of Pharmaceutics, 232(1-2), 59-67.
560	https://doi.org/10.1016/s0378-5173(01)00896-1
561	Ita, K. B., Du Preez, J., du Plessis, J., Lane, M. E., & Hadgraft, J. (2010). Dermal delivery of
562	selected hydrophilic drugs from elastic liposomes: Effect of phospholipid formulation
563	and surfactants. Journal of Pharmacy and Pharmacology, 59(9), 1215-1222.
564	https://doi.org/10.1211/jpp.59.9.0005
565	Kwon, SH., Yang, J. H., Shin, JW., Park, KC., Huh, CH., & Na, JI. (2020). Efficacy of
566	liposome-encapsulated 4-n-butylresorcinol and resveratrol cream in the treatment of
567	melasma. Journal of Cosmetic Dermatology, 19(4), 891–895.
568	https://doi.org/10.1111/jocd.13080

569	Lee, YJ., Jung, SH., Hwang, J., Jeon, S., Han, ET., Park, W. S., Hong, SH., Kim, YM.,
570	& Ha, KS. (2017). Cysteamine prevents vascular leakage through inhibiting
571	transglutaminase in diabetic retina. Journal of Endocrinology, 235(1), 39-48.
572	https://doi.org/10.1530/JOE-17-0109
573	Loftsson, T., & Sigurdardóttir, A. M. (1996). Cyclodextrins as Skin Penetration Enhancers. In
574	J. Szejtli & L. Szente (Eds.), Proceedings of the Eighth International Symposium on
575	Cyclodextrins (pp. 403-406). Springer Netherlands. https://doi.org/10.1007/978-94-
576	011-5448-2_90
577	Manosroi, A., Kongkaneramit, L., & Manosroi, J. (2004). Stability and transdermal
578	absorption of topical amphotericin B liposome formulations. International Journal of
579	Pharmaceutics, 270(1), 279–286. https://doi.org/10.1016/j.ijpharm.2003.10.031
580	Mansouri, P., Farshi, S., Hashemi, Z., & Kasraee, B. (2015). Evaluation of the efficacy of
581	cysteamine 5% cream in the treatment of epidermal melasma: A randomized double-
582	blind placebo-controlled trial. The British Journal of Dermatology, 173(1), 209–217.
583	https://doi.org/10.1111/bjd.13424
584	Matloob, A. H., Mourtas, S., Klepetsanis, P., & Antimisiaris, S. G. (2014). Increasing the
585	stability of curcumin in serum with liposomes or hybrid drug-in-cyclodextrin-in-
586	liposome systems: A comparative study. International Journal of Pharmaceutics,
587	476(1-2), 108-115. https://doi.org/10.1016/j.ijpharm.2014.09.041
588	Okamura, D. M., Bahrami, N. M., Ren, S., Pasichnyk, K., Williams, J. M., Gangoiti, J. A.,
589	Lopez-Guisa, J. M., Yamaguchi, I., Barshop, B. A., Duffield, J. S., & Eddy, A. A.
590	(2014). Cysteamine Modulates Oxidative Stress and Blocks Myofibroblast Activity in
591	CKD. Journal of the American Society of Nephrology: JASN, 25(1), 43–54.
592	https://doi.org/10.1681/ASN.2012090962

593	Pescina, S., Carra, F., Padula, C., Santi, P., & Nicoli, S. (2016). Effect of pH and penetration
594	enhancers on cysteamine stability and trans-corneal transport. European Journal of
595	Pharmaceutics and Biopharmaceutics, 107, 171–179.
596	https://doi.org/10.1016/j.ejpb.2016.07.009
597	Qiu, L., Zhang, M., Sturm, R. A., Gardiner, B., Tonks, I., Kay, G., & Parsons, P. G. (2000).
598	Inhibition of melanin synthesis by cystamine in human melanoma cells. The Journal
599	of Investigative Dermatology, 114(1), 21–27. https://doi.org/10.1046/j.1523-
600	1747.2000.00826.x
601	Rendon, M. I., & Gaviria, J. I. (2005). Review of Skin-Lightening Agents. <i>Dermatologic</i>
602	Surgery, 31(s1), 886–890. https://doi.org/10.1111/j.1524-4725.2005.31736
603	Rhee, S. G., Chang, TS., Jeong, W., & Kang, D. (2010). Methods for detection and
604	measurement of hydrogen peroxide inside and outside of cells. Molecules and Cells,
605	29(6), 539–549. https://doi.org/10.1007/s10059-010-0082-3
606	Ribeiro, M., Silva, A. C., Rodrigues, J., Naia, L., & Rego, A. C. (2013). Oxidizing Effects of
607	Exogenous Stressors in Huntington's Disease Knock-in Striatal Cells—Protective
608	Effect of Cystamine and Creatine. <i>Toxicological Sciences</i> , 136(2), 487–499.
609	https://doi.org/10.1093/toxsci/kft199
610	Shah, S. M., Ashtikar, M., Jain, A. S., Makhija, D. T., Nikam, Y., Gude, R. P., Steiniger, F.,
611	Jagtap, A. A., Nagarsenker, M. S., & Fahr, A. (2015). LeciPlex, invasomes, and
612	liposomes: A skin penetration study. International Journal of Pharmaceutics, 490(1-
613	2), 391–403. https://doi.org/10.1016/j.ijpharm.2015.05.042
614	Shin, Y. J., Seo, J. M., Chung, T. Y., Hyon, J. Y., & Wee, W. R. (2011). Effect of Cysteamine
615	on Oxidative Stress-induced Cell Death of Human Corneal Endothelial Cells. Current
616	Eye Research, 36(10), 910–917. https://doi.org/10.3109/02713683.2011.593726

617	Shiny, A., Toomu, M., & Dhurke, R. K. (2016). ENHANCED DERMAL DELIVERY OF
618	NADIFLOXACIN USING LIPOSOMES. International Journal of Applied
619	Pharmaceutics, 53-59. https://doi.org/10.22159/ijap.2016v8i4.14315
620	Solano, F., Briganti, S., Picardo, M., & Ghanem, G. (2006). Hypopigmenting agents: An
621	updated review on biological, chemical and clinical aspects. Pigment Cell Research,
622	19(6), 550–571. https://doi.org/10.1111/j.1600-0749.2006.00334.x
623	Sun, L., Xu, S., Zhou, M., Wang, C., Wu, Y., & Chan, P. (2010). Effects of cysteamine on
624	MPTP-induced dopaminergic neurodegeneration in mice. Brain Research, 1335, 74-
625	82. https://doi.org/10.1016/j.brainres.2010.03.079
626	Tarnowska, M., Briançon, S., Azevedo, J. R. de, Chevalier, Y., Arquier, D., Barratier, C., &
627	Bolzinger, M. (2020). The effect of vehicle on skin absorption of Mg2+ and Ca2+
628	from thermal spring water. International Journal of Cosmetic Science.
629	https://doi.org/10.1111/ics.12607
630	Verma, D. D., Verma, S., Blume, G., & Fahr, A. (2003). Liposomes increase skin penetration
631	of entrapped and non-entrapped hydrophilic substances into human skin: A skin
632	penetration and confocal laser scanning microscopy study. European Journal of
633	Pharmaceutics and Biopharmaceutics, 55(3), 271–277. https://doi.org/10.1016/S0939-
634	6411(03)00021-3
635	Wang, W., Shu, G., Lu, K., Xu, X., Sun, M., Qi, J., Huang, Q., Tan, W., & Du, Y. (2020).
636	Flexible liposomal gel dual-loaded with all-trans retinoic acid and betamethasone for
637	enhanced therapeutic efficiency of psoriasis. Journal of Nanobiotechnology, 18(1), 80.
638	https://doi.org/10.1186/s12951-020-00635-0
639	Wiedmann, T. S., & Naqwi, A. (2016). Pharmaceutical salts: Theory, use in solid dosage
640	forms and in situ preparation in an aerosol. Asian Journal of Pharmaceutical Sciences,
641	11(6), 722–734. https://doi.org/10.1016/j.ajps.2016.07.002

642	Yan, Y., Xing, J., Xu, W., Zhao, G., Dong, K., Zhang, L., & Wang, K. (2014).
643	Hydroxypropyl-β-cyclodextrin grafted polyethyleneimine used as transdermal
644	penetration enhancer of diclofenac sodium. International Journal of Pharmaceutics,
645	474(1-2), 182-192. https://doi.org/10.1016/j.ijpharm.2014.08.021
646	Yuan, JJ., Qin, F. G. F., Tu, JL., & Li, B. (2017). Preparation, Characterization, and
647	Antioxidant Activity Evaluation of Liposomes Containing Water-Soluble
648	Hydroxytyrosol from Olive. Molecules, 22(6), 870.
649	https://doi.org/10.3390/molecules22060870
650	Yücel, Ç., & Şeker Karatoprak, G. (2017). Development and evaluation of the antioxidant
651	activity of liposomes and nanospheres containing rosmarinic acid. Farmacia, 65.
652	Zuriarrain, A., Zuriarrain, J., Villar, M., & Berregi, I. (2015). Quantitative determination of
653	ethanol in cider by 1H NMR spectrometry. Food Control, 50, 758-762.
654	https://doi.org/10.1016/j.foodcont.2014.10.024
655	Zylberberg, C., & Matosevic, S. (2016). Pharmaceutical liposomal drug delivery: A review of
656	new delivery systems and a look at the regulatory landscape. Drug Delivery, 23(9),
657	3319-3329. https://doi.org/10.1080/10717544.2016.1177136
658	
659	
660	

- Figure legends
- Figure 1: The structure of the different forms of cyst.
- Figure 2: Stability study at 4°C of free cyst HCl, suspended cyst HCl-loaded liposome, and
- 664 freeze dried form of cyst HCl-loaded liposome suspended in water the day of HPLC analysis.
- Figure 3: Cell viability of B16 melanoma cells in presence of different concentrations of cyst
- 666 HCl and cystamine (A) and in presence of free, total and encapsulated cyst HCl-loaded
- liposome in suspension and resuspended freeze-dried form (B). Data are presented as means  $\pm$
- 668 SD (n = 6).
- 669 **Figure 4:** Inhibition percentages of melanin (A) and tyrosinase (B) for cyst HCl, cystamine,
- kojic acid, total and encapsulated cyst HCl-loaded liposome in suspension and resuspended
- freeze-dried forms after 2 treatments in 72 h incubation time. Data are presented as means  $\pm$
- SD (n = 6). Statistical analysis was performed using ANOVA test; ns: not significant, \*p < 0.05,
- 673 \*\*p < 0.01, \*\*\*p < 0.001, \*\*\*\*p < 0.0001.
- 674 Figure 5: Microscopic observations of cells after 72 h of incubation with the different
- 675 formulations (2 treatments) and representative image of the different solubilized pellets
- obtained ((1)Total cyst HCl loaded liposome (2) Encapsulated cyst HCl loaded liposome (3)
- Resuspended freeze-dried cyst HCl loaded liposome (4) Cyst HCl (5) Cystamine (6) Kojic acid)
- 678 Figure 6: Intracellular ROS formation measured by relative DCFH-DA fluorescence in
- cultured B16 pretreated by H<sub>2</sub>O<sub>2</sub> and treated with 60 µM of cyst HCl and cystamine; total and
- encapsulated cyst HCl-loaded liposome in suspension and resuspended freeze-dried forms. The
- 681 formation of ROS was assayed by measuring the fluorescence of DCFH-DA. Data are presented
- as means  $\pm$  SD (n = 6). Statistical analysis was performed using ANOVA test; \*\*\*p < 0.001,
- 683 \*\*\*\*p < 0.0001.
- Figure 7: Fluorescence microscopy images of B16 cells pretreated with H<sub>2</sub>O<sub>2</sub> and treated for
- 72 h with free and encapsulated cyst HCl and cystamine.
- 686 Figure 8: Skin permeation profile of free and cyst HCl loaded liposome in suspension and
- resuspended freeze-dried forms.
- 688 Figure 9: Cyst HCl retention in the epidermis for the free, total and encapsulated cyst HCl-
- loaded liposome in suspension and resuspended freeze-dried forms.

692

693

694

695


696

$$H_2N$$
 SH


Cysteamine

Cysteamine hydrochloride


Phosphocysteamine



703 Figure 3704



709 Figure 4



714 Figure 5

