

A stochastic model of hippocampal synaptic plasticity with geometrical readout of enzyme dynamics

Yuri Elias Rodrigues, Cezar Tigaret, Héléne Marie, Cian O'donnell, Romain

Veltz

▶ To cite this version:

Yuri Elias Rodrigues, Cezar Tigaret, Héléne Marie, Cian O'donnell, Romain Veltz. A stochastic model of hippocampal synaptic plasticity with geometrical readout of enzyme dynamics. 2022. hal-03852802

HAL Id: hal-03852802 https://hal.science/hal-03852802

Preprint submitted on 17 Nov 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A stochastic model of hippocampal synaptic plasticity with geometrical readout of enzyme dynamics

⁴ Yuri Elias Rodrigues^{1,2,3‡}, Cezar Tigaret⁴, Hélène Marie^{1,3†}, Cian O'Donnell^{5†§},

■ Romain Veltz^{2*†}

7

12

*For correspondence: romain veltz@inria fr (RV)

[†]Co-senior authors

Present address: [‡]Life Sciences School, University of Sussex, UK; [§]School of Computing, Engineeringo and Intelligent Systems, Ulster University, UK

¹Université Côte d'Azur, Nice, Alpes-Maritimes, France; ²Institut national de recherche en informatique et en automatique (INRIA), Sophia Antipolis, France; ³Institut de Pharmacologie Moléculaire et Cellulaire (IPMC), Valbonne, France; ⁴Neuroscience and Mental Health Research Institute, Division of Psychological Medicine and Clinical Neurosciences, School of Medicine, Cardiff University, Cardiff, UK; ⁵Computational Neuroscience Unit, School of Computer Science, Electrical and Electronic Engineering, and Engineering Mathematics, University of Bristol, Bristol, UK

- 14 Abstract Discovering the rules of synaptic plasticity is an important step for understanding
 - ¹⁵ brain learning. Existing plasticity models are either 1) top-down and interpretable, but not flexible
 - enough to account for experimental data, or 2) bottom-up and biologically realistic, but too
 - ¹⁷ intricate to interpret and hard to fit to data. To avoid the shortcomings of these approaches, we
 - ¹⁸ present a new plasticity rule based on a geometrical readout mechanism that flexibly maps
 - ¹⁹ synaptic enzyme dynamics to predict plasticity outcomes. We apply this readout to a
 - ²⁰ multi-timescale model of hippocampal synaptic plasticity induction that includes electrical
 - ²¹ dynamics, calcium, CaMKII and calcineurin, and accurate representation of intrinsic noise sources.
 - ²² Using a single set of model parameters, we demonstrate the robustness of this plasticity rule by
 - ²³ reproducing nine published *ex vivo* experiments covering various spike-timing and
 - ²⁴ frequency-dependent plasticity induction protocols, animal ages, and experimental conditions.
 - ²⁵ Our model also predicts that *in vivo*-like spike timing irregularity strongly shapes plasticity
 - ²⁶ outcome. This geometrical readout modelling approach can be readily applied to other excitatory
 - ²⁷ or inhibitory synapses to discover their synaptic plasticity rules.
 - 28

²⁹ Introduction

³⁰ To understand how brains learn, we need to identify the rules governing how synapses change their

- 31 strength in neural circuits. What determines whether each synapse strengthens, weakens, or stays
- the same? The dominant principle at the basis of current models of synaptic plasticity is the Hebb
- ³³ postulate (*Hebb, 1949*) which states that neurons with correlated electrical activity strengthen their
- synaptic connections, while neurons active at different times weaken their connections. In particu lar, spike-timing-dependent plasticity (STDP) models (*Blum and Abbott, 1996; Gerstner et al., 1996*;
- Iar, spike-timing-dependent plasticity (STDP) models (*Blum and Abbott, 1996*; *Gerstner et al., 1996*;
 Eurich et al., 1999) were formulated based on experimental observations that precise timing of
- pre- and post-synaptic spiking determines whether synapses are strengthened or weakened (*De*-
- banne et al., 1996, Tsodyks and Markram, 1997; Bi and Poo, 1998; Markram et al., 2011). However,
- ³⁹ experiments also found that plasticity induction depends on the rate and number of stimuli de-
- livered to the synapse (Dudek and Bear, 1992; Sjöström et al., 2001), and the level of dendritic

spine depolarisation (Artola et al., 1990; Magee and Johnston, 1997; Sjöström and Häusser, 2006;

42 Golding et al., 2002; Hardie and Spruston, 2009). The lack of satisfactory plasticity models based

43 solely on neural spiking prompted researchers to consider simple models based on synapse bio-

chemistry (*Castellani et al., 2001, 2005*). Following a proposed role for postsynaptic calcium (Ca²⁺)

45 signalling in synaptic plasticity (*Lisman, 1989*), previous models assumed that the amplitude of

- postsynaptic calcium controls long-term alterations in synaptic strength, with moderate levels of
- calcium causing long-term depression (LTD) and high calcium causing long-term potentiation (LTP)
 (Shouval et al., 2002: Karmarkar and Buonomano, 2002). However experimental data suggests
- that calcium dynamics are also important (Yang et al., 1999: Mizuno et al., 2001: Wang et al., 2005:
- Nevian and Sakmann. 2006: Tigaret et al., 2016). As a result, subsequent phenomenological mod-

els of plasticity incorporated slow variables that integrate the fast synaptic input signals. loosely

modelling calcium and its downstream effectors (Abarbanel et al., 2003; Rubin et al., 2005; Rack-

ham et al., 2010; Clopath and Gerstner, 2010; Kumar and Mehta, 2011; Graupner and Brunel, 2012;

⁵⁴ Honda et al., 2013; Standage et al., 2014; De Pittà and Brunel, 2016). Concurrently, more detailed

⁵⁵ models tried to explicitly describe the molecular pathways integrating the calcium dynamics and

its stochastic nature (Cai et al., 2007; Shouval and Kalantzis, 2005; Miller et al., 2005; Zeng and

⁵⁷ Holmes, 2010; Yeung et al., 2004). However, even these models do not account for data showing

that plasticity is highly sensitive to physiological conditions such as the developmental age of the

animal (Dudek and Bear, 1993; Meredith et al., 2003; Cao and Harris, 2012; Cizeron et al., 2020),

extracellular calcium and magnesium concentrations (*Mulkey and Malenka, 1992; Inglebert et al.,*

2020) and tissue temperature (*Volgushev et al., 2004*; *Wittenberg and Wang, 2006*; *Klyachko and Stevens, 2006*). The fundamental issue is that the components of these phenomenological models

Stevens, 2006). The fundamental issue is that the components of these phenomenological models
 do not directly map to biological components of synapses, so they cannot automatically model
 alterations due to physiological and experimental conditions. This absence limits the predictive

power of this class of plasticity models.

An alternative approach taken by several groups (Bhalla and Ivengar, 1999; Jedrzejewska-Szmek 66 et al., 2017; Blackwell et al., 2019; Chindemi et al., 2020; Zhang et al., 2021) was to model the com-67 plex molecular cascade leading to synaptic weight changes. The main benefit of this approach 68 is the direct correspondence between the model's components and biological elements, but this 69 comes at the price of a large number of poorly constrained parameters. Additionally, the increased 70 number of nonlinear equations and stochasticity makes fitting to plasticity experiment data diffi-71 cult (Mäki-Marttunen et al., 2020). Subtle differences between experimental STDP protocols can 72 produce completely different synaptic plasticity outcomes, indicative of finely tuned synaptic be-73 haviour. This raises major challenges for both simple and complex models. 74

To tackle this problem, we devised a new plasticity rule based on a bottom-up, data-driven ap-75 proach by building a biologically-grounded model of plasticity induction at a single rat hippocampal 76 CA3-CA1 synapse. We focused on this synapse type because of the abundant published exper-77 imental data that can be used to quantitatively constrain the model parameters. Compared to 78 previous models in the literature, we aimed for an intermediate level of detail: enough biophysical 70 components to capture the key dynamical processes underlying plasticity induction, but not the 80 detailed molecular cascade underlying plasticity expression: much of which is poorly quantified for 81 the various experimental conditions we cover in this study. 82

Our model is centred on dendritic spine electrical dynamics, calcium signalling and immediate 83 downstream molecules, which we then map to synaptic strength change via a conceptually new 84 dynamical, geometric readout mechanism. Crucially, the model also captured intrinsic noise based 85 on the stochastic switching of synaptic receptors and ion channels (Yuste et al., 1999; Ribrault et al., 86 2011). We found that, with a single set of parameters, the model can account for published data 87 from spike-timing and frequency-dependent plasticity experiments, and variations in physiological 88 parameters influencing plasticity outcomes. We also tested how the model responded to *in vivo*-89 like spike timing jitter and spike failures, and found that the plasticity rules were highly sensitive 90

to these subtle input alterations.

bioRxiv preprint doi: https://doi.org/10.1101/2021.03.30.437703; this version posted May 4, 2022. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.




Figure 1. | **The synapse model**, **its timescales and mechanisms**. **a**, Model diagram with the synaptic components including pre and postsynaptic compartments and inhibitory transmission (bottom left). **b**, Stochastic dynamics of the different ligand-gated and voltage-gated ion channels in the model. Plots show the total number of open channels as a function of time. AMPAr, NMDAr: AMPA- and NMDA-type glutamate receptors respectively; GABA(A)r: Type A GABA receptors; VGCC: R-, T- and L-type voltage-gated Ca2+ channels; SK: SK potassium channels. The insets show a zoomed time axis highlighting the difference in timescale of the activity among the channels. **c**, Dendritic spine membrane potential (left) and calcium concentration (right) as function of time for a single causal (1Pre1Post10) stimulus (EPSP: single excitatory postsynaptic potential, "1Pre"; BaP: single back-propagated action potential, "1Post"). **d**, Left: depletion of vesicle pools (reserve and docked) induced by 30 pairing repetitions delivered at 5 Hz (*Sterratt et al., 2011*), see *Methods and Materials*. The same depletion rule is applied to both glutamate- and GABA-containing vesicles. Right: BaP efficiency as function of time. BaP efficiency phenomenologically captures the distance-dependent attenuation of BaP (*Buchanan and Mellor, 2007; Golding et al., 2001*), see *Methods and Materials*. **e**, Concentration of active enzyme for CaM, CaN and CaMKII, as function of time triggered by 30 repetitions of 1Pre1Post10 pairing stimulations delivered at 5 Hz. The vertical grey bar is the duration of the stimuli, 6 s. The multiple traces in the graphs in panels **c** (right) and **e** reflect the run-to-run variabilitiy due to the inherent stochasticity in the model.

92 **Results**

⁹³ A multi-timescale model of synaptic plasticity induction.

- We built a computational model of plasticity induction at a single CA3-CA1 rat glutamatergic synapse
- *Figure 1*). Our goal was to reproduce results on synaptic plasticity that explored the effects of
- ⁹⁶ several experimental parameters: fine timing differences between pre and postsynaptic spiking
- 97 (Figure 2 and Figure 3); stimulation frequency (Figure 4); animal age (Figure 5); external calcium
- ⁹⁸ and magnesium (*Figure 6*); stochasticity in the firing structure (*Figure 7*), temperature and exper-
- ⁹⁹ imental conditions variations (*Supplemental files*). Where possible, we set parameters to values
- previously estimated from synaptic physiology and biochemistry experiments, and tuned the re-
- mainder within physiologically plausible ranges to reproduce our target plasticity experiments (see
 Methods and Materials).
- The model components are schematized in *Figure 1a* (full details in *Methods and Materials*). For glutamate release, we used a two-pool vesicle depletion and recycling system, which accounts for short-term presynaptic depression and facilitation. When glutamate is released from vesicles, it

can bind to the postsynaptic α-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid and N-methyl-106 D-aspartate receptors (AMPArs and NMDArs, respectively), depolarizing the spine head by ~30 mV 107 (Kwon et al., 2017: Javant et al., 2017: Beaulieu-Laroche and Harnett, 2018). The dendritic spine 108 membrane depolarization causes the activation of voltage-gated calcium channels (VGCCs) and 109 removes magnesium ([Mg²⁺],) block from NMDArs. Backpropagating action potentials (BaP) can 110 also depolarize the spine membrane by up to ~60 mV (*Kwon et al., 2017*; *Javant et al., 2017*). As an 111 inhibitory component, we modelled a gamma-aminobutyric acid receptor (GABAr) synapse on the 112 dendrite shaft (Destexhe et al., 1998). Calcium ions influx through VGCCs and NMDArs can activate 113 SK potassium channels (Adelman et al., 2012: Griffith et al., 2016), which provide a tightly-coupled 114 local negative feedback limiting spine depolarisation. Upon entering the spine, calcium ions also 115 bind to calmodulin (CaM). Calcium-bound CaM in turn activates two major signalling molecules (*Fu*-116 iii et al., 2013): Ca²⁺/calmodulin-dependent protein kinase II (CaMKII) and calcineurin (CaN) phos-117 phatase, also known as PP2B (Saraf et al., 2018). We included these two enzymes because of 118 the overwhelming evidence that CaMKII activation is necessary for Schaffer-collateral LTP (Giese 119 et al., 1998; Chang et al., 2017), while CaN activation is necessary for LTD (O'Connor et al., 2005; 120 Otmakhov et al., 2015). Later, we show how we map the joint activity of CaMKII and CaN to LTP 121 and LTD. Ligand-gated ion channels (ionotropic receptors) and voltage-gated ion channels have 122 an inherent random behavior, stochastically switching between open and closed states (*Ribrault* 123 et al., 2011). If the number of ion channels is large, then the variability of the total population 124 activity becomes negligible relative to the mean (O'Donnell and Van Rossum, 2014). However in-125 dividual hippocampal synapses contain only small numbers of receptors and ion channels, for 126 example they contain ~10 NMDArs and <15 VGCCs (Takumi et al., 1999: Sabatini and Svoboda, 127 2000: Nimchinsky et al., 2004), making their total activation highly stochastic. Therefore, we mod-128 elled AMPAr, NMDAr, VGCCs and GABAr as stochastic processes. Presynaptic vesicle release events 129 were also stochastic: glutamate release was an all-or-none event, and the amplitude of each glu-130 tamate pulse was drawn randomly, modelling heterogeneity in vesicle size (Liu et al., 1999). The 131 inclusion of stochastic processes to account for an intrinsic noise in synaptic activation (Deperrois 132 and Graupper, 2020) contrasts with most previous models in the literature, which either represent 133 all variables as continuous and deterministic or add an external generic noise source (Bhalla, 2004: 134 Antunes and De Schutter, 2012: Bartol et al., 2015). 135

The synapse model showed nonlinear dynamics across multiple timescales. For illustration, we stimulated the synapse with single simultaneous glutamate and GABA vesicle releases (*Figure 138* **1***b*). AMPArs and VGCCs open rapidly but close again within a few milliseconds. The dendritic GABAr closes more slowly, on a timescale of ~10 ms. NMDArs, the major calcium source, closes on timescales of ~50 ms and ~250 ms for the GluN2A and GluN2B subtypes, respectively.

To show the typical responses of the spine head voltage and Ca²⁺, we stimulated the synapse with a single presynaptic pulse (EPSP) paired 10 ms later with a single BaP (1Pre1Post10) (*Figure 1c left*). For this pairing, the arrival of a BaP at the spine immediately after an EPSP, leads to a large Ca²⁺ transient aligned with the BaP due to the NMDArs first being bound by glutamate then unblocked by the BaP depolarisation (*Figure 1c right*).

Single pre or postsynaptic stimulation pulses did not cause depletion of vesicle reserves or sub-146 stantial activation of the enzymes. To illustrate these slower-timescale processes, we stimulated 147 the synapse with a prolonged protocol: one presynaptic pulse followed by one postsynaptic pulse 148 10 ms later, repeated 30 times at 5 Hz (Figure 1d-e). The number of vesicles in both the docked and 140 reserve pools decreased substantially over the course of the stimulation train (Figure 1d left), which 150 in turn causes decreased vesicle release probability. Similarly, by the 30th pulse, the dendritic BaP 151 amplitude had attenuated to ~85% (~70% BaP efficiency; Figure 1d right) of its initial amplitude, 152 modelling the effects of slow dendritic sodium channel inactivation (Colbert et al., 1997; Golding 153 et al., 2001). Free CaM concentration rose rapidly in response to calcium transients but also de-154 caved back to baseline on a timescale of ~500 ms (Figure 1e top). In contrast, the concentration of 15 active CaMKII and CaN accumulated over a timescale of seconds, reaching a sustained peak during 156

- the stimulation train, then decayed back to baseline on a timescale of \sim 10 and \sim 120 s respectively,
- in line with experimental data (Quintana et al., 2005; Fujii et al., 2013; Chang et al., 2017) (Figure
 1e).

The effects of the stochastic variables can be seen in *Figure 1b-d*. The synaptic receptors and 160 ion channels open and close randomly (*Figure 1b*). Even though spine voltage, calcium, and down-161 stream molecules were modelled as continuous and deterministic, they inherited some random-162 ness from the upstream stochastic variables. As a result, there was substantial trial-to-trial variabil-163 ity in the voltage and calcium responses to identical pre and postsynaptic spike trains (grey traces 164 in *Figure 1c*). This variability was also passed on to the downstream enzymes CaM, CaMKII and CaN, 165 but was filtered and therefore attenuated by the slow dynamics of CaMKII and CaN. In summary, 166 the model contained stochastic nonlinear variables acting over five different orders of magnitude 167 of timescale, from ~ 1 ms to ~ 1 min, making it sensitive to both fast and slow components of input 169 signals. 160

Distinguishing between stimulation protocols using the CaMKII and CaN joint re sponse.

It has proven difficult for simple models of synaptic plasticity to capture the underlying rules and ex-172 plain why some stimulation protocols induce plasticity while others do not. We tested the model's 173 sensitivity by simulating its response to a set of protocols used by *Tiggret et al. (2016)* in a recent 174 ex vivo experimental study on adult (P50-55) rat hippocampus with blocked GABAr. We focused 175 on three pairs of protocols (three rows in *Figure 2*). For each of these pairs, one of the protocols 176 experimentaly induced LTP or LTD, while the other subtly different protocol caused no change (NC) 177 in synapse strength. Notably, three leading spike-timing and calcium-dependent plasticity models 178 (Song et al., 2000; Pfister and Gerstner, 2006; Graupner and Brunel, 2012) could not fit these data 179 (Figure 3-Figure Supplement 1 a,b and c). We thus asked if, by contrast, our new model could 180 distinguish between each pair of protocols by assigning the correct plasticity outcome. 181 The first pair of protocols differed in intensity. A protocol which caused no plasticity consisted 182 of 1 presynaptic spike followed 10 ms later by one postsynaptic spike repeated at 5 Hz for one 183 minute (1Pre1Post10, 300 at 5Hz). The other protocol induced LTP, but differed only in that it 184 included a postsynaptic doublet instead of a single spike (1Pre2Post10, 300 at 5Hz), implying a 185 slightly stronger initial BaP amplitude. We first attempted to achieve separability by plotting CaMKII 186 or CaN activities independently. As observed in the plots in *Figure 2a*, it was not possible to set 187

a single concentration threshold on either CaMKII or CaN that would discriminate between the protocols. This result was expected, at least for CaMKII, as recent experimental data demonstrates a fast saturation of CaMKII concentration in dendritic spines regardless of stimulation frequency

191 (Chang et al., 2017).

To achieve better separability we set out to test a different approach, which was to combine the 192 activity of the two enzymes, by plotting the joint CaMKII and CaN responses against each other on 193 a 2D plane (Figure 2b). This innovative geometric plot is based on a mathematical concept of orbits 194 from dynamical systems theory (*Meiss, 2007*). In this plot, the trajectories of two protocols can be 195 seen to overlap for the initial part of the transient and then diverge. To quantify trial to trial vari-196 ability, we also calculated contour maps showing the mean fraction of time the trajectories spent 197 in each part of the plane during the stimulation (*Figure 2c*). Importantly, both the trajectories and 198 contour maps were substantially non-overlapping between the two protocols, implying that they 199 can be separated based on the joint CaN-CaMKII activity. We found that the 1Pre2Post10 protocol 200 leads to a weaker response in both CaMKII and CaN, corresponding to the lower blue traces in 201 Figure 2b. The decreased response to the doublet protocol was due to the stronger attenuation of 202 dendritic BaP amplitude over the course of the simulation (Golding et al., 2001), leading to reduced 203 calcium influx through NMDArs and VGCCs (data not shown). 204

Using the second pair of protocols, we explored if this combined enzyme activity analysis could distinguish between subtle differences in protocol sequencing. We stimulated our model with




Figure 2. | **The duration and amplitude of the joint CaN-CaMKII activity differentiates plasticity protocols. a**, Time-course of active enzyme concentration for CaMKII (solid line) and CaN (dashed line) triggered by two protocols consisting of 300 repetitions at 5 Hz of 1Pre2Post10 or 1Pre1Post10 stimulus pairings. Protocols start at time 0 s. Experimental data indicates that 1Pre2Post10 and 1Pre1Post10 produce LTP and no change (NC), respectively. **b**, Trajectories of joint enzymatic activity (CaN-CaMKII) as function of time for the protocols in panel **a**, starting at the initial resting state (filled black circle). The arrows show the direction of the trajectory and filled grey circles indicate the time points at 2, 10 and 60 s after the beginning of the protocol represented as 2, 10 and 60 s. The region of the CaN-CaMKII plane enclosed in the black square is expanded in panel **c. c**, Mean-time (colorbar) spent by the orbits in the CaN-CaMKII plane region expanded from panel **b** for each protocol (average of 100 samples). For panels **c. f** and **i** the heat maps were based on enzyme activity throughout the protocol plus a further 10 s after the stimulation ended. **d-f**, CaN-CaMKII activities for the protocols 1Pre2Post50 (LTP-inducing) and 2Post1Pre50 (NC) depicted in the same manner as in panels **a-c. g-i**, CaN-CaMKII activities for the LTD-inducing protocol 2Pre50 (900 repetitions at 3 Hz) and the NC protocol 2Pre10 (300 repetitions at 5 Hz) depicted in the same manner as in panels **a-c**.

one causal paring protocol (EPSP-BaP) involving a single presynaptic spike followed 50 ms stimu-

lated our model with one causal paring protocol (EPSP-BaP) involving a single presynaptic spike
 followed 50 ms later by a doublet of postsynaptic spikes (1Pre2Post50, 300 at 5Hz), repeated at

- ²¹⁰ 5 Hz for one minute, which caused LTP in *Tigaret et al. (2016*). The other anticausal protocol in-
- volved the same total number of pre and postsynaptic spikes, but with the pre-post order reversed

(2Post1Pre50, 300 at 5Hz). Experimentally the anticausal (BaP-EPSP) protocol did not induce plas-

- ticity (*Tigaret et al., 2016*). Notably, the only difference was the sequencing of whether the pre or
- postsynaptic neuron fired first, over a short time gap of 50 ms. Despite the activations being ap-
- parently difficult to distinguish (*Figure 2d*), we found that the LTP-inducing protocol caused greater
- ²¹⁶ CaN activation than the protocol that did not trigger plasticity. Indeed, this translated to a horizon-
- tal offset in both the trajectory and contour map (*Figure 2e-f*), demonstrating that another pair of
- ²¹⁸ protocols can be separated in the joint CaN-CaMKII plane.

The third pair of protocols differed in both duration and intensity. We thus tested the com-219 bined enzyme activity analysis in this configuration. In line with a previous study (Isaac et al., 220 2009), Tigaret et al. (2016) found that a train of doublets of presynaptic spikes separated by 50 221 ms repeated at a low frequency of 3 Hz for 5 minutes (2Pre50, 900 at 3Hz) induced LTD, while a 222 slightly more intense but shorter duration protocol of presynaptic spike doublets separated by 10 223 ms repeated at 5 Hz for one minute (2Pre10, 300 at 5Hz) did not cause plasticity. When we sim-22 ulated both protocols in the model (Figure 2g-i), both caused similar initial responses in CaMKII 225 and CaN. In the shorter protocol, this activation decayed to baseline within 100 s of the end of the 226 stimulation. However the slower and longer-duration 2Pre50 3Hz 900p protocol caused an addi-227 tional sustained, stochastically fluctuating, plateau of activation of both enzymes (Figure 2g). This 228 resulted in the LTD-inducing protocol having a downward and leftward-shifted CaN-CaMKII trajec-220 tory and contour plot, relative to the other protocol (*Figure 2h-i*). These results again showed that 230 the joint CaN-CaMKII activity can predict plasticity changes. 231

²³² A geometrical readout mapping joint enzymatic activity to plasticity outcomes.

The three above examples demonstrated that ploting the combined CaN-CaMKII activities in a 2D 233 plane allowed us to distinguish between subtly different protocols with correct assignment of plas-234 ticity outcome. We found that the simulated CaN-CaMKII trajectories from the two LTP-inducing 235 protocols (Figure 2a and Figure 2d) spent a large fraction of time near ~ 20 µM CaMKII and 7-10 µM 236 CaN. In contrast, protocols that failed to trigger LTP had either lower (Figure 2d and g), or higher 237 CaMKII and CaN activation (1Pre1Post10, Figure 2g). The LTD-inducing protocol, by comparison. 238 spent a longer period in a region of sustained but lower ~ 12μ M CaMKII and ~ 2μ M CaN and acti-239 vation. The plots in Figure 2c, f and g, show contour maps of histograms of the joint CaMKII-CaN 240 activity, indicating where in the plane the trajectories spent most time. Figure 2c and f indicate that 241 this measure can be used to predict plasticity, because the NC and LTP protocol histograms are 242 largely non-overlapping. In *Figure 2c*, the NC protocol response "overshoots" the LTP protocol re-243 sponse, whereas in *Figure 2f* the NC protocol response "undershoots" the LTP protocol response. 244 In contrast, when we compared the response histograms for the ITD and NC protocols, we found a 245 greater overlap (Figure 2i). This suggested that, in this case, the histogram alone was not sufficient 246 to separate the protocols, and that protocol duration is also important. LTD induction (2Pre50) 24 required a more prolonged activation than NC (2Pre10). We thus took advantage of these joint 248 CaMKII-CaN activity maps to design a minimal readout mechanism connecting combined enzyme 249 activity to LTP_LTD or no change (NC). We reasoned that this readout would need three key prop-250 erties. First, since the CaMKII-CaN trajectories corresponding to LTP and LTD were not linearly separable, the readout requires nonlinear boundaries to activate the plasticity inducing components. 252 Second, since LTD requires more prolonged activity than LTP, the readout should be sensitive to 253 the timescale of the input. Third, a mechanism is required to convert the 2D LTP-LTD inducing 254 signals into a synaptic weight change. After iterating through several designs, we satisfied the first 255 property by designing "plasticity regions": polygons in the CaN-CaMKII plane that would detect 256 when trajectories pass through. We satisfied the second property by using two plasticity inducing 257 components with different time constants which low-pass-filter the plasticity region signals. We sat-258 isfied the third property by feeding both the opposing LTP and LTD signals into a stochastic Markov 259 chain which accumulated the total synaptic strength change. Overall this readout mechanism acts 260 as a parsimonious model of the complex signalling cascade linking CaMKII and CaN activation to 261 expression of synaptic plasticity (*He et al., 2015*). It can be considered as a two-dimensional exten-262 sion of previous computational studies that applied analogous 1D threshold functions to dendritic 263 spine calcium concentration (Shouval et al., 2002; Karmarkar and Buonomano, 2002; Graupner 264 and Brunel, 2012; Standage et al., 2014). 265 We now elaborate on the readout design process. We first drew non-overlapping polygons 266

of LTP and LTD "plasticity regions" in the CaN-CaMKII plane (*Figure 3a*). We positioned these regions over the parts of the phase space where the enzyme activities corresponding to the LTP- and

LTD-inducing protocols were most different (Methods and Materials), as shown by trajectories in 269 Figure 2. When a trajectory enters in one of these plasticity regions, it activates LTD or LTP indica-270 tor variables (Methods and Materials) which encode the joint enzyme activities (trajectories in the 271 phase plots) transitions across the LTP and LTD regions over time (*Figure 3b*). These indicator vari-272 ables drove transition rates of a plasticity Markov chain used to predict LTP or LTD (*Figure 3c*), see 27 *Methods and Materials*. Intuitively, this plasticity Markov chain models the competing processes 27 of insertion/deletion of AMPArs to the synapse although this is not represented in the model. The 27 LTD transition rates were slower than the LTP transition rates, to reflect studies showing that LTD 276 requires sustained synaptic stimulation (Yang et al., 1999; Mizuno et al., 2001; Wang et al., 2005). 277 The parameters for this plasticity Markov chain (*Methods and Materials*) were fit to the plastic-278 ity induction outcomes from different protocols (*Table 1*). At the beginning of the simulation, the 270 plasticity Markov chain starts with 100 processes (Destexhe et al., 1998) in the state No Change 280 (NC), with each variable representing 1% weight change, an abstract measure of synaptic strength 281 that can be either EPSP, EPSC, or field EPSP slope depending on the experiment. Each process can 282 transit stochastically between NC, LTP and LTD states. At the end of the protocol, the plasticity out-283 come is given by the difference between the number of processes in the LTP and the LTD states 284 (Methods and Materials). 285 In *Figure 3d*, we plot the model's responses to seven different plasticity protocols used by 286 Tigaret et al. (2016) by overlaying example CaMKII-CaN trajectories for each protocol with the LTP 287 and LTD regions. The corresponding region indicators are plotted as function of time in *Figure* 288 3e, and long-term alterations in the synaptic strength are plotted as function of time in Figure 3f. 289 The three protocols that induced LTP in the *Tigaret et al.* (2016) experiments spent substantial 290 time in the LTP region, and so triggered potentiation. In contrast, the 1Pre1Post10 overshoots 291

²⁹² both regions, crossing them only briefly on its return to baseline, and so resulted in little weight ²⁹³ change. The protocol that induced LTD (2Pre50, purple trace) is five times longer than other pro-²⁹⁴ tocols, spending sufficient time inside the LTD region (*Figure 3f*). In contrast, two other protocols ²⁹⁵ that spent time in the same LTD region of the CaN-CaMKII plane (2Post1Pre50 and 2Pre10) were ²⁹⁶ too brief to induce LTD. These protocols were also not strong enough to reach the LTP region, so ²⁹⁷ resulted in no net plasticity, again consistent with *Tigaret et al.* (2016) experiments.

We observed run-to-run variability in the amplitude of the predicted plasticity, due to the inherent stochasticity in the model. To ensure that stochastic components are necessary for adequate 299 model behaviour, we compared stochastic and deterministic versions of the model with and with-300 out discrete presynaptic release and found that adding stochastic components indeed modified 301 the model's behaviour (Figure 3-Figure Supplement 2). Also, we confirmed that VGCCs are neces-302 sary for accurate modelling of *Tiggret et al. (2016*) data as blocking these channels reproduced the 303 data obtained in VGCC blockers by Tigaret i.e. no potentiation could be elicited (Figure 3-Figure 30/ Supplement 3). Finally, we stress in Figure 3-Figure Supplement 4 that the horizontal boundaries 305 (related to CaMKII activity) are indeed necessary. 306

In *Figure 3g*, we plot the distribution of the predicted plasticity from all the protocols (colours) of
 Tigaret alongside the experimental data (*Tigaret et al., 2016*). We find a very good correspondence
 between the model and experiments. Of note, data fitting of the experiments in *Tigaret et al. (2016*)
 (*Figure 3g*) was more accurate with our model than the fitting obtained with existing leading spike or calcium-based STDP models (*Song et al., 2000; Pfister and Gerstner, 2006; Graupner and Brunel,* 2012), see *Figure 3-Figure Supplement 1*.

Experimentally, LTP can be induced by few pulses while LTD usually requires stimulation protocols of longer duration (*Yang et al., 1999; Mizuno et al., 2001; Wang et al., 2005*). We incorporated this effect into the geometrical readout model by letting LTP have faster transition rates than LTD (*Figure 3c*). *Tigaret et al. (2016*) found that 300 repetitions of anticausal post-before-pre pairings did not cause LTD, in contrast to the canonical spike-timing-dependent plasticity curve (*Bi and Poo,* **1998**). We hypothesized that LTD might indeed appear with the anticausal protocol (*Table 1*) if stimulation duration was increased. To explore this possibility in our model, we systematically




Figure 3. | Read-out strategy to accurately model Tigaret et al. (2016) experiment. a, Illustration of the joint CaMKII and CaN activities crossing the plasticity regions. Arrows indicate the flow of time, starting at the filled black circle. Time is hidden so that changes in active enzyme concentrations are seen more clearly. b, Region indicator showing when the joint CaN and CaMKII activity crosses the LTD or LTP regions in panel **a**. For example, the LTP indicator is such that $1_{LTP}(x) = 1$ if $x \in LTP$ and 0 otherwise. Leaving the region activates a leaking mechanism that keeps track of the accumulated time inside the region. Such leaking mechanism drives the transition rates used to predict plasticity (Methods and Materials). c, Plasticity Markov chain with three states: LTD, LTP and NC. There are only two transition rates which are functions of the plasticity region indicator (Methods and Materials). The LTP transition is fast whereas the LTD transition is slow, meaning that LTD change requires longer time inside the LTD region (panel a). The NC state starts with 100 processes. d, Joint CaMKII and CaN activity for all protocols in Tigaret et al. (2016) (shown in panel f). The stimulus ends when the trajectory becomes smooth. Trajectories correspond to those in Figure 2b,e and h, at 60 s. e, Region indicator for the protocols in panel f. The upper square bumps are caused by the protocol crossing the LTP region, the lower square bumps when the protocol crosses the LTD region (as in panel d), f, Synaptic weight (%) as function of time for each protocol. The weight change is defined as the number (out of 100) of states in the LTP state minus the number of states in the LTD state (panel c). The trajectories correspond to the median of the simulations in panel g. g, Synaptic weight change (%) predicted by the model compared to data (EPSC amplitudes) from Tigaret et al. (2016) (100 samples for each protocol, also for panel h and i). The data (filled grey circles) was provided by Tigaret et al. (2016) (note an 230% outlier as the red asterisk). h, Predicted mean synaptic weight change (%) as a function of delay (ms) and number of pairing repetitions (pulses) for the protocol 1Pre2Post(delay), where delays are between -100 and 100 ms. LTD is induced by 2Post1Pre50 after at least 500 pulses. The mean weight change along each dashed line is reported in the STDP curves in panel i. i, Synaptic weight change (%) as a function of pre-post delay. Each plot corresponds to a different pairing repetition number (color legend). The solid line shows the mean, and the ribbons are the 2nd and 4th quantiles. The filled grey circles are the data means estimated in Tigaret et al. (2016), also shown in panel g.

Figure 3-Figure supplement 1. Standard models comparison for predicting plasticity fail to account for the data from *Tigaret et al.* (2016). Figure 3-Figure supplement 2. Comparison showing different roles of stochasticity in the model.

Figure 3-Figure supplement 3. Effects of blocking VGCCs.

Figure 3-Figure supplement 4. Exclusively setting vertical boundaries (no CaMKII selectivity) fails to capture the correct outcome.

Figure 3-Figure supplement 5. Varying Tigaret et al. (2016) experimental parameters.

varied the number of paired repetitions from 100 to 1200, and also co-varied the pre-post delay from -100 to 100 ms. *Figure 3h* shows a contour plot of the predicted mean synaptic strength

³²² change across for the 1Pre2Post(delay) stimulation protocol for different numbers of pairing rep-

etitions. In *Figure 3h*, a LTD window appears after ~500 pairing repetitions for some anticausal

pairings, in line with our hypothesis. The magnitude of LTP also increases with pulse number, for

causal positive pairings. For either 100 or 300 pairing repetitions, only LTP or NC is induced (*Figure*

326 3i). The model also made other plasticity predictions by varying *Tigaret et al.* (*2016*) experiment

tal conditions (*Figure 3-Figure Supplement 5*). In summary, our geometrical readout reveals that the direction and magnitude of the change in synaptic strength can be predicted from the joint

³²⁹ CaMKII-CaN activity in the LTP and LTD regions.

330 Frequency-dependent plasticity

The stimulation protocols used by *Tiggret et al. (2016)* explored how subtle variations in pre and 331 postsynaptic spike timing influenced the direction and magnitude of plasticity (see Table 1) for ex-332 perimental differences). In contrast, traditional synaptic plasticity protocols exploring the role of 333 presynaptic stimulation frequency did not measure the timing of co-occurring postsynaptic spikes 334 (Dudek and Bear, 1992; Wang and Wagner, 1999; Kealy and Commins, 2010). These studies found 335 that long-duration low-frequency stimulation induces LTD, whereas short-duration high-frequency 336 stimulation induces LTP, with a cross-over point of zero change at intermediate stimulation fre-337 quencies. In addition to allowing us to explore frequency-dependent plasticity (FDP), this stimu-338 lation paradigm also gave us further constraints to define the LTD polygon region in the model 330 since in *Tiggret et al.* (2016), only one LTD case was available. For FDP, we focused on modelling 340 the experiments from **Dudek and Bear (1992)**, who stimulated Schaffer collateral projections to 341 pyramidal CA1 neurons with 900 pulses in frequencies ranging from 1 Hz to 50 Hz. In addition to 342 presynaptic stimulation patterns, the experimental conditions differed from *Tiggret et al.* (2016) in 343 two other aspects: animal age and control of postsynaptic spiking activity (see *Table 1* legend). We 344 incorporated both age-dependence and EPSP-evoked-BaPs in our model (Methods and Materials). 345 Importantly, the geometrical readout mechanism mapping joint CaMKII-CaN activity to plasticity 346 remained identical for all experiments in this work. 347 Figure 4g shows the joint CaMKII-CaN activity when we stimulated the model with 900 presv-348 naptic spikes at 1, 3, 5, 10 and 50 Hz (Dudek and Bear, 1992). Higher stimulation frequencies drove 349 stronger responses in both CaN and CaMKII activities (Figure 4g). Figure 4b, c show the correspond-350 ing plasticity region indicator for the LTP/LTD region threshold crossings and the synaptic strength 351 change. From this set of five protocols, only the 50 Hz stimulation drove a response strong enough to reach the LTP region of the plane (*Figure 4g and d*). Although the remaining four protocols drove 353

responses primarily in the LTD region, only the 3 and 5 Hz stimulations resulted in substantial LTD.
 The 1 Hz and 10 Hz stimulations resulted in negligible LTD, but for two distinct reasons. Although

the 10 Hz protocol's joint CaMKII-CaN activity passed through the LTD region of the plane (*Figure* 4*a* and *d*), it was too brief to activate the slow LTD mechanism built into the readout (*Methods*

and Materials). The 1 Hz stimulation, on the other hand, was prolonged, but its response was too weak to reach the LTD region, crossing the threshold only intermittently (*Figure 4b. bottom trace*).

³⁵⁰ Overall the model matched well the mean plasticity response found by *Dudek and Bear (1992)*, see

Figure 4e, following a classic BCM-like curve as function of stimulation frequency (Abraham et al.,
 2001; Bienenstock et al., 1982).

We then used the model to explore the stimulation space in more detail by varying the stimulation frequency from 0.5 Hz to 50 Hz, and varying the number of presynaptic pulses from 50 to 1200. *Figure 4f* shows a contour map of the mean synaptic strength change (%) in this 2D frequency-pulse number space. Under *Dudek and Bear* (1992) experimental conditions, we found that LTD induction required at least ~300 pulses, at frequencies between 1Hz and 3Hz. In contrast, LTP could be induced using ~50 pulses at ~20Hz or greater. The contour map also showed that

increasing the number of pulses (vertical axis in *Figure 4e*) increases the magnitude of both LTP




Figure 4. | Frequency dependent plasticity, *Dudek and Bear* (1992) dataset. a, Example traces of joint CaMKII-CaN activity for each of *Dudek and Bear* (1992) protocol. b, Region indicator showing when the joint CaMKII-CaN activity crosses the LTD or LTP regions for each protocol in panel a. c, Synaptic weight change (%) as a function of time for each protocol, analogous to *Figure 3c*. Trace colours correspond to panel a. The trajectories displayed were chosen to match the medians in panel e. d, Mean (100 samples) time spent (s) for protocols 1Pre for 900 pairing repetitions at 3, 10 and 50 Hz. e, Comparison between data from *Dudek and Bear* (1992) and our model (1Pre 900p, 300 samples per frequency, see *Table 1*). Data are represented as normal distributions with the mean and variance of the change in field EPSP slope taken from *Dudek and Bear* (1992). f, Prediction for the mean weight change (%) when varying the stimulation frequency and pulse number (24x38x100 data points, respectively pulse x frequency x samples). The filled grey circles show the *Dudek and Bear* (1992) protocol parameters and the corresponding results are shown in panel e.

Figure 4-Figure supplement 1. Varying experimental parameters in Dudek and Bear (1992) and Poisson spike train during development.

- and LTD. This was paralleled by a widening of the LTD frequency range, whereas the LTP frequency threshold remained around ~20Hz, independent of pulse number.
- The pulse-dependent amplification of synaptic weight predicted in *Figure 4* is also valid for *Tigaret et al. (2016)* experiment shown in *Figure 3h*.
- *Ex vivo* experiments in *Dudek and Bear* (1992) were done at 35°C. However, lower tempera-
- tures are more widely used for *ex vivo* experiments because they extend brain slice viability. We
- performed further simulations testing temperature modifications for Dudek and Bear (1992) ex-
- periment, predicting a strong effect on plasticity outcomes (*Figure 4-Figure Supplement 1d-f*).

378 Variations in plasticity induction with developmental age

- 379 The rules for induction of LTP and LTD change during development (Dudek and Bear, 1993; Cao
- and Harris, 2012), so a given plasticity protocol can produce different outcomes when delivered to
- 381 synapses from young animals versus mature animals. For example, when Dudek and Bear (1993)
- tested the effects of low-frequency stimulation (1 Hz) on CA3-CA1 synapses from rats of different
- ages, they found that the magnitude of LTD decreases steeply with age from P7 until becoming
- minimal in mature animals >P35 (Figure 5a, circles). Across the same age range, they found that a
- $_{\tt 385}$ theta-burst stimulation protocol induced progressively greater LTP magnitude with developmental
- age (*Figure 5b*, circles). Paralleling this, multiple properties of neurons change during development:
- the NMDAr switches its dominant subunit expression from GluN2B to GluN2A (*Sheng et al., 1994*;
- **Popescu et al., 2004; Iacobucci and Popescu, 2017)**, the reversal potential of the receptor (GABAr)




Figure 5. | Age-dependent plasticity, Dudek and Bear (1993) dataset. a, Synaptic weight change for 1Pre, 900 at 1 Hz as in Dudek and Bear (1993). The solid line is the mean and the ribbons are the 2nd and 4th quantiles predicted by our model (same for panel **b**, **c** and **f**). **b**, Synaptic weight change for Theta Burst Stimulation (TBS - 4Pre at 100 Hz repeated 10 times at 5Hz given in 6 epochs at 0.1Hz, see Table 1). c, Synaptic weight change as a function of frequency for different ages. BCM-like curves showing that, during adulthood, the same LTD protocol becomes less efficient. It also shows that high-frequencies are inefficient at inducing LTP before P15. d, Synaptic weight change as a function of age. Proposed protocol using presynaptic bursts to recover LTD at \geq P35 with less pulses, 300 instead of the original 900 from Dudek and Bear (1993). This effect is more pronounced for young rats. Figure 5-Figure Supplement 1 shows a 900 pulses comparison. e, Mean synaptic strength change (%) as a function of frequency and age for 1Pre 900 pulses (32x38x100, respectively, for frequency, age and samples). The protocols in Dudek and Bear (1993) (panel **a**) are marked with the yellow vertical line. The horizontal lines represent the experimental conditions of panel c. Note the P35 was used for Dudek and Bear (1992) experiment in Figure 4f. f, Mean time spent for the 1Pre 1Hz 900 pulses protocol showing how the trajectories are left-shifted as rat age increases.

Figure 5-Figure supplement 1. Duplets, triplets and quadruplets for FDP, perturbing developmental-mechanisms for LFS and HFS in *Dudek and Bear (1993)*, and age-related changes in STDP experiments (*Inglebert et al., 2020*; *Tigaret et al., 2016; Meredith et al., 2003*).

switches from depolarising to hyperpolarizing (Rivera et al., 1999; Meredith et al., 2003; Rinetti-389 Vargas et al., 2017), and the action potential backpropagates more efficiently with age (Buchanan 390 and Mellor, 2007). These mechanisms have been proposed to underlie the developmental changes 391 in synaptic plasticity rules because they are key regulators of synaptic calcium signalling (Meredith 392 et al., 2003; Buchanan and Mellor, 2007). However, their sufficiency and individual contributions 393 to the age-related plasticity changes are unclear and this has not been taken into account in any 394 previous model. We incorporated these mechanisms in the model (Methods and Materials) by 395 parameterizing each of the three components to vary with the animal's postnatal age, to test if 396 they could account for the age-dependent plasticity data. 397 We found that elaborating the model with age-dependent changes in NMDAr composition, 398 GABAr reversal potential, and BaP efficiency, while keeping the same plasticity readout parame-300 ters, was sufficient to account for the developmental changes in LTD and LTP observed by Dudek 400

and Bear (1993) (Figure 5a,b). We then explored the model's response to protocols of various stim-

ulation frequencies, from 0.5 to 50 Hz, across ages from P5 to P80 (*Figure 5c,e*). *Figure 5c* shows

the synaptic strength change as function of stimulation frequency for ages P15, P25, P35 and P45.

⁴⁰⁴ The magnitude of LTD decreases with age, while the magnitude of LTP increases with age. *Figure*

5e shows a contour plot of the same result, covering the age-frequency space.

The 1Hz presynaptic stimulation protocol in Dudek and Bear (1993) did not induce LTD in adult 406 animals (Dudek and Bear, 1992). We found that the joint CaN-CaMKII activity trajectories for this 407 stimulation protocol underwent an age-dependent leftward shift beyond the LTD region (Figure 408 5f). This implies that LTD is not induced in mature animals by this conventional LFS protocol due 409 to insufficient activation of enzymes. In contrast. *Tiggret et al. (2016)* and *Isggc et al. (2009)* were 410 able to induce LTD in adult rat tissue by combining LFS with presynaptic spike pairs repeated 900 411 times at 3 Hz. Given these empirical findings and our modelling results, we hypothesized that LTD 412 induction in adult animals requires that the stimulation protocol: 1) causes CaMKII and CaN activity 413 to stay more in the LTD region than the LTP region, and 2) is sufficiently long to activate the LTD 414 readout mechanism. With experimental parameters used by **Dudek and Bear (1993)**, this may be 415 as short as 300 pulses when multi-spike presynaptic protocols are used since the joint CaMKII-CaN 416 activity can reach the LTD region more quickly than for single spike protocols. We simulated two 417 such potential protocols as predictions: doublet and quadruplet spike groups delivered 300 times 418 at 1 Hz, with 50 ms between each pair of spikes in the group (*Figure 5d*). The model predicted that 410 both these protocols induce LTD in adults, whereas as shown above, the single pulse protocol did 420 not cause LTD. These findings suggest that the temporal requirements for inducing LTD may not 421 be as prolonged as previously assumed, since they can be reduced by varying stimulation intensity. 422 See Figure 5-Figure Supplement 1 for frequency versus age maps for presynaptic bursts. 423

Dudek and Bear (1993) also performed theta-burst stimulation (TBS, Table 1) at different de-424 velopmental ages, and found that LTP is not easily induced in young rats (Cao and Harris, 2012), 425 as depicted in *Figure 5b*. The model qualitatively matches this trend, and also predicts that TBS 426 induces maximal LTP around P21, before declining further during development (Figure 5b, green 427 curve). Similarly, we found that high-frequency stimulation induces LTP only for ages >P15, peaks 428 at P35, then gradually declines at older ages (Figure 5e). Note that in Figure 5b, we used 6 epochs 429 instead of 4 used by **Dudek and Bear (1993)** to increase LTP outcome which is known to washout 430 after one hour for young rats (Cao and Harris, 2012). 431

In contrast to *Dudek and Bear* (1993) findings, other studies have found that LTP can be induced
in hippocampus in young animals (<P15) with STDP. For example, *Meredith et al.* (2003) found that,
at room temperature, 1Pre1Post10 induces LTP in young rats, whereas 1Pre2Post10 induces NC.
This relationship was inverted for adults, with 1Pre1Post inducing no plasticity and 1Pre2Post10
inducing LTP (*Figure 5-Figure Supplement 7*).

Together, these results suggest that not only do the requirements for LTP/LTD change with age. 437 but also that these age-dependencies are different for different stimulation patterns. Finally, we 438 explore which mechanisms are responsible for plasticity induction changes across development 439 in the FDP protocol (Figure 5-Figure Supplement 1) by fixing each parameter to young or adult 440 values for the FDP paradigm. Our model analysis suggests that the NMDAr switch (*lacobucci and* 441 **Popescu**, **2017**) is a dominant factor affecting LTD induction, but the maturation of BaP (Buchanga) 442 and Mellor, 2007) is the dominant factor affecting LTP induction, with GABAr shift having only a 443 weak influence on LTD induction for Dudek and Bear (1993) FDP. 444 Plasticity requirements during development do not necessarily follow the profile in **Dudek and** 445

Bear (1993) as shown by Meredith et al. (2003) STDP experiment. Our model shows that multiple
developmental profiles are possible when experimental conditions vary within the same stimulation paradigm. This is illustrated in Figure 6-Figure Supplement 2 a-c by varying the age of STDP
experiments done in different conditions. We fitted well the data from Wittenberg and Wang (2006)

⁴⁵⁰ by adapting the model with appropriate age and temperature.

Effects of extracellular calcium and magnesium concentrations on plasticity out come.

The canonical STDP rule (*Bi and Poo, 1998*), measured in cultured neurons with high extracellular calcium ($[Ca^{2+}]_{a}$) and at room temperature, was recently found not to be reproducible at physio-

- logical $[Ca^{2+}]_{o}$ in CA1 brain slices (*Inglebert et al., 2020*). Instead, by varying the $[Ca^{2+}]_{o}$ and $[Mg^{2+}]_{o}$,
- **Inglebert et al. (2020)** found a spectrum of STDP rules with either no plasticity or full-LTD for phys-
- iological $[Ca^{2+}]_{o}$ conditions ($[Ca^{2+}]_{o}$ < 1.8 mM) and a bidirectional rule for high $[Ca^{2+}]_{o}$ ($[Ca^{2+}]_{o}$ > 2.5
- 458 mM), shown in *Figure 6α-c*.
- We attempted to reproduce *Inglebert et al.* (2020) findings by varying $[Ca^{2+}]_{o}$ and $[Mg^{2+}]_{o}$ with
- the following consequences for the model mechanisms (Methods and Materials). On the presy-
- naptic side, $[Ca^{2+}]_{o}$ modulates vesicle release probability. On the postsynaptic side, high $[Ca^{2+}]_{o}$
- reduces NMDAr conductance (*Maki and Popescu, 2014*), whereas [Mg²⁺]_o affects the NMDAr Mg²⁺
- ⁴⁶³ block (Jahr and Stevens, 1990). Furthermore, spine calcium influx activates SK channels, which hy-
- perpolarize the membrane and indirectly modulate NMDAr activity (*Ngo-Anh et al., 2005; Griffith et al., 2016*).




Figure 6. Effects of extracellular calcium and magnesium concentrations on plasticity. **a**, Synaptic weight (%) for a STDP rule with $[Ca^{2+}]_0 = 1.3 \text{ mM}$ (fixed ratio, Ca/Mg=1.5). According to the data extracted from *Inglebert et al.* (2020), the number of pairing repetitions for causal/positive (anti-causal/negative) delays is 100 (150), both delivered at 0.3 Hz. The solid line is the mean, and the ribbons are the 2nd and 4th quantiles predicted by our model (all panels use 100 samples). **b**, Same as **a**, but for $[Ca^{2+}]_0 = 1.8 \text{ mM}$ (Ca/Mg ratio = 1.5). **c**, Same as **a**, but for $[Ca^{2+}]_0 = 3 \text{ mM}$ (Ca/Mg ratio = 1.5). **d**, Mean time spent for causal pairing, 1Pre1Post10, at different Ca/Mg concentration ratios. The contour plots are associated with the panels **a**, **b** and **c**. **e**, Predicted effects of extracellular Ca/Mg on STDP outcome. Synaptic weight change (%) for causal (1Pre1Post10, 100 at 0.3 Hz) and anticausal (1Post1Pre10, 150 at 0.3 Hz) pairings varying extracellular Ca from 1.0 to 3 mM (Ca/Mg ratio = 1.5). The dashed lines represent the experiments in the panel **a**, **b** and **c**. We used 21x22x100 data points, respectively calcium x delay x samples. **f**, Predicted effects of varying frequency and extracellular Ca/Mg for an STDP protocol. Contour plot showing the mean synaptic weight (%) for a single causal pairing protocol (1Pre1Post10, 100 samples) varying frequency from 0.1 to 10 Hz and $[Ca^{2+}]_0$ from 1.0 to 3 mM (Ca/Mg ratio = 1.5). We used 21x18x100 data points, respectively calcium x frequency x samples.

Figure 6-Figure supplement 1. Effects of extracellular calcium and magnesium concentration on plasticity. **Figure 6-Figure supplement 2.** Temperature and age effects.

Figure 6a-c compares our model to Inglebert et al. (2020) STDP data at different $[Ca^{2+}]_0$ and

- $[Mg^{2+}]_0$. Note that *Inglebert et al.* (2020) used 150 pairing repetitions for the anti-causal stimuli and
- 100 pairing repetitions for the causal stimuli both delivered at 0.3 Hz. At $[Ca^{2+}]_0$ =1.3 mM, *Figure*
- **60** shows that the STDP rule induced weak LTD for brief causal delays. At $[Ca^{2+}]_0 = 1.8$ mM, in
- Figure 6b, the model predicted a full-LTD window. At $[Ca^{2+}]_0 = 3$ mM, in Figure 6c, it predicted a
- bidirectional rule with a second LTD window for long causal pairings, previously theorized by *Rubin*
- 472 et al. (2005).

Figure 6d illustrates the time spent by the joint CaN-CaMKII activity for 1Pre1Post10 using In-

474 glebert et al. (2020) experimental conditions. Each density plot corresponds to a specific specific

⁴⁷⁵ Ca/Mg ratio as in *Figure 6a-c*. The response under low [Ca²⁺]_o spent most time inside the LTD

region, but high [Ca²⁺]_o shifts the trajectory to the LTP region. *Figure 6-Figure Supplement 1a*

477 presents density plots for the anti-causal protocols.

Inglebert et al. (2020) fixed the Ca/Mg ratio at 1.5, although aCSF formulations in the literature differ (see Table 1). Figure 6-Figure Supplement 1d shows that varying the Ca/Mg ratio and $[Ca^{2+}]_{o}$ for Inglebert et al. (2020) experiments restrict LTP to Ca/Mg>1.5 and $[Ca^{2+}]_{o}$ >1.8 mM.

⁴⁸¹ Our model can also identify the transitions between LTD and LTP depending on Ca/Mg. *Fig-*⁴⁸² *ure 6e* shows a map of plasticity as function of pre-post delay and Ca/Mg concentrations and the

⁴⁸³ parameters where LTP is induced for the 1Pre1Post10 protocol. Since plasticity rises steeply at

around $[Ca^{2+}]_0 = 2.2 \text{ mM}$ (see *Figure 6e*), small fluctuations in $[Ca^{2+}]_0$ near this boundary could

cause qualitative transitions in plasticity outcomes. For anti-causal pairings, increasing $[Ca^{2+}]_{o}$ in-

creases the magnitude of LTD (*Figure 6-Figure Supplement 1b* illustrates this with *Inglebert et al.* (2020) data).

Inglebert et al. (2020) also found that increasing the pairing frequency to 5 or 10 Hz results in a transition from LTD to LTP for 1Pre1Post10 at $[Ca^{2+}]_0 = 1.8 \text{ mM}$ (*Figure 6-Figure Supplement to*), similar frequency-STDP behaviour has been reported in the cortex (*Sjöström et al., 2001*). In

Figure 6f, we varied both the pairing frequencies and $[Ca^{2+}]_0$ and we observe similar transitions to

Inglebert et al. (2020). However, the model's transition for $[Ca^{2+}]_0 = 1.8$ mM was centred around

0.5 Hz, which was untested by *Inglebert et al.* (2020). The model predicted no plasticity at higher

frequencies, unlike the data, that shows scattered LTP and LTD (see *Figure 6-Figure Supplement* Another frequency dependent comparison, *Figure 3-Figure Supplement 5c* and *Figure 6-Figure*

approximately app

496 Supplement 1n, snow that ligaret et al. (2016) burst-STDP and ligitate 497 a similar transition structure. different from Dudek and Bear (1992) FDP.

In contrast to *Inglebert et al. (2020)* results, we found that setting low [Ca²⁺]_o for *Tigaret et al.* (2016) burst-STDP abolishes LTP, and does not induce strong LTD (*Figure 3-Figure Supplement 5d*).
 For *Dudek and Bear (1992)* experiment, *Figure 4-Figure Supplement 1d* [Mg²⁺]_o controls a sliding
 threshold between LTD and LTP but not [Ca²⁺]_o (*Figure 4-Figure Supplement 1b*). For another direct
 stimulation experiment, *Figure 6-Figure Supplement 1c* shows that in an Mg-free medium, LTP

⁵⁰³ expression requires fewer pulses (*Mizuno et al., 2001*).

⁵⁰⁴ Despite exploring physiological $[Ca^{2+}]_o$ and $[Mg^{2+}]_o$ Inglebert (*Inglebert et al., 2020*) use a non-⁵⁰⁵ physiological temperature (30°*C*) which extends T-type VGCC closing times and modifies the CaN-⁵⁰⁶ CaMKII baseline (*Figure 6-Figure Supplement 2i*). *Figure 6-Figure Supplement 2g,h* show compara-⁵⁰⁷ ble simulations for physiological temperatures. In summary, our model predicts that temperature ⁵⁰⁸ can change STDP rules in a similar fashion to $[Ca^{2+}]_o$ (*Figure 6-Figure Supplement 1a,b*). Overall, ⁵⁰⁹ we confirm that plasticity is highly sensitive to variations in extracellular calcium, magnesium, and

temperature (Figure 3-Figure Supplement 5a, Figure 6-Figure Supplement 2d-f).

In vivo-like spike variability affects plasticity

In the above sections, we used highly regular and stereotypical stimulation protocols to replicate 512 typical ex vivo plasticity experiments. In contrast, neural spiking in hippocampus in vivo is irregular 513 and variable (Fenton and Muller, 1998: Isaac et al., 2009). Previous studies that asked how natural 514 firing variability affects the rules of plasticity induction used simpler synapse models (*Rackham* 515 et al., 2010: Graupper et al., 2016: Cui et al., 2018). We explored this question in our synapse model 516 using simulations with three distinct types of additional variability: 1) spike time jitter, 2) failures 517 induced by dropping spikes, 3) independent pre and postsynaptic Poisson spike trains (Graupner 518 et al., 2016). 519 We introduced spike timing litter by adding zero-mean Gaussian noise (s.d. σ) to pre and postsy-

⁵²⁰ We introduced spike timing jitter by adding zero-mean Gaussian noise (s.d. σ) to pre and postsy-⁵²¹ naptic spikes, changing spike pairs inter-stimulus interval (ISI). In *Figure 7a*, we plot the LTP magni-⁵²² tude as function of jitter magnitude (controlled by σ) for protocols taken from *Tigaret et al.* (2016).




Figure 7. | Jitter and spike dropping effects on STDP and Poisson spike trains. a, Mean weight (%) for the jittered STDP protocols (protocol color legend shown in ${f b}$). The solid line is the mean, and the ribbons are the 2nd and 4th quantiles predicted by our model using 100 samples (same panels a, b and g). **b**, Mean weight (%) for the same (Tigaret et al., 2016) protocols used in panel a subjected to random spike removal (sparsity %). c, Mean time spent (s) varying jittering. Contour plot shows 2Post1Pre50 and 1Pre1Post10 (300 at 5 Hz) without (grev contour plot) and with littering (coloured contour plot). The circles and squares correspond to the marks in panel **a**. **d**, Mean time spent (s) varying sparsity. Contour plot in grey showing 0% sparsity for 2Post1Pre50 300 at 5Hz (see Figure 2f). The contour plots show the protocol with spike removal sparsities at 0% (NC), 30% (LTP), and 80% (NC). The triangles correspond to the same marks in panel a. e, Distribution of the 50 ms jittering applied to the causal protocol 1Pre1Post10, 300 at 5 Hz in which nearly half of the pairs turned into anticausal. The mean frequency is 5 ± 13.5 Hz making it to have a similar firing structure and position in the LTP region. The similar occurs for 2Post1Pre50 (panel c). f, Mean weight change (%) combining both jittering (panel **a**) and sparsity (panel b) for 2Post1Pre50, 300 at 5 Hz. g, Mean weight change (%) of pre and postsynaptic Poisson spike train delivered simultaneously for 10 s. The plot shows the plasticity outcome for different presynaptic firing rate (1000/frequency) for a fixed postsynaptic baseline at 10Hz. The upper raster plot depicts the released vesicles at 40 Hz and the postsynaptic baseline at 10Hz (including the AP evoked by EPSP). h), Mean weight change (%) varying the rate of pre and postsynaptic Poisson spike train delivered simultaneously for 10 s. The heat map data along the vertical white dashed line is depicted in panel g.

⁵²³ With no jitter, $\sigma = 0$, these protocols have different LTP magnitudes (corresponding to *Figure 3*) ⁵²⁴ and become similar once σ increases. The three protocols with a postsynaptic spike doublet gave ⁵²⁵ identical plasticity for $\sigma = 50$ ms.

To understand the effects of jittering, we plotted the trajectories of joint CaN-CaMKII activity (*Figure 7c*). 2Post1Pre50 which "undershoots" the LTP region shifted into the LTP region for jitter $\sigma = 50$ ms. In contrast, 1Pre1Post10 which "overshoots" the LTP region shifted to the opposite direction towards the LTP region.

⁵³⁰Why does jitter cause different spike timing protocols to yield similar plasticity magnitudes? ⁵³¹Increasing jitter causes a fraction of pairings to invert causality. Therefore, the jittered protocols ⁵³²became a mixture of causal and anticausal pairings (*Figure 7c*). This situation occurs for all paired ⁵³³ protocols. So any protocol with the same number spikes will produce a similar outcome if the jitter

is large enough. Note that despite noise the mean frequency was conserved at 5 \pm 13.5 Hz (see

535 Figure 7e).

Next, we studied the effect of spike removal. In the previous sections, synaptic release prob-536 ability was $\sim 60\%$ (for [Ca²⁺]₂ = 2.5 mM) or lower, depending on the availability of docked vesicles 537 (Methods and Materials). However, baseline presynaptic vesicle release probability is heteroge-538 neous across CA3-CA1 synapses, ranging from $\sim 10 - 90\%$ (Dobrunz et al., 1997; Enoki et al., 2009) 539 and likely lower on average in vivo (Froemke and Dan, 2002; Borst, 2010). BaPs are also heteroge-540 neous with random attenuation profiles (Golding et al., 2001) and spike failures (Short et al., 2017). 541 To test the effects of pre and postsynaptic failures on plasticity induction, we performed simula-542 tions where we randomly removed spikes, altering the regular attenuation observed in *Tiggret* 543 et al. (2016) protocols. 644

In *Figure 7b* we plot the plasticity magnitude as function of sparsity (percentage of removed spikes). The sparsity had different specific effects for each protocol. 1Pre2Post10 and 1Pre2Post50 which originally produced substantial LTP were robust to spike removal until ~ 60% sparsity. In contrast, the plasticity magnitude from both 1Pre1Post10 and 2Post1Pre50 showed a non-monotonic dependence on sparsity, first increasing then decreasing, with maximal LTP at ~40% sparsity.

To understand how sparsity causes this non-monotonic effect on plasticity magnitude, we plot-550 ted the histograms of time spent in the CaN-CaMKII plane for 2Post1Pre50 for three levels of spar-551 sity: 0%, 30% and 80% (Figure 7d). For 0% sparsity, the activation spent most time at the border 552 between the LTP and LTD regions, resulting in no change. Increasing sparsity to 30% caused the 553 activation to shift rightward into the LTP region because there was less attenuation of pre and 554 postsynaptic resources. In contrast, at 80% sparsity, the activation moved into the LTD region be-555 cause there were not enough events to substantially activate CaMKII and CaN. Since LTD is a slow 556 process and the protocol duration is short (60s), there was no net plasticity. Therefore for this pro-557 tocol, high and low sparsity caused no plasticity for distinct reasons, whereas intermediate sparsity 558 enabled LTP by balancing resource depletion with enzyme activation. 559

Next we tested the interaction of jitter and spike removal. *Figure 7f* shows a contour map of weight change as a function of jitter and sparsity for the 2Post1Pre50 protocol, which originally induced no plasticity (*Figure 2*). Increasing spike jitter enlarged the range of sparsity inducing LTP. In summary, these simulations (*Figure 7a,b,f and h*) show that different STDP protocols have different degrees of sensitivity to noise in the firing structure, suggesting that simple plasticity rules derived from regular *ex vivo* experiments may not predict plasticity *in vivo*.

How does random spike timing affect rate-dependent plasticity? We stimulated the model with 566 pre and postsynaptic Poisson spike trains for 10s, under **Dudek and Bear (1992)** experimental condi-567 tions. We systematically varied both the pre and postsynaptic rates (*Figure 7h*). The 10s stimulation 568 protocols induced only LTP, since LTD requires a prolonged stimulation (*Mizuno et al., 2001*). LTP 560 magnitude monotonically increased with the presynaptic rate (*Figure 7g and h*). In contrast, LTP 570 magnitude varied non-monotonically as a function of postsynaptic rate, initially increasing until a 571 peak at 10 Hz. then decreasing with higher stimulation frequencies. This non-monotonic depen-572 dence on post-synaptic rate is inconsistent with classic rate-based models of Hebbian plasticity. 573 We also investigated how this plasticity dependence on pre- and postsynaptic Poisson firing rates 574 varies with developmental age (Figure 4-Figure Supplement 1g-i). We found that at P5 no plastic-575 ity is induced, at P15 a LTP region appears at around 1 Hz postsynaptic rate, and at P20 plasticity 576 becomes similar to the mature age, with a peak in LTP magnitude at 10 Hz postsynaptic rate. 577

578 Discussion

⁵⁷⁹ We built a model of a rat CA3-CA1 hippocampal synapse, including key electrical and biochemical

⁵⁸⁰ components underlying synaptic plasticity induction (*Figure 1*). We developed a novel geometric

readout of combined CaN-CaMKII dynamics (*Figure 2-Figure 4*) to predict the outcomes from a

range plasticity experiments with heterogeneous conditions: animal developmental age (Figure 582 5), aCSF composition (Figure 6), temperature (Supplemental files), and in vivo-like firing variability 583 (Figure 7). This readout provides a simple and intuitive window into the dynamics of the synapse 584 during plasticity. Our model is thus based on the joint activity of these two key postsynaptic en-58 zymes at both fast and slow time scales and considers the stochastic and adaptable dynamics of their activities dictated by the upstream calcium-dependent components at both the pre- and postsynapse. On this basis alone, our model is akin to biological processes where the outcome is jointly determined by several stochastic signaling components and a combination of multiple enzyme ac-589 tivities in time and space, i.e., are multi-dimensional. Our model is scalable, as it gives the pos-590 sibility for the readout to be extended to dynamics of n different molecules, using n-dimensional 591 closed regions. It is abstract in the sense that we do not identify the readout components with 592 specific synaptic molecules. Nevertheless, we anticipate that simple biochemical networks could 603 implement the readout's functional mapping (Alon. 2019). 594

In addition to providing a new model of CA3-CA1 synapse biophysics, the main contribution 595 of this work is the novel readout mechanism mapping synaptic enzymes to plasticity outcomes. 596 This readout was built based on the concept that the full temporal activity of CaN-CaMKII over the 597 minutes-timescale stimulus duration, and not their instantaneous levels, is responsible for changes 598 in synaptic efficacy (*Fuiji et al., 2013*). The readaout follows the measurements of CaMKII and CaN 599 molecular dynamics made using FRET imaging (Fujii et al., 2013). CaMKII and CaN were chosen be-600 cause they act upstream of several biochemical pathways implicated in the expression of plasticity 601 and their inhibition blocks LTP and LTD, respectively (O'Connor et al., 2005). We expect that future 602 studies using high temporal resolution measurements such as those provided by recent FRET tools 603 available for CaMKII (Chang et al., 2017, 2019) will bring refinements to our model with the possi-604 bility to further test our readout predictions. In contrast, previous models assume that plasticity 605 is explainable in terms of synaptic calcium or enzyme response to single BAP-EPSP pairings (Shou-606 val et al., 2002: Karmarkar and Buonomano, 2002). We instantiated this concept by analyzing the 607 joint CaN-CaMKII activity in the two-dimensional plane and designing polygonal plasticity readout 608 regions (*Figure 3a*). In doing so, we generalised previous work with plasticity induction based on 609 single threshold and a slow variable (Badoual et al., 2006; Rubin et al., 2005; Clopath and Gerstner, 610 2010: Graupper and Brunel, 2012) Given the high number of parameters in the model, we do not expect that the specific readout parameters we fit are unique. The addition of new datasets could 612 better constrain the model fit. Here, we used only a two-dimensional readout, but anticipate a 613 straightforward generalisation to higher-dimensions. The central discovery is that these trajecto-614 ries, despite being stochastic, can be separated in the plane as a function of the stimulus (*Figure 3*). 615 This is the basis of our new synaptic plasticity rule. 616

Let us describe the intuition behind our model more concisely. First, we abstracted away the 617 sophisticated cascade of plasticity expression. Second, the plasticity regions, crossed by the trajec-618 tories, are described with a minimal set of parameters. Importantly, their tuning is guite straight-619 forward and done only once, even when the joint activity is stochastic. The tuning of the model is 620 possible thanks to the decoupling of the plasticity process from the spine biophysics which acts as 621 a feedforward input to the plasticity Markov chain and from the distributions of the different tra-622 jectories, which are well separated. It is expected that one could find other versions of this model 623 (parameters or conceptual) instantiating our multidimensional readout concept that also match 624 the data well. The separability afforded by the geometrical readout, along with the model flexibil-625 ity via fitting the plasticity regions, enabled us to reproduce data from nine different experiments 626 using a single fixed set of model parameters. In contrast, we found that classic spike-timing (Song 627 et al., 2000: Pfister and Gerstner, 2006) or calcium-threshold (Graupner and Brunel, 2012) models 628 could not reproduce the range of protocols from Tigaret et al. (2016) (Figure 3-Figure Supplement 629 1). More complicated molecular-cascade models have been shown to account for individual plas-630 ticity experiments (Antunes et al., 2016: ledrzejewska-Szmek et al., 2017: Mäki-Marttunen et al., 631 2020: Bhalla, 2017), but have not been demonstrated to reproduce the wide range of protocols 632

⁶³³ presented here while considering experimental heterogeneity.

⁶³⁴ For some protocols, the CaMKII-CaN trajectories overshot the plasticity regions (e.g. *Figure 3d*).

Although abnormally high and prolonged calcium influx to cells can trigger cell death (*Zhivotovsky*

and Orrenius, 2011), the effects of high calcium concentrations at single synapses are poorly undertotal stood. Notably, a few studies have reported evidence consistent with an overshoot, where strong

stood. Notably, a few studies have reported evidence consistent with an overshoot, where strong
 synaptic calcium influx does not induce LTP (Yang et al., 1999; Tigaret et al., 2016; Pousinha et al.,

39 **2017**).

639 Our model included critical components for plasticity induction at CA3-CA1 synapses: those af-640 fecting dendritic spine voltage, calcium signalling, and enzymatic activation. We were able to use 641 our model to make quantitative predictions, because its variables and parameters corresponded 643 to biological components. This property allowed us to incorporate the model components' depen-643 dence on developmental age, external Ca/Mg levels, and temperature to replicate datasets across a 644 range of experimental conditions. The model is relatively fast to simulate, taking ~1 minute of CPU 645 time to run 1 minute of biological time. These practical benefits should enable future studies to 646 make experimental predictions on dendritic integration of multiple synaptic inputs (Blackwell et al., 647 2019; Oliveira et al., 2012; Ebner et al., 2019) and on the effects of synaptic molecular alterations 648 in pathological conditions. In contrast, abstract models based on spike timing (Song et al., 2000) 640 Pfister and Gerstner, 2006: Clopath and Gerstner, 2010) or simplified calcium dynamics (Shouval 650 et al., 2002; Graupner and Brunel, 2012) must rely on ad hoc adjustment of parameters with less 651

652 biological interpretability.

Intrinsic noise is an essential component of the model. How can the synapse reliably express 653 plasticity but be noisy at the same time (Yuste et al., 1999: Ribrault et al., 2011)? Noise can be re-654 duced either by redundancy or by averaging across time, also called ergodicity (Sterling and Laugh-655 *lin, 2015*). However redundancy requires manufacturing and maintaining more components, and 656 therefore costs energy. We propose that, instead, plasticity induction is robust due to temporal 657 averaging by slow-timescale signalling and adaptation processes. These slow variables display re-658 duced noise levels by averaging the faster timescale stochastic variables. This may be a reason 659 why CaMKII uses auto-phosphorylation to sustain its activity and slow its decay time (Chang et al., 660 2017, 2019). In summary, this suggests that the temporal averaging by slow variables, combined 661 with the separability afforded by the multidimensional readout, allows synapses to tolerate noise while remaining energy-efficient. 663

A uniqueness of our model is that it simultaneously incorporates biological variables such as 664 electrical components at pre and postsynaptic sites some with adaptive functions such as attenua-665 tion, age and temperature, stochastic noise and fast and slow timescales. Some of these variables 666 have been modelled by other groups, e.g. stochasticity. BaP attenuation or pre-synaptic plasticity 667 (Cai et al., 2007: Shouval and Kalantzis, 2005: Zeng and Holmes, 2010: Miller et al., 2005: Yeung 668 et al., 2004: Shah et al., 2006: Deperrois and Graupner, 2020: Costa et al., 2015), but generally in-660 dependently from each other. To position the uniqueness of our model in this broader context, we 670 also provide a direct comparison of our model with some of the most recent leading models of ex-671 citatory synapse plasticity and the experimental work they reproduce (Table 1-Table Supplement 672 1 and Table 1-Table Supplement 2). 673

We identified some limitations of the model. First, we modelled only a single postsynaptic spine 674 attached to a two-compartment neuron (soma and dendrite), see Model Compartments in Online 675 Methods. Second, the model abstracted the complicated process of synaptic plasticity expression. 676 Indeed, even if this replicated the early phase of LTP/LTD expression in the first 30–60 minutes 677 after induction, we did not take into account slower protein-synthesis-dependent processes, main-678 tenance processes, and synaptic pruning proceed at later timescales (Bailey et al., 2015). Third. like 679 most biophysical models, ours contained many parameters (Methods and Materials). Although we 680 set these to physiologically plausible values and then tuned to match the plasticity data, other com-681 binations of parameters may fit the data equally well (Marder and Taylor, 2011: Mäki-Marttunen 682 et al., 2020) due to the ubiguitous phenomenon of redundancy in biochemical and neural systems

(Gutenkunst et al., 2007; Marder, 2011). Indeed synapses are quite heterogeneous in receptor 684 and ion channel counts (Takumi et al., 1999: Sabatini and Svoboda, 2000: Racca et al., 2000: Nim-68 chinsky et al., 2004), protein abundances (Shepherd and Harris, 1998; Sugiyama et al., 2005), and 686 spine morphologies (Bartol et al., 2015: Harris and Stevens, 1989), even within the subpopulation of CA1 pyramidal neuron synapses that we modelled here. It remains to be discovered how neurons tune their synaptic properties in this vast parameter space to achieve functional plasticity rules, or implement meta-plasticity (Huang et al., 1992; Deisseroth et al., 1995; Abraham, 2008). Fourth, the activation of clustered synapses could influence the plasticity outcome, and the num-691 ber of synapses activated during plasticity induction can be difficult to control experimentally. Our 692 model concerns plasticity at a single synapse, which is also important during synaptic cluster acti-603 vation (Uifalussy and Makara, 2020). We drew from data in Tigaret et al. (2016) where there is little 694 indication of simultaneous clustered synaptic activation. Furthermore, our simulations are in good 605 agreement with plasticity experiments using local field potential recordings (Dudek and Bear, 1993) 606 where the number of activated synapses is uncertain. This indicates that the model proposed here 697 can account for this aspect of synaptic plasticity heterogeneity. Finally, our readout model does 698 not correspond to a specific molecular cascade beyond CaN and CaMKII activations. However, we 699 anticipate that the same mapping could be implemented by simple biochemical reaction networks. 700 with for example, transition rates based on Hill functions for the plasticity boundaries. Future work 701 could try to match this readout to known synaptic molecules. 702

Several predictions follow from our results. Since the model respected the stochasticity of vesi-703 cle release (Rizzoli and Betz, 2005; Alabi and Tsien, 2012), NMDAr (Nimchinsky et al., 2004; Popescu 704 et al., 2004; Jacobucci and Popescu, 2017; Sinclair et al., 2016), and VGCC opening (Magee and John-705 ston. 1995: Sabatini and Svoboda, 2000: Iftinca et al., 2006), the magnitude of plasticity varied from 706 simulation trial to trial (Methods and Materials, Figure 3g and Figure 4e). This suggests that the 707 rules of plasticity are inherently stochastic (Bhalla, 2004: Antunes et al., 2016) and that the vari-708 ability observed in these experiments (Inglebert et al., 2020: Tiggret et al., 2016: Dudek and Begr. 709 1992, 1993; Mizuno et al., 2001; Meredith et al., 2003; Wittenberg and Wang, 2006) is partly due 710 to stochastic signalling, in addition to the previously-documented heterogeneity in synapse prop-711 erties (Nusser, 2018) that we did not study here. By running extensive simulations over the space 712 of protocols beyond those tested experimentally (Figure 3h, i; Figure 4f; Figure 5c, e and f; Figure 713 *6e,f*), we made testable predictions for plasticity outcomes. For example, *Tiggret et al. (2016)* did 714 not find LTD when using classic post-before-pre stimulation protocols, but the model predicted 715 that LTD could be induced if the number of pairing repetitions was extended (*Figure 3h.i*). The 716 model also predicts that the lack of LTD induced by FDP in adults can be recovered using doublets 717 or quadruplet spike protocols (*Figure 5d*). We tested the model's sensitivity to spike time iitter and 718 spike failure in the stimulation protocols (*Figure 7*). Our simulations predicted that this firing vari-719 ability can alter the rules of plasticity, in the sense that it is possible to add noise to cause LTP for 720 protocols that did not otherwise induce plasticity. 721

What do these results imply about the rules of plasticity *in vivo*? First, we noticed that successful 722 LTP or LTD induction required a balance between two types of slow variables: those that attenuate, 723 such as presynaptic vesicle pools and dendritic BaP, versus those that accumulate, such as slow 724 enzymatic integration (Cai et al., 2007; Mizusaki et al., 2018; Deperrois and Graupner, 2020). This 725 balance is reflected in the inverted-U shaped magnitude of LTP seen as a function of post-synaptic 726 firing rate (*Figure 7h*). Second, although spike timing on millisecond timescales can in certain cir-727 cumstances affect the direction and magnitude of plasticity (Figure 3), in order to drive sufficient 728 activity of synaptic enzymes, these patterns would need to be repeated for several seconds. How-720 ever, if these repetitions are subject to jitter or failures, as observed in hippocampal spike trains *in* 730 vivo (Fenton and Muller, 1998; Wierzvnski et al., 2009), then the millisecond-timescale information 731 will be destroyed as it gets averaged out across repetitions by the slow integration processes of 732 CaMKII and CaN (Figure 7a-d). The net implication is that millisecond-timescale structure of individ-733 ual spike pairs is unlikely to play an important role in determining hippocampal synaptic plasticity 734

- in vivo (Froemke and Dan, 2002; Sadowski et al., 2016; Graupner et al., 2016).
- ⁷³⁶ In summary, we presented a new type of biophysical model for plasticity induction at the rat
- 737 CA3-CA1 glutamatergic synapse. Although the model itself is specific to this synapse type, the
- study's insights may generalise to other synapse types, enabling a deeper understanding of the
- rules of synaptic plasticity and brain learning.

740 Methods and Materials

741 Data and code availability

- 742 All simulations were performed in the Julia programming language (version 1.4.2). This choice
- was dictated by simplicity and speed (Perkel, 2019). The code for the Markov chains is mostly
- ⁷⁴⁴ automatically generated from reactions, and could be exported to an SBML representation for ⁷⁴⁵ porting to other languages.
- Simulating the synapse model is equivalent to sampling a piecewise deterministic Markov pro-
- cess, and this relies on the thoroughly tested Iulia package PiecewiseDeterministicMarkovProcesses.il.
- These simulations are event-based, and no approximation is made beyond the ones required to
- integrate the ordinary differential equations by the LSODA method (Livermore Solver for Ordinary
- ⁷⁵⁰ Differential Equations). We ran the parallel simulations in the Nef cluster operated by Inria.

Table 1. Table with the parameters extracted from the respective publications. To fit the data associated to publications displaying a parameter interval (e.g. 70 to 100) we used a value within the provided limits. Otherwise, we depict in parentheses the value used to fit to the data. For complete data structure on these publications and the ones used for method validation see github code. We allowed the AP to be evoked by EPSPs for these protocols: *Mizuno et al. (2001), Dudek and Bear (1992) Dudek and Bear (1993)*. Note that *Tigaret et al. (2016)* used GABA(A)r blockers, which we modelled by setting the GABAr conductance to zero. Also, *Mizuno et al. (2001)* LTD protocol used partial NMDA blocker modelled by reducing NMDA conductance by 97 %.

Table 1 - Table Supplement 1. Comparison of recent computational models for plasticity. **Table 2 - Table Supplement 2.** Comparison of the experimental conditions for the different reproduced datasets in recent computational models for plasticity.

Experiment	Paper	Repetitions	Freq (Hz)	Age (days)	Temp. (° <i>C</i>)	[Ca ²⁺] _o (mM)	[Mg ²⁺] _o (mM)
STDP	Tigaret et al. (2016)	300	5	56	35	2.5	1.3
STDP	Inglebert et al. (2020)	100, positive delays	0.3	14—20 (21 for LTP)	30 (20.45 feet LTD)	1.3—3	Ca/1.5
STDP	Meredith et al. (2003)	150, negative delays 20	0.2	(2110FLTP) 9—45	(30.45 for LTP) 24—28	2	2
STDP	Wittenberg and Wang (2006)	70—100	5	14—21	24—30 (22.5-23)	2	1
pre-burst	Tigaret et al. (2016)	300 and 900	3 and 5	56	35	2.5	1.3
FDP	Dudek and Bear (1992)	900	1—50	35	35	2.5	1.5
FDP	Dudek and Bear (1993)	900	1	7—35	35	2.5	1.5
TBS	Dudek and Bear (1993)	3—4 (5) epochs	4Pre at 100 Hz (10x at 5Hz)	6, 14 and 17	35	2.5	1.5
LFS	Mizuno et al. (2001)	1—600	1	12—28	30 (26.5-31)	2.4	0

751 Notation

We write $\mathbf{1}_A$ for the indicator of a set A, meaning that $\mathbf{1}_A(x) = 1$ if x belongs to A and zero otherwise.

753 Vesicle release and recycling

- Vesicle-filled neurotransmitters from the presynaptic terminals stimulate the postsynaptic side
- 755 when successfully released. We derived a vesicle release Markov chain model based on a deter-
- ministic approach described in **Sterratt et al.** (2011). We denote by (t_1, \dots, t_n) the arrival times of
- ⁷⁵⁷ the presynaptic spikes.
- Vesicles can be in two states, either belonging to the docked pool (with cardinal D) with fast emptying, or to the reserve pool (with cardinal R) which replenishes D (*Rizzoli and Betz, 2005*).
- Initially the docked and reserve pools have D_0 and R_0 vesicles, respectively. The docked pool loses
- one vesicle each time a release occurs (*Rudolph et al., 2015*), with transition $D \rightarrow D 1$ (*Figure*

Table 2. Stochastic transitions used in the pool dynamics. Note that the rates depend on the pool's cardinal (*Pyle et al., 2000*).

Transition	Rate	Initial Condition
$(R,D) \rightarrow (R-1,D+1)$	$(D_0-D)\cdot R/\tau_D$	$D(0) = D_0$
$(R,D) \to (R+1,D-1)$	$(R_0 - R) \cdot D/\tau_R$	$R(0) = R_0$
$(R, D) \longrightarrow (R+1, D)$	$(R_0 - R) / \tau_R^{ref}$	

8). The reserve pool replenishes the docked pool with transition $(R, D) \rightarrow (R - 1, D + 1)$. Finally, the reserve pool is replenished with rate $(R_0 - R)/\tau_D^{ref}$ with the transition $(R, D) \longrightarrow (R + 1, D)$.

In addition to the stochastic dynamics in **Table 2**, each spike t_i triggers a vesicle release $D \rightarrow D - 1$ with probability p_{rel} :

$$p_{rel}(Ca_{pre}, [Ca^{2+}]_o, D) = \frac{\left(Ca_{pre}\right)^s}{\left(Ca_{pre}\right)^s + h([Ca^{2+}]_o)^s} \mathbf{1}_{D>0}, \qquad h([Ca^{2+}]_o) = 0.654 + \frac{1.349}{1 + e^{4 \cdot ([Ca^{2+}]_o - 1.708 \ mM)}}$$
(1)

which is a function of presynaptic calcium Ca_{pre} and extracellular calcium concentration $[Ca^{2+}]_{o}$

⁷⁶⁷ through the threshold $h([Ca^{2+}]_a)$. To decide whether a vesicle is released for a presynaptic spike

 t_{i} , we use a phenomenological model of Ca_{pre} (see **Figure 8a**) based on a resource-use function

(Tsodyks and Markram, 1997):

$$\dot{C}a_{pre} = -\frac{Ca_{pre}}{\tau_{pre}} \qquad Ca_{pre}(0) = 0$$

$$\dot{C}a_{jump} = \frac{1-Ca_{jump}}{\tau_{rec}} - \delta_{Ca} \cdot Ca_{jump} \cdot Ca_{pre} \qquad Ca_{jump}(0) = 1.$$
(2)

⁷⁷⁰ Upon arrival of the presynaptic spikes, $t \in (t_1, \dots, t_n)$, we update Ca_{pre} according to the deterministic ⁷⁷¹ jump:

$$Ca_{pre} \longrightarrow Ca_{pre} + Ca_{jump}$$

Finally, after Ca_{pre} has been updated, a vesicle is released with probability p_{rel} (*Figure 8b*).

Parameters for the vesicle release model are given in *Table 3*. The experimental constraints to 773 devise a release probability model are given by Hardingham et al. (2006) and Tigaret et al. (2016). 774 Because $[Ca^{2+}]_{0}$ modifies the release probability dynamics (*King et al., 2001*), we fixed an initial 775 release probability to 68 % for $[Ca^{2+}]_0$ = 2.5 mM as reported by *Tigaret et al. (2016)* (initial value in 776 Figure 8b,d). Additionally, Hardingham et al. (2006) reports a 38% reduction in the initial release 777 probability when changing $[Ca^{2+}]_{0}$ from 2.5 mM to 1 mM. Taking these into account, the decreasing 778 sigmoid function in the *Figure 8e* depicts our $[Ca^{2+}]_0$ -dependent release probability model (p_{rel}) . 779 *Figure 8e* shows that our p_{rel} function is in good agreement with a previous analytical model 780

⁷⁸¹ suggesting that $p_{rel}([Ca^{2+}]_o) \propto ([Ca^{2+}]_o)^2 mM^{-2}$ (*King et al., 2001*). Our model also qualitatively ⁷⁸² reproduces the vanishing of calcium dye fluorescence levels after 20 s of theta trains from *Tigaret* ⁷⁸³ *et al. (2016)* (in their Supplementary Materials). We interpret their fluorescence measurements as ⁷⁸⁴ an effect of short-term depression (see *Figure 8b*).

⁷⁸⁵ Despite our model agreeing with previous works, it is a simplified presynaptic model that does ⁷⁸⁶ not encompass the highly heterogeneous nature of vesicle release. Vesicle release dynamics are ⁷⁸⁷ known to be sensitivity to various experimental conditions such as temperature (*Fernández-Alfonso* ⁷⁸⁸ *and Ryan, 2004*), the age for some brain regions (*Rudolph et al., 2015*) or magnesium concentra-⁷⁸⁹ tion (*Hardingham et al., 2006*). Furthermore, since our model of vesicle dynamics is simple, τ_{rec} ⁷⁹⁰ in *Equation 2* has two roles: to delay the p_{rel} recovery caused by Ca_{pre} inactivation (enforced by ⁷⁹¹ δ_{Ca} in *Equation 2*) and to prevent vesicle release after HFS-induced depression (*King et al., 2001*; ⁷⁹² *Rizzoli and Betz, 2005*). Later, we incorporate a higher number of experimental parameters (age, ⁷⁹³ temperature, $[Ca^{2+}]_{o}$, $[Mg^{2+}]_{o}$) with our NMDAr model, the main postsynaptic calcium source.

Table 3. | Parameter values used in the presynaptic model. Our model does not implement a larger pool called "resting pool" containing ~ 180 vesicles (CA3-CA1 hippocampus) (*Alabi and Tsien, 2012*). Terminology note: In other works, the larger pool with ~180 vesicles can be found with different nomenclatures such as "reserve pool" (*Südhof, 2000*) or "resting pool" (*Alabi and Tsien, 2012*). Furthemore, the nomenclature used in our model for the reserve pool is use in other studies as the "recycling pool", e.g. *Rizzoli and Betz (2005*) and *Alabi and Tsien (2012*).

Name	Value	Reference
Vesicle release model (stochastic part)		
initial number of vesicles at D	$D_0 = 25$	5 to 20 (Rizzoli and Betz, 2005; Alabi and Tsien, 2012)
initial number of vesicles at R	$R_0 = 30$	17 to 20 vesicles (Alabi and Tsien, 2012)
time constant $R \rightarrow D$ (D recycling)	$\tau_D = 5 s$	1 s (Rizzoli and Betz, 2005)
time constant $D \rightarrow R$ (R mixing)	$\tau_R = 45 \ s$	20 s (when depleted) to 5 min (hypertonic shock) (<i>Rizzoli and Betz, 2005; Pyle et al., 200</i> 0)
time constant 1 → R (R recycling)	$\tau_R^{ref} = 40 \ s$	20 to 30 s (Rizzoli and Betz, 2005)
release probability half-activation curve	h	see Equation 1
release probability sigmoid slope	s = 2	fixed for all [Ca ²⁺] _o
Vesicle release model (deterministic pa	rt)	
<i>Ca_{pre}</i> attenuation recovery	$\tau_{pre} = 20 \text{ ms}$	50 - 500 <i>ms</i> with dye (<i>Maravall et al., 2000</i>) therefore < 50 to 500 <i>ms</i> without dye
deterministic jump attenuation recovery	$\tau_{rec} = 20 \ s$	~ 20 s (Rizzoli and Betz, 2005)
deterministic jump attenuation fraction	$\delta_{ca}=0.0004$	(Forsythe et al., 1998)

794 Model compartments

Our model is built over three compartments, a spherical dendritic spine linked by the neck to a cylin-

drical dendrite connected to a spherical soma. The membrane potential of these compartments

satisfy the equations below (parameters in *Table 4*). Since the dendrite is a single compartment,
 the precise spine location is undefined. For more detailed morphological simulations to predict

⁷⁹⁸ the precise spine location is undefined. For more detailed morphological simulations to predict ⁷⁹⁹ plasticity see *Ebner et al.* (2019), *Chindemi et al.* (2020) and *Jędrzejewska-Szmek et al.* (2017). The

- distance from the soma to the spine functionally mimics the BaP attenuation as shown in *Golding*
- et al. (2001), and it is set to 200 µm for all simulations, except in Figure 3-Figure Supplement 6c

and Figure 3-Figure Supplement 5e. In these panels, we modified this distance as described in the

⁸⁰³ graph y-axis to model *Ebner et al.* (2019) data. The different currents in the soma, dendrite and

spine are described as follows.

Membrane potential and currents

⁸⁰⁶ The membrane potential of these compartments satisfy the equations below (parameters in *Table*

4). The different currents are described in the following sections.

$$C_{sp} \cdot \dot{V}_{sp} = g_{neck} \cdot (V_{dend} - V_{sp}) + g_L^{sp} \cdot (E_{rev} - V_{sp}) + I_T + I_L + I_R + I_{NMDA} + I_{AMPA} + I_{SK}$$
(3)

$$C_{dend} \cdot \dot{V}_{dend} = g_{BaP}^{adapt} \cdot (V_{soma} - V_{dend}) + g_{neck} \cdot (V_{sp} - V_{dend}) + g_L^{dend} \cdot (E_{rev} - V_{dend}) + I_{GABA}$$
(4)

$$C_{soma} \cdot \dot{V}_{soma} = g_{BaP}^{adapt} \cdot (V_{dend} - V_{soma}) + g_{I}^{soma} \cdot (E_{rev} - V_{soma}) + \lambda_{are} \cdot (I_{BaP} + I_{Na}) + I_{K}$$
(5)

Action-potential backpropagation (BaP)

Postsynaptic currents

The postsynaptic currents are generated in the soma, backpropagated to the dendritic spine and

filtered by a passive dendrite. The soma generates BaPs using a version of the Na⁺ and K⁺ channel

- models developed by *Migliore et al.* (1999). The related parameters are described in *Table 5* (the
- ⁸¹³ voltage unit is mV).




Figure 8. | **Presynaptic release**. **a**, Presynaptic calcium in response to the protocol 1Pre, 300 at 5 Hz displaying adaptation. **b**, Release probability for the same protocol as panel A but subjected to the docked vesicles availability. **c**, Number of vesicles in the docked and reserve pools under depletion caused by the stimulation from panel **a**. **d**, Plot of the mean (300 samples) release probability (%) for different frequencies for the protocol 1Pre 300 pulses at $[Ca^{2+}]_0 = 2.5 \text{ mM}$. **e**, Release probability (%) for a single presynaptic spike as a function of $[Ca^{2+}]_0$. Note that *King et al.* (2001) model was multiplied by the experimentally measured release probability at $[Ca^{2+}]_0 = 2 \text{ mM}$ since their model has this calcium concentration as the baseline. Our model also does not cover the abolishing of release probability at $[Ca^{2+}]_0 = 0.5 \text{ mM}$ which can also be difficult to measure experimentally given the rarity of events (*Hardingham et al.*, 2006).

Sodium channel

Potassium channel

$$\begin{aligned} \alpha_{m}(V_{soma}) &= 0.4 \cdot \frac{V_{soma} + 30}{1 - e^{-\frac{V_{soma} + 30}{7.2}}} & \alpha_{n}(V_{soma}) = e^{-0.11 \cdot (V_{soma} - 13)} \\ \beta_{m}(V_{soma}) &= 0.124 \cdot \frac{V_{soma} + 30}{e^{\frac{V_{soma} + 30}{7.2}} - 1} & \beta_{n}(V_{soma}) = e^{-0.08 \cdot (V_{soma} - 13)} \\ m_{inf}(V_{soma}) &= \frac{\alpha_{m}(V_{soma})}{\alpha_{m}(V_{soma}) + \beta_{m}(V_{soma})} & n_{inf}(V_{soma}) = e^{-0.08 \cdot (V_{soma} - 13)} \\ m_{inf}(V_{soma}) &= \frac{\alpha_{m}(V_{soma})}{\alpha_{m}(V_{soma}) + \beta_{m}(V_{soma})} & n_{inf}(V_{soma}) = \frac{1}{1 + \alpha_{n}(V_{soma})} \\ m_{\tau}(V_{soma}) &= \frac{1}{\alpha_{m}(V_{soma}) + \beta_{m}(V_{soma})} & n_{\tau}(V_{soma}) = max \left(50 \cdot \frac{\beta_{n}(V_{soma})}{1 + \alpha_{n}(V_{soma})}; 2 \right) \\ \alpha_{h}(V_{soma}) &= 0.01 \cdot \frac{V_{soma} + 45}{e^{\frac{V_{soma} + 45}{1.5}} - 1} & n_{inf}(V_{soma}) = \frac{n_{inf} - n}{n_{\tau}} \\ \beta_{h}(V_{soma}) &= \alpha_{h}(V_{soma}) \cdot (1 - h) - \beta_{h}(V_{soma}) \cdot h \\ m(V_{soma}) &= \frac{m_{inf} - m}{m_{\tau}} \\ I_{Na} &= \gamma_{Na} \cdot m^{3} \cdot h \cdot (Erev_{Na} - V_{soma}). \end{aligned}$$

To trigger a BaP, an external current I_{BaP} is injected in the soma at times $t \in \{t_1, ..., t_n\}$ (postsynaptic input times) for a chosen duration δ_{inj} with amplitude I_{amp} (*nA*), considering *H* as the Heaviside function this is expressed as:

$$I_{BaP} = \sum_{i=1}^{n} H(t_i) \cdot (1 - H(t_i + \delta_{inj})) \cdot I_{amp}.$$

Table 4. Parameters for the neuron electrical properties. * The membrane leak conductance in the spine is small since the spine resistance is so high that is considered infinite (> $10^6 M\Omega$) (Koch and Zador, 1993). The current thus mostly leaks axially through the neck cytoplasm. The dendrite leak conductance is also small in order to control the distance-dependent attenuation by the axial resistance term g_{BaP}^{adapt} in Equation 4 and Equation 5.

Name	Value	Reference
Passive cable		
leak reversal potential	$E_{leak} = -70 \ mV$	69mV (Spigelman et al., 1996)
membrane leak conductance (for spine and passive dendrite)	$g_{leak} = 4 \cdot 10^{-6} \ nS/\mu m^2$	* see table legend (Koch and Zador, 1993)
membrane leak conductance (only soma)	$g_{soma} = 5.31 \cdot 10^{-3} \ nS/\mu m^2$	$3 \cdot 10^{-4}$ to $1.3 \cdot 10^{-3} nS / \mu m^2$ (Fernandez and White, 2010) 47 to $2.1 \cdot 10^3 nS$ (NeuroElectro:CA1)
membrane capacitance	$C_m = 6 \cdot 10^{-3} \ pF/\mu m^2$	$1 \cdot 10^{-2} \ pF/\mu m^2$ (Hines and Carnevale, 1997) 17 to 177 pF (NeuroElectro:CA1)
axial resistivity of cytoplasm	$R_a = 1\cdot 10^{-2}~G\Omega\mu m$	$2\cdot 10^{-3}~G\Omega\mu m$ (Golding et al., 2001)
Dendrite		
dendrite diameter	$D_{dend} = 2 \ \mu m$	same as Yi et al. (2017)
dendrite length	$L_{dend} = 1400 \ \mu m$	apical dendrites, 1200 to 1600 μ m (<i>Mendoza et al., 2018</i>)
dendrite surface area	$A_{dend} = 8.79 \cdot 10^3 \ \mu m^2$	$\pi \cdot D_{dend} \cdot L_{dend}$
dendrite volume	$Vol_{dend} = 4.4 \cdot 10^3 \mu m^3$	$\pi \cdot (D_{dend}/2)^2 \cdot L_{dend}$
dendritic membrane capacitance	$C_{dend} = 52.77 \ pF$	$C_m \cdot A_{dend}$
dendrite leak reversal potential	$g_{leakdend} = 3.51 \cdot 10^{-2} \ nS$	$g_{leak} \cdot A_{dend}$
dendrite axial conductance	$g_{diff} = 50 \ nS$	$R_a \cdot A_{dend}$
Soma		
soma diameter	$D_{soma} = 30 \ \mu m$	21 μm (Stuart et al., 2016) page 3
soma area (sphere)	$A_{soma} = 2.82 \cdot 10^3 \ \mu m^2$	$(4\pi/3) \cdot (D_{soma}/2)^3$; 2.12 $\cdot 10^3 \mu m^2$ (Zhuravleva et al., 1997)
soma membrane capacitance	$C_{soma} = 16.96 \ pF$	$C_m \cdot A_{soma}$
soma leaking conductance	$g_{leaksoma} = 15 \ nS$	$m{g}_{soma}\cdotm{A}_{soma}$ (Fernandez and White, 2010)
Dendritic spine		
spine head volume	$Vol_{sp} = 0.03 \ \mu m^3$	Bartol et al. (2015)
spine head surface	$A_{sp} = 4.66 \cdot 10^{-1} \ \mu m^2$	$4\pi \cdot (3Vol_{sp}/4\pi)^{2/3}$
spine membrane capacitance	$C_{sp} = 2.8 \cdot 10^{-3} \ pF$	$C_m \cdot A_{sp}$
spine head leak conductance	$g_{leaksp} = 1.86 \cdot 10^{-6} \ nS$	$g_{leak} \cdot A_{sp}$
Dendritic spine neck		
spine neck diameter	$D_{neck} = 0.1 \ \mu m$	0.05 to 0.6 μm (Harris et al., 1992)
neck length	$L_{neck} = 0.2 \ \mu m$	$0.7 \pm 0.6 \ \mu m$ (Adrian et al., 2017)
neck cross sectional area	$CS_{neck} = 7.85 \cdot 10^{-3} \ \mu m^2$	$\pi \cdot (D_{neck}/2)^2$
neck resistance	$g_{neck} = 3.92 \ nS \approx 255.1 \ M\Omega$	$CS_{neck}/(L_{neck}\cdot R_a)$ 50 to 550 $M\Omega$ (275 ± 27 $M\Omega$) (Popovic et al., 2015)

The current injected in the soma is filtered in a distance-dependent manner by the dendrite before it reaches the dendritic spine. Biologically, BaP adaptation is caused by the inactivation of sodium channels and the difference of sodium and potassium channel expression along the dendrite (*Jung et al., 1997; Golding et al., 2001*). We used a phenomenological model, implementing distant-dependent BaP amplitude attenuation by modifying the axial resistance g_{BaP}^{adapt} (see *Equation 4* and *Equation 5*) between the dendrite and the soma as follows (*Figure 9c top*):

$$g_{BaP}^{adapt} = \lambda \cdot g_{diff} \cdot \phi_{dist}(d_{soma}), \qquad \phi_{dist}(d_{soma}) = 0.1 + \frac{1.4}{1 + e^{0.02 \cdot (d_{soma} - 230.3 \mu m)}}$$
(6)

where d_{soma} is the distance of the spine to the soma and where the factor λ is dynamically regulated based on a resource-use equation from **Tsodyks and Markram** (1997) with a dampening factor λ_{aux} changing the size of the attenuation step δ_{decay} :

$$\dot{\lambda} = \frac{1-\lambda}{\tau_{rec}} - \delta_{decay} \cdot \lambda_{aux}^{-1} \cdot \lambda \cdot I_{BaP}(t)$$
$$\dot{\lambda}_{aux} = \frac{1-\lambda_{aux}}{\tau_{rec}} - \delta_{aux} \cdot \lambda_{aux} \cdot I_{BaP}(t).$$

The BaP attenuation model is based on *Golding et al. (2001*) data for strongly attenuating neurons. Therefore, the second type of attenuation (weakly attenuating) in neurons is not considered

- (dichotomy in *Figure 9a*). *Figure 9a* compares Golding's data to our model and illustrates the effect
- s23 of BaP attenuation in the upper panels of *Figure 9a,b*.
- Table 5 shows the BaP attenuation parameters. The plasticity outcomes as function of the
- dendritic spine distance from the soma are shown in Figure 3-Figure Supplement 6c and Figure
- 826 3-Figure Supplement 5e.




Figure 9. | **AP Evoked by EPSP. a**, Model and data comparison for the distance-dependent BaP amplitude attenuation measured in the dendrite and varying the distance from the soma. The stimulation in panel **a** is set to reproduce the same stimulation as *Golding et al. (2001)*. Golding described two classes of neurons: those that are strongly attenuated and those that are weakly attenuated (dichotomy mark represented by the dashed line). However, in this work we consider only strongly attenuated neurons. **b**, Attenuation of somatic action potential from *Buchanan and Mellor (2007)* and model in response to five postsynaptic spikes delivered at 100 Hz. The value showed for the model is the spine voltage with distance from the soma set to zero (scale 25 ms, 20 mV). **c**, Top panel shows the λ_{soma} used in *Equation 6* to modify the axial conductance between the soma and dendrite. Bottom panel shows the age-dependent changes in the step of the resource-use equation (*Equation 7*) that accelerates the BaP attenuation and decreases the sodium currents in Equation *Equation 5*. **d**, Probability of evoking an AP multiplied by the successfully evoked AP ($p_{AP}(V_{evoked}) \cdot 1(evoked)$ for the protocol 1Pre, 300 at 5 Hz (2.5 mM Ca). **e**, Two-pool dynamics with the same stimulation from panel D showing the vesicle release, the reserve and docked pools, and the evoked AP. **f**, Probability of evoking an AP for the protocol 1Pre 300 pulses at different frequencies (3 and 5 Hz have the same probability).

827 Age-dependent BaP adaptation

- Age-dependent BaP attenuation modifies the neuronal bursting properties through the maturation
- and expression of potassium and sodium channels (Gymnopoulos et al., 2014), therefore changing
- the interaction of hyperpolarizing and depolarizing currents (see Figure 9b) (Grewe et al., 2010;
- Jung et al., 1997). We reproduce Buchanan and Mellor (2007) somatic attenuation profiles (Figure
- 932 9b) with our model by including an age-dependent BaP amplitude attenuation factor. We define
- the attenuation factor λ_{age} (*Figure 9c bottom*), as follows.

$$\dot{\lambda}_{age} = \frac{1 - I_{age}}{\tau_{rec}^{age}} - \delta_{age} \cdot \lambda_{age} \cdot I_{BaP}(t), \qquad \qquad \delta_{rec}^{age} = \frac{1.391 \cdot 10^{-4}}{1 + e^{0.135(age - 16.482 \ days)}}. \tag{7}$$

In Equation *Equation 5*, the age effects are introduced by multiplying the sodium I_{Na} and the external I_{BaP} currents by the attenuation factor λ_{are} .

AP evoked by EPSP

837 A presynaptic stimulation triggers a BaP if sufficient depolarization is caused by the EPSPs reach-

- ing the soma (*Stuart et al., 2016*). We included an option to choose whether an EPSP can evoke
- an AP using an event generator resembling the previous release probability model p_{rel} as in the
- **Equation 1.** Like p_{rel} , the BaPs evoked by EPSPs are estimated before the postsynaptic simulation.
- We use a variable V_{evoke} which is incremented by 1 at each presynaptic time $t \in (t_1, ..., t_n)$ and has
- exponential decay:

$$\begin{cases} \dot{V}_{evoke} = -\frac{V_{evoke}}{\tau_v} & V_{evoke}(0) = 0\\ V_{evoke} \longrightarrow V_{evoke} + 1. \end{cases}$$
(8)

- Since the BaPs evoked by EPSPs are triggered by the afferent synapses and are limited by their
- respective docked pools (*D*), we use the previous p_{rel} to define the probability of an AP to occur.

We test the ratio of successful releases from 25 synapses to decide if a BaP is evoked by an EPSP,

- setting a test threshold of 80%. Therefore, we express the probability of evoking an AP, $p_{AP}(V_{evoke})$,
- 847 with the following test:

$$\frac{\sum^{25} 1(rand < p_{rel}(V_{evoked}, [Ca^{2+}]_o, D))}{25} > 80 \%$$

Table 5. The Na+ and K+ conductances intentionally do not match the reference because models with passive dendrite need higher current input to initiate action potentials (*Levine and Woody, 1978*). Therefore we set it to achieve the desired amplitude on the dendrite and the dendritic spine according to the predictions of *Golding et al. (2001)* and *Kwon et al. (2017)*.

Name	Value	Reference
Soma parameters for Na+ and K+ channel		
sodium conductance	$\gamma_{Na} = 8 \cdot 10^2 \ nS$	0.32 nS/µm ² (Migliore et al., 1999)
sodium conductance	$\gamma_{Na} = 8 \cdot 10 \ nS$	see legend commentary
potassium conductance	·· 40 ·· 5	0.48 nS/µm ² (Migliore et al., 1999)
potassium conductance	$\gamma_K = 40 \ nS$	see legend commentary
reversal potential sodium	$Erev_{Na} = 50 \ mV$	Migliore et al. (1999)
reversal potential potassium	$Erev_K = -90 \ mV$	Migliore et al. (1999)
BaP attenuation parameters		
attenuation step factor (age)	5	see Equation 7 and Figure 9b,c bottom
attenuation step factor (age)	δ_{age}	Buchanan and Mellor (2007); Golding et al. (2001)
attenuation step factor	$\delta_{decay} = 1.727 \cdot 10^{-5}$	adjusted to fit
	$\partial_{decay} = 1.727 \cdot 10$	Buchanan and Mellor (2007); Golding et al. (2001)
auxiliary attenuation step factor	$\delta_{aux} = 2.304 \cdot 10^{-5}$	adjusted to fit
advinary attendation step ractor	$v_{aux} = 2.504 \cdot 10$	Buchanan and Mellor (2007); Golding et al. (2001)
recovery time for the attenuation factor	$\tau_{rec} = 2 \ s$	adjusted to fit
recovery time for the attendation factor		Buchanan and Mellor (2007); Golding et al. (2001)
recovery time for the age attenuation factor	$ au^{age}_{rec} = 0.5 \ s$	adjusted to fit
recovery time for the age attenuation factor		Buchanan and Mellor (2007); Golding et al. (2001)
AP evoked by EPSP		
decay time for V _{evoke}	$\tau_V = 40 ms$	Hines and Carnevale (1997)
delay AP evoked by EPSP	$\delta_{delay-AP} = 15 ms$	Fricker and Miles (2000)

The EPSP summation dynamics on the soma and dendrites depend on the complex neuron morphology (*Etherington et al., 2010; Ebner et al., 2019*) which was not implemented by our model. Therefore, our "AP evoked by EPSP test" intends to give a simplified way to produce BaPs similar to an integrate-and-fire model (*Sterratt et al., 2011*).

Previous work suggests that BaPs can be evoked with a ~5 % probability for low-frequencies in the Dudek and Bear experiment ($[Ca^{2+}]_0 = 2.5 \text{ mM}$) (*Mayr and Partzsch, 2010*). Our model covers this estimation, but the chance to elicit an AP increases with the frequency (*Etherington et al., 2010*). This is captured by the V_{evoke} (in an integrate-and-fire fashion (*Stuart et al., 2016*)) as shown in *Figure 9f*. The *Figure 9d,e* show how a 5 Hz stimulation evokes APs. The delay between the

- EPSP and the evoked AP is set to $\delta_{delay-AP} = 15ms$, similar to the EPSP-spike latency reported for
- S58 CA1 pyramidal neurons (Fricker and Miles, 2000).

859 AMPAr

Markov chain

- The AMPAr is modeled with the Markov chain (Figure 10) described by Robert and Howe (2003) and
- 802 Coombs et al. (2017) and adapted to temperature changes according to Postlethwaite et al. (2007).
- Here, we introduce the additional parameters ρ_{ϵ}^{AMPA} , ρ_{b}^{AMPA} to cover AMPAr temperature-sensitive
- kinetics (*Postlethwaite et al., 2007*). The corresponding parameters are given in *Table 6*.

Figure 10. AMPAr Markov chain with three sub-conductance states and two desensitisation levels. It includes parameters ρ_f^{AMPA} , ρ_b^{AMPA} (binding and unbinding of glutamate) which depend on temperature. Open states are O2, O3 and O4; closed states are C0, C1, C2, C3 and C4; desensitisation states are D0, D1, D2, D3 and D4; deep desensitisation states are D₂2, D₂3 and D₂4.

The AMPAr current is the sum of the subcurrents associated to the occupancy of the three subconductance states O2, O3 and O4 of the Markov chain in *Figure 10* and described as follows:

$$I_{AMPA} = (Erev_{AMPA} - V_{sp}) \cdot (\gamma_{A2} \cdot O2 + \gamma_{A3} \cdot O3 + \gamma_{A4} \cdot O4).$$




Figure 11. | **Effect of temperature in the AMPAr**. **a**, Probability of AMPAr opening $\left(\frac{O2+O3+O4}{N_{AMPA}}\right)$ and the decay time at different temperatures in response to 1 mM glutamate during 1 ms (standard pulse). **Postlethwaite et al. (2007**) data (our model) suggests that AMPAr decay time at $35^{\circ}C$ is ~ 0.5 ms (~ 0.6 ms) and at $25^{\circ}C$ is ~ 0.65 ms (~ 0.95 ms). This shows a closer match towards more physiological temperatures. **b**, Desensitisation profile of AMPAr at $35^{\circ}C$ showing how many AMPAr are open in response to a glutamate saturating pulse (5 mM Glu during 20 ms) separated by an interval (x-axis). **c**, Same as in panel **b** but for $25^{\circ}C$.

The adaptation of the Markov chain from **Robert and Howe (2003)** is made by changing the forward ρ_f^{AMPA} and backward ρ_b^{AMPA} rates in a temperature-dependent manner matching the decay time reported by **Postlethwaite et al. (2007)**:

$$\rho_f^{AMPA} = \frac{10.273}{1 + e^{-0.473 \cdot (T - 31.724^{\circ}C)}}, \qquad \rho_b^{AMPA} = \frac{5.134}{1 + e^{-0.367 \cdot (T - 28.976^{\circ}C)}}.$$

The effects of temperature change on AMPAr dynamics are presented in *Figure 11*, which also shows that the desensitisation is not altered by temperature changes (*Figure 11b,c*). The recovery time from desensitisation is the same as at room temperature (*Robert and Howe, 2003*). Desensitisation measurements are required to account for a temperature-dependent change in the rates of the "vertical" transitions in *Figure 10*, see *Postlethwaite et al.* (*2007*). This can be relevant for presynaptic bursts.

Table 6. Parameter values for the AMPAr Markov chain and glutamate release affecting NMDAr, AMPAr. Properties of GABA release are the same as those for glutamate.

Name	Value	Reference
Glutamate parameters		
duration of glutamate in the cleft	$glu_{width} = 1 ms$	Spruston et al. (1995)
concentration of glutamate in the cleft	$glu_{amp} = 1 \ mM$	Spruston et al. (1995)
glutamate variability	$glu_{ev} = \Gamma(1/0.5^2, 0.5^2)$	Liu et al. (1999)
(gamma distribution Γ)	$g_{i}u_{cv} = I(1/0.5, 0.5)$	
glutamate signal	Glu	$glu_{cv} \cdot glu_{amp}$
8		for AMPAr, NMDAr and copied to GABA neurotransmitter
AMPAr parameters		
number of AMPArs	$N_{AMPA} = 120$	Bartol et al. (2015)
reversal potential	$Erev_{AMPA} = 0 mV$	Bartol et al. (2015)
subconductance O2	$\gamma_{A2} = 15.5 \ pS$	16.3 pS (Coombs et al., 2017)
subconductance O3	$\gamma_{A3} = 26 \ pS$	28.7 pS (Coombs et al., 2017)
subconductance O4	$\gamma_{A4} = 36.5 \ pS$	37.8 pS (Coombs et al., 2017)
glu binding	$k_1 = 1.6 \cdot 10^7 M^{-1} s^{-1}$	Robert and Howe (2003)
glu unbinding 1	$k_{-1} = 7400 \ s^{-1}$	Robert and Howe (2003)
glu unbinding 2	$k_{-2} = 0.41 \ s^{-1}$	Robert and Howe (2003)
closing	$\alpha = 2600 \ s^{-1}$	Robert and Howe (2003)
opening	$\beta = 9600 \ s^{-1}$	Robert and Howe (2003)
desensitisation 1	$\delta_1 = 1500 \ s^{-1}$	Robert and Howe (2003)
desensitisation 2	$\delta_2 = 170 \ s^{-1}$	Robert and Howe (2003)
desensitisation 3	$\delta_0 = 0.003 \ s^{-1}$	Robert and Howe (2003)
re-desensitisation 1	$\gamma_1 = 9.1 \ s^{-1}$	Robert and Howe (2003)
re-desensitisation 2	$\gamma_2 = 42 \ s^{-1}$	Robert and Howe (2003)
re-desensitisation 3	$\gamma_0 = 0.83 \ s^{-1}$	Robert and Howe (2003)

877 Postsynaptic Ca²⁺ influx

The effects of experimental conditions on the calcium dynamics are due to receptors, ion channels and enzymes. A leaky term models the calcium resting concentration in the *Equation 9*. The calcium fluxes from NMDAr and VGCCs (T, R, L types) are given in *Equation 10*. The diffusion term through the spine neck is expressed in *Equation 11*. Finally, the buffer, the optional dye and the

enzymatic reactions are given in *Equation 12* (parameter values given at the *Table 7*):

$$\dot{C}a = \frac{Ca_{\infty} - Ca}{\tau_{Ca}} + \tag{9}$$

$$\frac{Ca_{NMDA} + I_T + I_R + I_L}{2 \cdot F \cdot A_{sp}} +$$
(10)

$$\frac{\max(Ca_{\infty}, Ca/3) - Ca}{\tau_{CaDiff}} -$$
(11)

$$Bu\dot{f}f_{Ca} - D\dot{y}e + enzymes.$$
(12)

- ⁸⁸³ Despite the driving force to the resting concentration, $Ca_{\infty} = 50 nM$, the tonic opening of T-type ⁸⁸⁴ channels causes calcium to fluctuate making its mean value dependent on temperature, extracel-⁸⁸⁵ lular calcium and voltage. The effects of this tonic opening in various experimental conditions are ⁸⁸⁶ shown in *Figure 6-Figure Supplement 2c*. To avoid modelling dendritic calcium sources, we use a ⁸⁸⁷ dampening term as one-third of the calcium level since calcium imaging comparing dendrite and
 - spine fluorescence have shown this trend (Segal and Korkotian, 2014). Equation 11 implements
 - the diffusion of calcium from the spine to the dendrite through the neck. The time constant for the
 - diffusion coefficient τ_{CaDiff} , is estimated as described in **Holcman et al. (2005)**. The calcium buffer
 - and the optional dye are described as a two-state reaction system (Sabatini et al., 2002):

$$Bu\dot{f}f_{Ca} = k_{on}^{Buff} \cdot (Buff_{con} - Buff_{Ca}) \cdot Ca - k_{off}^{Buff} \cdot Buff_{Ca}$$
$$Dye = k_{on}^{Fluo5} \cdot (Fluo5f_{con} - Dye) \cdot Ca - k_{off}^{Fluo5} \cdot Dye.$$
(13)

Table 7. Postsynaptic calcium dynamics parameters.

Name	Value	Reference
Buffer and dye		
association buffer constant	$k_{on}^{Buff} = 0.247 \ \mu M^{-1} m s^{-1}$	Bartol et al. (2015)
dissociation buffer constant	$k_{off}^{Buff} = 0.524 \ ms^{-1}$	Bartol et al. (2015)
buffer concentration	$Buf f_{con} = 62 \ \mu M$	76.7 μM (Bartol et al., 2015)
Calcium dynamics		
Calcium baseline concentration	$Ca_{\infty} = 50 \ nM$	37 ± 5 to $54 \pm 5 nM$ (Maravall et al., 2000)
Calcium decay time	$\tau_{Ca} = 10 ms$	50 to 500 ms for with dye (Maravall et al., 2000)
calcium decay time		therefore < 50 to 500 ms undyed (unbufered)
Calcium diffusion	$D_{Ca} = 0.3338 \ \mu m^2 m s^{-1}$	0.22 to 0.4 μm ² ms ⁻¹ (Bartol et al., 2015; Holcman et al., 2005)
Calcium diffusion time constant	$\tau_{CaDiff} = \frac{Vol_{sp}}{2D_{Ca}^2 \cdot D_{neck}} + \frac{L_{neck}^2}{2D_{Ca}} = 0.5 \ ms$	8 ms for a $V_{sp} = 0.7 \ \mu m^3$ (Holcman et al., 2005)
GHK equation		
temperature	$T = 35^{\circ}C$	converted to Kelvin in the <i>Equation 14</i> given the protocol
faraday constant	$F = 96.485 \ C \ mol^{-1}$	Hille (1978)
gas constant	$R = 8.314 \ J \ K^{-1} \ mol^{-1}$	Hille (1978)
Calcium permeability	$P_{Ca} = 0.045 \ \mu m \ ms^{-1}$	adjusted to produce 3 μ M Calcium in response to a Glu release supplementary files from <i>Chang et al.</i> (2017)
Calcium ion valence	$z_{Ca} = 2$	Hille (1978)

⁸⁹² Unlike other calcium-based plasticity models (*Graupner and Brunel, 2012*) using the dye fluores-⁸⁹³ cence decay as an approximation to calcium decay, our model is based on receptor and ion channel ⁸⁹⁴ kinetics. Additionally, our model can simulate the dye kinetics as a buffer using *Equation 13*) when ⁸⁹⁵ appropriate. See *Figure 12* that highlights differences between calcium and dye dynamics which ⁸⁹⁶ is affected by the laser-induced temperature increase (*Wells et al., 2007; Deng et al., 2014*). We ⁸⁹⁷ estimated the calcium reversal potential for the calcium fluxes using the Goldman–Hodgkin–Katz ⁸⁹⁸ (GHK) flux equation described in *Hille (1978*). The calcium ion permeability, P_{Ca} , was used as a free ⁸⁹⁹ parameter adjusting a single EPSP to produce a calcium amplitude of ~ 3 µM (*Chang et al., 2017*).

$$\phi(V_{sp}, T) = z_{Ca} \cdot V_{sp} \cdot F/R \cdot (T + 273.15K)$$

$$\Phi_{Ca}(V_{sp}, [Ca^{2+}]_i) = -P_{Ca} \cdot z_{Ca} \cdot F \cdot \phi(V_{sp}, T) \cdot \frac{[Ca^{2+}]_i - [Ca^{2+}]_o \cdot e^{-\phi}}{1 - e^{-\phi}}$$
(14)

 $\Phi_{Ca}(V_{sp}, [Ca^{2+}]_i)$ (*Equation 14*) is used to determine the calcium influx through NMDAr and VGCC in the *Equation 15, Equation 16, Equation 17* and *Equation 18* using the spine membrane voltage and calcium internal concentration ($[Ca^{2+}]_i$). Note that for simplicity the calcium external concentration ($[Ca^{2+}]_o$) was kept fixed during the simulation and only altered by experimental conditions given by the aCSF composition.




Figure 12. Differences between dye measurements and simulated calcium. a, Pre and postsynaptic stimuli as used in *Tigaret et al. (2016*). **b**, Calcium imaging curves (fluorescence Δ F/A) elicited using the respective stimulation protocols above with Fluo5 200 µM (extracted from *Tigaret et al. (2016*)). Scale 100 ms, 0.05 Δ F/A. **c**, Dye simulation using the model. The dye is implemented by increasing temperature to mimic laser effect on channel kinetics and decreases the interaction between NMDAr and voltage elicited by BaP. Temperature effects over NMDAr are shown in *Korinek et al. (2010*). Also, the effects of temperature on calcium-sensitive probes shown in *Oliveira et al. (2012*) (baseline only, likely related to T-type channels). Other examples of laser heating of neuronal tissue are given in *Deng et al. (2014*). Such a dye curve fitting was obtained by increasing temperature by 10°*C* to mimic laser-induced heating (*Wells et al., 2007*; *Deng et al., 2014*). We achieved a better fit by decreasing the amplitude of the BaP that reaches the dendrite. Additionally, for fitting purposes, we assumed that a temperature increase lead to a decrease in BaP amplitude. Scale 0.6 µM dye, 100 ms. **d**, Calcium simulation without dye. Scale 0.85 µM Ca²⁺, 100 ms.

NMDAr - GluN2A and GluN2B

Markov chain

In hippocampus, NMDArs are principally heteromers composed of the obligatory subunit GluN1
 and either the GluN2A or GluN2B subunits. These N2 subunits guide the activation kinetics of

and either the GiuNZA or GiuNZB subunits. These NZ subunits guide the activation kinetics of

these receptors with the GluN1/GLUN2B heteromers displaying slow kinetics (\sim 250ms) and the

GluN1/GluN2A heteromers displaying faster kinetics (~ 50ms). We modeled both NMDA subtypes.
 The NMDAr containing GluN2A is modeled with the following Markov chain (*Popescu et al., 2004*)

where we introduce the additional parameters ρ_{c}^{NMDA} , ρ_{r}^{NMDA} :

$$A_{0} \xrightarrow[k_{-a} \cdot \rho_{b}^{NMDA}]{} A_{1} \xrightarrow[k_{-b} \cdot \rho_{b}^{NMDA}]{} A_{2} \xrightarrow[k_{-c} \cdot \rho_{b}^{NMDA}]{} A_{3} \xrightarrow[k_{-c} \cdot \rho_{b}^{NMDA}]{} A_{3} \xrightarrow[k_{-c} \cdot \rho_{b}^{NMDA}]{} A_{4} \xrightarrow[k_{-c} \cdot \rho_{b}^{NMDA}]{} A_{4} \xrightarrow[k_{-c} \cdot \rho_{b}^{NMDA}]{} A_{01} \xrightarrow[k_$$

913

917

The NMDAr containing GluN2B is modeled with a Markov chain based on the above GluN2A scheme. We decreased the rates by \sim 75% in order to match the GluN2B decay at 25°C as published in *lacobucci and Popescu (2018)*.

$$B_{0} \xrightarrow{s_{a} \cdot [Glu] \cdot \rho_{f}^{NMDA}} B_{1} \xrightarrow{s_{b} \cdot [Glu] \cdot \rho_{f}^{NMDA}} B_{2} \xrightarrow{s_{c} \cdot \rho_{f}^{NMDA}} B_{3} \xrightarrow{s_{d} \cdot \rho_{f}^{NMDA}} B_{3} \xrightarrow{s_{d} \cdot \rho_{f}^{NMDA}} B_{4} \xrightarrow{s_{e} \cdot \rho_{f}^{NMDA}} B_{01} \xrightarrow{s_{f} \cdot \rho_{f}^{NMDA}} B_{0} \xrightarrow{s_{f} \cdot \rho_{f}$$

⁹¹⁸ The different rates are given in *Table 8*.

NMDAr and age switch

The age-dependent expression ratio of the subtypes GluN2A and GluN2B (r_{age}) was obtained from experimental data of mouse hippocampus (*Sinclair et al., 2016*). We added noise to this ratio

causing ~1 NMDAr subunit to flip towards GluN2A or GluN2B (see *Figure 13e*). The population of 15 NMDAr is divided in the two subtypes according to the ratio plotted in *Figure 13b* as a function of age. The ratio to define the number NMDAr subtypes as function of age reads:

$$\begin{split} r_{age} &= 0.507 + \frac{0.964}{1 + e^{0.099 \cdot (age - 25.102 \ days)}} + \mathcal{N}(0, 0.05) \\ N_{GluN2B} &= round \left(\frac{N_{NMDA} \cdot r_{age}}{r_{age} + 1} \right) \\ N_{GluN2A} &= round \left(\frac{N_{NMDA}}{r_{age} + 1} \right). \end{split}$$

The round term in the two previous equations ensures that we have an integer value for the NMDAr subtypes, making the stair shaped curve seen in *Figure 13e*.




Figure 13. | NMDAr changes caused by age, temperature and extracellular and magnesium concentrations in the aCSF. a Decay time of the NMDAr-mediated EPSP recorded from neocortical layer II/III pyramidal neurons (grey) (*Korinek et al., 2010*) compared to the decay time from the GluN2B channel estimated by our model (yellow) and data from lacobussi's single receptor recording (purple) (*lacobucci and Popescu, 2018*). b, Comparison of our implementation of GluN2B:GluN2A ratio and the GluN2B:GluN2A ratio from the mouse CA1 excitatory neurons. c, Comparison of our implementation of NMDAr conductance change in response to the extracellular against data (*Maki and Popescu, 2014*). d, Forward and backwards temperature factors implemented to approximate NMDAr subtypes decay times at room temperature (*lacobucci and Popescu, 2018*) and temperature changes observed in *Korinek et al. (2010*). e, NMDAr subtype fluctuations in our model with age. We added noise to have a smoother transition between different ages. f, Calcium concentration changes for causal and anticausal protocols in response to different aCSF calcium and magnesium compositions with fixed Ca/Mg ratio (1.5). Scale 50 ms and 5 μM.

922 NMDAr and temperature

⁹²³ We adjusted the GluN2A and GluN2B forward and backward rates to follow the temperature effects

- on NMDAr-mediated EPSP (Korinek et al., 2010), see Figure 13a, d. Because GluN2B dominates the
- NMDAr-mediated EPSP, we fit its decay time of the NMDAr-mediated EPSP as function of temper-
- ature as reported by *Korinek et al.* (2010) using logistic functions ρ_f^{NMDA} and ρ_b^{NMDA} . The decay
- ₉₂₇ time comparison is shown in *Figure 13a*. Then, we applied the same temperature factor ρ_f^{NMDA}
- and ρ_b^{NMDA} for GluN2A. The decay times of GluN2A and GluN2B are similar to those reported by
- **Iacobucci and Popescu (2018)**. The forward and backward factors are described as follows:

$$\rho_f^{NMDA} = -1230.680 + \frac{1239.067}{1 + e^{-0.099 \cdot (T + 37.631^{\circ}C)}}, \qquad \rho_b^{NMDA} = 3.036 + \frac{1621.616}{1 + e^{-0.106 \cdot (T - 98.999^{\circ}C)}}.$$

NMDAr current and Ca²⁺-dependent conductance

NMDAr conductance is modulated by external calcium and is modelled according to the next equations using NMDAr subconductances A_{O1} and A_{O2} (GluN2A), and B_{O1} and B_{O2} (GluN2B).

$$\gamma_{NMDA} = 33.949 + \frac{58.388}{1 + e^{4 \cdot ([Ca^{2+}]_o - 2.701 \ mM)}} pS$$

$$B(V_{sp}, [Mg]_o) = \frac{1}{1 + \frac{[Mg]_o}{3.57} \cdot e^{-0.062 \cdot V_{sp}}}$$

$$NMDA = (B_{O1} + B_{O2} + A_{O1} + A_{O2}) \cdot B(V_{sp}, [Mg]_o) \cdot \gamma_{NMD}$$

$$I_{NMDA} = (Erev_{NMDA} - V_{sp}) \cdot NMDA$$

Table 8. NMDAr parameters.

Name	Value	Reference
NMDAr (GluN2A)		
glutamate binding	$k_a = 34 \ \mu M^{-1} s^{-1}$	Popescu et al. (2004)
glutamate binding	$k_b = 17 \ \mu M^{-1} s^{-1}$	Popescu et al. (2004)
forward rate	$k_c = 127 \ s^{-1}$	Popescu et al. (2004)
forward rate	$k_d = 580 \ s^{-1}$	Popescu et al. (2004)
opening rate	$k_e = 2508 \ s^{-1}$	Popescu et al. (2004)
opening rate	$k_f = 3449 \ s^{-1}$	Popescu et al. (2004)
closing rate	$k_{-f} = 662 \ s^{-1}$	Popescu et al. (2004)
closing rate	$k_{-e} = 2167 \ s^{-1}$	Popescu et al. (2004)
backward rate	$k_{-d} = 2610 \ s^{-1}$	Popescu et al. (2004)
backward rate	$k_{-c} = 161 \ s^{-1}$	Popescu et al. (2004)
glutamate unbinding	$k_{-b} = 120 \ s^{-1}$	Popescu et al. (2004)
glutamate unbinding	$k_{-a} = 60 \ s^{-1}$	Popescu et al. (2004)
NMDAr (GluN2B)		
glutamate binding	$s_{b} = 0.25k_{b}$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
glutamate binding	$s_c = 0.25k_c$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
forward rate	$s_c = 0.25k_c$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
forward rate	$s_{d} = 0.25k_{d}$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
opening rate	$s_{e} = 0.25k_{e}$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
opening rate	$s_f = 0.25k_f$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
closing rate	$s_{-f} = 0.23k_{-f}$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
closing rate	$s_{-e} = 0.23k_{-e}$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
backward rate	$s_{-d} = 0.23k_{-d}$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
backward rate	$s_{-c} = 0.23k_{-c}$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
glutamate unbinding	$s_{-b} = 0.23k_{-b}$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
glutamate unbinding	$s_{-a} = 0.23k_{-a}$	adapted from GluN2A (Popescu et al., 2004; lacobucci and Popescu, 2018)
other parameters		
total number of NMDAr	$N_{NMDA} = 15$	5-30 (Spruston et al., 1995; Bartol et al., 2015; Nimchinsky et al., 2004)
distribution of GluN2A and GluN2B	defined by r_{age}	Sinclair et al. (2016)
NMDAr conductance depending on calcium	Υ _{NMDA}	Maki and Popescu (2014)
NMDAr reversal potential	$Erev_{NMDA} = 0 mV$	Destexhe et al. (1994)
fraction of calcium carried by NMDAr	$f_{Ca} = 0.1$	Griffith et al. (2016)


We modified the conductance γ_{NMDA} as a function of extracellular calcium from that reported 931 by *Maki and Popescu (2014)*. The reported NMDAr conductance at $[Ca^{2+}]_0 = 1.8$ mM is $53 \pm 5pS$. 932 Here, we used the higher conductance 91.3 pS for NMDAr (for both subtypes) at $[Ca^{2+}]_0 = 1.8$ mM 933 to compensate for the small number of NMDArs reported by Nimchinsky et al. (2004). Hence, we 934 adjusted Maki and Popescu (2014) data to take into account this constraint: this caused a right-shift 935 in the NMDA-conductance curve (Figure 13c). The calcium influx Ca_{NMDA} is modulated by the GHK 936 factor, Equation 14, as a function of the internal and external calcium concentrations and the spine 937 voltage: 938


$$Ca_{NMDA} = f_{Ca} \cdot \Phi_{Ca} \cdot NMDA. \tag{15}$$

The combined effect of extracellular Magnesium (*Jahr and Stevens, 1990*) and Calcium concentration are displayed in *Figure 13f*.

941 GABA(A) receptor

- 942 Since the precise delay of GABA release relative to glutamate is not known, we assumed GABA
- and glutamate release are synchronized for simplicity (see Table 6). We used the GABA(A) receptor
- Markov chain (Figure 14) presented in Busch and Sakmann (1990); Destexhe et al. (1998) and we es-
- timated temperature adaptations using the measurements reported by Otis and Mody (1992).





GABA(A)r and temperature

- ⁹⁴⁷ Because the amplitude of GABA(A) current is altered by the GABAr shift during development (*Rinetti-*
- 948 Vargas et al., 2017), we applied temperature changes only to the closing rates using a logistic func-
- tion for ρ_h^{GABA} , estimated by fitting to the measurements from **Otis and Mody (1992)** (data compar-



$$p_b^{GABA} = 1.470 - \frac{-1.279}{1 + e^{0.191 \cdot (T - 32.167)}}.$$




Figure 15. | **GABA(A)r current, kinetics and chloride reversal potential. a**, States of GABA(A)r Markov chain at 25°*C* in response to a presynaptic stimulation. Opened = $O_1 + O_2$, closed = $C_0 + C_1 + C_2$. **b**, Model and data comparison (*Otis and Mody, 1992*) for GABA(A)r current at 25°*C*. Even though data were recorded from P70 at 25°*C* and P15 at 35°*C*, we normalize the amplitude to invert the polarity and compare the decay time. This is done since the noise around P15 can either make GABAr excitatory or inhibitory as shown by E_{cl} data in panel **c**. **c**, Chloride reversal potential (E_{rev}^{Cl}) fitted to *Rinetti-Vargas et al.* (2017) data. Note that we used both profiles from axon and dendrite age-depended E_{rev}^{Cl} changes since exclusive dendrite data is scarce. **d**, States of simulated GABA(A)r Markov chain at 35°*C* in response to a presynaptic stimulation. **e**, Model and data comparison (*Otis and Mody, 1992*) for GABA(A)r current at 25°*C* (same normalization as in panel **b**). **f**, Change in the polarization of GABA(A)r currents given the age driven by the E_{rev}^{Cl} .

1

GABA(A)r current and age switch

- ⁹⁵² The GABA(A)r-driven current changes during development (*Meredith et al., 2003*) passing from de-
- polarizing (excitatory) to hyperpolarizing (inhibitory) (Chamma et al., 2012). The reversal potential
- of chloride ions permeating GABA(A)r shifts from above the membrane resting potential (inward

- 955 driving force excitatory) to below the membrane resting potential (outward driving force in-
- hibitory) (Rinetti-Vargas et al., 2017). Such effect mediated by chloride ions is associated with the
- ⁹⁵⁷ KCC2 pump (K Cl co-transporter) which becomes efficient in extruding chloride ions during matu-
 - ⁹⁵⁸ ration (*Rinetti-Vargas et al., 2017*). To cover the GABA(A)r age-dependent shift, we fit the chloride
 - reversal potential (E_{rev}^{Cl}) using the data published by **Rinetti-Vargas et al.** (2017) (Figure 15c):

$$\begin{split} E_{rev}^{Cl} &= -92.649 + \frac{243.515}{1 + e^{0.091 \cdot (age - 0.691 \ days)}} \\ I_{GABA} &= (O_1 + O_2) \cdot (E_{rev}^{Cl} - V_{dend}) \cdot \gamma_{GABA}. \end{split}$$

Table 9 presents the parameters to model the GABAr.

Table 9. GABAr parameters.

Name	Value	Reference
GABA(A) receptor		
number of GABA	$N_{GABA} = 34$	30 (Edwards et al., 1990)
chloride reversal potential	see age-dependent equation	Rinetti-Vargas et al. (2017)
GABAr conductance	$\gamma_{GABA} = 36 \ pS$	27 pS (Macdonald et al., 1989)
binding	$r_{b1} = 20 \cdot 10^6 M^{-1} s^{-1}$	Busch and Sakmann (1990)
unbinding	$r_{u1} = 4.6 \cdot 10^3 \ s^{-1}$	Busch and Sakmann (1990)
binding	$r_{b2} = 10 \cdot 10^6 \ M^{-1} s^{-1}$	Busch and Sakmann (1990)
unbinding	$r_{u2} = 9.2 \cdot 10^3 \ s^{-1}$	Busch and Sakmann (1990)
opening rate	$r_{ro1} = 3.3 \cdot 10^3 \ s^{-1}$	Busch and Sakmann (1990)
opening rate	$r_{ro2} = 10.6 \cdot 10^3 \ s^{-1}$	Busch and Sakmann (1990)
closing rate	$r_{c2} = 400 \ s^{-1}$	based on (Busch and Sakmann, 1990; Otis and Mody, 1992)
closing rate	$r_{c2} = 9.8 \cdot 10^3 \ s^{-1}$	based on (Busch and Sakmann, 1990; Otis and Mody, 1992)

⁹⁶¹ VGCC - T, R and L type

962 Markov chain

- A stochastic VGCC model was devised using the channel gating measurements from rat CA1 (2-
- 8 weeks) pyramidal neurons by Magee and Johnston (1995) at room temperature . Our model
- has three different VGCC subtypes described by the Markov chains in *Figure 16*: the T-type (low-
- voltage), the R-type (medium-to-high-voltage) and the L-type (high-voltage).




Figure 16. From left to right, R-, L-, and T-type VGCCs Markov chain adapted from Magee and Johnston(*Magee and Johnston, 1995*). The R- (left scheme) and T- type (right scheme) have a single open state (red colour), respectively, O_r and O_T . The L-type VGCC (middle) has two open states, O_{L1} and O_{L2} .

- ⁹⁶⁷ The VGCC Markov chain derived from Magee and Johnston 1995 (*Magee and Johnston, 1995*) is
- composed of two gates (h,m) for T- (Figure 17a,d) and R-types (Figure 17b,e) and a single gate for
- L-type (Figure 17c), as described in the equations below.

L-type rates

$$\begin{split} \tau_h^{R\star} &= 100 \\ h_{inf}^{R\star}(V_{sp}) &= \frac{1}{1 + e^{\frac{V_{sp} + 39}{9.2}}} \\ \alpha_h^R(V_{sp}) &= \frac{h_{inf}^R}{\tau_h^R} \\ \beta_h^R(V_{sp}) &= \frac{1 - h_{inf}^R}{\tau_h^R} \end{split}$$

$$\alpha^{L}(V_{sp}) = \frac{0.83}{1 + e^{\frac{13.7 - V_{sp}}{6.1}}}$$
$$\beta_{1}^{L}(V_{sp}) = \frac{0.53}{1 + e^{\frac{V_{sp} - 11.5}{6.4}}}$$
$$\beta_{2}^{L}(V_{sp}) = \frac{1.86}{1 + e^{\frac{V_{sp} - 18.8}{6.17}}}$$

T-type h-gate rates

$$\begin{aligned} \tau_h^{T\star} &= 50 \\ h_{inf}^{T\star}(V_{sp}) &= \frac{1}{1 + e^{\frac{V_{sp} + 70}{6.5}}} \\ \alpha_h^T(V_{sp}) &= \frac{h_{inf}^T}{\tau_h^T} \\ \beta_h^T(V_{sp}) &= \frac{1 - h_{inf}^T}{\tau_h^T} \end{aligned}$$

R-type m-gate rates

T-type m-gate rates

$$\begin{split} \beta_{m}^{R\star} &= 40 & \beta_{m}^{T\star} &= 1 \\ m_{inf}^{R\star} &= \frac{1}{1 + e^{\frac{3-10}{8}}} & m_{inf}^{T\star} &= \frac{1}{1 + e^{\frac{-32+20}{7}}} \\ \alpha_{m}^{R\star} r &= \beta_{m}^{R\star} \cdot \frac{m_{inf}^{R\star}}{1 - m_{inf}^{R\star}} & \alpha_{m}^{T\star} r &= \beta_{m}^{T\star} \cdot \frac{m_{inf}^{T\star}}{1 - m_{inf}^{T\star}} \\ \tau_{m}^{R} &= \frac{1}{\alpha_{m}^{R\star} + \beta_{m}^{R\star}} & \tau_{m}^{T} &= \frac{1}{\alpha_{m}^{T\star} + \beta_{m}^{T\star}} \\ m_{inf}^{R} &= \frac{1}{1 + e^{\frac{3-2s_{p}}{8}}} & m_{inf}^{T} &= \frac{1}{1 + e^{\frac{-32-V_{sp}}{7}}} \\ \alpha_{m}^{R}(V_{sp}) &= \frac{m_{inf}^{R}}{\tau_{m}^{R}} & \alpha_{m}^{T}(V_{sp}) &= \frac{m_{inf}^{T}}{\tau_{m}^{T}} \\ \beta_{m}^{R}(V_{sp}) &= \frac{1 - m_{inf}^{R}}{\tau_{m}^{R}} & \beta_{m}^{T}(V_{sp}) &= \frac{1 - m_{inf}^{T}}{\tau_{m}^{T}} \end{split}$$

VGCC and temperature

We used the same temperature factor for every VGCC subtype, respectively ρ_f^{VGCC} and ρ_b^{VGCC} (see *Figure 17f*), as follows:

$$\rho_f^{VGCC} = 2.503 - \frac{0.304}{1 + e^{1.048 \cdot (T - 30.668)}}, \qquad \rho_b^{VGCC} = 0.729 + \frac{3.225}{1 + e^{-0.330 \cdot (T - 36.279)}}.$$

Table 10. VGCC parameters

Name	Value	Reference
VGCC		
VGCC T-type conductance	$\gamma_{CaT} = 12 \ pS$	same as (Magee and Johnston, 1995)
VGCC R-type conductance	$\gamma_{CaR} = 17 \ pS$	same as (<i>Magee and Johnston, 1995</i>)
VGCC L-type conductance	$\gamma_{CaL} = 27 \ pS$	same as (<i>Magee and Johnston, 1995</i>)
number of VGCCs	3 for each subtype	1 to 20 (Higley and Sabatini, 2012)

The VGCC subtypes are differently sensitive to temperature, with temperature factors for decay times ranging from 2 (*Iftinca et al., 2006*) to 50-fold (*Peloquin et al., 2008*). It further complicates

- ⁹⁷⁵ if T-type isoforms are considered. Indeed, they can have temperature factors that accelerate or
- slow down the kinetics. For instance, when passing from room to physiological temperatures, the
- ⁹⁷⁷ isoform Ca₂3.3 has a closing time ~50 % faster (*Iftinca et al., 2006*) and the isoform Ca₂3.1 becomes
- ~15 % slower. To simplify, the same temperature factor was adopted to all VGCC subtypes.

979 VGCC currents

The VGCC currents are integrated to the dendritic spine and estimated using the GHK *Equation 14*, as follows:

$$I_T = \gamma_T \cdot \Phi_{Ca} \cdot O_T \tag{16}$$

$$I_R = \gamma_R \cdot \Phi_{Ca} \cdot O_R \tag{17}$$

$$I_{L} = \gamma_{L} \cdot \Phi_{Ca} \cdot (O_{L1} + O_{L2})$$
(18)

Table 10 presents the parameters to model the VGCC channels. VGCC rates and temperature fac tors are shown in *Figure 17*.




Figure 17. | **VGCC rates and temperature factors. a**, Activation $(\alpha_m(V_{sp}))$ and deactivation rates $(\beta_m(V_{sp}))$ for the T-type m-gate. **b**, Activation $(\alpha_m(V_{sp}))$ and deactivation rates $(\beta_m(V_{sp}))$ for the T-type m-gate. **c**, Activation $(\alpha_m(V_{sp}))$ and both deactivation rates $(\beta_2^L(V_{sp}) \text{ and } \beta_2^1(V_{sp}))$ for the L-type VGCC. **d**, Activation $(\alpha_n(V_{sp}))$ and deactivation rates $(\beta_h(V_{sp}))$ for the T-type h-gate. **e**, Activation $(\alpha_n(V_{sp}))$ and deactivation rates $(\beta_h(V_{sp}))$ for the T-type h-gate. **e**, Activation $(\alpha_h(V_{sp}))$ and deactivation rates $(\beta_h(V_{sp}))$ for the R-type h-gate. **f**, Temperature factor applied to all the rates, forward change (ρ_V^{VGCC}) for the α rates and backward change (ρ_V^{VGCC}) for the β rates.

982 SK channel

The small potassium (SK) channel produces hyperpolarizing currents which are enhanced in the presence of intracellular calcium elevations. We included SK channels to incorporate a key negative feedback loop between spine calcium and voltage due to the tight coupling that exists between SK channels to NMDAr function (*Adelman et al., 2012; Griffith et al., 2016*). Although SK channels can additionally be regulated by metabotropic glutamate receptors and muscarinic receptors (*Tigaret et al., 2016*), we did not include these regulatory steps in the model. The SK channel current was

based on the description from Griffith et al. (2016) as follows:

$$\begin{aligned} \frac{dm_{sk}}{dt} &= \frac{r(Ca) \cdot \rho_f^{SK} - m_{sk}}{\tau_{SK} \cdot \rho_b^{SK}} \\ r(Ca) &= \frac{Ca^{\sigma}}{Ca^{\sigma} + h_{SK}^{\sigma}} \\ I_{SK} &= \gamma_{SK} \cdot (E_{rev}^{SK} - V_{sp}) \cdot m_{sk} \cdot N_{SK} \end{aligned}$$

There is little information on how temperature effects SK channel function, but **Van Herck et al.** (2018) suggests a left-ward shift in the SK half-activation when changing from $37^{\circ}C$ ($h_{SK} = 0.38 \pm 0.02 \ \mu M$) to $25^{\circ}C$ ($h_{SK} = 0.23 \pm 0.01 \ \mu M$); that is a 65% decrease. Thus, to mimic temperature dependence of SK, we decided to decrease the decay time of the SK hyperpolarizing current by a factor of two when passing from physiological to room temperature.

988

$$\rho_b^{SK} = 149.37 - \frac{147.61}{1 + e^{0.093 \cdot (T - 98.85C)}}, \qquad \rho_f^{SK} = 0.005 + \frac{2.205}{1 + e^{-0.334 \cdot (T + 25.59C)}}$$

Table 11 presents the parameters to model the SK channel.

 Table 11. SK channel parameters.

Name	Value	Reference
SK channel		
number of SK channels	$N_{SK} = 15$	10–200 (Bock et al., 2019)
SK conductance	$\gamma_{SK} = 10 \text{ pS}$	Maylie et al. (2004)
SK reversal potential	$E_{rev}^{SK} = -90 \text{ mV}$	Griffith et al. (2016)
SK half-activation	$h_{SK} = 0.333 \ \mu M$	Griffith et al. (2016)
SK half-activation slope	$\sigma = 6$	4 (Griffith et al., 2016)
SK time constant	$\tau_{SK} = 6.3 \text{ ms}$	Griffith et al. (2016)

Enzymes - CaM, CaN and CaMKII

To model the enzymes dynamics, we adapted a monomeric CaM-CaMKII Markov chain from Chang 991 et al. (2019) which was built on the model by Pepke et al. (2010). Our adaptation incorporates a 992 simplified CaN reaction which only binds to fully saturated CaM. That is, CaM bound to four calcium 993 ions on N and C terminals (see Markov chain in the *Figure 18*). A consequence of the Pepke coarse-994 grained model is that calcium binds and unbinds simultaneously from the CaM terminals (N,C). 995 We assumed a lack of dephosphorylation reaction between CaMKII and CaN since Otmakhov et al. 996 (2015) experimentally suggested that no known phosphatase affects CaMKII decay time which is 997 probably caused only by CaM untrapping (Otmakhov et al., 2015). This was previously theorized in 998 the Michalski's model Michalski (2013), and it is reflected in Chang data (Chang et al., 2019, 2017). 999 The structure of the corresponding Markov chain is shown in Figure 18. 1000 Chang et al. (2019) data provides a high-temporal resolution fluorescence measurements for 1001 CaMKII in dendritic spines of rat CA1 pyramidal neurons and advances the description of CaMKII 1002 self-phosphorylation (at room temperature). We modified Chang's model of CaMKII unbinding 1003 rates k_2, k_3, k_4, k_5 to fit CaMKII dynamics at room/physiological temperature as shown by **Chang** 1004

et al. (2017) supplemental files. Previous modelling of CaMKII (*Chang et al., 2019*; *Pepke et al.,* 2010) used a stereotyped waveform with no adaptation to model calcium. Our contribution to CaMKII modelling was to use calcium dynamics sensitive to the experimental conditions to reproduce CaMKII data, therefore, allowing us to capture physiological temperature measurements from *Chang et al.* (2017). Note that the CaMKII dynamic has two time scales and we capture only the fastest timescale which ends after stimulation ceases (at 60 s). The slowest dynamic occurs at the end of the stimulus, close to the maximum (*Figure 19a*). This can be caused by the transient




Figure 18. | Coarse-grained model of CaM, CaMKII and CaN adapted from

Chang et al. (2019) and Pepke et al. (2010). Reaction from the CaM-Ca reactions (first layer) are attributed to 2Ca release and binding from different CaM saturation states CaM2C (2Ca bound to terminal C), CaM2N (2Ca bound to terminal N), CaM0 (no calcium bound), CaM4(Ca bound to both C and N terminal). Note that CaN is allowed to bind only to fully saturated CaM. Activated CaN is represented by the state CaNCaM4. Reactions between the first (CaM-Ca reactions) and the second laver (KCaM-Ca reactions) represent the binding of free/monomeric CaMKII (mKCaM) (Pepke et al., 2010) to different saturation levels of CaM. Reactions within the layer KCaM-Ca represent the binding of calcium to Calmodulin bound to CaMKII (KCaM0, KCaM2C, KCaM2N, KCaM4). Transition of layer KCaM-Ca reactions to layer KCaM-phosphorylation represents CaMKII bound to CaM that became phosphorylated (PCaM states) (Pepke et al., 2010; Chang et al., 2017, 2019). PCaM can become self-phosphorylated (Autonomous layer with P and P²) and release CaM. Once the KCaM deactivates from autonomous states, it returns to free monomeric CaMKII (mKCaM). The CaMKII activity in this work represent the states (KCaM + PCaM + P + P²). See *Chang et al.* (2019) for further explanation on this system. CaNCaM4 represents the CaN activity.

volume increase in the spine as measured by *Chang et al.* (2017). *Table 12* shows the concentration of the enzymes and *Table 13* shows the parameters to model enzymes reactions in shown in
 Figure 18.

The CaN concentration was chosen as the total concentration used in a previous model (Stefan 1015 et al., 2008) (1.6 µM) scaled by a factor of 12 due to a higher CaN concentration in dendritic spines 1016 (Goto et al., 1986; Baumgärtel and Mansuy, 2012) and taking into account the discrepancy between 1017 different CaN concentration studies (Kuno et al., 1992; Goto et al., 1986): Kuno et al. (1992) pro-1018 poses 9.6 μ g/mg (7.0 + 2.6 μ g/mg for A α and A β isoforms) for the catalytic subunit A of CaN (CaNA) 1019 in the hippocampus, while Goto et al. (1986) proposes 1.45 µg/mg (presumably for both isoforms). 1020 There is therefore a lack of consensus on CaN concentration in neurons, which seems to range 1021 between 1 and 10 µg/mg. However, models of CaN in spines (Stefan et al., 2008) use low values of 1022 CaN concentration (eg. 1.6 µM) not specific to dendritic spines without considering that these val-1023 ues are taken from the whole neuropil. There is little information on CaN concentration in spines, 1024

but Kuno et al. (1992) note that the concentration of CaN is 50% to 84% higher in synaptosomes 1025 than in neuronal nuclei. With this information in mind, we set CaN spine concentration 20 µM in 1026 our model. CaN was entirely activated through CaM for the following reason: CaNA is activated 1027 by calcium-CaM in a highly cooperative manner (Hill coefficient 2.8-3), whereas the activation of 1028 CaN by calcium (via CaNB) is at most 10% of that achieved with CaM (Stemmer and Klee, 1994). In 1029 other words, CaNA affinity for CaM is 16 nM to 26 pM (Creamer, 2020), while CaNB affinity for 1030 calcium ranges from 15 µM to 24 nM (Kakalis et al., 1995). CaN decay time was modeled using 1031 experimental spine CaN activity dynamics measured in Fujii et al. (2013). 1032

Table 12. Concentration of each enzyme.

Name	Value	Reference
Enzyme concentrations		
free CaM concentration (spine)	$CaM_{con} = 30 \mu\text{M}$	Kakiuchi et al. (1982)
free KCaM concentration (spine)	$mKCaM_{con} = 70 \ \mu M$	Feng et al. (2011); Lee et al. (2009)
free CaN spine concentration (spine)	$mCaN_{con} = 20 \ \mu M$	>10 µM (estimation from <i>Kuno et al.</i> (1992))

1033 The lack of reactions between CaN and CaMKII

The protein phosphatases responsible for CaMKII dephosphorylation have not been established 1034 unequivocally (Lisman, 1989). Our model of CaMKII is based directly on a quantitative model fit 1035 to FRET imaging data (Chang et al., 2017, 2019), which implicitly account for the effects of any 1036 'hidden' phosphatases, absorbing their contribution into the decay rates of the CaMKII activity. As 1037 pointed out by Otmakhov et al. (2015), FRET sensor imaging of CaMKII activity unfortunately does 1038 not capture the identity of the phosphatases involved in the dephosphorylation of CaMKII. More 1039 specifically, Otmakhov et al. (2015) observed no significant changes in the decay constant of their 1040 CaMKII FRET sensor when selectively inhibiting PP1 and PP2A. Given that these two phosphatases 1041 are widely used in models to determine plasticity, we believe that our model is more aligned with 1042 data of CaMKII activity in vivo. 1043

Yet, our decision to include CaN in the model was determined by the evidence supporting CaN as the strongest candidate for calcium-sensitive protein phosphatase in the brain (*Baumgärtel and Mansuy, 2012*). Furthermore, the central role of CaN in synaptic plasticity has been demonstrated both pharmacologically and with genetic manipulation (*Onuma et al., 1998; Malleret et al., 2001*).

1048 Temperature effects on enzymatic activity

We included temperature factors in the coarse-grained model using Chang's data (*Chang et al.*, **2019**), as shown in *Figure 19*. For CaMKII, we fit the modified dissociation rates of the phosphorylation states k_2 , k_3 and k_5 to match the data on relative amplitude and decay time using the following logistic function:

$$\rho_b^{CaMKII} = 162.171 - \frac{161.426}{1 + e^{0.511(T - 45.475^\circ C)}}.$$

For CaN, we fit the *Fujii et al.* (2013) data at 25°*C* as seen in *Figure 20a*. However, since CaN-CaM dissociation rates at physiological temperatures were not reported, we set the temperature factor to CaN that fits the outcomes of the protocols we proposed to reproduce. A reference value from the CaN-AKAP79 complex (*Li et al., 2012*) showed a $Q_{10} = 4.46 = (2.19 \ s^{-1}/9.78 \ s^{-1})$ which is nearly the temperature factor used in our model for CaN. Therefore, both the association and dissociation rates are modified using the following logistic functions:

$$\begin{split} \rho_{f}^{CaN} &= 2.503 - \frac{0.304}{1 + e^{1.048(T-30.668^{\circ}C)}} \\ \rho_{b}^{CaN} &= 0.729 + \frac{3.225}{1 + e^{-0.330(T-36.279^{\circ}C)}}. \end{split}$$




Figure 19. | CaMKII temperature changes in the model caused by 1Pre, 30 at 0.49 Hz with glutamate uncaging (no failures allowed), 1mM Ca, 2mM Mg, P4-7 organotypic slices from mouse hippocampus. a, CaMKII fluorescent probe lifetime change measured by *Chang et al.* (2017) for 25°*C* (blue) and 35°*C* (red). The decay time (τ) was estimated by fitting the decay after the stimulation (30 pulses at 0.49Hz) using a single exponential decay, $y = a \cdot e^{-t \cdot b}$; $\tau = 1/b$. b, Simulation of the CaMKII concentration change (with respect to the baseline) at 25°*C* in response to same protocol applied in the panel **a**. The simulations on the panels **b**, **c**, **e**, **f** show the mean of 20 samples. **c**, Same as in panel **b** but for 35°*C*. **d**, Estimated temperature change factor for the dissociation rates k_2 , k_3 and k_5 in the Markov chain in *Figure 18*. **e**, Change in the concentration of the CaMKII states (25°*C*) which are summed to compose CaMKII change in the panel **b**. **f**, Same as in panel **e** for 35°*C* with reference to the panel **c**.

1Pre, 100 at 20 Hz, (Glu uncaging) 2 mM Ca, Mg-Free, DIV11-13 (rat cultured hip. neurons)




Figure 20. | CaN temperature changes in our model caused by 1Pre, 100 at 20 Hz with glutamate uncaging (no failures allowed), 2mM Ca, Mg-free, 11-13 days in vitro. a, Simulated CaN change (blue solid line) in response to the same stimuli of the CaN measurement from *Fujii et al.* (2013) RY-CaN fluorescent probe (green solid line). The decay time (τ) estimated from data ($y = a \cdot e^{-t \cdot b}$) is 94.83 s (dashed purple line) and 82.66 s for our model (solid purple line). b, Simulated CaN change for physiological temperature with decay time of 54.44 s. c, Temperature change, ρ_f^{CaN} and ρ_b^{CaN} , applied to CaN association and dissociation rates.

Table 13. Parameters for the coarse-grained model published in *Pepke et al.* (2010) and adapted by *Chang et al.* (2019) and this work. *Pepke et al.* (2010) rate adaptation for the coarse-grained model $adapt(a, b, c, d, Ca) = \frac{a \cdot b}{c + d \cdot Ca}$. Refer to *Figure 18f* or definition of variables.

REACTIONS	Value	Reference
Coarse-grained model, CaM-Ca	reactions	
$CaM0 + 2Ca \Rightarrow CaM2C$		
$CaM2N + 2Ca \Rightarrow CaM4$	$k_{f}^{2C} = adapt(k_{on}^{1C}, k_{on}^{2C}, k_{off}^{1C}, k_{on}^{2C}, Ca)$	Pepke et al. (2010)
$CaM0 + 2Ca \Rightarrow CaM2N$		
$CaM2C + 2Ca \Rightarrow CaM2H$	$k_{f}^{2N} = adapt(k_{on}^{1N}, k_{on}^{2N}, k_{off}^{1N}, k_{on}^{2N}, Ca)$	Pepke et al. (2010)
$CaM2C \Rightarrow CaM0 + 2Ca$	$k_{b}^{2C} = adapt(k_{off}^{1C}, k_{off}^{2C}, k_{off}^{1C}, k_{on}^{2C}, Ca)$	Pepke et al. (2010)
$CaM4 \Rightarrow CaM2N + 2Ca$		
$CaM2N \Rightarrow CaM0 + 2Ca$	$k_{b}^{2N} = adapt(k_{off}^{1N}, k_{off}^{2N}, k_{off}^{1N}, k_{on}^{2N}, Ca)$	Pepke et al. (2010)
$CaM4 \Rightarrow CaM2C + 2Ca$		-
	$k_{on}^{1C} = 5 \cdot 10^6 M^{-1} s^{-1}$	1.2 to $9.6 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010)
	$k_{on}^{2C} = 10 \cdot 10^6 M^{-1} s^{-1}$	5 to $35 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010)
	$k_{on}^{1N} = 100 \cdot 10^6 M^{-1} s^{-1}$	25 to $260 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010)
	$k_{on}^{2N} = 200 \cdot 10^6 M^{-1} s^{-1}$	50 to $300 \cdot 10^{6} M^{-1} s^{-1}$ (Pepke et al., 2010)
	$k_{off}^{1C} = 50 \ s^{-1}$	10 to 70 s ⁻¹ (Pepke et al., 2010)
	$k_{off}^{2C} = 10 \ s^{-1}$	8.5 to 10 s ⁻¹ (Pepke et al., 2010)
	$k_{off}^{1N} = 2000 \ s^{-1}$	$1 \cdot 10^3$ to $4 \cdot 10^3 s^{-1}$ (Pepke et al., 2010)
	$k_{off}^{2N} = 500 \ s^{-1}$	$0.5 \cdot 10^3$ to > $1 \cdot 10^3 s^{-1}$ (Pepke et al., 2010)
Coarse-grained model, KCaM-C		
•		
$KCaM0 + 2Ca \Rightarrow KCaM2C$	$k_{f}^{K2C} = adapt(k_{on}^{K1C}, k_{on}^{K2C}, k_{off}^{K1C}, k_{on}^{K2C}, Ca)$	Pepke et al. (2010)
$KCaM2N + 2Ca \Rightarrow KCaM4$,	
KCaM0 + 2Ca ⇒ KCaM2N	$k_f^{K2N} = adapt(k_{on}^{K1N}, k_{on}^{K2N}, k_{off}^{K1N}, k_{on}^{K2N}, Ca)$	Pepke et al. (2010)
KCaM2C + 2Ca ⇒ KCaM4	j x on i on i of j on i ,	,
KCaM2C ⇒ KCaM0 + 2Ca	$k_b^{K2C} = adapt(k_{off}^{K1C}, k_{off}^{K2C}, k_{off}^{K1C}, k_{on}^{K2C}, Ca)$	Pepke et al. (2010)
KCaM4 ⇒ KCaM2N + 2Ca	$\kappa_b = uuupi(\kappa_{off}, \kappa_{off}, \kappa_{off}, \kappa_{on}), Cu)$	repre et un (2010)
$KCaM2N \Rightarrow KCaM0 + 2Ca$	$kK^{2N} = adapt(kK^{1N} + K^{2N} + K^{1N} + K^{2N} - Ca)$	Ponko at al (2010)
KCaM4 ⇒ KCaM2C + 2Ca	$k_{b}^{K2N} = adapt(k_{off}^{K1N}, k_{off}^{K2N}, k_{off}^{K1N}, k_{on}^{K2N}, Ca)$	Pepke et al. (2010)
	$k_{on}^{K1C} = 44 \cdot 10^6 M^{-1} s^{-1}$	Pepke et al. (2010)
	$k_{on}^{K2C} = 44 \cdot 10^6 M^{-1} s^{-1}$	Pepke et al. (2010)
	$k^{K1N} = 76 \cdot 10^6 M^{-1} s^{-1}$	Pepke et al. (2010
	$k_{on}^{K2N} = 76 \cdot 10^6 M^{-1} s^{-1}$	Pepke et al. (2010)
	$k_{on}^{KIC} = 33 \ s^{-1}$	Pepke et al. (2010)
	$k_{off} = 55.3$ $k^{K2C} = 0.8 \text{ s}^{-1}$	0.49 to 4.9 s ⁻¹ (<i>Pepke et al., 2010</i>)
	$k_{off}^{K2C} = 0.8 \ s^{-1}$	
	$k_{off}^{K1N} = 300 \ s^{-1}$	Pepke et al. (2010)
	$k_{off}^{K2N} = 20 \ s^{-1}$	6 to 60 s ⁻¹ Pepke et al. (2010)
Coarse-grained model, CaM-m		Pepke et al. (2010)
$CaM0 + mKCaM \Rightarrow mKCaM0$	$k_f^{CaM0} = 3.8 \cdot 10^3 M^{-1} s^{-1}$	1 cpkc ct ul. (2010)
	$k_f^{CaM2C} = 0.92 \cdot 10^6 M^{-1} s^{-1}$	Pepke et al. (2010)
$CaM0 + mKCaM \Rightarrow mKCaM0$	5	
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C	$k_f^{CaM2C} = 0.92 \cdot 10^6 M^{-1} s^{-1}$	Pepke et al. (2010) Pepke et al. (2010)
CaM0 + mKCaM ⇒ mKCaM0 CaM2C + mKCaM ⇒ mKCaM2C CaM2N + mKCaM ⇒ mKCaM2N CaM4 + mKCaM ⇒ mKCaM4	$ \begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \end{split} $	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al., 2010)
CaM0 + mKCaM ⇒ mKCaM0 CaM2C + mKCaM ⇒ mKCaM2C CaM2N + mKCaM ⇒ mKCaM2N CaM4 + mKCaM ⇒ mKCaM4 mKCaM0 ⇒ CaM0 + mKCaM	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{h}^{CaM0} &= 5.5 s^{-1} \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al., 2010) Pepke et al. (2010)
$CaM0 + mKCaM \Rightarrow mKCaM0$ $CaM2C + mKCaM \Rightarrow mKCaM2C$ $CaM2N + mKCaM \Rightarrow mKCaM2N$ $CaM4 + mKCaM \Rightarrow mKCaM4$ $mKCaM0 \Rightarrow CaM0 + mKCaM$ $mKCaM2C \Rightarrow CaM2C + mKCaM$	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010)
$CaM0 + mKCaM \Rightarrow mKCaM0$ $CaM2C + mKCaM \Rightarrow mKCaM2C$ $CaM2N + mKCaM \Rightarrow mKCaM2N$ $CaM4 + mKCaM \Rightarrow mKCaM4$ $mKCaM0 \Rightarrow CaM0 + mKCaM$ $mKCaM2C \Rightarrow CaM2C + mKCaM$ $mKCaM2N \Rightarrow CaM2N + mKCaM$	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010)
$\label{eq:cambodies} \begin{array}{l} {\sf CaM0+mKCaM} \Rightarrow mKCaM0\\ {\sf CaM2C+mKCaM} \Rightarrow mKCaM2C\\ {\sf CaM2N+mKCaM} \Rightarrow mKCaM2N\\ {\sf CaM4+mKCaM} \Rightarrow mKCaM4\\ {\sf mKCaM0} \Rightarrow {\sf CaM0+mKCaM}\\ {\sf mKCaM2C} \Rightarrow {\sf CaM2C+mKCaM}\\ {\sf mKCaM2N} \Rightarrow {\sf CaM2N+mKCaM}\\ {\sf mKCaM4} \Rightarrow {\sf CaM0+mKCaM}\\ \end{array}$	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \\ k_{b}^{CaM4} &= 1.5 s^{-1} \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al., 2010) Pepke et al. (2010)
$\label{eq:cambodies} \begin{array}{l} {\sf CaM0} + {\sf mKCaM} \Rightarrow {\sf mKCaM0} \\ {\sf CaM2C} + {\sf mKCaM} \Rightarrow {\sf mKCaM2C} \\ {\sf CaM2N} + {\sf mKCaM} \Rightarrow {\sf mKCaM2N} \\ {\sf CaM4} + {\sf mKCaM} \Rightarrow {\sf mKCaM4} \\ {\sf mKCaM0} \Rightarrow {\sf CaM0} + {\sf mKCaM} \\ {\sf mKCaM2C} \Rightarrow {\sf CaM0C} + {\sf mKCaM} \\ {\sf mKCaM2N} \Rightarrow {\sf CaM2N} + {\sf mKCaM} \\ {\sf mKCaM4} \Rightarrow {\sf CaM0} + {\sf mKCaM} \\ {\sf mKCaM4} \Rightarrow {\sf CaM0} + {\sf mKCaM} \\ \\ {\sf mCamesegrained model, self-pheter} \\ \end{array}$	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \\ k_{b}^{CaM4} &= 1.5 s^{-1} \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010)
$CaM0 + mKCaM \Rightarrow mKCaM0$ $CaM2C + mKCaM \Rightarrow mKCaM2C$ $CaM2N + mKCaM \Rightarrow mKCaM2N$ $CaM4 + mKCaM \Rightarrow mKCaM4$ $mKCaM0 \Rightarrow CaM0 + mKCaM$ $mKCaM2C \Rightarrow CaM2C + mKCaM$ $mKCaM2N \Rightarrow CaM2N + mKCaM$ $mKCaM4 \Rightarrow CaM0 + mKCaM$ $Coarse-grained model, self-photechese (CaM0) \Rightarrow PCaM0$	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \\ k_{b}^{CaM4} &= 1.5 s^{-1} \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010)
$CaM0 + mKCaM \Rightarrow mKCaM0$ $CaM2C + mKCaM \Rightarrow mKCaM2C$ $CaM2N + mKCaM \Rightarrow mKCaM2N$ $CaM4 + mKCaM \Rightarrow mKCaM4$ $mKCaM0 \Rightarrow CaM0 + mKCaM$ $mKCaM2C \Rightarrow CaM2C + mKCaM$ $mKCaM2N \Rightarrow CaM2N + mKCaM$ $mKCaM4 \Rightarrow CaM0 + mKCaM$ $Coarse-grained model, self-photeches (CaM2N) \Rightarrow PCaM0$ $KCaM2N \Rightarrow PCaM2N$	$k_{f}^{CaM2C} = 0.92 \cdot 10^{6} M^{-1} s^{-1}$ $k_{f}^{CaM2N} = 0.12 \cdot 10^{6} M^{-1} s^{-1}$ $k_{f}^{CaM4} = 30 \cdot 10^{6} M^{-1} s^{-1}$ $k_{b}^{CaM0} = 5.5 s^{-1}$ $k_{b}^{CaM2C} = 6.8 s^{-1}$ $k_{b}^{CaM2N} = 1.7 s^{-1}$ $k_{b}^{CaM4} = 1.5 s^{-1}$ posphorylation reactions	Pepke et al. (2010) Pepke et al. (2010) 14 to $60 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s^{-1} (Pepke et al., 2010)
$CaM0 + mKCaM \Rightarrow mKCaM0$ $CaM2C + mKCaM \Rightarrow mKCaM2C$ $CaM2N + mKCaM \Rightarrow mKCaM2N$ $CaM4 + mKCaM \Rightarrow mKCaM4$ $mKCaM0 \Rightarrow CaM0 + mKCaM$ $mKCaM2C \Rightarrow CaM2C + mKCaM$ $mKCaM2N \Rightarrow CaM2N + mKCaM$ $mKCaM4 \Rightarrow CaM0 + mKCaM$ $Coarse-grained model, self-photechese (CaM0) \Rightarrow PCaM0$	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \\ k_{b}^{CaM4} &= 1.5 s^{-1} \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to $60 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s^{-1} (Pepke et al., 2010)
$CaM0 + mKCaM \Rightarrow mKCaM0$ $CaM2C + mKCaM \Rightarrow mKCaM2C$ $CaM2N + mKCaM \Rightarrow mKCaM2N$ $CaM4 + mKCaM \Rightarrow mKCaM4$ $mKCaM0 \Rightarrow CaM0 + mKCaM$ $mKCaM2C \Rightarrow CaM2C + mKCaM$ $mKCaM2N \Rightarrow CaM2N + mKCaM$ $mKCaM4 \Rightarrow CaM0 + mKCaM$ $Coarse-grained model, self-photeches (CaM2N) \Rightarrow PCaM0$ $KCaM2N \Rightarrow PCaM2N$	$k_{f}^{CaM2C} = 0.92 \cdot 10^{6} M^{-1} s^{-1}$ $k_{f}^{CaM2N} = 0.12 \cdot 10^{6} M^{-1} s^{-1}$ $k_{f}^{CaM4} = 30 \cdot 10^{6} M^{-1} s^{-1}$ $k_{b}^{CaM0} = 5.5 s^{-1}$ $k_{b}^{CaM2C} = 6.8 s^{-1}$ $k_{b}^{CaM2N} = 1.7 s^{-1}$ $k_{b}^{CaM4} = 1.5 s^{-1}$ posphorylation reactions	Pepke et al. (2010) Pepke et al. (2010) 14 to $60 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s^{-1} (Pepke et al., 2010)
$CaM0 + mKCaM \Rightarrow mKCaM0$ $CaM2C + mKCaM \Rightarrow mKCaM2C$ $CaM2N + mKCaM \Rightarrow mKCaM2N$ $CaM4 + mKCaM \Rightarrow mKCaM4$ $mKCaM0 \Rightarrow CaM0 + mKCaM$ $mKCaM2C \Rightarrow CaM2C + mKCaM$ $mKCaM2N \Rightarrow CaM2N + mKCaM$ $mKCaM4 \Rightarrow CaM0 + mKCaM$ $Coarse-grained model, self-photential contents of the self of the se$	$k_{f}^{CaM2C} = 0.92 \cdot 10^{6} M^{-1} s^{-1}$ $k_{f}^{CaM2N} = 0.12 \cdot 10^{6} M^{-1} s^{-1}$ $k_{f}^{CaM4} = 30 \cdot 10^{6} M^{-1} s^{-1}$ $k_{b}^{CaM0} = 5.5 s^{-1}$ $k_{b}^{CaM2C} = 6.8 s^{-1}$ $k_{b}^{CaM2N} = 1.7 s^{-1}$ $k_{b}^{CaM4} = 1.5 s^{-1}$ posphorylation reactions	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s ⁻¹ (Pepke et al., 2010) Chang et al. (2019)
$CaM0 + mKCaM \Rightarrow mKCaM0$ $CaM2C + mKCaM \Rightarrow mKCaM2C$ $CaM2N + mKCaM \Rightarrow mKCaM2N$ $CaM4 + mKCaM \Rightarrow mKCaM4$ $mKCaM0 \Rightarrow CaM0 + mKCaM$ $mKCaM2C \Rightarrow CaM2C + mKCaM$ $mKCaM2N \Rightarrow CaM2N + mKCaM$ $mKCaM4 \Rightarrow CaM0 + mKCaM$ $Coarse-grained model, self-photential content of the self of the sel$	$\begin{aligned} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \\ k_{b}^{CaM4} &= 1.5 s^{-1} \end{aligned}$	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s ⁻¹ (Pepke et al., 2010) Chang et al. (2019)
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C CaM2N + mKCaM \Rightarrow mKCaM2N CaM4 + mKCaM \Rightarrow mKCaM4 mKCaM0 \Rightarrow CaM0 + mKCaM mKCaM2C \Rightarrow CaM2C + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM mKCaM4 \Rightarrow CaM0 + mKCaM Coarse-grained model, self-phe KCaM0 \Rightarrow PCaM0 KCaM2N \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM4 \Rightarrow PCaM4 Fraction of activated CaMKII PCaM0 \Rightarrow P+CaM0	$k_{f}^{CaM2C} = 0.92 \cdot 10^{6} M^{-1} s^{-1}$ $k_{f}^{CaM2C} = 0.12 \cdot 10^{6} M^{-1} s^{-1}$ $k_{f}^{CaM2} = 30 \cdot 10^{6} M^{-1} s^{-1}$ $k_{b}^{CaM0} = 5.5 s^{-1}$ $k_{b}^{CaM2C} = 6.8 s^{-1}$ $k_{b}^{CaM2N} = 1.7 s^{-1}$ $k_{b}^{CaM4} = 1.5 s^{-1}$ Disphorylation reactions $k_{1} = 12.6 s^{-1}$ $F = CaMKII/mKCaM_{con}$	Pepke et al. (2010 Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al. 2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s ⁻¹ (Pepke et al., 2010) Chang et al. (2019) see Equation 19 (Chang et al., 2019)
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C CaM2N + mKCaM \Rightarrow mKCaM2N CaM4 + mKCaM \Rightarrow mKCaM4 mKCaM0 \Rightarrow CaM0 + mKCaM mKCaM2C \Rightarrow CaM2C + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM mKCaM4 \Rightarrow CaM0 + mKCaM Coarse-grained model, self-pho KCaM0 \Rightarrow PCaM0 KCaM2N \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM4 \Rightarrow PCaM4 Fraction of activated CaMKII	$\begin{aligned} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \\ k_{b}^{CaM4} &= 1.5 s^{-1} \end{aligned}$	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s ⁻¹ (Pepke et al., 2010) Chang et al. (2019) see Equation 19 (Chang et al., 2019)
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C CaM2N + mKCaM \Rightarrow mKCaM2N CaM4 + mKCaM \Rightarrow mKCaM4 mKCaM0 \Rightarrow CaM0 + mKCaM mKCaM2C \Rightarrow CaM2C + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM mKCaM4 \Rightarrow CaM0 + mKCaM Coarse-grained model, self-phe KCaM0 \Rightarrow PCaM0 KCaM2N \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM4 \Rightarrow PCaM4 Fraction of activated CaMKII PCaM0 \Rightarrow P+CaM0 PCaM2N \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2C	$k_{f}^{CaM2C} = 0.92 \cdot 10^{6} M^{-1} s^{-1}$ $k_{f}^{CaM2C} = 0.12 \cdot 10^{6} M^{-1} s^{-1}$ $k_{f}^{CaM2} = 30 \cdot 10^{6} M^{-1} s^{-1}$ $k_{b}^{CaM0} = 5.5 s^{-1}$ $k_{b}^{CaM2C} = 6.8 s^{-1}$ $k_{b}^{CaM2N} = 1.7 s^{-1}$ $k_{b}^{CaM4} = 1.5 s^{-1}$ Disphorylation reactions $k_{1} = 12.6 s^{-1}$ $F = CaMKII/mKCaM_{con}$	Pepke et al. (2010) Pepke et al. (2010) 14 to 60 · 10 ⁶ M ⁻¹ s ⁻¹ (Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s ⁻¹ (Pepke et al., 2010) Chang et al. (2019) see Equation 19 (Chang et al., 2019)
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C CaM2N + mKCaM \Rightarrow mKCaM2N CaM4 + mKCaM \Rightarrow mKCaM4 mKCaM0 \Rightarrow CaM0 + mKCaM mKCaM2C \Rightarrow CaM2C + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM Coarse-grained model, self-phe KCaM0 \Rightarrow PCaM0 KCaM2N \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM4 \Rightarrow PCaM4 Fraction of activated CaMKII PCaM0 \Rightarrow P+CaM0 PCaM2N \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2C PCaM4 \Rightarrow P+CaM4	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \\ k_{b}^{CaM4} &= 1.5 s^{-1} \\ \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to $60 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s^{-1} (Pepke et al., 2010) Chang et al. (2019) see Equation 19 (Chang et al., 2019) 0.33 s^{-1} ; adapted from (Chang et al., 2019)
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C CaM2N + mKCaM \Rightarrow mKCaM2N CaM4 + mKCaM \Rightarrow mKCaM4 mKCaM0 \Rightarrow CaM0 + mKCaM mKCaM2C \Rightarrow CaM2C + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM Coarse-grained model, self-phe KCaM0 \Rightarrow PCaM0 KCaM2N \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM4 \Rightarrow PCaM4 Fraction of activated CaMKII PCaM0 \Rightarrow P+CaM0 PCaM2N \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2C PCaM4 \Rightarrow P+CaM4 P \Rightarrow mKCaM	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM4} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \\ k_{b}^{CaM4} &= 1.5 s^{-1} \\ \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to $60 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s^{-1} (Pepke et al., 2010) Chang et al. (2019) see Equation 19 (Chang et al., 2019) 0.33 s^{-1} ; adapted from (Chang et al., 2019) 0.17 s^{-1} adapted from (Chang et al., 2019)
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C CaM2N + mKCaM \Rightarrow mKCaM2N CaM4 + mKCaM \Rightarrow mKCaM4 mKCaM0 \Rightarrow CaM0 + mKCaM mKCaM2C \Rightarrow CaM2C + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM Coarse-grained model, self-phe KCaM0 \Rightarrow PCaM0 KCaM2N \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM4 \Rightarrow PCaM4 Fraction of activated CaMKII PCaM0 \Rightarrow P+CaM0 PCaM2N \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2C PCaM4 \Rightarrow P+CaM4 P \Rightarrow mKCaM	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \\ k_{b}^{CaM4} &= 1.5 s^{-1} \\ \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to $60 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s^{-1} (Pepke et al., 2010) Chang et al. (2019) see Equation 19 (Chang et al., 2019) 0.33 s^{-1}; adapted from (Chang et al., 2019) 0.41s^{-1} adapted from (Chang et al., 2019)
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C CaM2N + mKCaM \Rightarrow mKCaM2N CaM4 + mKCaM \Rightarrow mKCaM4 mKCaM0 \Rightarrow CaM0 + mKCaM mKCaM2C \Rightarrow CaM2C + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM Coarse-grained model, self-phe KCaM0 \Rightarrow PCaM0 KCaM2N \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM4 \Rightarrow PCaM4 Fraction of activated CaMKII PCaM0 \Rightarrow P+CaM0 PCaM2N \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2C PCaM4 \Rightarrow P+CaM4 P \Rightarrow mKCaM P \Rightarrow P2	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2N} &= 1.5 s^{-1} \\ k_{b}^{CaM2N} &= 1.5 s^{-1} \\ \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to $60 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s^{-1} (Pepke et al., 2010) Chang et al. (2019) see Equation 19 (Chang et al., 2019) 0.33 s^{-1} ; adapted from (Chang et al., 2019) 0.041 s^{-1} adapted from (Chang et al., 2019)
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C CaM2N + mKCaM \Rightarrow mKCaM2N CaM4 + mKCaM \Rightarrow mKCaM4 mKCaM0 \Rightarrow CaM0 + mKCaM mKCaM2C \Rightarrow CaM2C + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM Coarse-grained model, self-phe KCaM0 \Rightarrow PCaM0 KCaM2N \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM4 \Rightarrow PCaM4 Fraction of activated CaMKII PCaM0 \Rightarrow P+CaM0 PCaM2N \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2C PCaM4 \Rightarrow P+CaM4 P \Rightarrow mKCaM P \Rightarrow P2 P2 \Rightarrow P Calcineurin model, CaM-CaM4	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2N} &= 1.5 s^{-1} \\ k_{b}^{CaM2N} &= 1.5 s^{-1} \\ \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to $60 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s^{-1} (Pepke et al., 2010) Chang et al. (2019) see Equation 19 (Chang et al., 2019) 0.33 s^{-1}; adapted from (Chang et al., 2019) 0.041s^{-1} adapted from (Chang et al., 2019) 0.017s^{-1}adapted from (Chang et al., 2019)
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C CaM2N + mKCaM \Rightarrow mKCaM2N CaM4 + mKCaM \Rightarrow mKCaM4 mKCaM0 \Rightarrow CaM0 + mKCaM mKCaM2C \Rightarrow CaM2C + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM Coarse-grained model, self-phe KCaM0 \Rightarrow PCaM0 KCaM2N \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM4 \Rightarrow PCaM4 Fraction of activated CaMKII PCaM0 \Rightarrow P+CaM0 PCaM2N \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2C PCaM4 \Rightarrow P+CaM4 P \Rightarrow mKCaM P \Rightarrow P2	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2C} &= 6.8 s^{-1} \\ k_{b}^{CaM2N} &= 1.7 s^{-1} \\ k_{b}^{CaM4} &= 1.5 s^{-1} \\ \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to $60 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s^{-1} (Pepke et al., 2010) Chang et al. (2019) see Equation 19 (Chang et al., 2019) 0.33 s^{-1}; adapted from (Chang et al., 2019) 0.041s^{-1} adapted from (Chang et al., 2019) 0.017s^{-1} adapted from (Chang et al., 2019)
CaM0 + mKCaM \Rightarrow mKCaM0 CaM2C + mKCaM \Rightarrow mKCaM2C CaM2N + mKCaM \Rightarrow mKCaM2N CaM4 + mKCaM \Rightarrow mKCaM4 mKCaM0 \Rightarrow CaM0 + mKCaM mKCaM2C \Rightarrow CaM2C + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM mKCaM2N \Rightarrow CaM2N + mKCaM Coarse-grained model, self-phe KCaM0 \Rightarrow PCaM0 KCaM2N \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM2C \Rightarrow PCaM2N KCaM4 \Rightarrow PCaM4 Fraction of activated CaMKII PCaM0 \Rightarrow P+CaM0 PCaM2N \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2N PCaM2C \Rightarrow P+CaM2C PCaM4 \Rightarrow P+CaM4 P \Rightarrow mKCaM P \Rightarrow P2 P2 \Rightarrow P Calcineurin model, CaM-CaM4	$\begin{split} k_{f}^{CaM2C} &= 0.92 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 0.12 \cdot 10^{6} M^{-1} s^{-1} \\ k_{f}^{CaM2N} &= 30 \cdot 10^{6} M^{-1} s^{-1} \\ k_{b}^{CaM0} &= 5.5 s^{-1} \\ k_{b}^{CaM2N} &= 1.5 s^{-1} \\ k_{b}^{CaM2N} &= 1.5 s^{-1} \\ \end{split}$	Pepke et al. (2010) Pepke et al. (2010) 14 to $60 \cdot 10^6 M^{-1} s^{-1}$ (Pepke et al., 2010) Pepke et al. (2010) Pepke et al. (2010) Pepke et al. (2010) 1.1 to 2.3 s^{-1} (Pepke et al., 2010) Chang et al. (2019) see Equation 19 (Chang et al., 2019) 0.33 s^{-1}; adapted from (Chang et al., 2019) 0.041s^{-1} adapted from (Chang et al., 2019) 0.017s^{-1}adapted from (Chang et al., 2019)

Geometrical Readout

We describe here the geometrical readout mechanism which allows for plasticity outcome assignment. First, we define the following variables which are representative of "active CaMKII" and "active CaN":

Active CaN

$$CaN = CaN4$$
Active CaMKII

$$KCaM = KCaM0 + KCaM2C + KCaM2N + KCaM4$$

$$PCaM = PCaM0 + PCaM2C + PCaM2N + PCaM4$$

$$CaMKII = KCaM + PCaM + P + P2.$$
(19)

Calcium entry in the spine initiates a cascade of events that ultimately leads to long term plasticity changes. Specific concentrations of CaMKII and CaN trigger activation functions act_p and act_p when they belong to one of the two polygonal regions (P and D), termed plasticity regions in the main text:

$$act_{D} = a_{D} \cdot \mathbb{1}_{D} - b_{D} \cdot (1 - \mathbb{1}_{D}) \cdot act_{D}$$
$$act_{P} = a_{P} \cdot \mathbb{1}_{P} - b_{P} \cdot (1 - \mathbb{1}_{P}) \cdot act_{P}.$$

The variables act_D and act_P act as low pass filters of CaMKII and CaN activities with some memory of previous passages in the respective plasticity regions. To specify the LTP/LTD rates, termed D_{rate} and P_{rate} , we use the activation functions, act_D and act_P , as follows:

$$P_{rate}(act_{P}) = t_{P}^{-1} \frac{act_{P}^{2}}{act_{P}^{2} + K_{P}^{2}}$$
$$D_{rate}(act_{D}) = t_{D}^{-1} \frac{act_{D}^{2}}{act_{D}^{2} + K_{P}^{2}}.$$

The Markov plasticity chain (see *Figure 21*) starts with initial conditions NC = 100, LTD = 0 and 1063 LTP = 0. Figure 22 shows how the readout works to predict plasticity for a single orbit. Figure 22a 1064 shows the enzyme's activity alone which is combined to form an orbit as shown in *Figure 22b*. The 1065 region indicator of the respective orbit is shown in Figure 22c. Simultaneously, Figure 22d depicts 1066 the leaky activation act_{P} and act_{D} , which will define the rate of plasticity induction in *Figure 22e* 1067 and f. The rates in the plasticity Markov chain will not reset to 0 if the orbit leaves the readout. 1068 The plasticity Markov chain is shown in *Figure 22g* with the prediction outcome represented as a 1069 weight change (%). Figure 22h shows the rate, Prate and Drate, activation profile. The LTP activation 1070 rate is steep, meaning that orbits do not need to spend a long time inside the readout to promote 1071 LTP induction, while the LTD region requires five-fold longer activation times. Table 14 shows the 1072 parameters that define the polygons of the plasticity regions (see Figure 22b). 1073

$$\mathsf{LTD} \xrightarrow{\underline{P_{rate}(act_P)}}_{\overline{D_{rate}(act_D)}} \mathsf{NC} \xrightarrow{\underline{P_{rate}(act_P)}}_{\overline{D_{rate}(act_D)}} \mathsf{LTP}$$

Figure 21. | Plasticity Markov Chain.

¹⁰⁷⁴ Positioning of the boundaries of the plasticity regions

The tuning of the plasticity region boundaries was based on four different experiments. The LTP region was defined using Tigaret (*Figure 3*). The refinement of the LTD region was made using the simulated dynamics from *Inglebert et al.* (*2020*) (*Figure 6d*, top part of the LTD boundary) and Dudek and *Dudek and Bear* (*1992*, 1993) (*Figure 4d* and *Figure 5f*, bottom-left part of the LTD boundary).

Table 14. Parameters to define the plasticity readout.

Name	Value	Reference
Leaking variable (a.u.)		
rise constant inside the LTD region	$a_D = 0.1 \ a.u. \cdot ms^{-1}$	fitted to cover all protocols in Table 1
rise constant inside the LTP region	$a_P = 0.2 \ a.u. \cdot ms^{-1}$	fitted to cover all protocols in Table 1
decay constant outside the LTD region	$b_D = 2 \cdot 10^{-5} a.u. \cdot ms^{-1}$	fitted to cover all protocols in Table 1
decay constant outside the LTP region	$b_P = 1 \cdot 10^{-4} a.u. \cdot ms^{-1}$	fitted to cover all protocols in Table 1
Plasticity Markov chain		
LTD rate time constant	$t_D = 1.8 \cdot 10^4 \ ms$	fitted to cover all protocols in Table 1
LTP rate time constant	$t_P = 1.3 \cdot 10^4 \ ms$	fitted to cover all protocols in Table 1
half occupation LTP	$K_P = 1.3 \cdot 10^4 a.u.$	fitted to cover all protocols in Table 1
half occupation LTD	$K_D = 8 \cdot 10^4 \ a.u.$	fitted to cover all protocols in Table 1
Plasticity regions (vertices determining the po	olygons)	
LTP region (CaN,CaMKII)	[6.35,1.4],[10,1.4],[6.35,29.5],[10,29.5]	fitted to cover all protocols in Table 1
LTD region (CaN,CaMKII)	[6.35,1.4],[6.35,23.25],[6.35,29.5],[1.85,11.32]	fitted to cover all protocols in Table 1
	[1.85,23.25],[3.76,1.4],[5.65,29.5]	fitted to cover all protocols in Table 1




Figure 22. | **Plasticity readout for the protocol 1Pre2Post10, 300 at 5Hz, from** *Tigaret et al.* **(2016). a**, CaMKII and CaN activity in response to protocol 1Pre2Post10. **b**, Enzymatic joint activity in the 2D plane showing LTP and LTD's plasticity regions. The black point marks the beginning of the stimulation, and the white point shows the end of the stimulation after 60 s. **c**, Region indicator illustrating how the joint activity crosses the LTP and the LTD regions. **d**, The leaky activation functions are used as input to the LTP and LTD, ratesrespectively. The activation function has a constant rise when the joint-activity is inside the region, and exponential decay when it is out. **e**, The LTD rate in response to the leaky activation function, *act*_D, in panel **d**. Note that this rate profile occurs after the stimulation is finished (60 s). The joint-activity is returning to the resting concentration in panel A. **f**, The LTP rate in response to the leaky activation function, *act*_P, in panel D. **g**, Outcome of the plasticity Markov chain in response to the LTD and LTP rates. The EPSP change (%) is estimated by the difference between the number of processes in the states LTP and LTD, *LTP* – *LTD*. **h**, Normalized LTP and LTD rates. Note in panel **d** that the leaky activation function reaches the half-activation $K_p = 1.3e4$.

1080 Supplemental files

Figure 3-Figure Supplement 1 shows best fit to the Tigaret et al. (2016) data from seven spike-1081 timing dependent plasticity protocols, for three leading STDP models in the field: classic pairwise 1082 STDP (Song et al., 2000), triplet STDP (Pfister and Gerstner, 2006), and calcium-based Graupner-1083 Brunel STDP (Graupner and Brunel, 2012) models. Parameters for each model that mimized the 1084 mean-squared error with the data were discovered using Bayesian optimization using the Bayesian 1085 Optimization package in the Julia programming language. Figure 4-Figure Supplement 1 shows vari-1086 ations of **Dudek and Bear (1992)** parameters for $[Ca^{2+}]_{o}$, $[Mg^{2+}]_{o}$, temperature and dendritic spine 1087 distance from the soma. Also, it shows the Poisson spike train protocol (as in *Figure 7g,h.*) for 1088 temperature and age parameters obtained from an estimation of the body temperature regula-1089 tion during development (or thermoregulation maturation, also called maturation of temperature 1090 homeostasis, estimated in Figure 3-Figure Supplement 1g). Figure 5-Figure Supplement 1 expands 1091 the presynaptic burst strategy hypothesized to recover the LTD in adult slices (Figure 5c) for 900 1092 pairing repetitions. Also, Figure 5-Figure Supplement 1 tries to isolate the contribution of each 1093 age-dependent mechanism (NMDAr, GABAr, BaP efficiency switches) for 3 and 5 Hz predictions 1094 in *Dudek and Bear (1993)* experiment. We fixed each of the three mechanisms coding for age in 1095 our model at P5 and P50, to observe how they shape the plasticity. Note the experiment in Fig-1096 ure 6-Figure Supplement 1d-i is only to theoretically show how each age mechanism contributes to 1097 plasticity in Figure 5. Also we compare predictions between different STDP experiments across age. 1098 Figure 3-Figure Supplement 4 presents modifications of Inglebert et al. (2020) STDP experiment 1099 and the reproduction of Mizuno et al. (2001) data. Figure 6-Figure Supplement 2 shows multiple 1100 aspects related to temperature in STDP experiments and the temperature and age choices for the 1101 publications described in *Table 1* compared to physiological conditions. We estimate how the rat's 1102 body temperature physiologically evolves in function of age using McCauley et al. (2020) and Wood 1103 et al. (2016) data. 1104






Figure 3 - Supplement 1. | **Standard models for predicting plasticity fail to account for the data from** *Tigaret et al.* (2016). a-c, Mean weight change for the Tigaret's data (blue), error bars denote ±1 s.d. Plasticity protocols indicated by labels on x-axis. Green bars show mean plasticity predicted for the same protocols by classic STDP (*Song et al., 2000*) (panel a), triplet STDP (*Pfister and Gerstner, 2006*) (panel b), or Graupner-Brunel calcium-based STDP (*Graupner and Brunel, 2012*) model (panel c).








Figure 3 - Supplement 3. | **Effects of blocking VGCCs. a**, Combined enzyme activity of the experiment 1Pre2Post10, 300 at 5 Hz described in *Tigaret et al. (2016)* with and without VGCCs (legend in panel c). The arrows indicate time flow, and the grey and black dots represent the initial conditions. Note the effect of VGCC blocking on the initial conditions. **b**, Region indicator associated to panel **a**. **c** Plasticity prediction for the simulated experiment with and without VGCCs. Note that when VGCCs are blocked LTP cannot be induced, in agreement with *Tigaret et al.* (2016) experimental data.




Figure 3 - Supplement 4. | **Exclusively setting vertical boundaries (no CaMKII selectivity) fails to capture the correct plasticity outcome. a** Combined activity of the protocol 1Pre1Post10, 100 at 0.3 Hz with experimental conditions as in *Figure 6c* considering the polygonal regions responding only to CaN thresholds. Note that most of the activity resides in the LTD region. The arrows indicate time flow and black dot represents the initial condition. **b**, Region indicator related to panel **a**. **c**, Plasticity prediction shows LTD, instead of LTP. **d**, Same as **a** but considering the plasticity regions sensitivity both to CaMKII and CaN. **e**, Region indicator related to panel **d**. **f**, Plasticity prediction for panel **d** showing LTP agreeing with data described in *Figure 6c*.





Figure 3 - Supplement 5. | **Varying** *Tigaret et al.* (2016) experimental parameters. **a**, Mean synaptic weight change for 1Pre2Post(delay) varying the temperature. **b**, Mean synaptic weight change for 1Pre2Post(delay) varying the age. **c**, Mean synaptic weight change for 1Pre2Post(delay) varying the frequency. **d**, Mean synaptic weight change for 1Pre2Post(delay) varying the [Ca²⁺]_o. **e**, Mean synaptic weight change for 1Pre2Post(delay) varying the [Ca²⁺]_o. **e**, Mean synaptic weight change for 1Pre2Post(delay) varying the distance from the soma. A similar trend in distal spines was previously found in *Ebner et al.* (2019). **f**, Mean synaptic weight change of 1Pre2Post50 and 2Post1Pre50 when number of pulses increases or decreases. Note the similarity with *Mizuno et al.* (2001) in *Figure 16*1c.



Varying experimental parameters in Dudek and Bear 1992 FDP

Figure 4 - Supplement 1. | **Varying experimental parameters in** *Dudek and Bear (1992)* and Poisson spike train during development. a, Mean synaptic weight change for the FDP experiment varying the $[Mg^{2+}]_o$. Original $[Mg^{2+}]_o$ in *Dudek and Bear (1992)* is 1.5 mM (dashed grey line). **b**, Mean synaptic weight change for the FDP experiment varying the $[Ca^{2+}]_o$. Original $[Ca^{2+}]_o$ in *Dudek and Bear (1992)* is 2.5 mM (dashed grey line). **c**, Mean synaptic weight change for the FDP experiment varying the distant from the soma. Original distance in *Dudek and Bear (1992)* is 200 µm (dashed grey line). Changing the distance from the soma modifies how fast BaPs evoked by EPSP will attenuate. Note that LTD is prevalent for a spine situated far from the soma. **d**, Mean synaptic weight change for the FDP experiment varying the temperature. Original temperature in *Dudek and Bear (1992)* is 35°C (dashed grey line). **e**, Mean synaptic weight change for the FDP experiment varying the pairing repetitions at 33° C showing how LTD is enhanced. **f**, Mean synaptic weight change for the FDP experiment varying the pairing repetitions at 37°C showing how LTD is abolished. **g**, Mean synaptic weight change for pre and postsynaptic Poisson spike train during 30 s for P5 and 34°C. The panel shows that there is weak and diffused LTP. **h**, Mean synaptic weight change for pre and postsynaptic Poisson spike train during 30 s for P15 and 35°C. The panel shows that there is a start of LTP window forming for slow postsynaptic rates (<1 Hz). **i**, Mean synaptic weight change for pre and postsynaptic Poisson spike train during 30 s for P20 and 35°C. The panel shows that a window forms around 10 Hz postsynaptic rate similar to what is shown by *Graupner et al. (2016)* and in *Figure 7h*.




Figure 5 - Supplement 1. | Duplets, triplets and quadruplets for FDP, perturbing developmental-mechanisms for LFS and HFS in Dudek and Bear (1993), and age-related changes in STDP experiments (Inglebert et al., 2020; Tigaret et al., 2016; Meredith et al., 2003). a, Mean synaptic weight change (%) for the duplet-FDP (2Pre50) experiment varying age. The panel shows showing that not only LTD is enhanced but also LTP. b, Mean synaptic weight change (%) for the triplet-FDP (3Pre50) experiment varying age. The panel shows that LTD magnitude is enhanced for adult rats and the LTD-LTP transition is shifted leftward. c, Mean synaptic weight change (%) for the quadruplet-FDP (4Pre50) experiment varying age. The panel shows a further leftward shift on the LTD-LTP transition (compared to 3Pre50). d, Mean synaptic weight change (%) for the 1 Pre 900 at 30 and 3 Hz with Dudek and Bear (1993). Fixing NMDAr at P5 (more GluN2B than GluN2A) causes an increase of LTD and a slight increase of LTP for adult rats compared to baseline (grey solid line). e, Same experiment as panel d but fixing BaP maturation at P5 (higher BaP attenuation). LTP is abolished, but LTD is not affected. This is because AP induced by the EPSP attenuate too fast for 30 Hz and are thus not able to produce enough depolarization to activate NMDArs. **f**, Same experiment as in panel **d** but fixing GABAr maturation at P5 (excitatory GABAr) which only slightly enhances LTD (3 Hz) for adult rats. g, Same experiment as panel d but fixing NMDAr at P50 (more GluN2A than GluN2B). LTD appears with decreased magnitude for young rats compared to baseline (grey solid line). h, Same experiment as panel d but fixing BaP maturation at P50 (less BaP attenuation). LTP is enhanced for young rats because the BaP pairing with the slow closing GluN2B produces more calcium influx. i, Same experiment as panel d but fixing GABAr maturation at P50 (inhibitory GABAr) which does not affect the FDP experiment. j, Mean synaptic weight change (%) for Meredith et al. (2003) single versus burst-STDP experiment for different ages. The data from Meredith (boxplots) were pooled by the age as shown in the x-axis. The solid line represents the mean, and the shaded ribbon the 2nd and 4th quantiles simulated by the model (same for panels a-f). k, Mean synaptic weight change (%) for Inglebert et al. (2020) STDP experiment in which the number of postsynaptic spikes increases. The x-axis marker from 14-21 indicates that only this interval was published without further specification. We use our model to estimate age related changes to Inglebert et al. (2020) protocols. Note that the model does not cover the 1Pre2Post10 properly (model predicts only outcomes near the first data quantile). Notice that single and burst STDP leads to LTD, meanwhile Meredith et al. (2003) lead to LTP or NC. I, Mean synaptic weight change (%) for Tigaret et al. (2016) STDP experiment which compares single versus burst STDP. The x-axis marker from 50-55 indicates that only a interval was published without further specification. We use our model to estimate age related changes to Tigaret et al. (2016) protocols. It is noticeable that each STDP experiment has a different development.




Figure 6 - Supplement 1. | [Ca²⁺], and [Mg²⁺], related modifications for Inglebert et al. (2020) experiment. a, Mean time spent for anticausal pairing, 1Post1Pre10, at different Ca/Mg concentrations. The contour plots are associated with the Figure 6a-c. b, STDP and extracellular Ca/Mg. Synaptic weight change (%) for causal (1Pre1Post10, 100 at 0.3 Hz) and anticausal (1Post1Pre10, 150 at 0.3 Hz) pairings varying [Ca²⁺]_o from 1.0 to 3 mM (Ca/Mg ratio = 1.5). c, Varying frequency and extracellular Ca/Mg for the causal pairing 1Pre1Post10, 100 at 0.3 Hz. Synaptic weight change (%) for a single causal pairing protocol varying frequency from 0.1 to 10 Hz. [Ca²⁺], was fixed at 1.8 mM (Ca/Mg ratio = 1.5). d, Mean synaptic weight change (%) for Inglebert et al. (2020) STDP experiment showing how temperature qualitatively modifies plasticity. The dashed lines are ploted in panel **b**. **e**, Mean synaptic weight change (%) showing effects 0.5°C from panel **a**. Black and grey solid lines represent the same color dashed lines in panel a (30 and 30.5°C). The bidirectional curves, black and grey lines in panel a (dashed) and panel b (solid), becoming full-LTD when temperature increases to 34.5 and 35°C, respectively yellow and purple lines in panel **a** (dashed) and panel **b** (solid). Further increase abolishes plasticity. f, Mean synaptic weight change (%) for Mizuno et al. (2001) experiment in Mg-Free ([Mg²⁺]₀= 10⁻³mM for best fit) showing the different time requirements to induce LTP and LTD. For LTD, to simulate the NMDAr antagonist D-AP5 which causes a NMDAr partial blocking we reduced the NMDAr conductance by 97%. Note the similarity with Figure 3-Figure Supplement 5f. g, Mean synaptic weight change (%) of *Inglebert et al. (2020)* STDP experiment changing $[Ca^{2+}]_{0}$ and Ca/Mg ratio. **h**, Mean synaptic weight change (%) of Inglebert et al. (2020) STDP experiment changing pre-post delay time and frequency. Note the similarity with Figure 3-Figure Supplement 5c. i, Mean synaptic weight change (%) of Inglebert et al. (2020) STDP experiment changing pre-post delay time and age. Age has a weak effect on this experiment done at $[Ca^{2+}]_0 = 2.5$ mM.




Figure 6 - Supplement 2. | **Temperature and age effects. a**, Mean synaptic weight change (%) for *Wittenberg and Wang* (2006) STDP experiment for 1Pre1Post10, 70-100 at 5 Hz (see (*Table 1*)) showing a full LTD window. Our model also reproduces the data showing that when temperature is increased to $32 - 34^{\circ}C$ LTD is abolished (data not shown). **b**, Mean synaptic weight change (%) for *Wittenberg and Wang* (2006) STDP experiment for 1Pre2Post10, 70-100 at 5 Hz (see (*Table 1*)) showing a bidirectional window. **c**, Mean synaptic weight change (%) for *Wittenberg and Wang* (2006) STDP experiment for 1Pre2Post10, 20-30 at 5 Hz (see (*Table 1*)) showing a bidirectional window. We noticed that for *Wittenberg and Wang* (2006) experiment, done in room temperature, the temperature sensitivity was higher than for other experiments. **d**, Core temperature varying with age representing the thermoregulation maturation. This function (not shown) was fitted using rat (*Wood et al., 2016*) and mouse data (*McCauley et al., 2020*) added by 1°*C* to compensate species differences (*Wood et al., 2016*). The blue and white bars represent the circadian rhythm as shown in *McCauley et al. (2020*). However, the "rest rhythm" for young rats (P5-14) may vary. **e**, Dotted grey line represents the averaged physiological temperature and age used. Note that only few experiments were performed at near physiological conditions. **f**, Initial conditions for CaN-CaMKII resting concentration for different [Ca²⁺]_o and temperature values. When [Ca²⁺]_o is changed, temperature is fixed at 35°*C*, while when temperature is changed, [Ca²⁺]_o is fixed at 2 mM.

Table 1 - Supplement 1. Comparison of recent computational models for plasticity highlighting theexperimental conditions implemented and the experiments in the hippocampus and cortex they reproduce.See Table 1-Table Supplement 2 for additional details on experimental conditions of experimental works.

Model	Graupner and Brunel (2012)		Jędrzejewska-Szmek et al. (2017)	Inglebert et al. (2020)	Chindemi et al. (2020)	Rodrigues et al. 2021
model framework	extension of Shouval et al. (2002)	extension of Clopath et al. (2010) and modified from Hay et al. (2011)	modified from Evans et al. (2013)	extension of Graupner and Brunel (2012)	extension of Graupner and Brunel (2012)	
Parameter						
temperature	absent	absent	temperature corrected ion channels (but not receptors)	no temperature control needed (experiments covered are at 30°C)	only in the GHK equation	temperature is selectable on the dendritic spine level for ion channels, receptor and the calcium cascade
development	absent	absent	absent	absent	absent	age is selectable and implemented by GABAr and NMDAr switch and BaP maturation
aCSF	absent	absent	absent	phenomenological changes in pre and post amplitudes to mimic extracellular calcium effects	in vivo or in vitro changes for release probability, calcium reversal potential on NMDAr-induced calcium influx	External Ca and Mg are selectable and affect release probability, reversal potential, NMDAr and VGCCs calcium current driving force
Plasticity experiments						
reproduced						
(quant. comparisons only)						
Sjöström et al. (2001)	×	×			×	
Wittenberg and Wang (2006)	×					×
Wang et al. (2005)	×					
Sjöström and Häusser (2006)	×	×			×	
Nevian and Sakmann (2006)		×				
Letzkus et al. (2006)		×				
Weber et al. (2016)		×				
Fino et al. (2010)			×			
Pawlak and Kerr (2008)			×			
Shen et al. (2008)			×			
Inglebert et al. (2020)				×		×
Markram et al. (1997)					×	
Rodriguez-Moreno and Paulsen (2008)	(8)				×	
Egger et al. (1999)					×	
Tigaret et al. (2016)						×
Dudek and Bear (1992)						×
Dudek and Bear (1993)						×
Mizuno et al. (2001)						×
Meredith et al. (2003)						×
O'Connor et al. (2005)						>
(not included due to space)						<
Bittner et al. (2017)						×
(not included due to space)						

Experimental work	Age (days)	[Ca ²⁺] _o (Mm)	[Mg ²⁺] _o (Mm)	Temperature (°C)
Sjöström et al. (2001)	12-21	2.5	1	32-34
Wittenberg and Wang (2006)	14-21	2	1	24-30 or 30-34
Wang et al. (2005)	embryonic day 17–18	3	2	room
Sjöström and Häusser (2006)	14-21	2	1	32-35
Nevian and Sakmann (2006)	13-15	2	1	32-35
Letzkus et al. (2006)	21-42	2	1	34-35
Weber et al. (2016)	49-77	1.25	1.3 or 0.1	32-35
Fino et al. (2010)	15-21	2	1	34
Pawlak and Kerr (2008)	19-22	2.5	2	31-33
Shen et al. (2008)	19-26	2	1	room
Inglebert et al. (2020)	14-20	1.3-3.0	Ca/1.5	30
Markram et al. (1997)	14-16	2	1	32-34
Rodriguez-Moreno and Paulsen (2008)	9-14	2	2	room
Egger et al. (1999)	12-14	2	1	34-36
Tigaret et al. (2016)	50-55	2.5	1.3	35
Dudek and Bear (1992)	35	2.5	1.5	35
Dudek and Bear (1993)	7-35	2.5	1.5	35
Mizuno et al. (2001)	12-28	2.4	Mg-Free (most experiments)	30
Meredith et al. (2003)	9-45	2	2	24-28
O'Connor et al. (2005)	14-21	2	1	27.5-32
Bittner et al. (2017)	42-63	2	1	35

Table 1 - Supplement 2. Comparison of the experimental conditions for the different reproduced datasets in *Table 1-Table Supplement 1* covering experiments from neocortex, hippocampus and striatum

1105 References

Abarbanel HD, Gibb L, Huerta R, Rabinovich MI. Biophysical model of synaptic plasticity dynamics. Biological cybernetics. 2003; 89(3):214–226.

Abraham WC. Metaplasticity: tuning synapses and networks for plasticity. Nature Reviews Neuroscience. 2008;
 9(5):387–387.

Abraham WC, Mason-Parker SE, Bear MF, Webb S, Tate WP. Heterosynaptic metaplasticity in the hippocampus

- in vivo: a BCM-like modifiable threshold for LTP. Proceedings of the National Academy of Sciences. 2001;
 98(19):10924–10929.
- Adelman JP, Maylie J, Sah P. Small-conductance Ca2+-activated K+ channels: form and function. Annual review of physiology. 2012; 74:245–269.

Adrian M, Kusters R, Storm C, Hoogenraad CC, Kapitein LC. Probing the interplay between dendritic spine morphology and membrane-bound diffusion. Biophysical journal. 2017; 113(10):2261–2270.

Alabi AA, Tsien RW. Synaptic vesicle pools and dynamics. Cold Spring Harbor perspectives in biology. 2012;
 4(8):a013680.

Alon U. An introduction to systems biology: design principles of biological circuits. CRC press; 2019.

Antunes G, Roque A, Simoes-de Souza F. Stochastic induction of long-term potentiation and long-term depression. Scientific reports. 2016; 6:30899.

Antunes G, De Schutter E. A stochastic signaling network mediates the probabilistic induction of cerebellar long-term depression. Journal of Neuroscience. 2012; 32(27):9288–9300.

Artola A, Bröcher S, Singer W. Different voltage-dependent thresholds for inducing long-term depression and long-term potentiation in slices of rat visual cortex. Nature. 1990; 347(6288):69–72.

Badoual M, Zou Q, Davison AP, Rudolph M, Bal T, Frégnac Y, Destexhe A. Biophysical and phenomenological
 models of multiple spike interactions in spike-timing dependent plasticity. International journal of neural
 systems. 2006; 16(02):79–97.

Bailey CH, Kandel ER, Harris KM. Structural components of synaptic plasticity and memory consolidation. Cold
 Spring Harbor perspectives in biology. 2015; 7(7):a021758.

Bartol TM, Keller DX, Kinney JP, Bajaj CL, Harris KM, Sejnowski TJ, Kennedy MB. Computational reconstitution of spine calcium transients from individual proteins. Frontiers in synaptic neuroscience. 2015; 7:17.

- **Baumgärtel K**, Mansuy IM. Neural functions of calcineurin in synaptic plasticity and memory. Learning & memory. 2012; 19(9):375–384.
- 1135 Beaulieu-Laroche L, Harnett MT. Dendritic spines prevent synaptic voltage clamp. Neuron. 2018; 97(1):75–82.
- **Bhalla US**. Signaling in small subcellular volumes. II. Stochastic and diffusion effects on synaptic network properties. Biophysical Journal. 2004; 87(2):745–753.

Bhalla US, Iyengar R. Emergent Properties of Networks of Biological Signaling Pathways. Science. 1999
 Jan; 283(5400):381–387. https://www.science.org/doi/abs/10.1126/science.283.5400.381, doi: 10.1126/science.283.5400.381, publisher: American Association for the Advancement of Science.

- **Bhalla US**. Synaptic input sequence discrimination on behavioral timescales mediated by reaction-diffusion chemistry in dendrites. Elife. 2017; 6:e25827.
- **Bi Gq**, Poo Mm. Synaptic modifications in cultured hippocampal neurons: dependence on spike timing, synaptic strength, and postsynaptic cell type. Journal of neuroscience. 1998; 18(24):10464–10472.
- **Bienenstock EL**, Cooper LN, Munro PW. Theory for the development of neuron selectivity: orientation specificity and binocular interaction in visual cortex. Journal of Neuroscience. 1982; 2(1):32–48.
- **Bittner KC**, Milstein AD, Grienberger C, Romani S, Magee JC. Behavioral time scale synaptic plasticity underlies CA1 place fields. Science. 2017; 357(6355):1033–1036.
- Blackwell KT, Salinas AG, Tewatia P, English B, Hellgren Kotaleski J, Lovinger DM. Molecular mechanisms un derlying striatal synaptic plasticity: relevance to chronic alcohol consumption and seeking. European Journal
 of Neuroscience. 2019; 49(6):768–783.
- **Blum KI**, Abbott LF. A model of spatial map formation in the hippocampus of the rat. Neural computation. 1996; 8(1):85–93.
- **Bock T**, Honnuraiah S, Stuart GJ. Paradoxical excitatory impact of SK channels on dendritic excitability. Journal of Neuroscience. 2019; 39(40):7826–7839.
- **Borst JGG**. The low synaptic release probability in vivo. Trends in neurosciences. 2010; 33(6):259–266.
- **Buchanan KA**, Mellor JR. The development of synaptic plasticity induction rules and the requirement for postsynaptic spikes in rat hippocampal CA1 pyramidal neurones. The Journal of Physiology. 2007; 585(2):429–445.
- **Busch C**, Sakmann B; **Cold Spring Harbor Laboratory Press**. Synaptic transmission in hippocampal neurons: numerical reconstruction of quantal IPSCs. . 1990; 55:69–80.
- **Cai Y**, Gavornik JP, Cooper LN, Yeung LC, Shouval HZ. Effect of stochastic synaptic and dendritic dynamics on synaptic plasticity in visual cortex and hippocampus. Journal of neurophysiology. 2007; 97(1):375–386.
- **Cao G**, Harris KM. Developmental regulation of the late phase of long-term potentiation (L-LTP) and metaplasticity in hippocampal area CA1 of the rat. Journal of neurophysiology. 2012; 107(3):902–912.
- **Castellani GC**, Quinlan EM, Bersani F, Cooper LN, Shouval HZ. A model of bidirectional synaptic plasticity: from signaling network to channel conductance. Learning & Memory. 2005; 12(4):423–432.
- Castellani GC, Quinlan EM, Cooper LN, Shouval HZ. A biophysical model of bidirectional synaptic plasticity: dependence on AMPA and NMDA receptors. Proceedings of the National Academy of Sciences. 2001; 98(22):12772–12777.
- **Chamma** I, Chevy Q, Poncer JC, Lévi S. Role of the neuronal K-Cl co-transporter KCC2 in inhibitory and excitatory neurotransmission. Frontiers in cellular neuroscience. 2012; 6:5.
- Chang JY, Nakahata Y, Hayano Y, Yasuda R. Mechanisms of Ca 2+/calmodulin-dependent kinase II activation in
 single dendritic spines. Nature Communications. 2019; 10(1):2784.
- **Chang JY**, Parra-Bueno P, Laviv T, Szatmari EM, Lee SJR, Yasuda R. CaMKII autophosphorylation is necessary for optimal integration of Ca2+ signals during LTP induction, but not maintenance. Neuron. 2017; 94(4):800–808.
- Chindemi G, Abdellah M, Amsalem O, Benavides-Piccione R, Delattre V, Doron M, Ecker A, King JG, Kumbhar P,
 Monney CC, et al. A calcium-based plasticity model predicts long-term potentiation and depression in the
- neocortex. bioRxiv. 2020; .

- **Cizeron M**, Qiu Z, Koniaris B, Gokhale R, Komiyama NH, Fransén E, Grant SG. A brain-wide atlas of synapses across the mouse lifespan. Science. 2020; .
- Clopath C, Büsing L, Vasilaki E, Gerstner W. Connectivity reflects coding: a model of voltage-based STDP with
 homeostasis. Nature neuroscience. 2010; 13(3):344–352.
- **Clopath C**, Gerstner W. Voltage and spike timing interact in STDP–a unified model. Frontiers in synaptic neuroscience. 2010; 2:25.
- Colbert CM, Magee JC, Hoffman DA, Johnston D. Slow recovery from inactivation of Na+ channels underlies
 the activity-dependent attenuation of dendritic action potentials in hippocampal CA1 pyramidal neurons.
 lournal of Neuroscience. 1997: 17(17):6512–6521.
- **Coombs ID**, MacLean DM, Jayaraman V, Farrant M, Cull-Candy SG. Dual Effects of TARP γ -2 on Glutamate Efficacy Can Account for AMPA Receptor Autoinactivation. Cell reports. 2017; 20(5):1123–1135.
- **Costa RP**, Froemke RC, Sjöström PJ, van Rossum MC. Unified pre-and postsynaptic long-term plasticity enables reliable and flexible learning. Elife. 2015; 4:e09457.
- **Creamer TP**. Calcineurin. Cell Communication and Signaling. 2020; 18(1):1–12.
- Cui Y, Prokin I, Mendes A, Berry H, Venance L. Robustness of STDP to spike timing jitter. Scientific reports. 2018;
 8(1):1–15.
- De Pittà M, Brunel N. Modulation of synaptic plasticity by glutamatergic gliotransmission: A modeling study.
 Neural plasticity. 2016; .
- 1197 Debanne D, Guerineau NC, Gähwiler B, Thompson SM. Paired-pulse facilitation and depression at unitary
- synapses in rat hippocampus: quantal fluctuation affects subsequent release. The Journal of physiology.1996; 491(1):163–176.
- Deisseroth K, Bito H, Schulman H, Tsien R. Synaptic plasticity: a molecular mechanism for metaplasticity.
 Current Biology. 1995; 5(12):1334–1338.
- **Deng W**, Goldys EM, Farnham MM, Pilowsky PM. Optogenetics, the intersection between physics and neuroscience: light stimulation of neurons in physiological conditions. American lournal of Physiology-Regulatory.
- 1204 Integrative and Comparative Physiology. 2014; 307(11):R1292–R1302.
- **Deperrois N**, Graupner M. Short-term depression and long-term plasticity together tune sensitive range of synaptic plasticity. PLoS computational biology. 2020; 16(9):e1008265.
- Destexhe A, Mainen ZF, Sejnowski TJ. Synthesis of models for excitable membranes, synaptic transmission
 and neuromodulation using a common kinetic formalism. Journal of computational neuroscience. 1994;
 1(3):195–230.
- Destexhe A, Mainen ZF, Sejnowski TJ. Kinetic models of synaptic transmission. Methods in neuronal modeling.
 1998; 2:1–25.
- **Dobrunz LE**, Huang EP, Stevens CF. Very short-term plasticity in hippocampal synapses. Proceedings of the National Academy of Sciences. 1997; 94(26):14843–14847.
- Dudek SM, Bear MF. Bidirectional long-term modification of synaptic effectiveness in the adult and immature
 hippocampus. Journal of Neuroscience. 1993; 13(7):2910–2918.
- **Dudek S**, Bear M. Homosynaptic long-term depression in area CA1 of hippocampus and effects of N-methyl-D-aspartate receptor blockade. Proceedings of the National Academy of Sciences. 1992; 89(10):4363.
- **Ebner C**, Clopath C, Jedlicka P, Cuntz H. Unifying Long-Term Plasticity Rules for Excitatory Synapses by Modeling Dendrites of Cortical Pyramidal Neurons. Cell Reports. 2019; 29(13):4295–4307.
- **Edwards FA**, Konnerth A, Sakmann B. Quantal analysis of inhibitory synaptic transmission in the dentate gyrus of rat hippocampal slices: a patch-clamp study. The Journal of Physiology. 1990; 430(1):213–249.
- **Egger V**, Feldmeyer D, Sakmann B. Coincidence detection and changes of synaptic efficacy in spiny stellate neurons in rat barrel cortex. Nature neuroscience. 1999; 2(12):1098–1105.
- **Enoki R**, Hu YI, Hamilton D, Fine A. Expression of long-term plasticity at individual synapses in hippocampus is graded, bidirectional, and mainly presynaptic: optical quantal analysis. Neuron. 2009; 62(2):242–253.

- 1226 Etherington SJ, Atkinson SE, Stuart GJ, Williams SR. Synaptic integration. eLS. 2010; .
- **Eurich CW**, Pawelzik K, Ernst U, Cowan JD, Milton JG. Dynamics of self-organized delay adaptation. Physical
 Review Letters. 1999; 82(7):1594.
- Evans RC, Maniar YM, Blackwell KT. Dynamic modulation of spike timing-dependent calcium influx during
 corticostriatal upstates. Journal of neurophysiology. 2013; 110(7):1631–1645.
- Feng B, Raghavachari S, Lisman J. Quantitative estimates of the cytoplasmic, PSD, and NMDAR-bound pools of CaMKII in dendritic spines. Brain research. 2011; 1419:46–52.
- **Fenton AA**, Muller RU. Place cell discharge is extremely variable during individual passes of the rat through the firing field. Proceedings of the National Academy of Sciences. 1998; 95(6):3182–3187.
- Fernandez FR, White JA. Gain control in CA1 pyramidal cells using changes in somatic conductance. Journal of
 Neuroscience. 2010; 30(1):230–241.
- Fernández-Alfonso T, Ryan TA. The kinetics of synaptic vesicle pool depletion at CNS synaptic terminals. Neu ron. 2004; 41(6):943–953.
- **Fino E**, Paille V, Cui Y, Morera-Herreras T, Deniau JM, Venance L. Distinct coincidence detectors govern the corticostriatal spike timing-dependent plasticity. The Journal of physiology. 2010; 588(16):3045–3062.
- **Forsythe ID**, Tsujimoto T, Barnes-Davies M, Cuttle MF, Takahashi T. Inactivation of presynaptic calcium current contributes to synaptic depression at a fast central synapse. Neuron. 1998; 20(4):797–807.
- **Fricker D**, Miles R. EPSP amplification and the precision of spike timing in hippocampal neurons. Neuron. 2000; 28(2):559–569.
- **Froemke RC**, Dan Y. Spike-timing-dependent synaptic modification induced by natural spike trains. Nature. 2002; 416(6879):433.
- Fujii H, Inoue M, Okuno H, Sano Y, Takemoto-Kimura S, Kitamura K, Kano M, Bito H. Nonlinear decoding and asymmetric representation of neuronal input information by CaMKIIα and calcineurin. Cell reports. 2013; 3(4):978–987.
- **Gerstner W**, Kempter R, Van Hemmen JL, Wagner H. A neuronal learning rule for sub-millisecond temporal coding. Nature. 1996; 383(6595):76–78.
- **Giese KP**, Fedorov NB, Filipkowski RK, Silva AJ. Autophosphorylation at Thr286 of the α calcium-calmodulin kinase II in LTP and learning. Science. 1998; 279(5352):870–873.
- **Golding NL**, Kath WL, Spruston N. Dichotomy of action-potential backpropagation in CA1 pyramidal neuron dendrites. Journal of neurophysiology. 2001; 86(6):2998–3010.
- **Golding NL**, Staff NP, Spruston N. Dendritic spikes as a mechanism for cooperative long-term potentiation. Nature. 2002; 418(6895):326–331.
- Goto S, Matsukado Y, Mihara Y, Inoue N, Miyamoto E. The distribution of calcineurin in rat brain by light and
 electron microscopic immunohistochemistry and enzyme-immunoassay. Brain research. 1986; 397(1):161–
 172.
- **Graupner M**, Brunel N. Calcium-based plasticity model explains sensitivity of synaptic changes to spike pattern, rate, and dendritic location. Proceedings of the National Academy of Sciences. 2012; 109(10):3991–3996.
- **Graupner M**, Wallisch P, Ostojic S. Natural firing patterns imply low sensitivity of synaptic plasticity to spike timing compared with firing rate. Journal of Neuroscience. 2016; 36(44):11238–11258.
- **Grewe BF**, Bonnan A, Frick A. Back-propagation of physiological action potential output in dendrites of slendertufted L5A pyramidal neurons. Frontiers in cellular neuroscience. 2010; 4:13.
- Griffith T, Tsaneva-Atanasova K, Mellor JR. Control of Ca2+ influx and calmodulin activation by SK-channels in
 dendritic spines. PLoS computational biology. 2016; 12(5).
- **Gutenkunst RN**, Waterfall JJ, Casey FP, Brown KS, Myers CR, Sethna JP. Universally sloppy parameter sensitivities in systems biology models. PLoS Comput Biol. 2007; 3(10):e189.

- Gymnopoulos M, Cingolani LA, Pedarzani P, Stocker M. Developmental mapping of small-conductance calcium activated potassium channel expression in the rat nervous system. Journal of Comparative Neurology. 2014;
 522(5):1072–1101.
- Hardie J, Spruston N. Synaptic depolarization is more effective than back-propagating action potentials during
 induction of associative long-term potentiation in hippocampal pyramidal neurons. Journal of Neuroscience.
 2009; 29(10):3233–3241.

Hardingham NR, Bannister NJ, Read JC, Fox KD, Hardingham GE, Jack JJB. Extracellular calcium regulates
 postsynaptic efficacy through group 1 metabotropic glutamate receptors. Journal of Neuroscience. 2006;
 26(23):6337–6345.

- 1280 Harris KM, Jensen FE, Tsao B. Three-dimensional structure of dendritic spines and synapses in rat hippocampus
- (CA1) at postnatal day 15 and adult ages: implications for the maturation of synaptic physiology and longterm potentiation [published erratum appears in | Neurosci 1992 Aug; 12 (8); following table of contents].
- 1283 Journal of Neuroscience. 1992; 12(7):2685–2705.
- **Harris KM**, Stevens JK. Dendritic spines of CA 1 pyramidal cells in the rat hippocampus: serial electron microscopy with reference to their biophysical characteristics. Journal of Neuroscience. 1989; 9(8):2982–2997.
- **Hay E**, Hill S, Schürmann F, Markram H, Segev I. Models of neocortical layer 5b pyramidal cells capturing a wide range of dendritic and perisomatic active properties. PLoS computational biology. 2011; 7(7):e1002107.

He Y, Kulasiri D, Samarasinghe S. Modelling the dynamics of CaMKII–NMDAR complex related to memory formation in synapses: The possible roles of threonine 286 autophosphorylation of CaMKII in long term potentiation. Journal of theoretical biology. 2015; 365:403–419.

- 1291 Hebb DO. The organization of behavior: a neuropsychological theory. . 1949; .
- Higley MJ, Sabatini BL. Calcium signaling in dendritic spines. Cold Spring Harbor perspectives in biology. 2012;
 4(4):a005686.
- **Hille B.** Ionic channels in excitable membranes. Current problems and biophysical approaches. Biophysical Journal. 1978; 22(2):283–294.
- 1296 Hines ML, Carnevale NT. The NEURON simulation environment. Neural computation. 1997; 9(6):1179–1209.
- **Holcman D**, Korkotian E, Segal M. Calcium dynamics in dendritic spines, modeling and experiments. Cell calcium. 2005; 37(5):467–475.
- Honda M, Urakubo H, Koumura T, Kuroda S. A common framework of signal processing in the induction of
 cerebellar LTD and cortical STDP. Neural Networks. 2013 Jul; 43:114–124. https://www.sciencedirect.com/
- science/article/pii/S0893608013000336, doi: 10.1016/j.neunet.2013.01.018.
- Huang YY, Colino A, Selig DK, Malenka RC. The influence of prior synaptic activity on the induction of long-term
 potentiation. Science. 1992; 255(5045):730–733.
- lacobucci GJ, Popescu GK. NMDA receptors: linking physiological output to biophysical operation. Nature
 reviews Neuroscience. 2017; 18(4):236.
- lacobucci GJ, Popescu GK. Kinetic Models for Activation and Modulation of NMDA Receptor Subtypes. Current
 Opinion in Physiology. 2018; .
- **Iftinca** M, McKay B, Snutch T, McRory J, Turner R, Zamponi G. Temperature dependence of T-type calcium channel gating. Neuroscience. 2006; 142(4):1031–1042.
- Inglebert Y, Aljadeff J, Brunel N, Debanne D. Synaptic plasticity rules with physiological calcium levels. Proceedings of the National Academy of Sciences. 2020; doi: 10.1073/pnas.2013663117.
- Isaac JT, Buchanan KA, Muller RU, Mellor JR. Hippocampal place cell firing patterns can induce long-term
 synaptic plasticity in vitro. Journal of Neuroscience. 2009; 29(21):6840–6850.
- Jahr CE, Stevens CF. A quantitative description of NMDA receptor-channel kinetic behavior. Journal of Neuroscience. 1990; 10(6):1830–1837.

 Jayant K, Hirtz JJ, Jen-La Plante I, Tsai DM, De Boer WD, Semonche A, Peterka DS, Owen JS, Sahin O, Shepard KL, et al. Targeted intracellular voltage recordings from dendritic spines using quantum-dot-coated nanopipettes. Nature nanotechnology. 2017; 12(4):335–342.

- **Jgdrzejewska-Szmek J**, Damodaran S, Dorman DB, Blackwell KT. Calcium dynamics predict direction of synaptic plasticity in striatal spiny projection neurons. European Journal of Neuroscience. 2017; 45(8):1044–1056.
- Jung HY, Mickus T, Spruston N. Prolonged sodium channel inactivation contributes to dendritic action potential
 attenuation in hippocampal pyramidal neurons. Journal of Neuroscience. 1997; 17(17):6639–6646.
- **Kakalis LT**, Kennedy M, Sikkink R, Rusnak F, Armitage IM. Characterization of the calcium-binding sites of calcineurin B. FEBS letters. 1995; 362(1):55–58.
- Kakiuchi S, YASUDA S, YAMAZAKI R, TESHIMA Y, KANDA K, KAKIUCHI R, SOBUE K. Quantitative determinations
 of calmodulin in the supernatant and particulate fractions of mammalian tissues. The Journal of Biochemistry. 1982; 92(4):1041–1048.
- Karmarkar UR, Buonomano DV. A model of spike-timing dependent plasticity: one or two coincidence detec tors? Journal of neurophysiology. 2002; 88(1):507–513.
- Kealy J, Commins S. Frequency-dependent changes in synaptic plasticity and brain-derived neurotrophic factor
 (BDNF) expression in the CA1 to perirhinal cortex projection. Brain research. 2010; 1326:51–61.
- King RD, Wiest MC, Montague PR. Extracellular calcium depletion as a mechanism of short-term synaptic
 depression. Journal of Neurophysiology. 2001; 85(5):1952–1959.
- Klyachko VA, Stevens CF. Temperature-dependent shift of balance among the components of short-term
 plasticity in hippocampal synapses. Journal of Neuroscience. 2006; 26(26):6945–6957.
- Koch C, Zador A. The function of dendritic spines: devices subserving biochemical rather than electrical compartmentalization. Journal of Neuroscience. 1993; 13(2):413–422.
- Korinek M, Sedlacek M, Cais O, Dittert I, Vyklicky Jr L. Temperature dependence of N-methyl-D-aspartate receptor channels and N-methyl-D-aspartate receptor excitatory postsynaptic currents. Neuroscience. 2010; 165(3):736–748.
- **Kumar A**, Mehta MR. Frequency-dependent changes in NMDAR-dependent synaptic plasticity. Frontiers in computational neuroscience. 2011; 5:38.
- **Kuno T**, Mukai H, Ito A, Chang CD, Kishima K, Saito N, Tanaka C. Distinct cellular expression of calcineurin A α and A β in rat brain. Journal of neurochemistry. 1992; 58(5):1643–1651.
- Kwon T, Sakamoto M, Peterka DS, Yuste R. Attenuation of synaptic potentials in dendritic spines. Cell reports.
 2017; 20(5):1100–1110.
- Lee SJR, Escobedo-Lozoya Y, Szatmari EM, Yasuda R. Activation of CaMKII in single dendritic spines during
 long-term potentiation. Nature. 2009; 458(7236):299–304.
- **Letzkus JJ**, Kampa BM, Stuart GJ. Learning rules for spike timing-dependent plasticity depend on dendritic synapse location. Journal of Neuroscience. 2006; 26(41):10420–10429.
- **Levine D**, Woody C. Effects of active versus passive dendritic membranes on the transfer properties of a simulated neuron. Biological cybernetics. 1978; 31(2):63–70.
- Li H, Pink MD, Murphy JG, Stein A, Dell'Acqua ML, Hogan PG. Balanced interactions of calcineurin with AKAP79 regulate Ca 2+-calcineurin–NFAT signaling. Nature structural & molecular biology. 2012; 19(3):337.
- **Lisman J.** A mechanism for the Hebb and the anti-Hebb processes underlying learning and memory. Proceedings of the National Academy of Sciences. 1989; 86(23):9574–9578.
- Liu G, Choi S, Tsien RW. Variability of neurotransmitter concentration and nonsaturation of postsynaptic AMPA receptors at synapses in hippocampal cultures and slices. Neuron. 1999; 22(2):395–409.
- Macdonald RL, Rogers CJ, Twyman R. Kinetic properties of the GABAA receptor main conductance state of
 mouse spinal cord neurones in culture. The Journal of Physiology. 1989; 410(1):479–499.
- Magee JC, Johnston D. Characterization of single voltage-gated Na+ and Ca2+ channels in apical dendrites of
 rat CA1 pyramidal neurons. The Journal of physiology. 1995; 487(1):67–90.
- Magee JC, Johnston D. A synaptically controlled, associative signal for Hebbian plasticity in hippocampal neu rons. Science. 1997; 275(5297):209–213.

- Maki BA, Popescu GK. Extracellular Ca2+ ions reduce NMDA receptor conductance and gating. Journal of
 General Physiology. 2014; 144(5):379–392.
- Mäki-Marttunen T, Iannella N, Edwards AG, Einevoll G, Blackwell KT. A unified computational model for cortical
 post-synaptic plasticity. eLife. 2020; .
- Malleret G, Haditsch U, Genoux D, Jones MW, Bliss TV, Vanhoose AM, Weitlauf C, Kandel ER, Winder DG, Man suy IM. Inducible and reversible enhancement of learning, memory, and long-term potentiation by genetic
- inhibition of calcineurin. Cell. 2001; 104(5):675–686.
- Maravall á, Mainen Z, Sabatini B, Svoboda K. Estimating intracellular calcium concentrations and buffering
 without wavelength ratioing. Biophysical journal. 2000; 78(5):2655–2667.
- Marder E. Variability, compensation, and modulation in neurons and circuits. PNAS. 2011; 108(Supplement 3):15542–15548.
- Marder E, Taylor AL. Multiple models to capture the variability in biological neurons and networks. Nature
 neuroscience. 2011; 14(2):133–138.
- **Markram H**, Gerstner W, Sjöström PJ. A history of spike-timing-dependent plasticity. Frontiers in synaptic neuroscience. 2011; 3:4.
- Markram H, Lübke J, Frotscher M, Sakmann B. Regulation of synaptic efficacy by coincidence of postsynaptic
 APs and EPSPs. Science. 1997; 275(5297):213–215.
- Maylie J, Bond CT, Herson PS, Lee WS, Adelman JP. Small conductance Ca2+-activated K+ channels and calmod ulin. The Journal of physiology. 2004; 554(2):255–261.
- Mayr CG, Partzsch J. Rate and pulse based plasticity governed by local synaptic state variables. Frontiers in
 Synaptic Neuroscience. 2010; 2:33.
- McCauley JP, Petroccione MA, D'Brant LY, Todd GC, Affinnih N, Wisnoski JJ, Zahid S, Shree S, Sousa AA, De Guz man RM, et al. Circadian modulation of neurons and astrocytes controls synaptic plasticity in hippocampal
 area CA1. Cell reports. 2020: 33(2):108255.
- 1389 Meiss JD. Differential dynamical systems. SIAM; 2007.
- Mendoza AL, Durán DAB, Gómez ABS. Increased dendritic length in CA1 and CA3 hippocampal neurons during
 the metestrus phase in Wistar rats. Brain research. 2018; 1682:78–83.
- Meredith RM, Floyer-Lea AM, Paulsen O. Maturation of long-term potentiation induction rules in rodent hip pocampus: role of GABAergic inhibition. Journal of Neuroscience. 2003; 23(35):11142–11146.
- 1394 Michalski P. The delicate bistability of CaMKII. Biophysical journal. 2013; 105(3):794–806.
- Migliore M, Hoffman DA, Magee JC, Johnston D. Role of an A-type K+ conductance in the back-propagation of action potentials in the dendrites of hippocampal pyramidal neurons. Journal of computational neuroscience.
 1999: 7(1):5–15.
- Miller P, Zhabotinsky AM, Lisman JE, Wang XJ. The stability of a stochastic CaMKII switch: dependence on the
 number of enzyme molecules and protein turnover. PLoS biology. 2005; 3(4):e107.

Mizuno T, Kanazawa I, Sakurai M. Differential induction of LTP and LTD is not determined solely by instanta neous calcium concentration: an essential involvement of a temporal factor. European Journal of Neuro science. 2001: 14(4):701–708.

- **Mizusaki BE**, Li SS, Costa RP, Sjöström PJ. Pre-and postsynaptically expressed spiking-timing-dependent plasticity contribute differentially to neuronal learning. BioRxiv. 2018; p. 450825.
- **Mulkey RM**, Malenka RC. Mechanisms underlying induction of homosynaptic long-term depression in area CA1 of the hippocampus. Neuron. 1992; 9(5):967–975.
- Nevian T, Sakmann B. Spine Ca2+ signaling in spike-timing-dependent plasticity. Journal of Neuroscience.
 2006; 26(43):11001–11013.
- Ngo-Anh TJ, Bloodgood BL, Lin M, Sabatini BL, Maylie J, Adelman JP. SK channels and NMDA receptors form a
 Ca 2+-mediated feedback loop in dendritic spines. Nature neuroscience. 2005; 8(5):642–649.

- Nimchinsky EA, Yasuda R, Oertner TG, Svoboda K. The number of glutamate receptors opened by synaptic
 stimulation in single hippocampal spines. Journal of Neuroscience. 2004; 24(8):2054–2064.
- 1413 Nusser Z. Creating diverse synapses from the same molecules. Current opinion in neurobiology. 2018; 51:8–15.
- O'Connor DH, Wittenberg GM, Wang SSH. Dissection of bidirectional synaptic plasticity into saturable unidirectional processes. Journal of neurophysiology. 2005; 94(2):1565–1573.
- **O'Donnell C**, Van Rossum MC. Systematic analysis of the contributions of stochastic voltage gated channels to neuronal noise. Frontiers in computational neuroscience. 2014; 8:105.
- Oliveira RF, Kim M, Blackwell KT. Subcellular location of PKA controls striatal plasticity: stochastic simulations
 in spiny dendrites. PLoS Comput Biol. 2012; 8(2):e1002383.
- Onuma H, Lu YF, Tomizawa K, Moriwaki A, Tokuda M, Hatase O, Matsui H. A calcineurin inhibitor, FK506, blocks
 voltage-gated calcium channel-dependent LTP in the hippocampus. Neuroscience research. 1998; 30(4):313–319.
- **Otis T**, Mody I. Modulation of decay kinetics and frequency of GABAA receptor-mediated spontaneous inhibitory postsynaptic currents in hippocampal neurons. Neuroscience. 1992; 49(1):13–32.
- **Otmakhov N**, Regmi S, Lisman JE. Fast decay of CaMKII FRET sensor signal in spines after LTP induction is not due to its dephosphorylation. PLoS One. 2015; 10(6):e0130457.
- Pawlak V, Kerr JN. Dopamine receptor activation is required for corticostriatal spike-timing-dependent plastic ity. Journal of Neuroscience. 2008; 28(10):2435–2446.
- Peloquin J, Doering C, Rehak R, McRory J. Temperature dependence of Cav1. 4 calcium channel gating. Neuro science. 2008; 151(4):1066–1083.
- Pepke S, Kinzer-Ursem T, Mihalas S, Kennedy MB. A dynamic model of interactions of Ca2+, calmodulin, and catalytic subunits of Ca2+/calmodulin-dependent protein kinase II. PLoS computational biology. 2010; 6(2):e1000675.
- Perkel JM. Julia: come for the syntax, stay for the speed. Nature. 2019; 572(7768):141–143.
- **Pfister JP**, Gerstner W. Triplets of spikes in a model of spike timing-dependent plasticity. Journal of Neuroscience. 2006; 26(38):9673–9682.
- **Popescu G**, Robert A, Howe JR, Auerbach A. Reaction mechanism determines NMDA receptor response to repetitive stimulation. Nature. 2004; 430(7001):790.
- Popovic MA, Carnevale N, Rozsa B, Zecevic D. Electrical behaviour of dendritic spines as revealed by voltage
 imaging. Nature communications. 2015; 6(1):1–12.
- Postlethwaite M, Hennig MH, Steinert JR, Graham BP, Forsythe ID. Acceleration of AMPA receptor kinetics
 underlies temperature-dependent changes in synaptic strength at the rat calyx of Held. The Journal of phys iology. 2007; 579(1):69–84.
- Pousinha PA, Mouska X, Raymond EF, Gwizdek C, Dhib G, Poupon G, Zaragosi LE, Giudici C, Bethus I, Pacary
 E, et al. Physiological and pathophysiological control of synaptic GluN2B-NMDA receptors by the C-terminal
 domain of amyloid precursor protein. Elife. 2017; 6:e25659.
- Pyle JL, Kavalali ET, Piedras-Rentería ES, Tsien RW. Rapid reuse of readily releasable pool vesicles at hippocam pal synapses. Neuron. 2000; 28(1):221–231.
- Quintana AR, Wang D, Forbes JE, Waxham MN. Kinetics of calmodulin binding to calcineurin. Biochemical and
 biophysical research communications. 2005; 334(2):674–680.
- **Racca C**, Stephenson FA, Streit P, Roberts JDB, Somogyi P. NMDA receptor content of synapses in stratum radiatum of the hippocampal CA1 area. Journal of Neuroscience. 2000; 20(7):2512–2522.
- Rackham O, Tsaneva-Atanasova K, Ganesh A, Mellor J. A Ca2+-based computational model for NMDA receptor dependent synaptic plasticity at individual post-synaptic spines in the hippocampus. Frontiers in synaptic
 neuroscience. 2010; 2:31.
- **Ribrault C**, Sekimoto K, Triller A. From the stochasticity of molecular processes to the variability of synaptic transmission. Nature Reviews Neuroscience. 2011; 12(7):375.

- Rinetti-Vargas G, Phamluong K, Ron D, Bender KJ. Periadolescent maturation of GABAergic hyperpolarization
 at the axon initial segment. Cell reports. 2017; 20(1):21–29.
- Rivera C, Voipio J, Payne JA, Ruusuvuori E, Lahtinen H, Lamsa K, Pirvola U, Saarma M, Kaila K. The K+/Cl- co-
- transporter KCC2 renders GABA hyperpolarizing during neuronal maturation. Nature. 1999; 397(6716):251–
 255.
- **Rizzoli SO**, Betz WJ. Synaptic vesicle pools. Nature Reviews Neuroscience. 2005; 6(1):57–69.
- **Robert A**, Howe JR. How AMPA receptor desensitization depends on receptor occupancy. Journal of Neuroscience. 2003; 23(3):847–858.
- Rodriguez-Moreno A, Paulsen O. Spike timing-dependent long-term depression requires presynaptic NMDA
 receptors. Nature neuroscience. 2008; 11(7):744–745.
- Rubin JE, Gerkin RC, Bi GQ, Chow CC. Calcium time course as a signal for spike-timing dependent plasticity.
 Journal of neurophysiology. 2005; .
- **Rudolph S**, Tsai MC, Von Gersdorff H, Wadiche JI. The ubiquitous nature of multivesicular release. Trends in neurosciences. 2015; 38(7):428–438.
- 1472Sabatini BL, Oertner TG, Svoboda K. The life cycle of Ca2+ ions in dendritic spines. Neuron. 2002; 33(3):439-1473452.
- Sabatini BL, Svoboda K. Analysis of calcium channels in single spines using optical fluctuation analysis. Nature.
 2000; 408(6812):589–593.
- Sadowski JH, Jones MW, Mellor JR. Sharp-wave ripples orchestrate the induction of synaptic plasticity during
 reactivation of place cell firing patterns in the hippocampus. Cell reports. 2016; 14(8):1916–1929.
- Saraf J, Bhattacharya P, Kalia K, Borah A, Sarmah D, Kaur H, Dave KR, Yavagal DR. A friend or foe: calcineurin
 across the gamut of neurological disorders. ACS central science. 2018; 4(7):805–819.
- Segal M, Korkotian E. Endoplasmic reticulum calcium stores in dendritic spines. Frontiers in neuroanatomy.
 2014; 8:64.
- **Shah NT**, Yeung LC, Cooper LN, Cai Y, Shouval HZ. A biophysical basis for the inter-spike interaction of spiketiming-dependent plasticity. Biological cybernetics. 2006; 95(2):113–121.
- Shen W, Flajolet M, Greengard P, Surmeier DJ. Dichotomous dopaminergic control of striatal synaptic plasticity.
 Science. 2008; 321(5890):848–851.
- Sheng M, Cummings J, Roldan LA, Jan YN, Jan LY. Changing subunit composition of heteromeric NMDA receptors
 during development of rat cortex. Nature. 1994; 368(6467):144–147.
- Shepherd GM, Harris KM. Three-dimensional structure and composition of CA3 -> CA1 axons in rat hippocam pal slices: implications for presynaptic connectivity and compartmentalization. Journal of Neuroscience.
 1998: 18(20):8300–8310.
- Short SM, Oikonomou KD, Zhou WL, Acker CD, Popovic MA, Zecevic D, Antic SD. The stochastic nature of action
 potential backpropagation in apical tuft dendrites. Journal of neurophysiology. 2017; 118(2):1394–1414.
- Shouval HZ, Bear MF, Cooper LN. A unified model of NMDA receptor-dependent bidirectional synaptic plastic ity. PNAS. 2002; 99(16):10831–10836.
- **Shouval HZ**, Kalantzis G. Stochastic properties of synaptic transmission affect the shape of spike timedependent plasticity curves. Journal of neurophysiology. 2005; 93(2):1069–1073.
- Sinclair D, Cesare J, McMullen M, Carlson GC, Hahn CG, Borgmann-Winter KE. Effects of sex and DTNBP1
 (dysbindin) null gene mutation on the developmental GluN2B-GluN2A switch in the mouse cortex and hip pocampus. Journal of neurodevelopmental disorders. 2016; 8(1):14.
- **Sjöström PJ**, Häusser M. A cooperative switch determines the sign of synaptic plasticity in distal dendrites of neocortical pyramidal neurons. Neuron. 2006; 51(2):227–238.
- **Sjöström PJ**, Turrigiano GG, Nelson SB. Rate, timing, and cooperativity jointly determine cortical synaptic plasticity. Neuron. 2001; 32(6):1149–1164.

- Song S, Miller KD, Abbott LF. Competitive Hebbian learning through spike-timing-dependent synaptic plasticity.
 Nature neuroscience. 2000; 3(9):919–926.
- Spigelman I, Tymianski M, Wallace C, Carlen P, Velumian A. Modulation of hippocampal synaptic transmission by low concentrations of cell-permeant Ca2+ chelators: effects of Ca2+ affinity, chelator structure and binding kinetics. Neuroscience. 1996: 75(2):559–572.
- **Spruston N**, Jonas P, Sakmann B. Dendritic glutamate receptor channels in rat hippocampal CA3 and CA1 pyramidal neurons. The Journal of physiology. 1995; 482(2):325–352.
- **Standage D**, Trappenberg T, Blohm G. Calcium-dependent calcium decay explains STDP in a dynamic model of hippocampal synapses. PloS one. 2014; 9(1):e86248.
- **Stefan MI**, Edelstein SJ, Le Novere N. An allosteric model of calmodulin explains differential activation of PP2B and CaMKII. Proceedings of the National Academy of Sciences. 2008; 105(31):10768–10773.
- Stemmer PM, Klee CB. Dual calcium ion regulation of calcineurin by calmodulin and calcineurin B. Biochemistry.
 1994; 33(22):6859–6866.
- 1517 Sterling P, Laughlin S. Principles of neural design. MIT Press; 2015.
- Sterratt D, Graham B, Gillies A, Willshaw D. Principles of computational modelling in neuroscience. Cambridge
 University Press; 2011.
- 1520 Stuart G, Spruston N, Häusser M. Dendrites. Oxford University Press; 2016.
- **Südhof TC**. The synaptic vesiclecycle revisited. Neuron. 2000; 28(2):317–320.
- Sugiyama Y, Kawabata I, Sobue K, Okabe S. Determination of absolute protein numbers in single synapses by
 a GFP-based calibration technique. Nature methods. 2005; 2(9):677–684.
- Takumi Y, Ramírez-León V, Laake P, Rinvik E, Ottersen OP. Different modes of expression of AMPA and NMDA
 receptors in hippocampal synapses. Nature neuroscience. 1999; 2(7):618–624.
- Tigaret CM, Olivo V, Sadowski JH, Ashby MC, Mellor JR. Coordinated activation of distinct Ca 2+ sources
 and metabotropic glutamate receptors encodes Hebbian synaptic plasticity. Nature communications. 2016;
 7:10289.
- **Tsodyks MV**, Markram H. The neural code between neocortical pyramidal neurons depends on neurotransmitter release probability. Proceedings of the national academy of sciences. 1997; 94(2):719–723.
- **Ujfalussy BB**, Makara JK. Impact of functional synapse clusters on neuronal response selectivity. Nature communications. 2020; 11(1):1–14.
- Van Herck I, Bentzen BH, Seutin V, Arevalo H, Maleckar MM, Marrion NV, Edwards AG. Model Development
 of SK Channel Gating Incorporating Calcium Sensitivity and Drug Interaction. Biophysical Journal. 2018;
 114(3):306a.
- **Volgushev M**, Kudryashov I, Chistiakova M, Mukovski M, Niesmann J, Eysel UT. Probability of transmitter release at neocortical synapses at different temperatures. Journal of neurophysiology. 2004; 92(1):212–220.
- **Wang H**, Wagner JJ. Priming-induced shift in synaptic plasticity in the rat hippocampus. Journal of neurophysiology. 1999; 82(4):2024–2028.
- Wang HX, Gerkin RC, Nauen DW, Bi GQ. Coactivation and timing-dependent integration of synaptic potentiationand depression. Nature neuroscience. 2005; 8(2):187–193.
- Weber JP, Andrásfalvy BK, Polito M, Magó Á, Ujfalussy BB, Makara JK. Location-dependent synaptic plasticity
 rules by dendritic spine cooperativity. Nature communications. 2016; 7:11380.
- Wells J, Kao C, Konrad P, Milner T, Kim J, Mahadevan-Jansen A, Jansen ED. Biophysical mechanisms of transient
 optical stimulation of peripheral nerve. Biophysical journal. 2007; 93(7):2567–2580.
- **Wierzynski CM**, Lubenov EV, Gu M, Siapas AG. State-dependent spike-timing relationships between hippocampal and prefrontal circuits during sleep. Neuron. 2009; 61(4):587–596.
- Wittenberg GM, Wang SSH. Malleability of spike-timing-dependent plasticity at the CA3–CA1 synapse. Journal
 of Neuroscience. 2006; 26(24):6610–6617.

- Wood T, Osredkar D, Puchades M, Maes E, Falck M, Flatebø T, Walløe L, Sabir H, Thoresen M. Treatment
 temperature and insult severity influence the neuroprotective effects of therapeutic hypothermia. Scientific
 reports. 2016; 6(1):1–12.
- **Yang SN**, Tang YG, Zucker RS. Selective induction of LTP and LTD by postsynaptic [Ca2+] i elevation. Journal of neurophysiology. 1999; 81(2):781–787.
- **Yeung LC**, Shouval HZ, Blais BS, Cooper LN. Synaptic homeostasis and input selectivity follow from a calciumdependent plasticity model. Proceedings of the National Academy of Sciences. 2004; 101(41):14943–14948.
- **Yi GS**, Wang J, Deng B, Wei XL. Morphology controls how hippocampal CA1 pyramidal neuron responds to uniform electric fields: a biophysical modeling study. Scientific Reports. 2017; 7(1):1–13.
- 1559 Yuste R, Majewska A, Cash SS, Denk W. Mechanisms of calcium influx into hippocampal spines: heterogeneity
- among spines, coincidence detection by NMDA receptors, and optical quantal analysis. Journal of Neuro science. 1999; 19(6):1976–1987.
- **Zeng S**, Holmes WR. The effect of noise on CaMKII activation in a dendritic spine during LTP induction. Journal of neurophysiology. 2010; 103(4):1798–1808.
- Zhang Y, Smolen PD, Cleary LJ, Byrne JH. Quantitative description of the interactions among kinase cascades underlying long-term plasticity of Aplysia sensory neurons. Scientific Reports. 2021 Jul; 11(1):14931. https://www.nature.com/articles/s41598-021-94393-0. doi: 10.1038/s41598-021-94393-0.
- **Zhivotovsky B**, Orrenius S. Calcium and cell death mechanisms: a perspective from the cell death community. Cell calcium. 2011: 50(3):211–221.
- 1569 Zhuravleva Z, Saifullina V, Zenchenko C. Morphometric analysis of hippocampal pyramidal neurons in situ
- and in grafts developing in the anterior eye chambers of young and aged Wistar rats. Journal of Neural
- 1571 Transplantation and Plasticity. 1997; 6.