

Biology of bamboo nesting stingless bees of southwest China

Yufeng Qu, Xinxin Wen, Yuxin Wei, Zhengwei Wang

▶ To cite this version:

Yufeng Qu, Xinxin Wen, Yuxin Wei, Zhengwei Wang. Biology of bamboo nesting stingless bees of southwest China. Apidologie, 2022, 53 (5), pp.53. 10.1007/s13592-022-00962-1. hal-04194663

HAL Id: hal-04194663 https://hal.science/hal-04194663v1

Submitted on 4 Sep 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Original article



Biology of bamboo nesting stingless bees of southwest China

Yufeng Qu^{1,2}, Xinxin Wen^{1,2}, Yuxin Wei^{1,2}, and Zhengwei Wang^{1,2}

¹ CAS Key Laboratory of Tropical Forest Ecology, Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences, Kunming 650000, China

Received 10 March 2022 - Revised 27 July 2022 - Accepted 8 August 2022

Abstract – More than 550 stingless bee species have been found in the tropical and subtropical areas across the world. Different stingless bee species inhabit various types of nests, such as tree hollows, walls, lime stone crevices, or even co-nest with other live creatures such as ants and termites underground. These cavity-nesting habits make it difficult to estimate the colony size of the stingless bees. Stingless bee species native to southwest China are sympatric with many species of bamboo, and the straight shape of bamboo provides an easier method to estimate the size of the colony and the volume preference of stingless bee in selecting trap nests. Here, we reported bamboo nest characteristics measurement with its height, diameter, entrance size, a calculation its inner volume capacity to determine the stingless bee nesting preference in bamboo. The results showed that two stingless bee species, Lepidotrigona flavibasis and Tetragonula gressitti, all nest in the bamboo; the size of entrance that was preferred by T. gressitti was around 10.71 ± 2.38 cm², compared with the preference by L. flavibasis for small nest entrance area around 1.33 ± 0.25 cm². Accordingly, the volume of the internode of the bamboo was 2272.37 ± 126.7 mL compared to 4493.35 ± 466.91 mL chosen by L. flavibasis and T. gressitti, respectively. Interestingly, both stingless bee species preferred to living bamboo rather than the dead bamboo as a nesting site. This study indicates that cheap and easily accessible bamboo could be used as trap nests for stingless bees, and the preference volumes of different species suggest what the various colony sizes of stingless bee swarms might be. Selecting a proper species-specific characteristics of bamboo internode as trap nest benefits us in researching, conserving, and keeping for stingless bees.

Nest volume / Trap nests / Stingless bee conservation / Meliponiculture

1. INTRODUCTION

Meliponini is the largest group of social bees that not only interact with plants via providing pollination services but also rely on plants for nesting (Michener 2013). There are approximately 550 stingless bee species distributed in subtropical and tropical areas around the world with approximately 100 species yet to be described (Grüter 2020; Michener 2013). These

Corresponding author: Z. Wang, wangzhengwei@xtbg.ac.cn
Manuscript editor: James Nieh

stingless bee species are playing a crucial role as pollinators that benefit 215 different families and 1434 genera of flowering plants around the world (Bueno et al. 2021). Up to 90 crop species benefit from the pollination of stingless bees (Heard 1999). In China, some medicinal herbs, including *Amomum villosum*, benefit from stingless bee pollination to increase seed set (Wang et al. 1984; Qu et al. 2022); meanwhile, almost all these stingless bee species are cavity-nesting, either nesting underground, in stone crevices, walls, hollowed plants, or other man-made containers (Roubik 2006). Some species, such as *Lepidotrigona flavibasis*, *Tetragonula laeviceps*, have been driven by either forest fragmentation or

² Center for Plant Ecology, Core Botanical Gardens, Chinese Academy of Sciences, Mengla 666303, China

innately adapt to nest in multiple cavities conditions such as nesting in brick walls and hollowed tree cavities (Roubik 2006; Li et al. 2021). T. bengalensis was found to prefer nesting in wood and sometimes in bamboo in India (Rahman et al. 2015). The diversity of species and their unique behaviors provide an interesting model of study in social insects.

There have been seven stingless bee species found in China, mainly in Yunnan Province (Wu 2000). With improvements in surveys, 11 stingless bee species have been confirmed in Yunnan, Guangxi, Hainan, Taiwan, and Tibet Provinces of China (Li et al. 2021; Ou et al. 2022). These species belong to four different genera that mainly prefer nesting in hollowed plants, walls of old buildings, stone crevices, and termite mounds underground (Li et al. 2021). Tetragollina collina is an exception, as it nests in active termite mounds. All other species can be attracted to man-made wooded boxes for keeping (Qu et al. 2022). The traditional stingless bee beekeeping practice originated from the trapping of Apis cerana swarms with wooden logs, and in the process occasionally getting stingless bee swarms. Local people moved the trapped stingless bee colonies next to their home for keeping and harvesting its honey only once or twice per year. In most cases, people need to either chop down the tree trunk or dig out the nests from underground, and these methods of harvesting honey from stingless bee colonies not only cause damage to the nesting plants, but also to bee colonies and the local environment, with a very low payoff of stingless bee honey.

In Brazil, it is illegal to harvest wild bee colonies via cutting trees or damaging their original colony in the field (Oliveira et al. 2012). The noninvasive trap nesting method became a suitable way to attract stingless bee colonies from nature. Oliveira et al. (2012) reported the successful trapping 61 swarms of stingless bees. The density of swarms, the seasons, the number of potential cavities, and the character of the man-made traps all affect the success rate of attracting stingless bee swarms with trap nests.

The lack of nesting biology knowledge and the inability to design trap nests based on speciesspecific preferences often result in failure to obtain stingless bee swarms from the field. Unlike honey bee swarms, the old queen leaves the mother colony to look for a new nesting site in only few hours to a few days (Seeley 1977). In stingless bee swarms, the scouts first locate a new nesting site and transport wax and resin to store honey and pollen in, before the virgin queen is ready to move into the new nest. This procedure can take up to a few weeks or even several months (Grüter 2020). Any interruption or harvesting of the trap nest before the queen gets into the new colony results in failure. The characteristics of trap nests, such as volume, entrance size, entrance direction, and even the height of the trap nest, have all been well studied in the honey bee Apis mellifera by Seeley and Morse (1978).

Nest characteristics such as volume size, diameter of the hollowed plants, and the size of the entrance were reported important for trapping stingless bee swarms. Previous studies have proved stingless bees would prefer 3 L to the smaller size for trapping species (Oliveira et al. 2012). Stingless bees T. fuscobalteata (26 colonies) and T. sapiens (7 colonies) were reported nesting in bamboo stems with a volume range from 0.7 to 3 L in the Philippines (Starr and Sakagami 1987). Diameter of the hollowed plants would be a limiting variable for nesting, since there were no cavity or small cavities for bees to choose (Hubbell and Johnson 1977; Eltz et al. 2003; Silva et al. 2013; Silva et al., 2014; Kapitanhitu et al. 2018). Although most of giant bamboo may offer several hollowed internodes for bees to nest, the preferred diameter size still needs to be determined for different stingless bee species. Inoue et al. (1984) used a bamboo internode with an entrance of 1.2 cm in diameter, as a trap nest to study the colony multiplication of the stingless bee of *T. laeviceps* (Inoue et al. 1984).

However, these data did not clear up the nest size preferences of different species of stingless bees, in which populations may vary from a few hundred to tens of thousands and body sizes ranging from 2 mm up to 12 mm (Grüter 2020). The entrance shape and size were an overlooked characteristic in previous studies, since there are huge differences in entrance types for different

stingless bee species (Bänziger et al. 2011; Shackleton et al. 2019).

Bamboo distribution varies from temperate to tropical areas around the world, which is coincidentally sympatric with the global stingless bee distribution area (Chen et al. 2019). The giant bamboo internode could provide a suitable and natural trap nest after some bamboo borers or rodents burrowed. The regular shape of the bamboo internode provides us a natural trap nesting studying case in stingless bees to analyze the species-specific preference characteristics of trap nests.

Here, a preliminary study placed 13 bamboo trap nests placed in Xishuangbanna Tropical Botanical Garden, successfully attracting two swarms of stingless bee, L. terminata and T. laeviceps. The bamboo volumes were 2.9 and 1.96 L, respectively (Wang et al. 2022). Even with some initial success in trapping stingless bee colonies with bamboo internodes, the limited data size could not show the preferences of stingless bees when selecting trap nests. In the present study, we hypothesize that different stingless bees show species specific preferences to the characteristics of trap nests, such as volume, nest entrance area, and diameter of the bamboo. In the present study, we accessed a meliponary of Yunnan, China. All stingless bees nesting in bamboo internodes were photographed and measured in a noninvasive way to determine the trap nest characteristics and determine species specific preferences.

2. MATERIALS AND METHODS

2.1. The measurements of bamboo nests of stingless bees

All colonies (142 in total) of stingless bees in the bamboo nests were naturally occurring in the mountain areas of Lincang and Xishuangbanna, Yunnan, China, where many bamboos exist in nature. These colonies were collected and moved to a meliponary in Jinuo Mountain, Xishuangbanna Yunnan, China. We identified the species of stingless bees nesting in bamboo and the species of bamboo via collecting samples and identifying with their morphological characteristics in the laboratory (Li et al. 2021). We took pictures of the bamboo nests with a ruler (50 cm) as references attached to each nest. The height, diameter, and wall thickness were all measured to parameterize the stingless bee nests with the distance measure function of Image J (https:// fiji.sc/). The volume size was calculated in the formula below:

$$vol = \pi \times (d/2)^2 \times h.$$

Vol means the volume capacity, d means the inner diameter of the bamboo, and h means the height of the bamboo internode.

We analyzed the area of the nest entrance by selecting the nest entrance with region of interest of the picture area by Image J software (https:// fiji.sc/). The ruler was used for set scale for each picture.

2.2. Statistics analysis

We measured 142 bamboo nests of stingless bees, containing 19 colonies of T. gressitt, the other 123 colonies of L. flavibasis. A Wilcoxon rank sum test (Mann-Whitney U test) was used to determine the preference characteristics of the host bamboo, such as the entrance size, height, inner diameter of the internodes, and the volume, as chosen by L. flavibasis and T. gressitti.

The cross-table Chi-square test was used to test whether stingless bees prefer to choose an living or dead bamboo as a nest site. All statistics were calculated with R studio (version 1.3.1073).

3. RESULTS

3.1. The measurements of bamboo nests of stingless bees

The diameter of bamboo internodes chosen by L. flavibasis range from 8.21 to 18.44 cm, with an average of 11.85 ± 0.19 cm (Figure 1A) and ranged from 10.58 to 17.53 in those chosen by

T. gressitti, with an average of 13.75 ± 0.48 cm (Figure 1A). The inner diameter of each internode was much larger in those chosen by the T. gressitti (W = 598, p < 0.001, Figure 2A).

The height of bamboo interval-nodes chosen by *L. flavibasis* ranged from 8.25 to 47.01 cm, with an average of 19.15 ± 0.68 cm (Figure 1B) and ranged from 12.04 to 63.82 cm in those chosen by *T. gressitti*, with an average of 29.39 ± 2.7 cm (Figure 1B). The height of internode was much higher in those chosen by *T. gressitti* (W = 506, p < 0.001, Figure 2B).

Accordingly, the volume of each internode of bamboo was 2272.37 ± 126.7 mL compared to 4493.35 ± 466.91 mL chose by *L. flavibasis* and

T. gressitti, respectively (Figure 1C). The preference capacity was approximately twice that chosen by T. gressitti than by L. flavibasis (W = 424, p < 0.001, Figure 2C).

The preexisting entrance(s) on the bamboo were always utilized by stingless bees when scouts were entering. The preference size of the entrance was 1.33 ± 0.25 cm² and 10.71 ± 2.38 cm² for *L. flavibasis* and *T. gressitti*, respectively (Figure 1D). In most cases, *T. gressitti* chose the bigger entrance up to 30 cm² made by some rodents and occasionally, they were also found in smaller entrance with less than 1 cm² caused by Lepidoptera. On average, *T. gressitti* chose a much bigger entrance than *L. flavibasis* (W=470, p<0.001, Figure 2D).




Figure 1. Histogram of characteristics of stingless bee bamboo internode nests. Here we showed the distribution of diameter (**A**), height (**B**), volume of bamboo nest (**C**), and the entrance size (**D**) of *L. flavibasis* (N = 123, red) and *T. gressitti* (N = 19, blue).




Figure 2. Preference of bamboo internode nests chosen by stingless bees (L. flavibasis (red box, N = 123), T. gressitti (blue box, N = 19)). *** and **** indicated P < 0.001 and P < 0.0001.

Furthermore, the diameter of the bamboo was measured and ranged from 10.1 to 22 cm, with an average of 14.2 ± 0.21 for L. flavibasis; while T. gressitti chose bamboo diameters ranging from 12.94 to 19.95 cm with an average of 16.23 ± 0.5 cm. The outer diameter was larger in bamboo chosen by T. gressitti than L. flavibasis (W = 605, p < 0.001).

Stingless bees prefer living bamboo to dead bamboo as nesting sites. Both L. flavibasis and T. gressitti choose 86.99% and 89.47% living bamboo as nests, respectively. Only 16 out of 123 colonies of L. flavibasis and 2 out of 19 colonies of T. gressitti nested in dead bamboo (cross-table Chi-square test: 2 = 37.30, df = 1, P < 0.001 in L. flavibasis; $^2 = 5.27$, df = 1, P < 0.02 in *T. gressitti*, Figure 3).

4. DISCUSSION

In the present study, we accessed 142 colonies of stingless bees nesting in bamboo internode. The curtailed bamboo internodes gave us the chance to measure its entrance size and volume capacity preferences of different stingless bee species. In this study, we observed 86.62% (123 out of 142 colonies) of L. flavibasis and 13.38% of T. gressitti colonies nesting in the bamboo internodes of two bamboo species, Dendrocalamus sinicus and D. giganteus. Nest entrance area preference was as small as 2 cm² for *L. flavibasis*, while the chosen range was larger for T. gressitti. Accordingly, T. gressitti prefer a 4 L bamboo capacity, which is about twice that of L. flavibasis. These results indicate that different species




Figure 3. Host choice of stingless bees (L. flavibasis, N = 123, T. gressitti, N = 19) in alive vs dead bamboo.

of stingless bees have different nesting preferences, such as volume and nest entrance area. These different nesting preferences may benefit for less nest competition among sympatric stingless bee species.

Bamboo, especially with giant bamboo internodes, provides a suitable potential choice for sympatric stingless bees who prefer living in tree hollows. In the present study, we found that the common distribution of bamboo species in Southern Yunnan works as natural trap nests for sympatric stingless bee species. This bamboo–stingless bee nesting interaction has been observed and utilized in several countries of China-Indo-Australian tropical areas, such as Australia, India, Philippines, Malaysia, Indonesia, and China (Inoue et al. 1984; Starr and Sakagami 1987; Kumar et al. 2012; Salim et al. 2012; Singh 2013; Suriawanto et al. 2017; Kapitanhitu et al. 2018; Abduh et al. 2020; Wang et al. 2022).

Many nest characteristics can be evaluated by scouts of swarming social bees, such as the diameter of the trap nest, size of entrance, volume, and even the height of the cavities. The honey bee has a larger body size as well as population density than most stingless bees, showing a preference for trap nests with a larger entrance (12.5 cm²) and overall volume (20–100 L with an average of 40 L). Interestingly, the volume size was irrelevant with swarm populations (Seeley 1977; Seeley and Morse 1978). Concerning the similarities and differences between swarms of stingless bee and honey bee, the scouts and a group of stingless bees would evaluate a potential nest first, and move wax and pollen to start the nest activity before the virgin queens emerged and enter the new nests. The scouts of stingless bees also evaluate the size of the entrance and the volume of trap nests. In the present study, we observed that T. gressitti had a preference for nests with an entrance area of 10.71 ± 2.38 cm² which contrasts with the smaller entrances observed in other stingless bee species, for example 1.33 ± 0.25 cm² for L. flavibasis (this study), 1.2 cm² in T. laeviceps (Inoue et al. 1984), and 0.4-1.1 cm in width for other species (Kapitanhitu et al. 2018).

Oliveira et al. (2012) reported that stingless bees prefer the 3 L of trap nest in volume compared with 1 and 2 L. This finding was consistent with our results, in which we observed that L. flavibasis chose 2.27 L. Nevertheless, T. gressitti preferred volumes about twice as large (4.47 L) as L. flavibasis. These findings indicate that different species search for different cavity capacities. Inoue et al. (1984) reported that T. laeviceps nested in small volume of bamboo nest (0.7 L) in Indonesia, while in China, we found the same species was trapped with a bamboo internode of 1.96 L (Wang et al. 2022). Starr and Sakagami (1987) reported that T. fuscobalteata and T. sapiens nest in bamboo ranging from 0.7 to 3 L, with an average of 2 L.

Different nesting volume and sizes of entrance preferences between species of T. gressitti and L. flavibasis may benefit both sympatric species by avoiding nest competition. Nest usurpation occurs often in both intraspecific and interspecific species, especially during swarming season

(Gloag et al. 2008; Cunningham et al. 2014). Stingless bees often fight to the death to take over a potential nest, even if there is a living colony still nesting inside. A preference bias would reduce the possibility of fighting. In the present study, we still found one colony of L. flavibasis took over a T. gressitti nest, with a large entrance. That could be because the large entrance (31.489 cm²) was first sealed by T. gressitti and was later usurped by L. flavibasis during its swarming by utilizing its smaller modified entrance (1.66 cm²).

L. flavibasis showed a species-specific preference to diameter, height, volume, and entrance size while T. gressitti showed a homogeneous preference to these parameters. It may difficult for us to conclude that the stingless bees are selecting a potential nest by one of the parameters over others. It may still be needed more strict comparative data on stingless bee selecting on each parameter with other parameters been equalized in future as trap nests setting in previous works (Oliveira et al. 2012).

Six times more colonies of L. flavibasis than T. gressitti were observed in the bamboo trap nests. All these natural nests of stingless bees in bamboo internodes have been collected by local farmers regardless with discrimination of species. In the present study, 123 L. flavibasis colonies versus 19 T. gressitti colonies were harvested in bamboo nests. This suggests that L. flavibasis was the most abundance stingless bee species in the study site as reported in previous study (Li et al. 2021), and the T. gressitti was a new record in this area and prefer habitat in higher altitude mountains (up to 1100 m, Pan et al. 2021). The projected waxy entrance of L. flavibasis also makes their wild colonies easier to be found than the concave entrance of T. gressitti colonies. Several other reasons will affect the number of stingless bee colonies to be found in nature, such as the densities of stingless bee species, the height of the in vitro nests, and their entrance directions, and these still need further study in the future.

The bamboo surface color and the entrance position showed that the bamboo was alive when newly colonized. Up to 88% and 89% of bee

colonies tended to nest in living bamboo. This was consistent with a previous study that stingless bees prefer nesting in living than dead trees in Malaysia (91.5% vs 8.5%, Eltz et al. 2003; Macedo et al. 2020).

4.1. Advantages of stingless bee bamboo trap nests

Bamboo nests are easily accessible for bees since stingless bees are distributed sympatrically with giant bamboo species. The bamboo nodes could act as an easy and economic trap nest prepared for stingless bees, just as coconut shells are also used for keeping stingless bees in India and the Philippines (Udayakumar et al. 2021). A giant bamboo could produce dozens, or up to 50 suitable nodes as potential trap nests. An additional advantage is that bamboos naturally regrow each year. Therefore, using bamboo trap nests could be an important alternative to collecting stingless bee nests from other plant species.

The relatively small entrances in bamboo internode nests likely take less energy from stingless bees to seal with propolis, which could help to isolate from the light and invaders. Like most cavity-nesting bee species, their brood and young adults are always kept in dark and safe hives. The number of entrances has been considered a negative effect for trap nests designed for stingless bees. And the hardened wall of the bamboo nests also repels most invaders, such as ants, moths, and beetles which invade into the hive. Only few stingless bee colonies had been invaded by predators and parasites such as cockroaches, beetles, and ants in bamboo nests (Pangestika et al. 2018).

There is good reusability of bamboo trap nests, the bamboo can grow up to 40 m tall, with several nodes, and the separate plate between nodes can also be tilted or burrowed in by bamboo borer larvae. Stingless bees can make great use of this extensibility by either sealing or opening the hole (through the separate plate in bamboo) to expand the cavity. Two bamboo trap nests with large entrance sizes

were first used by T. gressitti and were later taken over by L. terminata and L. flavibasis. This finding indicates that the bamboo trap nest has great reusability. The bamboo with a larger entrance of up to 30 cm^2 may be preferred by T. gressitti; after they modified the nest entrance area, the hive soon became a candidate trap nest for other stingless species who prefer smaller entrance sizes.

Taken together, bamboo nests are easily accessible and manageable to be used in modern meliponiculture. The bamboo node can be set as a trap nest and then can be easily transferred into artificial boxes for beekeeping. Based on these observations, bamboo trap nests can play crucial role in stingless bee research, conservation, and meliponiculture in the future.

ACKNOWLEDGEMENTS

The authors would like to thank Mr. Peng PAN, who kindly arrow us to access his meliponary in Xishuangbanna, Yunnan China. We also would like to thank Ms. Katrina Klett and Dr. Kai Wang for polishing the language and improving the manuscript.

AUTHOR CONTRIBUTIONS

YFO and ZWW conceived this research and designed experiments; YFQ, XXW, and YXW performed experiments and data analysis; and YFQ and ZWW wrote the paper. All authors read and approved the final manuscript.

FUNDING

This research was funded by the National Natural Science Foundation of China (31772682), Zhilan Foundation (2021100021A), Yunnan Provincial Science and Technology Department (202105AC160084), and CAS "Light of West China" Program to ZWW.

AVAILABILITY OF DATA

Data and original figures will be available from corresponding author on reasonable request.

CODE AVAILABILITY

Custom code for data analysis in R.

DECLARATIONS

Ethics approval This is an observational study that no ethical approval is required.

Consent to participate Not applicable.

Consent for publish Not applicable.

Competing interests The authors declare no competing interests

REFERENCES

- Abduh MY, Adam A, Fadhlullah M, Putra RE, Manurung R (2020) Production of propolis and honey from Tetragonula laeviceps cultivated in Modular Tetragonula Hives. Heliyon 6:e05405
- Bänziger H, Pumikong S, Srimuang K-O (2011) The remarkable nest entrance of tear drinking *Pariot*rigona klossi and other stingless bees nesting in limestone cavities (Hymenoptera: Apidae). J Kansas Entomol Soc 84:22-35
- Bueno FGB, Kendall L, Alves DA, Tamara ML, Heard T, Latty T, Gloag R (2021) Stingless bee floral visitation in the global tropics and subtropics.
- Chen Z, Zhang H, He Z, Zhang L, Yue X (2019) Bamboo as an emerging resources for worldwide pulping and papermaking. BioResources 14:3-5
- Cunningham JP, Hereward JP, Heard TA, De Barro PJ, West SA (2014) Bees at war: interspecific battles and nest usurpation in stingless bees. Am Nat 184:777-786
- Eltz T, Bruehl CA, Imiyabir Z, Linsenmair E (2003) Nesting and nest trees of stingless bees (Apidae: Meliponini) in lowland dipterocarp forests in Sabah, Malaysia, with implications for forest management. For Ecol Manage 172:301-313
- Gloag R, Heard TA, Beekman M, Oldroyd BP (2008) Nest defence in a stingless bee: What causes fighting swarms in Trigona carbonaria (Hymenoptera, Meliponini)? Insectes Soc 55:387-391
- Grüter C (2020) Stingless bee: Their behaviour, ecology, and evolution. Springer Nature Switzerland Switzerland.
- Heard TA (1999) The role of stingless bees in crop pollination. Annu Rev Entomol 44:183-206
- Hubbell SP, Johnson LK (1977) Competition and nest spacing in a tropical stingless bee community. Ecology 58:949-963
- Inoue T, Sakagami SF, Salmah S, Yamane S (1984) The process of colony multiplication in the sumatran stingless bee Trigona (Tetragonula) laeviceps. Biotropica 16:100-111

- Kapitanhitu R, Cahyono TD, Kaliky F (2018) Correlation of bamboo nest dimension and Trigona sp. bee productivity. Jurnal Riset Industri Hasil Hutan 10:83-92
- Kumar MS, Singh AJAR, Alagumuthu G (2012) Traditional beekeeping of stingless bee (*Trigona* sp) by Kani tribes of Western Ghats, Tamil Nadu, India. Indian Journal of Traditional Knowledge 11:342-345
- Li Y, Wang Z, Yu Z, Corlett RT (2021) Species diversity, morphometrics, and nesting biology of Chinese stingless bees (Hymenoptera, Apidae, Meliponini). Apidologie 52:1239-1255
- Macedo CRDC, Aquino IDS, Borges PDF, Barbosa ADS, Medeiros GRD (2020) Nesting behavior of stingless bees. Ciência Animal Brasileira 21
- Michener CD (2013) The Meliponini. In: Vit P, Pedro SRM, Roubik D (eds) Pot-honey: a legacy of stingless bees. Springer, New York, pp 3–17
- Oliveira RC, Menezes C, Soares AEE, Fonseca VLI (2012) Trap-nests for stingless bees (Hymenoptera, Meliponini). Apidologie 44:29–37
- Pan P, Wang S, Zhong Y, Xu H, Wang Z (2021) New record of the stingless bee Tetragonula gressitti (Sakagami, 1978) in southwest China (Hymenoptera: Apidae: Meliponini). J Apic Res 60:503-505
- Pangestika NW, Atmowidi T, Kahono S (2018) Additional nest structures and natural enemies of stingless bees (Hymenoptera: Apidae: Meliponinae). Jurnal Sumberdaya Hayati 4:42–47
- Ou Y, Wang S, Wang K, Wang Z (2022) The newly rising meliponiculture and researches on stingless bees in China-A mini-review. J Apic Res. https:// doi.org/10.1080/00218839.2022.2104568
- Rahman A, Das PK, Rajkumari P, Saikia J, Sharmah D (2015) Stingless bees (Hymenoptera: Apidae: Meliponini): diversity and distribution in India. Int J Sci Res 4:77-81
- Roubik DW (2006) Stingless bee nesting biology. Apidologie 37:124-143
- Salim HMW, Dzulkiply AD, Harrison RD, Fletcher C, Kassim AR, Potts MD (2012) Stingless bee (Hymenoptera: Apidae: Meliponini) diversity in dipterocarp forest reserves in peninsular Malaysia. The Raffles Bulletin of Zoology 60:213–219
- Seeley T (1977) Measurement of nest cavity volume by the honey bee (Apis mellifera). Behav Ecol Sociobiol 2:201–227
- Seeley T, Morse R (1978) Nest site selection by the honey bee, Apis mellifera. Insectes Soc 25:323–337
- Shackleton K, Balfour NJ, Toufailia HA, Alves DA, Bento JM, Ratnieks FLW (2019) Unique nest entrance structure of Partamona helleri stingless bees leads to remarkable 'crash-landing' behaviour. Insectes Soc 66:471-477
- Silva MD, Ramalho M, Monteiro D (2014) Communities of social bees (Apidae: Meliponini) in

- trap-nests: the spatial dynamics of reproduction in an area of Atlantic forest. Neotrop Entomol 43:307-313
- Silva MDE, Ramalho M, Monteiro D (2013) Diversity and habitat use by stingless bees (Apidae) in the Brazilian Atlantic Forest. Apidologie 44:699–707
- Singh RP (2013) Domestication of Trigona irridipennis Smith in a newly designed hive. National Academy Science Letters 36:367-371
- Starr CK, Sakagami SF (1987) An extraordinary concentration of stingless bee colonies in the Philippines, with notes on nest structure (Hymenoptera: Apidae: Trigona spp.). Insectes Soc 34:96–107
- Suriawanto N, Atmowidi T, Kahono S (2017) Nesting sites characteristics of stingless bees (Hymenoptera: Apidae) in Central Sulawesi, Indonesia. Journal of Insect Biodiversity 5:1-9
- Udayakumar A, Shylesha AN, Shivalingaswamy TM (2021) Coconut shell traps: easiest and economic way to attract stingless bees (Tetragonula iridipennis) Smith. Sociobiology 68

- Wang Q, Gao P, Qu Y, Wang Z (2022) Stingless bee swarms trapping and application. J Bee 20–24
- Wang X, Jin S, Gu Z, Luo F, Fang H, Zhang R, Gao X, Zhou J, Zheng H, Xie J (1984) Observation of Amomum villosum pollination by giant honey bee and stingless bee. J Agric Sci 02:28-31
- Wu YR (2000) Hymenoptera: Melittida: Apidae. Science Press, Fauna Sinica, Insecta

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Springer Nature or its licensor holds exclusive rights to this article under a publishing agreement with the author(s) or other rightsholder(s); author self-archiving of the accepted manuscript version of this article is solely governed by the terms of such publishing agreement and applicable law.