

Mechanical vulnerability of beech (Fagus sylvatica L.) poles after thinning: securing stem or roots is risk dependent

Jana Dlouha, Pauline Défossez, Hans Dongmo Keuzet Jiazet Joël, François Ningre, Meriem Fournier, Thiéry Constant

▶ To cite this version:

Jana Dlouha, Pauline Défossez, Hans Dongmo Keuzet Jiazet Joël, François Ningre, Meriem Fournier, et al.. Mechanical vulnerability of beech (Fagus sylvatica L.) poles after thinning: securing stem or roots is risk dependent. 2024. hal-04233557

HAL Id: hal-04233557

https://hal.science/hal-04233557

Preprint submitted on 9 Oct 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

- 1 Mechanical vulnerability of beech (Fagus sylvatica L.) poles after thinning: securing stem or
- 2 roots is risk dependent

3

- 4 Jana Dlouhá^{a,+}, Pauline Défossez^b, Joel H.D.K. Jiazet^a, François Ningre^a, Meriem Fournier^a, Thiéry
- 5 Constant^a
- 6 a Université de Lorraine, AgroParisTech, INRAE, UMR Silva, 54000 Nancy, France
- 7 b INRAE, Bordeaux Sciences Agro, ISPA, F-33140 Villenave d'Ornon, France
- 8 + Corresponding author.
- 9 E-mail address: jana.dlouha@inrae.fr (J. Dlouhá)

10

11 **Keywords**: mechanical acclimation – anchorage – thinning – guying – stem and root growth – beech

12

13

14

15 16

17

Highlights

- No directional anisotropy in the root anchorage was detected.
- Thinning surprisingly decreases the root-soil mechanical performances for a given tree biomass when compared to control trees.
 - The biomass allocation is adapted to the reinforcement of the mechanical weakest points, in the case of beech poles, the stem and not the root system.

18 19

21

22

23

24

25

2627

28

29

30

31

32

33

34

20 Abstract

In this study, we analysed how the tree growth in stem and roots reacts to thinning, focusing on consequences on mechanical stability of the root-soil plate quantified by field mechanical bending tests. In order to disentangle the role of the biomechanical control of growth (thigmomorphogenesis) from other factors, half of the studied trees were guyed to remove mechanical stimulation of living cells. Surprisingly, our results show a decrease in the root-soil plate mechanical performances for a given tree biomass after thinning. This decrease was however explained by boosted biomass allocation to the stem at the expense of the root system. Further, relationship between the initial stiffness and the strength (overturning moment) of the root-soil plate was modified by thinning. It is suggested that at this development stage (poles), as stem break is the weakest point of tree resistance to wind loads, the biomechanical control of growth strengthen preferentially the stem and not the anchorage. Further developments should study the diversity of behaviours between development stages (as older beeches are prone to throw) and between species for a unified theory on the role of the thigmomorphogenetic syndrome in tree resistance to wind risk, with synergies and trade-offs with other processes and functions.

35

36

1. Introduction

- 37 Release of competition by thinning promotes the growth of retained trees taking advantage of increased
- 38 light and nutrients availability. However, retained trees experience also higher mechanical strains due

to higher penetration of the wind into the canopy and increased sway displacements due to the loss of the stabilizing effect of collisions between adjacent trees (Rudnicki et al., 2008; Webb et al., 2013). It is well known that forest stands are much more at risk of wind hazards after a thinning (Albrecht et al., 2012; Cremer et al., 1982; Valinger and Fridman, 2011), in particular in the case of not recurrent and intensive thinning (Albrecht et al., 2015). For example Wallentin and Nilsson (2014) followed wind induced damage in recently thinned stands and observed a near-linear relationship between thinning intensity and damage with 7, 42 and 74% of standing basal area damage in the control, normally and heavily thinned plots, respectively (8, 53 and 89% thinning intensity). This initial increase in the mechanical vulnerability is then followed by acclimation processes leading to an increase of wind firmness however the transition is still poorly understood.

The period of acclimation after thinning lasts several years and is characterised by preferential biomass allocation to the radial growth in the lower part of the stem and in structural roots and reduction of the height growth (Dongmo Keumo Jiazet et al., 2022; Mitchell, 2000; Ruel et al., 2003; Vincent et al., 2009). It has been recognized that allocation of the biomass to mechanically stimulated tissues is a result of thigmomorphogenetic syndrome aiming to ensure mechanical stability of trees during their life (Moulia et al., 2015; Telewski, 2006). Root growth reaction seems to be strongly affected by mechanical strains. Nicoll and Dunn (2000) reported few significant correlations between wind speed and tree ring chronologies of stem growth, but many positive correlations with the tree ring chronologies of root growth. Further, growth increase is often immediate in roots followed by one or more years delayed growth reaction in the stem (Kneeshaw et al., 2002; Urban et al., 1994; Vincent et al., 2009) however sometimes both compartments respond with a 1-yr delay (Nicoll et al., 2019) or with no delay at all (Defossez et al., 2022).

Couple of authors tried to quantify the role of mechanical strains on the tree growth in a forestry context coupling guying of trees with a thinning experiment, looking at the thigmomorphogenetic effect in two resource availability conditions. Defossez et al. (2022) focused on the 16 years old *P. pinaster* stem growth during three years after thinning and guying (a treatment that removes strains so mechanical stimulations in growing stem tissues). They obtained similar magnitude but opposite effects of guying and thinning on the stem growth without an interaction between both factors. Nicoll et al. (2019) reported inhibitory impact of guying on the stem and root radial growth in thinned trees in a young spruce stand. Constant et al. (2018) reported that in dense beech pole stand, the mean stem growth rate at DBH of unthinned trees free to sway was multiplied by a factor 0.5 for unthinned and guyed trees, by 1.2 for thinned and guyed trees, and by 2.0 for thinned trees free to sway. Similar growth response was also observed in roots of beech poles (Dongmo Keumo Jiazet et al., 2022), only for thinned and guyed trees the ratio yielded 1.4 instead of 1.2. Mechanoperception seems therefore to play a major role in the acclimation process of both, tree stem as well as structural roots.

As a result of mechanical acclimation, root systems of forest trees are often markedly asymmetric. Roots on the leeward side of the tree in relation to the prevailing wind direction show higher diameter growth and stronger taper than roots in other directions (Coutts et al., 2000). Specific cross-sectional shapes similar to T-beams are developed on the lee-ward side of the tree (Nicoll and Ray, 1996). Nicoll and Ray (1996) also reported that allocation to structural roots on the leeward side was strongly correlated with maximum wind speeds and this allocation appeared to be at the expense of roots further from the tree that would have had less of a structural role. Development of windward roots was correlated well with maximum gusts in the corresponding years. We can hypothesize that considering asymmetry of the tree growth, mechanical properties of the root-soil system may be also dependent on the prevailing wind direction.

84 Assessing the anchorage strength change with the tree size is not as simple as for stem resistance which is a function of the tree diameter elevated at power (Peltola, 2006). The root-soil plate is a composite 85 structure and therefore many parameters such as the soil type and its interaction with the root system 86 87 as well as the root system architecture and the root mechanical properties will contribute to determine 88 the overall anchorage capacity of a tree and mechanical modelling provides clues to understand the 89 role of each factor (Dupuy et al., 2007; Yang et al., 2018). In addition to these in silico approaches, field experiments have been implemented. They impose a bending force (as wind forces are bending 90 91 forces) and measure the critical overturning moment which causes the failure (Gardiner et al., 2008). 92 This critical force is obviously size-dependant (the bigger the stronger): growth increases the anchorage resistance against wind. However, because of the complexity of strength mechanisms in the root-soil 93 94 plate, the effect of increased growth is not so clear. Experimental field studies observed that the 95 overturning moment is globally a linear function of the stem biomass or another easy-to-measure 96 variable) (Lundstrom et al., 2007) and then the anchorage strength is characterized by the regression 97 slope i.e. the critical force for a given stem biomass, which is the parameter used in the wind risk 98 evaluation models to characterize the anchorage strength, removing the first order size effect (Gardiner 99 et al., 2000). Achim et al. (2005b) reported overturning moment in a balsam fir stands thinned 9 and 14 years earlier and did not observe any increase in anchorage strength. In contrast, other studies 100 reported higher anchorage strength in windy stands (Nicoll et al., 2008) or at the forest edge (Cucchi 101 102 et al., 2004) or in widely spaced plantations (Hale et al., 2012). The latter observations were interpreted as a result of acclimation process to mechanical strains induced by wind. However, no study so far 103 104 reported thigmomorphogenetic effect on the tree anchorage capacity directly.

- Existing reports dealing with the tree growth and anchorage response after thinning and/or guying in the forest context focused exclusively on conifers. While growth responses are rather well documented, little is known about the acclimation of the root anchorage strength. This study examines the growth and anchorage capacity of beech poles after thinning and/or guying. Following hypothesis will be tested in this manuscript:
- H1: beech poles anchorage capacity and growth reaction after treatment will be stronger in the direction of prevailing winds.
- H2: preventing the perception of mechanical strains by guying will reduce the root anchorage while increase in the mechanical strains due to thinning will increase the root anchorage. The increase should
- be higher than just the size effect, i.e. the increase of strength proportional to biomass growth.
- H3: guying will restrict the biomass allocation to mechanically stimulated parts of the tree.

2. Materials and Methods

116

117

118

119

2.1. Stand site and experimental design

The experimental site is located within the Haye Forest near Nancy, France (48°40014.5"N; 6°05010.3"E). Stand conditions are described in Bonnesoeur et al. (2016). The stand is a pure evenaged *Fagus sylvatica* L. stand issued from natural regeneration with the Reineke's density index of 0.87 and no previous thinning. Experimental plot area is around 2 ha. At the end of 2014, poles were c. 30 years old with an average height of 13.3m and an average diameter of 12.8cm. Four groups each consisting of ten dominant trees were selected for the study. During the winter 2014/2015 two groups were thinned removing neighbouring trees within a 4-meter radius circle centred on each target tree.

were unimed removing neighbouring trees within a 4-meter radius circle centred on each target tree.

127 Such treatment corresponds to a very strong thinning intensity. Then, half of trees (ten thinned and ten 128 unthinned) were guyed just below their living crown. Four treatments were therefore applied: 129 unthinned trees free to sway (uTF), unthinned and guyed trees (uTG), thinned trees free to sway (TF) 130 and thinned and guyed trees (TG). Trees from each group were paired according to morphologic criteria. Details about selection criteria and treatments application are given in (Dongmo Keumo Jiazet 131 et al., 2022). The site climate is a degraded oceanic type with continental influence. Rainfall is heavy 132 and well distributed over the year. Over the 4 years of the study, the mean annual rainfall was 700 mm 133 134 and the average wind speed during the 4-year period was 3 m/s. Dominant winds came mainly from 135 the South West quadrant.

136137

138

157

158

2.2. Estimation of the tree biomass and mechanical properties of the tree stem and root-soil plate

139 All forty beech poles were submitted to pulling tests starting from mid-March 2019 to end of April 140 2019. The pulling set-up was based on Nicoll et al. (2006) and is displayed in Figure 1. Prior to the pulling test, the tree stem was cut at 3 m height to eliminate the contribution of the crown load (Coutts, 141 1986). Trees were loaded using an electric winch (Winchmax, UK, maximal strength capacity 80 kN). 142 143 The force applied to each sample tree was measured by a load cell (T20, AEP, Italy, maximum load 144 100 kN). The height of the cable attachment was low enough on the stem to induce anchorage failure without stem breakage. The latter varied from tree to tree, ranging from 1.6 m to 2.3 m. The angle of 145 146 the cable θ_2 was measured when the pulling cable was stretched with a portable inclinometer. Two inclinometers (IS2BP090-I-CL; GEMAC, France) were tied to the tree to measure the root-soil system 147 148 rotation θ_{1r} (at the stem base) and the total tree inclination θ_1 (close to the cable attachment point). Data 149 from the load cell and inclinometers were recorded by a logger at a sampling rate of 20 Hz (CR1000X; 150 Campbell Scientific Ltd., France) and uploaded to a laptop computer for processing.

151 The turning moment M was calculated as follows:

$$152 M = F_x L cos\theta_1 + F_y L sin\theta_1 (1)$$

where θ_1 is the total rotation given by the deflection angle of the trunk at the cable attachment point with respect to the vertical, L is the height of the cable attachment point, $F_x = F\cos\theta_2$ and $F_y = F\sin\theta_2$ are respectively the horizontal and vertical components of the force F measured in the cable, θ_2 the angle of the cable from the horizontal (Figure 1).




Figure 1: Set-up of the pulling test. θ_{1r} is the root-soil plate rotation, θ_1 is the trunk deflection angle and θ_2 is the cable inclination. F is the pulling force. Blue boxes represent location of inclinometers.




Figure 2: Estimation of mechanical performances of the root-soil plate from the experimental curve. θ_{lin} stands for the elastic strain limit, k_{root} stands for the initial root-soil plate elasticity and M_{root} stands for the overturning moment. Figures are not proportional, the pre-test figure is magnified in order to make the elastic limit visible.

The root-soil plate initial stiffness and the elastic limit were first assessed in the direction perpendicular to the prevailing wind direction (pre-test) followed by uprooting of the tree in the prevailing wind direction (final test). The pre-test consisted in a cycling procedure with a progressive increase of the applied load for every new cycle (see Fig. 2). Once the residual root-soil plate rotation after the tree unloading was higher than 0.1° , the test was stopped. Elastic limit (θ_{lin}) was therefore computed as an interpolated value between the last elastic load step and the first post-elastic load step. Trees were then pulled until the overturning thus obtaining the overturning moment (M_{root}) in the main wind direction. The root-soil plate initial stiffness (k_{root}) was computed as a slope between the turning moment and θ_{1r} in the elastic domain. To compute the root-soil plate initial stiffness in the prevailing wind direction, elasticity limit determined from the pre-test was used.

The stem resistance (M_{stem}) was computed as follows:

174
$$M_{stem} = \frac{\pi * D^3 * MOR}{32},$$

where D is the tree diameter and MOR is the wood strength. As no effect of thinning and/or guying on the wood mechanical properties was detected (Dlouhá et al., 2023) the average value of the tensile strength was used for this computation *i.e.* 110 MPa. The tree biomass was weighted using a load cell as detailed in Dongmo Keumo Jiazet et al. (2022), it is therefore a direct measure and not estimation based on partial sampling and allometric relationships that might be affected by treatments underwent by studied trees.

2.3. Soil and root characterization

The study area is part of the larger area known as the Lorraine plateau (6.1°E, 48.7°N). Three rectangular soil pits (1 m x 0.4 m) were manually dug in the stand down to the calcareous bedrock horizon. The soil is a rendosol where rooting is constrained by a stony layer with 70-90% of stones at 34.3±7.7cm depth. Above this stony layer two clay-silt horizons may be distinguished with above and below 10±1.2cm depth, containing together all roots with diameter > 2mm. Limestone bedrock is situated at 79.5±14.8cm. Once the root-soil plate extracted, the maximal rooting depth was measured

- as well as the depth of two visible horizons. A soil sample of 0.25l (cylinder of 5 cm depth and 8 cm
- of diameter) was taken in the middle of each horizon, placed in an aluminium box sealed with a plastic
- 190 foil for subsequent determination of gravimetric soil water content. Gravimetric soil water content was
- determined by comparing fresh and dry weights (24 h at 105.0 °C) of the soil sample from each horizon.
- Weighted gravimetric soil water content was then computed as a weighted mean taking into account
- the depth of each soil horizon.
- 194 *2.4. Root growth ring measurements*
- 195 Extracted root systems were first cleaned in the forest with an air compressor before finer cleaning
- using a high-pressure water in the laboratory. Four largest structural roots were cut at 0.25 m horizontal
- distance from the stump centre. The selected roots were distributed around the tree to represent
- different quadrants in respect to the wind direction, leeward quadrant (North-East) and windward
- 199 quadrant were designated by 1 and 2 respectively and quadrants perpendicular to the prevailing wind
- direction were designated by 3 and 4. The biggest roots in each quadrant was selected and a 2-cm thick
- cross-sectional root sample was scanned with an optical scanner at 600 dpi resolution and growth rings
- 201 cross-sectional root sample was scanned with an optical scanner at 000 dpl resolution and growth rings
- were measured using Image-J software. The upper side of each root was marked and the root growth
- 203 ring widths were measured only in the maximal growth direction from the upper-side outer ring to the
- biological centre of the root. For the sake of simplicity, we will not talk about average maximal root
- growth ring indicator but about mean root growth ring. It happened that some quadrants could not be
- sampled because roots were broken. Altogether, 122 root samples equally distributed among treatments
- were measured. A stem disk was also collected at breast height to compare the growth response at the
- stem and root level. The methodology to analyse stem and root samples is further detailed in Dongmo
- 209 Keumo Jiazet et al. (2022).
- 210 2.5. Statistical analysis
- 211 Statistical analyses were performed using R-software (R Core Team, 2020). We first used ANOVA on
- 212 lm model to check that there were no difference in the soil water content during pulling tests as well as
- 213 in the rooting depth of the tree groups. Afterwards, effects of thinning, guying and their interaction on
- 214 mean values of the root system properties summarized in Table 1 were assessed by linear mixed effects
- 215 models (nlme package) with pairing as a random effect. Different treatments were then compared using
- emmeans package (joint tests function). Effects of thinning, guying, and their interaction on
- relationships between the root system mechanical properties and their predictor (stem biomass) or
- between mechanical properties themselves, were assessed using gls models because their AIC were
- systematically lower than for mixed effects models. Relationship between the root and the stem growth
- increments before and after treatments were assessed using linear mixed effects models with tree
- and the second and th
- 221 number as a random effect to take into account repeated measurements, introducing of pairing as a
- 222 random effect did not improve the model. We assessed the normality of the data distribution with Q-Q
- 223 plots, and homoscedasticity with standardized residuals against plotted fitted values and when
- 224 necessary with Levene tests (package car). Weighted regressions, in function of thinning, were used
- for M_{root} against M_{stem} and M_{root} against k_{root} predictions.

227 3. Results

226

- Table 1 shows that there was no difference in the soil water content between the four groups tested and
- 229 the rooting depth was also the same. Considering the effect of thinning, guying and their interaction on
- 230 the root-soil mechanical properties, results show that interaction factor (thinning x guying) was not

233

243 244

245

246

247

249

250

251 252

240

significant (Table 2) while thinning and guying effects were significant for all properties tested except for the strain at elastic limit and maximal strain, with very high significance especially for the stem resistance. Thinning strongly affected the stem biomass while guying effect was not detected.


When comparing different treatments between them, the root-soil plate stiffness (k_{root}) and overturning moment (M_{root}) were significantly higher in thinned trees free to sway compared to unthinned and guyed trees. The stem resistance (M_{stem}) was significantly higher for thinned trees free to sway compared to all other treatments. Observed elastic limit of the root-soil plate rotation θ_{lin} does not differ with the treatment but was higher than the threshold typically used for the non-destructive evaluation of the tree failure (Brudi and Wassenaer, 2001; Detter et al., 2023) or identified in sub-alpine spruce (Jonsson et al., 2006) which was 0.25° and 0.5° respectively. However this limit was close to the elastic limit experienced by Eucalyptus trees in natural conditions (James et al., 2013) i.e. 0.88-0.9°.

Treatment	Soil water	Root depth	k_{root}	θlin	M_{root}	M_{stem}	θ max	Stem
	content (%)	(cm)	(kN.m/rad)	(°)	(kN.m)	(kN.m)	(°)	biomass
	26.6	49.0	8196 ^a	1.0	301 ^a	84.7 ^a	10.9	177.4 ^a
TF	(2.2)	(2.5)	(1133)	(0.1)	(34)	(9.8)	(1.2)	(15.5)
	25.9	42.7	6475 ^{ab}	0.9	274 ^{ab}	58.3 ^b	9.6	170.9 ^a
TG	(1.1)	(2.7)	(1183)	(0.1)	(35)	(7.3)	(1.3)	(15.6)
	29.2	41.6	5838 ^{ab}	1.2	270 ^{ab}	54.9 ^b	10.9	128.4 ^b
uTF	(1.0)	(3.5)	(1108)	(0.1)	(37)	(6.9)	(1.0)	(12.6)
TC	26.1	46.9	4203 ^b	1.1	205 ^b	42.1 ^b	10.7	117.2 ^b
uTG	(1.1)	(5.1)	(835)	(0.1)	(35)	(5.7)	(1.2)	(10.8)

Table 1: Mean values of the soil humidity, the rooting depth and the mechanical characteristics of the tree root and stem resistance for each treatment. Values in brackets stand for standard error. k_{root} is the root-soil rotation stiffness, M_{root} is the overturning moment, θ_{lin} is the strain at elastic limit, θ_{max} is the strain and M_{stem} is the stem resistance.

	Thinning	Guying	Thinning x Guying
k _{root}	0.0029	0.0184	0.86
θ_{lin}	0.0532	0.4773	0.94
M_{root}	0.047	0.0107	0.18
θ_{max}	0.3028	0.1834	0.37
M_{stem}	0.0002	0.0001	0.39
Stem biomass	< 0.001	0.0620	0.56

Table 2: p-values of the main effects and their interaction (guying and thinning) of linear mixed effect models. k_{root} is the root-soil rotation stiffness, M_{root} is the overturning moment, θ_{lin} is the strain at elastic limit and M_{stem} is the stem resistance.



b)

a)

256

257258

259

260

261

262

263264

265

266267

Figure 3: a) Relationship between the root-soil plate stiffness and the stem biomass. b) Relationship between the overturning moment and stem biomass. Dark blue regression lines and points represent unthinned trees. Light blue regression lines and points represent thinned trees. Triangles stand for guyed trees and circles for trees free to sway.

	Effects on intercept			Effects on slope		
	Thinning	Guying	Thinning x Guying	Thinning	Guying	Thinning x Guying
k _{root} ~ Stem biomass	0.04	0.09	0.95	0.48	0.70	0.64
M _{root} ~ Stem biomass	0.0003	0.18	0.95	0.04	0.58	0.77
M_{root} ~ k_{root}	0.03	0.52	0.80	0.015	0.32	0.30
M _{root} ~M _{stem}	0.03	0.28	0.54	0.006	0.40	0.69

Table 3: p-values (gls models) of main effects and their interaction on relationships between the root system mechanical properties and the stem biomass or between different root and stem mechanical properties.

Figure 3 shows the relationship between the root-soil plate stiffness and the overturning moment against the tree stem biomass. We can see that thinned trees display surprisingly lower root system anchorage properties for a given tree biomass compared to unthinned trees. In the root-soil plate stiffness case, the regression line for thinned trees is shifted downwards while for the overturning moment, thinning affects the intercept as well as the slope of the relationship against the stem biomass (see Table 3). For example a tree with 150kg stem biomass from the unthinned plot will achieve an overturning moment of 336kN*m/rad against 232kN*m for a 150kg tree from the thinned plot which is a decrease of 44.8%.




Figure 4: a) Relationship between the overturning moment and the root-soil plate initial stiffness. b) Relationship between the overturning moment and the stem resistance. Dark blue lines and points represent unthinned trees. Light blue lines and points represent thinned trees. Triangles stand for guyed trees and circles for trees free to sway. Solid lines represent regression line for trees free to sway and dotted lines represent regression lines for guyed trees.

Figure 4a shows that after thinning, the slope of the regression line between the overturning moment and the root-soil plate elasticity is lower. Considering the balance between the overturning moment and the stem resistance (Figure 4b), we can clearly see that thinned trees free to sway (dark solid line) invest more in their stem resistance compared to the anchorage and this trend is reduced by guying (dotted line). When comparing selected contrasts, TF has lower slope than uTF and uTG (p-values 0.036 and 0.017 respectively) while there is no statistical difference between TF and TG. The slope (estimate and standard error) of the regression is of 2.52±0.85 for TF, 3.60±1.26 for TG and 5.38±0.55 for uTF and 5.77±0.58 for uTG.




Figure 5: Relationship between the stem mean ring width and the root mean ring width before (a) and after treatments (b). Each point represents the mean growth ring width over a four years period. Light blue regression lines and points represent thinned trees, dark blue regression lines and point represent unthinned trees. Triangles stand for guyed trees and circles for trees free to sway. Solid lines represent regression line for trees free to sway and dotted lines represent regression lines for guyed trees.


Effect	p-value
(Intercept)	<.0001
Guying	<.0001
Thinning	<.0001
Period	0.0001
Root_ring	<.0001
Guying:Period	0.0043
Thinning x Period	0.0003
Guying x Root_ring	0.0130
Thinning x Root_ring	0.6446
Period x Root_ring	0.1070

Table 4: p-values (linear mixed effects models) for main effects and their interaction on the relationship between the mean growth ring in the stem and in roots.

After the analysis of the root and stem mechanical properties, we measured the biomass allocation between the tree compartments (stem and structural roots) before and after the treatments. We looked first at the mean root and stem growth ring over the period of four years. Fig. 5a shows that there is no significant difference between the four groups before treatments. Table 4 further shows that main effects (guying, thinning and period) are concentrated on the intercept which is confirmed in the Fig. 5b where regression lines for each treatment are horizontally shifted. When comparing selected contrasts, TG and uTF trees do not show any change in the biomass allocation between the tree compartments before and after the treatments (p-values 0.61 and 1 respectively) while TF clearly allocate more biomass to the stem compared to structural roots after thinning (p-value 0.0019).

		Before		Af	After		
Treatment Direction		Root growth	Standard	Root growth	Standard		
		(mm)	error (mm)	(mm)	error (mm)		
uTF	1	0.53	0.04	0.38	0.03		
uTF	2	0.39	0.04	0.30	0.03		
uTF	3	0.45	0.03	0.33	0.02		
uTF	4	0.42	0.04	0.31	0.03		
uTG	1	0.34	0.03	0.12	0.01		
uTG	2	0.35	0.03	0.12	0.01		
uTG	3	0.34	0.05	0.18	0.03		
uTG	4	0.41	0.04	0.17	0.02		
TF	1	0.36	0.03	0.69	0.03		
TF	2	0.31	0.03	0.53	0.04		
TF	3	0.35	0.04	0.60	0.03		
TF	4	0.31	0.03	0.54	0.03		
TG	1	0.34	0.02	0.45	0.03		
TG	2	0.30	0.03	0.35	0.03		
TG	3	0.37	0.03	0.40	0.03		
TG	4	0.34	0.04	0.33	0.02		

Table 5: Mean values of the root ring width for a given treatment, time period and direction. Direction 1=NorthEast, leeward side, direction 2 = SouthWest, direction 3=SouthEast, direction 4=NorthWest.



 $\begin{array}{c} 303 \\ 304 \end{array}$

Figure 6: Relationship between the root-soil plate stiffness in the direction of the main wind loading against the root-soil plate stiffness in the direction perpendicular to the main wind loading. Red line represents the y = x line. Light blue regression lines and points represent thinned trees, dark blue regression lines and point represent unthinned trees. Triangles stand for guyed trees and circles for trees free to sway.

We further looked at the directional allocation of the biomass in roots in function of the main wind direction. Mean root ring and its standard error for a given treatment, period and direction is summarized in Table 5. Results of statistical tests revealed no effect of the direction before treatments (p = 0.13) while after treatments, direction was statistically significant (p = 0.00). Paired tests showed that the direction 1 (leeward side) was significantly different from direction 2 and 4 (p-values 0.0002 and 0.0008 respectively) however no difference with direction 3 was detected which has no

- 317 biomechanical meaning (we would expect more allocation along the dominant wind axis *i.e.* direction
- 318 1&2). Further, the interaction term between the treatment and direction is not significant (p=0.14).
- 319 Figure 6 shows that there is no anisotropy in the root-soil plate initial stiffness with respect to the
- 320 pulling direction neither which is in agreement with the ring width results. When we looked at
- 321 confidence interval of the regression parameters, the slope is not significantly different from unity
- 322 (p=0.49) and the intercept not significantly different from zero (p=0.096).

323 4. Discussion

- 324 *4.1.No directional anisotropy was detected in the growth of structural roots and the initial root-soil*
- 325 plate stiffness
- Root systems often exhibit anisotropic growth with more structural root mass on the leeward side than
- 327 the windward side of the tree relative to the prevailing wind direction (Nicoll and Ray, 1996). However
- data about the directional dependence of mechanical performances of the root-soil plate are lacking. In
- 329 this study, we measured the initial stiffness of the root-soil plate in two directions: the prevailing wind
- direction and perpendicular to it. No directional difference was observed in the initial stiffness of the
- root-soil plate (Fig. 6) however the latter may reflect more the development of fine roots and coherence
- of the root system with the neighbouring soil than the thickening of structural roots that is involved in
- later phases of mechanical loading even if both parameters are in general well related (Jonsson et al.,
- 334 2006). We therefore looked also at the growth in structural roots in function of the direction of the wind
- loading however again, no directional preference for biomass allocation was detected along the wind
- direction axis. This result is in agreement with the fact that even if the wind loading at our site is
- anisotropic with a defined prevailing wind direction, anisotropy of the mechanical strain perceived at
- 338 the periphery of the stem is much lower and likely not anisotropic enough to trigger anisotropic
- distribution of the growth around the stem periphery (Dongmo Keumo Jiazet, 2022).
- 340 4.2. Thinning surprisingly decreased the mechanical properties of the root-soil plate for a given tree
- 341 biomass
- 342 It is widely accepted that thinning reduces the long-term risk of wind damage. However, immediately
- 343 after the thinning trees are on the contrary more prone to fail mechanically (Wallentin and Nilsson,
- 344 2014). This initial mechanical vulnerability after thinning is in general attributed to increased wind
- penetration into the canopy and lack of neighbours, when the intrinsic resistance of trees is not yet
- acclimated to new conditions. Thigmomorphogenetic syndrome expects increased biomass allocation
- 347 to the tree parts experiencing high strains, typically the bottom part of the stem and structural roots in
- order to reduce the mechanical risk, increasing the mechanical strength of the anchorage during the
- few years of the transition period after thinning. Indeed, a couple of studies report increase in the root
- iew years of the transition period after thinning. Indeed, a couple of studies report increase in the root
- growth after thinning and that is hindered by guying (Dongmo Keumo Jiazet et al., 2022; Nicoll et al.,
- 351 2019). However the relation between the root growth and the change in root-soil plate mechanical
- 352 properties is not straightforward. Considering the root-soil plate mechanical properties, to our
- knowledge only the effect of thinning was reported and no study exists on the root-soil plate mechanical
- properties of guyed trees. Achim et al. (2005a) studied the effect of thinning on the overturning moment
- of balsam fir 9 and 14 years after thinning and did not show any effect of thinning on the relationship
- between the overturning moment and stem biomass. But 9 and a fortiori 14 years after the thinning, the
- 357 transition period might be over, thus only confirming the finding that different spacing does not affect
- 358 the overturning moment-stem biomass relationship as established by Nicoll et al. (2009) and confirmed
- recently for example by Kamimura et al. (2017).

Surprisingly, our study shows lower mechanical properties of the root-soil plate for a given tree biomass after thinning for the elastic part of the response as well as for the final overturning moment (Fig. 3). Such finding might at the first sight contradict the capacity of the thigmomorphogenetic syndrome to ensure the mechanical security of the tree. It was also found that the relationship between the initial stiffness of the root-soil plate increased more than the overturning moment after the thinning (Fig. 4). As mentioned by Yang et al. (2020), the elastic stiffness of the root-soil plate is crucial for the mechanical stability of the tree due to the fatigue in roots system occurring during successive wind gusts and therefore it should be reinforced in priority. Whereas removing the perception of the mechanical signal have changed cambial growth in stems and roots (Dongmo Keumo Jiazet 2022), no effects were detected on the scaling of mechanical properties of the root-soil plate with the stem biomass. As the mechanical behaviour of the root-soil plate is not, on the contrary to the stem, mainly influenced by the radial growth of one single beam, it will be interesting to study more accurately changes of root architecture after thinning and trade-offs between several needs and constraints. Indeed, the biomass of fine roots is known to significantly increase after thinning (López et al., 2003) and change in the fine root biomass production is found to be more sensitive to thinning than in thicker structural roots (Pang et al., 2022). It might be very interesting to check the proportions of fine roots in further studies and study their role in mechanical properties. Then, for further ecological studies, we suggest to study to which extent the initial stiffness of the root-soil plate might be used as a mechanical but also hydraulic trait.

360

361

362

363

364

365

366

367

368369

370371

372373

374

375

376377

378

379

380

381

382

383

384 385

386

387

388 389

390

391392

393

394395

396

397

398

399

400

The main clue to enlighten the unexpected decrease of the root-soil plate mechanical properties with thinning is given in Fig. 4b showing the relationship between the overturning moment and the stem resistance. We can see that the slope of the regression is high in unthinned trees (5.38 for uTF, 5.77 for uTG) and is reduced in TG (3.60) and in particular in TF trees (slope = 2.52). Forest managers know that for this size of beech trees, the stem break represents the main mechanical risk and this is likely the reason why the mechanical properties of the root system for a given tree biomass are not really controlled by biomechanics and can be lower after the thinning. This finding is also in line with the model prediction of windthrow probability that is relatively low in small beech trees (around 0.2 for a 16m high beech tree based on Bonnesoeur et al. (2013)). The balance between the windthrow and stem breakage risk is among other parameters (rooting depth, soil properties etc.) species and size dependent. Beech is a rather well rooted species with a tendency to break rather than uproot in young stages compared for example to spruce (Stokes, 2000) whereas on very thin soils of Lorraine plateau, beech was described as sensitive species to windthrow with increasing size (Bonnesoeur et al. 2013). This change in mechanical weak point location and failure modes with tree age and size must be considered when studying changes in biomass allocation between compartments. For example Urban (1994) reports a 3 to 9 years delay of the growth response in the stem compared to roots reacting immediately after a road clearing in a 120years old white spruce stand where uprooting might be the main mechanical threat while in younger stands with smaller trees, such delay is in general not observed (Defossez et al., 2022; Nicoll et al., 2019). Higher sensitivity to wind signals of roots when compared to stem was also reported on rather big trees (46 years old spruce (Nicoll and Dunn, 2000)) indicating that the tree size may play an important role in the reactivity of different tree compartments to wind loading.

- 4.3. Guying changes the pattern of biomass allocation in the tree stem: use of DBH as a proxy to predict the root-soil mechanical properties might be risky
- Preferential strengthening of the stem does not explain the apparent absence of guying effect on the mechanical properties of the root-soil plate that can be explained differently for thinned trees and for

unthinned trees. Unthinned guyed trees exhibited very little growth so that it is difficult to detect any change in the mechanical properties compared to unthinned free trees considering the short treatment duration (4years compared to 30years of growth in same condition). In thinned and guyed trees, the root-soil mechanical properties are not significantly different from uTF trees while its stem biomass increased (Table 1) and that is why the relationship between the root-soil mechanical properties and its empirical predictor has changed. This effect is not the same for the stem resistance that scales with the DBH^3 and as you can see in Figure 7, both predictors do not react in the same way to guying. It indicates that using proxies to predict the root-soil plate performances (or DBH to predict the stem biomass) may be biased if allocation patterns are modified due to environmental stresses. In the next section, we will look at what happens in the structural roots to better understand the guying effect on the biomass allocation inside the tree.




Fig. 7: Relationship between the stem biomass and the diameter at breast height elevated at power three for different treatments. Dark blue lines and points represent unthinned trees. Light blue lines and points represent thinned trees. Triangles stand for guyed trees and circles for trees free to sway. Solid lines represent regression line for trees free to sway and dotted lines represent regression lines for guyed trees.

4.4. Guying restricts the biomass allocation to mechanically stimulated tree parts while higher mechanical loading due to thinning is boosting the stem growth at the expense of structural roots reinforcement in line with the mechanical weak point location

The Vent-Eclair experiment designed with the two treatments "thinning" and "guying" aims at studying how the thigmomorphogenetic syndrome is used to control and restore the mechanical stability during the tree life, in natural conditions of disturbance of both resource availability and mechanical stimulation. In this paper, we focus on anchorage stability. As mechanical properties of the root-soil plate integrates 30years of the growth in the same condition and only 4 years under different treatments, the effect of thinning and guying is not easy to track. We therefore looked not only on global properties (stem biomass, root-soil plate mechanical behaviour) but also on growth and on the growth allocation between different tree compartments during the four years before and after the treatment to analyse changes in the biomass allocation. Figure 5b shows that in thinned trees free to sway the biomass is preferentially allocated to the stem instead of roots, pattern that is not observed in

thinned and guyed trees. Further, growth of both structural roots and the lower part of the stem is highly reduced in unthinned and guyed trees. In our dataset, effect of thinning and guying was lower in the first year, which was the driest one, for both tree compartments with no delay between the root and the stem growth response (not shown). These results support the idea of a reinforcement of mechanically most stimulated and so risky points and suggest that further developments should investigate how it is physiologically driven (how can growing cells be coordinated inside the whole tree to prioritize the weakest point) and how the priorities are enhanced in case of poor light or water resources. Comparing species and developmental stages of very different patterns of weakness and weakest compartments should be useful to develop a consistent theory, including also the different ways of filtering wind forces through the tree aerial architecture. Such a global view should provide help to go further the current studies focused on a very limited range of species, ages and conditions. For instance, we might expect great differences between conifers (mainly studied up to now) and angiosperms.

5. Conclusion

434

435

436 437

438

439

440441

442

443

444445

446

447

448

449

450

451

452453

454

455

456

457

458459

460

461 462

463

464

465

466

467

468

469470

471

472

In this paper, we examined the growth and mechanical properties of different tree compartments (stem and root/root-soil plate) in forty beech poles in representative naturally regenerated managed forests of North Eastern France, with high stem density. We submitted trees to a factorial experiment with (i) thinning that stimulated growth and enhanced wind risk and mechanical stimuli, and (ii) guying to remove mechanical stimuli in stems and roots. After four years, we made field mechanical tests to quantify the root soil plate strength and stiffness, and we measured growth in different compartments. We believe that such an experiment (natural or sylvicultural disturbance x guying) should be usefully replicated in many situations (species, developmental stages, silvicultures) with improvements in root volume and growth measurements. Measurements of wood mechanical properties in stem and roots as well as other tree traits as crown architecture and hydraulic conductivity and safety should be added. Such a network and database of thinning x guying experiments should support the design of a unified theory of the biomechanical control of growth allocation and its role in tree resistance to winds, using disturbance situations (thinning or other natural gap opening) to manipulate both growth and risk. Results would be included in new generations of process-based forest growth models, avoiding ad hoc laws for allocating growth between the different compartments. As this paper suggests a priority to the weakest point (here the stem, but probably the anchorage in other situations), such a network of experiments representing a range of weakest points (stem breaks or anchorage failure) will provide a clear answer about how priorities of allocation between the different compartments are controlled by mechanical risk and stimuli and/or by other factors as hydraulic functioning or soil constraints to root development. Generally speaking, it supports new visions of growth allocation in respect to forest resistance and resilience, connecting ecological and silvicultural approaches to physiological knowledge on the response of growth processes from living cells to signalling (mechanical signals or others in interaction).

CRediT authorship contribution statement

Jana Dlouha: Methodology, Data collection, Data analysis, Writing – original draft, Writing-review & editing. Pauline Défossez: Methodology, Data analysis. Joel HDK Jiazet: Data collection, Data analysis. François Ningre: Tree selection, Data collection, Writing – review & editing. Meriem

476 477	Fournier: Conceptualisation, Methodology, Writing - review & editing. Thiéry Constant: Conceptualisation, Methodology, Data collection, Data analysis, Writing – review & editing.
478	Declaration of Competing Interest
479 480	The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.
481	Data availability
482	Data will be made available on request.
483	Acknowledgements
484 485 486 487 488 489 490	Authors sincerely thank all members of SilvaTech plateform and Sylviculture Pole of SILVA laboratory, INRAE Grand-Est for the technical help on the field and during the stem and root samples characterisation. This work was funded as part of a PhD project by supported by "Région Grand Est" and the INRAE division ECODIV. This work was also supported by a grant overseen by the French National Research Agency (ANR) as part of the "Investissements d'Avenir" program (ANR-11-LABX-0002–01, Lab of Excellence ARBRE).
492	

493 References

- 494 Achim, A., Ruel, J.C., Gardiner, B.A., 2005a. Evaluating the effect of precommercial thinning on the resistance of balsam fir to windthrow through experimentation, modelling, and development of
- 496 simple indices. Can. J. For. Res. 35, 1844–1853. https://doi.org/10.1139/x05-130
- 497 Achim, A., Ruel, J.C., Gardiner, B.A., Laflamme, G., Meunier, S., 2005b. Modelling the
- vulnerability of balsam fir forests to wind damage. For. Ecol. Manage. 204, 35–50.
- 499 https://doi.org/10.1016/j.foreco.2004.07.072
- Albrecht, A., Hanewinkel, M., Bauhus, J., Kohnle, U., 2012. How does silviculture affect storm
- damage in forests of south-western Germany? Results from empirical modeling based on long-
- term observations. Eur. J. For. Res. 131, 229–247. https://doi.org/10.1007/s10342-010-0432-x
- Albrecht, A.T., Fortin, M., Kohnle, U., Ningre, F., 2015. Coupling a tree growth model with storm
- damage modeling Conceptual approach and results of scenario simulations. Environ. Model.
- 505 Softw. 69, 63–76. https://doi.org/https://doi.org/10.1016/j.envsoft.2015.03.004
- Bonnesoeur, V., Constant, T., Moulia, B., Fournier, M., 2016. Forest trees filter chronic wind-signals
- to acclimate to high winds. New Phytol. 210, 850–860. https://doi.org/10.1111/nph.13836
- Bonnesoeur, V., Fournier, M., Bock, J., Badeau, V., Fortin, M., Colin, F., 2013. Improving statistical
- windthrow modeling of 2 Fagus sylvatica stand structures through mechanical analysis. For.
- 510 Ecol. Manage. 289, 535–543. https://doi.org/10.1016/j.foreco.2012.10.001
- Brudi, E., Wassenaer, P., 2001. Trees and statics: nondestructive failure analysis., in: Thomas ES,
- K.D. (Ed.), Tree Structure and Mechanics Conference Proceedings: How Trees Stand up and
- Fall down. International Soc. of Arboriculture. pp. 53–69.
- Constant, T., Bonnesoeur, V., Chaumet, M., Ningre, F., Farré, E., Fournier, M., Moulia, B., 2018.
- Disentangling the effects of mechanical stimulations in the tree growth response after thinning:
- First results of an experiment carried out in a beech stand, in: 9th International Plant
- Biomechanics Conference, August 9-14. Montreal, Canada.
- Coutts, M.P., 1986. Components of Tree Stability in Sitka Spruce on Peaty Gley Soil. For. An Int. J.
- For. Res. 59, 173–197. https://doi.org/10.1093/forestry/59.2.173
- 520 Coutts, M.P., Nielsen, C.C.N., Nicoll, B.C., 2000. The development of symmetry, rigidity and
- anchorage in the structural root system of conifers, in: Stokes, A. (Ed.), The Supporting Roots of
- Trees and Woody Plants: Form, Function and Physiology. Springer Netherlands, Dordrecht, pp.
- 523 3–17. https://doi.org/10.1007/978-94-017-3469-1 1
- 524 Cremer, K.W., Borough, C.J., McKinell, F.H., Carter, P.R., 1982. Effects of stkocing and thinning on
- widn damage in plantations. New Zeal. J. For. Sci. 12, 244–268.
- 526 Cucchi, V., Meredieu, C., Stokes, A., Berthier, S., Bert, D., Najar, M., Denis, A., Lastennet, R., 2004.
- Root anchorage of inner and edge trees in stands of Maritime pine (Pinus pinasterAit.) growing
- in different podzolic soil conditions. Trees 18, 460–466. https://doi.org/10.1007/s00468-004-
- 529 0330-2
- Defossez, P., Rajaonalison, F., Bosc, A., 2022. How wind acclimation impacts Pinus pinaster growth
- in comparison to resource availability. FORESTRY 95, 118–129.
- https://doi.org/10.1093/forestry/cpab028
- Detter, A., Rust, S., Krišāns, O., 2023. Experimental Test of Non-Destructive Methods to Assess the
- Anchorage of Trees. Forests 14. https://doi.org/10.3390/f14030533

- Dlouhá, J., Ruelle, J., Constant, T., Ningre, F., Fournier, M., 2023. Beech poles do not produce
- flexure wood after mechanical stimulation: how size and allometry changes the strategy to resist
- 537 the wind load. Prep.
- Dongmo Keumo Jiazet, J.H., 2022. Acclimation of trees to increased wind loads following thinning
- in a Beech stand. AgroParisTech.
- Dongmo Keumo Jiazet, J.H., Dlouha, J., Fournier, M., Moulia, B., Ningre, F., Constant, T., 2022. No
- matter how much space and light are available, radial growth distribution in Fagus sylvatica L.
- trees is under strong biomechanical control. Ann. For. Sci. 79. https://doi.org/10.1186/s13595-
- 543 022-01162-8
- Dupuy, L.X., Fourcaud, T., Lac, P., Stokes, A., 2007. A generic 3d finite element model of tree
- anchorage integrating soil mechanics and real root system architecture. Am. J. Bot. 94, 1506–
- 546 1514. https://doi.org/10.3732/ajb.94.9.1506
- Gardiner, B., Byrne, K., Hale, S., Kamimura, K., Mitchell, S.J., Peltola, H., Ruel, J.-C., 2008. A
- review of mechanistic modelling of wind damage risk to forests. Forestry 81, 447–463.
- 549 https://doi.org/10.1093/forestry/cpn022
- Gardiner, B., Peltola, H., Kellomaki, S., 2000. Comparison of two models for predicting the critical
- wind speeds required to damage coniferous trees. Ecol. Modell. 129, 1–23.
- 552 https://doi.org/10.1016/S0304-3800(00)00220-9
- Hale, S.E., Gardiner, B.A., Wellpott, A., Nicoll, B.C., Achim, A., 2012. Wind loading of trees:
- influence of tree size and competition. Eur. J. For. Res. 131, 203–217.
- 555 https://doi.org/10.1007/s10342-010-0448-2
- James, K., Hallam, C., Spencer, C., 2013. Tree stability in winds: Measurements of root plate tilt.
- Biosyst. Eng. 115, 324–331. https://doi.org/https://doi.org/10.1016/j.biosystemseng.2013.02.010
- Jonsson, M.J., Foetzki, A., Kalberer, M., Lundstroem, T., Ammann, W., Stoeckli, V., 2006. Root-soil
- rotation stiffness of Norway spruce (Picea abies (L.) Karst) growing on subalpine forested
- slopes. Plant Soil 285, 267–277. https://doi.org/10.1007/s11104-006-9013-7
- Kamimura, K., Gardiner, B.A., Koga, S., 2017. Observations and predictions of wind damage to
- Larix kaempferi trees following thinning at an early growth stage. FORESTRY 90, 530–540.
- 563 https://doi.org/10.1093/forestry/cpx006
- Kneeshaw, D., Williams, H., Nikinmaa, E., Messier, C., 2002. Patterns of above- and below-ground
- response of understory conifer release 6 years after partial cutting. Can. J. For. Res. 32, 255–
- 566 265. https://doi.org/10.1139/X01-190
- 567 López, B.C., Sabate, S., Gracia, C.A., 2003. Thinning effects on carbon allocation to fine roots in a
- Quercus ilex forest. Tree Physiol. 23, 1217–1224. https://doi.org/10.1093/treephys/23.17.1217
- Lundstrom, T., Jonsson, M.J., Kalberer, M., 2007. The root-soil system of Norway spruce subjected
- to turning moment: resistance as a function of rotation. Plant Soil 300, 35–49.
- 571 https://doi.org/10.1007/s11104-007-9386-2
- Mitchell, S.J., 2000. Stem growth responses in Douglas-fir and Sitka spruce following thinning:
- implications for assessing wind-firmness. For. Ecol. Manage. 135, 105–114.
- 574 https://doi.org/http://dx.doi.org/10.1016/S0378-1127(00)00302-9
- Moulia, B., Coutand, C., Julien, J.-L., 2015. Mechanosensitive control of plant growth: bearing the
- load, sensing, transducing, and responding. Front. Plant Sci. 6, 52.

- Nicoll, B., Achim, A., Crossley, A., Gardiner, B., Mochan, S., 2009. The effects of spacing on root anchorage and tree stability. Scottish For. 63, 32–36.
- Nicoll, B.C., Connolly, T., Gardiner, B.A., 2019. Changes in Spruce Growth and Biomass Allocation Following Thinning and Guying Treatments. Forests 10, 253.
- Nicoll, B.C., Dunn, A.J., 2000. The effects of wind speed and direction on radial growth of structural
- roots, in: Stokes, A. (Ed.), The Supporting Roots of Trees and Woody Plants: Form, Function
- and Physiology. Springer Netherlands, Dordrecht, pp. 219–225. https://doi.org/10.1007/978-94-
- 584 017-3469-1 21
- Nicoll, B.C., Gardiner, B.A., Peace, A.J., 2008. Improvements in anchorage provided by the
- acclimation of forest trees to wind stress. FORESTRY 81, 389–398.
- 587 https://doi.org/10.1093/forestry/cpn021
- Nicoll, B.C., Gardiner, B.A., Rayner, B., Peace, A.J., 2006. Anchorage of coniferous trees in relation
- to species, soil type, and rooting depth. Can. J. For. Res. Can. Rech. For. 36, 1871–1883.
- 590 https://doi.org/10.1139/X06-072
- Nicoll, B.C., Ray, D., 1996. Adaptive growth of tree root systems in response to wind action and site conditions. TREE Physiol. 16, 891–898.
- Pang, Y., Tian, J., Yang, H., Zhang, K., Wang, D., 2022. Responses of Fine Roots at Different Soil
- Depths to Different Thinning Intensities in a Secondary Forest in the Qinling Mountains, China.
- 595 BIOLOGY-BASEL 11. https://doi.org/10.3390/biology11030351
- Peltola, H.M., 2006. Mechanical stability of trees under static loads. Am. J. Bot. 93, 1501–1511.
- 597 https://doi.org/10.3732/ajb.93.10.1501
- 598 R Core Team, 2020. R: A Language and Environment for Statistical Computing.
- 599 https://doi.org/10.1038/sj.hdy.6800737
- Rudnicki, M., Meyer, T.H., Lieffers, V.J., Silins, U., Webb, V.A., 2008. The periodic motion of
- lodgepole pine trees as affected by collisions with neighbors. Trees 22, 475–482.
- 602 https://doi.org/10.1007/s00468-007-0207-2
- Ruel, J.C., Larouche, C., Achim, A., 2003. Changes in root morphology after precommercial thinning
- in balsam fir stands. Can. J. For. Res. Can. Rech. For. 33, 2452–2459.
- 605 https://doi.org/10.1139/X03-178
- Stokes, A., 2000. The supporting roots of trees and woody plants: form, function and physiology.
- Kluwer Academic Publishers, Dordrecht, Netherlands.
- Telewski, F.W., 2006. A unified hypothesis of mechanoperception in plants. Am. J. Bot. 93, 1466–
- 609 1476. https://doi.org/10.3732/ajb.93.10.1466
- 610 Urban, S.T., Lieffers, V.J., Macdonald, S.E., 1994. Release in radial growth in the trunk and
- structural roots of white spruce as measured by dendrochronology. Can. J. For. Res. Can. Rech.
- 612 For. 24, 1550–1556. https://doi.org/10.1139/x94-202
- Valinger, E., Fridman, J., 2011. Factors affecting the probability of windthrow at stand level as a
- result of Gudrun winter storm in southern Sweden. For. Ecol. Manage. 262, 398–403.
- https://doi.org/10.1016/j.foreco.2011.04.004
- Vincent, M., Krause, C., Zhang, S.Y., 2009. Radial growth response of black spruce roots and stems
- to commercial thinning in the boreal forest. FORESTRY 82, 557–571.

618	https://doi.org/10.1093/forestry/cpp025
619 620	Wallentin, C., Nilsson, U., 2014. Storm and snow damage in a Norway spruce thinning experiment in southern Sweden. FORESTRY 87, 229–238. https://doi.org/10.1093/forestry/cpt046
621 622 623	Webb, V.A., Rudnicki, M., Muppa, S.K., 2013. Analysis of tree sway and crown collisions for managed Pinus resinosa in southern Maine. For. Ecol. Manage. 302, 193–199. https://doi.org/10.1016/j.foreco.2013.02.033
624 625 626	Yang, M., Defossez, P., Danjon, F., Fourcaud, T., 2018. Analyzing key factors of roots and soil contributing to tree anchorage of Pinus species. TREES-STRUCTURE Funct. 32, 703–712. https://doi.org/10.1007/s00468-018-1665-4
627 628 629	Yang, M., Defossez, P., Dupont, S., 2020. A root-to-foliage tree dynamic model for gusty winds during windstorm conditions. Agric. For. Meteorol. 287. https://doi.org/10.1016/j.agrformet.2020.107949
630	