

Tire and road wear particles in infiltration pond sediments: Occurrence, spatial distribution, size fractionation and correlation with metals

Tiago De Oliveira, Du Phuc Tho Dang, Maxime Chaillou, Sampriti Roy, Nadège Caubrière, Martin Guillon, Martin Guillon, David Mabilais, Sophie Ricordel, Liliane Jean-Soro, et al.

▶ To cite this version:

Tiago De Oliveira, Du Phuc Tho Dang, Maxime Chaillou, Sampriti Roy, Nadège Caubrière, et al.. Tire and road wear particles in infiltration pond sediments: Occurrence, spatial distribution, size fractionation and correlation with metals. Science of the Total Environment, 2024, 955, pp.176855. 10.1016/j.scitotenv.2024.176855. hal-04741138

HAL Id: hal-04741138 https://hal.science/hal-04741138v1

Submitted on 17 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1 <u>Title</u>

2 Tire and road wear particles in infiltration pond sediments: Occurrence, spatial distribution,
3 size fractionation and correlation with metals

4

5 <u>Authors</u>

- 6 Tiago De Oliveira^{1*}, Du Phuc Tho Dang¹, Maxime Chaillou¹, Sampriti Roy¹, Nadège
- 7 Caubrière¹, Martin Guillon¹, David Mabilais¹, Sophie Ricordel¹, Liliane Jean-Soro¹, Béatrice
- 8 Béchet¹, Bogdan Muresan Paslaru², Laurence Poirier³, Johnny Gasperi¹
- 9 ¹ Univ Gustave Eiffel, GERS-LEE, F-44344 Bouguenais, France
- 10 ² Univ Gustave Eiffel, AME-EASE, F-44344 Bouguenais, France
- ³ Nantes Université, ISOMer, F-44000 Nantes, France
- 12
- 13 *Corresponding author: T. De Oliveira, Allée des Ponts et Chaussées, F-44344 Bouguenais,

14 France

15 Email address: tiago.de-oliveira@univ-eiffel.fr

16 Highlights

- 17 The TRWP footprint in infiltration pond sediments is assessed by Pyr-GC-MS.
- 18 Infiltration pond sediments are contaminated in TRWP up to 65 mg/g.
- 19 The TRWP-metals correlation suggests TRWP's role as a metal indicator.
- 20 Infiltration ponds prove to be efficient in retaining TRWP.
- 21

22 Graphical abstract

Are stormwater systems efficient in retaining TRWP? Case of an infiltration pond

TRWP contamination of the sediment

TRWP analysis



23

24 Abstract

25 Stormwater systems, such as infiltration ponds or basins, play a critical role in managing runoff 26 water and reducing particulate pollution loads in downstream environments through 27 decantation. Road runoff carries several pollutants, including trace metals and tire and road 28 wear particles (TRWP). To improve our understanding of infiltration ponds as regards TRWP 29 and their capacity to reduce TRWP loads, we have studied the occurrence, spatial distribution 30 and size distribution of TRWP, as well as their relationship with metals, in considering the input 31 of metals as tire additives, in the sediments of an infiltration pond located along the Nantes 32 urban ring road (Western France), which happens to be a high-traffic roadway site. The 33 sediment was analyzed using pyrolysis coupled with gas chromatography-mass spectrometry 34 to determine the polymeric content of tires, specifically in quantifying the styrene-butadiene rubber (SBR) and butadiene rubber (BR) pyrolytic markers. By applying an SBR + BR-to-35 36 TRWP conversion factor, the results showed significant TRWP contamination, up to 65 mg/g, 37 with a spatial enrichment from the entrance to the overflow section of the pond. Size 38 fractionation revealed a bimodal distribution, indicating two distinct types of TRWP. The first 39 type is characterized by small diameters (63-160 µm), suggesting the presence of TRWP less 40 integrated with mineral and organic particles. The second type, characterized by larger 41 diameters (200-500 μ m), suggests a more pronounced integration with these same mineral and 42 organic particles. A significant positive correlation between TRWP and metals (As, Cd, Cr, Cu, 43 Li, Mo, Ni, Sb, V, Zn) was found (r > 0.739, p < 0.05). This correlation implies that TRWP 44 and/or their associated phases may act as an indicator of metal contamination in the pond 45 sediments. Lastly, a mass balance between TRWP inputs and the amount retained in the 46 sediments underscores the role of infiltration ponds as "sinks" for TRWP.

47 <u>Keywords</u>: Stormwater management, sediment pollution, tire and road wear particles, trace
48 metals, pyrolysis-GC-MS.

49 <u>1. Introduction</u>

50 At present, the literature quite frequently states that efficient stormwater management has 51 become a major challenge. For the past several decades, Sustainable Drainage Systems (SuDS) 52 have been implemented in sensitive areas, particularly urban ones (Wei et al. 2023). Within this category of stormwater management systems, among the most widespread types of 53 54 infrastructure are retention and infiltration ponds or infiltration basins. Although "infiltration 55 pond" and "infiltration basin" refer to the same infrastructure, the term "infiltration pond" will 56 be preferred in this manuscript. These infrastructures play a critical role in not only regulating 57 stormwater flows, in some cases allowing aquifers to be recharged, but also reducing pollutant 58 loads into downstream environments, mostly through decantation, photooxidation or biodegradation (Dang et al. 2023). 59

The runoff collected from road surfaces contains several categories of pollutants, including metals, organic micropollutants and microplastics, most of which head towards SuDS infrastructure. Numerous studies have provided valuable insights into the presence of metals in sediment from SuDS, thereby highlighting their significant accumulation and the need for more tailored management strategies aimed at the removal of contaminated sediments (Allen *et al.* 2017; Clozel *et al.* 2006; El-Mufleh *et al.* 2014; Heal *et al.* 2006; Humphrey *et al.* 2023; Tedoldi *et al.* 2017).

More recently, studies have been increasingly focused on both macroplastics and microplastics in SuDS, in light of the evidence of their ubiquity and high load in urban runoff (García-Haba *et al.* 2023; Ledieu *et al.* 2022; Werbowski *et al.* 2021). Polyethylene, polypropylene, polyester, acrylic, polyamide and polystyrene have emerged as the most abundant polymers, typically assessed via Fourier-transform infrared spectroscopy, with concentrations ranging from a few items per kg of infiltration pond sediment to 10⁶ items/kg (Koutnik *et al.* 2022). Reviews conducted by García-Haba *et al.* (2023) and Österlund *et al.* (2023) on this topic suggest that
SuDS effectively mitigate, by means of decantation, the release of microplastics to downstream
environments, thus acting as sinks for these materials.

76 Studies performed on infiltration ponds with respect to metal contaminants were found to be 77 well documented compared to the studies on macroplastic and microplastic particles. Within 78 the microplastic category and considering that elastomers are included in the definition of 79 microplastics, tire and road wear particles (TRWP) have been, until recently, even less 80 extensively studied. TRWP are formed by the aggregation of tire particles (mainly constituted 81 by a polymeric fraction of styrene-butadiene rubber (SBR) and butadiene rubber (BR)) and 82 abraded road materials, which are recognized as a major source and pathway for microplastics 83 into the environment (Kole et al. 2017). These "heteroaggregates" are being continuously generated by road traffic, with an estimated annual mass emission per capita ranging from 0.2 84 85 to 5.5 kg (Baensch-Baltruschat et al. 2020). More specifically, the majority of the emitted 86 TRWP (i.e. > 99%) occurs at the road surface, with a dispersion primarily ascribed to runoff 87 into the environment (De Oliveira et al. 2024).

88 Consequently, road dust is highly concentrated in TRWP, hence leading to prolonged 89 impregnation of soils and sediments in the proximity of highways and roads within urban areas. 90 Such areas are characterized by TRWP concentrations ranging from a few to hundreds of grams 91 of TRWP per kilogram of soil or sediment matrices (Eisentraut et al. 2018; Federico et al. 2023; 92 Goßmann et al. 2021; Mengistu et al. 2021; Rødland et al. 2022; Unice et al. 2012). Given the 93 occurrence of TRWP in the urban environment, their presence raises considerable concerns for 94 several reasons, including: i) the simultaneous diffusion of a hazardous mix into diverse 95 environmental compartments (Järlskog et al. 2022; Zhu et al. 2024); ii) the ecotoxicological 96 effects of the many additives and other compounds constituting TRWP, encompassing both 97 organic and inorganic additives, which have been identified as highly toxic to organisms 98 (Capolupo *et al.* 2020; Dudefoi *et al.* 2024; Jiang *et al.* 2023; Li *et al.* 2024; Müller *et al.* 2022;
99 Page *et al.* 2022; Peng *et al.* 2022; Roubeau Dumont *et al.* 2023; Tian *et al.* 2021; Yang *et al.*100 2022); and iii) the lack of a quantitative understanding of TRWP aging processes, with the
101 release of chemicals through leachate over time (Wagner *et al.* 2022).

102 Up until now, only a few studies have assessed the occurrence of TRWP within the sediment 103 of the most strategic and widespread urban infrastructure; moreover, they have revealed an 104 accumulation ranging up to hundreds of milligrams of TRWP per gram of dried sediment 105 (Eisentraut et al. 2018; Gaggini et al. 2024; Klöckner et al. 2019; Ziajahromi et al. 2023). 106 However, none of these studies has ever evaluated the effectiveness of stormwater systems in 107 reducing TRWP contamination or actually proposed some keys to managing the contaminated 108 sediments. If sediment management and its removal were to be neglected, then the intended 109 purpose of SuDS would become obsolete, in potentially transforming the SuDS from sinks into 110 sources of pollution (Humphrey et al. 2023). Hence, understanding the quality of sediments 111 becomes imperative to optimizing the operational efficiency of SuDS (Färm, 2002).

112 To gain new insight into the fate of TRWP within infiltration ponds and infiltration ponds' 113 ability to reduce the TRWP discharge into aquatic ecosystems, we have explored herein for the 114 very first time: i) the contamination footprint of TRWP (including occurrence, spatial 115 distribution and particle size fractionation) within the sediment of an infiltration pond located 116 near the Nantes urban ring road (Western France); ii) the relationship between TRWP and 117 metals, since metals are used as tire additives and may also originate from other vehicular and 118 road wear sources, thus suggesting that TRWP may act as a pathway for metal pollution; and 119 iii) the role of an infiltration pond in mitigating TRWP contamination by assessing the mass 120 balance between TRWP inputs and the amount retained in the sediments. Our analysis has 121 focused on the synthetic rubber content of tires (specifically SBR and BR) by using pyrolysis 122 coupled with gas chromatography-mass spectrometry (Pyr-GC-MS). On the whole, we are

expecting that the data acquired will contribute to improving those management practices aimedat reducing pollutant discharge into the downstream environment.

125 **<u>2. Materials and Methods</u>**

126 2.1 Sampling site

127 The studied site is an infiltration pond (Fig. 1), located in the city of Nantes (Western France, 128 47°11'05''N, 1°36'51''W), designed to receive runoff from the southern section of the Cheviré 129 Bridge (location of the infiltration pond is available in the Appendix, Figures SI-1). This section 130 encompasses 0.8 km of the total 1.6 km length of the bridge, covering a drainage area of 2.2 ha 131 of impervious asphalt. The Cheviré Bridge is a component of the N844 ring road crossing the 132 Loire River characterized by: three lanes in both directions, a 70 km/h speed limitation, and the 133 capacity to carry heavy traffic with an annual traffic count reaching approximately 100,000 134 vehicles per day in 2019, of which 10% were heavy vehicles (Dang et al. 2023). The average 135 daily traffic during the study period, from July 2020 to March 2021, was measured at 88,500 136 vehicles. The pond's unique drainage surface and design make it exceptionally well suited for 137 a case study focusing on road runoff assessment.



138

Figure 1: Photograph of the studied infiltration pond. The inlet is located on the left side ofthe pond. A close-up of the overflow is shown in the bottom right corner.

The runoff drainage system includes zinc gutters, polyvinyl chloride pipes and concrete pipes, all of which facilitate the transport of runoff from the bridge to the infiltration pond. The pond was commissioned in April 1991, at the same time as the bridge. Over the years, the accumulation of sediment and the proliferation of dense vegetation prompted the first complete cleaning of the pond on July 21, 2020. The sediment deposit covers an area of 610 m². The substrate beneath the pond sediments is mainly composed of silty sand, over the first 4 meters, and clay-silt sand alluvium from 4 to 30 meters.



Figure 2: Location of the sampling points and topography of the infiltration pond. The 159 topography is represented by the light red lines. Values are expressed in meters, with the 160 161 reference level located at the soil surface. The surface of the pond was divided into three 162 sections (entrance, middle, overflow) and three areas (1, 2, 3). The inlet is positioned in the 163 top left part of the pond, while the overflow is located at the bottom right. The solid-line 164 arrow represents the primary runoff path from the inlet during light to moderate rain events, and the dotted arrows indicate the secondary path during heavy rain events. The primary and 165 secondary flow paths were identified through in situ observations. The first sections impacted 166 by rain events are the overflow and middle sections, in areas 2 and 3, followed by the 167 168 entrance section and area 1.

The absence of an impermeable layer at the pond's bottom makes it permeable to runoff, thus enabling relatively rapid infiltration. The pond typically empties within 2 to 4 days into the substratum (El-Mufleh *et al.* 2014). However, in cases where the runoff volume surpasses the pond's capacity, a downstream overflow facilitates the direct discharge of excess water into the Loire River. The flow of runoff into the infiltration pond, and consequently its filling, is influenced by both the topography and the intensity and duration of rainfall events (Fig. 2).

175 **2.2 Sediment sampling**

176 The sampling step was conducted on March 25, 2021 when the pond was dry, following an 8-177 month period of sediment accumulation within the infiltration pond. The pond's surface was 178 delineated into three sections: entrance, middle, and overflow, with further division into three 179 specific areas (Fig. 2). The sediment layer thickness was measured at approximately 1 cm 180 within the entrance section and 2 cm within the overflow section. Pond depth was found to be 181 -1.80 m at the entrance and -2.30 m at the overflow. The sediment samples were collected at 182 random from a surface area measuring 33 x 35 cm at a depth corresponding to the sediment 183 thickness (i.e. 1 to 2 cm) for each defined sampling point, in utilizing a stainless-steel hand 184 shovel. Subsequently, the sediments were air-dried and stored in polyethylene bottles.

185 **2.3 Metals and their physicochemical analysis**

The samples designated for metals, grain size distribution and organic matter content analysis underwent a pretreatment protocol in accordance with the ISO 11464 (2006) Standard. The dried samples were sieved using a 2-mm nylon sieve. For the metals analysis, the samples were subjected to grinding and dissolution processes, as specified in the ISO 14869-1 (2001) Standard. 0.5 g of the ground sediment were calcinated at 450°C. Subsequently, 10 mL of HF (47-51%) and 3.5 mL of HClO₄ (65%) were added. The resulting suspension was heated at 160°C until complete evaporation. After cooling, the dry residue was exposed to 1 mL of HNO₃ 193 for 30 minutes, followed by the addition of 20 mL of ultra-pure water. The mixture was then 194 heated again at 80°C for 1 hour. After a second cooling, the mineralized solution was transferred 195 to a 100-mL glass volumetric flask through a Whatman No. 40 filter. The solutions were stored 196 in polyethylene flasks in a refrigerator at 4°C before analysis.

197 The analysis was conducted using inductively coupled plasma-mass spectrometry and optical 198 emission spectroscopy, with the 8900 Triple Quadrupole from Agilent Technologies, Inc. 199 (California, USA) and the 720-ES from Varian, Inc. (parent company: Agilent Technologies, 200 Inc.). The samples underwent triplicate analysis, in targeting: arsenic (As), cadmium (Cd), 201 chromium (Cr), copper (Cu), lithium (Li), molybdenum (Mo), nickel (Ni), antimony (Sb), 202 vanadium (V), and zinc (Zn) elements in accordance with the ISO 11885 (2007) Standard 203 (further details regarding the limits of quantification are provided in Table SI-1). An enrichment 204 factor (EF) was calculated according to both Equation 1 and the thresholds (i.e. minor EF 1-3, 205 moderate EF 3-5, moderate-severe EF 5-10, severe EF 10-25, very severe EF 25-50 and 206 extremely severe EF > 50) proposed in the Rødland *et al.* study (2023).

Equation 1:
$$EF = \frac{M_s}{M_b}$$

where M_s denotes the concentration of the targeted metal element M analyzed in the sample from the infiltration pond sediment, in mg/kg, and M_b the concentration of element M corresponding to the value of the geochemical background obtained from a sample extracted from the edge of the infiltration pond, in mg/kg.

A sediment granulometry assessment was performed using a Mastersizer 3000 from Malvern Panalytical (Palaiseau, France); these results are presented with respect to the median diameter (d₅₀). The organic matter (OM) content was assessed as per the EN 15935 (2021) Standard, with these results being expressed in percentage terms. In addition, exploratory scanning electron microscopy (SEM) analyses were performed on the infiltration pond sediment to provide more detailed information on the heteroaggregates, comprising TRWP and metal
components. The analyses were performed using an SU5000 microscope from Hitachi Energy
(Zurich, Switzerland) in combination with an X-Flash detector 4010 from Bruker Nano (Berlin,
Germany) for energy dispersive X-ray spectroscopy (SEM-EDX).

220 2.4 TRWP analysis

221 Prior to conducting the Pyr-GC-MS analysis, raw samples were dried at 105°C for 24 hours, in 222 following the recommendations found in ISO 7270-1 (2017), and then sieved at 500 µm using 223 a stainless-steel sieve to remove the large items. For the size fractionation analysis, the samples 224 were fractioned by means of vibratory sieve separation on dry sediment into five fractions 225 between < 36 μ m and 500 μ m (i.e. < 36, 36-63, 63-160, 160-200, 200-500 μ m) using the 226 Analysette 3 SPARTAN from FRITSCH (Idar-Oberstein, Germany). The samples were stored 227 in calcinated glass vials at room temperature. The Pyr-GC-MS analyses were then conducted 228 using a multi-shot pyrolyzer EGA/PY-3030D, equipped with an auto-shot sampler (AS-1020E) 229 from FrontierLab (Fukushima, Japan). The pyrolyzer, set at 600°C, was coupled with the 8890 230 gas chromatography and the 5977B mass spectrometer from Agilent Technologies, Inc. 231 (California, USA). More detailed information is provided in Table SI-2.

232 For the quantification of SBR and BR in the sediment samples, two specific pyrolysis products, 233 namely 4-vinylcyclohexene (4-VCH) and 4-phenylcyclohexene (4-PCH), were selected 234 according to our method, as presented in De Oliveira et al. (2024). The quantification of 4-VCH 235 and 4-PCH was based on m/z = 54 and 104 Da, respectively. Methodological details, including 236 preparation of the standard SBR solution in CHCl₃, preparation and use of the d-SBR solution 237 as an internal deuterated standard, calibration curve, establishment of the SBR/d-SBR ratio for 238 quantification along with information on the repeatability of standard solutions, can be found 239 in the referenced study (De Oliveira et al. 2024). The analysis of multiple specific blanks (i.e. 240 no cup, cup only, cup + CHCl₃, cup + SiO₂) showed no SBR or BR contamination. The 241 correlation coefficient of the calibration line equaled 0.998, while the limit of quantification 242 was determined to be 5 μ g SBR/g. Approximately 3 mg of sediment were weighed in pyrolysis 243 cups using the Mettler Toledo AB265-S/FACT balance and a stainless-steel spatula.

244 Also, 1.27 µg of the internal standard d-SBR in solution were introduced into each cup along 245 with the sediment sample. All samples underwent triplicate analysis, with a signal-to-noise ratio 246 of both targeted markers exceeding 10 and a variability of less than 9%. The variability of the 247 internal standards markers was calculated at 7%. Three control samples (i.e. 1.10 µg SBR + 248 2.50 mg SiO₂) were analyzed within the sediment sample sequence. The recovery calculation 249 yielded 94 \pm 8%. Results in this study are expressed in terms of mass of SBR + BR or TRWP 250 per mass of dry sediment. The latter parameter is obtained using a median SBR + BR-to-TRWP 251 conversion factor of 9.12, which encompasses both the minimum and maximum of mineral 252 encrustment and SBR content in TRWP (Kreider et al. 2010; Rauert et al. 2021; Sommer et al. 253 2018; Unice et al. 2012).

Furthermore, the pond's theoretical effectiveness in retaining TRWP was evaluated by estimating both the inflow of TRWP into the pond and the total amount retained in the sediment using Equations 2 and 3, respectively.

Equation 2: $TRWP_{inflow} = TWL \times W \times T \times t \times d$

where $TRWP_{inflow}$ represents the inflow of TRWP (mg) into the pond for the considered period. TWL represents the driving wheel rate of the tire weight loss specific to the ring road that is connected to the infiltration pond (mg/km). W denotes the driving wheel contribution factor to the emission that accounts for all tires on a vehicle. Also, T is the traffic density (vehicle/day), t the time frame considered for the study (days), and d the drained road distance of the southern section of Cheviré's bridge connected to the infiltration pond (km). Equation 3: $TRWP_{retained} = (SBR + BR) \times C_f \times S \times Th \times \rho$

263 where TRWP_{retained} represents the amount of TRWP (mg) retained in the sediment of the 264 infiltration pond. SBR + BR represents the concentration of the synthetic SBR and BR polymers quantified within the sediment at each sampling point (mg/g). Moreover, C_f is the 265 mean SBR + BR-to-TRWP conversion factor of 9.12, as obtained from the literature (Klöckner 266 267 et al. 2021; Kreider et al. 2010; Rauert et al. 2021; Sommer et al. 2018; Unice et al. 2012); S 268 the surface area of the considered section (m^2) ; Th the thickness of the sediment layer of the considered section (m); and ρ the sediment density (g/cm³) (Table SI 3 summarizes all these 269 270 data).

271 2.5 Statistical analysis

A statistical analysis of the data was performed using Microsoft Office Excel with the XLSTAT add-on and PAST, version 4.03. The assumption of a normal data distribution was assessed by means of the Shapiro-Wilk test. Additionally, Quantile-Quantile plots were employed to provide a qualitative visual assessment of the data. Both Pearson correlation coefficients and Spearman's rank correlation coefficients were calculated in order to assess the relationships between SBR + BR, OM and the metals variables, at a confidence level of 95%. The statistical significance p-value was set at 0.05.

279 3. Results and Discussion

280 **3.1 Occurrence and spatial distribution of SBR + BR**

The amount of observed SBR + BR ranges from $1.28 \pm 0.05 \text{ mg/g}$ at the entrance section (sample E₁) to $7.15 \pm 0.29 \text{ mg/g}$ at the overflow section (sample O₃) (Fig. 3). The median concentration calculated for the pond equals $2.99 \pm 0.12 \text{ mg/g}$. These values are of the same order of magnitude as those found by Eisentraut *et al.* (2018), i.e. 9.2 mg/g of SBR from 285 sediment samples of a treatment system for highway street runoff. When converted to TRWP 286 concentration, our data indicate that the sediment contains up to 65.21 ± 2.64 mg of TRWP per 287 gram. This measurement aligns, to a certain extent, with the findings of Klöckner et al. (2019), 288 who reported 130 ± 15 mg of TRWP per gram found in sediment from a highway runoff 289 treatment facility. The discrepancy between our results and those of Klöckner et al. can be 290 attributed to a higher dilution of TRWP levels within the sediment of the Cheviré pond as well 291 as the traffic volume: the highway in their study experienced 1.9 times greater vehicle flow than 292 the ring road investigated herein. Let's note that this increased traffic correlates with a TRWP 293 concentration twice as high.

294 Results revealed differential concentrations across the sections, in reflecting the specific spatial 295 distribution of SBR + BR within the pond. Median SBR + BR concentrations per section were 296 calculated to be: 2.06 ± 0.07 , 4.99 ± 0.21 and 7.05 ± 0.29 mg/g for the entrance, middle and 297 overflow sections respectively, thus representing a 3.4-fold increase from entrance to overflow. 298 The variations in concentration are not only observed between different sections but also within 299 the same section. More specifically, the enrichment levels of SBR + BR in areas 2 and 3 were 300 on average 2.45 times higher than those in area 1 across all pond sections, which would suggest 301 that samples from areas 2 and 3 were likely positioned near or at the main inflow of runoff from 302 the inlet and thus closer to or at the main sediment accumulation zone. As a result, area 1 across 303 all sections, by virtue of lying further from the source of road dust runoff, exhibits lower 304 concentrations of SBR + BR.

To further refine the spatial distribution of SBR + BR and better understand their variability, the pond's topography was examined as a potential explanatory factor. Topography is key to shaping the sedimentary dynamics of a pond. The topographic analysis revealed a gradual increase in depth from the entrance to the overflow section, with recorded depths of -1.80 m and -2.30 m, respectively. 310 This deepening suggests a greater accumulation of materials within the overflow section. The 311 sediment thickness aligns with the depth gradient, starting at approximately 1 cm in the entrance 312 section, increasing to approx. 2 cm in the overflow section, where water covers the sediment 313 for several days after rain events. The pond's topography and morphology influences both the 314 orientation and directional flow of runoff within the pond and moreover promotes the 315 accumulation and settling of TRWP in areas 2 and 3, specifically in the middle and overflow 316 sections, along the depth gradient. This assertion is corroborated by the findings for SBR + BR. 317 Also, the settling velocity of particles, which depends on their granulometry, plays a role in the 318 specific spatial distribution of SBR + BR and will be further discussed below.



Figure 3: Spatial distribution of the SBR + BR (median of replicates, in mg/g), as quantified in sediment samples (< 500 μ m) from the entrance (E₁, E₂, E₃ in orange), middle (M₁, M₂, M₃ in green) and overflow (O₁, O₂, O₃ in blue) sections, along with the topography (light red lines, values expressed in meters). The size of the circles is proportional to the amount of SBR + BR quantified in the sediments (a histogram representation of these results with error bars is provided in the Appendix, Figure SI-2).

336 **3.2 Size fractionation of SBR + BR**

337 The granulometry of the sediment and the size fractionation of SBR + BR content within the 338 sediment are two parameters critical to understanding both the fate and spatial distribution of 339 TRWP. A finer sediment was observed towards the overflow sections. The results of d₅₀ 340 averaged 104 ± 8 , 83 ± 16 and $70 \pm 18 \,\mu\text{m}$ at the entrance, middle and overflow sections, 341 respectively (Table SI-4). The granulometric dynamic can be attributed to two factors: i) the 342 inherent faster settling velocity of coarser particles at the inlet compared to finer particles; and 343 ii) the turbulence generated at the inlet by the inflow of runoff water, a phenomenon that varies 344 with rainfall intensity. The high turbulence conditions promote the remobilization of finer 345 materials, which are subsequently transported and deposited further in the middle and overflow 346 sections along the topography, while insufficiently affecting the transport of coarser materials, 347 which primarily settle in the entrance section (Clozel et al. 2006). This effect ultimately leads 348 to an enrichment of sands and gravels in the vicinity of the inlet, whereas finer particles become 349 more prevalent towards the overflow section (Färm, 2002; German and Svensson, 2005).

350 As regards the SBR + BR content, the grain size distribution would suggest that TRWP are 351 characterized by a finer granulometry in the overflow section, which is corroborated by a 352 significant negative Pearson correlation coefficient between SBR + BR and d₅₀ equal to -0.910 353 (p < 0.05). The analysis of SBR + BR mass proportions within each sediment size fraction, 354 spanning from $< 36 \,\mu\text{m}$ to 500 μm , extracted from the entrance, middle and overflow sections 355 has confirmed the evolution in d_{50} (Fig. 4). The data also reveal a trend similar to that of the 356 size fraction distribution of the sediments (Fig. SI 3). Comparing the finer sediment fraction 357 (i.e. $< 63 \mu$ m) from the entrance section to that of the overflow section reveals an increase in 358 the SBR + BR mass proportion.

More specifically, in the sediment size fraction below 36 μ m, the proportion rose from 11% to 19%, and in the 36-63 μ m size fraction, the increase was from 12% to 18%, thus suggesting an enrichment of the sediment with TRWP within a relatively similar size range (i.e. < 63 μ m). Conversely, for all sediment size fractions larger than 63 μ m, a decrease was recorded in the mass proportion of SBR + BR towards the overflow section, as a result of the granulometric dynamic discussed previously.

365 A closer examination of the size distribution reveals a similar pattern across all three sections, 366 which can be characterized by a bimodal distribution. The first mode, and the most prevalent 367 fraction, was centered around 63-160 μ m with a SBR + BR mass proportion of 40 ± 2%, 35 ± 368 2% and $33 \pm 2\%$ for the entrance, middle and overflow sections, while the second mode was 369 centered at 200-500 μ m with a SBR + BR mass proportion of 31 ± 2%, 17 ± 1% and 27 ± 2% 370 for the entrance, middle and overflow sections. Interestingly, the first mode aligns with the size 371 distribution of tire wear particles generated by a laboratory-scale model that simulates non-372 exhaust emissions, as reported by Kreider et al. (2010), ranging from 5 to 250 µm and 373 displaying a unimodal distribution centered at 100 µm. Note that Kovochich et al. (2021) 374 reported a similar distribution with an average TRWP size of 94 µm in tunnel dust samples. In 375 contrast however, they observed a coarser TRWP distribution, averaging 506 µm in the 376 sediment sample. The shift towards larger sizes observed in the tunnel dust samples, compared 377 to TRWP within sediment samples, was attributed by the authors to the aging process, which 378 includes aggregation with other environmental particles, such as minerals.

This process was assumed to be limited in tunnel dust but predominant in the sediment. Therefore, the bimodal distribution observed in our study may signify the presence of two distinct types of TRWP. The first and most predominant one is characterized by a smaller TRWP size and/or TRWP associated with a smaller sediment particle size, hence suggesting less aged and aggregated tire wear particles with a mineral fraction and, ultimately, with organic phases within the sediment. The second type results in an association with the formation of
larger heteroaggregates, featuring a higher mineral encrustation and thus falling in the coarser
fraction of 200-500 µm.



387

Figure 4: Mass proportion of SBR + BR (%) for approximately 3 mg of sample extracted
from the entrance (sample E₁), middle (sample M₂) and overflow (sample O₃) sections, in five
sediment particle size fractions (< 36, [36-63], [63-160], [160-200] and [200-500] μm).

391

392 3.3 Occurrence of metals

The metals targeted in our study are known to be contributors to roadway runoff pollution; they stem from vehicular and road wear sources such as engines, tires, brakes, asphalt and road markings (Adachi and Tainosho 2004; Adamiec *et al.* 2016; Allen *et al.* 2017; Grigoratos and Martini 2015; Järlskog *et al.* 2021; Kwak *et al.* 2013; Thorpe and Harrison 2008; Turner and Filella 2023; Zannoni *et al.* 2016). In considering the common sources, their distribution patterns are anticipated to be analogous to those of TRWP.

The results of the quantification of the selected metals in the sediment matrix lie within the 10^2 399 to 10^{-1} mg/kg of dry sample range (Table 1). The highest concentrations across all samples were 400 401 found for Zn with a median of 779 ± 8 mg/kg, followed by Cu (178 ± 1 mg/kg), Cr (61.2 ± 0.7 402 mg/kg), V (52.1 \pm 0.4 mg/kg), Sb (30.5 \pm 0.5 mg/kg), Li (25.1 \pm 0.2 mg/kg), Ni (24.6 \pm 0.2 403 mg/kg), As $(23.4 \pm 0.2 \text{ mg/kg})$, Mo $(3.46 \pm 0.07 \text{ mg/kg})$ and Cd $(0.53 \pm 0.01 \text{ mg/kg})$. Although 404 these values are broadly comparable to the levels of metals commonly found in similar SuDS 405 (e.g. hundreds of mg/kg for Zn and Cu, and a few tens of mg/kg for Cr and Li) (Allen et al. 406 2017; Heal et al. 2006; Tedoldi et al. 2017), significant discrepancies were nonetheless 407 observed.

408 These variations can be attributed to specific parameters of the stormwater system that govern 409 sediment contamination, such as the nature of the watershed surface (e.g. residential, industrial, 410 road), the water dynamics within the watershed (e.g. precipitation and road washing by 411 municipal services), the number of circulating vehicles, the dimensions and morphology of the 412 infrastructure, as well as the age of the sediment as determined by the frequency of 413 maintenance. Additionally, the technological advancements over time towards reducing the 414 overall emission of metals have also contributed to the discrepancies observed across these 415 studies.

The contamination levels of sediments in the infiltration pond were assessed by calculating the EF from a sample extracted at the edge of the pond, to serve as the geochemical background. The EFs indicate a minor enrichment for Cr, Li, Ni and V (EF from 1 to 3), a moderate to major enrichment for Cd (EF 5 to 10), a major enrichment for As, Cu, Mo and Zn (EF 10 to 25), and extreme enrichment for Sb (EF > 50) (further details are given in Table SI-5).

421
422

Table 1: Metal concentrations (mg/kg) found in the sediments of the infiltration pond and a geochemical background sample (M_b) extracted from the edge of the pond

	As	Cd	Cr	Cu	Li	Мо	Ni	Sb	V	Zn
Sample	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
E_1	19.65 ± 0.67	0.46 ± 0.02	45.12 ± 0.10	127.88 ± 1.04	20.32 ± 0.04	2.68 ± 0.13	19.38 ± 0.28	17.41 ± 0.10	41.78 ± 0.35	630.83 ± 4.73
E_2	17.99 ± 0.09	0.47 ± 0.01	48.12 ± 0.69	109.89 ± 0.17	20.19 ± 0.11	2.37 ± 0.03	20.06 ± 0.82	14.52 ± 1.30	40.17 ± 0.09	550.83 ± 2.68
E ₃	19.86 ± 0.74	0.49 ± 0.02	54.65 ± 0.96	140.33 ± 0.82	22.66 ± 0.11	2.53 ± 0.12	22.88 ± 0.18	19.54 ± 0.53	48.68 ± 0.51	720.98 ± 10.99
M ₁	18.24 ± 0.31	0.37 ± 0.01	41.80 ± 0.73	114.56 ± 3.33	21.68 ± 0.23	2.31 ± 0.06	19.81 ± 0.47	18.86 ± 0.21	39.22 ± 0.58	528.40 ± 8.03
M_2	23.61 ± 0.04	0.55 ± 0.01	61.21 ± 0.48	178.12 ± 0.03	25.11 ± 0.35	3.69 ± 0.04	24.57 ± 0.08	31.24 ± 0.15	52.10 ± 0.09	779.25 ± 3.18
M_3	26.73 ± 0.11	0.64 ± 0.01	68.81 ± 0.51	191.13 ± 1.86	26.39 ± 0.31	3.67 ± 0.04	27.36 ± 0.20	30.98 ± 0.88	58.11 ± 0.60	881.89 ± 10.51
O1	23.44 ± 0.23	0.53 ± 0.01	62.10 ± 1.18	185.58 ± 0.59	25.19 ± 0.11	3.46 ± 0.07	25.29 ± 0.01	30.49 ± 0.46	52.94 ± 0.13	805.34 ± 3.28
O_2	28.18 ± 0.23	0.68 ± 0.01	69.81 ± 0.97	255.65 ± 4.67	28.18 ± 0.33	4.80 ± 0.31	28.16 ± 0.19	34.44 ± 0.16	59.80 ± 0.36	1042.90 ± 14.77
O ₃	26.73 ± 0.23	0.78 ± 0.05	68.73 ± 2.33	224.43 ± 9.19	28.41 ± 0.52	4.08 ± 0.16	27.58 ± 0.92	33.51 ± 1.47	59.20 ± 1.74	1031.77 ± 38.74
Median	23.44 ± 0.23	0.53 ± 0.01	61.21 ± 0.73	178.12 ± 1.04	25.11 ± 0.23	3.46 ± 0.07	24.57 ± 0.20	30.49 ± 0.46	52.10 ± 0.36	779.25 ± 8.03
M_b	2.01 ± 0.11	0.09 ± 0.04	22.86 ± 0.47	12.66 ± 0.29	15.78 ± 0.02	0.30 ± 0.01	13.72 ± 0.12	0.47 ± 0.01	26.43 ± 0.29	66.07 ± 0.01

423

424 **3.4 SBR + BR to OM and metals correlation**

430

The distribution of OM content, originating from vegetation decay, microorganisms and anthropogenic sources, e.g. petroleum byproducts, in the Cheviré infiltration pond (Badin *et al.* 2009; Durand *et al.* 2005) ranged from 5.22% to 11.34% of the dry sample. Along with metals, this OM content shows an enrichment towards the overflow section, representing an average increase of 57% for OM and 63% for metals, respectively (Fig. 5).



Figure 5: Distribution of SBR + BR (median of replicate, in mg/g, $< 500 \mu$ m) and the relative abundance of OM (green diamonds), As, Cd, Cr, Cu, Li, Mo, Ni, Sb, V and Zn elements (< 2mm) (curves) for the entrance (E₁, E₂, E₃), middle (M₁, M₂, M₃) and overflow (O₁, O₂, O₃) sections. For the relative OM and metal abundance, sample E₁ (i.e. the lowest SBR + BR concentration) was set as the reference.

A similar trend had been previously identified in the study by Clozel *et al.* (2006). Notably, the Pearson correlation coefficient between OM and metals ranged from 0.857 to 0.960 (p < 0.05) (Table 2), which reinforces the significance of OM as a crucial carrier phase for metals in the sediment matrix. The distinctive features of OM, including its large specific area, abundant sorption sites involving hydroxyl and carboxyl functional groups, and affinity for metals through chemisorption and physisorption, further contribute to the adsorption process and thus

limit both the mobility of ionic elements and bioavailability of metallic compounds in the soil
or sediment matrix (He *et al.* 2019; Shi *et al.* 2018; Tedoldi *et al.* 2021). As a result, OM may
function as a metal reservoir in such matrices (Sebastia *et al.* 2008).

445 Moreover, TRWP could potentially function as a carrier phase for metals, as evidenced by the 446 significant positive correlation with SBR + BR. The Shapiro-Wilk test has confirmed the 447 assumption of a high probability of a normal distribution for each variable, with p-values > 0.05448 (Table SI 6). All Pearson and Spearman rank coefficients for a confidence level of 95% fell 449 below the 0.05 significance level, with values ranging from 0.739 to 0.824 and 0.720 to 0.945, 450 respectively, for As, Cd, Cr, Cu, Li, Mo, Ni, Sb, V and Zn (Table 2, further details regarding 451 Spearman's rank correlation coefficients and Quantile-Quantile plots for the qualitative 452 assessment are provided in Table SI 7 and Figure SI 4). Rødland et al. (2023) first sought to 453 correlate tire wear particles (as quantified by pyrolysis-GC-MS) with Zn, Ni, Pb, Cr, Cu and 454 As metals using soil matrices from nearby roads.

455 Though surprising, these results showed no significant correlation between tire wear particles 456 and the targeted metals, in a finding similar to that of Unice et al.'s (2013) correlations between 457 TRWP from river sediment and brake wear-related metals (i.e. Cu, Pb and Zn). The authors 458 attributed this lack of correlation to the presence of multiple metal sources, different particle 459 transport mechanisms and a higher background level of metals in the matrix. The significant 460 positive correlation identified in our study between SBR + BR and metals, specifically 461 exogeneous metals not originating from the tire tread composition (such as As, V, Cr, Ni, Cu 462 or Sb (Adachi and Tainosho 2004)), confirms the role of TRWP as a pathway for metal 463 contamination in an infiltration pond sediment and/or exhibits analogous behavior, in taking 464 the sedimentary process into account. This correlation points to two likely scenarios of TRWP 465 and metals aggregation processes: one occurring at the tire-road interface, the other within the infiltration pond sediment. 466

467 The former process may take place during the formation of TRWP heteroaggregates, wherein 468 abrasion mechanisms incorporate mineral fragments from the road and surface deposits of 469 particulate metals originating from road wear or vehicle-related components (Zannoni et al. 470 2016). As a result, TRWP becomes enriched in metals (Kreider et al. 2010), thus contributing 471 to the dissemination of metal contamination into the infiltration pond through runoff. The latter 472 aggregative process is expected to occur within the sediment of the infiltration pond, involving 473 OM that facilitates the relationship between TRWP and particulate and/or dissolved metals. 474 OM is known to be a key agent of aggregation, forming linkages between particles and thereby 475 creating stable heteroaggregates (Badin et al. 2009). This effect is suggested by the significant 476 correlation both between OM and metals (median Pearson correlation coefficient r = 0.950, p-477 value < 0.05) and between SBR + BR and OM (r = 0.801, p-value < 0.05).

478 Kovochich et al. (2021) reported that as TRWP undergoes aging in a sediment matrix, it forms 479 aggregates not only with minerals but also with other environmental particle sources. Therefore, 480 our data specify that metals and OM could contribute to these aging and aggregation processes 481 in the presence of TRWP. SEM-EDX observations of TRWP particles collected during 482 emissions from our previous study using an instrumented vehicle (De Oliveira et al. 2024), as 483 well as the infiltration pond sediment from O₃ sample (i.e. the most contaminated in TRWP), 484 support the aggregative processes of carbonaceous, ocean-derived or terrigenous minerals and 485 metals phases (Figures SI 5 and 6). Moreover, Unice et al. (2013) found significant correlations 486 between TRWP and both total organic carbon and finer grain sizes; such findings suggest that 487 TRWP might also be acting as a surrogate for finer materials. From an environmental standpoint 488 and depending on their formation, these heteroaggregates may function as carriers for both 489 metals and tire additives, thereby facilitating the diffusion of a mix of hazardous compounds 490 throughout diverse environmental compartments, including water bodies, soils, sediments and 491 the atmosphere (Järlskog et al. 2022).

Table 2: Pearson correlation coefficient (above the gray diagonal) with its associated p-values (below the diagonal).

All	o-values li	e below	v the 0.05	significat	nce threshold	for SBR +	BR. OM	and the me	etals variables
							,		

	SBR + BR	ОМ	As	Cd	Cr	Cu	Li	Mo	Ni	Sb	V	Zn
SBR + BR		0.801	0.795	0.824	0.741	0.792	0.824	0.818	0.762	0.755	0.739	0.778
OM	9.43E-03		0.914	0.954	0.953	0.902	0.960	0.857	0.959	0.894	0.958	0.950
As	1.04E-02	5.63E-04		0.903	0.957	0.968	0.961	0.963	0.966	0.950	0.970	0.963
Cd	6.35E-03	6.75E-05	8.50E-04		0.906	0.885	0.893	0.860	0.892	0.815	0.907	0.943
Cr	2.24E-02	6.99E-05	5.22E-05	7.69E-04		0.927	0.945	0.905	0.989	0.924	0.988	0.947
Cu	1.09E-02	8.73E-04	1.79E-05	1.54E-03	3.28E-04		0.962	0.984	0.946	0.938	0.948	0.978
Li	6.26E-03	4.17E-05	3.66E-05	1.18E-03	1.24E-04	3.36E-05		0.931	0.976	0.966	0.965	0.959
Mo	6.99E-03	3.19E-03	2.98E-05	2.92E-03	8.01E-04	1.55E-06	2.60E-04		0.913	0.937	0.915	0.943
Ni	1.70E-02	4.38E-05	2.26E-05	1.23E-03	4.79E-07	1.17E-04	7.34E-06	5.96E-04		0.943	0.992	0.956
Sb	1.86E-02	1.13E-03	9.05E-05	7.41E-03	3.73E-04	1.82E-04	2.30E-05	1.99E-04	1.37E-04		0.937	0.907
V	2.29E-02	4.69E-05	1.44E-05	7.24E-04	5.37E-07	1.02E-04	2.64E-05	5.43E-04	1.80E-07	1.97E-04		0.972
Zn	1.36E-02	8.62E-05	3.07E-05	1.36E-04	1.07E-04	5.43E-06	4.41E-05	1.39E-04	5.51E-05	7.26E-04	1.13E-05	

495 **3.5 Infiltration pond as a sink for TRWP**

496 We next evaluated the pond's theoretical effectiveness in retaining TRWP by estimating both 497 the inflow of TRWP into the pond and the total amount retained in the sediment by means of 498 Equations 2 and 3, respectively. TRWP inflow was grounded in realistic TRWP emissions, 499 specifically using the TRWP emission value derived from the tire weight loss (TWL) parameter. 500 Our previous study on realistic emissions, conducted with an instrumented vehicle, determined 501 the TWL for the right front driving wheel equal to 11.0 mg of tire per km, or 16.6 mg of TRWP 502 per km for the ring road track connecting to the Cheviré infiltration pond (De Oliveira et al. 503 2024). In assuming a TRWP emissions per vehicle per km with a wheel contribution factor (W)504 of 2.7 (Luhana et al. 2004), a traffic density (T) of 88,500 vehicles per day, a time frame (t) of 505 247 days and a given distance (d) from the southern section of the bridge (i.e. 0.8 km), the 506 theoretical inflow of TRWP into the pond could be approximated at 780 kg (Fig. 6). We then 507 compared this value with the accumulated and retained TRWP in the sediment.

508 To estimate the amount of TRWP retained in the sediment, we considered three sediment 509 density hypotheses (ρ_1 , ρ_2 , ρ_3), corresponding to silt, TRWP and coarser sediments (with densities of 1.3, 1.8 and 2.6 g/cm³), respectively. The amounts estimated from ρ_1 and ρ_3 were 510 511 deliberately based on extreme density scenarios: either the sediment consists entirely of silt or 512 entirely of coarse sediment. This approach allowed us to establish rough constraints for low and high estimates. For ρ_2 however, the density selected was closer to the actual nature of the 513 514 sediments studied. All three calculations were based on: the surface area of each section, a 515 gradual sediment thickness of 1 cm, 1.5 cm and 2 cm from entrance to overflow, a median SBR + BR concentration per section, and a mean SBR + BR-to-TRWP conversion factor of 9.12, as 516 517 obtained from the literature (Klöckner et al. 2021; Kreider et al. 2010; Rauert et al. 2021; 518 Sommer et al. 2018; Unice et al. 2012).



520 Figure 6: Estimation of the TRWP content (kg) retained within the sediment based on three hypotheses (ρ_1 , ρ_2 , ρ_3), as outlined in Section 3.5, along with an estimation of the TRWP 521 522 amount (kg) as inflow to the infiltration pond derived from realistic emissions, as reported in 523 our previous study (De Oliveira *et al.* 2024) (gray dotted histogram bar). The error bars for ρ_1 , ρ_2 and ρ_3 represent the standard deviation of the triplicates obtained from the results 524 525 discussed in Section 3.1. The error bar for inflow has been derived from the TWL result, 526 whose measurement variation equals 0.1% and is therefore indistinguishable from the line 527 thickness of the histogram.

528

The results obtained were: 515 ± 22 , 712 ± 31 and $1,029 \pm 45$ kg of TRWP for ρ_1 , ρ_2 and ρ_3 , respectively. Since, ρ_2 better reflects the characteristics of the sediment, it is noteworthy that the amount of TRWP retained in the infiltration pond is comparable to the inflow. Despite the assumptions adopted during the calculations and the potential for vertical TRWP migration into the substratum or a small fraction of tire wear not reaching the infiltration pond, both values remain lie on the same order of magnitude, i.e. approximately 700 to 800 kg of TRWP.

These findings indicate that only a small fraction of TRWP is transferred to the atmosphere, 535 536 with the majority remaining and evolving at the road surface (as confirmed by our previous 537 study, see De Oliveira et al. (2024)). In addition, a large fraction of TRWP is remobilized from 538 road surfaces by runoff, ultimately heading towards the infiltration pond. Moreover, the mass 539 balance supports limited vertical TRWP enrichment of the substratum, thus confirming that the 540 Cheviré infiltration pond function is an efficient infrastructure for retaining TRWP and 541 preventing their dispersal into the downstream environment. The potential of an infiltration 542 pond to act as a TRWP sink has also been confirmed, to a similar extent as what has been 543 reported for other microplastics by García-Haba et al. (2023) and Olesen et al. (2019), with 544 sedimentation processes playing a key role in microplastic retention. More specifically, 545 Gilbreath et al. (2019) estimated a reduction in microplastic concentrations of between 83% 546 and 95% in a bioretention system. Similarly, Smyth et al. (2021) observed reductions exceeding 547 80% throughout a bioretention cell, while Jakubowicz et al. (2022) documented a minimum 548 reduction efficiency of 77% for microplastics in a multistage constructed wetland.

549

3.6 Uncertainties and future challenges

550 Several inherent uncertainties arise when studying TRWP environmental contamination, 551 particularly when relying on mass spectrometry methods. Among these uncertainties, three 552 critical points are highly relevant to the scientific community and will be discussed below.

The first point pertains to the specificity of the pyrolytic markers. As highlighted by Rødland *et al.* (2022), the accuracy of rubber quantification is heavily dependent on the markers used to identify and quantify TRWP heteroaggregates. To address the uncertainty associated with the variations in single markers, these authors employed a method based on a combination of four different pyrolysis products, namely benzene, α -methylstyrene, ethylstyrene and a butadiene trimer to assess SBR + BR content in tires, as well as the styrene-butadiene-styrene (SBS) 559 content in polymer-modified bitumen used in some road asphalt. Our study has adopted a 560 similar approach, in targeting two specific markers to evaluate SBR + BR content. However, 561 as noted by Rødland et al. (2022), SBR and SBS polymers share similar pyrolytic markers, such 562 as the 4-VCH, with some SBS markers overlapping those of BR. To assess the potential 563 overestimation of TRWP concentration, the authors recommend initially investigating the 564 presence of SBS in the road surface prior to analyzing samples for SBR or BR. In the context 565 of our study, conducting this preliminary analysis is currently infeasible due to restricted access 566 to the bridge road, thus preventing *in situ* sampling. One potential solution would be to obtain 567 detailed information on the bitumen composition from industries, which could then be uploaded 568 to a collaborative open-source database, as proposed by Rødland and Lin (2023) for tire 569 composition. Alternatively, employing a more selective analytical technique, such as tandem 570 or high-resolution mass spectrometry, could facilitate the targeted analysis of SBR or BR while 571 minimizing interference from SBS. Another solution would be to perform a quantification 572 based on just 4-PCH as a marker for SBR, which would then eliminate interference from SBS 573 since this marker is not produced by the SBS polymer.

574 The second point is the aging of TRWP. Given that these particles age in the environment, they 575 undergo various physical and chemical transformations capable of affecting both the polymeric 576 content of TRWP and their pyrolytic markers, hence potentially impacting the accuracy of 577 quantification (Rødland et al. 2022; Wagner et al. 2022). This consideration calls into question 578 a key assumption in many studies, including ours, regarding the assessment of TRWP in the 579 environment, namely: the pyrolysis of environmental TRWP, despite their aging and the 580 potential oxidation of their polymeric fractions over time, has a pyrolytic yield equivalent to 581 that of tire tread or SBR and BR standards, which have not undergone any chemical or physical 582 transformations.

In addition of aging process, the impact of vulcanization on the pyrolytic yield of the polymeric fraction in tires, compared to unvulcanized polymer standards, is also an important area of research worth considering. Vulcanization is known to influence rubber cracking and promote key processes such as dehydrogenation, aromatization and polymerization during pyrolysis (Sun *et al.* 2022). Further investigation is thus required to fully understand how exactly environmental aging and vulcanization influences the reliability of Pyr-GC-MS analyses in quantifying TRWP.

590 The third and final point concerns the representativeness of the SBR + BR-to-TRWP conversion 591 factor. The main limitation herein lies in the consistency between the polymeric content of the 592 samples and that of the tires, as well as the encrusted particle content of TRWP (Klöckner et 593 al. 2021; Rødland et al. 2022). Variations in tire brand, tire type (winter, summer, all-season), 594 vehicle weight and type (thermal or electric), market location, sampling site, road conditions, 595 type of bitumen, and traffic density can all influence both the polymeric and mineral content of 596 TRWP. These factors inevitably introduce a level of approximation when calculating the 597 equivalent amount of SBR + BR in TRWP. To minimize this level of approximation, we have 598 calculated the TRWP content using a median SBR + BR-to-TRWP conversion factor of 9.12, 599 which accounts for both the minimum and maximum levels of particle encrustment and 600 polymeric content (Kreider et al. 2010; Rauert et al. 2021; Sommer et al. 2018; Unice et al. 601 2012). This approach could be further refined with access to a representative mix of tire brands 602 and types used in France or Europe, in providing a more accurate estimate of the average 603 polymeric content. However, without a specific in situ assessment of TRWP encrustment and/or 604 density, relying on a median value of encrustment from the literature remains the most practical 605 solution. It is obvious that future studies assessing tire particles in the environment should 606 systematically include both the quantified content of the polymeric fractions, based on the 607 selected polymer, and the corresponding conversion factors for estimating TWP or TRWP 608 equivalence. This approach is aimed at progressively standardizing methodologies and ensuring 609 consistency across studies, thereby empowering researchers to accurately compare data and 610 facilitate future meta-analyses, in ultimately leading to a better understanding of the 611 environmental implications of these tire particles.

612 Although these uncertainties are present in our study, we still anticipate that the regular 613 introduction of freshly generated TRWP into the infiltration pond may mitigate the effects of 614 aging on the overall TRWP concentrations over the short 8-month period of sediment 615 accumulation. Moreover, the estimated amount of TRWP inflow, based on the realistic local 616 weight loss of tires, and the TRWP amount retained in the sediment remain relatively close, i.e. 617 with a difference of < 9%. This finding supports the notion that the SBS pyrolytic interferences 618 with SBR or BR, as well as the potential effects of aging on polymeric quantification, are likely 619 to be limited. If present, these factors might account for a maximum variation of 9% in our 620 study. As for the reliability of this conversion factor, it does not affect the overall trend observed 621 within the infiltration pond but may call into question the TRWP values when compared to 622 other studies using different conversion factors.

623 To shed new light on the formation of TRWP heteroaggregates and given that our data suggest 624 metals and organic matter contribute to the aggregation process in the presence of TRWP, a 625 more in-depth characterization of the surface properties and reactivity becomes imperative. 626 This step is crucial due to the current lack of such information in the scientific literature and 627 when considering the possible adsorption of dissolved metals. Moreover, increasing the number 628 of sampling points to achieve a better distribution across the pond and comparing SBR + BR 629 with the OM and metals variables within the same size fraction and granulometric range is 630 expected to significantly refine the correlation, improve the statistical representativeness of the 631 data and help determine whether the observed associations between TRWP with OM and metals 632 are causal. These future steps are particularly important given that we currently possess a limited number of observation (i.e. nine samples), as compared to the number of variables (i.e. twelve variables including SBR + BR, OM and metals), and have used different sieving thresholds of 500 μ m for TRWP and 2 mm for OM and metals analysis (see Sections 2.3 and 2.4). Additionally, further analysis using SEM and EDX techniques would be necessary to characterize the intricate relationship of heteroaggregates containing OM, metals and TRWP within the sediment. From these findings, utilization of the SBR + BR polymeric fraction from tires could serve as a reliable indicator of metal contamination in stormwater systems.

On a broader level and from a management perspective, data are currently lacking on TRWP contamination thresholds in environmental matrices, notably in stormwater systems sediment. Establishing these thresholds is crucial to determining the stormwater system maintenance schedule and the fate of the sediment post-removal as regards TRWP contamination. Collaborative efforts by the scientific community and public policymakers should be directed at bridging this gap.

646 One innovative approach to addressing this gap entails considering SBR + BR not only as a 647 proxy for TRWP but also as an indicator of metal contamination in the stormwater system 648 environment. Comprehensive analyses across multiple stormwater system sites are essential, in 649 order to examine both SBR + BR levels and metal pollution while accounting for variations in 650 watershed surface use and traffic density. Subsequently, we could propose an innovative and 651 novel correlation factor between SBR + BR and metals, to facilitate the assessment of TRWP 652 or metal levels, whereby one can be used as a proxy for the other depending on the analytical 653 methods available (e.g. Pyr-GC-MS, ICP-MS or portable X-ray fluorescence). In addition, by 654 using such a correlation, preliminary TRWP thresholds could be established for sediment 655 matrices based on existing metal contaminant thresholds, thereby serving to both determine the 656 hazardous sediment level and schedule stormwater system maintenance that targets TRWP by 657 means of Pyr-GC-MS.

658 **3.7 Management recommendations**

659 The implementation of optimized sediment removal practices is invaluable for mitigating the 660 potential of a SuDS to become a source of pollution when cleaning actions are neglected 661 (Humphrey et al. 2023). Numerous studies have revealed that SuDS can achieve high retention 662 rates, exceeding 79% and sometimes reaching up to 100%, for total suspended solids as well as 663 for contaminants such as polychlorinated biphenyls, polycyclic aromatic hydrocarbons, total 664 nitrogen, total phosphorus, mainly due to their affinity for fine sediment particles and ability to 665 settle (DeBusk and Wynn, 2011; Gilbreath et al. 2019; Jakubowicz et al. 2022; Maurer et al. 666 2021). In light of these studies and our findings demonstrating that infiltration ponds are also 667 capable of retaining TRWP, high retention rates would imply a progressive accumulation of 668 contaminants in the sediment layer. Attention therefore must still be drawn to potential 669 stormwater systems limitations as regards hazardous TRWP constituents.

670 The inherent nature of the Cheviré infiltration pond, as characterized by the absence of an 671 impermeable layer at the bottom, combines with intricate physicochemical and biological 672 processes within the pond, leading over time to the photooxidation and microbial degradation 673 of TRWP heteroaggregates and, hence, the leaching of hazardous constituents (Baensch-674 Baltruschat et al. 2020; Ding et al. 2023; Klun et al. 2023; Wagner et al. 2022). Metals, in 675 particular, can leach into and accumulate in sediments, with some elements being easily 676 remobilized due to their intrinsic mobility and affinity for the dissolved phase. These processes 677 are influenced by physicochemical parameters of the medium, such as pH, ionic strength, 678 competing ions, sorption sites and their affinity for dissolved organic matter. Under specific 679 conditions, it is not uncommon for certain metals, such as copper or nickel, to exhibit poor or 680 even negative retention rates (Humphrey et al. 2023; Jakubowicz et al. 2022).

681 This outcome raises concerns over the spread of such environmental micropollutants (Maurer et al. 2021). The infiltration of micropollutants, including those from TRWP leachates, deep 682 683 into the alluvial substratum of the Loire River beneath the pond and, consequently, into 684 groundwater contaminating water bodies (Tedoldi et al. 2017) can indeed be anticipated. It 685 therefore becomes necessary to analyze core samples taken from the infiltration pond 686 substratum in order to assess: i) the occurrence and concentration of the targeted 687 micropollutants over substratum depth, and ii) overall relevance of the infiltration pond relative 688 to a broader hazardous spectrum (Maurer et al. 2021).

689 The acquisition of data regarding contamination levels of TRWP and their spatial distribution 690 in a stormwater system is necessary to establish an effective water management strategy. 691 Chemical analysis targeting TRWP, coupled with a topographic and size fractionation 692 assessment, has revealed the pollutant footprint of the entire Cheviré infiltration pond. The 693 information gathered can then serve as a foundation for developing a cost-effective remediation 694 strategy by means of prioritizing specific sections of the infiltration pond, namely the most 695 contaminated ones. The recommended strategy involves cleaning efforts in areas 2 and 3, 696 located in the middle and overflow sections, before addressing sediment removal in the entrance 697 section and area 1. This strategic sequence would aim to efficiently target and address the areas 698 of maximum TRWP accumulation. Given the intricate relationship between TRWP and metals, 699 such a cleaning effort intended for TRWP removal will also effectively remove metals by 700 focusing on the same areas of accumulation, thereby optimizing the overall remediation 701 process.

Although infiltration ponds offer the advantage of capturing and retaining a significant amount of TRWP, as well as a fraction of the associated metal pollutants, their implementation in areas with high anthropogenic pressure and high traffic density, e.g. urban centers, remains highly challenging. Several major constraints are to be considered. First, the number, size and 706 associated costs of these installations will depend on the drained surface area and expected 707 volume of particulate runoff, yet densely populated areas offer limited to no space for 708 constructing such infrastructure. Second, infiltrated water could potentially damage nearby 709 preexisting infrastructure, such as underground electrical networks. Third, soil quality in urban 710 areas is often compacted, thus making it unsuitable for effective infiltration. Fourth and last is 711 the presence of a groundwater table contamination risk (U.S. EPA, 2021). Under these 712 conditions, infiltration ponds are preferentially constructed in suburban areas. One potential 713 solution could be to adapt existing urban drainage infrastructure by increasing the use of gully 714 pots with sediment traps. This approach has proven to effectively trap a variety of organic and 715 particulate contaminants, such as microplastics and TRWP (Mengistu et al. 2021; Öborn et al. 716 2024; Rødland et al. 2023; Wei et al. 2023). However, gully pots cover a much smaller drainage 717 area and have limited capacity, as compared to infiltration ponds. Therefore, it would seem 718 crucial to increase the number of gully pots and ensure their regular maintenance, including 719 frequent cleaning of the sediment trap. Like with infiltration ponds, without proper 720 maintenance, gully pots are at risk of sediment remobilization during heavy rainfall events 721 and/or lixiviation of TRWP, which could further propagate pollution through the pipe network 722 and, ultimately, into water bodies if discharges are directly connected.

723 **<u>4. Conclusion</u>**

This study has significantly contributed to enhancing knowledge on the fate of TRWP within an infiltration pond and moreover emphasizes the pivotal role of such infrastructure in managing TRWP pollution. Through a sampling strategy covering the surface of the Cheviré infiltration pond and leveraging a multi-characterization technique, namely the pyrolysis-GC-MS method, to target the polymeric signature of tires, we have been able to address the points raised in the introduction and have derived the following key findings:

i. Extensive SBR + BR contamination of the infiltration pond sediment has been found
to lie in the mg/g range, but at various degrees depending on the location of the
sample, with enrichment towards the overflow. Two sections (i.e. middle and
overflow) have been identified as major zones of SBR + BR accumulation, which
aligns with the topographic configuration of the pond.

735ii.The size fractionation of SBR + BR within the sediment reveals a bimodal736distribution, thus indicating two distinct types of TRWP. The one characterized by737a smaller size (63-160 μ m) suggests TRWP less aged and aggregated with other738environmental particles. The second type, characterized by a larger particle size739(200-500 μ m), suggests higher environmental particle encrustation and thus more740aged TRWP.

iii. A strong correlation has been detected between SBR + BR and metals, such as As,
Cd, Cr, Cu, Li, Mo, Ni, Sb, V and Zn. This relationship can be attributed to either
the preexistence of metals in the tire composition or the incorporation of metals not
originating from the tire. This type of incorporation occurs during the formation of
TRWP heteroaggregates at the road surface and/or within the sediment, with organic
matter facilitating the process.

iv. The approximate mass balance estimation between TRWP inflow from realistic tire
loss and the amount retained within the sediment supports a limited mass transfer of
TRWP emissions to the atmosphere and has moreover confirmed the role of an
infiltration pond as a major sink for TRWP from runoff.

751 This study paves the way for an effective management strategy of stormwater system sediments 752 contaminated with TRWP. Given the wide range of contaminants in stormwater system 753 sediment, including metals, we would recommend focusing cleaning efforts on those areas with 754 the highest TRWP accumulation. In conclusion, let's reiterate the importance of conducting 755 routine chemical analyses on sediment from stormwater systems. This practice is indeed 756 essential to enhancing management strategies aimed at ensuring that such infrastructure, and 757 more specifically infiltration ponds intended as sinks, does not evolve into sources of pollution 758 for the downstream environment.

759 Funding sources

As part of the Plasti-nium Research Project, this work has been funded by France's Loire Valley
Region and the Nantes Metropolitan Council. This study was also supported by the Region
Pays-de-la Loire which financed the PhD grant of DPT Dang along with Gustave Eiffel
University. The Cheviré pond is one of the sites monitored in the Nantes Urban Environment
Observatory (ONEVU-IRSTV) and the National Observation Service Observil (SNO
Observil). IRSTV (CNRS-FR2488) and OSUNA financially supported the data collection.

766

767 **Declaration of interests**

The authors hereby declare that they have no known competing financial interests or personalrelationships that could have appeared to influence the work reported in this paper.

770

771 Acknowledgements

This work has received support as part of the program "Investissement d'Avenir" launched by the French Government and implemented by the National Research Agency (ANR), under the reference ANR-16-IDEX-0003. The authors would also like to express their gratitude to Dr. Yang, the three anonymous reviewers for their constructive comments and Mathieu Goriaux for his valuable contribution in performing the SEM-EDX analysis.

777 References

- Adachi, K., Tainosho, Y., 2004. Characterization of heavy metal particles embedded in tire
 dust. Environ. Int. 30, 1009–1017. https://doi.org/10.1016/j.envint.2004.04.004
- 777 dust. Environ. Int. 50, 1009-1017. https://doi.org/10.1010/j.cnvint.2004.04.004
- 780 Adamiec, E., Jarosz-Krzemińska, E., Wieszała, R., 2016. Heavy metals from non-exhaust
- vehicle emissions in urban and motorway road dusts. Environ. Monit. Assess. 188, 369.
 https://doi.org/10.1007/s10661-016-5377-1
- Allen, D., Haynes, H., Arthur, S., 2017. Contamination of Detained Sediment in Sustainable
 Urban Drainage Systems. Water 9, 355. https://doi.org/10.3390/w9050355
- Badin, A.-L., Méderel, G., Béchet, B., Borschneck, D., Delolme, C., 2009. Study of the
 aggregation of the surface layer of Technosols from stormwater infiltration basins using grain
 size analyses with laser diffractometry. Geoderma 153, 163–171.
 https://doi.org/10.1016/j.geoderma.2009.07.022
- Baensch-Baltruschat, B., Kocher, B., Stock, F., Reifferscheid, G., 2020. Tyre and road wear
 particles (TRWP) A review of generation, properties, emissions, human health risk,
 ecotoxicity, and fate in the environment. Sci. Total Environ. 733, 137823.
 https://doi.org/10.1016/j.scitotenv.2020.137823
- Capolupo, M., Sørensen, L., Jayasena, K.D.R., Booth, A.M., Fabbri, E., 2020. Chemical
 composition and ecotoxicity of plastic and car tire rubber leachates to aquatic organisms. Water
 Res. 169, 115270. https://doi.org/10.1016/j.watres.2019.115270
- 796 Clozel, B., Ruban, V., Durand, C., Conil, P., 2006. Origin and mobility of heavy metals in
- contaminated sediments from retention and infiltration ponds. Appl. Geochem. 21, 1781–1798.
- 798 https://doi.org/10.1016/j.apgeochem.2006.06.017

- Dang, D.P.T., Jean-Soro, L., Béchet, B., 2023. Pollutant characteristics and size distribution of
 trace elements during stormwater runoff events. Environ. Chall. 11, 100682.
 https://doi.org/10.1016/j.envc.2023.100682
- Busk, K.M., Wynn, T.M., 2011. Storm-Water Bioretention for Runoff Quality and Quantity
 Mitigation. Journal of Environmental Engineering 137, 800–808.
 https://doi.org/10.1061/(ASCE)EE.1943-7870.0000388
- 805 De Oliveira, T., Muresan, B., Ricordel, S., Lumière, L., Truong, X.-T., Poirier, L., Gasperi, J.,
- 806 2024. Realistic assessment of tire and road wear particle emissions and their influencing factors
- 807 on different types of roads. J. Hazard. Mater. 465, 133301.
 808 https://doi.org/10.1016/j.jhazmat.2023.133301
- 809 Ding, J., Lv, M., Zhu, D., Leifheit, E.F., Chen, Q.-L., Wang, Y.-Q., Chen, L.-X., Rillig, M.C.,
- 810 Zhu, Y.-G., 2023. Tire wear particles: An emerging threat to soil health. Crit. Rev. Environ.
- 811 Sci. Technol. 53, 239–257. https://doi.org/10.1080/10643389.2022.2047581
- 812 Dudefoi, W., Ferrari, B.J.D., Breider, F., Masset, T., Leger, G., Vermeirssen, E., Bergmann,
- 813 A.J., Schirmer, K., 2024. Evaluation of tire tread particle toxicity to fish using rainbow trout
- 814 cell lines. Sci. Total Environ. 912, 168933. https://doi.org/10.1016/j.scitotenv.2023.168933
- 815 Durand, C., Ruban, V., Amblès, A., 2005. Characterisation of complex organic matter present
- 816 in contaminated sediments from water retention ponds. J. Anal. Appl. Pyrolysis 73, 17–28.
- 817 https://doi.org/10.1016/j.jaap.2004.09.001
- 818 Eisentraut, P., Dümichen, E., Ruhl, A.S., Jekel, M., Albrecht, M., Gehde, M., Braun, U., 2018.
- 819 Two Birds with One Stone—Fast and Simultaneous Analysis of Microplastics: Microparticles
- 820 Derived from Thermoplastics and Tire Wear. Environ. Sci. Technol. Lett. 5, 608-613.
- 821 https://doi.org/10.1021/acs.estlett.8b00446

- El-Mufleh, A., Béchet, B., Ruban, V., Legret, M., Clozel, B., Barraud, S., Gonzalez-Merchan,
 C., Bedell, J.-P., Delolme, C., 2014. Review on physical and chemical characterizations of
 contaminated sediments from urban stormwater infiltration basins within the framework of the
 French observatory for urban hydrology (SOERE URBIS). Environ. Sci. Pollut. Res. Int. 21,
 5329–5346. https://doi.org/10.1007/s11356-013-2490-3
- 827 EN 15935, Soil, waste, treated biowaste and sludge Determination of loss on ignition, 2021.
- 828 Färm, C., 2002. Evaluation of the accumulation of sediment and heavy metals in a storm-water
- detention pond. Water Sci. Technol. 45, 105–112. https://doi.org/10.2166/wst.2002.0122
- 830 Federico, L., Masseroni, A., Rizzi, C., Villa, S., 2023. Silent Contamination: The State of the
- 831 Art, Knowledge Gaps, and a Preliminary Risk Assessment of Tire Particles in Urban Parks.
- 832 Toxics 11, 445. https://doi.org/10.3390/toxics11050445

834

- 833 Gaggini, E.L., Polukarova, M., Bondelind, M., Rødland, E., Strömvall, A.-M., Andersson-
- 835 highway stormwater system and in receiving waters: Occurrence and transport. Journal of

Sköld, Y., Sokolova, E., 2024. Assessment of fine and coarse tyre wear particles along a

- 836 Environmental Management 367, 121989. https://doi.org/10.1016/j.jenvman.2024.121989
- 837 García-Haba, E., Hernández-Crespo, C., Martín, M., Andrés-Doménech, I., 2023. The role of
- 838 different sustainable urban drainage systems in removing microplastics from urban runoff: A
- 839 review. J. Clean. Prod. 411, 137197. https://doi.org/10.1016/j.jclepro.2023.137197
- 840 German, J., Svensson, G., 2005. Stormwater pond sediments and water-characterization and
- 841 assessment. Urban Water J. 2, 39–50. https://doi.org/10.1080/15730620500042536

- 842 Gilbreath, A., McKee, L., Shimabuku, I., Lin, D., Werbowski, L.M., Zhu, X., Grbic, J., 843 Rochman, C., 2019. Multiyear Water Quality Performance and Mass Accumulation of PCBs, 844 Mercury, Methylmercury, Copper, and Microplastics in a Bioretention Rain Garden. Journal of 845 Sustainable Built Environment 5, 04019004. Water in the 846 https://doi.org/10.1061/JSWBAY.0000883
- Goßmann, I., Halbach, M., Scholz-Böttcher, B.M., 2021. Car and truck tire wear particles in
 complex environmental samples A quantitative comparison with "traditional" microplastic
 polymer mass loads. Sci. Total Environ. 773, 145667.
 https://doi.org/10.1016/j.scitotenv.2021.145667
- 851 Grigoratos, T., Martini, G., 2015. Brake wear particle emissions: a review. Environ. Sci. Pollut.
- 852 Res. Int. 22, 2491–2504. https://doi.org/10.1007/s11356-014-3696-8
- He, Y., Men, B., Yang, X., Li, Y., Xu, H., Wang, D., 2019. Relationship between heavy metals
- and dissolved organic matter released from sediment by bioturbation/bioirrigation. J. Environ.
- 855 Sci. 75, 216–223. https://doi.org/10.1016/j.jes.2018.03.031
- Heal, K.V., Hepburn, D.A., Lunn, R.J., 2006. Sediment management in sustainable urban
- drainage system ponds. Water Sci. Technol. J. Int. Assoc. Water Pollut. Res. 53, 219–227.
- 858 https://doi.org/10.2166/wst.2006.315
- Humphrey, J., Rowett, C., Tyers, J., Gregson, M., Comber, S., 2023. Are sustainable drainage
- 860 systems (SuDS) effective at retaining dissolved trace elements? Environ. Technol. 44, 1450–
- 861 1463. https://doi.org/10.1080/09593330.2021.2004454
- ISO 7270-1, Rubber Analysis by pyrolytic gas-chromatography methods Part 1:
 Identification of polymers (single polymers and polymer blends), 2017.
- ISO 11464, Soil quality Pretreatment of samples for physico-chemical analysis, 2006.

- ISO 11885, Water quality Determination of selected elements by inductively coupled plasma
 optical emission spectrometry (ICP-OES), 2007.
- ISO 14869-1, Soil quality Dissolution for the determination of total element content Part 1:
 Dissolution with hydrofluoric and perchloric acids, 2001.
- 869 Jakubowicz, P., Fitobór, K., Gajewska, M., Drewnowska, M., 2022. Detection and Removal of
- 870 Priority Substances and Emerging Pollutants from Stormwater: Case Study of the Kołobrzeska
- 871 Collector, Gdańsk, Poland. Sustainability 14, 1105. https://doi.org/10.3390/su14031105
- Järlskog, I., Jaramillo-Vogel, D., Rausch, J., Gustafsson, M., Strömvall, A.-M., Andersson-
- 873 Sköld, Y., 2022. Concentrations of tire wear microplastics and other traffic-derived non-exhaust
- 874 particles in the road environment. Environ. Int. 170, 107618.
 875 https://doi.org/10.1016/j.envint.2022.107618
- 876 Järlskog, I., Strömvall, A.-M., Magnusson, K., Galfi, H., Björklund, K., Polukarova, M., 877 Garção, R., Markiewicz, A., Aronsson, M., Gustafsson, M., Norin, M., Blom, L., Andersson-878 Sköld, Y., 2021. Traffic-related microplastic particles, metals, and organic pollutants in an 879 Environ. urban area under reconstruction. Sci. Total 774. 145503. 880 https://doi.org/10.1016/j.scitotenv.2021.145503
- Jiang, J.-R., Chen, Z.-F., Liao, X.-L., Liu, Q.-Y., Zhou, J.-M., Ou, S.-P., Cai, Z., 2023.
 Identifying potential toxic organic substances in leachates from tire wear particles and their
 mechanisms of toxicity to Scenedesmus obliquus. J. Hazard. Mater. 458, 132022.
 https://doi.org/10.1016/j.jhazmat.2023.132022
- 885 Klöckner, P., Reemtsma, T., Eisentraut, P., Braun, U., Ruhl, A.S., Wagner, S., 2019. Tire and 886 road wear particles in road environment - Quantification and assessment of particle dynamics 887 after by Zn determination density separation. Chemosphere 222, 714-721. 888 https://doi.org/10.1016/j.chemosphere.2019.01.176

- 889 Klöckner, P., Seiwert, B., Weyrauch, S., Escher, B.I., Reemtsma, T., Wagner, S., 2021. 890 Comprehensive characterization of tire and road wear particles in highway tunnel road dust by 891 of density fractionation. Chemosphere 279, 130530. use size and 892 https://doi.org/10.1016/j.chemosphere.2021.130530
- Klun, B., Rozman, U., Kalčíková, G., 2023. Environmental aging and biodegradation of tire
 wear microplastics in the aquatic environment. J. Environ. Chem. Eng. 11, 110604.
 https://doi.org/10.1016/j.jece.2023.110604
- Kole, P.J., Löhr, A.J., Van Belleghem, F.G.A.J., Ragas, A.M.J., 2017. Wear and Tear of Tyres:
- A Stealthy Source of Microplastics in the Environment. Int. J. Environ. Res. Public. Health 14,
- 898 1265. https://doi.org/10.3390/ijerph14101265
- 899 Koutnik, V.S., Leonard, J., Glasman, J.B., Brar, J., Koydemir, H.C., Novoselov, A., Bertel, R.,
- Tseng, D., Ozcan, A., Ravi, S., Mohanty, S.K., 2022. Microplastics retained in stormwater
 control measures: Where do they come from and where do they go? Water Res. 210, 118008.
- 902 https://doi.org/10.1016/j.watres.2021.118008
- 903 Kovochich, M., Parker, J.A., Oh, S.C., Lee, J.P., Wagner, S., Reemtsma, T., Unice, K.M., 2021. 904 Characterization of Individual Tire and Road Wear Particles in Environmental Road Dust, 905 Tunnel Dust, and Sediment. Environ. Sci. Technol. Lett. 8, 1057-1064. 906 https://doi.org/10.1021/acs.estlett.1c00811
- Wreider, M.L., Panko, J.M., McAtee, B.L., Sweet, L.I., Finley, B.L., 2010. Physical and
 chemical characterization of tire-related particles: Comparison of particles generated using
 different methodologies. Sci. Total Environ. 408, 652–659.
 https://doi.org/10.1016/j.scitotenv.2009.10.016

- Kwak, J., Kim, H., Lee, J., Lee, S., 2013. Characterization of non-exhaust coarse and fine
 particles from on-road driving and laboratory measurements. Sci. Total Environ. 458–460, 273–
 282. https://doi.org/10.1016/j.scitotenv.2013.04.040
- 914 Ledieu, L., Tramoy, R., Ricordel, S., Astrie, D., Tassin, B., Gasperi, J., 2022. Amount,
- 915 composition and sources of macrolitter from a highly frequented roadway. Environ. Pollut. 303,
- 916 119145. https://doi.org/10.1016/j.envpol.2022.119145
- Li, K., Hao, W., Liu, C., Chen, Z., Ye, Z., 2024. Ecotoxicity of tire wear particles to antioxidant
 enzyme system and metabolic functional activity of river biofilms: The strengthening role after
 incubation-aging in migrating water phases. Sci. Total Environ. 914, 169849.
 https://doi.org/10.1016/j.scitotenv.2023.169849
- 921 Luhana, L., Sokhi, R., Warner, L., Mao, H., Boulter, P., McCrae, I., Wright, J., Reeves, N.,
- 922 Osborn, D., 2004. Non-exhaust particulate measurements: results. Deliverable 8 of the
- 923 European Commission DG TREN 5th Framework Particulates project.
- 924 https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwjg1
- 925 MblgdOCAxWGVqQEHfXsAcAQFnoECA4QAQ&url=https%3A%2F%2Fwww.groundsma
- 926 rtrubbermulch.com%2Fdocs%2Fresources%2FMeasurement-of-non-exhaust-particulate-
- 927 matter.pdf&usg=AOvVaw2rZAqblu-8M1NmH3Tbq5Ar&opi=89978449
- 928 Maurer, L., Zumsteg, J., Lutz, C., Ottermatte, M.P., Wanko, A., Heintz, D., Villette, C., 2021.
- 929 Towards a model for road runoff infiltration management. Npj Clean Water 4, 1-9.
- 930 https://doi.org/10.1038/s41545-021-00136-z

- Mengistu, D., Heistad, A., Coutris, C., 2021. Tire wear particles concentrations in gully pot
 sediments. Sci. Total Environ. 769, 144785. https://doi.org/10.1016/j.scitotenv.2020.144785
- Müller, K., Hübner, D., Huppertsberg, S., Knepper, T.P., Zahn, D., 2022. Probing the chemical
 complexity of tires: Identification of potential tire-borne water contaminants with highresolution mass spectrometry. Sci. Total Environ. 802, 149799.
 https://doi.org/10.1016/j.scitotenv.2021.149799
- 937 Öborn, L., Österlund, H., Viklander, M., 2024. Microplastics in gully pot sediment in urban
 938 areas: Presence, quantities and characteristics. Environmental Pollution 353, 124155.
 939 https://doi.org/10.1016/j.envpol.2024.124155
- Olesen, K.B., Stephansen, D.A., van Alst, N., Vollertsen, J., 2019. Microplastics in a
 Stormwater Pond. Water 11, 1466. https://doi.org/10.3390/w11071466
- Österlund, H., Blecken, G., Lange, K., Marsalek, J., Gopinath, K., Viklander, M., 2023.
 Microplastics in urban catchments: Review of sources, pathways, and entry into stormwater.
 Sci. Total Environ. 858, 159781. https://doi.org/10.1016/j.scitotenv.2022.159781
- Page, T.S., Almeda, R., Koski, M., Bournaka, E., Nielsen, T.G., 2022. Toxicity of tyre wear
 particle leachates to marine phytoplankton. Aquat. Toxicol. 252, 106299.
 https://doi.org/10.1016/j.aquatox.2022.106299
- Peng, W., Liu, C., Chen, D., Duan, X., Zhong, L., 2022. Exposure to N-(1,3-dimethylbutyl)N'-phenyl-p-phenylenediamine (6PPD) affects the growth and development of zebrafish
 embryos/larvae. Ecotoxicol. Environ. Saf. 232, 113221.
 https://doi.org/10.1016/j.ecoenv.2022.113221

- Rauert, C., Rødland, E.S., Okoffo, E.D., Reid, M.J., Meland, S., Thomas, K.V., 2021.
 Challenges with Quantifying Tire Road Wear Particles: Recognizing the Need for Further
 Refinement of the ISO Technical Specification. Environ. Sci. Technol. Lett. 8, 231–236.
 https://doi.org/10.1021/acs.estlett.0c00949
- Rødland, E., Lin, Y., 2023. Actions Are Needed to Deal with the High Uncertainties in Tire
 Wear Particle Analyses. Environ. Sci. Technol. 57, 8461–8462.
 https://doi.org/10.1021/acs.est.3c02393
- Rødland, E.S., Heier, L.S., Lind, O.C., Meland, S., 2023. High levels of tire wear particles in
 soils along low traffic roads. Sci. Total Environ. 903, 166470.
 https://doi.org/10.1016/j.scitotenv.2023.166470
- 962 Rødland, E.S., Samanipour, S., Rauert, C., Okoffo, E.D., Reid, M.J., Heier, L.S., Lind, O.C.,
- Thomas, K.V., Meland, S., 2022. A novel method for the quantification of tire and polymermodified bitumen particles in environmental samples by pyrolysis gas chromatography mass
 spectroscopy. J. Hazard. Mater. 423, 127092. https://doi.org/10.1016/j.jhazmat.2021.127092
- 966 Roubeau Dumont, E., Gao, X., Zheng, J., Macairan, J., Hernandez, L.M., Baesu, A., Bayen, S.,
- 967 Robinson, S.A., Ghoshal, S., Tufenkji, N., 2023. Unraveling the toxicity of tire wear

contamination in three freshwater species: From chemical mixture to nanoparticles. J. Hazard.

969 Mater. 453, 131402. https://doi.org/10.1016/j.jhazmat.2023.131402

968

- Sebastia, J., Van Oort, F., Lamy, I., 2008. Buffer capacity and Cu affinity of soil particulate 970 971 Soil Sci. 59. 304-314. organic matter (POM) size fractions. Eur. J. 972 https://doi.org/10.1111/j.1365-2389.2007.01001.x
- Shi, J., Wu, Q., Zheng, C., Yang, J., 2018. The interaction between particulate organic matter
 and copper, zinc in paddy soil. Environ. Pollut. 243, 1394–1402.
 https://doi.org/10.1016/j.envpol.2018.09.085

- Smyth, K., Drake, J., Li, Y., Rochman, C., Van Seters, T., Passeport, E., 2021. Bioretention
 cells remove microplastics from urban stormwater. Water Research 191, 116785.
 https://doi.org/10.1016/j.watres.2020.116785
- 979 Sommer, F., Dietze, V., Baum, A., Sauer, J., Gilge, S., Maschowski, C., Gieré, R., 2018. Tire
- 980 Abrasion as a Major Source of Microplastics in the Environment. Aerosol Air Qual. Res. 18,
- 981 2014–2028. https://doi.org/10.4209/aaqr.2018.03.0099
- Sun, B., Li, J., Xiang, L., Lin, F., Che, L., Tian, W., Yan, B., Chen, G., 2022. Simulating
 vulcanization process during tire production to explore sulfur migration during pyrolysis. Fuel
 330, 125665. https://doi.org/10.1016/j.fuel.2022.125665
- Tedoldi, D., Charafeddine, R., Branchu, P., Thomas, E., Gromaire, M.-C., 2021. Intra- and
 inter-site variability of soil contamination in road shoulders Implications for maintenance
 operations. Sci. Total Environ. 769, 144862. https://doi.org/10.1016/j.scitotenv.2020.144862
- 988 Tedoldi, D., Chebbo, G., Pierlot, D., Branchu, P., Kovacs, Y., Gromaire, M.-C., 2017. Spatial
- 989 distribution of heavy metals in the surface soil of source-control stormwater infiltration devices
- 990 Inter-site comparison. Sci. Total Environ. 579, 881–892.
 991 https://doi.org/10.1016/j.scitotenv.2016.10.226
- Thorpe, A., Harrison, R.M., 2008. Sources and properties of non-exhaust particulate matter
 from road traffic: A review. Sci. Total Environ. 400, 270–282.
 https://doi.org/10.1016/j.scitotenv.2008.06.007

- 995 Tian, Z., Zhao, H., Peter, K.T., Gonzalez, M., Wetzel, J., Wu, C., Hu, X., Prat, J., Mudrock, E.,
- 996 Hettinger, R., Cortina, A.E., Biswas, R.G., Kock, F.V.C., Soong, R., Jenne, A., Du, B., Hou,
- 997 F., He, H., Lundeen, R., Gilbreath, A., Sutton, R., Scholz, N.L., Davis, J.W., Dodd, M.C.,
- 998 Simpson, A., McIntyre, J.K., Kolodziej, E.P., 2021. A ubiquitous tire rubber-derived chemical
- 999 induces acute mortality in coho salmon. Science 371, 185–189.
 1000 https://doi.org/10.1126/science.abd6951
- Turner, A., Filella, M., 2023. Lead and chromium in European road paints. Environ. Pollut.
 316, 120492. https://doi.org/10.1016/j.envpol.2022.120492
- Unice, K.M., Kreider, M.L., Panko, J.M., 2013. Comparison of Tire and Road Wear Particle
 Concentrations in Sediment for Watersheds in France, Japan, and the United States by
 Quantitative Pyrolysis GC/MS Analysis. Environ. Sci. Technol. 47, 8138–8147.
 https://doi.org/10.1021/es400871j
- 1007 Unice, K.M., Kreider, M.L., Panko, J.M., 2012. Use of a Deuterated Internal Standard with Pyrolysis-GC/MS Dimeric Marker Analysis to Quantify Tire Tread Particles in the 1008 1009 Environment. Int. J. Environ. Res. Public. Health 9, 4033-4055. 1010 https://doi.org/10.3390/ijerph9114033
- 1011 U.S. Environmental Protection Agency, 2021. Stormwater Best Management Practice 1012 Infiltration Basin [PDF document]. https://www.epa.gov/system/files/documents/20211013 11/bmp-infiltration-basin.pdf (accessed 09.10.24).
- 1014 Wagner, S., Klöckner, P., Reemtsma, T., 2022. Aging of tire and road wear particles in
- 1015 terrestrial and freshwater environments A review on processes, testing, analysis and impact.
- 1016 Chemosphere 288, 132467. https://doi.org/10.1016/j.chemosphere.2021.132467

- Wei, H., Flanagan, K., Lundy, L., Muthanna, T.M., Viklander, M., 2023. A study of 101 organic
 substances in gully pot sediments accumulated over a one-year period in Stockholm, Sweden.
- 1019 Sci. Total Environ. 894, 165028. https://doi.org/10.1016/j.scitotenv.2023.165028
- 1020 Werbowski, L.M., Gilbreath, A.N., Munno, K., Zhu, X., Grbic, J., Wu, T., Sutton, R., Sedlak,
- 1021 M.D., Deshpande, A.D., Rochman, C.M., 2021. Urban Stormwater Runoff: A Major Pathway
- 1022 for Anthropogenic Particles, Black Rubbery Fragments, and Other Types of Microplastics to
- 1023UrbanReceivingWaters.ACSESTWater1,1420–1428.1024https://doi.org/10.1021/acsestwater.1c00017
- 1025 Yang, K., Jing, S., Liu, Yang, Zhou, H., Liu, Yan, Yan, M., Yi, X., Liu, R., 2022. Acute toxicity
- of tire wear particles, leachates and toxicity identification evaluation of leachates to the marine
 copepod, Tigriopus japonicus. Chemosphere 297, 134099.
 https://doi.org/10.1016/j.chemosphere.2022.134099
- Zannoni, D., Valotto, G., Visin, F., Rampazzo, G., 2016. Sources and distribution of tracer
 elements in road dust: The Venice mainland case of study. J. Geochem. Explor. 166, 64–72.
 https://doi.org/10.1016/j.gexplo.2016.04.007
- Zhu, J., Guo, R., Ren, F., Jiang, S., Jin, H., 2024. Occurrence and partitioning of *p*phenylenediamine antioxidants and their quinone derivatives in water and sediment. Sci. Total
 Environ. 914, 170046. https://doi.org/10.1016/j.scitotenv.2024.170046
- 1035 Ziajahromi, S., Lu, H.-C., Drapper, D., Hornbuckle, A., Leusch, F.D.L., 2023. Microplastics
- 1036 and Tire Wear Particles in Urban Stormwater: Abundance, Characteristics, and Potential
- 1037
 Mitigation
 Strategies.
 Environ.
 Sci.
 Technol.
 57,
 12829–12837.

 1038
 https://doi.org/10.1021/acs.est.3c03949