

#### 100 Years of Shannon: Chess, Computing and Botvinik Iryna Andriyanova

#### ▶ To cite this version:

Iryna Andriyanova. 100 Years of Shannon: Chess, Computing and Botvinik. Doctoral. United States. 2016. cel-01709767

#### HAL Id: cel-01709767 https://hal.science/cel-01709767


Submitted on 15 Feb 2018  $\,$ 

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## CLAUDE E. SHANNON

### 1916-2001

- 1936 : Bachelor in EE and Mathematics from U.Michigan
- 1937 : Master in EE from MIT
- 1940 : PhD in EE from MIT
- 1940 : Research fellow at Princeton
- 1940-1956 : Researcher at Bell Labs
- 1948 : "A Mathematical Theory of Communication", Bell System Technical Journal
- 1956-1978 : Professor at MIT







# 100 YEARS OF SHANNON SHANNON, BOTVINNIK AND COMPUTER CHESS

Iryna Andriyanova

ETIS Lab, UMR 8051, ENSEA/Université de Cergy-Pontoise/CNRS

**54TH ALLERTON CONFERENCE** 

## SHORT HISTORY OF CHESS/COMPUTER CHESS




### CHESS AND COMPUTER CHESS TWO PARALLELS




W. Steinitz: simplicity and rationality
E. Lasker: more risky play
M. Botvinnik: complicated, very original positions
A. Karpov, G. Kasparov: Botvinnik's school

### CHESS AND COMPUTER CHESS TWO PARALLELS




### CHESS AND COMPUTER CHESS TWO PARALLELS



- Match between Shannon and Botvinnik in 1965
- "An Algorithm for Chess" by Botvinnik in 1968

## INSIDE A COMPUTER CHESS PROGRAM




### WHAT A MODERN CHESS PROGRAMM HAS INSIDE?

- Board representation
- Move generator
- Database of openings
- Tree searching techniques
- Positional evaluation
- Transposition tables


0,0	Х	0,2	0,3	0,4	0,5	0,6	X
1,0	1,1	X	1,3	1,4	1,5	X	1,7
2,0	2,1	2,2	X	2,4	X	2,6	2,7
3,0	3,1	3,2	3,3	1	3,5	3,6	3,7
4,0	4,1	4,2	X	4,4	X	4,6	4,7
5,0	5,1	X	5,3	5,4	5,5	X	5,7
6,0	Х	6,2	6,3	6,4	<mark>6,5</mark>	6,6	X
X	7,1	7,2	7,3	7,4	7,5	7,6	7,7

### WHAT A MODERN CHESS PROGRAMM HAS INSIDE?

- Board representation
- Move generator
- Database of openings
- Tree searching techniques
- Positional evaluation
- Transposition tables



## WHAT A MODERN CHESS PROGRAMM HAS INSIDE?



## STRATEGIES BY C. SHANNON (1950)

FIRST FORMALISM OF COMPUTER CHESS




```
f(p) = 200(K-K') + 9(Q-Q') + 5(R-R') + 3(B-B' + N-N') + 1(P-P') - 0.5(D-D' + S-S' + I-I') + 0.1(M-M') + ...
```

KQRBNP = number of kings, queens, rooks, bishops, knights and pawns

D,S,I = doubled, blocked and isolated pawns

M = Mobility (the number of legal moves)

 Minimax evaluation [vonNeuman'47]



## STRATEGIES BY C. SHANNON (1950)


#### TYPES A AND B

- Type A strategy search over all possible variations
  - exponential explosion
  - horizon effect

#### Type B strategy

consideration of carefully chosen better moves (humanlike)

- "plausible move generators"
- successive learning
- the search depth is unlimited



Position 1: White has a trivial win, but because it requires a 10 move maneuver a trivial type A strategy will not find it.


## COMPUTER CHESS EVOLUTION



## = COMPUTERS EVOLUTION

## **COMPUTER CHESS EVOLUTION**

### = COMPUTERS EVOLUTION



## COMPUTER CHESS EVOLUTION

### FROM 1970'S TILL NOWADAYS

### Improved Type-A algorithms

alpha-beta pruning
killer heuristic
no need for very good
plausible move generators

### Improved computers

- parallelized processing
- special chess hardware
- memory volume
- cheap disk storage



Kasparov against Deep Blue

Deep Blue chess machine : 30 parallel processors + 480 custom chess chips, 10 years of development


# STRATEGY OF TYPE B

### TYPE-B STRATEGY BY C. SHANNON

- (1)Examine forceful variations out as far as possible and evaluate only at reasonable positions, where some quasi-stability has been established.
- (2) Select the variations to be explored by some process so that the machine does not waste its time in totally pointless variations.

#### Example from [Shannon'50]:

g(P) = 1 if any piece is attacked by a
piece of lower value or by more pieces
than defences or if any check exists
on a square controlled by the opponent
g(P) = 0 otherwise




## TYPE-B STRATEGY

#### BY M. BOTVINNIK

- "An Algorithm in Chess" 1968
- Pioneer project 1970s-1980s:
  - notion of attack maps
    notion of trajectories and adversary counter-trajectories

 endgame library with base positions, nodal positions and scores



Position 3: Botvinnik-Capablanca 1938. By playing 1.Ba3!! White starts a remarkable combination which gives it a victory 12 moves later. This position was used by Botvinnik as a test case for his chess algorithms.

# CONCLUSION



I never considered Deep Blue intelligent in any way. It's just an excellent problem solver in this very specific domain.

— M. Campbell, Deep Blue team member

Brute-force alpha-beta may have done as much damage to the process and credibility of computerchess research as it has given chess programs high ratings.

— Donskoy, KAISSA developer

## **MESSAGE TO TAKE HOME**

- B-type strategy
  - by Shannon
  - by Botvinnik
  - machine learning

### Contribution of computer chess to science

- alpha-beta pruning
- transposition tables
- artificial intelligence