

A local balance property of episturmian words

Gwenaël Richomme

▶ To cite this version:

Gwenaël Richomme. A local balance property of episturmian words. Development in Language Theory (DLT'2007), Jul 2007, Turku, Finland. pp.371-381. hal-00130229v2

HAL Id: hal-00130229 https://hal.science/hal-00130229v2

Submitted on 6 Feb 2008

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

LaRIA : Laboratoire de Recherche en Informatique d'Amiens Université de Picardie Jules Verne – CNRS FRE 2733 33, rue Saint Leu, 80039 Amiens cedex 01, France

Tel: (+33)[0]3 22 82 88 77 Fax: (+33)[0]03 22 82 54 12http://www.laria.u-picardie.fr

A local balance property of episturmian words $\mbox{G. Richomme}^{a}$

LaRIA RESEARCH REPORT : LRR 2007-02 (Version 2 – February 2008)

 $^{^{}a}$ LaRIA, Université de Picardie Jules Verne, gwenael.
richomme@u-picardie.fr

A local balance property of episturmian words

Gwénaël Richomme

UPJV, LaRIA,
33, Rue du Moulin Neuf
80039 Amiens cedex 01
gwenael.richomme@u-picardie.fr,
http://www.laria.u-picardie.fr/~richomme/

Abstract. We prove that episturmian words and Arnoux-Rauzy sequences can be characterized using a local balance property. We also give a new characterization of epistandard words.

Keywords: Arnoux-Rauzy sequences, episturmian words, balance property.

Important remark: The first version of this LaRIA Research Report 2007-02 contained an error in the proof of a result stating the non-context-freeness of the complement of the set of finite episturmian word. This result, its proof and some comments about it have been removed in this second version of the report. A slightly revised version of the text of this second version was published in "T. Harju, J. Karhumäki, and A. Lepistö (Eds.), Proceedings of DLT 2007, LNCS 4588, pp 371-381, Springer-Verlag Berlin Heidelberg 2007." (Thanks to the referees to have seen the above mentioned error)

1 Introduction

M. Morse and G.A. Hedlund [18] were the firsts to study in depth a family of words called Sturmian words. Now a large litterature exists on these words for which have been proved numerous characterizations more fascinating the ones than the others (see for instance [1,3,19]).

Sturmian words are defined over a binary alphabet. From their various characteristic properties, some generalizations of Sturmian words have emerged over larger alphabets. One of them, the so-called Arnoux-Rauzy sequences, is based on the notion of complexity of a word and is interesting by its geometrical, arithmetic, ergodic and combinatorial aspects (see for instance [19]).

One of the first properties of Sturmian words stated by M. Morse and G.A. Hedlund [18] is the balance property: any infinite word w over the alphabet $\{a,b\}$ is Sturmian if and only if it is non-ultimately periodic and balanced, that is the number of occurrences of the letter a differs in two factors of same length of w by at most one. Generalizations of these words were studied for instance by P. Hubert [12] (see also [22] for a survey of this property). J. Justin and L. Vuillon have stated a non-characteristic kind of balance property [14] for Arnoux-Rauzy sequences. Although it was first conjectured that Arnoux-Rauzy sequences are

balanced [9], J. Cassaigne, S. Ferenczi and L.Q. Zamboni have proved that this does not necessarily hold [6].

In 1973, E.M. Coven and G.A. Hedlund [7] stated that a word w over $\{a,b\}$ is not balanced if and only if there exists a palindrome t such that ata and btb are both factors of w. This could be seen as a local balance property of Sturmian words since to check the balance property we do not have to compare all factors of the same length but only factors on the sets AtA for t factors of w. The previous property can be rephrased in: an infinite word w over the alphabet $A = \{a,b\}$ is Sturmian if and only if it is non-ultimately periodic and for any factor t of t0 of t1. In Section 3, we show that this result can be generalized to Arnoux-Rauzy sequences contrarily to the balance property.

Actually our result concerns a larger family of infinite words presented in Section 2. Based on ideas of A. de Luca [8], Episturmian words were proposed by X. Droubay, J. Justin and G. Pirillo [9] as a generalization of Sturmian words. They have observed that Arnoux-Rauzy words are special episturmian words they called strict episturmian words. In the binary case episturmian words are the Sturmian words and the balanced periodic infinite words. Let us note that the case of remaining balanced words, namely the skew ones, have recently been generalized [10,11].

In [9], episturmian words are defined as an extension to standard episturmian words (Here we will call *epistandard* these standard episturmian words) previously introduced as a generalization of standard Sturmian words. In Section 4, we generalize to epistandard words a characterization of standard words proving a converse of a theorem in [13] and stating that an infinite word w is epistandard if and only if there exists at least two letters such that aw and bw are both episturmian. The interested reader can also consult [11] and its references for other characterizations of episturmian words using left extension in the context of an ordered alphabet.

Our last section comes back to the generalization of the local balance property introduced by E.M. Coven and G.A. Hedlund. One another way to rephrase it is: an infinite word w over the alphabet $A = \{a, b\}$ is Sturmian if and only if it is non-ultimately periodic and for any factor t of w, the set of factors belonging to AtA is balanced. This yields a new family of words on which we give partial results.

2 Episturmian and epistandard words

Even if we assume the reader is familiar with combinatorics on words (see, e.g., [17]), we precise our notations. Given an alphabet A (a finite non-empty set of letters), A^* is the set of finite words over A including the empty word ε . The length of a word w is denoted by |w| and the number of occurrences of a letter a in w is denoted by $|w|_a$. The mirror image of a finite word $w = w_1 \dots w_n$ ($w_i \in A$, for $i = 1, \dots, n$) is the word $w_n \dots w_1$ (the mirror image of ε is ε itself). A word equals to its mirror image is a palindrome. A word w is a factor of w if

there exist words p and s such that w = pus. If $p = \varepsilon$ (resp. $s = \varepsilon$), u is a prefix (resp. suffix) of w. A word u is a left special (resp. right special) factor of w if there exist (at least) two different letters a and b such that au and bu (resp. ua and ub) are factors of w. A bispecial factor is any word which is both a left and a right special factor (see, e.g., [5]) for more informations on special factors). The set of factors of a word w will be denoted Fact(w).

The previous notions can be extended in a natural way to any infinite words. Moreover any *ultimately periodic* infinite word can be written uv^{ω} for two finite words u, v ($v \neq \varepsilon$): it is then the infinite word obtained concatenating infinitely often v to u. If $u = \varepsilon$, the word is said *periodic*.

A word w is episturmian if and only if its set of factors is closed by mirror image and w contains at most one left (or equivalently right) special factor of each length. A word w is episturmian or epistandard, if w is episturmian and all its left special factors are prefixes of w. Let us note that, in [9], epistandard words were introduced by several equivalent ways, and then episturmian words were defined as words having same set of factors than an epistandard one.

The two theorems below recall a very useful property of episturmian words which is the possibility to decompose infinitely an episturmian word using some morphisms. This property already seen for Arnoux-Rauzy sequences in [2] is related to the notion of S-adic dynamical system (see, e.g. [19] for more details). This property could be useful to get information on the structure of episturmian words (see for instance [4,15,16,21] for some uses in the binary cases).

Given an alphabet A, a morphism f on A is an application from A^* to A^* such that f(uv) = f(u)f(v) for any words u, v over A. A morphism on A is entirely defined by the images of elements of A.

Episturmian morphisms studied in [13,20] are the morphisms defined by composition of the permutation morphisms and the morphisms L_a and R_a defined, for a a letter, by

$$L_a \begin{cases} a \mapsto a \\ b \mapsto ab, \text{ if } b \neq a, \end{cases} \qquad R_a \begin{cases} a \mapsto a \\ b \mapsto ba, \text{ if } b \neq a. \end{cases}$$

Theorem 2.1. [13] An infinite word w is epistandard if and only if there exist an infinite sequence of infinite words $(w^{(n)})_{n\geq 0}$ and an infinite sequence of letters $(x_n)_{n\geq 1}$ such that $w^{(0)}=w$ and for all $n\geq 1$, $w^{(n-1)}=L_{x_n}(w^{(n)})$.

Theorem 2.2. [13] An infinite word w is episturmian if and only if there exist an infinite sequence of recurrent infinite words $(w^{(n)})_{n\geq 0}$ and an infinite sequence of letters $(x_n)_{n\geq 1}$ such that $w^{(0)}=w$ and for all $n\geq 0$, $w^{(n-1)}=L_{x_n}(w^{(n)})$ or $w^{(n-1)}=R_{x_n}(w^{(n)})$.

Moreover, w has the same set of factors than the epistandard word directed by $(x_n)_{n\geq 1}$.

The infinite sequence $(x_n)_{n\geq 1}$ which appears in the two previous theorem is called the *directive word* of w and is denoted $\Delta(w)$: Actually in terms of [13],

it is the directive word of the epistandard word having the same set of factors than w. Each episturmian word has a unique directive word.

It is worth noting that any episturmian word is *recurrent*, that is, each factor of w occurs infinitely often. An infinite word w is recurrent if and only if each factor of w occurs at least twice. Equivalently each factor of w occurs at a non-prefix position. Thus an infinite word w over an alphabet A is recurrent if and only if for each of its factors w the set Aw (or simply Aw) is not empty.

We denote as in [13] Ult(w) the set of letters occurring infinitely often in $\Delta(w)$. For B a subset of the alphabet, we introduce a new definition: we call ultimately B-strict episturmian any episturmian word w for which $Ult(\Delta(w)) = B$. Of course this notion is related to the notion of B-strict episturmian word (see [13, def. 2.3]) which is a ultimately B-strict episturmian word whose alphabet (the letters occurring in w) is exactly B, and which is nothing else than an Arnoux-Rauzy sequence over B.

As shown in [9], there is a close relation between the directive word of an episturmian word and its special words. Corollary 2.5 below will show it again for ultimately strict episturmian words.

Let w be an episturmian word and $\Delta(w) = (x_n)_{n\geq 1}$ its directive word. With notations of Theorem 2.2, for $n\geq 1$, we denote $u_{n,w}$ (or simply u_n) the word:

$$u_{n,w} = L_{x_1}(L_{x_2}(\dots(L_{x_{n-1}}(\varepsilon)x_{n-1})\dots)x_2)x_1$$

When n=1, $u_{n,w}=\varepsilon$. These words play an important role in the initial definition of episturmian word by palindromic closure (see [13, Sec. 2]). In particular, each u_n is a palindrom (see for instance [13, Lem. 2.5]). One can also observe that, if $Ult(\Delta(w))$ contains at least two letters, then each u_n is a bispecial factor of w. Indeed for $n \geq 1$, u_n is a prefix of the epistandard word s directed by $\Delta(w)$ and so, by definition of an epistandard word, it is a left special factor of s and so of s by Theorem 2.2. Since the set of factors of s is closed by mirror image and since u_n is a palindrom, u_n is a right special factor of s. Conversely let us observe that any bispecial factor of an episturmian word is a palindrom. Indeed if s is a bispecial factor, then s and its mirror image s are left special factors of an infinite word containing at most one left special word of length s left palindromic closure s that the the words s are the only palindroms prefixes of s. From what precedes, we deduce the following fact that does not seem to have been already quoted in the literature:

Remark 2.3. For an episturmian word w with directive word $(x_n)_{n\geq 1}$, a factor u is bispecial if and only if $u=u_{n,w}$ for an integer $n\geq 1$.

Another result involving the palindroms u_n is:

Theorem 2.4. [9, Th. 6] Let s be an epistandard word over the alphabet A with directive word $\Delta(s) = (x_n)_{n\geq 1}$. For $n\geq 1$ and $x\in A$, $u_{n,s}x$ (or equivalently $xu_{n,s}$) is a factor of s if and only if x belongs to $\{x_i\mid i\geq n\}$.

By Theorem 2.2, an episturmian word w with a directive word Δ has the same set of factors than the epistandard word with directive word Δ . Hence the previous theorem is still valid for any episturmian word, and we can deduce:

Corollary 2.5. Let w be an episturmian word over an alphabet A and let $B \subseteq A$ be a set containing at least two different letters. The word w is a ultimately B-strict episturmian word if and only if for an integer n_0 , each left special factor with $|u| \ge n_0$ verifies $Au \cap Fact(w) = Bu$.

Moreover for each left special factors with $|u| < n_0$, $Bu \subseteq Fact(w)$.

The restriction on the cardinality of $B (\geq 2)$ will be used in all the rest of the paper. It is needed to have special factors of arbitrary length.

3 A new characterization of episturmian words

Now we give our first main result presented in the introduction as a kind of local characteristic balance property of episturmian words.

Theorem 3.1. For a recurrent infinite word w, the following assertions are equivalent:

- 1. w is episturmian;
- 2. for each factor u of w, a letter a exists such that $AuA \cap Fact(w) \subseteq auA \cup Aua$;
- 3. for each palindromic factor u of w, a letter a exists such that $AuA \cap Fact(w) \subseteq auA \cup Aua$.

In the previous theorem, the letter a and the cardinality of the set AuA depends on u. This is shown for instance by the Fibonacci word (abaababaabaab...), the epistandard word having $(ab)^{\omega}$ as director word, for which $A\varepsilon A \cap Fact(w) = \{aa, ab, ba\}$, $AaA \cap Fact(w) = \{aab, baa\}$, $AbA \cap Fact(w) = \{aba\}$, $AaaA \cap Fact(w) = \{baab\}$, ...

Proof of Theorem 3.1.

Proof of $1\Rightarrow 2$. Assume w is episturmian. Since the result deals only with factors of w, and since by Theorem 2.2 an episturmian word have the same set of factors than an epistandard word, without loss of generality we can assume that w is epistandard. Let u be a factor of w. Property 2 is immediate if u is not a bispecial factor of w. If u is bispecial in w, by Remark 2.3, an integer $n\geq 1$ exists such that $u=u_{n,w}$. Let $\Delta=(x_i)_{i\geq 1}$ be the directive word of w, let s (resp. t) be the epistandard word with t (t) be the directive word of t, let t be the epistandard word with t (t) be the letters of t be set t be t be the epistandard word with t are exactly the letters of the set t be t by definition of t and t be t by definition of t and t be t be t be an easy induction on t be an easy induction on t be t

Proof of $2 \Rightarrow 1$. Assume that, for any factor u of w, a letter a exists such that $AuA \cap Fact(w) \subseteq auA \cup Aua$. In particular, considering the empty word, we

deduce that $AA \cap Fact(w) \subseteq aA \cup Aa$ for a letter a. Hence, for an infinite word x, $w = L_a(y)$ if w starts with a and $w = R_a(y)$ otherwise.

Let us prove that for each factor v of y, $AvA \cap Fact(w) \subseteq bvA \cup Avb$ for a letter b. We consider $w = L_a(y)$ (resp. $w = R_a(y)$). Let v be a factor of y and let $u = L_a(v)a$ (resp. $u = aR_a(v)$). We observe that for letters c, d, the words cud is a factor of w if and only if cvd is a factor of y. By hypothesis there exists a letter b such that $AuA \cap Fact(w) \subseteq buA \cup Aub$. Hence $AvA \cap Fact(w) \subseteq bvA \cup Avb$.

Letting $x_1=a$ and iterating infinitely the previous step, we get an infinite sequence of letters $(x_i)_{i\geq 1}$ and an infinite sequence of words $(w^{(i)})_{i\geq 0}$ such that $w^{(0)}=w$ and for all $i\geq 1$, $w^{(i-1)}=L_{x_i}(w^{(i)})$ or $w^{(i-1)}=R_{x_i}(w^{(i)})$. Due to the fact that w is recurrent, each word $w^{(i)}$ is also recurrent. By Theorem 2.2, the word w is episturmian.

The proof of $1 \Leftrightarrow 3$ is similar to the proof of $1 \Leftrightarrow 2$. Actually, $1 \Rightarrow 3$ is a particular case of $1 \Rightarrow 2$. When proving $3 \Rightarrow 1$, we need to prove in the inductive step that u is a palindrome if and only if v is a palindrome. This is stated by Lemma 2. 5 in [13]: a word u is a palindrome if and only the word $L_a(u)a = aR_a(u)$ is a palindrome.

We end this section with few remarks concerning results that can be proved similarly.

Remark 3.2. Since an infinite word w over an alphabet A is recurrent if and only if for each factor of w the set AuA is not empty, we have: an infinite word is episturmian if and only if for each (resp. palindromic) factor u of w, AuA is not empty and a letter a exists such that $AuA \cap Fact(w) \subseteq auA \cup Aua$.

Remark 3.3. We have already said that Arnoux-Rauzy sequences over an alphabet A are exactly the (ultimately) A-strict episturmian word. One can ask for a characterization of these words in a quite similar way than Theorem 3.1. Corollary 2.5 can fulfill this purpose. But the proof of Theorem 3.1 can also be easily reworked to state: an episturmian word w over an alphabet A is a ultimately B-strict episturmian word with $B \subseteq A$ if and only if for all $n \ge 0$, there exists a (resp. palindromic) word w of length at least w and a letter a such that $AuA \cap Fact(w) = auB \cup Bua$.

Remark 3.4. Another adaptation of the proof of Theorem 3.1 concerns finite words: a finite word w is a factor of an infinite episturmian word if and only if for each factor u of w, a letter a exists such that $AuA \cap Fact(w) \subseteq auA \cup Aua$. We let the reader verify this result. The main difficulty of the proof is that in the "if part", we do not have necessarily $w = L_a(y)$ or $w = R_a(y)$. But we have one of the four following cases depending on the fact that w ends or not with a: $w = L_a(y)$, $w = aL_a(y)$, or $wa = L_a(y)$ or $wa = aL_a(y)$. Except in small cases, we have |y| < |w| and the technique of the proof of Theorem 3.1 can be applied.

4 A characterization of epistandard words

Let us note that for any episturmian word w, there exists at least one letter a such that aw is also episturmian. Indeed, since any episturmian word is recurrent, for any prefix p of w, there exists a letter a_p such that a_pp is a factor of w. We work with a finite alphabet hence an infinity of letters a_p are mutually equal: there exists a letter a such that ap is a factor of p for an infinity of prefixes (and so for all prefixes) of w. The word aw has the same set of factors than w: it is episturmian.

In restriction to epistandard words, a more precise result is already know:

Theorem 4.1. [13, Th. 3.17] If a word s is epistandard, then for each letter a in $Ult(\Delta(s))$, as is episturmian.

Up we know the converse of this result has already been stated only in the Sturmian case (see [3, Prop. 2.1.22]): For every Sturmian word w over $\{a, b\}$, w is standard episturmian if and only if aw and bw are both Sturmian. We generalize here this result, proving a converse to Theorem 4.1.

Proposition 4.2. A non-periodic word w is epistandard if and only if, for (at least) two different letters a and b, aw and bw are episturmian.

Proof. Let w be a non-periodic epistandard word w. By [9, Th. 3], we know that $Ult(\Delta(w))$ contains at least two different letters, say a and b. By Theorem 4.1, aw and bw are episturmian.

Assume now that for two different letters a and b, aw and bw are episturmian. Since aw (and also bw) is recurrent, w has the same set of factors than aw and so w is episturmian. Moreover each prefix p is left special (since ap and bp are factors of w). Since any episturmian word has at most one left special factor for each length, the left special factors of w are its prefixes: w is epistandard.

Let us give a more precise result:

Theorem 4.3. Let w be an infinite word over the alphabet A and assume $B \subseteq A$ contains at least two different letters. The two following assertions are equivalent:

- 1. The word w is ultimately B-strict epistandard;
- 2. For each letter a in A, aw is episturmian if and only if a belongs to B.

Proof. Assume first that w is B-strict epistandard, that is, $Ult(\Delta(w)) = B$. By Theorem 4.1, for each letter a in B, aw is episturmian. For any integer $n \geq 0$, the word $u_{n,w}$ is a prefix of w. If a does not belong to B, by Theorem 2.4, for at least one integer $n \geq 0$, $au_{n,w}$ is not a factor of w. Thus the word aw is not recurrent and so it is not episturmian. Hence if w is B-strict epistandard, for each letter a in A, aw is episturmian if and only if a belongs to B.

Assume now that for each letter a in A, aw is episturmian if and only if a belongs to B. Since B contains at least two letters, by Proposition 4.2, w is epistandard. As a consequence of Theorem 2.4, we can deduce $Ult(\Delta(w)) = B$.

Г

5 A new family of words

In this section, we consider recurrent infinite words w over an alphabet A having the following property:

Property \mathcal{P} : for any word u over A, the set of factors of w belonging to AuA is balanced,

that is, for any word u and for any letters a, b, c, d, if aub and cud are factors of w then $\{a, b\} \cap \{c, d\} \neq \emptyset$.

Any word verifying Assertion 2 in Theorem 3.1 also verifies Property \mathcal{P} . As shown by the word $(abc)^{\omega}$, the converse does not hold. In other words, any episturmian word verifies Property \mathcal{P} , but this is not a characteristic property (except in the binary case for which it is immediate that a word w verifies Property \mathcal{P} if and only if for all words u, aua or bub is not a factor of w).

We prove:

Proposition 5.1. A recurrent word w over an alphabet A verifies property P if and only if one of the two following assertion holds:

- 1. w is episturmian;
- 2. there exist an episturmian morphism f, three different letters a, b, c in A and a word w' over $\{a, b, c\}$ such that w = f(w'), w' verifies Property \mathcal{P} and the three words ab, bc and ca are factors of w'.

This proposition is a consequence of the next two lemmas.

Lemma 5.2. If a recurrent infinite word w verifies property \mathcal{P} , then one of the two following assertion holds:

- 1. $w = L_{\alpha}(w')$ or $w = R_{\alpha}(w')$ for a letter α and a recurrent infinite word w';
- 2. there exist three different letters a,b,c such that $w \in \{a,b,c\}^{\omega}$ and the three words ab, bc and ca are factors of w.

Proof. We first observe that if $AA \cap Fact(w) \subseteq \alpha A \cup A\alpha$ then (as in the proof of Theorem 4.3) $w = L_{\alpha}(w')$ or $w = R_{\alpha}(w')$, for a letter α and a recurrent infinite word w'.

We assume from now on that $AA \cap Fact(w) \not\subseteq \alpha A \cup A\alpha$.

For any letter α in A, $\alpha\alpha$ is not a factor of w. Indeed if such a word is a factor of w, then, for any factor $\beta\gamma$ with β and γ letters, by Property \mathcal{P} , $\beta=\alpha$ or $\gamma=\alpha$, that is $AA\cap Fact(w)\subseteq \alpha A\cup A\alpha$.

The alphabet A contains at least three letters. Indeed if A contains at most two letters a and b, then Property \mathcal{P} implies that aa and bb are not simultaneously factors of w, and so we have $AA \cap Fact(w) \subseteq aA \cup Aa$ or $AA \cap Fact(w) \subseteq bA \cup Ab$.

Let us prove that A contains exactly three letters. Assume by contradiction that A contains at least four letters. Let a (resp. b) be the first (resp. the second) letter of w. Since aa is not a factor of w, $a \neq b$. At least two other letters c and d

occur in w $(c, d \notin \{a, b\}, c \neq d)$. By Property \mathcal{P} , each occurrence of c is preceded by a or by b. Assume that ac occurs in w. Since ab also occurs, for any letter α not in $\{a, b, c\}$, each occurrence of α is preceded and followed by the letter a. But $AA \cap Fact(w) \not\subseteq aA \cup Aa$. Hence bc or cb occurs in w. But then the factor ad contradicts Property \mathcal{P} . Assume now that bc occurs in w. Since ab also occurs, for any letter α not in $\{a, b, c\}$, each occurrence of α is preceded and followed by b. But $AA \cap Fact(w) \not\subseteq bA \cup Ab$. Hence ac or ca occurs in w. But then the factor db contradicts Property \mathcal{P} .

Until now we have proved that w is written on a three-letter alphabet and contains no word $\alpha\alpha$ with α a letter. Assume that, for two letters a and b, ab is a factor of w but not ba. Then for an integer $n \geq 1$, $a(bc)^n a$ (let recall that aa, bb, cc and ba are not factors of w), and so ab, bc and ca are factors of w. Now if, for all letters α and β , $\alpha\beta$ and $\beta\alpha$ are factors of w then denoting a, b and c the letters occurring in w, once again ab, bc and ca are factors of w.

Lemma 5.3. Let α be a letter, w and w' be recurrent words such that $w = L_{\alpha}(w')$ or $w = R_{\alpha}(w')$. The word w verifies Property \mathcal{P} if and only if w' verifies Property \mathcal{P} .

Proof. We first assume $w = L_{\alpha}(w')$.

Assume that w does not verify Property \mathcal{P} : aub and cud are factors of w for some letters a,b,c,d and a word u such that $\{a,b\} \cap \{c,d\} = \emptyset$. At least one of the two letters a and b is different from α and at least one of the two letters c and d is different from α . Since $w = L_{\alpha}(w')$, we deduce that $u \neq \varepsilon$, and that u begins and ends with α : $u = L_{\alpha}(v)\alpha$ for a word v. Thus $aub = aL_{\alpha}(v)\alpha b$ and $cud = cL_{\alpha}(v)\alpha d$. We observe that if $a \neq \alpha$ (resp. $c \neq \alpha$), $\alpha aL_{\alpha}(v)\alpha b$ (resp. $\alpha cL_{\alpha}(v)\alpha d$) is a factor of w. Thus we can deduce that avb and cvd are factors of w' (even if one of the letters a,b,c,d is α): the word w' does not verify Property \mathcal{P} .

Assume conversely that the word w' does not verify Property \mathcal{P} : aub and cud are factors of w' for some letters a, b, c, d and a word u such that $\{a, b\} \cap \{c, d\} = \emptyset$. The word $aL_{\alpha}(u)\alpha b$ is a factor of w (if $b=\alpha$, this is still true since we work with infinite words and so in this case $au\alpha b'$ is a factor of w for a letter b'). Similarly $cL_{\alpha}(u)\alpha d$ is a factor of w: the word w does not verify Property \mathcal{P} .

The proof when $w = R_{\alpha}(w')$ is similar. Note that the fact that w' is recurrent is needed for the last part of the proof to know when $a = \alpha$, that $a'\alpha ub$ is a factor of w' for a letter a'.

Proof of Proposition 5.1. Assume w is a recurrent word that verifies Property \mathcal{P} but that does not verifies Assertion 2 of Lemma 5.2. Then $w = L_{\alpha}(w')$ or $w = R_{\alpha}(w')$, with w' a recurrent word. By Lemma 5.3, w' verifies Property \mathcal{P} .

Thus using Lemmas 5.2 and 5.3, we can prove by induction that, for any integer $n \ge 0$, one of the two following assertions holds:

- there exist recurrent infinite word $w^{(0)} = w, w^{(1)}, \dots w^{(n)}$, and letters a_1, \dots, a_n such that for each $1 \leq p \leq n$, $w^{(p-1)} = L_{a_p}(w^{(p)})$ or $w^{(p-1)} = R_{a_p}(w^{(p)})$, and w^n verifies property \mathcal{P} ;

- for an integer $m \leq n$, there exist recurrent infinite word $w^{(0)} = w$, $w^{(1)}$, ... $w^{(m)}$, and letters a_1, \ldots, a_m such that for each $1 \leq p \leq m$, $w^{(p-1)} = L_{a_p}(w^{(p)})$ or $w^{(p-1)} = R_{a_p}(w^{(p)})$, and $w^{(m)}$ verifies Assertion 2 of Lemma 5.2.

Hence the proposition is a consequence of Theorem 2.2.

6 Conclusion

The reader has certainly noticed that words verifying Property \mathcal{P} are not completely characterized. For this, one should have to better know ternary recurrent words verifying Property \mathcal{P} and containing the words ab, bc and ca as factors.

Let us give examples of such words. One can immediately verify that if ab, bc and ca are the only words of length 2 that are factors of a word w, then w is $(abc)^{\omega}$, $(bca)^{\omega}$ or $(cab)^{\omega}$. When a recurrent word w verifying property \mathcal{P} has exactly the words ab, bc, ca and ba as factors of length 2, one can see that w is a suffix of a word f(w') where w' is a Sturmian word over $\{a,b\}$ and f is the morphism defined by $f(a) = (ab)^n c$ and $f(b) = (ab)^{n+1} c$ for an integer $n \geq 1$. When f is replaced by one of the following morphisms g_1 or g_2 , we can get other examples of ternary words verifying Property \mathcal{P} (and containing exactly 5 factors of length 2 with amongst them ab, bc and ca): $g_1(a) = (ab)^n c$, $g_1(b) = (ab)^n cb$, $g_2(a) = (ab)^n c$, $g_2(b) = (ab)^{n+1} cb$. Our final example is the periodic word $(abcabacbabcb)^{\omega}$ which verifies Property \mathcal{P} and contains as factors all words of length 2 except aa, bb, cc: this word could be seen as the morphic image of a^{ω} by the morphism that maps a onto abcabacbabcb.

All these examples lead to the question: Are all ternary recurrent words verifying Property \mathcal{P} and containing ab, bc and ca as factors are suffix of a word f(w') with w' a recurrent balanced word (that is a Sturmian word or a periodic balanced word) and with f a morphism? If it is true, which are the possible values for f?

Acknowledgements. The author would like to thanks J.-P. Allouche for his questions that have initiated the present work.

References

- J.-P. Allouche and J. Shallit. Automatic sequences. Cambridge University Press, 2003.
- 2. P. Arnoux and G. Rauzy. Représentation géométrique de suites de complexités 2n+1. Bull. Soc. Math. France, 119:199–215, 1991.
- 3. J. Berstel and P. Séébold. *Algebraic Combinatorics on Words* (M. Lothaire, ed.), volume 90, chapter 2. Sturmian words. Cambridge Mathematical Library, 2002.
- V. Berthé, C. Holton, and L. Q. Zamboni. Initial powers of sturmian sequences. Acta arithmetica, 122:315–347, 2006.
- J. Cassaigne. Complexité et facteurs spéciaux. Belg. Bull. Math. Soc., 4:67–88, 1997.
- J. Cassaigne, S. Ferenczi, and L.Q. Zamboni. Imbalances in Arnoux-Rauzy sequences. Ann. Inst. Fourier, Grenoble, 50(4):1265–1276, 2000.

- E. M. Coven and G.A. Hedlund. Sequences with minimal block growth. Math. Syst. Th., 7:138–153, 1973.
- A. de Luca. On standard Sturmian morphisms. Theoretical Computer Science, 178:205–224, 1997.
- 9. X. Droubay, J. Justin, and G. Pirillo. Episturmian words and some constructions of de Luca and Rauzy. *Theoretical Computer Science*, 255:539–553, 2001.
- 10. A. Glen. A characterization of fine words over a finite alphabet. In *International School and Conference on Combinatorics, Automata and Number Theory (Cant'06)*. Université de Liège, Belgium, 2006. 9 pp.
- A. Glen, J. Justin, and G. Pirillo. Characterizations of finite and infinite episturmian words via lexicographic orderings. submitted, 2006.
- 12. P. Hubert. Suites équilibrées. Theoretical Computer Science, 242:91–108, 2000.
- 13. J. Justin and G. Pirillo. Episturmian words and episturmian morphisms. *Theoretical Computer Science*, 276(1-2):281–313, 2002.
- 14. J. Justin and L. Vuillon. Return words in Sturmian and episturmian words. *RAIRO Theoret. Infor. Appl.*, 34:343–356, 2000.
- 15. F. Levé and G. Richomme. Quasiperiodic infinite words: some answers. *Bull. Europ. Assoc. Theoret. Comput. Sci.*, 84:128–238, 2004.
- 16. F. Levé and G. Richomme. Quasiperiodic Sturmian words and morphisms. *Theoretical Computer Science*, To appear.
- M. Lothaire. Combinatorics on words, volume 17 of Encyclopedia of Mathematics and its Applications. Addison-Wesley, 1983. Reprinted in the Cambridge Mathematical Library, Cambridge University Press, UK, 1997.
- M. Morse and G.A. Hedlund. Symbolic Dynamics II: Sturmian trajectories. Amer. J. Math., 61:1–42, 1940.
- N. Pytheas Fogg. Substitutions in Dynamics, Arithmetics and Combinatorics, volume 1794 of Lecture Notes in Mathematics. Springer, 2002. (V. Berthé, S. Ferenczi, C. Mauduit, A. Siegel, editors).
- G. Richomme. Conjugacy and episturmian morphisms. Theoretical Computer Science, 302:1-34, 2003.
- 21. G. Richomme. Conjugacy of morphisms and Lyndon decomposition of standard Sturmian words. *Theoretical Computer Science*, (Words'05 special number), to appear.
- 22. L. Vuillon. Balanced words. Bull. Belg. Math. Soc., 10(5):787-805, 2003.