Shape deformation of embedded metal nanoparticles by swift heavy

ion irradiation

Fouran Singh¹, S. Mohapatra¹, J. P. Stoquert², D. K. Avasthi¹, J. C. Pivin³

¹Materials Science Group, Inter University Accelerator Centre, Aruna Asaf Ali Marg, New

Delhi 110067, INDIA; ²Laboratoire INESS, BP20, 67037 Strasbourg Cedex 2, FRANCE;

³CSNSM-IN2P3, Orsay Campus, FRANCE

ABSTRACT

Swift heavy ions (SHI) induce high densities of electronic excitations in narrow cylindrical

volumes around their path. These excitations have been used to manipulate the size and shape

of noble metal nanoparticles embedded in silica matrix. Films containing noble metal

nanoparticles were prepared by magnetron co-sputtering techniques. SHI irradiation of films

resulted in the formation of prolate Au and Ag nanoparticles with major axis along the ion

beam direction. It has been observed that the nanoparticles smaller than the track size dissolve

and other grow at their expense, while the nanoparticles larger than track size show

deformation with major axis along the ion beam direction. The aspect ratio of elongated

nanoparticles is found to be the function of the electronic energy loss and ion fluence. Present

report will focus on the role of size and volume fraction on the shape deformation of noble

metal nanoparticles by electronic excitation induced by SHI irradiation. The detailed results

concerning irradiation effects in silica-metal composites for dissolution, growth and shape

deformation will be discussed in the framework of thermal spike model.

Address for correspondence:

Dr. Fouran Singh

Scientist

Materials Science Group,

Inter University Accelerator Centre,

Aruna Asaf Ali Marg,

New Delhi – 110067 (INDIA)

Phone: +91-11-26893955, Fax: +91-11-26893666

E-mail: fouran@gmail.com