



**HAL**  
open science

# Control of pattern formation in a single feedback system by photonic lattices

Nicolas Marsal, Germano Montemezzani, Delphine Wolfersberger, Marc Sciamanna, Dragomir N. Neshev

## ► To cite this version:

Nicolas Marsal, Germano Montemezzani, Delphine Wolfersberger, Marc Sciamanna, Dragomir N. Neshev. Control of pattern formation in a single feedback system by photonic lattices. International Commission of Optics, Jul 2008, Sidney, Australia. hal-00334515

**HAL Id: hal-00334515**

**<https://hal.science/hal-00334515>**

Submitted on 11 May 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

# Control of pattern formation in a single feedback system by photonic lattices

N. Marsal<sup>1</sup>, D. Wolfersberger<sup>1</sup>, M. Sciamanna<sup>1</sup>, G. Montemezzani<sup>1</sup>, D.N. Neshev<sup>2</sup>

<sup>1</sup>Laboratoire Matériaux Optiques, Photoniques et Systèmes (LMOPS), CNRS UMR 7132, Unité de recherche commune à Supelec et Université Paul Verlaine de Metz, France.

<sup>2</sup>Nonlinear Physics Centre, Research School of Physical Sciences and Engineering, Australian National University, Canberra, Australia.

**email:** [nicolas.marsal@supelec.fr](mailto:nicolas.marsal@supelec.fr)

## Summary

We investigate experimentally the possibility to control the pattern formation in a nonlinear photorefractive single feedback system by using a periodic photonic lattice. By varying the lattice strength and periodicity, we can induce patterns of particular symmetry, suppress the modulational instability or spatially control the pattern.

## Introduction

Periodic photonic structures enable novel possibilities for manipulation of the fundamental aspects of wave propagation including enhancement of optical nonlinearity and control of light emission and radiation. The interplay between nonlinearity, optical gain, and photonic bandgap structures gives rise to new physical phenomena on control of nonlinear dynamics and spatial pattern formation. This has inspired recent interest in dissipative discrete systems leading to the prediction of localized structures or bandgap manipulation of modulational instability [1]. Despite the strong theoretical activities, experimental studies of such phenomena are lacking. In this work, we present the experimental observation of manipulation of modulational instability in a periodic nonlinear dissipative system.




Fig 1. a) Observation in the far field of an hexagonal pattern in presence of a lattice inside the photorefractive crystal. b) Hexagonal pattern switching to a diagonal one for a well defined intensity ratio between the pattern beam and the lattice beam. c) Suppression of the modulational instability in the bandgap area of the photonic lattice.

## Experiments

We use a setup based on a photorefractive BaTiO<sub>3</sub> crystal in a single feedback mirror configuration giving rise to hexagonal pattern formation [2] (Center of Fig: 1a). Additionally, we impose an optical lattice to induce a photonic bandgap structure with variable parameters (see the two outer spots in Fig 1a, corresponding to the linear diffraction of the pattern beam on the lattice created inside the crystal). By varying the

lattice strength and periodicity, we can induce patterns of different symmetry. Figure 1b shows how the far field hexagonal pattern switches to a “diagonal pattern” after the addition of the optical lattice. Additionally, the modulational instability can be suppressed when the position of the lattice bandgap coincides with the instability gain region (Fig: 1c). Finally, for a well-defined lattice periodicity, we can rotationally control the pattern in its transverse plan depending on the lattice orientation. We also study how the threshold for modulational instability depends on the lattice strength and periodicity.

## **Conclusions**

In conclusion, we have experimentally demonstrated a new optical method for controlling the pattern formation in a photorefractive single feedback system that takes advantage of the presence of a periodic optical lattice. It is shown that the creation of new patterns, the suppression of the modulational instability and the control of the pattern orientation is all possible by an all-optical addressing. To our knowledge, this work shows for the first time how a (weak) photonic lattice can influence the pattern formation in several fashions.

## **References**

- [1] D. Gomila and G-L Oppo, Phys. Rev. E **72**, 016614 (2005)
- [2] C. Denz, Ph. Jander, M. Schwab, Ann. Phys. (Leipzig) **13**, 391-402 (2004).