



HAL
open science

From MASK knowledge management methodology to learning activities described with IMS - LD

Djilali Benmahamed, Jean-Louis Ermine, Pierre Tchounikine

► **To cite this version:**

Djilali Benmahamed, Jean-Louis Ermine, Pierre Tchounikine. From MASK knowledge management methodology to learning activities described with IMS - LD. Klaus-Dieter Althoff; Andreas Dengel; Ralph Bergmann; Markus Nick; Thomas Roth-Berghofer. Professional Knowledge Management : Third Biennial Conference, WM 2005, Kaiserslautern, Germany, April 10-13, 2005, Revised Selected Papers, 3782, Springer, pp.165-175, 2005, Lecture Notes in Computer Science, 978-3-540-30465-4. 10.1007/11590019_20 . hal-00431826

HAL Id: hal-00431826

<https://hal.science/hal-00431826v1>

Submitted on 13 Nov 2009

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

From MASK Knowledge Management methodology to learning activities described with IMS – LD

Djilali Benmahamed^{1,2}, Pierre Tchounikine², Jean-Louis Ermine¹

1 : Laboratoire d'Informatique de l'Université du Maine – CNRS FRE 2730

Avenue Laennec, 72085 Le Mans cedex 9 – France

{djilali.benmahamed, pierre.tchounikine}@lium.univ-lemans.fr

2 : Institut National des Télécommunications, Département Systèmes d'Information

9, rue Charles Fourier, 91011 Evry Cedex – France

jean-louis.ermine@int-evry.fr

in Professional Knowledge Management, Editors: Klaus-Dieter Althoff, Andreas Dengel, Ralph Bergmann, Markus Nick, Thomas Roth-Berghofer, ISBN: 3-540-30465-7, pp. 165 – 175, 2005

Abstract. In this paper we present how knowledge capitalized using the Knowledge Management Mask methodology can be used to design E-learning activities by matching Mask models and the concepts proposed by the IMS-Learning Design modelling language. Our study consists in highlighting the e-learning aspects encapsulated in these MASK models carried out around a domain of activity, via a writing these elements in the description language IMS - Learning Design, in a preoccupation of reusability and reengineering.

Introduction

The general context of the work is the integration of Knowledge Management principles and methodologies and E-Learning requirements. More precisely, we are interested in the construction of learning activities from Knowledge Management systems. Learning activities are activities designed to make learners/employees achieve a given set of actions that will help them internalize knowledge. This follows the pedagogic constructivist approach that promotes "learning by doing" rather than just reading documents. Let us consider an organization that uses a given project management methodology and has to train its employees to this method. Presenting documents that describe the method (i.e., inert e-learning material) is necessary, but not sufficient. It can be powerfully completed by a learning activity that consists in proposing to a group of n employees to achieve a project following the methodology that they are supposed to learn, using E-Communication (Mail, Forum, Collaborative tools, etc.) to achieve this collaborative e-learning activity.

Building such a learning activity requires first identifying the scenarios that will be proposed to the trainees, the different tasks to perform, the different roles to be distributed, etc. and then modelling these different aspects. When the knowledge that is to be acquired is part of the company Knowledge Management system, it appears natural to build the learning activities scenarios from the data stored in the Knowledge Management system.

In this paper, we present the way proposed to achieve such a process and, more precisely, the way proposed to construct learning scenarios from the Mask Knowledge Management methodology and to represent them using the IMS-Learning Design language. The paper shows the way that the educational scripts and training units can prove to be applicable to the objective of sharing and appropriation of knowledge capitalized within the MASK models. Also, it justifies the necessity of a rewrite step of the MASK toward educational engineering modeling norms, in particular the IMS - Learning Design language.

The second section of this paper briefly explains the Mask Knowledge Management methodology and the IMS-LD standard. We then explain the matching between the different Mask models and the different components of an IMS-LD scenario. In order to illustrate the process we take examples from the construction of a project management scenario. This example was used as a full-scale theoretical example (the KM model description is approximately of 30 A4 pages, however this was not processed in a company as we are only at the first steps of the methodology development).

Mask, a method for knowledge capitalization

Mask is an evolution of the MKSM method [1], [3] and [4]. It is now a robust, validated and operational method. It takes its origins in cognitive-based knowledge engineering approaches in which problem solving methods are represented under several aspects: classification of concepts, relations between concepts, prescriptive actions and behaviour laws [4]. Mask proposes seven models to help experts and knowledge engineers structure knowledge under systemic, ergo-cognitive, psycho-cognitive, historical and evolution analyses (see references for details): knowledge patrimony model, domain model, activity model, historical model, concept model, task model and temporal line model.

Mask method allows, through various models describing various points of view, to study in-depth the experts' knowledge and their systems of values at different levels of granularity. This facilitates its use for dividing, decentralizing, learning and adapting this knowledge and describing the company's activities. One of the benefits is the ease in updating the model, according to the evolution of knowledge [7]. This allows a better description and put in practice and thus reduces differences between documentation and reality.

IMS - Learning Design

Learning Design aims at an evolution of e-learning by capturing the “process” of education rather than simply content. By describing sequences of collaborative learning activities, Learning Design offers a new approach to re-use in e-learning [2]. Learning Design has emerged as one of the most significant recent developments in e-learning. From a standards/specifications perspective, IMS Global Learning Consortium has recently released the IMS Learning Design specification [5], based on the work of the Open University of the Netherlands (OUNL) on “Educational Modelling Language” [6], a notational language to describe a “meta-model” of instructional design. The OUNL coordinates an international EML/IMS Learning Design implementation group known as the Valkenburg group (2003), and OUNL has recently stated its intention to no longer continue developing EML, but instead focuses its energies on the new IMS Learning Design specification [8].




Fig. 1. Conceptual model of the overall Learning Design structure [5]

Three levels of representation suggested by IMS - Learning Design allow the specification and implementation of a great variety of e-learning teaching contents [5]. Level A specifies a time ordered series of *activities* to be performed by learners and teachers (*role*), within the context of an *environment* consisting of *learning objects* or *services*. Analysis of existing design approaches revealed that this was the common model behind all the different behaviorist, cognitive and (social) constructivist approaches to learning and instruction. For more advanced learning purposes, *properties*, *conditions* and *notifications* are required. This corresponds to Levels B and C. *Properties*, specified at Level B, are needed to store information

about a *person* or a group of persons (*role*) e.g., for a student, its progress. *Conditions*, also part of Level B, constrain the evolution of the didactic scenario. They are set in response to specific circumstances, preferences or characteristics of specific learners (e.g., prior knowledge). *Notifications*, specified at Level C in addition to the *properties* and *conditions* of Level B are mechanisms to trigger new *activities*, based on an event during the learning process (e.g., the teacher is triggered to answer a question when a question of a student occurs or the teacher should grade a report once it has been submitted). In this paper we will limit ourselves to the "A" level, i.e., general design of scenario as time ordered activities.

Matching Mask / IMS – Learning Design

MASK models do not allow an efficient appropriation of the knowledge modelled by workers within the organization. However, one of the major objectives of such a capitalization and modelling remain that to share and re-use this knowledge. The simple access can not ensure an approval and a re-use of this knowledge. This modelling must thus meet a need more oriented learning.

Indeed, so that knowledge is re-used, it necessary that it is understood by the worker i.e. is integrated into its experiments and knowledge base and constantly mobilized in the action [10]. This approval and this reuse wished are therefore possible via a learning process, during which we show to the learner different domain difficulties and let's bring him the possible solutions that answer to these situations problems of operational order.

The development of a framework that supports pedagogical diversity and innovation, while promoting the exchange and interoperability of e-learning materials, is one of the key challenges in the e-learning industry today. The IMS Learning Design allows the elements and structure description of any unit of learning, including resources, instructions for learning activities, templates for structured interactions, conceptual models (e.g., problem-based learning), learning goals, objectives and outcomes and finally assessment tools and strategies [5].

The idea is to exploit the different concepts and aspects that contain the MASK models to extract and to structure the content of this learning. It justifies a step of MASK models rewrite toward modelling norms descended of the educational engineering, in particular the IMS-Learning Design language.

In the beginning, we tried to achieve this matching using the patrimony model. it was, for us, a starting point that permits a global vision described by the general phenomena, basis of the profession knowledge to distribute. The advantage is the faithful transcription of this global vision. The continuation was the deepening of every element representing a flux (of data, of information or cognitive). Once the definite global frame, deepening gives an indication on the granularity level of the learning scenario. We noted that such a gait denotes a starting a lot of general practitioner due to the generic level of the patrimony model that can generate several main activity models where each correlates to a well founded perception.

Seen this first report, we experimented a matching from the activity model, where the main activity model is the starting point. The idea is to continue to describe the different steps of the scenario from the different correspondent's activities models and to continue while going until tasks models. Such a passage leads to a granularity level more and more refined. This gait proves to be interesting for the very detailed learning scenarios or that aim a training rather of initiation, thanks to the very detailed description level.

Seen this second report, we opted for a third way: to consider, since the departure, the granularity level of the learning scenario as defined by activities models. Patrimony, tasks and concepts models will remain elements to complete the different descriptions that ensue. The advantage of such a gait resides in the fact that we launch the matching with a maximum of precision and clarity. It's the choice that we kept and that we will retail in the following paragraphs, while starting with the general scenarios identification from the domain Model.

Identifying general scenarios from the Domain Model




Fig. 2. Domain model generates various possibilities of scenarisation

MASK domain model proposes a vision sufficiently global of modeled knowledge that justifies its exploitation to identify the general scenario(s) of the learning activities. The continuation will be the deepening of each sub-element of this general model denoting a flow. This process emphasizes the principle based on the perception of a field like a recursive decomposition of phases and sub-phases. The idea is thus to describe the various headings of the teaching scenario by going through these phases. The general framework will be defined starting from the domain model and the

succession of the decompositions will give an indication about the granularity level of the teaching scenarisation. So, a domain model can provide several scenarios corresponding to its different activities (Fig. 2). As an example, in the project management field, different scenarios can be identified corresponding to different general activities such as "definition of project", "team management", "dealing with the project resources" or in a more general manner "managing a project".

Defining the scenarios from the main activities model

The general scenario can be further detailed as follows:

- The patrimony model allows defining the different scenarios elements such as global prerequisites or the global teaching objectives the main activities model and the different activity steps (cf. Fig. 3).
- The main activities model allows making more precise the different activity steps by defining different characteristics such as the step number, the title and in particular the different actions to be scheduled (cf. Fig. 4).
- The different activity sub-models and their corresponding tasks models and concept models allow making more precise the different features of the learning activities such as the different roles, the teaching objectives or the intended production (cf. Fig. 5).




Fig. 3. Defining the scenario general structure




Fig. 4. Defining the different activity steps




Fig. 5. Defining the details of the different activities


If necessary, when the objective of the learning is to work out accurately a given procedure, the learning activity can be further detailed using the tasks model of the considered activity (the task model describes, in particular, the "expert" problem resolving strategy).

Generating the IMS-LD description

Table 1 presents an example of general learning scenario obtained following this process in the case of project management. This general scenario, described as a structured document, is based on 6 activity steps, each step being then refined into 24 activities. An IMS-LD description as an XML file can be generated from the standard description of this material (cf. fig. 6).

Table 1. A learning scenario

Learning activity general structure for "project management"				
Course title: Learning how to manage a project.			Timing: xxx	
Global teaching objectives:				
<ul style="list-style-type: none"> • developing high level competences in the project scenario definition, dashboard construction, men management, • ... 				
Global prerequisites: fundamental knowledge on the project devices & knowledge of the project ecology ...				
Didactic principles & synopses: How does the course achieve its objectives?				
<ul style="list-style-type: none"> - alternate individual and collective learning steps, - alternate synchronous and asynchronous learning steps, ... 				
Learning steps (Learning steps references and execution conditions)				
Ref.	Starting with?	Waiting the end of learning step	Learning step title	Next Learning step
1	Yes	/	Preparation of the upstream project	2
2	No	1	Project beginning	3, 4, 6
...
Learning steps scheduling : developer choice <input checked="" type="checkbox"/> actors choice <input checked="" type="checkbox"/> cf. previous table <input checked="" type="checkbox"/>				



```
<?xml version="1.0" encoding="iso-8859-1" ?>
- <manifest xmlns="http://www.imsglobal.org/xsd/imscp_v1p1" xmlns:imsld="http://www.imsglobal.org/xsd/imsld_v1p0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.imsglobal.org/xsd/imscp_v1p1
  http://www.imsglobal.org/xsd/imscp_v1p1p3.xsd http://www.imsglobal.org/xsd/imsld_v1p0
  http://www.imsglobal.org/xsd/imsld_level_c_v1p0.xsd" identifier="CP-Manifest">
- <metadata>
  <schema>IMS Metadata</schema>
  <schemaversion>1.2</schemaversion>
</metadata>
- <organizations>
- <imsld:learning-design identifier="CP" uri="" level="A">
  <imsld:title>Apprentissage de la conduite de projets</imsld:title>
  - <imsld:learning-objectives>
  - <imsld:item identifierref="" identifier="LO1">
    <imsld:title>Maîtriser la démarche de conduite de projet</imsld:title>
    </imsld:item>
  - <imsld:item identifierref="" identifier="LO2">
    <imsld:title>Développer des compétences de haut niveau en définition du scénario d'un projet, en construction
    de son tableau de bord, en management des hommes et en gestion des résultats et des dépenses</imsld:title>
    </imsld:item>
  - <imsld:item identifierref="" identifier="LO3">
    <imsld:title>Apprendre à travailler en équipe et favoriser la création d'une communauté d'apprentissage (cadre
    de la même entreprise, dans notre contexte)</imsld:title>
    </imsld:item>
  </imsld:learning-objectives>
+ <imsld:components>
  <!-- METHOD AND PLAY -->
+ <imsld:method>
  </imsld:learning-design>
</organizations>
<resources />
</manifest>
```

Fig. 6. IMS-LD General structure of the scenario for "project management" training

The result obtained was a teaching scenario which is characterized by:

- The existence of the main part of the e-learning aspects such as defined, distributed in various models MASK.
- Some missing elements: they acts primarily of the elements which are specific to the training process (staff roles, durations of the meetings, environment materials, etc.) and thus of the elements which were not taken into account at the time of modeling, nor thought by the expert during the interview of clarification.
- Difficulties noted for the definition of the level of granularity : MASK Models such as they are designed constitute "a block" of knowledge distributed on the various levels and models. In order to keep intact the direction of the knowledge-making, we had the constraint to adopt the same levels of granularity and decomposition.

- Other constraints: elements in the teaching scenario cannot be directly inspired by the models MASK but which can be extracted well while choosing a combination from models. As an example, the description of the Learning activity requires elements of Knowledge, "Knowledge-to make" and "Knowledge-to be" corresponding model of the activity, descriptions of the tasks models and those of concepts models y referent.

Conclusion

Model-based approaches to Knowledge Management and E-learning present great convergences. Both have a finality of exchange and approval of knowledge. This can be used to study the passage from knowledge engineering models to e-learning scenarios. We have shown in this paper the way it can be done in the case of the Mask methodology and the IMS-LD standard.

The analysis of the approach we propose can be summarized as follows. The obtained scenarios cover the key knowledge that is proposed in the Mask models. However, some elements of the teaching scenario cannot be directly picked in a given Mask model but must be extracted from a combination of models. As an example, the description of learning activity requires elements such as "Knowledge-to make" and "Knowledge-to be" aspects that must be elicited from the activity model, the task models and the concept models. Moreover, some E-learning specific issues are not present in the Mask model and must be added through the process: staff roles, durations of the collaborative meetings, environment materials, etc. Finally, a difficult aspect of the matching is the definition of the learning activities level of granularity. Mask models constitute a "block" of knowledge distributed on the various levels and models. A learning activity generally focuses on a given issue at a given level of detail. Keeping coherent the levels of granularity of the two systems requires an accurate work that must be driven by pedagogic considerations.

Our definition of contents, design and scenarisation is intended to the actors of the field through an E-Learning platform and described in IMS - LD. That thus requires reflexions to reinforce the assets of such a passage and to answer the difficulties and/or lacks recorded at the time of the passage. For that, we propose for future developments:

- The expert can be called, during the interviews, to indicate some elements which it consider essential so that one learning can comparable its mode of reasoning and/or its way of resolution of problems
- To exploit the book of knowledge rather than the simple MASK models. The book of knowledge is, in fact, the "real" production of the method MASK and which includes the models. The book of knowledge has the advantage, compared to the models, to be content of complementary descriptions which answer the lacks that one noted theoretically and confirmed by our passage experimentation.

Then, we believe that the development of methods that focus on constructing E-learning activities from KM systems is absolutely necessary to manage the complexity of E-learning issues in industrial companies. As an example, the Mask model of the "project management method" produced more than thirty models (plus their documentations). This cannot be managed "by hand". Although the process of building E-learning activities and curricula cannot be straightforward, approaches such as the one we propose guides and facilitates the process. Moreover, such an approach maintains the knowledge life cycle within the organization and allows reusability and reengineering thanks to IMS - Learning Design descriptions. We believe that knowledge engineering and teaching engineering issues models and systems can then progress towards interoperability.

References

1. Barthelmé F., Ermine J.L., Rosenthal-Sabroux C. *An architecture for knowledge evolution in organisations*, European Journal of Operational Research 109, 414-427 (1998)
2. Dalziel J., *Implementing learning design: Then Learning Activity Management System (LAMS)*, Macquarie E-learning Centre of Excellence (MELCOE) - Macquarie University, Australia 2003.
3. Ermine J-L., Chaillot M., Bigeon P., Charreton B., Malavieille D. : *MKSM, a method for knowledge management*, Knowledge Management, Organization, Competence and Methodology, Advances in Knowledge Management Volume 1, Jos. F. Shreinemakers Ed., pp 288 - 302, Ergon, 1996
4. Ermine J-L: *Les systèmes de connaissances*, Edition Hermès, Paris, 2000
5. IMS Learning Design specification: <http://www.imsglobal.org/learningdesign/index.cfm>
6. Koper, R., *From change to renewal: Educational technology foundations of electronic environments*. EML website <http://eml.ou.nl/eml-ou-nl.htm>
7. Matta N., Ermine J.L., Aubertin G., Trivin J.Y., *Knowledge Capitalization with a knowledge engineering approach: the Mask method*, proceedings of IJCAI'2001 Workshop on Knowledge Management and Organizational Memory, August 2001.
8. Tattersall, C., *EML and IMS Learning Design. Presentation for the Valkenburg Group*, Vancouver, February 2003.
9. Tixier B., *Rapport de recherche n° 01.9*, Institut de recherche en informatique de Nantes, Septembre 2001.
10. Tounkara T., Ermine J-L., Matta N., *L'approbation des connaissances avec MASK*, In proceedings of Extraction et Gestion des Connaissances EGC'2002 (industrial session), Montpellier 2002.