



**HAL**  
open science

## Emerging agrosience

Eric Lichtfouse, Marjolaine Hamelin, Mireille Navarrete, Philippe Debaeke,  
Agnès Henri

► **To cite this version:**

Eric Lichtfouse, Marjolaine Hamelin, Mireille Navarrete, Philippe Debaeke, Agnès Henri. Emerging agrosience. *Agronomy for Sustainable Development*, 2010, 30 (1), pp.1-10. 10.1051/agro/2009055 . hal-00442308v2

**HAL Id: hal-00442308**


**<https://hal.science/hal-00442308v2>**

Submitted on 6 Feb 2010

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Copyright



## Review article

# Emerging agrosience

Éric LICHTFOUSE<sup>1\*</sup>, Marjolaine HAMELIN<sup>2</sup>, Mireille NAVARRETE<sup>3</sup>, Philippe DEBAEKE<sup>4</sup>, Agnès HENRI<sup>5</sup>

<sup>1</sup> INRA, UA1267, Agronomy for Sustainable Development, INRA-CMSE-PME, 17 rue Sully, 21000 Dijon, France

<sup>2</sup> INRA, UA1267, Agronomy for Sustainable Development, UR 50, Laboratoire de Biotechnologie de l'Environnement, avenue des Étangs, 11100 Narbonne, France

<sup>3</sup> INRA, UR 767, Écodéveloppement, 84914 Avignon Cedex 09, France

<sup>4</sup> INRA, UMR AGIR, BP 52627, 31326 Toulouse Cedex, France

<sup>5</sup> EDP Sciences, Parc d'Activités de Courtaboeuf, BP 112, 17 avenue du Hoggar, 91944 Les Ulis Cedex A, France

(Accepted 27 November 2009)

**Abstract** – Climate change and the recent financial crisis clearly show that humans have entered the anthropocene, an unprecedented era of fast and possibly dangerous changes. Unprecedented changes call for unprecedented thinking. Indeed, agricultural research has been for too long driven solely by the need for higher yields using classical agrosiences, whatever the adverse ecological effects. Agricultural research needs the input of other sciences such as ecological, economic, social and political sciences. These social sciences emerged in agricultural research a few decades ago, but there are currently no precise trends and data on the speed of emergence of specific topics. Therefore, here we report: (1) an analysis of the emergence of topics in the journal *Agronomy for Sustainable Development*, and (2) a review of selected articles published in 2009. First, to analyse topic emergence we studied three data sets: most-cited articles from 1999 to 2009, topic hits in article text from 1999 to 2009, and most-downloaded articles in 2009. We found the following major points. Most-cited articles show that transgenic plants and biofuels are clearly emerging topics from 2007, whereas soil carbon and climate change are the major mainstream topics of the last 10 years. Topic hits analysis allows one to rank topics by mean emergence date, e.g. 2008.3 for 'genetically modified' and 2005.3 for 'irrigation'. Accordingly, the 10 most emerging topics over 1999–2009 are biofuels, genetically modified, conservation agriculture, urban agriculture, sociology, organic farming, carbon sequestration, phytoremediation, mulch and biodiversity. Analysis of most-downloaded articles in 2009 shows the predominance of topics such as carbon, climate, biodiversity, biofuels, pollutants, beneficial microbes, transgenic plants and organic farming. Second, we reviewed selected articles published in 2009 with emphasis on emerging topics. We find that sociology is clearly bringing novel and unexpected findings to designing sustainable agriculture. Transgenic crops are highly innovative but show many unknowns that need to be carefully studied using various disciplines. Climate change has many scientifically proven effects on terrestrial ecosystems and agriculture. Here, soil carbon loss should be of particular attention because it rules the long-term fate of many factors such as atmospheric CO<sub>2</sub>, erosion, and water and nutrient supply. Biodiversity loss due to industrial monocropping is leading scientists to disclose alternative, more diverse cropping systems that optimise biodiversity, pest control and yield.

**agriculture / climate change / biofuel / transgenic plants / biodiversity / sociology / organic farming / conservation agriculture / urban agriculture / industrial agriculture / carbon sequestration / soil carbon / crop rotation / no tillage / beneficial microbes / citation analysis / topic emergence analysis / most-cited articles / most-downloaded articles**

## 1. INTRODUCTION

Climate change and the recent financial crisis clearly show that humans have entered an unprecedented era of fast and possibly dangerous changes. This era is the anthropocene, a term that was coined in 2000 by the Nobel Prize-winning atmospheric chemist Paul Crutzen to point out that human activities now have a global impact on climate and ecosystems. Crutzen has explained, "I was at a conference where someone

said something about the Holocene. I suddenly thought this was wrong. The world has changed too much. So I said: 'No, we are in the anthropocene'. I just made up the word on the spur of the moment. Everyone was shocked. But it seems to have stuck".

Unprecedented changes call for unprecedented adaptation. Unprecedented adaptation calls for unprecedented thinking. For instance, a major issue is that agricultural research has been for too long driven solely by the need for *higher yields* using monoculture, whatever the adverse ecological effects, such as food and drinking water pollution, biodiversity loss, and

\* Corresponding author: [eric.lichtfouse@dijon.inra.fr](mailto:eric.lichtfouse@dijon.inra.fr)

pest resistance. Mainstream goals such as higher yields should be challenged and rethought to take into account other factors. Those factors should not be solely defined by classical agrosociences, e.g. plant and soil sciences, but should also include all other sciences that really rule agriculture; for instance, ecological, economic, social and political sciences (De Bon et al., 2009; Wezel et al., 2009; Fleming and Vanclay, 2009; Lamine and Bellon, 2009; Lichtfouse et al., 2009a, b; Veldkamp et al., 2009). In other words, agronomy should not be reduced to a science that improves crop yields but should answer all society's issues because agriculture is both the foundation and the future of society. Agronomists should rethink the role of agriculture in our society. For instance, studies of farming systems should also include food systems (Gliessman, 2007).

Previous works have attempted to define the core issues of the industrial agricultural society: technology without wisdom; and the tragedy of the global commons: soil, water and air (Lal, 2009a, b); artificialisation and painkiller solutions; climate change and outdated society structures; and society dependence and sustainable agriculture (Lichtfouse, 2009a–c). In the book *Sustainable Agriculture* we have gathered 53 review articles that cover major advances in agrosociences (Lichtfouse et al., 2009a). Four recent books also report major contributions in emerging agrosociences (Lichtfouse, 2009d–g). Here, we analyse recent topical trends in the journal *Agronomy for Sustainable Development*. Topical trends are assessed using three indicators: (1) most-cited articles 1999–2009, (2) topic hits on the journal website over 1999–2009, and (3) most-downloaded articles in 2009. We then briefly review selected journal articles published in 2009.

## 2. MOST-CITED ARTICLES 1999–2009

A first means to assess topics in the journal is to look at most-cited articles in the *Journal Citation Reports*. Table I shows yearly top-cited articles in the journal *Agronomy for Sustainable Development* from 1999 to 2009. The results indicate that major recent topics are transgenic plants, agroindicators, alternative crop management, beneficial microbes, and topics related to climate change such as biofuels and soil carbon. Whereas transgenic plants and biofuels are clearly emerging topics from 2007, soil carbon and climate are strikingly apparent as major topics through the whole 1999–2009 period. Soil carbon and climate are also topics of the 4 most-cited articles from 1999 to 2009. Other most-cited topics include agroindicators; alternative crop management, pest control and fertilisation; biodiversity; and pollutants and pesticides. We conclude that transgenic plants and biofuels are clearly emerging topics, whereas soil carbon and climate are the major mainstream topics of the last 10 years.

## 3. JOURNAL WEBSITE HITS

We also studied topics by counting hits over 1999–2009 using the search engine of the journal website (Tab. II). As topics refer to queries found in the whole article text, topics do not

necessarily represent article topic. We ranked topics by decreasing order of emergence using the mean emergence date calculated by averaging dates weighted by hits. Figures 1 and 2 show examples of the evolution of topic hits with time. Four evolution types were identified: (1) a *plateau*; for instance, 'irrigation' data shows a plateau with a mean emergence date of 2005.2. (2) A *regular increase* such as that for 'crop rotation' since 2003. 'Crop rotation' has thus a younger mean emergence date of 2006.2. (3) A *sharp increase* such as that for 'organic farming' after 2004. 'Organic farming' has thus an even younger mean emergence date of 2007.1. 'Genetically modified' exhibits the youngest mean emergence date of 2008.3. (4) A *dive-rise* such as that for 'agroforestry', showing a decrease from 1999 to 2003 followed by an increase from 2003 to 2009, suggesting a renewed interest in this topic.

Table II shows that according to the mean emergence date the 10 most emerging topics are biofuels, genetically modified, conservation agriculture, urban agriculture, sociology, organic farming, carbon sequestration, phytoremediation, mulch and biodiversity. This finding confirms biofuels and transgenic plants as emerging topics from citation data (Tab. I). The predominance of soil carbon and climate is also apparent in most emerging topics.

Urban agriculture, ranking 3 in emergence, and sociology, ranking 4, are of special interest because those topics represent a clear change of thinking. Urban agriculture is challenging the common belief that crops should be cultivated in rural areas. Here, the idea of producing food close to consumers to decrease transportation pollution and costs is clearly elegant and apposite to fight climate change. The emergence of sociology can be explained both by increased interest from agronomists and by the shift in journal topics from 2004 (Lichtfouse et al., 2004). Table II also shows printed in bold the 5 top topics according to hits in 2009. Here, biodiversity is found in 55% of articles, crop rotation 49%, no tillage 43%, irrigation 40% and organic farming 38%. These data from one single year cannot be interpreted in terms of evolution, but they probably represent the major concerns of authors in 2009.

To conclude, the 10 most emerging topics according to mean emergence date are biofuels, genetically modified organisms, conservation agriculture, urban agriculture, sociology, organic farming, carbon sequestration, phytoremediation, mulch and biodiversity. Those topics can be roughly classified into two streams of research aiming at a more sustainable agriculture. First, an *analytical stream* that develops technological innovations in plant science such as transgenic plants and biofuels. Second, a *systemic stream* that develops innovative farming practices such as organic farming and urban agriculture. Concepts of the systemic stream are given by Hill and MacRae (1996), Vandermeer et al. (1998), Papy (2001), Dalgaard et al. (2003), Lichtfouse et al. (2009b), and references therein.

## 4. MOST-DOWNLOADED ARTICLES IN 2009

Topics of interest for readers of the journal can be evaluated by topics of the most-downloaded articles on the journal

**Table I.** Top 3 yearly most cited articles in the journal *Agronomy for Sustainable Development*. Number of citing articles, named cites, are from ISI-thompson on October 22, 2009. The top 5 highest cites are printed in bold. Full references are given in the reference list.

Year	MOST-CITED ARTICLES		
	Cites	Topics	First author - Title
2008	5	Transgenic plants	<b>BONNY</b> . Genetically modified glyphosate-tolerant soybean in the USA...
	5	Transgenic plants	<b>DEVOS</b> . Feasibility of isolation perimeters for genetically modified maize
	4	Agroindicators, N, pesticides	<b>BOCKSTALLER</b> . Agri-environmental indicators to assess cropping and farming...
2007	16	Transgenic plants	<b>DEVOS</b> . Implementing isolation perimeters around genetically modified...
	11	Alternative fertilisation, beneficial microbes	<b>GARG</b> . Symbiotic nitrogen fixation in legume nodules: process and signaling.
	10	Biofuels, climate, carbon	<b>HILL</b> . Environmental costs and benefits of transportation biofuel production...
2006	17	Alternative management, soil, carbon	<b>BERNOUX</b> . Cropping systems, carbon sequestration and erosion in Brazil.
	17	Alternative fertilisation, soil, carbon	<b>HACHICHA</b> . Compost of poultry manure and olive mill wastes as an alternative...
	8	Pollutants, food	<b>GROVA</b> . Effect of oral exposure to polycyclic aromatic hydrocarbons...
2005	19	Alternative management, soil, pesticides	<b>LACAS</b> . Using grassed strips to limit pesticide transfer to surface water.
	18	Agroindicators, biodiversity	<b>CLERGUE</b> . Biodiversity: function and assessment in agricultural areas.
	13	Transgenic plants	<b>COLBACH</b> . Spatial aspects of gene flow between rapeseed varieties and volunteers.
2004	25	Alternative management, biodiversity	<b>MARRIOTT</b> . Long-term impacts of extensification of grassland management...
	21	Alternative management, soil, erosion	<b>LE BISSONNAIS</b> . Grass strip effects on runoff and soil loss.
	17	Soil, carbon, compost	<b>AMIR</b> . Elemental analysis, FTIR and C-13-NMR of humic acids from sewage...
2003	<b>98</b>	Soil, carbon, roots	<b>NGUYEN</b> . Rhizodeposition of organic C by plants: mechanisms and controls.
	26	Soil, carbon, fungi	<b>CASARIN</b> . Quantification of oxalate ions and protons released by ectomycorrhizal...
	23	Pollutants, toxicity	<b>ROUT</b> . Effect of metal toxicity on plant growth and metabolism: I. Zinc.
2002	<b>146</b>	Alternative management, soil, carbon	<b>SIX</b> . Soil organic matter, biota and aggregation in temperate and tropical soils...
	50	Agroindicators, climate, soil	<b>BRISSON</b> . STICS: a generic model for simulating crops and their water...
	33	Climate, greenhouse	<b>REICHRATH</b> . Using CFD to model the internal climate of greenhouses...
2001	51	Climate, carbon, salt stress	<b>DORAI</b> . Influence of electric conductivity management on greenhouse tomato...
	35	Alternative control	<b>EHRET</b> . Disinfestation of recirculating nutrient solutions in greenhouse horticulture.
	32	Carbon, growth	<b>GUICHARD</b> . Tomato fruit quality in relation to water and carbon fluxes.
2000	<b>72</b>	Climate, canopy	<b>WEISS</b> . Investigation of a model inversion technique to estimate canopy...
	<b>52</b>	Alternative control, intercropping	<b>FINCKH</b> . Cereal variety and species mixtures in practice...
	37	Beneficial microbes	<b>BOSSIS</b> . The taxonomy of <i>Pseudomonas fluorescens</i> and <i>Pseudomonas putida</i> ...
1999	<b>73</b>	Climate, remote sensing	<b>CEROVIC</b> . Ultraviolet-induced fluorescence for plant monitoring...
	44	Climate, canopy	<b>FOURNIER</b> . ADEL-maize: an L-system based model for the integration of growth...
	40	Plant architecture, model	<b>GODIN</b> . Exploration of a plant architecture database with the AMAPmod...

**Table II.** Mean emergence date (MED) of topics in articles from the journal *Agronomy for Sustainable Development*. Topics were searched in all article text, and thus do not necessarily reflect the article topic. Topics that showed highest hits in 2009 are printed in bold. Hits in percent refer to the number of articles containing topics measured using the journal website search engine on October 22–23, 2009, versus total yearly published articles. Mean emergence date was calculated as the average of years weighed by hits:  $\sum(\text{Hits} \cdot \text{year}) / \sum \text{Hits}$ , thus allowing to sort topics by order of emergence in the journal. Most recent topics have thus most recent date (see Fig. 1). For queries having several words, e.g. genetically modified, we used double quotes operators (“...”) to retrieve only answers from words appearing together. AD: Anno Domini.

TOPICS	MED	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000	1999
	AD	%	%	%	%	%	%	%	%	%	%	%
Biofuels	2008.29	5.48	3.39	2.27	0	0	0	0	0	0	0	0
Genetically modified	2008.25	5.48	5.08	2.27	0	0	0	0	0	0	0	0
Conservation agriculture	2007.54	13.70	1.69	0	9.09	0	1.92	0	0	0	0	0
Urban agriculture	2007.22	2.74	1.69	0	0	0	1.92	0	0	0	0	0
Sociology	2007.11	10.96	0	2.27	0	1.59	3.85	1.27	0	0	0	0
<b>Organic farming</b>	2007.05	<b>38.36</b>	20.34	22.73	9.09	7.94	0	3.80	5.13	1.43	2.50	0
Carbon sequestration	2006.92	16.44	11.86	6.82	9.09	4.76	3.85	0	3.85	0	0	0
Phytoremediation	2006.87	1.37	6.78	2.27	0	3.17	0	1.27	0	0	0	0
Mulch	2006.62	21.92	28.81	15.91	15.15	3.17	9.62	1.27	5.13	1.43	1.25	1.79
<b>Biodiversity</b>	2006.55	<b>54.79</b>	25.42	25	12.12	12.7	7.69	5.06	6.41	5.71	2.50	5.36
Climate change	2006.54	31.51	18.64	9.09	9.09	6.35	9.62	2.53	5.13	2.86	1.25	1.79
Integrated pest management	2006.50	9.59	10.17	11.36	6.06	4.76	0	3.8	0	1.43	0	1.79
Allelopathy	2006.41	5.48	6.78	4.55	3.03	1.59	0	2.53	0	2.86	0	0
Soil erosion	2006.19	21.92	16.95	20.45	15.15	6.35	9.62	1.27	7.69	0	2.50	3.57
<b>Crop rotation</b>	2006.17	<b>49.32</b>	30.51	31.82	18.18	12.70	11.54	6.33	12.82	10	2.50	5.36
Transgenic	2006.15	13.70	13.56	13.64	0	4.76	1.92	6.33	0	0	1.25	5.36
Grass strips	2005.92	5.48	3.39	2.27	6.06	1.59	1.92	0	0	1.43	2.50	0
Biocontrol	2005.87	5.48	8.47	4.55	12.12	3.17	3.85	6.33	0	2.86	0	0
Cover crops	2005.76	17.81	16.95	15.91	6.06	9.52	7.69	3.80	14.1	2.86	1.25	1.79
Biological control	2005.70	10.96	10.17	18.18	12.12	7.94	7.69	7.59	0	7.14	2.50	0
<b>No tillage</b>	2005.59	<b>42.47</b>	35.59	34.09	18.18	20.63	28.85	18.99	20.51	5.71	3.75	8.93
Weed control	2005.35	27.40	27.12	18.18	24.24	20.63	19.23	13.92	8.97	14.29	2.50	7.14
Intercropping	2005.34	16.44	13.56	18.18	9.09	4.76	5.77	3.80	8.97	4.29	3.75	7.14
<b>Irrigation</b>	2005.21	<b>39.73</b>	42.37	43.18	39.39	39.68	51.92	37.97	32.05	28.57	0	0
Biological nitrogen fixation	2005.00	6.85	6.78	11.36	0	0	1.92	3.80	1.28	14.29	0	0
Agroforestry	2004.88	10.96	6.78	6.82	3.03	1.59	1.92	0	3.85	2.86	3.75	7.14
Decision support systems	2004.74	8.22	8.47	6.82	3.03	0	13.46	3.80	6.41	5.71	1.25	3.57
Precision agriculture	2004.06	4.11	3.39	2.27	0	1.59	9.62	1.27	6.41	2.86	0	3.57
Drought stress	2004.01	12.33	5.08	13.64	0	6.35	11.54	10.13	7.69	10	2.5	12.5

website (Tab. III). We observe three major categories of topics: (1) topics related to climate change, e.g. biofuels, drought and salt stress, biodiversity, and carbon sequestration in soils; (2) topics related to alternative management, e.g. agroindicators, fertilisation, beneficial microbes, intercropping and organic farming, and (3) topics related to food security, e.g. pollutants, alternative fertilisation and control, and organic farming. The predominance of topics such as carbon, climate, biodiversity, biofuels, pollutants, beneficial microbes, transgenic plants and organic farming agrees with our previous results.


## 5. REVIEW OF SELECTED 2009 ARTICLES

Here, we review selected articles published in 2009 in the journal *Agronomy for Sustainable Development*. The fast


emergence of new disciplines such as social and economic sciences in agronomic research is underlined by Wezel et al. (2009), Lamine and Bellon (2009), and Lichtfouse et al. (2009b). Wezel et al. (2009) reconstruct the historical rise of agroecology following the decline of industrial agriculture. It is noteworthy that these authors observe that the meaning of agroecology changes from one country to another. For instance, in Germany agroecology is mainly a science, whereas in France and in Brazil agroecology is also a green movement that is run by citizens.

### 5.1. Sociology

Sociology emergence in the journal *Agronomy for Sustainable Development* is highlighted well by Veldkamp et al. (2009), who designed an innovative Dutch project that takes



**Figure 1.** Emergence of topics in article text from the journal *Agronomy for Sustainable Development*. Note the shift to the right of most emerging topics in the journal. MED refers to mean emergence date (see Tab. III caption). Hits in percent refer to the number of articles containing topics measured using the journal website search engine (see Tab. III caption).



**Figure 2.** Evolution of the topic Agroforestry in article text from the journal *Agronomy for Sustainable Development*. Note the decrease until 2003 followed by an increase, suggesting a renewed interest. Hits in percent refer to the number of articles containing topics measured using the journal website search engine (see Tab. III caption).

into account the opinion of all stakeholders. The authors develop their ideas on the alternative principle that sustainable development requires a better balance of the triple *P* values – people, planet and prosperity. Another tantalising example of bridging sociology and agronomy is given by Fleming and Vanclay (2009), who analyse the impact of climate change on farmer discourses. The core issue is nicely underlined by a farmer interview: “What’s sustainable? You’ve got to look at our world as we know it. We’re not in a sustainable position at the moment. That’s why I say ‘what’s sustainable?’ – I don’t know”. The authors found that farmers have four main discourses that guide their decision: money, earth, human responsibility and questioning. Disclosing which discourses are at work in a specific farming system is clearly needed because, to put it simply, farmers will not follow scientists’ advice if they are not convinced that this advice agrees with their discourses. De Bon et al. (2009) show the social benefits of urban agriculture in developing countries. Lamine and Bellon (2009) review the conversion from intensive to organic farming using viewpoints from both agronomists and social scientists. They found that most publications report conversion effects and motivations, whereas few publications study transitions and trajectories. To conclude, the use of sociological tools to study farming systems is bringing unexpected findings to designing sustainable agriculture.

## 5.2. Transgenic crops

Transgenic crops is typically an emerging topic that has escaped the science sphere to be now a major social, economical and political issue. As a consequence, transgenic crops is therefore a well-suited research topic for agronomists that use sociology and economics. Like all major scientific breakthroughs, e.g. nitro-glycerine and nuclear energy, there are many arguments in favour of genetically modified organisms and many arguments against their use. Devos et al. (2009) analyse policies ruling the coexistence of transgenic and non-transgenic maize in European nations. They found that current

**Table III.** Top 30 most downloaded articles from the website of the journal *Agronomy for Sustainable Development*. \*Counts from January 1, 2009 to October 27, 2009. Year refers to year of publication. PDF refers to number of articles downloaded. PDF: portable document format. Full references are given in the reference list. E-first refers to articles online published but not yet issue published; those articles will be published in 2010.

MOST-DOWNLOADED ARTICLES 2009*			
Year	PDF	Topics	First author - Title
2009	1975	Climate, drought stress	<a href="#">FAROOQ</a> . Plant drought stress: effects, mechanisms and management.
2007	1421	Alternative fertilisation, beneficial microbes	<a href="#">KHAN</a> . Role of phosphate-solubilizing microorganisms...
2009	1260	Agroecology	<a href="#">LICHTFOUSE</a> . Agronomy for sustainable agriculture.
2003	970	Pollutants, toxicity	<a href="#">ROUT</a> . Effect of metal toxicity on plant growth...
2006	931	Alternative fertilisation, beneficial microbes	<a href="#">HAFEEZ</a> . Plant growth-promoting bacteria as biofertilizer
2009	786	Alternative management, intercropping	<a href="#">MALEZIEUX</a> . Mixing plant species in cropping systems...
2007	647	Biofuel, climate, carbon	<a href="#">HILL</a> . Environmental costs and benefits of transportation biofuel...
2001	641	Alternative fertilisation, beneficial microbes	<a href="#">IGUAL</a> . Phosphate-solubilizing bacteria as inoculants...
2009	639	Soil, food security	<a href="#">LAL</a> . Soils and food sufficiency.
2009	629	Alternative management, soil	<a href="#">LAL</a> . Laws of sustainable soil management.
2009	628	Climate, biodiversity	<a href="#">FEEHAN</a> . Climate change in Europe. 1. Impact on terrestrial...
2009	609	Climate, carbon, sequestration	<a href="#">BENBI</a> . A 25-year record of carbon sequestration...
2001	522	Climate, carbon, salt stress	<a href="#">DORAI</a> . Influence of electric conductivity management...
2009	497	Transgenic plants	<a href="#">DEVOS</a> . Coexistence of genetically modified...
E-first	495	Organic farming, food security	<a href="#">LAIRON</a> . Nutritional quality and safety of organic food.
2009	493	Organic farming, sociology	<a href="#">LAMINE</a> . Conversion to organic farming...
2009	492	Agroindicators	<a href="#">BOCKSTALLER</a> . Comparison of methods to assess the sustainability...
2009	473	Climate, agriculture	<a href="#">LAVALLE</a> . Climate change in Europe. 3. Impact on agriculture...
2005	446	Climate, drought stress	<a href="#">SAMARAH</a> . Effects of drought stress on growth and yield of barley.
2003	437	Climate, salt stress	<a href="#">BEN KHALED</a> . Effet du stress salin en milieu hydroponique...
2009	436	Climate, soil	<a href="#">JONES</a> . Climate change in Europe. 2. Impact on soil.
2008	427	Alternative control	<a href="#">DORDAS</a> . Role of nutrients in controlling plant diseases...
2009	423	Agroecology	<a href="#">WEZEL</a> . Agroecology as a science, a movement and a practice.
2007	422	Alternative fertilisation, beneficial microbes	<a href="#">GARG</a> . Symbiotic nitrogen fixation in legume nodules...
2009	411	Alternative fertilisation, intercropping	<a href="#">ZUO</a> . Iron and zinc biofortification strategies in dicot plants...
2003	392	Soil, carbon, roots	<a href="#">NGUYEN</a> . Rhizodeposition of organic C by plants...
E-first	391	Alternative fertilisation, food security	<a href="#">SPIERTZ</a> . Nitrogen, sustainable agriculture and food security.
E-first	366	Alternative management, urban agriculture	<a href="#">DE BON</a> . Sustainable urban agriculture in developing countries.
2003	364	Pollutants, beneficial microbes	<a href="#">JONER</a> . Phytoremediation of organic pollutants using mycorrhizal...
2003	341	Beneficial microbes, methods	<a href="#">GAMALERO</a> . Methods for studying root colonization...

isolation distances are excessive, difficult to implement, and not economically viable. Very interestingly, they conclude that 'other scientific issues must be at play'. Such an unknown may indeed be disclosed by the discourse approach of Fleming and Vanclay (2009).

Graef (2009) reviews possible adverse effects of introducing transgenic oilseed rape into Europe. He found that possible adverse effects to be monitored are persistence and spread of herbicide-tolerant oilseed rape, transfer of tolerance to wild relatives, development of herbicide tolerance of weeds, decrease in biodiversity, herbicide pollution, and adverse impact on field organisms and biogeochemical cycles. Hart et al. (2009) demonstrate for the first time the persistence of transgenic crop DNA residues within a soil food web. They found the transgene for glyphosate tolerance in soil arthropods, nematodes and earthworms from a transgenic corn field. The potential of transgene flow from transgenic crops' wild relatives is addressed by Loureiro et al. (2009), who found that hybrids of wheat and its wild relative *Aegilops biuncialis* are formed easily with 9–75% hybridisation rates. To conclude, transgenic crops are highly innovative but show both benefits and drawbacks that need to be carefully studied using various disciplines.

### 5.3. Climate change

Climate change effects in Europe are reviewed in three reprints from an European report. First, Feehan et al. (2009) analyse major effects on terrestrial ecosystems and biodiversity. Key trends include northward and uphill shift of plants, birds and mammals; and earlier seasonal events such as flowering, bird nesting and frog spawning. Second, Jones et al. (2009) report major effects of climate change on soils. Key observations include a decrease in soil C over the last 25 years, a higher risk of erosion and projected increases in CO<sub>2</sub> release in the atmosphere. It should be noted that there is much less evidence from soil studies because soil research is usually more difficult and needs more time - and funds - because most soil changes occur very slowly. Here, the major issue is that once adverse changes have occurred, e.g. soil carbon depletion, they cannot be healed fast. Therefore, management options that favour carbon sequestration and soil preservation should be applied (Doumbia et al., 2009; Benbi and Brar, 2009; Hazarika et al., 2009; Pleguezuelo et al., 2009; Tuttobene et al., 2009). Principles for sustainable soil management are given by Lal (2009c, d).

Third, Lavalley et al. (2009) review major effects of climate change on agriculture and forestry. Key trends include the shortening of the growing season in the south with higher risk of frost damage; flowering and maturity of crops occurring now about 2–3 weeks earlier; a higher yield variability due to extreme climate events such as the 2003 summer heat and the 2007 spring drought; a high increase of 50–70% in the water demand in Mediterranean areas; a faster forest growth; and a higher risk of forest fires. Tingem et al. (2009) simulate future crop yield in response to climate change in Cameroon. They found that developing later-maturing culti-

vars could greatly increase yields of maize, sorghum and bambara groundnut. Farooq et al. (2009) review effects of drought stress on plants. They also propose several solutions to counteract drought stress. To conclude, there are many scientific proofs of the effects of climate change on terrestrial ecosystems. Adverse, long-term effects such as soil carbon loss and erosion should be paid particular attention by agronomists.

### 5.4. Biodiversity

Biodiversity loss due to adverse effects of industrial agriculture is a major threat to sustainable agriculture. A well-known example is the decrease in bees. Indeed, bees and other insects carry pollen and thus are essential to the reproduction of some crops such as blueberries. Higher biodiversity is also a means to control crop diseases because pathogens and natural antagonists are better balanced. De Cauwer and Reheul (2009) investigate the impact of grassland management on plant biodiversity and invasive species. They found that abundance of non-leguminous dicots decreases with higher intensity use and N supply. They identify several land uses that suppress invasive species and optimise plant biodiversity. Weed diversity and density is also investigated by Izquierdo et al. (2009) and Koocheki et al. (2009). Pelosi et al. (2009) studied earthworm biodiversity in conventional, organic and living-mulch cropping systems. They found that the Shannon-Wiener and equitability indexes were higher in the living-mulch system. To conclude, agronomists are designing alternative cropping systems that optimise biodiversity, pest control and yield.

### 5.5. Alternative farming systems

Alternative management systems involving mixing plants, e.g. intercropping and agroforestry, are reviewed by Malézieux et al. (2009). They found that potential benefits are higher overall productivity, better pest control and better ecological services. Koocheki et al. (2009) analysed the effect of different cropping systems and various crop rotations on weeds. To reduce the weed seed bank they propose rotations that include crops with different life cycles such as winter wheat-maize and winter wheat-sugar beet. To design and evaluate innovative cropping systems on a medium- and long-term basis, new methods are required combining simulation and field experimentation. Here, Debaeke et al. (2009) describe an iterative and rule-based approach to setting up cropping systems in response to a drastic reduction of water, nitrogen and pesticide inputs.

## 6. CONCLUSION

Citation analysis shows that transgenic plants and biofuels are clearly emerging topics, whereas soil carbon and climate change are the major mainstream topics of the last 10 years. The 10 most emerging topics according to mean emergence date are biofuels, genetically modified, conservation agriculture, urban agriculture, sociology, organic farming, carbon



sequestration, phytoremediation, mulch and biodiversity. In 2009, the highest hits were found for biodiversity (55%), crop rotation (49%), no tillage (43%) and organic farming (38%). Analysis of most-downloaded articles in 2009 shows the predominance of topics such as carbon, climate, biodiversity, bio-fuels, pollutants, beneficial microbes, transgenic plants and organic farming. We find that sociology is clearly bringing novel and unexpected findings to designing sustainable agriculture. Transgenic crops are highly innovative but show many unknowns that need to be carefully studied using various disciplines. Climate change has many scientifically proven effects on terrestrial ecosystems and agriculture. Here, soil carbon loss should be of particular attention because it rules the long-term fate of many factors such as atmospheric CO<sub>2</sub>, erosion, and water and nutrient supply. Biodiversity loss due to industrial agriculture is leading scientists to disclose alternative, more diverse cropping systems that optimise biodiversity, pest control and yield.

## REFERENCES

- Amir S., Hafidi M., Merlina G., Hamdi H., Revel J.C. (2004) Elemental analysis, FTIR and C-13-NMR of humic acids from sewage sludge composting, *Agronomie* 24, 13–18.
- Ben Khaled L., Gomez A.M., Honrubia M., Oihabi A. (2003) Effects of salt stress in hydroponic media on clover plants inoculated with *Rhizobium*, *Agronomie* 23, 553–560.
- Benbi D.K., Brar J.S. (2009) A 25-year record of carbon sequestration and soil properties in intensive agriculture, *Agron. Sustain. Dev.* 29, 257–265.
- Bernoux M., Cerri C.C., Cerri C.E.P., Neto M.S., Metay A., Perrin A.-S., Scopel E., Razafimbelo T., Blavet D., Piccolo M.d.C., Pavei M., Milne E. (2006) Cropping systems, carbon sequestration and erosion in Brazil, a review, *Agron. Sustain. Dev.* 26, 1–8.
- Bockstaller C., Guichard L., Keichinger O., Girardin P., Galan M.B., Gaillard G. (2009) Comparison of methods to assess the sustainability of agricultural systems. A review, *Agron. Sustain. Dev.* 29, 223–235.
- Bockstaller C., Guichard L., Makowski D., Aveline A., Girardin P., Plantureux S. (2008) Agri-environmental indicators to assess cropping and farming systems. A review, *Agron. Sustain. Dev.* 28, 139–149.
- Bonny S. (2008) Genetically modified glyphosate-tolerant soybean in the USA: adoption factors, impacts and prospects. A review, *Agron. Sustain. Dev.* 28, 21–32.
- Bossis E., Lemanceau P., Latour X., Gardan L. (2000) The taxonomy of *Pseudomonas fluorescens* and *Pseudomonas putida*: current status and need for revision, *Agronomie* 20, 51–63.
- Brisson N., Ruget F., Gate P., Lorgeau J., Nicoulaud B., Tayot X., Plenet D., Jeuffroy M.H., Bouthier A., Ripoche D., Mary B., Justes E. (2002) STICS: a generic model for simulating crops and their water and nitrogen balances. II. Model validation for wheat and maize, *Agronomie* 22, 69–92.
- Casarin V., Plassard C., Souche G., Arvieu J.C. (2003) Quantification of oxalate ions and protons released by ectomycorrhizal fungi in rhizosphere soil, *Agronomie* 23, 461–469.
- Cerovic Z.G., Samson G., Morales F., Tremblay N., Moya I. (1999) Ultraviolet-induced fluorescence for plant monitoring: present state and prospects, *Agronomie* 19, 543–578.
- Clergue B., Amiaud B., Pervanchon F., Lasserre-Joulin F., Plantureux S. (2005) Biodiversity: function and assessment in agricultural areas. A review, *Agron. Sustain. Dev.* 25, 1–15.
- Colbach N., Molinari N., Meynard J.M., Messean A. (2005) Spatial aspects of gene flow between rapeseed varieties and volunteers, *Agron. Sustain. Dev.* 25, 355–368.
- Dalgaard T., Hutchings N.J., Porter J.R. (2003) Agroecology, scaling and interdisciplinarity, *Agr. Ecosyst. Environ.* 100, 39–51.
- De Bon H., Parrot L., Moustier P. (2009) Sustainable urban agriculture in developing countries. A review, *Agron. Sustain. Dev.*, DOI: 10.1051/agro:2008062.
- De Cauwer B., Reheul D. (2009) Impact of land use on vegetation composition, diversity and potentially invasive, nitrophilous clonal species in a wetland region in Flanders, *Agron. Sustain. Dev.* 29, 277–285.
- Debaeke P., Munier-Jolain N., Bertrand M., Guichard L., Nolot J.-M., Faloya V., Saulas P. (2009) Iterative design and evaluation of rule-based cropping systems: methodology and case studies. A review, *Agron. Sustain. Dev.* 29, 73–86.
- Devos Y., Demont M., Dillen K., Reheul D., Kaiser M., Sanvido O. (2009) Coexistence of genetically modified (GM) and non-GM crops in the European Union. A review, *Agron. Sustain. Dev.* 29, 11–30.
- Devos Y., Reheul D., Thas O., De Clercq E.M., Coughon M., Cordemans K. (2007) Implementing isolation perimeters around genetically modified maize fields, *Agron. Sustain. Dev.* 27, 155–165.
- Devos Y., Thas O., Coughon M., De Clercq E.M., Cordemans K., Reheul D. (2008) Feasibility of isolation perimeters for genetically modified maize, *Agron. Sustain. Dev.* 28, 195–206.
- Dorai M., Papadopoulos A.P., Gosselin A. (2001) Influence of electric conductivity management on greenhouse tomato yield and fruit quality, *Agronomie* 21, 367–383.
- Dordas C. (2008) Role of nutrients in controlling plant diseases in sustainable agriculture. A review, *Agron. Sustain. Dev.* 28, 33–46.
- Doumbia M., Jarju A., Sene M., Traore K., Yost R., Kablan R., Brannan K., Berthe A., Yamoah C., Querido A., Traore P.C.S., Ballo A. (2009) Sequestration of organic carbon in West African soils by Aménagement en Courbes de Niveau, *Agron. Sustain. Dev.* 29, 267–275.
- Ehret D.L., Alsanian B., Wohanka W., Menzies J.G., Utkhed R. (2001) Disinfestation of recirculating nutrient solutions in greenhouse horticulture, *Agronomie* 21, 323–339.
- Farooq M., Wahid A., Kobayashi N., Fujita D., Basra S.M.A. (2009) Plant drought stress: effects, mechanisms and management, *Agron. Sustain. Dev.* 29, 185–212.
- Feehan J., Harley M., Minnen J. (2009) Climate change in Europe. 1. Impact on terrestrial ecosystems and biodiversity. A review, *Agron. Sustain. Dev.* 29, 409–421.
- Finckh M.R., Gacek E.S., Goyeau H., Lannou C., Merz U., Mundt C.C., Munk L., Nadziak J., Newton A.C., Vallavieille-Pope C., Wolfe M.S. (2000) Cereal variety and species mixtures in practice, with emphasis on disease resistance, *Agronomie* 20, 813–837.
- Fleming A., Vanclay F. (2009) Farmer responses to climate change and sustainable agriculture. A review, *Agron. Sustain. Dev.*, DOI: 10.1051/agro/2009028.
- Fournier C., Andrieu B. (1999) ADEL-maize: an L-system based model for the integration of growth processes from the organ to the canopy. Application to regulation of morphogenesis by light availability, *Agronomie* 19, 313–327.
- Gamalero E., Lingua G., Berta G., Lemanceau P. (2003) Methods for studying root colonization by introduced beneficial bacteria, *Agronomie* 23, 407–418.

- Garg N., Geetanjali (2007) Symbiotic nitrogen fixation in legume nodules: process and signaling. A review, *Agron. Sustain. Dev.* 27, 59–68.
- Gliessman S.R. (2007) *Agroecology, the ecology of sustainable food systems*, Second edition, CRC Press, Taylor & Francis, ISBN: 978-0-8493-2845-9, 384 p.
- Godin C., Guedon Y., Costes E. (1999) Exploration of a plant architecture database with the AMAPmod software illustrated on an apple tree hybrid family, *Agronomie* 19, 163–184.
- Graef F. (2009) Agro-environmental effects due to altered cultivation practices with genetically modified herbicide-tolerant oilseed rape and implications for monitoring. A review, *Agron. Sustain. Dev.* 29, 31–42.
- Grova N., Rychen G., Monteau F., Le Bizet B., Feidt C. (2006) Effect of oral exposure to polycyclic aromatic hydrocarbons on goat's milk contamination, *Agron. Sustain. Dev.* 26, 195–199.
- Guichard S., Bertin N., Leonardi C., Gary C. (2001) Tomato fruit quality in relation to water and carbon fluxes, *Agronomie* 21, 385–392.
- Hachicha S., Chtourou M., Medhioub K., Ammar. E. (2006) Compost of poultry manure and olive mill wastes as an alternative fertilizer, *Agron. Sustain. Dev.* 26, 135–142.
- Hafeez F.Y., Yasmin S., Ariani D., Mehboob R., Zafar Y., Malik K.A. (2006) Plant growth-promoting bacteria as biofertilizer, *Agron. Sustain. Dev.* 26, 143–150.
- Hart M.M., Powell J.R., Gulden R.H., Levy-Booth D.J., Dunfield K.E., Pauls K.P., Swanton C.J., Klironomos J.N., Trevors J.T. (2009) Detection of transgenic cp4 epsps genes in the soil food web, *Agron. Sustain. Dev.* 29, 497–501.
- Hazarika S., Parkinson R., Bol R., Dixon L., Russell P., Donovan S., Allen D. (2009) Effect of tillage system and straw management on organic matter dynamics, *Agron. Sustain. Dev.* 29, 525–533.
- Hill J. (2007) Environmental costs and benefits of transportation biofuel production from food- and lignocellulose-based energy crops. A review, *Agron. Sustain. Dev.* 27, 1–12.
- Hill S.B., MacRae R.J. (1996) Conceptual framework for the transition from conventional to sustainable agriculture, *J. Sustain. Agr.* 7, 81–87.
- Igual J.M., Valverde A., Cervantes E., Velazquez E. (2001) Phosphate-solubilizing bacteria as inoculants for agriculture: use of updated molecular techniques in their study, *Agronomie* 21, 561–568.
- Izquierdo J., Blanco-Moreno J.M., Chamorro L., Gonzalez-Andujar J.L., Sans F.X. (2009) Spatial distribution of weed diversity within a cereal field, *Agron. Sustain. Dev.* 29, 491–496.
- Joner E.J., Leyval C. (2003) Phytoremediation of organic pollutants using mycorrhizal plants: a new aspect of rhizosphere interactions, *Agronomie* 23, 495–502.
- Jones A., Stolbovov V., Rusco E., Gentile A.R., Gardi C., Marechal B., Montanarella L. (2009) Climate change in Europe. 2. Impact on soil. A review, *Agron. Sustain. Dev.* 29, 423–432.
- Khan M.S., Zaidi A., Wani P.A. (2007) Role of phosphate-solubilizing microorganisms in sustainable agriculture - A review, *Agron. Sustain. Dev.* 27, 29–43.
- Koocheki A., Nassiri M., Alimoradi L., Ghorbani R. (2009) Effect of cropping systems and crop rotations on weeds, *Agron. Sustain. Dev.* 29, 401–408.
- Lacas J.-G., Voltz M., Gouy V., Carlier N., Gril J.-J. (2005) Using grassed strips to limit pesticide transfer to surface water: a review, *Agron. Sustain. Dev.* 25, 253–266.
- Lairon D. (2009) Nutritional quality and safety of organic food. A review, *Agron. Sustain. Dev.*, DOI: 10.1051/agro2009019.
- Lal R. (2009a) Technology Without Wisdom, in: Lichtfouse E. (Ed.), *Organic Farming, Pest Control and Remediation of Soil Pollutants. Sustainable Agriculture Reviews*, Vol. 1, Springer, pp. 11–14.
- Lal R. (2009b) Tragedy of the Global Commons: Soil, Water and Air, in: Lichtfouse E. (Ed.), *Climate Change, Intercropping, Pest Control and Beneficial Microorganisms. Sustainable Agriculture Reviews*, Vol. 2, Springer, pp. 9–11.
- Lal R. (2009c) Laws of sustainable soil management, *Agron. Sustain. Dev.* 29, 7–10.
- Lal R. (2009d) Soils and food sufficiency. A review, *Agron. Sustain. Dev.* 29, 113–133.
- Lamine C., Bellon S. (2009) Conversion to organic farming: a multidimensional research object at the crossroads of agricultural and social sciences. A review, *Agron. Sustain. Dev.* 29, 97–112.
- Lavalle C., Micale F., Houston T.D., Camia A., Hiederer R., Lazar C., Conte C., Amatulli G., Genovese G. (2009) Climate change in Europe. 3. Impact on agriculture and forestry. A review, *Agron. Sustain. Dev.* 29, 433–446.
- Le Bissonnais Y., Lecomte V., Cerdan O. (2004) Grass strip effects on runoff and soil loss, *Agronomie* 24, 129–136.
- Lichtfouse E. (2009a) Sustainable Agriculture as a Central Science to Solve Global Society Issues, in: Lichtfouse E. (Ed.), *Organic Farming, Pest Control and Remediation of Soil Pollutants. Sustainable Agriculture Reviews*, Vol. 1, Springer, pp. 1–3.
- Lichtfouse E. (2009b) Climate Change, Society Issues and Sustainable Agriculture, in: Lichtfouse E. (Ed.), *Climate Change, Intercropping, Pest Control and Beneficial Microorganisms. Sustainable Agriculture Reviews*, Vol. 2, Springer, pp. 1–7.
- Lichtfouse E. (2009c) Society issues, painkiller solutions, dependence and sustainable agriculture, in: Lichtfouse E. (Ed.), *Sociology, Organic Farming, Climate Change and Soil Science. Sustainable Agriculture Reviews*, Vol. 3, Springer, pp. 1–17.
- Lichtfouse E. (2009d) *Organic Farming, Pest Control and Remediation of Soil Pollutants. Sustainable Agriculture Reviews*, Vol. 1, Springer, 418 p.
- Lichtfouse E. (2009e) *Climate Change, Intercropping, Pest Control and Beneficial Microorganisms. Sustainable Agriculture Reviews*, Vol. 2, Springer, 514 p.
- Lichtfouse E. (2009f) *Sociology, Organic Farming, Climate Change and Soil Science. Sustainable Agriculture Reviews*, Vol. 3, Springer, 478 p., ISBN: 978-90-481-3332-1, in press.
- Lichtfouse E. (2009g) Genetic engineering, biofertilisation, soil quality and organic farming. *Sustainable Agriculture Reviews*, Vol. 4, Springer, Approx. 400 p., ISBN: 978-90-481-8740-9, in press.
- Lichtfouse E., Habib R., Meynard J.-M., Papy F. (2004) *Agronomy for Sustainable Development*, *Agronomie* 24, 445.
- Lichtfouse E., Navarrete M., Debaeke P., Souchère V., Alberola C. (2009a) *Sustainable Agriculture*, Springer - EDPS, ISBN: 978-90-481-2665-1, 919 p.
- Lichtfouse E., Navarrete M., Debaeke P., Souchère V., Alberola C., Menassieu J. (2009b) *Agronomy for sustainable agriculture*. A review, *Agron. Sustain. Dev.* 29, 1–6.
- Loureiro I., Escorial C., Garcia-Baudin J.M., Chueca C. (2009) Hybridization, fertility and herbicide resistance of hybrids between wheat and *Aegilops biuncialis*, *Agron. Sustain. Dev.* 29, 237–245.
- Malézieux E., Crozat Y., Dupraz C., Laurans M., Makowski D., Ozier-Lafontaine H., Rapidel B., de Tourdonnet S., Valantin-Morison M. (2009) Mixing plant species in cropping systems: concepts, tools and models. A review, *Agron. Sustain. Dev.* 29, 43–62.

- Marriott C.A., Fothergill M., Jeangros B., Scotton M., Louault F. (2004) Long-term impacts of extensification of grassland management on biodiversity and productivity in upland areas. A review, *Agronomie* 24, 447–462.
- Nguyen C. (2003) Rhizodeposition of organic C by plants: mechanisms and controls, *Agronomie* 23, 375–396.
- Papy F. (2001) L'interdépendance des systèmes de culture dans l'exploitation agricole, in: Malézieux E., Trébuil G., Jaeger M. (Eds.), *Modélisation des agro-éco-systèmes et aide à la décision*, Editions Quae, Cirad-Inra, coll. Repères, pp. 51–74, ISBN: 978-2-8761-4474-3.
- Pelosi C., Bertrand M., Roger-Estrade J. (2009) Earthworm community in conventional, organic and direct seeding with living mulch cropping systems, *Agron. Sustain. Dev.* 29, 287–295.
- Pleguezuelo C.R.R., Zuazo V.H.D., Raya A.M., Martinez J.R.F., Rodrigues B.C. (2009) High reduction of erosion and nutrient losses by decreasing harvest intensity of lavender grown on slopes, *Agron. Sustain. Dev.* 29, 363–370.
- Reichrath S., Davies T.W. (2002) Using CFD to model the internal climate of greenhouses: past, present and future, *Agronomie* 22, 3–19.
- Rout G.R., Das P. (2003) Effect of metal toxicity on plant growth and metabolism: I. Zinc, *Agronomie* 23, 3–11.
- Samarah N.H. (2005) Effects of drought stress on growth and yield of barley, *Agron. Sustain. Dev.* 25, 145–149.
- Six J., Feller C., Deneff K., Ogle S.M., de Moraes J.C., Albrecht A. (2002) Soil organic matter, biota and aggregation in temperate and tropical soils - Effects of no-tillage, *Agronomie* 22, 755–775.
- Spiertz J.H.J. (2009) Nitrogen, sustainable agriculture and food security. A review, *Agron. Sustain. Dev.*, DOI: 10.1051/agro2008064.
- Tingem M., Rivington M., Bellocchi G. (2009) Adaptation assessments for crop production in response to climate change in Cameroon, *Agron. Sustain. Dev.* 29, 247–256.
- Tuttobene R., Avola G., Gresta F., Abbate V. (2009) Industrial orange waste as organic fertilizer in durum wheat, *Agron. Sustain. Dev.* 29, 557–563.
- Vandermeer J., Noordwijk M., Anderson J., Chin O., Perfecto I. (1998) Global change and multi-species agroecosystems: Concepts and issues, *Agr. Ecosyst. Environ.* 67, 1–22.
- Veldkamp A., Van Altvorst A.C., Eweg R., Jacobsen E., Van Kleef A., Van Latesteijn H., Mager S., Mommaas H., Smeets P., Spaans L., Van Trijp J.C.M. (2009) Triggering transitions towards sustainable development of the Dutch agricultural sector: TransForum's approach, *Agron. Sustain. Dev.* 29, 87–96.
- Weiss M., Baret F., Myneni R.B., Pragnere A., Knyazikhin Y. (2000) Investigation of a model inversion technique to estimate canopy biophysical variables from spectral and directional reflectance data, *Agronomie* 20, 3–22.
- Wezel A., Bellon S., Doré T., Francis C., Vallod D., David C. (2009) Agroecology as a science, a movement and a practice. A review, *Agron. Sustain. Dev.* 29, 503–515.
- Zuo Y., Zhang F. (2009) Iron and zinc biofortification strategies in dicot plants by intercropping with gramineous species. A review, *Agron. Sustain. Dev.* 29, 63–71.