

Low-Frequency Vocal Modulations in Vowels produced by Parkinsonian Subjects

L. Cnockaert, J. Schoentgen, P. Auzou, C. Ozsancak, L. Defebvre, F. Grenez

► To cite this version:

L. Cnockaert, J. Schoentgen, P. Auzou, C. Ozsancak, L. Defebvre, et al.. Low-Frequency Vocal Modulations in Vowels produced by Parkinsonian Subjects. Speech Communication, 2008, 50 (4), pp.288. 10.1016/j.specom.2007.10.003 . hal-00499199

HAL Id: hal-00499199 https://hal.science/hal-00499199

Submitted on 9 Jul 2010

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Accepted Manuscript

Low-Frequency Vocal Modulations in Vowels produced by Parkinsonian Sub[] jects

L. Cnockaert, J. Schoentgen, P. Auzou, C. Ozsancak, L. Defebvre, F. Grenez

PII: DOI: Reference:	S0167-6393(07)00174-4 10.1016/j.specom.2007.10.003 SPECOM 1671
To appear in:	Speech Communication
Received Date:	30 January 2007
Revised Date:	15 September 2007
Accepted Date:	22 October 2007



Please cite this article as: Cnockaert, L., Schoentgen, J., Auzou, P., Ozsancak, C., Defebvre, L., Grenez, F., Low-Frequency Vocal Modulations in Vowels produced by Parkinsonian Subjects, *Speech Communication* (2007), doi: 10.1016/j.specom.2007.10.003

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Low-Frequency Vocal Modulations in Vowels produced by Parkinsonian Subjects

L. Cnockaert^{a,*,1}, J. Schoentgen^{a,2}, P. Auzou^{b,c}, C. Ozsancak^{b,d}, L. Defebvre^b, F. Grenez^a

⁵ ^aLaboratoire d'Images, Signaux et Dispositifs de Télécommunications, Faculté des

- Sciences Appliquées, Université Libre de Bruxelles, CP 165/51, av. F.D. Roosevelt
 50, 1050 Brussels, Belgium
- ^bService de Neurologie A et Pathologie du Mouvement, CHRU de Lille, Faculté de médecine H. Warenbourg, EA 6283 IFR 114, France
- ^c Service d'Explorations Fonctionnelles Neurologiques, Etablissement Hélio Marin Groupe Hopale, rue du Dr Calot 47, 62600 Berck sur Mer, France
- ¹² ^dService de Neurologie, CH de Boulogne sur Mer, 62200 Boulogne sur Mer, France

13 Abstract

3

4

Low-frequency vocal modulations here designate slow disturbances of the phonatory 14 frequency F_0 . They are present in all voiced speech sounds, but their properties 15 may be affected by neurological disease. An analysis method, based on continuous 16 wavelet transforms, is proposed to extract the phonatory frequency trace and low-17 frequency vocal modulation in sustained speech sounds. The method is used to 18 analyze a corpus of vowels uttered by male and female speakers, some of whom 19 are healthy and some of whom suffer from Parkinson's disease. The latter present 20 general speech problems but their voice is not perceived as tremulous. The objective 21 is to discover differences between speaker groups in F_0 low-frequency modulations. 22 Results show that Parkinson's disease has different effects on the voice of male 23 and female speakers. The average phonatory frequency is significantly higher for 24 male parkinsonian speakers. The modulation amplitude is significantly higher for 25 female parkinsonian speakers. The modulation frequency is significantly higher and 26 the ratio between the modulation energies in the frequency-bands [3Hz, 7Hz] and 27 [7Hz, 15Hz] is significantly lower for parkinsonian speakers of both genders. 28

²⁹ Key words: speech analysis, vocal modulations, parkinsonian speech

30 1 Introduction

ACCEPTED MANUSCRIPT

The aim of this article is to propose an analysis of low-frequency modula-31 tions of the phonatory frequency F_0 in parkinsonian and control speakers. 32 Low-frequency modulations designates slow disturbances of the phonatory fre-33 quency, which is the frequency of the voice source signal generated by the pul-34 satile air flow at the glottis. In this article, properties of the vocal disturbances 35 of healthy speakers and speakers with Parkinson's disease, whose voices are 36 not perceived as tremulous, are compared. The properties that are considered. 37 are the modulation amplitude (MA), modulation frequency (MF) and modu-38 lation energy ratio (MER). The low-frequency modulations of F_0 described 39 here differ from pathological narrow-band vocal tremor that is occasionally 40 observed in speakers suffering from neurological disorders. 41

Cycle lengths in voiced speech sounds vary stochastically. Conventionally, one 42 distinguishes perturbations of the cycle lengths due to vocal jitter from per-43 turbations due to vocal tremor (Titze, 1995; Schoentgen, 2002). Jitter refers 44 to short-term cycle-to-cycle perturbation of the duration of the speech cy-45 cles (Titze, 1994). Vocal tremor is a slow supra-cycle fluctuation, character-46 ized by frequencies less than 15 Hz. For some authors, the word *tremor* has a 47 connotation of narrow-band modulation at a single frequency (Yair and Gath, 48 1988; Holmes et al., 2000). Therefore, the expression low-frequency modulation 49 is preferred here to describe F_0 fluctuations between 3 Hz and 15 Hz. 50

Tremor of the limbs is defined as involuntary, rhythmic movements that are 51 seen better distally as in the fingers of hands but may sometimes be seen in the 52 eyelids, tongue, face or other body parts (Fucci and Petrosino, 1984). Freund 53 (1987) distinguishes between physiological and pathological tremor. Physi-54 ological tremor accompanies any muscle activity. Major factors determining 55 physiological tremor are rhythmic changes due to neurally or mechanically de-56 termined oscillations, pulsatile blood flow, and breathing. Physiological tremor 57 is therefore not expected to present a single modulation peak. On the other 58 hand, rhythmic pathological tremor is characterized by strong motor unit 59 synchronization. This may lead to large-amplitude narrow-band tremor that 60 becomes disturbing to the patient and interferes with limb motion. 61

^{Corresponding author. Tel:+32-2-6503089, fax:+32-2-6504713}

Email addresses: lcnockae@ulb.ac.be (L. Cnockaert), jschoent@ulb.ac.be (J. Schoentgen), pauzou@yahoo.fr (P. Auzou), c_ozsancak@yahoo.fr (C. Ozsancak), fgrenez@ulb.ac.be (F. Grenez).

¹ L. Cnockaert is a fellow with the Fonds pour la Formation à la Recherche dans l'Industrie et dans l'Agriculture (Belgium).

 $^{^2}$ J. Schoentgen is a Senior Research Associate with the Fonds National de la Recherche Scientifique (Belgium).

ΞD The previous paragraph refers to tremor of the limbs or other body parts. 62 The low-frequency modulation of the phonatory frequency is a property of the 63 cycle lengths of voiced speech sounds. The production of voiced speech sounds 64 involves the vibration of the vocal folds, which is controlled via laryngeal 65 and respiratory muscles. One may assume that physiological tremor causes 66 low frequency modulations of F_0 , which has been called vocal microtremor in 67 normophonic speakers (Schoentgen, 2002). Given that part of the physiological 68 tremor has neurological causes, speakers with neurological diseases who do 69 not present marked narrow-band vocal tremor may still present low-frequency 70 voice modulations that differ from those of healthy speakers. 71

Parkinson's disease is a progressive, degenerative disease of the central nervous 72 system resulting in rigidity, resting ([3 Hz, 7 Hz]) and posture ([8 Hz, 12 Hz]) 73 tremor, and reduced range of movement of the limbs, neck, and head. Speech 74 and swallowing difficulties are frequent: Hartelius and Svensson (1994) have 75 observed that 70% of the patients have experienced impairment of speech and 76 voice after the onset of the disease. Speech disorders have been regarded as one 77 of their greatest problems by 29% of the patients. Larvngeal dysfunctions have 78 also been observed (Logemann et al., 1978; Hanson et al., 1984). The effect of 79 the disease on the laryngeal muscle may reduce the patient's ability to initiate 80 phonation, produce adequate loudness, and vary pitch. Perez et al. (1996) have 81 observed that a majority of patients exhibit tremor of the larynx at rest, at 82 normal pitch or in loud voice. Audible symptoms are breathiness, roughness, 83 hoarseness, and tremulous voice. Narrow-band tremor may be heard in the 84 voice as well as seen in the extremities (Logemann et al., 1978). Holmes et al. 85 (2000) have observed narrow-band tremor only for patients with advanced 86 Parkinson's disease. Ziegler and Hoole (1999) have mentioned gender-specific 87 voice dysfunction in Parkinson's disease, the male speakers showing predom-88 inantly increased pitch and breathiness, and the female speakers showing a 89 quivering voice with a strained quality. 90

Some studies have investigated the acoustic characteristics of the voices of 91 patients with Parkinson's disease (Kent et al., 1994; King et al., 1994; Zwirner 92 and Barnes, 1992). Most have reported an average phonatory frequency within 93 the normal range, but a larger than normal variation of phonatory frequency 94 in sustained vowels (Zwirner and Barnes, 1992), which may reflect a loss of 95 control of motor activity. Hirose et al. (1995) have studied the voice quality of 96 patients with neurological disorders, including Parkinson's disease. They have 97 observed a higher variability in the phonatory frequency F_0 in parkinsonian 98 speakers, compared to control speakers, as well as for fast [16 Hz, $F_0/2$] as for 99 slow fluctuations [0.1 Hz, 16 Hz]. 100

Few studies have specifically described the characteristics of vocal tremor or low-frequency modulation of F_0 for tremor patients or normophonic speakers. Schoentgen (2002) has studied vocal microtremor in normophonic and

mildly hoarse speakers, for vowels [a], [i] and [u]. He has calculated two mod-104 ulation level and two modulation frequency cues. Winholtz and Ramig (1992) 105 have studied vocal tremor in speakers with normal voice, vibrato and patholog-106 ical tremor, by means of modulation frequency and modulation level cues. Yair 107 and Gath (1988) have reported data for vowels [a] for nine parkinsonian and 108 three control speakers. They have reported rhythmic variations between 4 Hz 109 and 6 Hz in the phonatory frequency of the parkinsonian speakers, correspond-110 ing to sharp peaks in the phonatory frequency spectra. Yair and Gath (1988) 111 have also reported that for normal speakers, most of the tremor energy has 112 been concentrated below 3 Hz. At higher frequencies the energy has been fee-113 ble and evenly spread throughout the frequency interval. Data published by 114 these authors are discussed later and compared to the results obtained in this 115 study. 116

The present work presents an analysis of the modulation amplitude, modulation frequency and ratio of the modulation energy in low and high frequency intervals. These cues are examined for speakers with Parkinson's disease as well as healthy control speakers. These studies are motivated by the following reasons.

First, to the authors' knowledge, data are scarce with regard to the lowfrequency modulation of F_0 in normophonic speakers, and in speakers with Parkinson's disease or other neurological disorders. Parkinson's disease is the neurological disease that is the most common (Defebvre, 2005). Data that may contribute to improving the patients' voice quality are therefore worth recording. Also, one may wish to investigate whether acoustic cues exist that distinguish normophonic control and parkinsonian speakers.

Second, existing studies about Parkinson's disease (Yair and Gath, 1988; Winholtz and Ramig, 1992; Hirose et al., 1995) are difficult to compare. Indeed, most data pertain to speakers who are under treatment. Treatment of the disease as well as severity of the vocal symptoms are expected to vary between studies. Hence, the availability of additional data is conducive to the discovery of general rules about the effects of the disease.

Third, the acoustic assessment of low-frequency modulations of F_0 is not well documented. Data about low-frequency vocal modulations have been previously obtained by demodulation (Winholtz and Ramig, 1992), or by analysing point processes (Yair and Gath, 1988) or vocal cycle length time series (Schoentgen, 2002). Here, an alternative is investigated that is based on continuous wavelet transforms. It enables tracking instantaneously the lowfrequency disturbances of the phonatory frequency.

To analyse low-frequency vocal modulation, the phonatory frequency estimator must be able to track small frequency perturbations and handle disordered

speech signals. Algorithms that estimate the phonatory frequency (Hess, 1983; 144 Mitev and Hadjitodorov, 2003) fall into different categories, which involve the 145 measurement of the length of each vocal cycle (Kadambe and Boudreaux-146 Bartels, 1992; Schoentgen, 2002), the estimation of the average period in an 147 analysis frame (Medan et al., 1991; Boersma and Weenink, 2004), or the esti-148 mation of the instantaneous frequency of the fundamental spectral component 149 of the speech signal (Winholtz and Ramig, 1992). The last category presents 150 advantages when tracking small frequency perturbations: Firstly, the phona-151 tory frequency must not be considered stationary over an analysis frame. Sec-152 ondly, the instantaneous phonatory frequency trace is easier to handle math-153 ematically than the unevenly sampled cycle duration time series (Schoentgen, 154 2002), or cycle event point processes (Yair and Gath, 1988). 155

In the method that is presented here, the phonatory frequency is assigned to 156 the instantaneous frequency, which is defined as the rate of change of the phase 157 of the estimated fundamental of the speech signal. Existing methods differ in 158 the way the phase trace is obtained. The conventional method consists in low-159 pass-filtering the speech signal in the vicinity of the fundamental and using 160 the phase of the analytical signal (Winholtz and Ramig, 1992). This requires, 161 however, a prior estimate of the phonatory frequency and the assumption that 162 variations around this estimate are small. Therefore, more than one phase trace 163 is computed, and the phonatory frequency is chosen for each time-step, based 164 on criteria such as the following. Qiu et al. (1995) perform Hilbert transforms 165 on the speech signal filtered by two different low-pass filters. Nakatani and 166 Irino (2004) employ the short-time Fourier-transform phase and dominant 167 harmonic components. Kawahara et al. (1999) exploit a continuous wavelet 168 transform with an analytical wavelet, and detect the fixed points in the wavelet 169 central frequency to instantaneous frequency map. 170

In this article, a method is presented that obtains the instantaneous frequency
via two continuous wavelet transforms. The first guaranties reliability and the
second sensitivity to frequency perturbations. The adequacy of this technique
for the estimation of low-frequency vocal modulations is investigated by comparison with one analysis frame-based method (Boersma and Weenink, 2004)
and two instantaneous frequency-based methods (Winholtz and Ramig, 1992;
Kawahara et al., 1999).

The size and characteristic frequency of the modulation are summarized by means of three cues, which are the modulation amplitude, the modulation frequency and the ratio of the modulation energies in low [3 Hz, 7 Hz] and high frequency [7 Hz, 15 Hz] intervals.

The lower frequency limit of the analyses is set to 3 Hz. The aim is to discard effects of the heart beat, which is expected in the vicinity of 1-2 Hz (Orlikoff and Baken, 1989). Moreover, variations slower than 3 Hz are difficult to estimate because their cycle length becomes long compared to the signal length.
 This low-frequency limit is considered acceptable, inasmuch as the effects of
 Parkinson's disease, such as resting and posture tremor, are typically observed
 at frequencies higher than 3 Hz.

Statistical analyses are carried out to investigate whether significant differences existed between frequency modulation cues of parkinsonian and control and male and female speakers. Discrimination analyses are carried out to test whether a separation between parkinsonian and control speakers is possible on the base of selected cues.

This work is organized as follows: Section 2 presents the F_0 estimation and the acoustic cues of low-frequency vocal modulation. In Section 3, the F_0 estimation method is evaluated on synthetic and real data, and compared to existing F_0 estimation methods. In Section 4 the low-frequency vocal modulation analysis is applied to recorded vowels. Section 4.1 presents the corpora and statistical methods used in this work. Section 4.2 gives the results and their statistical analyses, which are then discussed in Section 4.3.

$_{201}$ 2 Methods

Here we present the F_0 estimation and the acoustic cues indicating lowfrequency vocal modulation.

204 2.1 Estimation of F_0

Estimation of F_0 is based on the instantaneous frequency obtained via a *con*-205 tinuous wavelet transform (CWT) (Addison, 2002). In a first stage, a CWT 206 of the speech signal is computed and an approximate F_0 estimate is obtained 207 via the central frequency of the wavelet with maximal CWT modulus. In a 208 second stage, another CWT is carried out, using a shorter mother wavelet. 209 The F_0 estimate is assigned to the instantaneous frequency corresponding to 210 the wavelet whose central frequency is equal to the F_0 estimate obtained dur-211 ing the first stage. The first stage enables an easy detection of the maximum 212 in the CWT modulus and the second stage provides a precise instantaneous 213 frequency. 214

The evaluation of this F_0 estimation method is carried out by means of synthetic vowels [a], generated via a source-filter model. The vocal tract is simulated by an all-pole filter (Rabiner and Schafer, 1978) and the source signal by means of Fant's model (Fant et al., 1985). The phonatory frequency is

EDTEN 75 Hz, and the four formant frequencies and bandwidths are 700 Hz, 1200 Hz, 210 2500 Hz and 3500 Hz, and 140 Hz, 180 Hz, 55 Hz and 200 Hz respectively. 220 The source parameters are the following : relative open phase = 0.4, reciprocal 221 of the negative peak value = 0.1, and closing phase / open phase = 0.2. Fig. 222 2 shows the time-evolving modulus of a CWT with parameter $\omega_c \sigma_t = 5$ for 223 a synthetic vowel. A ridge of high modulus is seen at 75 Hz that is the syn-224 thetic phonatory frequency. During the CWT calculation, the wavelet central 225 frequency is increased in steps of 1 Hz in the interval [50 Hz, 200 Hz]. 226

²²⁷ The instantaneous frequency IF(t) of a band-pass signal s(t) may be defined ²²⁸ by means of its Hilbert transform H[s(t)] and associated analytical signal ²²⁹ $s_a(t)$ (Boashash, 1992).

$$s_a(t) = s(t) + jH[s(t)],$$

$$IF(t) = \frac{d(\arg[s_a(t)])}{dt}.$$
(1)
(2)

The instantaneous frequency can also be defined by means of a continuous wavelet transform, using an analytical wavelet (Le-Tien, 1997). The CWT of a signal x(t) and the IF are defined by

$$CWT(\lambda, t) = \int_{-\infty}^{+\infty} x(u) \frac{1}{\sqrt{\lambda}} \psi^*\left(\frac{u-t}{\lambda}\right) du,$$
(3)

$$IF(\lambda, t) = \frac{d(arg[CWT(\lambda, t)])}{dt}.$$
(4)

In (3) the mother wavelet is denoted by $\psi(t)$ and $CWT(\lambda, t)$ denotes the wavelet transform at time t and scale λ . The CWT coefficients (3) are complex. Here, the mother wavelet is the complex Morlet wavelet (Percival and Walden, 2000) shown in Fig. 1, which can be expressed as

$$\psi_{\omega_c}(t) = C \ e^{-i\omega_c t} \left[e^{-\frac{t^2}{2\sigma_t^2}} - \sqrt{2} e^{-\frac{\omega_c^2 \sigma_t^2}{4}} e^{-\frac{t^2}{\sigma_t^2}} \right].$$
(5)

The scale of the wavelet is fixed by central frequency $f_c = \frac{\omega_c}{2\pi}$, which is the frequency of oscillation of the wavelet. Parameter σ_t fixes its decay. The product $\omega_c \sigma_t$ is constant for a wavelet family. The normalization factor C is chosen such that

$$\int_{-\infty}^{+\infty} \left|\psi_{\omega_c}(t)\right|^2 dt = 1.$$

²³⁷ The effective duration of the wavelet is conventionally defined as $2\sigma_t$.

The Gaussian envelope of the complex Morlet wavelet minimizes the product of the wavelet's time and frequency spreads, and therefore optimizes the timefrequency resolution (Addison, 2002). The modulus and phase of the CWT estimate the envelope and instantaneous phase of the spectral components of the signal in the band centred on frequency f_c (Mallat, 1999). The timederivative of the phase of the complex CWT is therefore an estimate of the instantaneous frequency of the signal in that band.

The possibility of estimating the phonatory frequency via CWTs is based on 245 the following observation. In the neighbourhood of the wavelet central frequen-246 cies that best fit the cyclicity of the signal, the modulus of the complex CWT 247 attains a maximum and the instantaneous frequency obtained by means of the 248 phase of the CWT is close to the cyclicity of the signal. In the (f_c, IF) plane, 249 the instantaneous frequency presents a plateau, in the vicinity of the actual 250 value, over a large central frequency band (Carmona et al., 1997). This is illus-251 trated in Fig. 3, which shows as a function of the wavelet central frequency for 252 time t the modulus and instantaneous frequency of the wavelet transform for 253 the synthetic vowel in Fig. 2. For the wavelet central frequencies for which the 254 CWT moduli are high, the IF displays a plateau at the phonatory frequency 255 of the speech signal. 256

We thus propose to estimate F_0 via the IF of the CWT whose modulus is at a maximum in the interval [50 Hz, 500 Hz] (Cnockaert et al., 2005). When the plateau is flat, F_0 is easily obtained, even when the CWT is calculated with a large frequency step. The CWT using the wavelet family obtained by $\omega_c \sigma_t = 5$ is adequate to detect the position of the maximum of the modulus corresponding to the phonatory frequency.

For present purposes, variations in F_0 up to 15 Hz must be detected correctly. 263 Earlier studies show that the amplitude of the modulation of the phonatory 264 frequency may be underestimated by the method described above. Indeed, 265 when the time resolution of the wavelet is not high enough, the IF trace is 266 smoothed over the effective duration of the wavelet. This problem is all the 267 more difficult the lower F_0 and the faster its variation. For example, for a 268 wavelet with $\omega_c \sigma_t = 5$, the effective duration $2\sigma_t$ is equal to 16ms when the 269 central frequency is 100 Hz. Small F_0 variations at a frequency above 10 Hz 270 are therefore smoothed over the wavelet duration and attenuated. 271

A mother wavelet of shorter effective duration, and thus smaller $\omega_c \sigma_t$ value, is therefore expected to be better suited for tracking short-term variations of F_0 . Fig. 4 shows the modulus of the wavelet transform, for $\omega_c \sigma_t = 2.5$, of the previous synthetic vowel, and Fig. 5 shows the modulus and IF at two positions in the vocal cycle. One sees that the plateau where the IF is equal to the phonatory frequency is shifted with regard to the wavelet central frequencies for which the CWT moduli are high. Also, one observes that the plateau

is shorter on real speech signals. It could thus still be used to estimate F_0 . Locating the corresponding modulus peak, however, has become more difficult. Indeed, owing to the larger bandwidth and shorter effective length, the wavelet transform is influenced more by the second harmonic and intra-cycle instationarities, such as the instants of glottal closure. For some positions in the speech cycle, the modulus peak at the phonatory frequency may disappear, as illustrated by the dashed line in Fig. 5.

As expected, a longer wavelet provides a more reliable F_0 estimate, whereas a shorter wavelet is more sensitive to F_0 variations. Two wavelet transforms are therefore combined: one with a high frequency resolution to identify the maximum of the CWT moduli and a second with a high time resolution to estimate IF. As illustrated in Fig. 6, this procedure functions as follows:

- (1) CWT of the speech signal, with $\omega_c \sigma_t = 5$, and recording, for each timestep, of the wavelet central frequency \hat{f}_c corresponding to the maximal modulus of the CWT.
- (2) CWT of the speech signal, with $\omega_c \sigma_t = 2.5$, and calculation of the CWT instantaneous frequency IF_{2.5} via the time-derivative of the CWT phase.
- (3) Estimation of the instantaneous F_0 value via IF_{2.5} of the wavelet whose
- 297 central frequency f_c is equal to the one recorded at the first stage.
- (4) Filtering of the F_0 trace to eliminate residual oscillations owing to intracycle instationarities.
- 300 2.2 Acoustic Cues of Low-Frequency Vocal Modulation

In this work, three acoustic cues are considered: The modulation amplitude characterizes the size of the modulation compared to the average phonatory frequency. The modulation frequency and modulation energy ratio characterize the distribution of the modulation energy in the frequency interval, respectively by means of the centroid of the modulation spectrum and the ratio of the modulation energy at low and high frequencies.

To calculate the modulation cues, a continuous wavelet transform of the F_0 trace is carried out, using the complex Morlet wavelet with $\omega_c \sigma_t = 5$. Before transforming the F_0 trace, the trend, which designates slow changes of F_0 below the 3 Hz limit, is removed, using a method described by Yair and Gath (1988). The wavelet central frequency is increased by steps of 0.1 Hz in the interval [3 Hz, 15 Hz]. The CWT of the IF trace enables estimates of the modulation amplitude, frequency, and energy ratio to be obtained.

The instantaneous modulation energy is obtained by summing the square of the modulus of the wavelet transform over the frequency interval $[f_{min}, f_{max}]$. The square root, normalized by average \bar{F}_0 , gives an estimate of the relative instantaneous modulation amplitude,

$$MA(t) = \frac{\sqrt{\sum_{f_c=f_{min}}^{f_{max}} CWT^2(2\pi f_c, t)}}{average(F_0)}.$$
(6)

Here CWT denotes the wavelet transform of the trace $F_0(t)$. Parameters f_{min} and f_{max} are equal to 3 Hz and 15 Hz.

321 2.2.2 Modulation Frequency

One wishes to characterize the modulation frequency by means of a single value. The modulation frequency is therefore defined as the centroid of the modulation spectrum. The centroid is the sum, over the frequency interval $[f_{min}, f_{max}]$, of the instantaneous frequencies IF $(2\pi f_c, t)$ of the CWT of the F_0 trace, weighted by the wavelet transform energy. The weight is set to zero when the CWT modulus is lower than 1% of the maximal modulus. The instantaneous modulation frequency is thus defined as follows,

$$MF(t) = \frac{\sum_{f_c=f_{\min}}^{f_{\max}} [CWT^2(2\pi f_c, t)IF(2\pi f_c, t)]}{\sum_{f_c=f_{\min}}^{f_{\max}} [CWT^2(2\pi f_c, t)]}.$$
(7)

329 2.2.3 Modulation Energy Ratio

This cue is inspired by the observation of the spectral energy distribution of F_0 traces, which are different for parkinsonian and control speakers. The *modulation energy ratio* (MER) in the frequency bands $[f_{\min}, f_{mid}]$ and $[f_{mid}, f_{max}]$ is calculated according to

$$\operatorname{MER}(t) = \frac{\sum_{f_c=f_{\min}}^{f_{\min}} \operatorname{CWT}^2(2\pi f_c, t)}{\sum_{f_c=f_{\min}}^{f_{\max}} \operatorname{CWT}^2(2\pi f_c, t)}.$$
(8)

The value of the middle frequency $f_{\rm mid}$ has been fixed by observing the ratios obtained for parkinsonian and control speakers, with f_{mid} in the range 5 Hz to 10 Hz. The $f_{\rm mid}$ value that separates best both groups has been found to be 7 Hz.

338 3 Evaluation of F_0 estimation

This section reports the evaluation of the proposed F_0 estimation method on synthetic vowels, the comparison on synthetic vowels with three F_0 estimation methods, and the comparison on real vowels of the two best methods.

342 3.1 Evaluation on sustained synthetic vowels

The accuracy of the F_0 extraction is evaluated by means of synthetic vowels with modulated F_0 as described in Section 2.1. The synthetic fundamental frequency is modulated by a cosine such that

$$f_{\rm source}(t) = f_{\rm av} [1 + A_{T,\rm ref} \cos(2\pi F_{T,\rm ref}t)]$$

where f_{source} , f_{av} , $A_{T,\text{ref}}$ and $F_{T,\text{ref}}$ are the instantaneous phonatory frequency, the average phonatory frequency, the reference modulation amplitude and the reference modulation frequency, respectively.

(9)

The modulation frequency and amplitude are estimated by recording the frequency and peak-to-peak amplitude of the sinusoidal variation of the F_0 trace. The performance with regard to modulation amplitude tracking is numerically expressed by the ratio of the estimated and reference modulation amplitudes. This ratio characterizes the ability of the method to record the modulation of the phonatory frequency of the synthetic signal, and ideally is equal to one.

For the proposed CWT-based method, the modulation frequency is detected 355 correctly, whereas the modulation amplitude is underestimated. This under-356 estimation depends on average F_0 and modulation frequency, but not on the 357 reference modulation amplitude. The estimated-to-reference amplitude ratio 358 is shown in Fig. 7, as a function of the modulation frequency, for synthetic 359 vowels [a] with various average phonatory frequencies F_0 , and with a refer-360 ence modulation amplitude of 1%. The ratio decreases when the modulation 361 frequency increases and the average F_0 decreases. The reason for this effect is 362 that when the modulation frequency gets closer to the phonatory frequency, 363 one perturbation period extends over a few vocal cycles only. The detection 364 of fast F_0 variations is more difficult, because of the smoothing of the CWT 365 over the effective duration of the wavelet. 366

The CWT-based F_0 estimation is compared to three other F_0 analysis methods:

• A Hilbert transform-based method (Winholtz and Ramig, 1992). The speech signal is low-pass filtered above the phonatory frequency, the value of which

must be estimated first. The IF trace, obtained via the associated analytical signal, is low-pass-filtered at 25 Hz to obtain a smooth estimate of the timeevolution of F_0 .

• The *TEMPO* method (Kawahara et al., 1999), which is founded on a fixedpoint analysis of a wavelet central frequency to IF mapping and on carrierto-noise ratios.

• The CC-method in PRAAT (Boersma and Weenink, 2004), which is based on a forward cross-correlation analysis. The minimum phonatory frequency is fixed to 75 Hz.

Figure 8 shows the estimated-to-reference modulation amplitude ratio as a 380 function of the modulation frequency for the four F_0 extraction methods syn-381 thetic vowels [a] with \overline{F}_0 equal to 100 Hz and 300 Hz. The modulation am-382 plitude is underestimated, except for the Hilbert transform-based method. In 383 the case of the latter, a feeble attenuation is observed, which depends on the 384 low-pass filter cut-off. For the other three methods, the underestimation of the 385 modulation amplitude increases with the modulation frequency and decreases 386 with average F_0 . The reason is the same as the one described above for the 387 CWT-based method. Figure 8 suggests that the CWT-based method reports 388 low-frequency F_0 variation more accurately than TEMPO and PRAAT. Rapid 389 variations are underestimated, but this underestimation is small in the rele-390 vant frequency range, which is 3-15 Hz. For F_0 equal to 100 Hz, the attenuation 391 of a 15 Hz variation is less than 7.5%. 392

393 3.2 Evaluation on disordered speech

The application of F_0 modulation analysis is expected to be clinical mainly. The analysis must therefore be reliable for elderly and dysphonic speakers. The CWT-based method is preferred to the Hilbert-based method, for the following reasons.

 F_0 traces obtained via CWT-based and Hilbert transform-based methods are quasi-identical for real speech signals, with a slightly better detection of high frequency perturbations with the second method, which has the following drawbacks, however.

First, it needs a prior estimation of average \overline{F}_0 . It relies thus on another F_0 extraction algorithm, which must correctly handle disordered speech signals.

Second, it requests low-pass filtering that must correctly isolate the fundamental from the harmonics as well as track F_0 trends and intonation. A trade-off exists between the selectivity of the filter, which implies a long impulse response, and its ability to track large F_0 variations, for which a short response would be more appropriate. Because of this trade-off, it may happen that the

 F_0 trace obtained via the Hilbert transform becomes erroneous. An example is 400 shown in Figures 9 and 10, for a real speech uttered by a 64-year-old speaker 410 with diplophonia. Diplophonia is observed in Fig. 9 to occur during the time-411 intervals 11 s -12.55 s and 12.7 s -13.6 s. The amplitude of the F_0 oscillations 412 due to diplophonia is small because the F_0 traces are smoothed by the final 413 low-pass filter. At times 12.3 s, 12.9 s and 13.2 s, the F_0 trace obtained via 414 the Hilbert transform presents aberrant peaks. These failures are explained by 415 the subharmonics at multiples of $F_0/2$ (Fig.9). Ideally subharmonics at $F_0/2$ 416 and $3F_0/2$ should be eliminated by filtering, without altering the side-bands 417 of the fundamental at F_0 , which inform about the low-frequency modulation. 418 Both requests are difficult to satisfy simultaneously. 419

In the CWT-based method, the filtering is adapted instantaneously depending on F_0 . This method is therefore retained.

422 4 Analysis of Sustained Vowels Uttered by Parkinsonian and Con 423 trol Speakers

Here we begin our analysis of the effects of Parkinson's disease on the articu-lation of sustained vowels.

426 4.1 Corpora and Statistical Methods

⁴²⁷ The corpus is composed of speakers with Parkinson's disease and control ⁴²⁸ speakers. The utterances are sustained vowel segments [a] obtained in the ⁴²⁹ framework of a maximum phonation time task.

The participants are 37 French-speaking subjects (28 males and 9 females) 430 who have Parkinson's disease and have reported general speech problems, but 431 whose voices are not perceived as tremulous, and 35 French-speaking control 432 subjects (28 males and 7 females), who do not report any laryngeal problems. 433 The recordings of the parkinsonian speakers are made during treatment, by 434 implant or medication. The average intelligibility scores (Auzou et al., 1998) 435 are 17 and 19 for the male and female parkinsonian speakers. The intelligibility 436 score ranges from 0 (very disturbed speech) to 24 (normal speech). The age-437 ranges are 44 to 75 and 42 to 75 years for the male, and 49 to 73 years for the 438 female parkinsonian and control speakers. The average maximum phonation 439 times are 11s and 19s for the male, and 11s and 14s for the female parkinsonian 440 and control speakers. 441

⁴⁴² The recordings are carried out on EVA stations (SQLab, 2005) in the Service

de Neurologie of the Centre Hospitalier Régional Universitaire de Lille, or of
the Centre Hospitalier Universitaire de Rouen, both in France. The sampling
rate is 25 kHz for 67 speakers and 6.25 kHz for 5 speakers. A sampling rate
of 6.25 kHz is large enough for estimating low-frequency modulations of the
phonatory frequency. Including the recordings at 6.25 kHz enables analysing
more signals, and improving the reliability of the statistical analyses.

The cues that are analysed statistically are the average phonatory frequency,
average modulation amplitude, average modulation frequency and average
modulation energy ratio obtained for 5 sec-long signal fragments at the beginning of each recording excluding onsets.

Two-factor analyses of variances are carried out for each cue, the factors being 453 gender and health status of the speakers. The null hypotheses are that the 454 means are the same for control and parkinsonian, as well as male and female 455 speakers. Subsequently, discriminant analyses are carried out, to test whether 456 a separation between parkinsonian and control speakers is possible on the basis 457 of selected cues. Three cues only (phonatory frequency, modulation amplitude 458 and modulation frequency) are used, because for a discriminant analysis, the 459 independent variables should not be strongly correlated. 460

461 4.2 Results

This subsection illustrates the instantaneous modulation cues for two exam- $_{463}$ ples: one parkinsonian and one control speaker. Fig. 11 shows the F_0 trace, the CWT^2 coefficients, the modulation amplitude, frequency, and energy ra- $_{455}$ tio, for a control and a parkinsonian speaker. One sees that the F_0 of the parkinsonian speaker presents stronger modulation and the cue values vary $_{467}$ rapidly. This observed lack of short-time stability has motivated averaging the instantaneous cue values over the 5-second analysis interval.

Table 1 shows the quartiles of the averages of phonatory frequency, modulation amplitude, modulation frequency and modulation energy ratio, for male and female, control and parkinsonian speakers. Visual inspection confirms that the median phonatory frequency is higher for female than for male speakers, and for male parkinsonian than for male control speakers, while the median phonatory frequency is lower for female parkinsonian than for female control speakers.

⁴⁷⁶ For the modulation amplitude and frequency, the medians are higher for
⁴⁷⁷ parkinsonian than for control speakers. For the modulation energy ratio, the
⁴⁷⁸ medians are lower for parkinsonian than for control speakers.

479 Two-factor analyses of variance are carried out for each cue, the factors be-

ing gender and health status. Table 2 summarizes the results via the F-480 statistic (Zar, 1996) and the probability that the null hypothesis is true. 481 Table 2 confirms the following. First, the interaction between health status 482 and gender is not significant for the modulation frequency and energy ra-483 tio (F = 3.1, p = .082 and F = 1.1, p = .302, respectively). Males and 484 females may therefore be lumped together when studying these cues. Sec-485 ond, the modulation frequency is significantly higher for parkinsonian speak-486 ers (F = 4.5, p = .038), and the modulation energy ratio is significantly lower 487 (F = 4.5, p = .038). Third, the interaction between health status and gen-488 der is significant for two cues: phonatory frequency (F = 7.3, p = .009) and 489 modulation amplitude (F = 4.9, p = .030). 490

Simple effects analyses via Student's *t*-test show that for male speakers, the phonatory frequency is significantly higher for parkinsonian speakers (t =-3.3, p = .002). No significant differences are found for female speakers (t =1.3, p = .197). Simple effects analyses also show that, for female speakers, the modulation amplitude is significantly higher for parkinsonian speakers (t =-2.7, p = .021), while no significant differences are found for male speakers (t = .8, p = .401).

For a discriminant analysis, the independent variables should not be strongly 498 correlated. Therefore, the correlation between cues is studied via Pearson's mo-490 ment correlation (Zar, 1996), the results of which are presented in Table 3. A 500 statistically significant correlation is observed between modulation frequency 501 and modulation energy ratio for both genders. This correlation is expected 502 because both cues depend on the distribution of the modulation energy in 503 the [3 Hz, 15 Hz] frequency interval. A statistically significant correlation is 504 also observed between phonatory frequency and modulation frequency for the 505 male speakers. 506

The discrimination between parkinsonian and control speakers is studied via 507 Wilks' lambda (Leech et al., 2005). Because the modulation frequency and 508 modulation energy ratio cues are correlated, the latter is not included in the 509 discriminant analysis. The linear combination of the three predictor variables 510 (phonatory frequency, modulation amplitude and modulation frequency) that 511 discriminates best between parkinsonian and control groups is estimated. For 512 male speakers, Wilk's lambda is significant ($\Lambda = .689, \chi^2 = 19.6, p < .001$), 513 which indicates that a model including these cues is able to discriminate sta-514 tistically between the parkinsonian and control speakers. Table 4 presents the 515 standardized function coefficients and the correlation of each cue with the dis-516 criminant function, which suggest that phonatory frequency and modulation 517 frequency contribute most. Results show that the model correctly classifies 518 79% of the parkinsonian speakers and 82% of the control speakers. For female 519 speakers, Wilk's lambda is not significant ($\Lambda = .68, \chi^2 = 4.8, p = .19$), which 520 indicates that the model based on the same three cues cannot discriminate 521

523 4.3 Discussion

522

In this section, the topics are the effects of Parkinson's disease on phonatory frequency and its low-frequency modulation, and the comparison of data reported here and elsewhere (Winholtz and Ramig, 1992; Schoentgen, 2002; Hirose et al., 1995; Yair and Gath, 1988).

528 4.3.1 Phonatory frequency and Parkinson's disease

The average phonatory frequency of males and females is affected differently by 529 Parkinson's disease : it increases for male speakers while it decreases for female 530 speakers. These inter-gender differences agree with most results reported in 531 the literature: Ziegler and Hoole (1999) mention increased pitch only for male 532 speakers with Parkinson's disease. Holmes et al. (2000) study speakers with 533 early and advanced Parkinson's disease: a higher mean F_0 in monologues is 534 associated with advanced disease in men only, with no differences for women. 535 Comparison of the maximum and minimum F_0 during scale singing reveals 536 that females in a later stage of Parkinson's disease have a reduced maximum 537 F_0 compared to early-stage females, while males in a later stage of Parkinson's 538 disease have higher minimum F_0 than early-stage males. However, some studies 539 do not observe any difference in the phonatory frequency of parkinsonian and 540 control speakers (Zwirner et al., 1991; Jimenez-Jimenez et al., 1997). Therefore 541 a controversy still exists in the literature about the effect of Parkinson's disease 542 on the phonatory frequency (Robert and Spezza, 2005). The explanation of 543 these discrepancies may be related to differences in the tasks, measurements 544 or health status of the speakers. 545

546 4.3.2 Low-frequency modulation of F_0 and Parkinson's disease

The modulation frequency increases significantly for parkinsonian speakers of 547 both genders. The observed increase is a consequence of the increase of the 548 spectral energy in the F_0 trace above 7 Hz. Indeed, for parkinsonian speakers, 549 the modulation energy decreases more slowly at high frequencies in the spec-550 trum of the F_0 fluctuations. For some speakers an energy peak can be observed 551 in the interval [8 Hz, 12 Hz], as shown in Fig. 12. The position of this peak 552 in the vicinity of 10 Hz would suggest a presence of static posture tremor, 553 which occurs between 8 Hz and 12 Hz and which is observed for parkinsonian 554 patients (Gresty and Findley, 1984; Defebvre, 2005). 555

⁵⁵⁶ The modulation amplitude is affected differently by Parkinson's disease for

male and female speakers: it increases significantly for the females and does 557 not differ significantly for the males. This differs from the observation of nor-558 mophonic and mildly dysphonic speakers by Schoentgen (2002), *i.e.* that the 559 modulation amplitude of microtremor does not differ for male and female con-560 trol speakers, suggesting that the relative cycle-to-cycle perturbations owing 561 to microtremor do not evolve proportionally to the vocal cycle length. In the 562 present study, the interquartile intervals of the modulation amplitude of the 563 male and female control speakers are indeed .55% - .95% and .47% - .73%, 564 as shown in Table 1. 565

The differences in the relative modulation amplitude observed here, however, 566 between control and parkinsonian speakers may be explained by differences in 567 the average phonatory frequencies. The values of the modulation amplitude is 568 significantly higher for female parkinsonian speakers only, compared to female 569 control speakers. Indeed, F_0 drops for the female parkinsonian speakers. The 570 amplitude modulation cue is defined as the standard deviation of the phona-571 tory frequency divided by the average phonatory frequency (Eq. 6). For female 572 parkinsonian speakers, the decrease of the average phonatory frequency and 573 the increase of the modulation energy possibly contribute both to an increase 574 of the relative modulation amplitude. For male parkinsonian speakers, how-575 ever, the increase of the average phonatory frequency and the increase of the 576 modulation energy have opposite effects on the relative modulation ampli-577 tude, which does therefore not differ significantly for parkinsonian and control 578 speakers. 579

Also, one sees in Fig. 12 that most of the modulation energy is concentrated below 7 Hz. In males, a modulation energy increase above 7 Hz would therefore have to be large to counter the effect on the relative modulation amplitude of the phonatory frequency increase. Accordingly, if the modulation amplitude is calculated in the frequency interval [7 Hz, 15 Hz] instead of [3 Hz, 15 Hz], a statistically significant increase of the relative modulation amplitude is also observed for male parkinsonian speakers (F = 14.69, p < .001).

587 4.3.3 Comparison with former studies

In this subsection, results obtained here are compared to results obtained in former studies. Table 5 shows the quartiles of the average phonatory frequency and modulation cues obtained by Winholtz and Ramig (1992), and Schoentgen (2002). The average phonatory frequency data for the control speakers that are obtained here agree with these data.

The modulation frequency data of the control speakers slightly differ from the data obtained by Winholtz and Ramig, and Schoentgen. This difference can be explained by the different frequency intervals for which the analyses are

⁵⁹⁶ carried out. The frequency intervals are [3 Hz, 15 Hz] in this study, [2.5 Hz, ⁵⁹⁷ 25 Hz] in Winholtz and Ramig's, and [0.1 Hz,25 Hz] in Schoentgen's.

In the present study, the relative modulation amplitudes for the control speak-598 ers are lower than those observed by Winholtz and Ramig, and Schoentgen. 599 These differences can be explained by the dissimilar definitions of the rela-600 tive modulation amplitude, which is given by the standard deviation of the 601 phonatory frequency normalized by the average phonatory frequency in this 602 study, and by the maximum deviation of the phonatory frequency normalized 603 by the average phonatory frequency in the study by Winholtz and Ramig. 604 Lower values are expected when the standard deviation is used. Schoentgen 605 has studied two modulation amplitude cues : maximum deviation (Sch1) or 606 standard deviation (Sch2) normalized by the average phonatory frequency. 607

The frequency intervals and components in which the analyses are carried out, however, also differ. In our study, all the spectral energy between 3 Hz and 15 Hz is taken into account, while Schoentgen includes all statistically significant spectral peaks whose frequencies are strictly greater than zero and less than 25 Hz.

Further, the low-frequency modulation cues in this study differ from the cues 613 studied by Hirose et al. (1995). They can thus not be compared directly. Both 614 studies arrive at similar conclusions, however. Hirose et al. have observed 615 high-energy fluctuations of the phonatory frequency in the interval [0.1 Hz, 616 16 Hz]. This agrees with the increase of the modulation energy for parkinsonian 617 speakers we observe. But the increase of the modulation energy is not always 618 reflected in the relative modulation amplitude for the males, because it is 619 compensated by the increase of the average phonatory frequency. 620

Finally, the low-frequency modulation data in this study differ from those 621 obtained by Yair and Gath (1988). Yair and Gath observe sharp peaks in 622 the vicinity of 5 Hz in the F_0 fluctuation spectra of parkinsonian speakers. 623 The positions of these peaks match those of the tremor of the limbs of the 624 speakers. This observation raises a question with regard to the comparison 625 of the resting tremor frequency of the limbs with the static posture tremor 626 frequency expected to be observed in sustained speech sounds. Nonetheless, 627 no narrow peaks are observed in the F_0 fluctuation spectra of the parkinsonian 628 speakers participating in the present study. This discrepancy may be explained 629 by differences with regard to the health status of the speakers. The speakers 630 analysed by Yair and Gath present narrow-band tremor of the limbs and 631 narrow-band vocal tremor. The speakers involved in the present study are 632 being treated to eliminate or decrease the symptoms of the disease. They 633 report general speech problems, but their voices are not perceived as tremulous 634 according to the clinical evaluation. The speech analyses confirm this absence 635 of vocal narrow-band tremor, while evidencing other differences in the F_0 low-636

637 frequency fluctuations

638 5 Conclusion

An analysis of the frequency modulation of F_0 in the [3 Hz, 15 Hz] interval is presented. The phonatory frequency trace is obtained by means of the instantaneous frequency estimated via two continuous wavelet transforms. The first guarantees reliability and the second sensitivity to fast perturbations. Comparison with existing F_0 estimation methods shows the adequacy of the method for the analysis of the low-frequency modulation of F_0 .

CEPTED MANUSCRIPT

An analysis of speech sounds sustained by parkinsonian and control speakersshows the following.

- $_{647}$ (1) The effects of Parkinson's disease on F_0 low-frequency modulation cues differ for male and female speakers: the phonatory frequency is significantly higher for male speakers, and the relative modulation amplitude significantly higher for female speakers.
- (2) For parkinsonian speakers of both genders, the modulation frequency is
 significantly higher and the modulation energy ratio significantly lower
 than for control speakers.
- (3) A statistically significant discrimination between parkinsonian and con trol speakers is observed for male speakers, based on modulation fre quency and phonatory frequency. For female speakers, no statistically
 significant discrimination is observed, because of the small size of the
 corpus.

659 Acknowledgements

The authors thank John McDonough for helpful comments regarding the manuscript. They thank the anonymous reviewers for their constructive comments and helpful suggestions. They also would like to acknowledge support from *COST Action 2103* (Advanced Voice Function Assessment).

664 References

Addison, P., 2002. The illustrated wavelet transform handbook:introductory
 theory and applications in science, engineering, medicine and finance. Insti-

tute of Physics Publishing.

DTER		IICOD	
FILE	IWAN		

- Auzou, P., Ozsancak, C., Jan, M., Léonardon, S., Ménard, J., Gaillard, M.,
 Eustache, F., Hannequin, D., July 1998. Clinical assessment of dysarthria:
 presentation and validation of a method. Rev. Neurol. (Paris) 154 (6-7),
 523–530.
- Boashash, B., 1992. Estimation and interpreting the instantaneous frequency
 of a signal part i : Fundamentals. Proceedings of the IEEE 80 (4), 520 539.
- Boersma, P., Weenink, D., 2004. Praat: doing phonetics by computer.
 www.praat.org.
- Carmona, R., Hwang, W., Torresani, B., 1997. Characterization of signals by
 the ridges of their wavelet transform. IEEE Trans. on Signal Processing
 45 (10), 2586 2590.
- ⁶⁸⁰ Cnockaert, L., Grenez, F., Schoentgen, J., 2005. Fundamental frequency esti ⁶⁸¹ mation and vocal tremor analysis by means of morlet wavelet transforms.
 ⁶⁸² Proc. ICASSP, Philadelphia (USA), 393–396.
- ⁶⁸³ Defebvre, L., September 2005. La maladie de parkinson. In: Ozsancak, C., ⁶⁸⁴ Auzou, P. (Eds.), Les troubles de la parole et de la déglutition dans la
- maladie de Parkinson. Solal, pp. 9–30.
- Fant, G., Liljencrants, J., Lin, Q., 1985. A four-parameter model of glottal
 flow. STL-QSPR 4, 1–13.
- Freund, H., 1987. Central rhythmicities in motor control and its perturbances.
 In: Rensing, L., an der Heiden, U., Mackey, M. (Eds.), Temporal Disorder
 in Human Oscillatory Systems. Springer, Berlin, pp. 79–82.
- ⁶⁹¹ Fucci, D., Petrosino, L., 1984. The practical applications of neuroanatomy for
 ⁶⁹² the speech-language pathologist. In: N.J.Lass (Ed.), Speech and Language,
 ⁶⁹³ Advances in Basic Research and Practice. Vol. 11. Academic, New York,
 ⁶⁹⁴ pp. 249–317.
- Gresty, M. A., Findley, L. J., 1984. Postural and resting tremor in parkinson's disease. Adv. Neulog. 40, 361–364.
- Hanson, D., Gerratt, B., Ward, P., 1984. Cinegraphic observations of laryngeal
 function in parkinson's disease. Laryngoscope 94, 348–353.
- Hartelius, L., Svensson, P., 1994. Speech and swallowing symptoms associated
 with parkinson's disease and multiple sclerosis: A survey. Folia Phoniatr.
- ⁷⁰¹ Logop. 46, 9–17.
- Hess, W., 1983. Pitch Determination of Speech Signals. Springer-Verlag,
 Berlin.
- Hirose, H., Imaizumi, S., Yamori, M., 1995. Voice quality in patients with neurological disorders. In: Vocal Fold Physiology, O. Fujimura and M. Hirano.
- ⁷⁰⁶ Singular, San Diego, pp. 235–248.
- Holmes, R. J., Oates, J. M., Phyland, D. J., Hughes, A. J., July 2000. Voice
 characteristics in the progression of parkinson's disease. Int. J. Lang. Comm.
 Dis. 35 (3), 407–418.
- ⁷¹⁰ Jimenez-Jimenez, F., Gamboa, J., Nieto, A., Guerrero, J., Orti-Pareja, M.,
- J.A.Molina, Garcia-Albea, E., Cobeta, I., April 1997. Acoustic voice analysis
- in untreated patients with parkinson's disease. Park. RElated Dis. 3 (2),

713 111-116.

ACCEPTED MANUSCRIPT

Kadambe, S., Boudreaux-Bartels, G., 1992. Application of the wavelet trans-714 form for pitch detection of speech signals. IEEE Trans. on Information The-715 ory 38 (2), 917–924. 716 Kawahara, H., Katayose, H., de Cheveigne, A., Patterson, R., 1999. Fixed 717 point analysis of frequency to instantaneous frequency mapping for accurate 718 estimation of f0 and periodicity. Proc. Eurospeech, 2781–2784. 719 Kent, R., Kim, H., Weismer, G., Kent, J., 1994. Laryngeal dysfunction in 720 neurological disease: Amyotrophic lateral sclerosis, parkinson disease, and 721 stroke. J. Med. Speech Lang. Pathol. 2, 157–175. 722 King, L., Ramig, L., Lemke, J., Horii, Y., 1994. Parkinson's disease: Longi-723 tudinal changes in acoustic parameters of phonation. J. Med. Speech Lang. 724 Pathol. 2, 29–42. 725 Le-Tien, T., 1997. Some issues of wavelet functions for instantaneous frequency 726 extraction in speech signals. Proc. IEEE Tencon 1997, 31–34. 727 Leech, N. L., Barrett, K. C., Morgan, G. A., 2005. SPSS for intermediate statis-728 tics: use and interpretation, 2nd Edition. Lawrence Erlbaum Associates. 729 Logemann, J., Fisher, H., Boshes, B., Blonsky, E., 1978. Frequency and cooc-730 currence of vocal tract dysfunctions in the speech of a large sample of parkin-731 son patients. J. Speech Hear. Dis. 43, 47–57. 732 Mallat, S., 1999. A Wavelet Tour of Signal Processing, 2nd Edition. Academic 733 Press, San Diego. 734 Medan, Y., Yair, E., Chazan, D., 1991. Super resolution pitch determination 735 of speech signals. IEEE Trans. on Signal Processing 39 (1), 40–48. 736 Mitev, P., Hadjitodorov, S., 2003. Fundamental frequency estimation of voice 737 of patients with laryngeal disorders. Information Sciences 156 (1-2), 3–19. 738 Nakatani, T., Irino, T., December 2004. Robust and accurate fundamental 739 frequency estimation based on dominant harmonic components. J. Acoust. 740 Soc. Am. 116 (6), 3690–3700. 741 Orlikoff, R., Baken, R., 1989. Fundamental frequency modulation of the human 742 voice by the heartbeat: preliminary results and possible mechanisms. J. 743 Acoust. Soc. Am. 85, 888–893. 744 Percival, D., Walden, A., 2000. Wavelet methods for time series analysis. Cam-745 bridge University Press. 746 Perez, K., Ramig, L., Smith, M., Fromey, C., 1996. The parkinson larynx: 747 tremor and videostroboscopic findings. J. Voice 10, 354–361. 748 Qiu, L., Yang, H., Koh, S.-N., 1995. Fundamental frequency determination 749 based on instantaneous frequency estimation. Signal Processing 44, 233– 750 241.751 Rabiner, L. R., Schafer, R. W., 1978. Digital processinf of speech signals. 752 Prentice Hall. 753 Robert, D., Spezza, C., 2005. La dysphonie parkinsonienne. In: Ozsancak, C., 754 Auzou, P. (Eds.), Les troubles de la parole et de la déglutition dans la 755 maladie de Parkinson. Solal, pp. 131–143. 756 Schoentgen, J., 2002. Modulation frequency and modulation level owing to 757

- ⁷⁵⁸ vocal microtremor. J. Acoust. Soc. Am. 112 (2), 690 –700.
- ⁷⁵⁹ SQLab, 2005. Eva 2 workstation, for voice and speech clinical assessment.
- ⁷⁶⁰ http://aune.lpl.univ-aix.fr/ sqlab/.
- Titze, I., 1994. Summary statement. Workshop on acoustic voice analysis,
 National center for voice and speech.
- ⁷⁶³ Titze, I., 1995. Definitions and nomenclature related to voice quality. In: Fu-
- jimura, O., Hirano, M. (Eds.), Vocal Fold Physiology. Singular, San Diego,
 pp. 335–342.
- Winholtz, W., Ramig, L., 1992. Vocal tremor analysis with the vocal demodulator. J. Speech Hear. Res. 35, 562–573.
- Yair, E., Gath, I., 1988. On the use of pitch power spectrum in the evaluation of vocal tremor. Proceedings of the IEEE 76 (9), 1166–1175.
- 770 Zar, J. H., 1996. Biostatistical Analysis, 3rd Edition. Prentice Hall.
- 771 Ziegler, W., Hoole, P., 1999. Neurologic disease. In: Kent, R., Ball, M. (Eds.),
- Voice quality measurement. Singular, p. 397.

CERT

- 773 Zwirner, P., Barnes, G., 1992. Vocal tract steadiness: A measure of phonatory
- and upper airway motor control during phonation in dysarthria. J. Speech
 Hear. Res. 35, 761–768.
- 776 Zwirner, P., Murry, T., Woodson, G., 1991. Phonatory function of neurologi-
- cally impared patients. J. Comm. Disord. 24, 287–300.



Fig. 1. Complex Morlet wavelet for $\omega_c \sigma_t = 5$.



Fig. 2. CWT modulus with parameter $\omega_c \sigma_t = 5$, for a synthetic speech signal (high moduli are represented in black, low moduli in white).

CER



Fig. 3. CWT modulus (upper plot) and instantaneous frequency (lower plot) with parameter $\omega_c \sigma_t = 5$. The dotted line marks IF = 75Hz.



Fig. 4. CWT modulus with parameter $\omega_c \sigma_t = 2.5$, for a synthetic speech signal (high moduli are represented in black, low moduli in white).



Fig. 5. CWT modulus and instantaneous frequency with parameter $\omega_c \sigma_t = 2.5$, at two different positions in the vocal cycle (plain and dashed lines). The dotted line marks IF = 75Hz.



Fig. 6. Block diagram of the F_0 estimation method.



Fig. 7. Estimated-to-reference amplitude ratio of the CWT-based method as a function of modulation frequency, for synthetic vowels with different average F_0 values (50 Hz to 300 Hz).



Fig. 8. Estimated-to-reference amplitude ratio as a function of modulation frequency, for synthetic vowels with average F_0 of 100Hz and 300Hz, for different F_0 estimation methods (CC method in PRAAT: dotted lines, TEMPO: dashed lines, CWT-based method: plain lines, Hilbert-based method: dash-dotted line). The plain line marks 90%.



Fig. 9. F_0 traces obtained by the CWT-based method (plain line) and the Hilbert-based method (dashed line), and spectrum of a speech signal with diplophonia, for a 64-year old control speaker.



Fig. 10. Zoom of the speech signal, and F_0 traces obtained by the CWT-based (plain line) and the Hilbert-based methods (dashed line), for a 64-year old control speaker.



Fig. 11. Phonatory frequency, CWT^2 coefficients, modulation amplitude, frequency and energy ratio, for a control and a Parkinson speaker.



Fig. 12. Energy spectrum of the phonatory frequency for a control speaker (plain line) and a Parkinson speaker (dotted line).

COFFX

Table 1

Quartiles of the average phonatory frequency F_0 , the average modulation amplitude MA, the average modulation frequency MF and the average modulation energy ratio MER.

		Male		Female	
		Control Parkinson		Control	Parkinson
	Minimum	88	74	141	107
	Percentile 25	100	120	155	142
$F_0(\mathrm{Hz})$	Median	117	144	191	156
	Percentile 75	129	167	205	203
	Maximum	192	239	244	225
	Minimum	.29	.38	.37	.44
	Percentile 25	.55	.55	.47	.81
MA(%)	Median	.78	.86	.65	1.06
	Percentile 75	.95	1.12	.73	1.95
	Maximum	2.31	2.62	1.23	2.68
	Minimum	3.80	4.05	4.04	4.39
	Percentile 25	4.34	5.26	4.69	4.72
MF(Hz)	Median	5.00	6.16	5.06	5.26
	Percentile 75	5.74	6.77	6.04	5.95
	Maximum	7.18	8.13	6.81	6.33
	Minimum	2.22	.72	1.89	2.81
	Percentile 25	4.11	1.56	3.71	3.23
MER	Median	6.16	2.76	6.61	4.79
	Percentile 75	8.91	4.67	7.32	6.33
	Maximum	31.81	18.05	12.87	8.26

Table 2

Results of the two-factor analysis of variance for the average phonatory frequency F_0 , the average modulation amplitude MA, the average modulation frequency MF, and the average modulation energy ratio MER.

1

	Factor	Cue	F	p
	Health x Gender	F_0	7.251	.009
		MA	4.900	.030
		MF	3.115	.082
		MER	1.082	.302
	Health status	F_0	.152	.698
		MA	8.761	.004
		MF	4.482	.038
		MER	4.477	.038
	Gender	F_0	22.914	.000
		MA	1.152	.287
	2	MF	.934	.337
		MER	.002	.965
C^{\vee}				
6				

Table 3

Correlation between the average modulation amplitude MA, average modulation frequency MF, average modulation energy ratio MER, and average phonatory frequency F_0 .

			F_0	MA	MF	MER	
Male	F_0	Pearson Cor.	1	.240	.333	269	
		Sig. (2-tailed)		.075	.012	.045	
	MA	Pearson Cor.		1	.022	.177	
		Sig. (2-tailed)			.875	.191	
	MF	Pearson Cor.			1	653	
		Sig. (2-tailed)				.000	P.
	MER	Pearson Cor.					
		Sig. (2-tailed)			C		
Female	F_0	Pearson Cor.	1	449	173	.347	
		Sig. (2-tailed)		.081	.523	.187	
	MA	Pearson Cor.		1	.335	292	
		Sig. (2-tailed)	∇	*	.205	.273	
	MF	Pearson Cor.			1	786	
		Sig. (2-tailed)				.000	
	MER	Pearson Cor.				1	
		Sig. (2-tailed)					

Table 4

Standardized function coefficients and correlation coefficients of the discriminant analysis, for male speakers.

	Standardized	Correlation between			
	Function	variables and			
	Coefficients	discriminant function			
F_0	.561	.697			
MA	.080	.171			
MF	.729	.817			

Table 5 $\,$

Results obtained by Schoentgen (2002) (Sch1 and Sch2) and Winholtz and Ramig (1992)(WR) for the average phonatory frequency F_0 , modulation amplitude MA and modulation frequency MF, for vowels [a] sustained by healthy speakers.

		Male		Female			
		Sch1	Sch2	WR	Sch1	Sch2	WR
	Minimum	74		106	133	C	197
	Percentile 25	107		117	175	2	242
$F_0(\mathrm{Hz})$	Median	113		119	191		252
	Percentile 75	127		147	204		270
	Maximum	179		147	325		367
	Minimum	.6	.3	.5	.7	.4	.5
	Percentile 25	1.2	.5	.9	1.2	.6	.8
MA(%)	Median	1.8	.8	1.5	1.9	.9	1.1
	Percentile 75	2.4	1.1	1.8	2.9	1.3	1.3
	Maximum	4.0	2.2	2.8	5.2	1.6	1.4
	Minimum	2.1	2.0	4.8	1.8	2.0	4.7
	Percentile 25	2.6	3.0	5.5	2.5	2.1	4.9
MF(Hz)	Median	3.5	3.2	6.6	2.9	3.1	5.0
$\left(\right)$	Percentile 75	3.8	4.1	8.0	3.6	4.1	6.1
	Maximum	5.4	5.2	10.6	4.7	5.6	6.6