

Benjamin Paris¹, Thierry Talbert¹, Julien Eynard¹, Stéphane Grieu¹, Adama Traoré¹ & Monique Polit¹.
⁽¹⁾ ELIAUS Laboratory, University of Perpignan Via Domitia, France.

ON-LINE MONITORING STATION FOR ENERGY DIAGNOSIS IN BUILDINGS

Energetic context

Energy consumption of buildings in France:

- 46% of global energy consumption
- 25% of the green gases emission

French legislation: Need to improve energy efficiency

- "Réglementation Thermique" (RT 2005)
- "Diagnostic de Performance Énergétique" (DPE 2006)

Ways to improve energy efficiency:

- Define energy characteristics of building
 - Calculate criteria (solar, inertia, thermal loss...)
 - Compute global energy performance
- Develop Energy performance assessment, management and enhancement using BEMS

Objectives of the project

Designing a BEMS (Building Energy Management System)

1. On-line monitoring environmental and energetic parameters

- Measure outdoor and indoor temperatures
- Measure outdoor and indoor humidity
- Measure electric consumptions for cooling and heating

2. On-line computing the global energetic indicator

- Define the energy performance category of the building


- Compare the energy performances of different buildings

3. Estimating the renewable energy resources of the location

- Measure solar irradiance
- Measure wind speed

4. Computing advanced heating or cooling control (develop with simulation)

- Use optimal model predictive control
- Use optimal fuzzy logic control



BEMS communication scheme



Financial support



Fond de Compétitivité
des Entreprises (FCE)



BEMS application and results

Electric current of the air-conditioning system





Air-conditioning
energy calculation

Solar irradiance



Solar potential
estimation

Wind speed



Wind potential estimation

Industrial partners



Solar research
consultancy



Development of
traceability solutions




"Centre Scientifique et
Technique du Bâtiment"




BEMS Prototype

Heating control with
MPC scheme



Define energy
performance category



Building Simulation 2009, Glasgow. Poster Session P-2-2 Commissioning and Validation.

benjamin.paris@univ-perp.fr
talbert@univ-perp.fr
julien.eynard@univ-perp.fr
grieu@univ-perp.fr

traore@univ-perp.fr
polit@univ-perp.fr
Tel : 04 68 66 17 55
Fax : 04 68 66 22 87

Laboratoire ELIAUS
Université de Perpignan
52 avenue Paul Alduy
66860 Perpignan Cedex, France



Université de Perpignan Via Domitia