



HAL
open science

Response to Viana MB et al

Paolo Di Bartolomeo

► **To cite this version:**

Paolo Di Bartolomeo. Response to Viana MB et al. American Journal of Hematology, 2010, 10.1002/ajh.21700 . hal-00552315

HAL Id: hal-00552315

<https://hal.science/hal-00552315>

Submitted on 6 Jan 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Response to Viana MB et al

Journal:	<i>American Journal of Hematology</i>
Manuscript ID:	AJH-10-0106.R1
Wiley - Manuscript type:	Letters
Date Submitted by the Author:	25-Feb-2010
Complete List of Authors:	Di Bartolomeo, Paolo; Unità di Terapia Intensiva Ematologica per il Trapianto Emopoietico, Dipartimento di Ematologia
Keywords:	Stem Cell Transplantation



view

1
2
3
4
5
6 Response to Viana et al.
7
8
9

10
11 Paolo Di Bartolomeo Stella Santarone,
12
13 and Marta Di Nicola
14
15
16
17
18
19
20
21
22

23 Paolo Di Bartolomeo

24
25 Stella Santarone

26
27
28 Unità di Terapia Intensiva Ematologica per il Trapianto Emopoietico,
29 Ospedale Civile, Pescara, Italy
30

31 Marta Di Nicola

32
33
34 Laboratorio di Biostatistica, Dipartimento di Scienze Biomediche, Università
35 degli Studi, Chieti, Italy
36
37
38
39
40

41 Correspondence to:

42
43 Dr. Paolo di Bartolomeo

44
45
46 Unità di Terapia Intensiva Ematologica per il Trapianto Emopoietico -
47 Dipartimento di Ematologia
48 Via Fonte Romana 8 Ospedale Civile Pescara pescara 65125
49 Italy
50

51
52 T: +390854252689 F: +390854252583

53
54 e-mail: pescaratmo@virgilio.it
55
56
57
58
59
60

To the editor: We thank Dr. Viana and colleagues for their relevant comments. [1] As they suggested, we have estimated the graft-versus-host data as cumulative incidence taking into account the competing events and compared them with those obtained with the Kaplan-Meyer method as reported in our original paper.[2] We found the following differences:

	Original Kaplan-Meyer Method	Cumulative incidence
Acute GvHD grade I to IV	37%	35.6%
Acute GvHD – CSA alone	27%	27%
Acute GvHD – CSA + MTX	54% P=0.001*	51.2% P=0.002**
Chronic GvHD	17%	14.8%

*Log-rank test; ** Gray test

Based on the data reported above, we believe that the possible overestimation of the cumulative incidence of GvHD due to the presence of competing events is minimal, given the low number of competing risks (early death before the possible occurrence of GvHD and graft rejection).

Paolo Di Bartolomeo

Stella Santarone

Unità di Terapia Intensiva Ematologica per il Trapianto Emopoietico,
Ospedale Civile, Pescara, Italy

Marta Di Nicola

Laboratorio di Biostatistica, Dipartimento di Scienze Biomediche, Università
degli Studi, Chieti, Italy

References

1. Viana MB, Oliveira BM, Cancela CSP. Kaplan-Meyer method is inappropriate for estimating cumulative incidence of graft-versus-host disease in the presence of competing events. *Am J. Hematol*, 2010, in press
2. Di Bartolomeo P, Santarone S, Di Bartolomeo E, et al. Long-term results of survival in patients with thalassemia major treated with bone marrow transplantation. *Am J Hematol* 2008;83:528–530