

Target size and optimal life history when individual growth and energy budget are stochastic

Ido Filin

► To cite this version:

Ido Filin. Target size and optimal life history when individual growth and energy budget are stochastic. Journal of Theoretical Biology, 2010, 264 (2), pp.510. 10.1016/j.jtbi.2010.02.031 . hal-00585802

HAL Id: hal-00585802 https://hal.science/hal-00585802

Submitted on 14 Apr 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Author's Accepted Manuscript

Target size and optimal life history when individual growth and energy budget are stochastic

Ido Filin

PII: DOI: Reference: S0022-5193(10)00106-2 doi:10.1016/j.jtbi.2010.02.031 YJTBI 5884

To appear in: Journal of Theoretical Biology

Received date:5 December 2009Revised date:17 February 2010Accepted date:17 February 2010



www.elsevier.com/locate/yjtbi

Cite this article as: Ido Filin, Target size and optimal life history when individual growth and energy budget are stochastic, *Journal of Theoretical Biology*, doi:10.1016/j.jtbi.2010.02.031

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1

Target size and optimal life history when individual growth 1

2

and energy budget are stochastic

- Ido Filin 3
- Biomathematics Group, Department of Mathematics and Statistics, University of Helsinki, 4
- 5 PL 68 FIN-00014, Helsinki, Finland
- 6
- Accepted manuscript 7 Supplementary material: Figs 2, 3, 4 and 5
- 8 _____
- 9 E-mail: ido.filin@helsinki.fi
- 10 Tel: +358-9-1915 1494
- 11 Fax: +358-9-1915 1400
- 12

2

12 Abstract

13 I extend my previous work on life history optimization when body mass is divided 14 into reserves and structure components. Two important innovations are: (1) effect of finite 15 target size on optimal structural growth; (2) incorporating reproduction in the optimization 16 objective. I derive optimal growth trajectories and life histories, given that the individual is 17 subject to both starvation mortality and exogenous hazards (e.g., predation). Because of 18 overhead costs in building structural mass, it is optimal to stop structural growth close to the 19 target size, and to proceed only by accumulating reserves. Higher overhead costs cause 20 earlier cessation of structural growth and smaller final structures. Semelparous reproduction 21 also promotes early cessation of structural growth, compared to when only survival to target 22 size is maximized. In contrast, iteroparous reproduction can prolong structural growth, 23 resulting in larger final structures than in either the survival or the semelparous scenarios. 24 Increasing the noise in individual growth lowers final structural mass at small target sizes, but 25 the effect is reversed for large target sizes. My results provide predictions for comparative 26 studies. I outline important consequences of my results to additional important evolutionary 27 questions: evolution of sexual dimorphism, optimization of clutch size and evolution of 28 progeny and adult sizes.

29

32

Keywords: diffusion process; energy-predation tradeoff; hazard function; state-dependent life
 history;

1. Introduction

34	Life history and developmental transitions often require the attainment of some target
35	size. For example, "in a variety of animals and plant species adult size appears to be
36	determined by a size threshold for maturation" (Roff, 2002, p. 201). Developmental
37	transitions in insects and amphibians are dependent upon reaching some critical size (Day
38	and Rowe, 2002; Nijhout, 2003; Mirth and Riddiford, 2007). More generally, such thresholds
39	play a key role in recent approaches to developmental plasticity and phenotypic evolution
40	(West-Eberhard, 2003).
41	Thus, target size is an important life history variable, and should affect optimal life
42	history decisions during growth and development of an individual (e.g., Day and Rowe,
43	2002). In this paper, I study the effect of a given finite target size on optimal life history,
44	when individual growth is stochastic. I employ a dynamic optimization approach (e.g., Perrin
45	and Sibly, 1993; Iwasa, 2000; Irie and Iwasa, 2005), and extend my previous work (Filin,
46	2009), by considering not only survival, but also reproduction, as part of the optimization
47	objective.
48	Following much recent work on size-structured populations and individual growth
49	(e.g., Persson et al., 1998; Kooijman, 2000; Gurney and Nisbet, 2004; Filin, 2009), I divide
50	the total body mass of an individual into a reversibly growing component (hereafter, reserves)
51	and an irreversible component (hereafter, structure). The mass of reserves varies
52	stochastically in time, for example, because of fluctuations in consumption, assimilation and
53	metabolic maintenance. I explore how costs of structural growth, noise level in reserves
54	dynamics, and mode of reproduction (e.g., semelparous or iteroparous), all affect optimal
55	investment in structure versus reserves, when the individual is subject to both starvation risk
56	and exogenous mortality. Finally, I discuss how my model and results can be easily applied

4

57 to a wealth of additional evolutionary problems: evolution of sexual dimorphism, optimal

58 clutch size, and optimal progeny and adult sizes.

59 **2.** Effect of target size on life history optimization

60 *2.1 Basic formulations*

61 I denote structural mass by z(t) and reserves mass by y(t). Total body mass is then z(t)62 + y(t). I define the time-varying maximum of total body mass

63 (1)
$$\theta(t) = \max_{t \le t \le t} \left[y(\tau) + z(\tau) \right]$$

i.e., the maximal total mass reached up to time t. (Below, I interchangeably refer to θ as total 64 65 body mass, total mass, or body mass.) Both $\theta(t)$ and z(t) grow irreversibly, i.e., can only 66 increase through time, while y(t) is free to either increase or decrease. Because y represents 67 reserves mass, when y(t) drops to a level a (the starvation boundary), the individual dies of 68 starvation. Throughout the rest of this paper I set the starvation boundary to zero (i.e., a = 0), 69 to avoid unnecessarily cumbersome notation, and because a nonzero starvation boundary 70 results in only minor modifications (if any) to the expressions presented below (see Appendix 71 B), and does not qualitatively change the general conclusions. Therefore, an individual dies 72 of starvation only after exhausting all of its reserves (i.e., when y[t] hits zero).

73 Following Filin (2009), structural growth occurs only each time a new body mass 74 threshold is reached. In mathematical guise, the irreversibly growing structural mass z is a 75 non-decreasing function of θ , i.e., $z(t) = z[\theta(t)]$. Whenever the organism reaches a new 76 maximum of total mass (i.e., a new, higher value of θ), there can be structural growth 77 associated with this crossing of a new body mass threshold. In addition, structural growth 78 always occurs on the expense of reserves y. A unit of structural mass is built by consuming 79 $1+\alpha$ units of reserves mass. The dimensionless parameter α represents overhead costs of 80 building structural mass.

81	In between events of structural growth (while $\theta[t]$ and thus $z[t]$ remain unchanged),
82	the dynamics of reserves $y(t)$ is described by a diffusion process on the interval $[0, \theta - z]$. This
83	diffusion process is characterized by $g(y, z)$ (the <i>mean growth rate</i>) and by $\sigma^2(y, z)$ (the
84	growth variance) representing, respectively, the mean balance of input (e.g., assimilation)
85	and output (e.g., metabolic maintenance) fluxes of energy and mass, and the random
86	fluctuations around this mean balance. In general, both mean growth rate g and growth
87	variance σ^2 are dependent on both reserves mass y and structural mass z (but see following
88	sections). (The units of g are that of [mass/time], while the units of σ^2 are that of
89	[mass ² /time].)
90	In addition to starvation mortality (if $y[t]$ hits the starvation boundary), the individual
91	is subject to various exogenous hazards (e.g., predation and disease). These are captured by
92	the mortality or hazard rate $\mu(y, z)$. Survival probability from initial reserves mass y_1 to final
93	reserves mass $y_2 (\geq y_1)$, while keeping z fixed, is given by
94	(2) $S_{y}(y_{1}, y_{2}) = \exp\left(-\int_{y_{1}}^{y_{2}} \eta(y, z) dy\right)$
95	where $\eta(y, z)$ is the <i>hazard density</i> , the hazard function for survivorship through transitions in
96	the value of reserves mass (i.e., along the y-axis, from a lower value of reserves y_1 to a higher
97	value y_2). The hazard density η describes mortality per unit of gain in mass (analogously,
98	mortality rate μ , describes mortality per unit of time, i.e., along the time axis), and
99	encapsulates within it both starvation mortality and exogenous mortality.
100	In the following, initial body mass of an individual will be denoted by θ_0 and target
101	body mass by θ_2 (θ_1 will denote the size at which structural growth ceases; see below).
102	Survival probability from initial total mass θ_0 to final total mass θ_2 , when structural mass
103	grows according to $z = z(\theta)$, is given by

104 (3)
$$S_{\theta}(\theta_0, \theta_2) = \exp\left(-\int_{\theta_0}^{\theta_2} \eta(\theta - z, z)(1 + \alpha \dot{z})d\theta\right)$$

105 (Filin, 2009), where \dot{z} stands for $\partial z/\partial \theta$ (hereafter, the dot sign will always stand for derivative 106 with respect to θ). Note that the hazard function for transitions in total mass (i.e., along the θ -107 axis; the integrand in Eq.[3]) is inflated by a factor (1+ $\alpha \dot{z}$), dependent on rate and overhead 108 costs of structural growth.

109 Finally, the optimization problem consists of finding the optimal form of the

110 structural growth curve, $z^*(\theta)$, that maximizes the following objective function

111 (4)
$$\log F(\theta_0, \theta_2) = -\int_{\theta_0}^{\theta_2} \eta(\theta - z, z)(1 + \alpha \dot{z})d\theta + \log R(\theta_2, z_2)$$

- 112 i.e., fitness is given by $F = S_{\theta}R$, namely, survival probability to target size multiplied by a 113 terminal reward obtained at that size. The terminal reward *R* (e.g., Houston and McNamara, 114 1999, ch. 3; also known as final function; Perrin and Sibly, 1993, appendix therein) depends 115 on target size θ_2 and on structural mass z_2 obtained at this target size.
- 116 The state variable in this optimization problem is z, with which a costate variable is 117 associated, denoted by λ . The value of the costate variable at each body mass θ between θ_0 118 and θ_2 (i.e. $\lambda[\theta]$), quantifies the benefit of investing in structural growth, compared to just 119 accumulating reserves. For analyzing the effect of target size on the optimal structural growth 120 curve, $z^*(\theta)$, I require the boundary condition for the value of λ at the target size θ_2

121 (5)
$$\lambda(\theta_2) = \frac{\partial \log R}{\partial z_2}$$

122 (Appendix A).

In the following sections I derive the optimal structural growth curve for several forms of the objective (fitness) function (Eq. [4]; more precisely, for several forms of the terminal reward *R*). First, I consider maximization of survival probability to target size (Eq.

7

126 [3]). This is also the optimization objective in Filin (2009). Later, I extend the analysis to

127 consider objective functions that include reproduction.

128 2.2 Maximizing survival probability to target size: optimal cessation of structural growth due

129 to overhead costs

130 When maximizing survival probability to final size the terminal reward function in 131 Eq. (4) is R = 1. The boundary condition for λ (Eq. [5]) then becomes $\lambda(\theta_2) = 0$. I have 132 previously studied optimal structural growth for this case (Filin, 2009; Eq. [12] therein). 133 However, in that study I did not consider the possible effect of a finite target size on the optimal structural growth curve $z^*(\theta)$ (in effect, θ_2 is taken to be infinite in Filin, 2009). 134 Filin, (2009) showed that when nonzero structural growth occurs (i.e., $\dot{z}^* > 0$), $z^*(\theta)$ 135 follows a singular arc (a term borrowed from dynamic optimization theory; e.g., Perrin and 136 Sibly, 1993). Along singular arcs the costate variable λ and the structural mass z satisfy the 137 condition $\lambda(\theta) = \alpha \eta(\theta - z, z)$ (Appendix A). However, because $\lambda(\theta_2) = 0$, this condition can 138 139 never be satisfied at the target size, unless there are no overhead costs of building structural mass (i.e., if $\alpha = 0$; η is always positive, unless growth is completely deterministic, i.e., $\sigma^2 =$ 140 0, and there are no exogenous hazards, i.e., $\mu = 0$). Therefore, the pair (θ_2, z_2) (where $z_2 =$ 141 $z^*[\theta_2]$) never lies on a singular arc, unless $\alpha = 0$. I conclude that, for finite target size θ_2 and 142 nonzero overhead costs of structural growth ($\alpha > 0$), the optimal structural growth curve $z^*(\theta)$ 143 always ends with a plateau, along which structural mass remains constant $(z^*[\theta] = z_2)$, and 144 145 only reserves grow.

146 As we consider increasingly lower body masses below θ_2 , $\lambda(\theta)$ may gradually 147 increase from its boundary value $\lambda(\theta_2) = 0$ until the condition $\lambda(\theta) = \alpha \eta(\theta - z, z)$ is finally 148 satisfied at some body mass, denoted by $\theta_1 (\leq \theta_2)$; the equality may hold only if $\alpha = 0$). At 149 that point, the optimal growth curve connects with a singular arc, and as we proceed

8

150	backwards toward even lower values of θ (i.e., $\theta < \theta_i$), the optimal growth curve exhibits
151	positive structural growth ($\dot{z}^* > 0$). The overall pattern of optimal structural growth is to grow
152	along the singular arc until θ_l , and then proceed to the target size θ_2 , by switching to only
153	accumulating reserves. Therefore, θ_l is termed <i>switching size</i> .
154	The switching size, in turn, determines the optimal final structural mass achieved by
155	the growing individual, because $z_2 = z^*(\theta_2) = z^*(\theta_1)$ (and the latter is determined by the
156	singular arc). Both θ_1 and z_2 will change as target size θ_2 varies. I can therefore obtain a
157	<i>switching curve</i> $z_2(\theta_2)$ that determines the value of the optimal final structural mass as a
158	function of target size. Figure 1a provides specific examples of such switching curves and
159	optimal structural growth curves for different target sizes. It is important to note that, in
160	general, the singular arc is also defined for values of θ above the switching size θ_l (diamonds
161	in Fig.1a). However, given a finite target size, it is optimal to abandon the singular arc once
162	structural mass has hit the switching curve (i.e., at the switching size).
163	When reserves growth and exogenous mortality depend only on structural mass (i.e.,
163 164	When reserves growth and exogenous mortality depend only on structural mass (i.e., g, σ^2 and μ are functions of z only), Filin, (2009) provides the following expression for the
164	g, σ^2 and μ are functions of z only), Filin, (2009) provides the following expression for the hazard density (6) $\eta(y,z) = \chi \coth(\chi y) - \varphi$
164 165	g, σ^2 and μ are functions of z only), Filin, (2009) provides the following expression for the hazard density (6) $\eta(y,z) = \chi \coth(\chi y) - \varphi$
164 165 166	g, σ^2 and μ are functions of z only), Filin, (2009) provides the following expression for the hazard density (6) $\eta(y,z) = \chi \coth(\chi y) - \varphi$
164 165 166 167	g, σ^2 and μ are functions of z only), Filin, (2009) provides the following expression for the hazard density (6) $\eta(y,z) = \chi \coth(\chi y) - \varphi$ where $\sqrt{g^2 - 2\mu} = g$
164 165 166 167 168	g, σ^2 and μ are functions of z only), Filin, (2009) provides the following expression for the hazard density (6) $\eta(y,z) = \chi \coth(\chi y) - \varphi$ where (7) $\chi = \sqrt{\frac{g^2}{\sigma^4} + \frac{2\mu}{\sigma^2}}$, $\varphi = \frac{g}{\sigma^2}$
164 165 166 167 168 169	g, σ^2 and μ are functions of z only), Filin, (2009) provides the following expression for the hazard density (6) $\eta(y,z) = \chi \coth(\chi y) - \varphi$ where (7) $\chi = \sqrt{\frac{g^2}{\sigma^4} + \frac{2\mu}{\sigma^2}}$, $\varphi = \frac{g}{\sigma^2}$ are both functions of structural mass z (i.e., $\chi = \chi[z]$ and $\varphi = \varphi[z]$). The quantity χ combines

173 described by the interval $[0, \chi^{-1}]$.) The quantity φ measures how stochastic/deterministic the

174

9

reserves dynamics is: when $\varphi \to \pm \infty$, the growth of reserves mass is practically deterministic,

while when $\varphi \rightarrow 0$ reserves dynamics behaves like Brownian motion. The units of φ , χ and 175 η are that of [mass⁻¹]. 176 177 The approach to calculating the switching curve is to solve for the switching size and 178 target size (θ_1 and θ_2 , respectively), given a value of final structural mass z_2 . For that purpose, 179 I define the following dimensionless variables $Y = \chi y$, $A = \frac{\chi^2}{\chi'}$, $B = \frac{\varphi'}{\chi'}$, $\Phi = \frac{\varphi}{\chi}$ 180 (8)where $\varphi' = d\varphi/dz$ and $\chi' = d\chi/dz$ (note the change in the definitions of Y and A, compared to 181 Filin, 2009). I then derive (Appendix A) the following expression for the switching curve 182 $f_{tar}(Y_2, A, B) = f_{tar}(Y_1, A, B) - \alpha A(\operatorname{coth} Y_1 - \Phi)$ 183 (9) where the function f_{tar} is defined as $f_{tar}(Y_2, A, B) = (Y - A) \operatorname{coth} Y - BY$. In addition, $Y_2 = \chi(\theta_2 - \theta_2)$ 184 z_2), $Y_1 = \chi(\theta_1 - z_2)$, and χ , A, B and Φ are all evaluated at structural mass $z = z_2$. Because (θ_1, θ_2) 185 z_2) lies on the singular arc, Y_1 obeys 186 $f_{arc}(Y_1, B) = 2(1+\alpha)A$ 187 (10)where $f_{arc}(Y, B) = [2Y - \sinh(2Y)] + B[\coth(2Y)-1]$ (the singular arc equation; Eq. (14) in Filin, 188 189 2009; using the revised definitions of Y and A in Eq. [8]). I used these expressions (Eqs. [9] 190 and [10]) to calculate the switching curves and growth trajectories presented in Fig. 1a. 191 2.3 Maximizing expected allocation to reproduction: semelparity and iteroparity 192 Both Filin (2009) and this study, up to this point, have only considered survival 193 probability as the objective (fitness) function. Clearly, however, a full description and 194 optimization of a lifecycle must include reproduction as well. The simplest (yet still realistic) 195 form of introducing reproduction into the optimization objective is choosing the terminal

196 reward function in Eq. [4] to be $R = \theta_2 - z_2$, i.e., the mass of reserves accumulated at target

10

197 size, and available for production of progeny. Alternatively, *R* can describe yield, for 198 example, in agricultural crops. The role of reserves is now dual, serving as both insurance 199 against starvation during growth (in addition to providing raw material and fuel for structural 200 growth), and as the terminal reward gained once target size is achieved. Therefore, in 201 addition to the overhead costs of structural growth, discussed above, investment in structure 202 entails an additional cost in term of reduced fecundity or yield. The boundary condition in 203 Eq. (5) becomes $\lambda(\theta_2) = -1/(\theta_2 - z_2)$.

204 The expression for the terminal reward from the previous paragraph describes 205 semelparous mode of reproduction. All reserves are utilized in a single burst of reproduction, 206 causing the individual to die of starvation immediately after. However, if the individual 207 retains some reserves after reproduction (denoted by y_3) it may survive to reproduce 208 additional times, i.e., iteroparous mode of reproduction. The individual sacrifices immediate 209 reproduction (by not utilizing all of its reserves mass in a single reproduction event), for the 210 sake of surviving to future reproduction events. Thus, the tradeoff between present and future 211 reproduction (e.g., between fecundity and parental survival; Roff, 2002, pp. 126-150, pp. 212 188-198) is generated mechanistically in this model, mediated by the value of y_3 (i.e., the 213 level of reserves retained after reproduction). 214 I adopt here the concept of a *reproduction buffer* (Kooijman, 2000; p. 115), such that 215 immediately after each reproduction event, reserves mass is y_3 (reproduction buffer emptied), 216 and subsequent reproduction events occur each time the individual regains reserves mass θ_2 -217 z_2 (reproduction buffer full). Survival between reproduction events is then given by s = $S_y(y_3, \theta_2 - z_2)$ (recall that S_y represents survival along reserves mass transitions, while holding 218

structural mass fixed; Eq. [2]). The expected number of reproduction events is 1/(1-s), and

220 the terminal reward is then $R = (\theta_2 - z_2 - y_3)/(1-s)$. The boundary condition in Eq. (5) becomes

221	$\lambda(\theta_2) = -1/(\theta_2 - z_2 - y_3) + (\partial s/\partial z_2)/(1-s)$. Additional structural growth does not occur after the
222	individual begins to reproduce (i.e., after reaching θ_2 for the first time; determinate growth).
223	For semelparous reproduction, $\lambda(\theta_2)$ is now negative ($\lambda[\theta_2] = -1/[\theta_2 - z_2]$), compared
224	with $\lambda(\theta_2) = 0$ when the objective function was survival probability to target size (previous
225	section). Integrating backwards from target size θ_2 towards lower body masses, $\lambda(\theta)$ would
226	take longer to reach the singular arc $\lambda(\theta) = \alpha \eta(\theta - z, z)$ (the right-hand-side of this equation is
227	nonnegative). Therefore, for a given target size, θ_2 , I expect earlier cessation of structural
228	growth (smaller switching size, θ_l) and smaller final structural mass (z_2), when semelparous
229	reproduction is taken into consideration in the objective function. The effect of iteroparous
230	reproduction on the switching curve is less straightforward (see below).
231	The following analysis again concerns the case with reserves growth and exogenous
232	mortality dependent only on structural mass (i.e., g, σ^2 and μ are functions only of z). For
222	semelparous reproduction, the expression for the switching curve is
233	semeiparous reproduction, the expression for the switching curve is
233 234	(11) $f_{tar}(Y_2, A, B) + \frac{A}{Y_2} = f_{tar}(Y_1, A, B) - \alpha A (\operatorname{coth} Y_1 - \Phi)$
234	(11) $f_{tar}(Y_2, A, B) + \frac{A}{Y_2} = f_{tar}(Y_1, A, B) - \alpha A (\operatorname{coth} Y_1 - \Phi)$
234 235	(11) $f_{tar}(Y_2, A, B) + \frac{A}{Y_2} = f_{tar}(Y_1, A, B) - \alpha A (\operatorname{coth} Y_1 - \Phi)$ where again Y_1 obeys the singular arc equation (Eq. [10]). Figure 1b demonstrates that,
234 235 236	(11) $f_{tar}(Y_2, A, B) + \frac{A}{Y_2} = f_{tar}(Y_1, A, B) - \alpha A (\operatorname{coth} Y_1 - \Phi)$ where again Y_1 obeys the singular arc equation (Eq. [10]). Figure 1b demonstrates that, indeed, structural growth ceases earlier for semelparous reproduction (dotted curves;
234235236237	(11) $f_{tar}(Y_2, A, B) + \frac{A}{Y_2} = f_{tar}(Y_1, A, B) - \alpha A(\operatorname{coth} Y_1 - \Phi)$ where again Y_1 obeys the singular arc equation (Eq. [10]). Figure 1b demonstrates that, indeed, structural growth ceases earlier for semelparous reproduction (dotted curves; compared with the case of maximizing only survival to target size; previous section; solid
 234 235 236 237 238 	(11) $f_{tar}(Y_2, A, B) + \frac{A}{Y_2} = f_{tar}(Y_1, A, B) - \alpha A(\operatorname{coth} Y_1 - \Phi)$ where again Y_1 obeys the singular arc equation (Eq. [10]). Figure 1b demonstrates that, indeed, structural growth ceases earlier for semelparous reproduction (dotted curves; compared with the case of maximizing only survival to target size; previous section; solid curves in Fig.1b).
 234 235 236 237 238 239 	(11) $f_{tar}(Y_2, A, B) + \frac{A}{Y_2} = f_{tar}(Y_1, A, B) - \alpha A(\operatorname{coth} Y_1 - \Phi)$ where again Y_1 obeys the singular arc equation (Eq. [10]). Figure 1b demonstrates that, indeed, structural growth ceases earlier for semelparous reproduction (dotted curves; compared with the case of maximizing only survival to target size; previous section; solid curves in Fig.1b). For iteroparous reproduction, Appendix A provides the expression for the switching
 234 235 236 237 238 239 240 	(11) $f_{tar}(Y_2, A, B) + \frac{A}{Y_2} = f_{tar}(Y_1, A, B) - \alpha A(\operatorname{coth} Y_1 - \Phi)$ where again Y_1 obeys the singular arc equation (Eq. [10]). Figure 1b demonstrates that, indeed, structural growth ceases earlier for semelparous reproduction (dotted curves; compared with the case of maximizing only survival to target size; previous section; solid curves in Fig.1b). For iteroparous reproduction, Appendix A provides the expression for the switching curve. As Fig. 1b demonstrates the switching curve, in this case, has two branches: upper and
 234 235 236 237 238 239 240 241 	(11) $f_{tar}(Y_2, A, B) + \frac{A}{Y_2} = f_{tar}(Y_1, A, B) - \alpha A(\operatorname{coth} Y_1 - \Phi)$ where again Y_1 obeys the singular arc equation (Eq. [10]). Figure 1b demonstrates that, indeed, structural growth ceases earlier for semelparous reproduction (dotted curves; compared with the case of maximizing only survival to target size; previous section; solid curves in Fig.1b). For iteroparous reproduction, Appendix A provides the expression for the switching curve. As Fig. 1b demonstrates the switching curve, in this case, has two branches: upper and lower. Only the upper branch is a solution of the switching curve equation (Appendix A).

245	intersects the abscissa axis at $\theta - \theta_2 = -y_3 = -4$ in the case of Fig.1b). When the equality $\theta_2 = z_2$
246	$+ y_3$ holds, we obtain the limit of continuous reproduction. The amount of reserves spent in
247	each reproduction event goes to zero ($\theta_2 - z_2 - y_3 = dy \rightarrow 0$), survival probability between
248	reproduction events goes to one $(s \rightarrow [1 - \eta(y_3, z_2)dy];$ Eq. [2]), and the expected number of
249	reproduction events becomes infinite (the terminal reward is nonetheless finite: $R = [\theta_2 - z_2 - z_2]$
250	$y_3]/[1-s] \rightarrow 1/\eta[y_3, z_2])$. From a biological perspective, however, such continuous
251	reproduction, which consists of an infinite number of infinitesimally small progeny, can only
252	be regarded as an approximation, at best. I further consider this issue below in the discussion.
253	3. Discussion
254	In this study, I extended my previous work (Filin, 2009) and considered optimal
234	
255	stopping conditions for structural growth, when individuals must grow to some given finite
256	target size, and when reproduction is included in the optimization objective. I found that even
257	when the optimization objective is maximizing survival to target size (as in Filin, 2009; i.e.,
258	no reproduction) it is optimal to abandon structural growth altogether close to the target size,
259	and to proceed only by accumulating reserves.
260	Only when there are no overhead costs of building structural mass ($\alpha = 0$), is it
261	optimal to keep investing in structure all the way to the target size. The reason is that the
262	individual pays for such overhead losses of reserves in increased mortality, due to the extra
263	time required to regain those lost reserves. Close to the target size, it is optimal to avoid any
264	such losses of reserves mass (and thus instantaneous total body mass $z[t] + y[t]$). In addition,
265	Fig.1a demonstrates that the higher the overhead costs (i.e., higher α), the earlier structural
266	growth ceases and the smaller final structural mass is (see also Figs 2 and 3 in the
267	
267	supplementary material).

268	The effect of reducing the level of noise in the dynamics of reserves (i.e., reducing
269	the growth variance σ^2) is less straightforward. At small target sizes, a lower noise level
270	increases the final structural mass. However, the cessation of structural growth occurs earlier
271	(i.e., at a smaller total body mass), because lower noise levels also promote faster structural
272	growth. At large target sizes the effect is reversed, lower noise levels cause smaller final
273	structural masses (Fig.1a; see also Figs 2 and 3 in the supplementary material).
274	Filin (2009) also found that varying the growth variance may either increase or
275	decrease final structural mass, depending on the function of the structural trait (e.g., foraging-
276	related or defensive). However, the effect of growth variance in this paper is fundamentally
277	different from the one found by Filin (2009). Because target size is, in effect, infinite in Filin
278	(2009), the results described in that work concern the effect of growth variance on the
279	asymptotic structural mass (i.e., at very large total body masses: $\theta \rightarrow \infty$). Here, by contrast, I
280	consider the effect of the growth variance on optimal cessation of structural growth due to a
281	finite target size, and at final structural masses potentially far from the asymptotic value. As
282	discussed above, the signs of these two different effects may in fact be opposite.
283	When I incorporate reproduction into the optimization objective, the results vary
284	depending on whether reproduction is semelparous or iteroparous (Fig. 1b). Semelparous
285	reproduction always causes earlier cessation of structural growth and smaller final structural
286	masses, compared to the case with no reproduction (when survival is the optimization
287	objective). Iteroparous reproduction introduces a new parameter into the model, y_3 , the
288	amount of reserves retained by the individual after a reproduction event. As Fig.1b
289	demonstrates, at very small target sizes (but nonetheless larger than y_3) the switching size is
290	the initial size and there is no structural growth at all throughout the entire lifetime of the
291	individual (the region right of the iteroparity switching curve in Fig.1b). At larger target
292	sizes, cessation of structural growth is delayed, compared to either semelparous reproduction

14

293 or no reproduction, causing larger final structural mass for a given initial condition (see 294 growth trajectory examples in Fig. 1b). Finally, at even larger target sizes the switching curve 295 for iteroparous reproduction falls below that for no reproduction and asymptotically 296 approaches that of semelparous reproduction. 297 The above qualitative conclusions remain unchanged also when mortality is size-298 dependent, decreasing with structural mass (see Figs 2b and 3b in the supplementary 299 material). The effect of size-dependent mortality in this case is only quantitative, prolonging 300 structural growth and thus resulting in larger final structural mass. The effects of increased 301 overhead costs or reduced noise level remain qualitatively the same. 302 The growth trajectory examples in Fig.1b demonstrate that, given identical initial conditions, target size and parameter values (including identical functional forms of g, σ^2 and 303 304 μ), the reproduction mode (i.e., no reproduction, semelparity or iteroparity) does not affect 305 the growth trajectory itself. The reproduction mode only affects the stopping condition, i.e., 306 the body mass and structural mass at which structural growth ceases. (Mathematically, that is 307 because the reproduction mode only affects the terminal reward function R in Eq. [4].). This 308 provides an interesting prediction for comparative studies, where closely related species or 309 populations, or even different individuals within the same population, may exhibit different 310 growth patterns, depending on the reproduction mode they adopt (semelparous or 311 iteroparous). 312 A related question is that of sexual dimorphism (this issue was also briefly addressed

in the context of deterministic dynamic optimization models in the discussion of Kozlowski and Wiegert, 1987). Because the benefits and costs of body size and structures vary between males and females within a species, the terminal reward function should also depend on sex. As discussed in the previous paragraph, this would affect the stopping condition, i.e., males and females will cease structural growth at different body mass and attain different final sizes

15

318 of structures. However, early growth and development will be identical. This is a pattern of 319 bimaturism, and in the context of heterochrony, may lead to males, for example, being 320 hypermorphic compared to females (McNamara, 1995; i.e., sexual dimorphism due to 321 differences in timing of developmental transitions between males and females). However, if 322 there are additional sex-specific differences in consumption, assimilation, metabolism or 323 mortality, the optimal growth trajectories of males and females may diverge earlier in life. 324 and before final structural size is attained. When such differences are caused by differences in 325 behavior between males and females (e.g., Rennie et al., 2008), the model may be extended 326 to include reversible behavioral transitions (which can then be optimized separately for males 327 and females), in addition to the irreversible structural growth, as presented and discussed in 328 Filin (2009). As discussed in the previous section, when $\theta_2 = z_2 + y_3$, iteroparous reproduction 329

becomes continuous, consisting of an infinite number of infinitesimally small progeny. There are at least two ways to remedy this biologically questionable result. First, one can define an upper bound $s_{max} < 1$ for the survival probability between reproduction events (i.e., *s*). As a result, the expected number of reproduction events can never exceed 1/(1- s_{max}) (which is

finite because $s_{max} < 1$). The parameter s_{max} may embody mortality factors during the

reproduction event itself, e.g., due to increased susceptibility to predation. (See also Fig. 3 inthe supplementary material.)

A second more mechanistic way to avoid continuous reproduction is to introduce a minimum nonzero amount of reserves that the individual must expend during each reproduction event. For example, this amount may represent the costs of producing a single egg. Denoting this amount by a_{egg} , the constraint on target size becomes $\theta_2 \ge z_2 + y_3 + a_{egg}$. When the equality holds, the individual reproduces in single eggs, i.e., clutch size is one, rather than continuously as before (if $a_{egg} = 0$). Figure 4 in the supplementary material further

16

343 explores these modifications. It is important to note that, although not explicitly formulated 344 as part of the model, using this last modification, optimal clutch size arises as a byproduct of 345 the life history optimization within this model. Thus, the theoretical framework presented in 346 this study also addresses this important ecological and evolutionary problem. 347 There exists an analogy between the model described in this paper and dynamic 348 optimization models for optimal size at maturity when season length is finite (Cohen, 1971; 349 Vincent and Pulliam, 1980; Kozlowski and Wiegert, 1986). A comparison with such models, 350 demonstrates that body mass θ is analogous to the time-coordinate in those models. Target size is analogous to season length, and $\theta - \theta_2$ of Fig.1 is analogous to the 'time-to-go' until 351 352 season end, which determines the optimal switch between growth and reproduction in those 353 models. However, growth in those models is deterministic. Therefore, exploring, for 354 example, the effect of noise in growth is not within their scope. 355 This study explored the optimal way to invest in structural growth, starting from some 356 initial condition and finishing at a given final target size. Target size was taken to be a fixed parameter, and growth and life history were optimized under that constraint. Elsewhere I will 357 358 additionally explore the simultaneous optimization of the endpoints, i.e., of initial and target 359 sizes (e.g., representing optimal progeny and adult sizes, respectively). Kozlowski (1996) 360 previously obtained such optimal initial and adult sizes for a deterministic life history model. 361 The stochastic model in this work enables me to investigate additional questions, such as the 362 effect of noise in the growth of individuals on optimal progeny and adults sizes. 363 Concerning the above discussion of sexual dimorphism and optimal clutch size, optimizing 364 target size itself will enable to explore sexual size dimorphism in the adult (total) body mass, 365 in addition to sexual dimorphism in the allocation between structure and reserves. 366 Optimization of initial and adult sizes will also result in simultaneous optimization of egg

367 size and clutch size, as a_{egg} will no longer be a fixed parameter but will depend on the initial

17

size, subject to optimization. Finally, I am also currently working on an extension of themodel to indeterminate growers

370 In conclusion, the theoretical framework, presented in this study, provides a powerful

tool for addressing a wide variety of life-history and evolutionary questions, under

372 biologically realistic conditions, including: subjection to both starvation mortality and

373 exogenous hazards, noise in the dynamics of individual state, and distinction between

374 reversible and irreversible components of individual size. These two last aspects of the

375 growth and development of individuals have important implications to evolution of life

history (as well as to population dynamics; Filin, 2009), that have not yet been fully explored

and assessed.

378 Acknowledgements

- 379 This research was supported by an Academy of Finland funding to the Finnish Centre of
- 380 Excellence in Analysis and Dynamics Research.

381 Appendix A: Derivation of the optimal structural growth curve and the switching curve

382 Applying the Pontryagin maximum principle (Intriligator, 1971, pp. 344-348; Perrin

and Sibly, 1993, appendix therein; Perrin et al., 1993), I obtain the Hamiltonian

384
$$H = -\eta(\theta - z, z)(1 + \alpha u) + \lambda u$$

385 where z is the state variable, λ is the costate variable associated with z, and u is the control 386 variable, defined as $\dot{z} = u$ (recall that the dot sign stands for derivative with respect to θ). The 387 dynamics of the costate variable is given by

388 (A.1)
$$\dot{\lambda} = -\frac{\partial H}{\partial z} = \left(1 + \alpha u\right) \left(\frac{\partial \eta}{\partial z} - \frac{\partial \eta}{\partial y}\right)_{\substack{y=\theta-z\\z=z^*(\theta)}}$$

with boundary condition given by the derivative of the final function (terminal reward *R* in
Eq. [4]) with respect to the state variable *z*

18

391
$$\lambda(\theta_2) = \frac{\partial \log R}{\partial z_2}$$

392 (i.e., Eq. [5]; Intriligator, 1971, p. 348).

393 The switching function for investing in structural mass is given by $\Sigma = \partial H / \partial u$, or

 $\Sigma = -\alpha n(\theta - z, z) + \lambda$ 394

395 When $\Sigma = 0$, I obtain singular control, i.e., this is the equation satisfied by a singular arc, to

396 which I refer throughout the main text. Singular control additionally requires $d\Sigma/d\theta = 0$,

which results in the general equation for the singular arc presented by Filin, (2009) 397 CLI

398
$$\left[\frac{\partial \eta}{\partial z} - (1+\alpha)\frac{\partial \eta}{\partial y}\right]_{y=\theta-z} = 0$$

399 (see derivation therein).

400 I confine the analysis, hereafter, to the special case of reserves growth and exogenous mortality dependent only on structural mass z (i.e., Eqs. [6]-[8]). Applying the conclusion that 401 between θ_1 and θ_2 no structural growth occurs (i.e., the optimal control is $u^* = 0$; thus, $z^*(\theta) =$ 402 $const = z_2$), Eq. (A.1) becomes 403

404
$$\dot{\lambda} = \chi' \coth Y - \chi' Y \operatorname{csch}^2 Y + \chi^2 \operatorname{csch}^2 Y - \varphi'$$

where $Y = \chi y = \chi(\theta - z)$ (Eq. [8]), $\varphi' = d\varphi/dz$ and $\chi' = d\chi/dz$, all evaluated at $z = z_2$. 405

Integrating from θ_1 to θ_2 gives 406

407
$$\lambda(\theta_2) = \lambda(\theta_1) + \left[\left(\frac{\chi'}{\chi} \right) Y \coth Y - \chi \coth Y - \left(\frac{\varphi'}{\chi} \right) \right]_{Y_1}^{Y_2}$$

where $Y_1 = \chi(\theta_1 - z_2)$ and $Y_2 = \chi(\theta_2 - z_2)$. Multiplying both hand sides by χ/χ' , using the 408

- 409 definitions of the dimensionless variables in Eq. (8), and recalling that (θ_1, z_2) lies on the
- singular arc (therefore, $\lambda[\theta_1] = \alpha \eta[\theta_1 z_2, z_2] = \alpha \chi \operatorname{coth} Y_1 \alpha \varphi$), I finally obtain 410

411 (A.2)
$$[(Y_2 - A) \coth Y_2 - BY_2] - \Lambda = [(Y_1 - A) \coth Y_1 - BY_1] - \alpha A (\coth Y_1 - \Phi)$$

412 where

19

413 (A.3)
$$\Lambda = \left(\frac{\chi}{\chi'}\right) \lambda(\theta_2)$$

414 And using the definition of f_{tar} in the main text (under Eq. [9]), Eq. (A.2) can be rewritten as

415 (A.4)
$$f_{tar}(Y_2, A, B) - \Lambda = f_{tar}(Y_1, A, B) - \alpha A(\operatorname{coth} Y_1 - \Phi)$$

416 When the objective function is survival probability to final size, $\Lambda = 0$, and I obtain

417 Eq. (9). When the objective function includes semelparous reproduction $\lambda(\theta_2) = -1/(\theta_2 - z_2) =$

 χ/Y_2 . Equation A4 then becomes Eq. (11). For iteroparous mode of reproduction, $\lambda(\theta_2) = -$ 418

- $1/(\theta_2 z_2 y_3) + s'/(1-s)$ (where s' stands for $\partial s/\partial z_2$). The survival probability s between 419
- 420 reproduction events is given by

421 (A.5)
$$s = \frac{\sinh Y_3}{\sinh Y_2} \exp[\Phi(Y_2 - Y_3)]$$

- (the expression for S_y in Eq. (3) of Filin, 2009) where $Y_3 = \chi y_3$ (y_3 is taken to be a fixed 422
- 423 parameter of the model). Consequently, $s'/s = \partial \log s/\partial z_2 = Y_3'(\operatorname{coth} Y_3 - \Phi) - Y_2'(\operatorname{coth} Y_2 - \Phi) +$

çĊ

424
$$\Phi'(Y_2 - Y_3)$$
. Given that $Y_2 = \chi(\theta_2 - z_2)$, and $\Phi = \varphi/\chi$, I obtain $(\chi/\chi')Y_2' = Y_2 - A$ and $(\chi/\chi')\Phi' = Q$

425 B - Φ (using definitions in Eq. [8]). The mass of reserves immediately after a reproduction

event is y_3 , and its dimensionless counterpart is $Y_3 = \chi y_3$. Given that y_3 is a fixed parameter, 426

 $(\chi/\chi')Y_3' = Y_3$, and then Eq. (A.3) becomes 427

428
$$\Lambda = -\frac{A}{Y_2 - Y_3} - \frac{s}{1 - s} [(Y_2 - A) \coth Y_2 - BY_2 + A\Phi + BY_3 - Y_3 \coth Y_3]$$

Finally, by additionally utilizing the definition of f_{tar} , I arrive at the expression for the 429

430 switching curve in the case of iteroparous reproduction

431 (A.6)
$$\frac{1}{1-s} f_{tar}(Y_2, A, B) + \frac{A}{Y_2 - Y_3} + \frac{s}{1-s} [A\Phi + BY_3 - Y_3 \coth Y_3] = f_{tar}(Y_1, A, B) - \alpha A (\coth Y_1 - \Phi)$$

432 where s is given by Eq. (A.5).

20

433 Appendix B: Modifications for nonzero starvation boundary

For the survival-probability-to-target-size and iteroparous-reproduction scenarios the expressions are easily modified for nonzero starvation boundary *a* by redefining *Y* (Eq. [8]) as

437 (B.1)
$$Y = \chi(y-a)$$

438 Similarly the hazard density in Eq. (6), is given by

439 (B.2)
$$\eta(y,z) = \chi \coth[\chi(y-a)] - \varphi$$

440 Subsequently, the expressions for the switching curves in these cases remain the same (Eqs.

441 [9] and [10], and Eq. [A.6] in appendix A).

442 For semelparous reproduction, I define \tilde{a} as the amount of reserves that cannot be

443 utilized for reproduction, once target size is achieved. It may be possible that the amount of

444 reserves that cannot be utilized for maintenance to avoid starvation, i.e., the starvation

boundary *a*, can nonetheless be utilized for reproduction (in this case $\tilde{a} \le a$). In contrast, some

446 reserves may be utilized for maintenance, but not mobilized for reproduction (in that case $\tilde{a} \ge$

447 *a*). Regardless of which case occurs, the terminal reward is $R = \theta_2 - z_2 - \tilde{a}$, and the boundary

448 condition in Eq. (5) takes the form $\lambda(\theta_2) = -1/(\theta_2 - z_2 - \tilde{a})$. The expression for the switching

449 curve is then

450 (B.3)
$$f_{tar}(Y_2, A, B) + \frac{A}{Y_2 - \widetilde{Y}} = f_{tar}(Y_1, A, B) - \alpha A (\operatorname{coth} Y_1 - \Phi)$$

451 Where $Y_2 = \chi(\theta_2 - z_2 - a)$ and $\tilde{Y} = \chi(\tilde{a} - a)$ (\tilde{Y} can be either positive or negative depending on 452 which of the two above-mentioned cases occur). Equation (B.3) becomes Eq. (11) if $\tilde{a} = a$ 453 (i.e., if $\tilde{Y} = 0$).

454

455

21

457 **References**

- Cohen, D., 1971. Maximizing final yield when growth is limited by time or by limiting
 resources. J. Theor. Biol. 33, 299-307.
- Day, T., Rowe, L., 2002. Developmental thresholds and the evolution of reaction norms for
 age and size at life-history transitions. Am. Nat. 159, 338-359.
- Filin, I., 2009. A diffusion-based approach to stochastic individual growth and energy budget,
 with consequences to life-history optimization and population dynamics. J. Evol. Biol.
 22, 1252-1267.
- Gurney, W.C., Nisbet, R.M., 2004. Resource allocation, hyperphagia and compensatory
 growth. Bull. Math. Biol. 66, 1731-1753.
- Houston, A., McNamara, J., 1999. Models of Adaptive Behaviour. Cambridge University
 Press, Cambridge, UK.
- Intriligator, M.D., 1971. Mathematical optimization and economic theory. Prentice-Hall,
 Englewood Cliffs, NJ.
- 471 Irie, T., Iwasa, Y., 2005. Optimal growth pattern of defensive organs: the diversity of shell
 472 growth among mollusks. Am. Nat. 165, 238-249.
- 473 Iwasa, Y., 2000. Dynamic optimization of plant growth. Evol. Ecol. Res. 2, 437-455.
- Kooijman, S.A.L.M., 2000. Dynamic energy and mass budgets in biological systems.
 Cambridge University Press, Cambridge, UK.
- Kozlowski, J., 1996. Optimal initial size and adult size of animals: consequences for
 macroevolution and community structure. Am. Nat. 147, 101-114.
- Kozlowski, J., Wiegert, R.G., 1986. Optimal allocation of energy to growth and reproduction.
 Theor. Popul. Biol. 29, 16-37.
- Kozlowski, J., Wiegert, R.G., 1987. Optimal age and size at maturity in annuals and
 perrenials with determinate growth. Evol. Ecol. 1, 231-244.
- 482 McNamara, K.J., Sexual dimorphism: the role of heterochrony, in: McNamara, K. J., (Ed.),
 483 Evolutionary change and heterochrony, John Wiley & Sons, Chichester 1995, pp. 65484 89.
- 485 Mirth, C.K., Riddiford, L.M., 2007. Size assessment and growth control: how adult size is
 486 determined in insects. Bioessays 29, 344-355.
- 487 Nijhout, H., 2003. The control of body size in insects. Developmental Biology 261, 1-9.
- 488 Perrin, N., Sibly, R., 1993. Dynamic models of energy allocation and investment. Annu. Rev.
 489 Ecol. Syst. 24, 379-410.
- Perrin, N., Sibly, R.M., Nichols, N.K., 1993. Optimal growth strategies when mortality and
 production rates are size-dependent. Evol. Ecol. 7, 576-592.

22

492	Persson, L., Leonardsson, K., de Roos, A.M., Gyllenberg, M., Christensen, B., 1998.
493	Ontogenetic scaling of foraging rates and the dynamics of a size-structured consumer-
494	resource model. Theor. Popul. Biol. 54, 270-293.

- 495 Rennie, M.D., Purchase, C.F., Lester, N., Collins, N.C., Shuter, B.J., Abrams, P.A., 2008.
 496 Lazy males? bioenergetic differences in energy acquisition and metabolism help to
 497 explain sexual size dimorphism in percids. J. Anim. Ecol. 77, 916-926.
- 498 Roff, D.A., 2002. Life history evolution. Sinauer Associates Inc., Sunderland, MA.
- Vincent, T.L., Pulliam, H.R., 1980. Evolution of life history strategies for an asexual annual
 plant model. Theor. Popul. Biol. 17, 215-231.
- West-Eberhard, M.J., 2003. Developmental plasticity and evolution. Oxford University Press,
 New York.
- 503

504 Figure Legends

505 Fig. 1 (a) Switching curves (thick lines) and sample growth trajectories (thin lines) given:

506 the standard specific model, described below ($\alpha = 1$; solid lines); α is increased to 3 (dotted

- 507 lines); growth variance σ^2 is uniformly reduced by a factor of 10 (dashed lines). The
- 508 optimization objective is survival to target size (i.e., no reproduction). In the uppermost
- sample growth trajectory I marked the points representing (from left to right) the initial size,

510 the switching size and the target size. The other three sample trajectories all emanate from the

same initial point. However, because of differences in α or σ^2 both the growth path and the

switching size are different. When overhead costs of structural growth (i.e., α) are increased

513 the switching curve becomes lower, but the rate of structural growth is only slightly reduced,

514 causing smaller final structural mass and earlier cessation of structural growth (compare solid

515 with dotted lines). When noise in individual growth is reduced (i.e., σ^2 is reduced), the


switching curve is higher for small target sizes, but lower for large target sizes (compare solid

- 517 and dashed curves). Because a reduced growth variance strongly affects the rate of structural
- 518 growth, cessation of structural growth occurs earlier, but at higher final structural mass. (b)
- 519 Switching curves and sample growth trajectories for the standard specific model (below),

520	given: no reproduction (solid lines), semelparous reproduction (dotted lines), iteroparous
521	reproduction (dashed lines; $y_3 = 4$). Because in all three cases the values and functional forms
522	of the model parameters are identical (see below), the growth paths are identical (given the
523	same initial condition). The only variation is that structural growth ceases at different body
524	masses (i.e., switching sizes) according to the mode of reproduction. The examples provided
525	in both panels have been obtained using the following standard specific model: $g = 3[z^{2/3} -$
526	(2/3)z], $\sigma^2 = 4(0.1z^{2/3} + 0.9z)$, $\mu = 0.2$, and $\alpha = 1$. The motivation for these specific
527	expressions follows from the work of Kooijman (2000, ch.3), where z here is comparable to
528	Kooijman's <i>structural volume</i> . The mean growth rate g is the difference between
529	assimilation, proportional to surface area, and maintenance, proportional to volume. Time
530	and size were rescaled such that maximum mean growth rate is $g = 1$, and it occurs at $z = 1$.
531	The growth variance σ^2 is the sum of noise in assimilation (again proportional to surface
532	area) and noise in maintenance (proportional to structural mass; e.g., representing
533	independent fluctuations in metabolism among cells). Mortality rate is taken to be constant,
534	independent of structural mass (but see online Figs 2 and 3 for examples with size-dependent
535	mortality).
536	RCCC

24

536 Fig 1:



Accept