

Zolpidem pharmacokinetics and pharmacodynamics in metabolic interactions involving CYP3A: sex as a differentiating factor

Wieslaw Jerzy Cubala, Mariusz Wiglusz, Anna Burkiewicz, Maria Galuszko-Węgielnik

▶ To cite this version:

Wieslaw Jerzy Cubala, Mariusz Wiglusz, Anna Burkiewicz, Maria Galuszko-Węgielnik. Zolpidem pharmacokinetics and pharmacodynamics in metabolic interactions involving CYP3A: sex as a differentiating factor. European Journal of Clinical Pharmacology, 2010, 66 (9), pp.955-955. 10.1007/s00228-010-0854-x. hal-00600754

HAL Id: hal-00600754

https://hal.science/hal-00600754

Submitted on 16 Jun 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

European Journal of Clinical Pharmacology



Zolpidem pharmacokinetics and pharmacodynamics in metabolic interactions involving CYP3A: sex as differentiating factor

| Journal: | European Journal of Clinical Pharmacology |
|-------------------------------|---|
| Manuscript ID: | EJCP-2010-0164 |
| Type of submission: | Letter |
| Date Submitted by the Author: | 03-May-2010 |
| Complete List of Authors: | Cubała, Wiesław; Medical University of Gdańsk, Dept. of Psychiatry Wiglusz, Mariusz; Medical University of Gdańsk, Dept. of Psychiatry Burkiewicz, Anna; Medical University of Gdańsk, Dept. of Psychiatry Gałuszko-Węgielnik, Maria; Medical University of Gdańsk, Dept. of Psychiatry |
| | |



Zolpidem pharmacokinetics and pharmacodynamics in metabolic interactions involving CYP3A: sex as differentiating factor

Wiesław Jerzy Cubała M.D., Ph.D.§, Mariusz Wiglusz M.D., Anna Burkiewicz PhD, Maria Gałuszko-Węgielnik M.D.

* Department of Psychiatry, Medical University of Gdańsk, Poland

§To whom the correspondence should be sent:

Wiesław Jerzy Cubała M.D., Ph.D.

Department of Psychiatry, Medical University of Gdańsk

Debinki 7 St. build. 25, 80-952 Gdańsk, Poland

Tel.: + 48 58 349 26 50

Fel./fax: + 48 58 349 2748

e-mail: cubala@gumed.edu.pl

Letter to the Editor

Short running title: pharmacokinetics of zolpidem and sex

Keywords: zolpidem, sex, pharmacokinetics, CYP3A

To the Editor:

We read with interest the paper by Polasek et al. on the evaluation of zolpidem as a mechanism-based inactivator of human CYP3A in vitro with the assessment of its metabolic interaction potential with CYP3A drugs [1]. The paper clearly points out the mechanism of inactivation of human CYP3A in vitro along with its implications for the in vivo metabolic interactions involving CYP3A. The issue is of vital importance due to the prescription rate of zolpidem with regard to efficacy and patients' safety.

However, the discussion of that interesting paper left unaddressed an issue of patients' sex with its endocrine specificity as if zolpidem pharmacokinetics were independents of the one. The pharmacokinetics of zolpidem seems to be related to the endocrine factors associated with CYP3A4 metabolism. Low plasma concentrations of free testosterone may contribute to lower CYP3A activity and women achieve up to 50% higher zolpidem plasma levels while the exposure to testosterone activates the biotransformation via CYP3A [2]. That effect is conspicuous in the relative higher incidence of ADR with zolpidem in women [3].

The conclusions of the paper are true for the model study on male subjects. The discussion, however, might include the exciting element of endocrine-related differences in zolpidem action.

Conflict of interest statement

The authors declare that they have no conflict of interest.

References

1/ Polasek TM, Sadagopal JS, Elliot DJ, Miners JO (2010) In vitro-in vivo extrapolation of zolpidem as a perpetrator of metabolic interactions involving CYP3A. Eur J Clin Pharmacol 66: 275-283
2/ Olubodun JO, Ochs HR, von Moltke LL, Roubenoff R, Hesse LM, Harmatz JS, Shader RI, Greenblatt DJ (2003) Pharmacokinetic properties of zolpidem in elderly and young adults: possible modulation by testosterone in men. Br J Clin Pharmacol 56: 297-304
3/ Cubała WJ, Landowski J, Wichowicz HM (2008) Zolpidem abuse, dependence and withdrawal

syndrome: sex as susceptibility factor for adverse effects. Br J Clin Pharmacol 65: 444-445