

The use of quantitative PCR for identification and quantification of , and fimbrial types F4 and F18 in pig feces.

M. Ståhl, B. Kokotovic, C.K. Hjulsager, S.Ø. Breum, Ø. Angen

► To cite this version:

M. Ståhl, B. Kokotovic, C.K. Hjulsager, S.Ø. Breum, Ø. Angen. The use of quantitative PCR for identification and quantification of , and fimbrial types F4 and F18 in pig feces.. Veterinary Microbiology, 2011, 151 (3-4), pp.307. 10.1016/j.vetmic.2011.03.013 . hal-00717087

HAL Id: hal-00717087 https://hal.science/hal-00717087

Submitted on 12 Jul2012

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Accepted Manuscript

Title: The use of quantitative PCR for identification and quantification of *Brachyspira pilosicoli*, *Lawsonia intracellularis* and *Escherichia coli* fimbrial types F4 and F18 in pig feces.



PII:	S0378-1135(11)00151-9
DOI:	doi:10.1016/j.vetmic.2011.03.013
Reference:	VETMIC 5236
To appear in:	VETMIC
Received date:	22-10-2010
Revised date:	22-2-2011
Accepted date:	14-3-2011

Please cite this article as: Ståhl, M., Kokotovic, B., Hjulsager, C.K., Breum, S.Ø., Angen, Ø., The use of quantitative PCR for identification and quantification of *Brachyspira pilosicoli*, *Lawsonia intracellularis* and *Escherichia coli* fimbrial types F4 and F18 in pig feces., *Veterinary Microbiology* (2010), doi:10.1016/j.vetmic.2011.03.013

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



1	The use of quantitative PCR for identification and quantification of Brachyspira pilosicoli,
2	Lawsonia intracellularis and Escherichia coli fimbrial types F4 and F18 in pig feces.
3	M. Ståhl*, Kokotovic B., Hjulsager C.K., Breum S.Ø, and Angen Ø.
4	National Veterinary Institute, Technical University of Denmark, Bülowsvej 27, 1790 Copenhagen
5	V, Denmark
6	* Corresponding author. Tel.: +45 35886611, fax.: +45 35886001.
7	E-mail address: msta@vet.dtu.dk (Marie Ståhl)
8	
9	Abstract
10	Four quantitative PCR (qPCR) assays were evaluated for quantitative detection of Brachyspira
11	pilosicoli, Lawsonia intracellularis, and E. coli fimbrial types F4 and F18 in pig feces. Standard
12	curves were based on feces spiked with the respective reference strains. The detection limits from
13	the spiking experiments were 10^2 bacteria/g feces for Bpilo-qPCR and Laws-qPCR, 10^3 CFU/g
14	feces for F4-qPCR and F18-qPCR. The PCR efficiency for all four qPCR assays was between 0.91
15	and 1.01 with R ² above 0.993. Standard curves, slopes and elevation, varied between assays and
16	between measurements from pure DNA from reference strains and feces spiked with the respective
17	strains. The linear ranges found for spiked faecal samples differed both from the linear ranges from
18	pure culture of the reference strains and between the qPCR tests. The linear ranges were five log
19	units for F4-qPCR, and Laws-qPCR, six log units for F18-qPCR and three log units for Bpilo-qPCR
20	in spiked feces. When measured on pure DNA from the reference strains used in spiking
21	experiments, the respective log ranges were; seven units for Bpilo-qPCR, Laws-qPCR and F18-
22	qPCR and six log units for F4-qPCR. This shows the importance of using specific standard curves,
23	were each pathogen is analyzed in the same matrix as sample DNA. The qPCRs were compared to
24	traditional bacteriological diagnostic methods and found to be more sensitive than cultivation for <i>E</i> .

25 coli and B. pilosicoli. The qPCR assay for Lawsonia was also more sensitive than the earlier used 26 method due to improvements in DNA extraction. In addition, as samples were not analyzed for all 27 four pathogen agents by traditional diagnostic methods, many samples were found positive for 28 agents that were not expected on the basis of age and case history. The use of quantitative PCR tests 29 for diagnosis of enteric diseases provides new possibilities for veterinary diagnostics. The parallel 30 simultaneous analysis for several bacteria in multi-qPCR and the determination of the quantities of 31 the infectious agents increases the information obtained from the samples and the chance for 32 obtaining a relevant diagnosis.

33

34 Introduction

35 Diarrhoea in pigs can be caused by a number of infectious agents. Diarrhoea in newborn piglets due to Escherichia coli is mostly associated with isolates carrying F4 fimbria, whereas diarrhoea after 36 weaning is mostly associated with F18-positive or F4- positive E. coli isolates (Ojeniyi et al. 1994, 37 38 Frydendahl 2002, Fairbrother and Gyles 2006). Lawsonia intracellularis and Brachyspira pilosicoli 39 are most commonly associated with diarrhoea in grower-finishers (Hampson and Duhamel, 2006; 40 McOrist and Gebhart, 2006). Multiple agents may occur not only in the same herd but also in the 41 same animal (Møller et al., 1998; Jensen and Boye 2005), which often makes it difficult to 42 unequivocally relate clinical signs and macroscopic pathology to the infectious agents present 43 (Jensen et al., 2006). Laboratory diagnosis normally includes cultivation, histopathology and PCR. 44 Quantification of the infectious agents involved using traditional techniques is time consuming, but 45 due to development of quantitative PCR (qPCR) assays (Guo et al., 2008; Akase et al., 2009; 46 Nathues et al., 2009; Song and Hampson, 2009), this has become a feasible option for diagnosis. It is likely that the amount of the infectious agents present in feces, correlated to the onset of disease, 47 48 is highly relevant for correct diagnosis of disease. In the present paper, qPCR assays for four of the

49 most relevant infectious agents associated with pig diarrhoea are presented. The assays were 50 evaluated on DNA from pure bacterial cultures as well as on spiked fecal samples. The results from 51 qPCRs are compared to results from traditional diagnostic methods on 113 clinical samples from 52 Danish pig herds. 53 54 Materials and methods 55 56 Clinical samples 57 58 Clinical samples consisted of pig fecal specimens from pigs with diarrhoea obtained through routine 59 submissions to the National Veterinary Institute (NVI) in Copenhagen, Denmark during 2007 and 2008. A total of 113 samples from pigs in 65 different herds were analysed. Prior to analysis by 60 qPCR all samples were stored at -20°C. The diagnostics at the time of submission were performed 61 62 taking into consideration the age of the pigs and the disease history of the herd. Generally, 63 cultivation for E. coli was performed for all pigs younger than 8 weeks, while investigations for L. intracellularis and Brachyspira spp. were performed on pigs older than 8 weeks. However, 64 depending on the disease history, some older pigs were also investigated for E. coli and some 65 66 younger pigs for *L. intracellularis*. Cultivation and serotyping of *E. coli* were performed as earlier 67 described (Frydendahl, 2002). The E. coli isolates were only tested against sera to the O-types that have been associated with diarrhoea in Danish pigs, i.e. types 8, 45, 64, 138, 139, 141, 149, and 68 69 157. Strains not belonging to these serotypes were designated "O-type negative" and not expected 70 to carry the fimbrial types F4 or F18. Subcultivation and serotyping of haemolytic E. coli was 71 conducted on two colonies from all samples with haemolytic E. coli. Non-haemolytic E. coli were 72 subcultured and serotyped only when they were the dominant part within the microflora of a

73	sample. Cultivation for Brachyspira spp. was performed using trypticase soy yeast (TSYF) agar
74	plates as earlier described (Råsbäck et al., 2005) and species identification was performed by
75	biotyping (Fellström and Gunnarsson, 1995). Investigation for L. intracellularis was performed by
76	real-time PCR on boiled lysates of feces suspensions (Lindecrona et al., 2002).
77	
78	Reference strains
79	
80	Reference strains used for spiking of feces were <i>B. pilosicoli</i> (ATCC 51139 ^T), <i>L. intracellularis</i>
81	(ID # 15540), E. coli F4 (A1) and E. coli F18 (94/1) (Table 1). L. intracellularis was grown and
82	counted as described by Boesen et al. (2004). B. pilosicoli was grown in Tryptic Soy Broth (TSB;
83	Becton Dickinson, Franklin Lakes, NJ USA) with 0.1% cysteine, 0.2% glycose, 0.0001%
84	resazaurine and 5% foetal calf serum. The concentration of B. pilosicoli was determined by
85	fluorescent in situ hybridisation (FISH) (Boye et al. 1998). E. coli strains were grown in Veal
86	Infusion Broth (Difco, Lawrence, KS USA) and colony forming units (CFU) were determined on
87	Columbia agar (Difco) with 5% bovine blood.
88 89	DNA extraction
90	
91	DNA was extracted from 200 μ l samples of 10% feces diluted in phosphate buffered saline (PBS)
92	by using QIAcube TM extraction robot and QIAamp DNA Stool Mini Kit (Qiagen, GmbH, Germany)
93	according to the manufacturer's instructions. The protocol was DNA-QIAamp-DNA Stool-
94	Pathogen detection Version 1. In each DNA extraction process DNA from B. pilosicoli, E. coli F4,
95	E. coli F18, and L. intracellularis were extracted and subsequently used as positive and negative
96	controls in the four different qPCRs. The controls were adjusted to give Cq values around 30 in the

97 respective qPCR. DNA from pure cultures of the four bacterial reference strains used for spiking
98 was extracted with Easy DNA (INVITROGEN A/S, Taastrup, Denmark) according to the
99 manufacturer's instructions. The DNA concentrations were measured on NanoDrop[®] ND-1000
100 v.3.1. Spectrophotometer (NanoDrop Technologies, Inc., USA) according to the manufacturer's
101 instructions. The concentrations of pure chromosomal DNA were used for calculations of genome
102 equivalents (GE) used in standard curves.
103
104 To validate the species specificity of the qPCR for detection of *B. pilosicoli* boiled lysates from

105 colonies of isolates and reference strains were tested. One loop-full of bacteria (1 μ l) was suspended 106 in 200 μ l PBS and boiled for 10 minutes. The lysate was diluted 100 times in PBS and subsequently

107 used as template in qPCR.

108

109 Biological repeatability was determined by taking double samples of feces from 14 Lawsonia

110 positive samples, 13 *E. coli* F4 positive samples and 14 *E. coli* F18 positive samples respectively.

111 The fecal samples were diluted to 10% in PBS, DNA was extracted by QIAcube and subsequently

analysed by qPCR as parallel samples. Technical repeatability was determined by measuring the

113 concentration of *B. pilosicoli* in one DNA extract from spiked feces as 15 parallel samples in Bpilo-

114 qPCR.

115

116 *qPCRs and design of standard curves for quantification*

117

118 A new set of primers and probe (Table 2) for amplification and detection of a fragment of 124 bp

119 from the 23S rDNA gene of *B. pilosicoli* was constructed. Specificity of the primers and probe at

120 the species level was examined by performing BLAST searches of Gene Bank database (Zheng et

	<i>a.</i> , 2000). I finiters and probe were purchased from DIVA Technology A/S, Denmark. The
122	specificity was validated by using a test panel of 44 reference strains and field isolates of the genus
123	Brachyspira and one strain each of E. coli, Enterococcus faecalis, Campylobacter jejuni, Yersinia
124	enterocolitica and Salmonella enterica from the strain collection at NVI (Table 1). Primers and
125	probes for the L. intracellularis, E. coli F4, E. coli F18 assays were previously described and tested
126	(Frydendahl et al., 2001; Lindecrona, et al. 2002). However none of these assays have previously
127	been evaluated and used for quantification. In this study the different qPCRs were designated
128	Bpilo-qPCR, Laws-qPCR, F4-qPCR, and F18-qPCR.
129	
130	Standard curves were made by spiking of 0.9 ml 10% feces with 0.1 ml suspensions of the different
131	reference bacteria in 10-fold dilutions, prior to DNA extraction. Three μ l extracted DNA was used
131 132	reference bacteria in 10-fold dilutions, prior to DNA extraction. Three μ l extracted DNA was used as template in the qPCR assays. Each standard curve was made with triplicate samples and included
131 132 133	reference bacteria in 10-fold dilutions, prior to DNA extraction. Three μ l extracted DNA was used as template in the qPCR assays. Each standard curve was made with triplicate samples and included one reference point of extracted DNA (in triplicate) from pure culture from the strain used for
131 132 133 134	reference bacteria in 10-fold dilutions, prior to DNA extraction. Three µl extracted DNA was used as template in the qPCR assays. Each standard curve was made with triplicate samples and included one reference point of extracted DNA (in triplicate) from pure culture from the strain used for spiking. Each subsequent qPCR experiment included the same reference concentrations of pure
 131 132 133 134 135 	reference bacteria in 10-fold dilutions, prior to DNA extraction. Three µl extracted DNA was used as template in the qPCR assays. Each standard curve was made with triplicate samples and included one reference point of extracted DNA (in triplicate) from pure culture from the strain used for spiking. Each subsequent qPCR experiment included the same reference concentrations of pure DNA in triplicate and facilitated adjustment of the standard curves to each new qPCR run (Rotor-

137

All amplifications were run at the same cycling conditions consisting of activation at 94 °C for 2
min followed by 40 cycles of 94 °C for 15 s and 60 °C for 60 s on Rotorgene 3000 or Rotorgene
6000 (Corbett Research) in JumpStart Taq Ready Mix for Quantitative PCR (Sigma-Aldrich
Danmark A/S, Brøndby, Denmark). The MgCl₂ concentrations were individually optimized for each
assay (Table 2). Each qPCR reaction was carried out in a total volume of 25 µl containing 3 µl of
sample DNA. The linear range and efficiency of each qPCR were determined in three parallel
experiments with 10-folds dilutions of pure DNA extracted from reference strains as well as one

experiment with DNA extracted from spiked feces samples. All standard curves were made in
triplicate and all samples were tested in duplicate. The samples that gave negative results in all four
bacterial qPCR assays were tested by conventional PCR with primers for the eubacterial 16S rDNA
(Angen et al. 1998).

- 151 **Results**
- 152
- 153

154 *qPCR validation*

155

The R² values for all standard curves were above 0.993 and the PCR efficiencies for all four qPCR 156 assays ranged from 0.91 to 1.01, both when pure bacterial DNA was used as template and when 157 158 DNA was extracted from spiked feces specimens. The detection limits from the spiking experiments were 10^2 bacteria/g feces for Bpilo-qPCR and Laws-qPCR, and 10^3 CFU/g feces for F4-qPCR and 159 F18-qPCR (Table 3). Detection limit was defined as the lowest concentration giving a positive 160 quantification cycle (C_{α}) value in one or more of the triplicate samples of the standard curves. The 161 lower limits of the linear ranges were based on the mean value of triplicates. The limits of the linear 162 ranges define the quantification limits of each qPCR assay. The linear ranges were: five log units 163 for F4-qPCR, and Laws-qPCR, six log units for F18-qPCR and three log units for Bpilo-qPCR in 164 spiked feces (Figure 1 and Table 3). When measured on pure DNA from the reference strains used 165 166 in spiking experiments, the respective log ranges were; seven units for Bpilo-qPCR, Laws-qPCR and F18-qPCR and six log units for F4-qPCR. Negative controls from the DNA extraction as well 167 168 as no template controls (NTCs) were all negative.

170	The biological repeatability was determined as the average coefficient of variation in percent
171	(CV%) of log concentrations: the average CV% was 1.3 for the 14 different double samples
172	analysed by Laws-qPCR; the average CV% was 1.6 for the 13 double samples analysed by F4-
173	qPCR; and the average CV% was 2.2 for the 14 double samples analysed by F18-qPCR. The
174	technical repeatability was determined by measuring DNA from one spiked fecal sample in 15
175	replicates by Bpilo-qPCR, the mean log concentration was 6.81 and CV 0.8%.
176	
177	Validation of the species specificity of the Bpilo-qPCR
178	
179	All B. pilosicoli isolates tested were positive in the Bpilo-qPCR. The Cq for boiled and diluted
180	lysates of <i>B. pilosicoli</i> ATCC 51139 ^T as well as for seven of the eight <i>B. pilosicoli</i> isolates from pig
181	feces were between 16 and 20. One isolate from pig feces isolated at the NVI tested positive with a
182	Cq of 33, that isolate was biotyped as <i>B. innocens</i> . The "isolate" was shown to contain a mixture of
183	Brachyspira species, including approximately 0.1% B. pilosicoli by FISH (data not shown). All
184	other isolates and reference strains used (Table 1) were negative in the Bpilo-qPCR.
185	
186	Traditional bacteriological diagnosis compared to qPCR.
187	
188	In 89 (79%) of 113 samples one or several of the four pathogens were detected by qPCR (Tables 4-
189	7 supplementary material). In 50 out of the 113 (44%) samples no pathogens were diagnosed at the
190	time of submission. Twenty (18%) of the samples were true negatives (no pathogens found in
191	neither qPCR nor at the time of submission) whereas four (3.5%) samples were false negative in
192	qPCR (Tables 4-7 supplementary material). All samples that were negative in the four qPCRs were

- found positive when analysed with a PCR test against eubacterial 16S rDNA (data not shown),showing that amplifiable DNA was present.
- 195
- 196 Comparison of F4-qPCR and F18-qPCR results with results of cultivation and serotyping of E. coli
 197
- Out of the 113 feces samples analysed, 49 were positive in one or both of F4-qPCR and F18-qPCR (Table 4 and 5 supplementary material). Cultivation and serotyping of *E. coli* identified 19 samples with O-typable *E. coli* strains expected to carry the fimbrial types F4 and F18, all of those were positive by F4-qPCR and/or F18-qPCR (Table 4 supplementary material). Among the 46 samples which were not cultivated for detection of *E. coli* but only tested in qPCR, a total of 14 samples were positive in either one or both of F4-qPCR and F18-qPCR.
- 204

The measured concentration of *E. coli* in feces samples ranged between 10^4 to 10^{10} CFU/g feces. In one sample where no growth of pathogenic *E. coli* was detected at the time of submission, $9.4x10^8$ CFU/g feces were detected by F4-qPCR (Table 5 supplementary material). Between $1.0x10^5 1.0x10^7$ CFU/g feces of *E. coli* F4 and/or F18 were detected in four samples where no pathogenic *E. coli* were cultivable. That high occurrence, above $1.0x10^5$ CFU/g feces, of *E. coli* F4 and /or F18 were otherwise only detected in samples also being positive by culture or in samples not cultivated for *E. coli*.

212

213 Comparison of detection by Bpilo-qPCR and cultivation and biotyping of B. pilosicoli

214

215 Bpilo-qPCR gave positive reactions in 31 (27%) of the 113 tested samples, only 19 of these had

216 been cultivated for *Brachyspira*, eight of those were positive for *B. pilosicoli* (Table 6

supplementary material). In four samples were *B. pilosicoli* had been identified by biotyping, BpiloqPCR gave negative results. The highest measured concentration was 4×10^7 *B. pilosicoli*/g feces; this sample was one of those where no *B. pilosicoli* was detected by cultivation. (Table 6 supplementary material).

221

222 Comparison of detection of L. intracellularis by real-time PCR on boiled lysates of feces and
223 detection by Laws-qPCR

224

All samples that were positive by real-time PCR on boiled lysates were positive in Laws-qPCR. Out 225 of the 37 samples that were positive by Laws-qPCR, 23 were analysed by real-time PCR on boiled 226 lysates, 13 gave positive real-time PCR results and 10 were negative in real-time PCR (Table 7 227 supplementary material). In 68 cases, samples were not analysed for *L. intracellularis* at the time of 228 submission, 14 of those were positive for *L. intracellularis* when tested by Laws-qPCR. Up to 229 3×10^8 bacteria/g feces of *L. intracellularis* were detected in the clinical samples. The Laws-qPCR 230 positive samples containing less than 1×10^4 bacteria/g feces were not found positive by PCR on 231 boiled lysates (Table 7 supplementary material). 232

233

234 Quantification of mixed infections

235

All four pathogenic agents were found in two fecal samples. Many samples contained two or three pathogens. The amount of pathogenic *E. coli* F4 and/or *E. coli* F18 was above 1×10^7 CFU/g feces in 18 samples. When more than 10^5 *E. coli* F4 and/or *E. coli* F18 were detected, no *L. intracellularis* was found (Table 8 supplementary material). On the other hand two samples with more than 10^6 *L. intracellularis* also contained *E. coli* F4 and/or *E. coli* F18. *L. intracellularis* and *B. pilosicoli* were often found together in both high and low concentrations (Tables 9 and 10 supplementary material).

242 *L. intracellularis* above 1×10^6 bacteria/g feces were found in 16 samples, seven of these also 243 contained *B. pilosicoli*.

244

245 **Discussion**

246 The use of quantitative PCR tests for diagnosis of enteric diseases provides new possibilities for 247 veterinary diagnostics. The advantage of offering a diagnostic package of four of the most relevant pathogens causing diarrhoea in pigs is of course to lessen the risk of not detecting the relevant 248 pathogens in each specific case. Also, the determination of the quantities of the infectious agents 249 increases the information obtained from the samples. The analyses will also be less time consuming 250 251 and less expensive than traditional diagnostics. Since the four qPCR tests have the same 252 thermocycling profile it is possible to analyse parallel samples in all assays, in the same 253 thermocycler, at the same time.

254

Determination of PCR efficiency, linear range, and detection limit are important parameters in 255 describing a qPCR test (Bustin et al., 2009). The comparison to other published assays is made 256 difficult by the lack of information regarding PCR efficiency in many publications. A multiplex 257 258 qPCR for detection of pathogenic intestinal spirochaetes (Song et al., 2009) is published, but the 259 authors have neither presented the dynamic ranges nor the PCR efficiencies for the different PCR reactions in the assay. Nathues et al. (2009) quantified L. intracellularis based on a standard curve 260 from a plasmid containing a cloned fragment from L. intracellularis. The standard curve showed 261 excellent dynamic range and PCR efficiency, however the limit of quantification was 2.8 x 10⁶ GE 262 263 of L. intracellularis per gram feces corresponding to 10 GE per µl reaction volume. In this study the limit of quantification was $3x10^3$ bacteria/g feces. When testing pure bacterial DNA, the qPCR tests 264

265	had linear ranges of 10^{1} - 10^{8} GE/reaction in accordance with what was found by Nathues et al.
266	(2009). To our knowledge no other qPCR tests for <i>E. coli</i> fimbria have been published.

267

268 The PCR efficiencies of the bacterial qPCR tests when testing pure bacterial DNA were all within 269 the range 0.95-0.97. The PCR efficiencies when testing feces samples spiked with bacteria were 270 between 0.95 and 1.01 for all tests except Bpilo-qPCR where a value of 0.91 was found. The reason 271 for the relatively lower efficiency of the Bpilo-qPCR on fecal samples is not clear; however the 272 sensitivity of the PCR reaction to inhibiting substances might be dependent on the probe and primers. Recently it has been shown that different PCR reactions may show different susceptibility 273 274 to inhibitors (Huggett et al., 2008). This is in accordance with the findings in this study that the 275 standard curves of the four qPCRs are affected to different degrees by the feces extracts. It is 276 important to note that all four standard curves show some degree of difference in dynamic range, slope or elevation when comparing qPCR on pure bacterial DNA and qPCR on DNA extracted 277 278 from spiked feces (Figure 1). This shows the importance of specific standard curves were each 279 pathogen is analyzed in the same matrix as the samples. However, this is not yet common practise, 280 as most publications report the use of standard curves prepared from dilutions of pure bacterial 281 DNA (Guo et al., 2008; Akase et al., 2009; Furet et al., 2009; Nathues et al., 2009).

282

The detection limits of the tests were 10^2 bacteria per gram feces for Laws-qPCR and Bpilo-qPCR and 10^3 CFU/gram feces for the two *E. coli* qPCR tests. The differences between the qPCRs may partly be caused by the different methods of measuring; both *L. intracellularis* and *B. pilosicoli* were measured as total cell count while *E. coli* was measured as viable cell count. Similar detection limit for *Brachyspira* qPCR test have been reported by Song and Hampson (2009). The lower limit of linear range for Laws-qPCR is only 0.9 GE/reaction, which may seem too low to be theoretically

289	possible (Bustin et al., 2009). However, since L. intracellularis carries 6 rRNA genes (J. Craig
290	Venter Institute, <u>http://cmr.jcvi.org/cgi-bin/CMR/GenomePage.cgi?org=ntli04</u> 2010-10-13)
291	detection of 0.9 GE/reaction corresponds to 5-6 copies/reaction. B. pilosicoli carries three rRNA
292	genes (Wanchanthuek et al., 2010), which also contributes to a lower limit of linear range and
293	detection limit of Bpilo-qPCR compared to a qPCR based on a single copy gene. The discrepancy
294	between the standard curves of pure DNA and the standard curves based on bacteria in spiked feces
295	could be explained by free DNA from lysed cells or by the presence of more than 1 GE/cell
296	depending on growth phase.
297	
298	The performance of the qPCR tests was further assessed by analysis of 113 clinical samples
299	originating from pigs with diarrhoea submitted to NVI for routine diagnostics. At the time of
300	submission, samples were only analysed for those bacteria prescribed according to the age of the
301	pigs and the disease history of the herd. The distribution of the bacterial agents in relation to age
302	(Figure 2 supplementary material) was generally as expected according to literature (Frydendahl,
303	2002; Fairbrother and Gyles, 2006; Hampson and Duhamel, 2006; McOrist and Gebhart, 2006).
304	However, for all bacteria quantified in the present investigation, samples were found positive for
305	agents that were not expected on the basis of age and case history.

306

The sensitivity of the qPCR was higher when compared to cultivation of *E. coli* F4, *E. coli* F18 and *B. pilosicoli*. In 34% of the samples that were positive in F4-qPCR and/or F18-qPCR, pathogenic *E. coli* were not detected by cultivation. This may reflect the higher sensitivity of a PCR test compared to traditional cultivation or that these fimbrial genes were carried by non haemolytic strains. When more than 10^7 CFU/gram of *E. coli* F4 and/or *E. coli* F18 were detected this was correlated with the cultivation of a high number of potentially pathogenic *E. coli* (Table 5 supplementary material).

However, massive occurrence of *E. coli* F4 and/or F18 was detected in samples that had not been
cultivated for *E. coli* at the time of submission.

315

A higher number of samples were found positive for *B. pilosicoli* by qPCR than by cultivation 316 317 (Table 6 supplementary material). Komarek et al. (2009) also found more samples positive by using 318 PCR tests against the different *Brachyspira* spp. than by cultivation. In the present investigation, 319 four out of the 12 samples from which *B. pilosicoli* had been cultivated were found negative by Bpilo-qPCR. Similarly, Komarek et al. (2009) reported that several samples were PCR negative 320 although they were found cultivation positive. Råsbäck et al. (2006) however, reported that 321 compared to cultivation PCR lowered the sensitivity by a factor $10^3 - 10^4$ for detection of B. 322 323 hvodysenteriae and B. pilosicoli in feces. This may reflect the different performance of different PCR tests in different matrices. Clearly the Bpilo-qPCR was the one most adversely affected by the 324 325 feces extracts in this study.

326

Of the 19 Bpilo-qPCR positive samples that were analysed for *B. pilosicoli* by cultivation, 42% 327 yielded growth of *B. pilosicoli*. The highest number of *B. pilosicoli* detected among the clinical 328 samples was 4×10^7 cells per gram feces. From this sample no *B. pilosicoli* had been detected by 329 330 cultivation. Antibiotic therapy and mixed spirochetal infections might reduce the chances of identifying *B. pilosicoli* by culture and might be an explanation for this result. For *Brachyspira* spp. 331 332 similar high numbers of bacteria have only been reported in connection with clinical disease. Neef et al. (1994) report that $10^7 - 10^8$ CFU per gram of *B. hyodysenteriae* are excreted in connection 333 with clinical disease. According to Råsbäck et al. (2006) up to $10^8 - 10^{10}$ cells per gram feces are 334 335 shed in the acute phase of the disease.

336

The Laws-qPCR test for L. intracellularis detected more positive samples than the earlier used real

338 time PCR, reflecting the removal of inhibitors by using a better DNA extraction protocol. On the 339 other hand, Nathues et al. (2009) reported that 96.5% of the DNA present in a sample is lost during the DNA extraction process. The highest concentration of *L. intracellularis* measured among the 340 clinical samples by Laws-qPCR was 3×10^7 bacteria per gram feces. For L. intracellularis a 341 maximum shedding of 7×10^8 bacteria per gram feces has been measured by IFT (Smith and 342 343 McOrist, 1997). A correlation between the number of *L. intracellularis* present in mucosal scrapings and the severity of lesions was demonstrated by Guedes et al. (2003). 344 345 It can be concluded that the qPCR analyses of several important pathogens from one sample in the 346 347 veterinary laboratory gives a much more complete picture of the microbiological status to the 348 consulting veterinarian, both regarding which pathogens that are present as well as their possible relevance. An important question is how to interpret the quantitative PCR data in terms of clinically 349 350 relevant diagnostics. The quantity of a microorganism present in the pig intestine is dependent on a 351 number of factors including the age of the animal, stage in the disease process, virulence of the actual microorganism, and host immunity. A number of publications report on a link between the 352 353 amounts of pathogens present in feces and clinical symptoms. However, only a few publications 354 have used qPCR methods and no publications are available that can be used as a basis for giving 355 clear indications for how to interpret these quantitative data and the presence of several pathogenic agents simultaneously. Studies in progress on Danish pig herds will hopefully make it feasible to 356 357 evaluate the diagnostic potential of the qPCR tests presented in the present paper.

358

337

359 Acknowledgements

360	The project was supported by the Ministry for Food, Agriculture and Fisheries (Grant 3412-08-
361	02226). The authors would like to thank Mahshad Rezaali, Birgitte Bjørn Møller, and Pia Thurø
362	Hansen for skilful technical assistance.
363	
364	References
365	
366	Akase, S., Uchitani, Y., Sohmura, Y., Tatsuta, K., Sadamasu, K., and Adachi, Y., 2009. Application
367	of real-time PCR for diagnosis of swine dysentery. J. Vet. Med. Sci. 71(3): 359-362, 2009
368	
369	Angen, Ø, Ahrens, P., Tegtmeier, C., 1998. Development of a PCR test for identification of
370	Haemophilus somnus in pure and mixed cultures. Vet. Microbiol. 63, 39-48
371	
372	Boesen, H., Jensen, T.K., Schmidt, A., Jensen, B., Jensen, S., Møller, K., 2004. The influence of
373	diet on Lawsonia intracellularis colonisation in pigs upon experimental challenge. Vet. Microbiol.
374	103, 35-45
375	
376	Boye, M., Jensen, T.K., Møller, K., Leser, T.D., Jorsal, S.E., 1998. Specific detection of the genus
377	Serpulina, S. hyodysenteriae and S. pilosicoli in porcine intestines by fluorescent rRNA in situ
378	hybridization. Mol. Cell. Probes, 12, 323-330
379	
380	Bustin, S.A., Benes, V., Garson, J.A., Hellemans, J., Huggett, J., Kubista, M., Mueller, R., Nolan,
381	T., Pfaffl, M., Shipley, G.L., Vandesompele, J., Wittwer, C.T., 2009. The MIQE Guidelines:
382	Minimum information for publication of quantitative real-time PCR experiments. Clin. Chem. 55:4,

383 611-622

3	84
\sim	•••

- 385 Fairbrother, J.M., Gyles, C.L., 2006. Escherichia coli Infections. In: Straw, B.E., Zimmerman, J.J.,
- 386 D'Allaire, S., Taylor, D.J., (Eds.), Diseases of Swine, ninth ed. Blackwell Publishing, Ames; IA,
- 387 USA, pp.639-662

388

Fellström, C., Gunnarsson, A., 1995. Phenotypical characterisation of intestinal spirochaetes
isolated from pigs. Res. Vet. Sci. 59, 1-4

391

392 Frydendahl, K., Imbrechts, H, Lehmann, S., 2001. Automated 5'nuclease assay for detection of

393 virulence factors in porcine *Escherichia coli*. Mol. Cell Probes 15,151-160

394

- Frydendahl, K., 2002. Prevalence of serogroups and virulence genes in *Escherichia coli* associated
 with postweaning diarrhoea and edema disease in pigs and a comparison of diagnostic approaches.
- 397 Vet. Microbiol. 85, 169-182

398

- 399 Furet, J-P., Firmesse, O., Gourmelon, M., Bridonneau, C., Tap, J., Mondot, S., Doré, J., Corthier,
- 400 G., 2009. Comparative assessment of human and farm animal faecal microbiota using real-time

401 quantitative PCR. FEMS Microbiol. Ecol. 69, 351-362

402

Guedes, R.M.C., Gebhart, C.J., 2003. Onset and duration of fecal shedding, cell-mediated and
humoral immune responses in pigs after challenge with a pathogenic isolate or attenuated vaccine
strain of *Lawsonia intracellularis*. Vet. Microbiol. 91, 135-145

406

407	Guo, X., Xia, X., Tang, R., Zhou, J., Zhao, H., Wang, K., 2008. Development of a real-time PCR
408	method for Firmicutes and Bacteroidetes in faeces and its application to quantify intestinal
409	population of obese and lean pigs. Letts. Appl. Microbiol. 47, 367-373
410	
411	Hampson, D.J., Duhamel, G.E., 2006, Porcine colonic spirochetosis / intestinal spirochetosis. In:
412	Straw, B.E., Zimmerman, J.J., D'Allaire, S., Taylor, D.J., (Eds.), Diseases of Swine, ninth ed.
413	Blackwell Publishing, Ames; IA, USA, pp.755-767
414	
415	Huggett, J., Novak, T., Garson, J.A., Green, C., Morris-Jones, S.D., Miller, R.F., Allimuddin, Z.,
416	Differential susceptibility of PCR reactions to inhibitors: an important and unrecognised
417	phenomenon. BMC Res. Notes 2008, doi:10.11.86/1756-0500-1-70
418	
419	Jensen, T.K., Boye, M., In: Proceedings from The Third International Conference on Colonic
420	Spirochaetal Infections in Animals and Humans, 5 th -7 th June, 2005, Parma, Italy
421	
422	Jensen, T.K., Vigre, H., Svensmark, B., Bille-Hansen, V., 2006. Distinction between Porcine
423	Circovirus Type 2 enteritis and porcine proliferative enteropathy caused by Lawsonia
424	intracellularis. J. Comp. Path. 135, 176-182
425	
426	Komarek, V., Maderner, A., Spergser, J., Weissenböck, H., 2008. Infections with weakly
427	haemolytic Brachyspira species in pigs with miscellaneous chronic diseases. Vet. Microbiol., 134,
428	311-317.
429	

430	Lindecrona, R H., Jensen, T K., Andersen, P H., Möller, K., 2002. Application of a 5'nuclease
431	assay for detection of Lawsonia intracellularis in fecal samples from pigs. J. Clin. Microbiol. 40,
432	984-987
433	
434	McOrist, S., Gebhart, C., 2006, Proliferative Enteropathies. In: Straw , B.E., Zimmerman, J.J.,
435	D'Allaire, S., Taylor, D.J., (Eds.), Diseases of Swine, ninth ed. Blackwell Publishing, Ames; IA,
436	USA, pp.727-737
437	
438	Møller, K., Jensen, T.K., Jorsal, S.E., Leser, T.D., Carstensen, B., 1998. Detection of Lawsonia
439	intracellularis, Serpulina hyodysenteriae, weakly beta-haemolytic intestinal spirochaetes,
440	Salmonella enterica, and haemolytic Escherichia coli from swine herds with and without diarrhoea
441	among growing pigs. Vet. Microbiol. 62, 59-72
442	
443	Nathues, H., Oliveira, C. J. B., Wurm, M., Grosse Beilage , E., Givisiez, P. E. N., 2007.
444	Simultaneous Detection of Brachyspira hyodysenteriae, Brachyspira pilosicoli and Lawsonia
445	intracellularis in porcine faeces and tissue samples by multiplex-PCR. J. Vet. Med. A 54, 532-538
446	
447	Nathues, H., Holthaus., K., Grosse Beilage , E., 2009. Quantification of Lawsonia intracellularis in
448	porcine faeces by real-time PCR. J. Appl. Microbiol. 107, 2009-2016
449	
450	Neef, N.A., Lysons, R.J., Trott, D.J., Hampson, D.J., Jones, P.W., Morgan, J.H., 1994.
451	Pathogenicity of porcine intestinal spirochetes in gnotobiotic pigs. Inf. Imm., 2394-2403
452	

453	Ojeniyi, B., Ahrens, P., Meyling, A., 1994. Detection of fimbrial and toxin genes in Escherichia
454	coli and their prevalence in piglets with diarrhoea. The application of colony hybridization assay,
455	polymerase chain reaction and phenotypic assays. Zentralbl. Veterinarmed B. 41(1), 49-59
456	
457	Råsbäck, T., Fellström, C., Gunnarson, A., Aspán, A., 2006. Comparison of culture and
458	biochemical tests for detection of Brachyspira hyodysenteriae and Brachyspira pilosicoli. J.
459	Microbiol. Meth. 66, 347-353
460	
461	Smith, S.H., McOrist, S., 1997. Development of persistent intestinal infection and excretion of
462	Lawsonia intracellularis by piglets. Res. Vet. Sci. 62, 6-10
463	
464	Song, Y., Hampson, D. J., 2009. Development of a multiplex qPCR for detection and quantitation
465	of of pathogenic intestinal spirochaetes in the faeces of pigs and chickens. Vet. Microbiol. 137, 129
466	136.
467	
468	Zheng, Z., Schwartz, S., Wagner, L., and Miller, W., 2000. A greedy algorithm for aligning DNA
469	sequences. J. Comput Biol. 7(1-2), 203-214.
470	
471	Wanchanthuek, P., Bellgard, M I., La, T., Ryan, K., Moolhuijzen, P., Chapman, B., Black, M.,
472	Schibeci, D., Hunter, A., Barrero, R., Phillips, N D., Hampson, D J., 2010. The complete genome

- 473 sequence of the intestinal spirochete Brachyspira pilosicoli and comparison with other Brachyspira
- 474 genomes. <u>www.plosone.org</u> 5 (7), e11455, 2010-10-13.

Table 1

ACCEPTED MANUSCRIPT

Species	Strain (n=number of isolates)	Source					
L. intracellularis	ID # 15540	Boehringer Ingelheim					
		Vetmedico					
E. coli	A1, F4 O149: K91	Ørskov et al. (1969)					
	94/1, F18 O139: K12: H1	Aarestrup et al. (1997)					
E. coli ^a	Isolate from pig	NVI ^b					
B. hyodysenteriae ^a	ATCC 27164^{T}	ATCC ^c					
	AN 1050	SVA ^d					
	AN 1425	SVA ^d					
	AN 849	SVA ^d					
	Isolates from pig (n=3)	NVI					
B. intermedia ^a	ATCC 51140^{T}	ATCC					
	8109	NVI					
	Isolates from pig (n=8)	NVI					
B. murdochii ^a	ATCC 51284 ^T	ATCC					
	C301	SVA ^e					
	C378	SVA ^e					
	AN 181/1/04	SVA ^e					
	AN 4737/03	SVA ^e					
	AN 35491/03	SVA ^e					
B. innocens ^a	ATCC 29796 ^T	ATCC					
	E646	NVI					
	520	SVA^d					
	Isolates from pig (n=3)	NVI					
B. pilosicoli ^a	ATCC 51139 ^T	ATCC					
-	Isolates from pig (n=8)	NVI					
"B. suanatina" ^a	AN 4859/03	SVA ^e					
	AN 1681:1/04	SVA ^e					
	AN 2384/04	SVA ^e					
	AN 3949:2/02	SVA ^e					
	AN 1418:2/01	SVA ^e					
	Isolate from pig	NVI					
Enterococcus faecalis ^a	ATCC 29212	ATCC					
Campylobacter jejuni ^a	Isolate from pig	NVI					
Yersinia enterocoliticf ^a	Isolate from pig	NVI					
Salmonella enterica ^a	CCUG 31969	CCUG ^f					
^a Used in validation of Bpilo-q	PCR						
^b National Veterinary Institute, Copenhagen, Denmark							
^c American Type Culture Collection							
^d Claes Fellström, National Veterinary Institute, Uppsala Sweden							
^e Désirée S Jansson, National Veterinary Institute, Uppsala Sweden							
^f Culture Collection, University of Göteborg, Sweden							
-							

Table 1 Reference strains and strains used for evaluation of sensitivity and specificity.

٠

Table 2

Concentrations of primers, probes and Mg^{2+} in the four qPCR's.

5

Assay	Primer and probe sequences 5'-3' direction	Concentrations (nM)	$Mg^{2+}(mM)$	Sequence
				accession number
Bpilo-qPCR	GTA GTC GAT GGG AAA CAG GT	600	5.0	U72703.1
	TTA CTC ACC ACA AGT CTC GG	300		
	FAM ^a -TAT TCG ACG AGG ATA ACC ATC ACC T-3 BHQ-1 ^b	150		
Laws-qPCR	GCG CGC GTA GGT GGT TAT AT	900	5.0	L15739
	GCC ACC CTC TCC GAT ACT CA	900		
	FAM-CAC CGC TTA ACG GTG GAA CAG CCT T-TAMRA ^c	200		
F4-qPCR	CAC TGG CAA TTG CTG CAT CT	600	3.5	M29374
-	ACC ACC GAT ATC GAC CGA AC	600		
	FAM-TCA CCA GTC ATC CAG GCA TGT GCC-TAMRA	200		
F18-qPCR	GGC GGT TGT GCT TCC TTG T	600	5.0	M61713
-	CCG TTC ACG GTT TTC AGA GC	600		
	FAM-TAA CTG CCC GCT CCA AGT TAT ATC AGC TGT T-TAMRA	200		

^a 6-carboxy-fluorescein (FAM) ^b black hole quencher-1 (BHQ-1) ^c 6-carboxy-tetramethyl-rhodamine (TAMRA)

Table 3

Linear range and detection limits of the qPCR assays when tested with pure DNA from the reference strains and DNA extracted from 10% feces spiked with the same reference strains.

qPCR assay	PCR efficiency	Linear range ^a	PCR efficiency	Linear range	Detection limit ^b
	DNA	DNA	Spiked feces	Spiked feces	Spiked feces
				1	4
	(SD)	GE ^c /reaction		Bacteria ^a /g feces	Bacteria ^a /g feces
F4-qPCR	0.96 (0.03)	$4.0 \times 10^7 - 4.0 \times 10^1$	0.99	9.4×10^9 - 9.4×10^4	10^{3}
F18-qPCR	0.96 (0.01)	$4.5 \times 10^8 - 4.5 \times 10^1$	1.01	$1.9 \times 10^{10} - 1.9 \times 10^{4}$	10^{3}
Laws-qPCR	0.97 (0.04)	$9.0 \times 10^7 - 9.0 \times 10^0$	0.95	$4x10^{8} - 4x10^{3}$	10^{2}
Bpilo-qPCR	0.95 (0.01)	$4.2 \times 10^8 - 4.2 \times 10^1$	0.91	$1 \times 10^{8} - 1 \times 10^{5}$	10^{2}

^a Triplicate samples positive in the lowest concentration ^b Detection limit is defined as the lowest concentration giving a positive Cq value in one or more of the triplicate samples of the standard curves

^c genome equivalents ^d For F4-qPCR and F18-qPCR colony forming units (CFU); for Bpilo-qPCR and Laws-qPCR cell count

Figure 1



Legend

Figure 1 Standard curves of the four qPCRs, average Cq values and log concentration. The concentration for *B. pilosicoli* and *L. intracellularis* are measured as log (bact/ μ l) in spiked feces, each compared to respective standard curve from pure bacterial DNA measured as log (genome equivalents (GE)/ μ l). The concentrations of *E. coli* fimbrial type F4 and *E. coli* fimbrial type F18 are measured as log (colony forming units (CFU)/ μ l) in spiked feces, each compared to respective standard curve from pure bacterial DNA measured as log (colony forming units (CFU)/ μ l) in spiked feces, each compared to respective standard curve from pure bacterial DNA measured as log (GE/ μ l).