



HAL
open science

Multiple scattering of light by nanoparticles in Er³⁺-doped optical fibers

S.N.B. Bhaktha, Patrick Sebbah, Wilfried Blanc, Bernard Dussardier, Michèle Ude, Stanislaw Trzesien

► **To cite this version:**

S.N.B. Bhaktha, Patrick Sebbah, Wilfried Blanc, Bernard Dussardier, Michèle Ude, et al.. Multiple scattering of light by nanoparticles in Er³⁺-doped optical fibers. SPIE International Symposium, Photonics Europe (EPE10), Apr 2010, Brussels, Belgium. hal-00732383

HAL Id: hal-00732383

<https://hal.science/hal-00732383>

Submitted on 14 Sep 2012

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

TOPIC: **Photonic Crystal Materials and Devices** (Conference EPE103)

PRESENTATION PREFERENCE: Oral presentation

Multiple scattering of light by nanoparticles in Er³⁺-doped optical fibers

S.N.B. Bhaktha, P. Sebbah, W. Blanc, B. Dussardier, M. Ude, S. Trzesien
Laboratoire de Physique de la Matière Condensée, CNRS UMR 6622, Université de Nice–Sophia
Antipolis, Parc Valrose, 06108 Nice Cedex 02, France

Abstract

The presence of scatterers, for long, had been considered detrimental for the growth of photonic devices. Hence, a great care is taken during the fabrication of fibers and optical devices to avoid scatterers, which may lead to a loss of signal strength and efficiency of the device. However, random scatterers have become a topic of immense research in the studies for random lasing and photon localization [1,2]. It has been shown that scattering can also be constructive for lasing. Furthermore, its ease of fabrication and the idea of obtaining a mirrorless laser have driven the research far ahead.

Here, we report on the effect of scatterers on erbium emission properties in fibers containing nanoparticles. These erbium-doped silica fibers were incorporated with calcium or strontium nanoparticles [3] of about 100 nm diameter giving rise to strong scattering. Various studies were carried out on these fibers to infer the effect of scattering arising from the nanometric particles distributed randomly along its core. Photoluminescence measurements were performed as a function of length of the fiber, the excitation wavelength and the laser excitation power. We would also discuss the effect of self-absorption of Er³⁺ luminescence in these fibers in the presence and absence of scatterers. Finally, we investigate the possibility of observing random lasing in these fibers.

[1] Diederik S. Wiersma, "The physics and applications of random lasers," *Nature Physics* 4 (2008) 359-367.

[2] Ad Lagendijk, Bart van Tiggelen, and Diederik S. Wiersma, "Fifty years of Anderson localization," *Phys. Today* 62, (2009) 24-29.

[3] Wilfried Blanc, Bernard Dussardier, Gérard Monnom, Romain Peretti, Anne-Marie Jurduc, Bernard Jacquier, Marie Foret, and Ann Roberts, "Erbium emission properties in nanostructured fibers," *Appl. Optics* 48 (2009) G119-G124.