

The Mayan Long Count Calendar

Thomas Chanier

▶ To cite this version:

Thomas Chanier. The Mayan Long Count Calendar. 2013. hal-00750006v3

HAL Id: hal-00750006 https://hal.science/hal-00750006v3

Preprint submitted on 28 Aug 2013 (v3), last revised 16 Dec 2015 (v12)

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

The Mayan Long Count Calendar

Thomas Chanier

August 28, 2013

1 Introduction

The Maya had a very elaborate and accurate calendar. First, the Mayan Long Count Calendar (LCC) was used to point historical events from a selected "beginning of time". The Long Count Periods are given on Table 1. It is also characterized by the existence of a religious month Tzolk'in and a civic year Haab'. One Tzolk'in of 260 days (Kin) was composed of 13 months (numerated from 1 to 13) of 20 named days (Imix, Ik, Akbal, Kan, Chicchan, Cimi, Manik, Lamat, Muluc, Oc, Chuen, Eb, Ben, Ix, Men, Cib, Caban, Eznab, Cauac, Ahau). One Haab' of 365 days is composed of 18 named months (Pop, Uo, Zip, Zotz, Tzec, Xul, Yaxkin, Mol, Chen, Yax, Zac, Ceh, Mac, Kankin, Muant, Pax, Kayab, Cumhu) with 20 days (Uinal) plus one month of 5 days called Uayeb. The LCC is supposed to begin on 11 August -3114 BC known as the Goodman-Martinez-Thompson (GMT) correlation to the Gregorian calendar based on historical facts and end on 21 December 2012 corresponding to a period of approximately 5125 years or 13 Baktun. We explain here the origin the Long Count Periods and the 13 Baktun cycle. Mars is proposed to have an importance in Mayan religion along with Venus.

Days	Long Count Period	Long Count period	Approx. solar year
1	1 Kin		-
20	20 Kin	= 1 Uinal	0.0547
260	13 Uinal	= 1 Tzolk'in	0.7118
360	18 Uinal	= 1 Tun	0.9856
7200	20 Tun	= 1 Katun	19.7125
144000	20 Katun	= 1 Baktun	394.2505

Table 1: Table of Long Count Unit.

Period	N [day]	Prime factorization
Mercury synodic period	116	$2^2 \times 29$
Venus synodic period	584	$2^3 \times 73$
Mars synodic period	780	$2^2 \times 3 \times 5 \times 13$
Jupiter synodic period	399	19 x 7 x 3
Saturn synodic period	378	$7 \times 3^3 \times 2$
Tzolk'in	260	$2^2 \times 5 \times 13$
Haab'	365	5 x 73
Tun	360	$2^3 \times 3^2 \times 5$
Katun	7200	$2^5 \times 3^2 \times 5^2$
Baktun	144000	$2^7 \times 3^2 \times 5^3$
Pictun	2880000	$2^9 \times 3^2 \times 5^4$
Calabtun	57600000	$2^{11} \times 3^2 \times 5^5$
Kinchiltun	1152000000	$2^{13} \times 3^2 \times 5^6$
Alautun	23040000000	$2^{15} \times 3^2 \times 5^7$

Table 2: Prime factorization of the periods.

2 Origin of the Long Count Calendar

Two calendars, the Tzolk'in and the Haab', coexist with the Long Count Calendar. The Tzolk'in and the Haab' coincide every 73 Tzolk'in or 52 Haab' or a sheaf cycle: $73 \times 260 = 52 \times 365 = 18980$ days. There is a coincidence between Venus synodic period[†] and the Tzolk'in: the least common multiple (LCM) of these two numbers is $65 \times 584 = 146 \times 260 = 104 \times 365 = 37960$ days (2 sheaf cycles). There is a coincidence between Mars synodic period, the Haab': the LCM of these two numbers is $73 \times 780 = 219 \times 260 = 156 \times 365 = 56940$ days (3 sheaf cycles).

LCP	$N [\mathrm{day}]$	LCM(N,365)	LCM(N,365)/N	LCM(N,365)/365
Tun	360	26280	73	72
Katun	7200	525600	73	1440
Baktun	144000	10512000	73	28800
Pictun	2880000	210240000	73	576000
Calabtun	57600000	4204800000	73	11520000
Kinchiltun	1152000000	84096000000	73	230400000
Alautun	23040000000	1681920000000	73	4608000000

Table 3: Coincidence of the civic month Haab' with the Long Count Period (LCP).

When we look at the LCM of the number of days N of a Long Count Period (LCP) and a Haab' (365 days) we obtain $LCM(N,365) = 73 \times N$ as

LCP	N [day]	LCM(N,584)	LCM(N,584)/584
Tun	360	26280	45
Katun	7200	525600	900
Baktun	144000	10512000	18000
Pictun	2880000	210240000	360000
Calabtun	57600000	4204800000	7200000
Kinchiltun	1152000000	84096000000	144000000
Alautun	23040000000	1681920000000	2880000000

Table 4: Coincidence of Venus synodic period with the Long Count Period (LCP).

seen on Table 3. 73 is not present in the prime factorizations of the Tzolk'in and the Long Count Periods (Table 2) which explains the results in Table 3. Table 4 gives the coincidence of Venus synodic period and the LCP. For example, 45 Venus cycles or 72 Haab' corresponds to 73 Tun.

Planet	P [day]	LCM(P,365)	LCC date
Mercury	116	42340	0.5.17.11.0
Venus	584	2920	0.0.8.2.0
Earth	365	365	0.0.1.0.5
Moon	30	2190	0.0.6.1.10
Mars	780	56940	0.7.18.3.0
Jupiter	399	145635	1.0.4.9.15
Saturn	378	137970	0.19.3.4.10

Table 5: Coincidence of the synodic periods and the Haab' and their date in the Long Count Calendar (LCC) from the selected "beginning of time".

The only planets of the solar system visible with a naked eye in the sky are Mercury, Venus, Earth (solar year), Moon, Mars, Jupiter and Saturn. The LCM of the Haab' and the planet synodic periods are given in Table 5. This corresponds to the period between two identical observations of a planet in the sky on a particular day of the Haab'. Jupiter has the greater value: LCM(399,365) = 145635 days. That explains why the Long Count Calendar stops at the Baktun (144000 days). With the LCC, Mayan astronomers were able to date the coincidence of each planet identical position in the sky with the Haab' calendar.

3 Origin of the 13 Baktun cycle

LCP	$N [\mathrm{day}]$	LCM(N,260)	LCM(N,260)/N	LCM(N,260)/260
Tun	360	4680	13	18
Katun	7200	93600	13	360
Baktun	144000	1872000	13	7200
Pictun	2880000	37440000	13	144000
Calabtun	57600000	748800000	13	2880000
Kinchiltun	1152000000	14976000000	13	57600000
Alautun	23040000000	299520000000	13	1152000000

Table 6: Coincidence of the religious month Tzolk'in with the Long Count Period (LCP).

When we look at the LCM of the number of days N of a Long Count Period and a Tzolk'in (260 days) we obtain $LCM(N,260) = 13 \times N$ as seen on Table 6. 13 is not present in the prime factorizations of the Long Count Periods (Table 2) which explains the results in Table 6. There is for example a Katun cycle of 93600 days and a Baktun cycle of 1872000 days corresponding respectively to 360 and 7200 Tzolk'in. This means that the Baktun cycle coincides with the Tzolk'in cycle every 13 Baktun corresponding approximately to 5125 years. The only synodic period dividable by 260 is Mars synodic period. On Tables 6 and 7, a coincidence can be noted between Mars synodic period (780 = $3 \times 260 = 3$ Tzolk'in) and the Long Count Periods. For example, 13 Tun corresponds to 18 Tzolk'in or 6 Mars synodic period. Mars seems to have play a role in Mayan religion along with Venus.

LCP	N [day]	LCM(N,780)	LCM(N,780)/780
Tun	360	4680	6
Katun	7200	93600	120
Baktun	144000	1872000	2400
Pictun	2880000	37440000	48000
Calabtun	57600000	4204800000	960000
Kinchiltun	1152000000	14976000000	19200000
Alautun	23040000000	299520000000	384000000

Table 7: Coincidence of Mars synodic period with the Long Count Period (LCP).

4 Conclusion

We give here the origin of the Long Count Calendar and its connection with the Tzolk'in and Haab' cycles. Based on naked eye observation of the solar system, Mayan astronomers were able to predict when the same astronomical observation would occur on a certain day of the Haab'. The religious month Tzolk'in is based on Mars cycle whereas the civil month Haab' is used to point a day of a solar year. The 13 Baktun cycle corresponds to 2400 Mars cycles or 7200 Tzolk'in whereas a 73 Baktun cycle corresponds to 18000 Venus cycles or 28800 Haab'.

[†] Synodic period : The time required for a planet within the solar system to return to the same or approximately the same position relative to the Sun as seen by an observer on the Earth.