



BioSpring: an interactive and multi-resolution software for flexible docking and for mechanical exploration of large biomolecular assemblies

Nicolas Ferey, Olivier Delalande, Marc Baaden

► To cite this version:

Nicolas Ferey, Olivier Delalande, Marc Baaden. BioSpring: an interactive and multi-resolution software for flexible docking and for mechanical exploration of large biomolecular assemblies. JOBIM 2012 - Journées Ouvertes en Biologie, Informatique et Mathématiques, Jul 2012, Rennes, France. pp.433-434. hal-00761683

HAL Id: hal-00761683

<https://hal.science/hal-00761683>

Submitted on 20 Dec 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

JOBIM 2012

13^E JOURNÉES OUVERTES
EN BIOLOGIE, INFORMATIQUE
ET MATHÉMATIQUES

3-6 JUILLET 2012
RENNES

François Coste
et Denis Tagu



BioSpring: an interactive and multi-resolution software for flexible docking and for mechanical exploration of large biomolecular assemblies

Nicolas FEREY¹, Olivier DELALANDE² and Marc BAADEN³

¹LIMSI, UPR3251 CNRS, Bât. 502 bis, 508 et 512, Université Paris XI, 91403, Orsay, Cedex 91403, France
nicolas.ferey@limsi.fr

² Equipe RMN-ILP, Université de Rennes 1, UMR6026 CNRS , CS 34317, Rennes, Cedex 35043, France
olivier.delalande@univ-rennes1.fr

³ IBPC LBT, Université-Paris 7, UPR9080 CNRS, 13, rue Pierre et Marie Curie, 75005, Paris, France
marc.baaden@ibpc.fr

Keywords: Interactive Molecular Simulation, Spring Network Model, Multi-Resolution Model

1 Introduction

Recent advances in experimental techniques allow us to solve larger and larger biomolecular 3D structures. However, even if structure is known to be strongly linked to biological function, static states often lack in providing dynamical information that are crucial for the understanding of the subtle mechanisms occurring at the molecular level. Thus, molecular simulations are nowadays used to complete experimental biostructural studies, especially to better understand the dynamic behaviour and the fundamental mechanisms involved in a biomolecular complex. In spite of the increasing computational resources, classical modeling methods are still not well adapted to quickly characterize biomechanics of biomolecular assemblies, mainly because of the limited timescale accessible to all-atom simulations. For these reasons, it's necessary to develop new simulation approaches especially designed to study very large biological structures formation and stability. We present *BioSpring*, an unconventional and innovative software, implementing a method based on a **spring network model** adding **non-bonded interactions**, guided by an **electrostatic map**, and using **advanced human interaction techniques** dedicated to **interactive molecular modeling**. The interactive simulation tool BioSpring allows a user to quickly study the biomechanical properties, by interactively highlighting rigidity, flexibility, and allosteric effects, in order to provide new hypotheses about a biomolecular system. Finally, our approach is also designed to help a user in the complex task of modeling large biomolecular complexes before using more time-consuming and costly classical simulation tools.

2 Method

2.1 Spring Network Simulation Model

$$\vec{F}_{spring}(p) = \sum_{p' \in Springs(p)} k_{stiffness} \vec{u}_{pp'} (d_{pp'} - e_{pp'})$$



2.2 User-defined non bonded interaction

$$s_{pp'} = (r_p + r_{p'}) - d_{pp'}$$

$$\vec{F}_{linearsteric}(p) = \begin{cases} \vec{0} & \text{if } s_{pp'} \leq 0 \\ \sum_{p' \neq p} -k_{steric} \vec{u}_{pp'} s_{pp'} & \text{else} \end{cases}$$

$$\vec{F}_{coulomb}(p) = \sum_{p' \neq p} -\vec{u}_{pp'} \frac{q_p q_{p'}}{4\pi\epsilon_0 d_{pp'}^2}$$

$$\vec{F}_{lennardjonessteric}(p) = \sum_{p' \neq p} \vec{u}_{pp'} 4\epsilon_{pp'} \left[\left(\frac{\sigma_{pp'}}{9d_{pp'}} \right)^9 + \left(\frac{\sigma_{pp'}}{7d_{pp'}} \right)^7 \right]$$




2.3 Interaction of the flexible structure and a potential map

$$\vec{F}_{map}(p \in V_{i,j,k}) \simeq \begin{bmatrix} \frac{E_{i+1,j,k} - E_{i-1,j,k}}{2\Delta_x} \\ \frac{E_{i,j+1,k} - E_{i,j-1,k}}{2\Delta_y} \\ \frac{E_{i,j,k+1} - E_{i,j,k-1}}{2\Delta_z} \end{bmatrix}$$

2.4 human/molecule interaction model

$$\vec{F}_{control}(p \in Selection) = -k_{control}[\vec{P}(tool) - \frac{1}{|Selection|} \sum_{p' \in Selection} \vec{P}(p')]$$

$$\vec{F}_{feedback}(tool) = -k_{feedback}[\vec{P}(tool) - \frac{1}{|Selection|} \sum_{p' \in Selection} \vec{P}(p')]$$



3 Applications

3.1 Modeling DNA sequence recognition within RecA nucleoprotein filaments [2]




Figure 1. Bimanual haptic interactive modelling (left), and description of RecA-induced DNA strand exchange (right)

3.2 Adenylate Kinase (AK) interactive closure




Figure 2. Bimanual haptic interactive study of AK closure (left) and RMSD results (right)

4 Conclusion

BioSpring was especially designed for molecular sketching and modeling. The main goals of *BioSpring* is to provide a tool to get interactively a quick overview of biomechanical properties, to help user in the complex task of modeling large biomolecular complexes, in order to perform an interactive flexible docking, and also to Providing/Exploring/Testing new hypothesis prior to more complex investigations. This software can be plugged with *VMD* using the *MDDriver* [1] library, with or without force feedback using a haptic device. *BioSpring* should be used to quickly explore biomechanical properties of biomolecules, for interactive molecular modeling and docking, prior to further investigation using classical simulation tools.

References

- [1] Delalande, Férey, Grasseau, Baaden. Complex Molecular Assemblies at Hand via Interactive Molecular Simulation. *J. Comput. Chem.*, 30(15), 2375-87, 2009
- [2] Saladin, Amourda, Poulain, Férey, Baaden, Zacharias, Delalande, & Prévost, Modeling the early stage of DNA sequence recognition within RecA nucleoprotein filaments, *Nucleic Acids Res.*, 38, 6313-23, 2010