

Risk aversion and multiple breakeven analysis

C. Laurin, B. Morard

▶ To cite this version:

C. Laurin, B. Morard. Risk aversion and multiple breakeven analysis. Les cadres conceptuels, May 1991, France. pp.cd-rom. hal-00823085

HAL Id: hal-00823085

https://hal.science/hal-00823085

Submitted on 18 Sep 2014

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

ATELIER LIBRE

Coordinateurs : Véronique MALLERET, Groupe HEC, Pierre MEVELLEC (IAE de Nantes)

"Risk aversion and multiple breakeven analysis"

C. LAURIN, Université du Québec à Montréal, B. MORARD, Université de Genève

RISK AVERSION AND MULTIPLE BREAKEVEN ANALYSIS

C. LAURIN* B. MORARD

*respectively : Université du Québec à Montréal Université de Genève This article focuses on the breakeven point problem for multiproduct firms under conditions of uncertainty. Our aim is to show that this question could be tackled following two distinct methodologies; the first one consists in introducing the manager's attitude toward risk and the second, more simple, is inspired by a portfolio approach. In this latter case, it will be shown that the breakeven point does only represent a lower bound of the efficient set. In the last part of our study, a numerical example is provided to show the practical implications of our reasonning.

INTRODUCTION

The breakeven point problem holds an important place in managerial accounting literature. From a theorical point of view, the question has been thoroughly debated in accounting research, from the work of CHARNES, COOPER, IJIRI [1963] to the stochastic formulation developed by CHEN [1980].

Two aspects of the question will be discussed: first, the number of different goods produced by the firm and second, the context in which the firm operates, either stochastic or deterministic. The deterministic, single product model is certainly the oldest and most widely taught in management accounting courses. Literature about single product models in uncertainty is also important but less abundant. Authors like ADAR, BARNEA, LEV [1977], LIAO [1975] and SHIH [1979] are those who most recently addressed that particular topic. The literature focusing ont the multiproduct breakeven point in a deterministic context is represented by CHARNES, COOPER, IJIRI [1963]. Finally, the multiproduct breakeven point under uncertainty has, to our knowledge, only been treated by CONSTANTINIDES, IJIRI, LEITCH [1978], JOHNSON, SIMICK [1974] and CHEN [1980].

Our study extends ADAR, BARNEA and LEV's single product model to a multiproduct model and shows the relation between this model and CHEN's. We suggest two alternative formulations. One of these is characterised by known distributions and is assuming normality of the distributions described by their first two moments. In our further models, we will show that the search for the breakeven point can be seen as a portfolio analysis and thus, the case of a decision maker presenting a particular level of risk aversion can be considered. Furthermore, we will focus on the fact that any product mix exceeding the breakeven conditions can be a valid choice as long as the associated risk is also considered. In section 1, we will compare the single product situation with the multiproduct one and clearly show their different natures. Section two develops our two formulations of the multiproducts problem and we conclude our study with a numerical example.

A. FROM A SINGLE PRODUCT TO A MULTIPRODUCT FORMULATION

In order to present the problem we will initially suppose that we have only one product. We have:

a_i: Variable cost by unit, i=1,

a_o: Total fixed cost,

C: Total variable and fixed costs,

R: Total earnings,

y_i: Sales volume in units, i=1, p_i: Selling price unit, i=1.

Total earnings and costs are:

$$R = p_i y_i$$

$$C = a_i y_i + a_o$$

Total production in order to fully cover total fix costs by gross margin is determined as follows:

$$y_i = \frac{a_o}{(p_i - a_i)} \tag{1}$$

Let us now suppose that $i=1, \ldots n$; the relation (1) is transformed into:

$$\sum_{i=1}^{n} (p_i - a_i) y_i = a_o$$
 (2)

This equation can have an infinity of solutions, one of which consists in laying down the (n-1) variables and solving the problem for the nth variable. As we know, the breakeven point is reached at the particular production mix for which revenues are covering charges. Since this procedure is totally arbitrary, we have to consider the question differently. In fact, the breakeven point seems to be unique only in the marginal case of single product firms.

One should also be aware that equations 1 and 2 could be seen as constraints rather than goals. Indeed, if we assume that the goal of the decision maker is to maximize the value of the firm, knowing the characteristics of the product mix for which earnings do not exist is

With model (A), the goal is to maximize turnover or market share. Using model (B), the firm tries to maximize its gross margin, and model (C) has the objective of minimizing tot variable costs. Logically, in order to determine a production vector y with only positive sign we have to introduce other constraints in each model. The number of constraints to introduce would be at least equivalent to the number of variables and would be specific to each model, is interesting to note that these three models could be analyzed using the integer approach developed by CHEN [1983], WILSON [1986] and MOLE [1986]. However, these approach are not considered as useful for solving our problem. In fact, there is no general formulation of the problem of multiple breakeven point in a deterministic context other than the framewo established by the above models.

B. MULTIPLE BREAKEVEN POINT UNDER UNCERTAINTY

To introduce uncertainty in the problem it is necessary to consider the manag opportunities. Thus, with the certainty models we have only one solution but not information the quality of these solution and on his potential realization.

Uncertainty in breakeven point analysis can be done based on several methodologies: fir \widetilde{y}_i and \widetilde{p}_i are stated as random variables with underlying distributions, and their produ describes the distribution on net profit; or \widetilde{p}_i is the only random variable while \widetilde{y}_i remai unknown and to be optimized.

The first methodology has been used by many other authors such as JOHNSON, SIMIC [1971], KOTTAS, LAU [1978], SHIH [1979] and LIAO [1975]. In this context, thr questions could be asked: first, what is the nature of the pi and yi's distributions; second wh would be the distribution of net profit; and finally, what information is given to the manager! these distributions. Without any doubt, if the first two distributions are stated as normal, the product won't qualify as normal. Thus, the information given to the manager won't be usefi

What information can be drawn from a distribution with unknown properties which cannot be defined by its two first moments? The interesting difference stated by SHIH between demand and production level is useful only in the case of normal distributions and for single product firms; otherwise, we have to refer to equation (2).

ADAR, BARNEA, LEV and CHEN [1980] were more concerned with searching the nature of net profit distribution, considering the vector related to the variables yi and pi depending on regular distributions qualified by their two first moments. ADAR, BARNEA and LEV treated the single product case without taking into account the manager's attitude toward risk. To extend their model to multiproduct cases, we have to introduce positivity constraints on yi, otherwise some solutions could lead to negative values. Furthermore, the above authors' use of breakeven point in investment analysis seems more or less realistic given the fact that the breakeven point is a short term.instrument Thus, it appears impossible to modify the production mix or to create a new mix for products to be developed in a short period of time.

CHEN's model [1980] analyzes a multiproduct case with breakeven and other technical constraints. The model maximizes either k_1 , greater than total fix costs (a_0) or (α_1), greater than a profit goal or, finally, total gross margin. The author also demonstrates that these models could be applied to a mean-variance framework but only for the gross margin alternative. However, distributions remain normal and stochastic programming problems seem difficult to solve.

The importance of these two models is not to be denied given the fact that they allow us to analyze the following new ideas:

- the introduction of the manager's attitude toward risk in defining the problem.
- the breakeven point is no longer an objective but rather a simple constraint to be satisfied.
- any solution in an "efficient set" greater than the breakeven point could be accepted as long as the manager is ready to assume the risk involved.

In order to study the breakeven point question in a mean-variance framework, we can use two approaches: either stating the problem starting with a clear definition of the utility function of the manager, or stating the problem directly using the mean-variance model. Thus, we will state two alternative formulations of the problem, considering first of all the case of a manager influenced by risk aversion. The second formulation will not make any reference to the manager's attitude toward risk.

Total sale:
$$\sum_{i=1}^{n} p_i y_i$$

where yi is the volume of each product and $\widetilde{P_i}$ is the unit selling price following a norm distribution (mean: $\widetilde{P_i}$, variance: τ_i^2). If we identify the profit; W, difference between the tw flows of the firm as:

$$\widetilde{W} = \sum_{i=1}^{n} (\widetilde{p}_i - a_i) y_i - a_o$$

and if the utility function of the manager is:

$$U[\widetilde{W}] = e^{-\delta \widetilde{W}}, \delta > 0$$

the manager would normaly try to maximize the expected utility of the firm which can l illustrated as:

$$E[U(\widetilde{W})] = E(\widetilde{W}) + \frac{\delta}{2} Var(\widetilde{W})$$

We will then have:

$$\begin{bmatrix}
\frac{\text{Maximize}}{y_{i}} & \sum_{i=1}^{n} (\overline{p}_{i} - a_{i}) y_{i} - a_{o} - \frac{\delta}{2} (\sum_{i=1}^{n} \sum_{j=1}^{n} \tau_{ij} y_{i} y_{j}) \\
\text{SB} : & \sum_{i=1}^{n} (\overline{p}_{i} - a_{i}) y_{i} \ge a_{o} \quad (5.1) \\
& \sum_{i=1}^{n} y_{i} = N \quad (5.2) \\
& y_{i} \ge 0, i = 0, \dots, n. \quad (5.3)$$

Constraint (1) relates to a budgeting constraint to attain, where the goal be total fixed cost while constraint (5.2) shows total capacity. As for the other constraint, it simply strengthens the realism of the solutions.

At the same time, we could define the breakeven point problem considering the followir relation:

$$r_{i} = \left(\frac{p_{i} - a_{i}}{a_{i}}\right) \tag{6}$$

which illustrates the return of product i. The relation (6) would then be treated as a random variable $\tilde{r_i}$ (mean: $\tilde{r_i}$, variance $\hat{\tau}$ i².) Let's now define:

yi = quantities of the product i

N = Total production (already known)

xi = product in percentage of total production:

$$x_i = \frac{y_i}{N}$$

R = total return expected by the manager.

We can now define a variation of the MARKOWITZ model [1959] as follows:

$$\frac{\text{Minimize}}{x_i} \sum_{i=1}^{n} \sum_{j=1}^{n} \hat{\tau}_{ij} \ x_i x_j$$

$$SB: \sum_{i=1}^{n} \overline{\tau_i} x_i = R \qquad (7.1)$$

$$\sum_{i=1}^{n} \overline{\tau_i} \overline{a_i} \ x_i \ge \frac{a_0}{N} \qquad (7.2)$$

$$\sum_{i=1}^{n} x_i = 1 \qquad (7.3)$$

$$x_i \ge 0 \quad V_i = 1, \dots \quad n.$$

Equation (7.1) shows the profit objective while equation (7.2) is the breakeven point constraint more traditionnally written as:

$$\sum (p_i - a_i) y_i \ge a_o$$

The two preceding models (6) and (7) have their good and bad points. Model (6) explicity introduces attitude toward risk with the δ parameter but $\widetilde{p_i}$ has normal distribution and can then be negative. Inversely, model (7) allows us to use a greater range of distributions but doesn't take into account the risk parameter. In order to introduce this parameter, we would have to use FARRAR's model [1962] written as:

$$SB: \sum_{i=1}^{n} \overline{r}_i \overline{a}_i x_i \ge \frac{a_0}{N}$$

$$\sum_{i=1}^{n} x_i \le 1$$

$$x_i \ge 0 \quad V \qquad i = 1, \dots n.$$

$$(8)$$

 δ is introduced to take care of risk aversion. However, if δ is chosen in the range [0, α], the solution will be found in the efficient set defined by the model 7. We remark that mod (7) is closed related to CHEN's [1980] although easier to solve.

C- A STUDY OF THE MODELS' PROPERTIES THROUGH A SIMULATION

In order to test the preceding models, we now develop a pratical application using the car of a firm manufacturing three products (1, 2, 3) within three periods of time. We are preparir the budget for the fourth period.

	Sel	lling p	rice	Vari	able co	st	Fix cost		return	
Period	1	2	3	1	2	3		1	2	3
1	3	2	2	2.5	1	1.5	50	-	-	-
2	3	3	1	2	2	2	50	-	-	-
3	4	4	2	3	2.5	2.5	50		-	-
р	3.33	3	1.66					_	-	-
a		-		2.5	1.83	1.33		_	-	-
г		-		_				.34	.7	.22
N			4	50				-	-	1

TABLE I: Basic data

The variance-covariance matrix for prices and returns is show as:

$$\tau^{2} = \begin{bmatrix} .22 & .33 & .11 \\ .33 & .66 & 0 \\ .11 & 0 & .22 \end{bmatrix} \qquad \qquad \hat{\tau}^{2} = \begin{bmatrix} .015 & -.024 & -.017 \\ -.024 & .046 & .022 \\ -.017 & .022 & .024 \end{bmatrix}$$

Let us first of all try to solve the problem using model (7) definition:

$$\frac{\text{Minimize}}{x_1, x_2, x_3} .015 \quad x_1^2 + 0.46x_2^2 + .024x_3^2 .048x_1x_2 - .034x_1x_3 + 0.44x_2x_3$$

$$sb : .34x_1 + .7x_2 + .22x_3 = R$$

$$.85x_1 + 1.28x_2 + .2926x_3 \ge 1$$


$$x_1 + x_2 + x_3 = 1$$

$$x_1, x_2, x_3 \ge 0$$
(9)

If we assume that the solutions are found in the range [0.22, 0.7], we will generate all the solutions and analyze them in relation to the breakeven point constraint. Theses solutions can be found using the reduced gradient algorithm credited to WOLF [1963].

rendement	x ₁	x ₂	х3	$\hat{\tau}^2$	Fix cost	у1	У2	У3	r _i a _i x _i
.30 .35 .4 .5 .6	.55 .60 .66 .55 .27	.03 .12 .21 .45 .73 .86	.42 .28 .13 0 0	.0083 .0059 .0035 .0018 .0155	50 50 50 50 50 50	28 30 33 28 13 7	1 6 10 22 37 43	21 14 7 0 0	.63 .74 1.86 1.04* 1.16 1.22

Table II: Efficient set and breakeven point



This model can be more detailed by adding more constraints concerning production capaci but would then be more difficult to solve.

We will use the same data to illustrate model (6) which will be written as:

$$\frac{\text{Maximize}}{y_1, y_2, y_3} .83y_1 + 1.17y_2 + 33y_3 - 50 - \frac{\delta}{2} \left[.22y_1^2 + .66y_1^2 + .22y_3^2 + .66y_1y_2 + .22y_1y_3 \right]$$

$$\text{sb} : .83y_1 + 1.17y_2 + .33y_3 \ge 50$$

$$y_1 + y_2 + y_3 = 50$$

$$y_1, y_2, y_3 \ge 0$$

$$(10)$$

In order to resolve this problem, we can apply WOLFE's procedure to a maximization cas To stress on the risk aversion parameter, we proceed in two steps; first we developp the solution for a risk parameter equal to 1. Second we produce a simulation for several risk level.

Table III, give the first step, with a fixed cost of 50, profit goal between 0 to 6.2 and $\delta = 1$

Fixed cost	Projet	у ₁	У2	у3	τ2
50	0	25	25	0	962.5
50	1	22	28	0	1029.14
50	2	19	31	0	1099.5
50	3	16	34	0	1173.7
50	4	13	37	0	1252.8
50	5	10	40	0	1333.6
50	, 6	7	43	0	1419

Table III: Breakeven point and expected utility

Following This table, we may conclude that the two models are equivalent, because they present the same set of solutions. Futhermore, with this results, it is not possible to distinguish the impact of risk parameter on the decision maker.

If we want to point out the risk level, on the production mix, we must define the first constraint in inequality as:

$$.83y_1 + 1.17y_2 + .33y_3 \ge 50 \tag{11}$$

							PROFIT	TI:								
	0					7				4			9			
	100	1000	2000	1	100	1000 2000	2000	-	100	1000	2000	1	100	1000	2000	
 24.9	24.3	17.2	12.7	14	18.5	18.5 13.3 11.8 13.2	11.8		12.6	6.7	8.5 7.3	7.3	6.8	4.7	4.6	
 25	25.4	29.8	32.8	30.8	31.2	30.8 31.2 34.5	35.7	L 70	37.1	40.9	40.2	42.6	42.9	44.5	44.6	<u></u>
 - :	ι.	3	3.5	7.	2 2	.2	9.5	9.5 1.	ι:	1.3	1.3	Ψ.	.2	∞.	∞	
 962	996	1005	1042	1099 1099 1103	1099	1103	1164	1164 1251	1256	1313	1313	1419	1424	1456	1456	

Table IV, Profit, portfolio and risk level.

level and goal profit. Generally if we increase risk parameter, y3 with the smallest variance, increase his weight in the portfolio, but his weight is balanced by a hight profit goal. In fact, if we search hight profit, the risk parameter must be hight to influence the solution. A the opposite, if the decision maker is near the breack point (corresponding at a fixed charge of 50), the risk of the portfolio is not really sensible at the risk parameter.

We may interpret, δ using CHEN's (1980) analysis with (0,2). We define $\delta/2$ as the probability of reaching the breakeven point. In order, to find CHEN's results, we apply the expected utility model using $\delta/2 = .84$. But with this restrictive definition, the risk parameter present a poor influence on the portfolio. Following this, if is near 0 the solution are only define by the profit goal, which minimize the risk part of the function. For a practical purpose, our approach present an other degree of freedom for the decision maker which is the risk parameter level.

On the level of production, for models (9) and (10) solutions found are perfectly equivalent. This leads us to say that model (7) is more interesting because it allows use to ignore a priori distributions of the variables. We could then use limited distributions, like Pearson's β law, which requires minimal basic information.

D - FINAL REMARKS

Our aim was to find breakeven point solutions for multiproduct firms. In deterministic cases, we were able to use one of the threemodels proposed in paragraph 2 and add other technical contraints. For stochastic cases, it seems But from a conceptual point of view ms that our variation of MARKOWITZ's model is simpler to use than the model using risk aversion. But from a conceptual point of view, it is important to state that the breakeven point, could it be deterministic or stochastic, leads us to look for minimal levels of production to achieve in order to cover total fixed cpsts. a situation suitable only for non-profit organizations or public institutions.

REFERENCES

- Adar Z, A. Barnea and B. Lev, "A comprehensive Cost-Volume-Profit Analysis Under Uncertainty" The Accounting Review (January 1977), pp. 137-49.
- Anthony T.and H. Watson, "Probalilistic Break-even Analysis", Managerial Planning (November-December 1976), pp. 12-19-
- Charnes A., W. Cooper and Y. Ijiri, "Breakeven Budgeting and Programming to Goals", Journal of Accounting Research 1963, pp. 16-43.
- Chen, J., "CVP Under Uncertainty", Decision Sciences (October 1980), pp. 632-47.
- Chen, J., "A Simplified Appoach to Resource Allocation and Profit Budgeting".

 Accounting and Business Research, (Automn 1983), pp. 273-278.
- Constantinides G., Y. Ijiri and R. Leitch, "Stochastic Cost-Volume-Profit Analysis with a Linear Demand Function", working paper, Carnegie Mellon University (February 1978).
- Dickinson J., "Cost-Volume-Profit Analysis Under Uncertainty", Journal of Accounting Research (Spring 1974), pp. 182-187.
- Driscoll D. W. Lin and P.R. Watkins, "Cost-Volume-Profit Analysis Under Uncertainty: A Synthesis and Framework For Evaluation", Journal of Accounting Litterature, (Volume 3, 1984), pp. 85-115.
- Farrar, D., "The Investment Decision Under Uncertainty", Englewood Cliff, New Jersey, 1962.
- Finley D. and W. Liao,: "A General Decision Model For Cost-Volume-Profit Analysis Under Uncertainty: A Comment", The Accounting Review (April 1981), pp. 400-403.
- Hayya J., R. Copeland and K. Chan, "On Extensions of Probabilistic Profit Budgets", Decision Sciences (January 1975), pp. 106-19.
- Hilliard J. and R. Leitch, "Cost-Volume-Profit Analysis Under Uncertainty: A

- Jaedick R. and A. Robicheck, "Cost-Volume-Profit Analysis Under Conditions of Uncertainty", The Accounting Review (October 1964), pp. 917-26.
- Jarrett J., "An Approach to Cost-Volume-Profit Analysis Under Uncertainty", Decision Sciences (July 1973), pp. 405-19.
- Johnson G. and S. Simik, "Multiproduct Cost-Volume-Profit Analysis Under Uncertainty", Journal of Accounting Research (Autumn 1971), pp. 278-86.
- Johnson G. and S. Simik, "The Use of Probability Inequalities in Multiproduct Cost-Volume-Profit Analysis Under Uncertainty", Journal of Accounting Research (Spring 1974), pp. 67-79.
- Kim C., "A Stochastic Cost-Volume-Profit Analysis" Decision Sciences (April 1973), pp. 329-42.
- Kottas J. and H. Lau, "On the Accuracy of Normalcy Approximation in Stochastic CVP Analysis: A Comment", The Accounting Review (January 1978).
- Liao M., "Model Sampling: A Stochastic Cost-Volume-Profit Analysis", The Accounting Review (October 1975), pp. 780-90.
- Markowitz, H., "Portfolio Selection", Wiley, New-York, 1959.
- Mole, R.H., "Cóst Volume Profit Analysis: A tutorial and Microcomputer Implementation". Accounting and Business Research, (Spring 1986), pp. 165-170.
- Shih W., "A General Decision Model for Cost-Volume-Profit Analysis Under Uncertainty" The Accounting Review (October 1979) pp. 687-706.
- Wilson, J.M., "Integer Programming Approaches to Resource Allocation and Profit Budgeting". Accounting and Business Research, (Spring 1984), pp. 33-36.
- Wolfe, P., "Methods of Nonlinear Programming" in Recent Advances in Mathematical Programming, R.L. GRAVES and P. WOLFE (Eds.), 1963.