# Logs simulator for fraud detection in mobile payments

### **orange**<sup>m</sup>

Chrystel Gaber<sup>12345</sup>, Baptiste Hemery<sup>2345</sup>, Mohammed Achemlal<sup>12345</sup>, Marc Pasquet<sup>2345</sup>, Pascal Urien<sup>6</sup> 1. Orange Labs, 2. Normandie Univ, 3. UNICAEN GREYC, 4. ENSICAEN GREYC, 5. CNRS, 6. Telecom Sud Paris

#### **Introduction :**

- **Scarce test data** for the study of fraud detection algorithms
- Unkonwn groundtruth in real data
- Need to evaluate the results of MASSIF (FP7 EU project) with test data

#### Aim :

- **Model** a Mobile Money Transfer System and its users
- Generate synthetic logs

#### Mobile Money Transfer System:



### Method :

- Create complex logs from the behavior of individuals (H 2)
- Payment platform model • User's behavior model
  - Front / Back Office
- - Legitimate users
- Security Database
- Fraudulent users







#### **User behavior model :**



#### Legitimate users model

A behavior is a set of habits which are caraterized by a type of transaction, a bivariate normal distribution of transaction amounts and time between two transactions, a beginning and an end.

 $Habit_i = (Type, N_2(\mu, \Sigma), Begin, End)$ (H 1)

#### Fraudulent users model

- a legitimate user's account,. The account is used concurserved.
- Example :

A **botnet** is deployed on several phones. Periodically, a transfer of small amount (< 20) is made to a mule who withdraws the money shortly after.

### **Implementation :**



**Contact :** chrystel.gaber@orange.com, bhemery@ensicaen.fr

Acknowledgements : This research has been funded by the European Commission in the context of the FP7 MASSIF project (Grant n° 257644)

 Behavioral fraud : Exploitation of vulnerabilities to take over rently by the user and the fraudster. Behavior shifts are ob-





Infrastructure



## MD MW C2C MP AR ALL 6 31 18

