

Image-Based Computational Homogenization using Level Sets and X-FEM

Patrice Cartraud, Grégory Legrain, Raphaël Allais, Nicolas Moes

▶ To cite this version:

Patrice Cartraud, Grégory Legrain, Raphaël Allais, Nicolas Moes. Image-Based Computational Homogenization using Level Sets and X-FEM. 2nd International Fraunhofer Workshop -3D Imaging, Analysis, Modelling and Simulation of Macroscopic Properties, 2008, Kaiserslautern, Germany. hal-01008288

HAL Id: hal-01008288 https://hal.science/hal-01008288

Submitted on 18 Mar 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Image-Based Computational Homogenization using Level Sets and X-FEM

P. CARTRAUD¹, G. LEGRAIN¹, R. ALLAIS¹ AND N. MOËS¹

¹ GeM Institute UMR CNRS 6183, Ecole Centrale de Nantes, 1, rue de la Noë 44321 Nantes FRANCE patrice.cartraud@ec-nantes.fr

The emergence of devices allowing an accurate characterization of material microstructures led to the need of computational methods which have the capability to handle this amount of geometrical information. Many approaches have been proposed for the computation of highly heterogeneous materials: (1) statistical and (2) approaches using directly the digital image. This last class of approaches classically uses the finite element method: Voxel-based mesh leads to expensive models with a jaggered geometry. Otherwise geometrical informations can be captured from the image then meshed, which can be tedious for 3D complex microstructures. This work presents the advantages of coupling the level set method with the extended finite element method (X-FEM) in order to solve homogenization problems. One of the key features of this approach is the separation between the geometrical data, which are processed by the level set method, and the mesh which does not need to conform to the microstructure geometry thanks to the X-FEM method [1]. This method is based on the partition of unity framework and makes possible the representation of material interfaces or holes inside the elements by means of proper enrichment functions. Therefor, finite elements are freed from their need to conform to the geometry. In addition, level-set are also used to segment the digital images, which leads to a fully integrated approach. We also propose the use of quadtree-based meshes, in order to work on structured mesh which are well fitted to both image structure and mechanical needs. This numerical framework is applied on several examples in order to obtain the overall elastic properties of heterogeneous materials, by solving the homogenization problem posed on their microstructure.

References

[1] N. MOËS, M. CLOIREC, P. CARTRAUD AND J.-F. REMACLE (2003). A computational approach to handle complex microstructure geometries. *Comp. Meth. Appl. Mech. Eng.* **192**, 3163 – 3177.