How is water-use efficiency of terrestrial ecosystems distributed and changing on Earth?

Xuguang Tang¹, Hengpeng Li¹, Ankur R. Desai², Zoltan Nagy³, Juhua Luo¹, Thomas E. Kolb⁴, Albert Olioso⁵, Xibao Xu¹, Li Yao⁶, Werner Kutsch⁷, Kim Pilegaard⁸, Barbara Köstner⁹, Christof Ammann¹⁰

¹ State Key Laboratory of Lake Science and Environment, Nanjing Institute of Geography and Limnology, Chinese Academy of Sciences, Nanjing 210008, China.

² Department of Atmospheric and Oceanic Sciences, University of Wisconsin-Madison, WI, USA.

³ MTA-SZIE Plant Ecology Research Group, Pater K. 1., 2100 Gödöllő, Hungary.

⁴ School of Forestry, Northern Arizona University, Flagstaff, AZ 86011, USA.

⁵ UMR 1114, EMMAH (Environnement Méditerranéen et Modélisation des AgroHydrosystème), INRA-UAPV, F-84 914 Avignon Cedex 9, France.

⁶ School of Geographical Science, Northeast Normal University, Changchun 130024, China.

⁹Technische Universitat Dresden, Institute of Hydrology and Meteorology, Dresden, Germany. ¹⁰Agroscope ART, Air Pollution and Climate Group, 8046 Zurich, Switzerland.

Correspondence and requests for materials should be addressed to X.Tang (xgtang@niglas.ac.cn)

The global annual patterns of WUE during 2000 to 2013 are provided as supporting information. This figure was produced using ArcGIS 10.1.

⁷ Institute for Climate-Smart Agriculture, Thünen-Institute, Bundesallee 50, 38116, Braunschweig, Germany.

⁸ Department of Chemical and Biochemical Engineering, Technical University of Denmark, Roskilde, Denmark.

