

Supplementary material : list of papers included in the review

References

- [1] O. O. Aalen, J. Fosen, H. Weedon-Fekjaer, O. Borgan, and E. Husebye. Dynamic analysis of multivariate failure time data. *Biometrics*, 60:764–773, Sep 2004.
- [2] M. Z. Agustin and E. A. Pena. Goodness-of-fit of the distribution of time-to-first-occurrence in recurrent event models. *Lifetime Data Analysis*, 7:289–306, Sep 2001.
- [3] M. Akacha and N. Benda. The impact of dropouts on the analysis of dose-finding studies with recurrent event data. *Statistics in Medicine*, 29:1635–1646, Jul 2010.
- [4] Fleming Therneau Al-Khalidi, Huong. Insights on the robust variance estimator under recurrent-events model. *Biometrics*, 67:1564–72, 2011.
- [5] L. D. Amorim, J. Cai, D. Zeng, and M. L. Barreto. Regression splines in the time-dependent coefficient rates model for recurrent event data. *Statistics in Medicine*, 27:5890–5906, Dec 2008.
- [6] R. F. Balshaw and C. B. Dean. A semiparametric model for the analysis of recurrent-event panel data. *Biometrics*, 58:324–331, Jun 2002.
- [7] J. Boher and R. J. Cook. Implications of model misspecification in robust tests for recurrent events. *Lifetime Data Analysis*, 12:69–95, Mar 2006.
- [8] J.M. Box-Steffensmeier and S. De Boef. Repeated events survival models: the conditional frailty model. *Statistics in Medicine*, 25:3518–3533, Oct 2006.
- [9] J. Cai and D. E. Schaubel. Marginal means/rates models for multiple type recurrent event data. *Lifetime Data Analysis*, 10:121–138, Jun 2004.
- [10] J. Cai, D. Zeng, and W. Pan. Semiparametric proportional means model for marker data contingent on recurrent event. *Lifetime Data Analysis*, 16:250–270, Apr 2010.
- [11] S. H. Chang. Estimating marginal effects in accelerated failure time models for serial sojourn times among repeated events. *Lifetime Data Analysis*, 10:175–190, Jun 2004.

- [12] B. E. Chen and R. J. Cook. The analysis of multivariate recurrent events with partially missing event types. *Lifetime Data Analysis*, 15:41–58, Mar 2009.
- [13] B. E. Chen, R. J. Cook, J. F. Lawless, and M. Zhan. Statistical methods for multivariate interval-censored recurrent events. *Statistics in Medicine*, 24:671–691, Mar 2005.
- [14] E. B. Chen and R. J. Cook. Regression modeling with recurrent events and time-dependent interval-censored marker data. *Lifetime Data Analysis*, 9:275–291, Sep 2003.
- [15] Y.B. Cheung, Y. Xu, S.H. Tan, F. Cutts, and P. Milligan. Estimation of interention effects using first or multiple episodes in clinical trials: the Andersen-Gill model re-examined. *Statistics in Medicine*, 29:328–336, 2010.
- [16] C. T. Chiang, L. F. James, and M. C. Wang. Random weighted bootstrap method for recurrent events with informative censoring. *Lifetime Data Analysis*, 11:489–509, Dec 2005.
- [17] R. J. Cook and J. F. Lawless. Marginal analysis of recurrent events and a terminating event. *Statistics in Medicine*, 16:911–924, Apr 1997.
- [18] R. J. Cook, J. F. Lawless, and K. A. Lee. A copula-based mixed Poisson model for bivariate recurrent events under event-dependent censoring. *Statistics in Medicine*, Feb 2010.
- [19] R. J. Cook, K. A. Lee, and H. Li. Non-inferiority trial design for recurrent events. *Statistics in Medicine*, 26:4563–4577, Nov 2007.
- [20] R. J. Cook, W. Wei, and G. Y. Yi. Robust tests for treatment effects based on censored recurrent event data observed over multiple periods. *Biometrics*, 61:692–701, Sep 2005.
- [21] R.J. Cook, P.J. Bergeron, J.M. Boher, and Y. Liu. Two stage design of clinical trials involving recurrent events. *Statistics in Medicine*, 28:2617–2638, 2009.
- [22] R.J. Cook, J.F. Lawless, L. Lakhali-Chaieb, and K. Lee. Robust estimation of mean function and treatment effects for recurrent events under event-dependent censoring and termination: Application to skeletal complications in cancer metastatic to bone. *Journal of the American Statistical Association*, 104(485):60–75, march 2009.
- [23] A. Dewanji and S. H. Moolgavkar. Choice of stratification in Poisson process analysis of recurrent event data with environmental covariates. *Statistics in Medicine*, 21:3383–3393, Nov 2002.

- [24] P. Du. Nonparametric modeling of the gap time in recurrent event data. *Lifetime Data Analysis*, 15:256–277, Jun 2009.
- [25] P. Du, Y. Jiang, and Y. Wang. Smoothing Spline ANOVA Frailty Model for Recurrent Event Data. *Biometrics*, Apr 2011.
- [26] D. B. Dunson, C. Holloman, C. Calder, and L. H. Gunn. Bayesian modeling of multiple lesion onset and growth from interval-censored data. *Biometrics*, 60:676–683, Sep 2004.
- [27] E. Elgmati, D. Farewell, and R. Henderson. A martingale residual diagnostic for longitudinal and recurrent event data. *Lifetime Data Analysis*, 16:118–135, Mar 2010.
- [28] E. Elgmati, R. Fiaccone, R. Henderson, and M. Mohammadi. Frailty modelling for clustered recurrent incidence of diarrhoea. *Statistics in Medicine*, 27:6489–6504, Dec 2008.
- [29] M.R. Elliott, T.E. Raghunathan, and J.T. Shope. The effect of duration and delay of licensure on risk of crash: A bayesian analysis of repeated time-to-event measures. *Journal of the American Statistical Association*, 97:420–431, 2002.
- [30] D. Y. Fong, K. F. Lam, J. F. Lawless, and Y. W. Lee. Dynamic random effects models for times between repeated events. *Lifetime Data Analysis*, 7:345–362, Dec 2001.
- [31] B. French and P. J. Heagerty. Marginal mark regression analysis of recurrent marked point process data. *Biometrics*, 65:415–422, Jun 2009.
- [32] D. Frobish and N. Ebrahimi. Parametric estimation of change-points for actual event data in recurrent events models. *Computational Statistics & Data Analysis*, 53:671–682, 2009.
- [33] K. Y. Fung, S. Khan, D. Krewski, and T. Ramsay. A comparison of methods for the analysis of recurrent health outcome data with environmental covariates. *Statistics in Medicine*, 26:532–545, Feb 2007.
- [34] D. Ghosh. Semiparametric analysis of recurrent events: artificial censoring, truncation, pairwise estimation and inference. *Lifetime Data Analysis*, 16:509–524, Oct 2010.
- [35] D. Ghosh and D. Y. Lin. Nonparametric analysis of recurrent events and death. *Biometrics*, 56:554–562, Jun 2000.
- [36] D. Ghosh and D. Y. Lin. Semiparametric analysis of recurrent events data in the presence of dependent censoring. *Biometrics*, 59:877–885, Dec 2003.

- [37] H. K. Gjessing, K. R?ysland, E. A. Pena, and O. O. Aalen. Recurrent events and the exploding Cox model. *Lifetime Data Analysis*, 16:525–546, Oct 2010.
- [38] J. R. Gonzalez, E. A. Pena, and P. Delicado. Confidence intervals for median survival time with recurrent event data. *Computational Statistics & Data Analysis*, 54:78–89, 2010.
- [39] J. R. Gonzalez, E. A. Pena, and E. H. Slate. Modelling intervention effects after cancer relapses. *Statistics in Medicine*, 24:3959–3975, Dec 2005.
- [40] Y. Guan. Second-order analysis of semiparametric recurrent event processes. *Biometrics*, 67:730–739, Sep 2011.
- [41] Y. Guan, J. Yan, and R. Sinha. Variance estimation for statistics computed from single recurrent event processes. *Biometrics*, 67:711–718, Sep 2011.
- [42] J. Han, E. H. Slate, and E. A. Pena. Parametric latent class joint model for a longitudinal biomarker and recurrent events. *Statistics in Medicine*, 26:5285–5302, Dec 2007.
- [43] M. Hocine, D. Guillemot, P. Tubert-Bitter, and T. Moreau. Testing independence between two Poisson-generated multinomial variables in case-series and cohort studies. *Statistics in Medicine*, 24:4035–4044, Dec 2005.
- [44] J.J. Hsieh, A. A. Ding, and W. Wang. Regression analysis for recurrent events data under dependent censoring. *Biometrics*, 67:719–729, 2011.
- [45] X. J. Hu, M. Lorenzi, J. J. Spinelli, S. C. Ying, and M. L. McBride. Analysis of recurrent events with non-negligible event duration, with application to assessing hospital utilization. *Lifetime data analysis*, 17:215–233, Aug 2011.
- [46] C. Y. Huang, J. Qin, and M. C. Wang. Semiparametric Analysis for Recurrent Event Data with Time-Dependent Covariates and Informative Censoring. *Biometrics*, 66:39–49, May 2010.
- [47] C. Y. Huang and M. C. Wang. Joint modeling and estimation for recurrent event processes and failure time data. *Journal of the American Statistical Association*, 99:1153–1165, 2004.
- [48] C. Y. Huang and M. C. Wang. Nonparametric estimation of the bivariate recurrence time distribution. *Biometrics*, 61:392–402, Jun 2005.
- [49] X. Huang and L. Liu. A joint frailty model for survival and gap times between recurrent events. *Biometrics*, 63:389–397, Jun 2007.

- [50] Y. Huang and Y. Q. Chen. Marginal regression of gaps between recurrent events. *Lifetime Data Analysis*, 9:293–303, Sep 2003.
- [51] Y. Huang and M.C. Wang. Frequency of recurrent events at failure time: Modeling and inference. *Journal of the American Statistical Association*, 98:663–670, 2003.
- [52] A. Jahn-Eirriermacher. Comparison of the Andersen-Gill model with poisson and negative binomial regression on recurrent event data. *Computational Statistics & Data Analysis*, 52:4989–4997, 2008.
- [53] P.J. Kelly and L.L. Lim. Survival analysis for recurrent event data: an application to childhood infectious diseases. *Statistics in Medicine*, 19:13–33, Jan 2000.
- [54] Y. J. Kim and M. Jhun. Analysis of recurrent event data with incomplete observation gaps. *Statistics in Medicine*, 27:1075–1085, Mar 2008.
- [55] K. Kvist, P. K. Andersen, J. Angst, and L. V. Kessing. Repeated events and total time on test. *Statistics in Medicine*, 27:3817–3832, Aug 2008.
- [56] K. Kvist, P. K. Andersen, J. Angst, and L. V. Kessing. Event dependent sampling of recurrent events. *Lifetime Data Analysis*, 16:580–598, Oct 2010.
- [57] K. Kvist, M. Gerster, P. K. Andersen, and L. V. Kessing. Non-parametric estimation and model checking procedures for marginal gap time distributions for recurrent events. *Statistics in Medicine*, 26:5394–5410, Dec 2007.
- [58] J. F. Lawless and M. J. Crowder. Models and estimation for systems with recurrent events and usage processes. *Lifetime Data Analysis*, 16:547–570, Oct 2010.
- [59] Y. Li, E. P. Wileyto, and D. F. Heitjan. Modeling smoking cessation data with alternating states and a cure fraction using frailty models. *Statistics in Medicine*, 29:627–638, Mar 2010.
- [60] D. Y. Lin, L. J. Wei, and Z. Ying. Semiparametric transformation models for point processes. *Journal of the American Statistical Association*, 96(454):620–628, June 2001.
- [61] D.Y. Lin, L.J. Wei, I. Yang, and Z. Ying. Semiparametric regression for the mean and rate functions of recurrent events. *Journal of the Royal Statistical Society. Series B, Statistical Methodology*, 62:711–730, 2000.

- [62] R. J. Little, M. Yosef, K. C. Cain, B. Nan, and S. D. Harlow. A hot-deck multiple imputation procedure for gaps in longitudinal data on recurrent events. *Statistics in Medicine*, 27:103–120, Jan 2008.
- [63] L. Liu, R. A. Wolfe, and X. Huang. Shared frailty models for recurrent events and a terminal event. *Biometrics*, 60:747–756, Sep 2004.
- [64] Y. Liu, Y. Wu, J. Cai, and H. Zhou. Additive-multiplicative rates model for recurrent events. *Lifetime Data Analysis*, 16:353–373, Jul 2010.
- [65] S. Luo, C. M. Crainiceanu, T. A. Louis, and N. Chatterjee. Analysis of Smoking Cessation Patterns Using a Stochastic Mixed-Effects Model With a Latent Cured State. *Journal of the American Statistical Association*, 103:1002–1013, Sep 2008.
- [66] S. Luo, C. M. Crainiceanu, T. A. Louis, and N. Chatterjee. Bayesian inference for smoking cessation with a latent cure state. *Biometrics*, 65:970–978, Sep 2009.
- [67] X. Luo and G. S. Sorock. Analysis of recurrent event data under the case-crossover design with applications to elderly falls. *Statistics in Medicine*, 27:2890–2901, Jul 2008.
- [68] S. Matsui. Analysis of times to repeated events in two-arm randomized trials with noncompliance and dependent censoring. *Biometrics*, 60:965–976, Dec 2004.
- [69] S. Matsui and H. Miyagishi. Design of clinical trials for recurrent events with periodic monitoring. *Statistics in Medicine*, 18:3005–3020, Nov 1999.
- [70] C. Metcalfe and S. G. Thompson. The importance of varying the event generation process in simulation studies of statistical methods for recurrent events. *Statistics in Medicine*, 25:165–179, Jan 2006.
- [71] J. D. Nielsen and C. B. Dean. Clustered mixed nonhomogeneous Poisson process spline models for the analysis of recurrent event panel data. *Biometrics*, 64:751–761, Sep 2008.
- [72] J.D. Nielsen and C.B. Dean. Adaptive functional mixed nhpp models for the analysis of recurrent event panel data. *Computational Statistics & Data Analysis*, 52:3670–3685, 2008.
- [73] M. Nishikawa, T. Tango, and M. Ogawa. Non-parametric inference of adverse events under informative censoring. *Statistics in Medicine*, 25:3981–4003, Dec 2006.

- [74] A. V. Olesen and E. T. Parner. Correcting for selection using frailty models. *Statistics in Medicine*, 25:1672–1684, May 2006.
- [75] Q. Pan and D. E. Schaubel. Flexible Estimation of Differences in Treatment-Specific Recurrent Event Means in the Presence of a Terminating Event. *Biometrics*, Nov 2008.
- [76] E.A. Pea, R.L. Strawderman, and M. Hollander. Nonparametric estimation with recurrent event data. *Journal of the American Statistical Association*, 96:1299–1315, 2001.
- [77] E. M. Pullenayegum and R. J. Cook. The analysis of treatment effects for recurring episodic conditions. *Statistics in Medicine*, 29:1539–1558, Jun 2010.
- [78] P. Rebora, S. Galimberti, and M. G. Valsecchi. Robust non-parametric one-sample tests for the analysis of recurrent events. *Statistics in Medicine*, 29:3137–3146, Dec 2010.
- [79] G. A. Satten. Estimating the extent of tracking in interval-censored chain-of-events data. *Biometrics*, 55:1228–1231, Dec 1999.
- [80] D. E. Schaubel. Variance estimation for clustered recurrent event data with a small number of clusters. *Statistics in Medicine*, 24:3037–3051, Oct 2005.
- [81] D. E. Schaubel and J. Cai. Semiparametric methods for clustered recurrent event data. *Lifetime Data Analysis*, 11:405–425, Sep 2005.
- [82] D. E. Schaubel, D. Zeng, and J. Cai. A semiparametric additive rates model for recurrent event data. *Lifetime Data Analysis*, 12:389–406, Dec 2006.
- [83] D. E. Schaubel and M. Zhang. Estimating treatment effects on the marginal recurrent event mean in the presence of a terminating event. *Lifetime Data Analysis*, 16:451–477, Oct 2010.
- [84] R. Song and J. Cai. Joint covariate-adjusted score test statistics for recurrent events and a terminal event. *Lifetime Data Analysis*, 16:491–508, 2010.
- [85] R. Song, M. R. Kosorok, and J. Cai. Robust covariate-adjusted log-rank statistics and corresponding sample size formula for recurrent events data. *Biometrics*, 64:741–750, Sep 2008.
- [86] M. Sumi and T. Tango. Inference on the rate ratio of recurrent events for the matched pairs design. *Statistics in Medicine*, 29:3186–3193, Dec 2010.

- [87] L. Sun and B. Su. A class of accelerated means regression models for recurrent event data. *Lifetime Data Analysis*, 14:357–375, Sep 2008.
- [88] L. Sun, X. Tong, and X. Zhou. A class of Box-Cox transformation models for recurrent event data. *Lifetime Data Analysis*, 17:280–301, Apr 2011.
- [89] L. Sun, X. Zhou, and S. Guo. Marginal regression models with time-varying coefficients for recurrent event data. *Statistics in Medicine*, 30:2265–2277, Aug 2011.
- [90] X. Tong, L. Zhu, and J. Sun. Variable selection for recurrent event data via nonconcave penalized estimating function. *Lifetime Data Analysis*, 15:197–215, Jun 2009.
- [91] M. C. Wang and C. T. Chiang. Non-parametric methods for recurrent event data with informative and non-informative censorings. *Statistics in Medicine*, 21:445–456, Feb 2002.
- [92] M.C. Wang, J. Qin, and C.T. Chiang. Analyzing recurrent event data with informative censoring. *Journal of the American Statistical Association*, 96:1057–1065, 2001.
- [93] J. Yan and J. Huang. Partly functional temporal process regression with semiparametric profile estimating functions. *Biometrics*, 65:431–440, Jun 2009.
- [94] Y. Ye, J. D. Kalbfleisch, and D. E. Schaubel. Semiparametric analysis of correlated recurrent and terminal events. *Biometrics*, 63:78–87, Mar 2007.
- [95] D. Zeng and J. Cai. A semiparametric additive rate model for recurrent events with an informative terminal event. *Biometrika*, 97:699–712, 2010.
- [96] D. Zeng and D. Y. Lin. Semiparametric Transformation Models with Random Effects for Joint Analysis of Recurrent and Terminal Events. *Biometrics*, 65:746752, Sep 2009.
- [97] D. Zeng and D.Y. Lin. Semiparametric transformation models with random effects for recurrent events. *Journal of the American Statistical Association*, 102:167–180, 2007.
- [98] H. Zhang, Y. Ye, P. Diggle, and J. Shi. Joint modeling of time series measures and recurrent events and analysis of the effects of air quality on respiratory symptoms. *Journal of the American Statistical Association*, 103:48–60, 2008.

- [99] Y. Zhangsheng and L. Liu. A joint model of recurrent events and a terminal event with a nonparametric covariate function. *Statistics in Medicine*, 30:2683–2695, Sep 2011.
- [100] Q. Zhao and J. Sun. Semiparametric and nonparametric analysis of recurrent events with observation gaps. *Computational Statistics & Data Analysis*, 51:1924–1933, 2006.
- [101] L. Zhu, J. Sun, D. K. Srivastava, X. Tong, W. Leisenring, H. Zhang, and L. L. Robison. Semiparametric transformation models for joint analysis of multivariate recurrent and terminal events. *Statistics in Medicine*, Jul 2011.
- [102] L. Zhu, J. Sun, X. Tong, and D. K. Srivastava. Regression analysis of multivariate recurrent event data with a dependent terminal event. *Lifetime Data Analysis*, 16:478–490, Oct 2010.