



HAL
open science

A phenomenological model of starch expansion by extrusion

Magdalena Kristiawan, Guy Della Valle, Kamal Kansou, Amadou Ndiaye,
Bruno Vergnes, Chantal David

► To cite this version:

Magdalena Kristiawan, Guy Della Valle, Kamal Kansou, Amadou Ndiaye, Bruno Vergnes, et al.. A phenomenological model of starch expansion by extrusion. 10. Annual European Rheology Conference, Apr 2015, Nantes, France. , 2015. hal-01190145

HAL Id: hal-01190145

<https://hal.science/hal-01190145>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



10th Annual European Rheology Conference
 Golden Jubilee Meeting of Groupe Français de Rhéologie
April 14-17, 2015 - Nantes, France
Abstract Update

Edit Title

Add Author

Remove Author

Reorder Authors

Regroup Author
 Affiliations

Change Speaker / Visual
 Aids / Institution Type

Edit Abstract

View Paper

Paper Number / Paper ID

FB0 / 95

Session

Food, cosmetic, active and biological rheology

Title

A phenomenological model of starchy materials expansion by extrusion

Date Submitted / Updated

24-Nov-2014 8:59 AM Eastern Time / 24-Nov-2014 9:30 AM Eastern
 Time

Presentation Date and Time

Unknown (Unknown) ?:??

Track / Room

Unknown / Unknown

Authors (Click on name to view/edit author profile)

1. Kristiawan, Magdalena (*Institut National de la Recherche Agronomique, Biopolymeres, Interactions & Assemblages*)
2. Della Valle, Guy (*Institut National de la Recherche Agronomique, Biopolymeres, Interactions & Assemblages*)
3. Kansou, Kamal (*Institut National de la Recherche Agronomique, Biopolymeres, Interactions & Assemblages*)
4. Ndiaye, Amadou (*INRA & Université Bordeaux 1, Institut de Mécanique et d'Ingénierie*)
5. Vergnes, Bruno (*MINES ParisTech, CEMEF*)
6. David, Chantal (*Sciences Computers Consultants*)

Preview of Author and Affiliation Lines (in printed abstract book)

Magdalena Kristiawan¹, Guy Della Valle¹, Kamal Kansou¹, Amadou Ndiaye², Bruno Vergnes³, and Chantal David⁴

¹*Biopolymeres, Interactions & Assemblages, Institut National de la Recherche Agronomique, Nantes 44316, France;* ²*Institut de Mécanique et d'Ingénierie, INRA & Université Bordeaux 1, Talence 33405, France;* ³*CEMEF, MINES ParisTech, Sophia Antipolis 06904, France;* ⁴*Sciences Computers Consultants, Saint-Etienne 42000, France*

Type of Institution of Authors

Academic

Speaker / Presenter

Kristiawan, Magdalena

Visual Aids Requested

LCD Projector

Text of Abstract (Updated 24-Nov-2014 8:59 AM Eastern Time)

During extrusion of starchy products, the molten material is forced through a die so that the sudden pressure drop causes part of the water to vaporize, giving an expanded cellular structure. The moisture is lost due to evaporation and heat transfer, as the material cools down. Thus, the material crosses glass transition T_g and becomes solid. No simple deterministic model is available to describe satisfactory dynamic,

multiphysic and multiphase phenomena during expansion. Current models are too complex to be coupled with simple mechanistic model of co-rotating twin-screw extrusion process, in order to predict the cellular structure of starchy foams.

Our objective is to elaborate a phenomenological model of expansion, simple enough to be coupled with Ludovic®, a simulation software of twin screw extrusion process. From experimental results that cover a wide range of thermomechanical conditions, a concept map of influence relationships between input and output variables is built. It takes into account the phenomena of bubbles nucleation, growth, coalescence, shrinkage and setting, in a viscoelastic medium. The input variables are the moisture content MC, melt temperature T_p , specific mechanical energy SME, shear viscosity η at the die exit, computed by Ludovic®, and the melt storage modulus $E'(T_p > T_g)$. The latter represents the elongational viscosity, and takes into account the influence of starch amylose content. The outputs of the model are the macrostructure (expansion indices and anisotropy factor), and cellular structure (fineness) of solid foams, determined by X-ray tomography. Then a general model is suggested: $VEI = a(\eta/\eta_0)^n$ in which VEI is the volumetric expansion index. The model parameters, a and n depend on T_p , MC, SME and E' . The link between macroscopic anisotropy and fineness is also established, allowing the prediction of cellular structure. Finally, the model is validated using experimental data of wheat flour extrusion from literature.

Please e-mail comments to the System Administrator.