



HAL
open science

Accommodation of physiological and molecular responses to successive mechanical bendings in poplar

Nathalie Leblanc-Fournier, Ludovic Martin, Catherine Coutand, Mélanie M. Decourteix, Delphine Gourcilleau, Catherine Lenne, Eric Badel, Bruno Moulia, Jean-Louis J.-L. Julien

► **To cite this version:**

Nathalie Leblanc-Fournier, Ludovic Martin, Catherine Coutand, Mélanie M. Decourteix, Delphine Gourcilleau, et al.. Accommodation of physiological and molecular responses to successive mechanical bendings in poplar. 7th Plant Biomechanics International Conference, Aug 2012, Clermont-Ferrand, France. INRA - UMR PIAF, 1 p., 2012, 7th Plant Biomechanics International Conference. hal-01191376

HAL Id: hal-01191376

<https://hal.science/hal-01191376>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Accommodation of physiological and molecular responses to successive mechanical bendings in poplar

Abstract type

Oral presentation

Session

Sense

Submitted by

Nathalie Fournier-Leblanc

Authors and Speakers

Nathalie Leblanc-Fournier

Information about other authors

Martin L.^{1,2‡}, Leblanc-Fournier N.^{1,2*‡}, Coutand C.^{2,1‡}, Decourteix M.^{1,2}, Gourcilleau D.^{1,2}, Lenne C.^{1,2}, Badel E.^{2,1}, Moulia B.^{2,1} and Julien J-L.^{1,2}

(1) Université Blaise Pascal, UMR 547 PIAF, F-63177, Aubière, France

(2) INRA, UMR 547 PIAF, F-63100 Clermont-Ferrand, France

‡: these authors equally contributed to this work

*Nathalie.leblanc@univ-bpclermont.fr

Abstract

In their natural environment, plants are continuously exposed to highly variable wind loads, and in particular to the days-to-week scale alternation of windy and quiet periods. In response to a single mechanical load, plants usually exhibit a dramatic growth response (thigmomorphogenesis) and genes involved are being characterized. However, molecular mechanisms involved in plant acclimation to recurring and successive mechanical loadings are not well characterized. More specifically how plants avoid over-responding in to continuously changing wind conditions is unknown. Through the analysis of the short-time effects of quantified stem bending on young poplars, we demonstrated the rapid induction of *PtaZFP2* expression, a gene encoding a putative C2H2 zinc finger transcription factor. The *PtaZFP2* transcripts accumulate 10 min after a single bending and the relative abundance of *PtaZFP2* transcripts was linearly correlated with the amount of applied mechanical solicitation (Martin *et al.*, 2009; Coutand *et al.*, 2009). To test the effect of successive bending, young trees were submitted either to one transient bending per day for several days or to two bendings, 1–14 days apart. Our results indicate that both diameter growth and gene expression responses are reduced after several bendings. In particular, *PtaZFP2* mRNA accumulated to a lesser extent after two bendings than after a single one. The minimum rest period between two successive loadings necessary to recover a response similar to that observed after a single bending, was 5 days. This response was observed for three other early mechano-responsive genes having different functions in the plant mechanosensing pathway, such as calcium signalling or wall modifications. These results clearly show a partial desensitization of plants to recurrent successive bendings, indicating a day-scale acclimation of sensitivity (accommodation) (Martin *et al.*, 2010). Our objectives are now to identify molecular actors involved in such mechanism by studying the regulation of early responsive gene such as *PtaZFP2* (Gourcilleau *et al.*, 2011).

References

- Martin L, Leblanc-Fournier N, Azri W, Lenne C, Henry C, Coutand C, Julien J.L (2009) Characterization and expression analysis under bending and other abiotic factors of *PtaZFP2*, a poplar gene encoding a Cys2/His2 zinc finger protein. *Tree Physiology* 29: 125-136.
- Coutand C*, Martin L*, Leblanc-Fournier N, Decourteix M, Julien J.L, Moulia B (2009) Strain mechanosensing quantitatively controls diameter growth and the level of expression of the *PtaZFP2* mechanosensitive gene in poplar. *Plant Physiology*, 151: 223-32.
- Martin L, Leblanc-Fournier N, Julien J-L, Moulia B, Coutand C (2010) Acclimation kinetics of physiological and molecular responses of plants to multiple mechanical loadings. *Journal of Experimental Botany*, 61: 2403-12.
- Gourcilleau D*, Lenne C*, Armenise C, Moulia B, Julien J-L, Bronner G, Leblanc-Fournier N (2011). Phylogenetic study of plant Q-type C2H2 zinc finger proteins and expression analysis of poplar genes in response to osmotic, cold and mechanical stresses. *DNA Research*, 18:77-92

Keywords

Mechanical signals, accommodation, C2H2 transcription factor, poplar