

Contribution of research to a breeding programme for Creole goat in Guadeloupe

Mélanie Gunia, Nathalie Mandonnet, Gisèle Alexandre, Michel Naves,

Florence Phocas

► To cite this version:

Mélanie Gunia, Nathalie Mandonnet, Gisèle Alexandre, Michel Naves, Florence Phocas. Contribution of research to a breeding programme for Creole goat in Guadeloupe. Advances in Animal Biosciences, 2010, 1 (2), pp.401-402. 10.1017/S2040470010000294 . hal-01193768

HAL Id: hal-01193768 https://hal.science/hal-01193768v1

Submitted on 30 May 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés. adaptation options that are appropriate for specific contexts, and that can contribute to environmental sustainability as well as to economic development and poverty alleviation.

Acknowledgements

This study was financially supported by EU-Project CIRCE (Climate change and Impact ResearCh: the mediterranean Environment) contract # 036961, and Università degli Studi della Tuscia.

References

Bouraoui R, Lahmar M, Majdoub A, Djemali M and Belyea R 2002. Animal Research 51, 479–491.

Giorgi F 2006. Res Lett 33, L08707.

IPCC, Climate Change 2007: Synthesis Report.

Lacetera N, Bernabucci U, Ronchi B and Nardone A 2003. Wageningen Acad. Publ.—EAAP Techn. Series no. 7, 45–59.

Vitali A, Segnalini M, Bertocchi L, Bernabucci U, Nardone A and Lacetera N 2009. Journal of Dairy Science 92, 3781-3790.

doi:10.1017/S2040470010000294

Contribution of research to a breeding programme for Creole goats in Guadeloupe

M. Gunia¹, N. Mandonnet¹⁺, G. Alexandre¹, M. Naves¹ and F. Phocas²

¹INRA UR143, Unité de Recherches Zootechniques, 97170 Petit-Bourg, France; ²INRA Génétique Animale et Biologie Intégrative, 78352 Jouy en Josas, France

Introduction

The Creole goat in Guadeloupe is a local meat breed well adapted to tropical climates. This breed came from the natural mixing of goats imported from Africa, Europe and India during slavery. It evolved under natural selection and got adapted to its environment. This small-sized prolific breed shows resistance characteristics to gastro-intestinal nematodes (GIN) (Mandonnet *et al.*, 2006). Farmers want to increase the meat production of this breed. They have expressed a strong willingness to develop a selection scheme for the Creole goat. Breeder organisations, extension services and INRA are collaborating to implement a breeding programme for the Creole goat. An innovating project of selection for production and adaptation traits in the tropics has begun. This was made possible by the previous studies on GIN resistance of Creole goats at INRA.

Farmer survey

As a first step, a survey of goat farmers was conducted by INRA (Gunia *et al.*, 2010a). Herd management was studied. A special emphasis was given to the practices and opinions of farmers that are relevant for the breeding programme. Farmers interested in participating in this project were also identified.

Identification grid of Creole goats

Many crossbreds in Guadeloupe results from uncontrolled mating between Creole and a recently imported breed. A tool was needed to distinguish Creole goats from crossbreds. Phenotypic description of the Creole goats of the INRA experimental flock was conducted. The main traits of the Creole goat were identified and reported on a grid (Mandonnet *et al.*, 2010). This grid was evaluated and adapted by extension services and farmers. In the field, goats are marked according to the grid to determine if they belong to the Creole breed. This grid proved to be an efficient tool to quickly determine if a goat could be considered as Creole.

Selection objective

The definition of the selection goal for the Creole goat is the subject of a PhD at INRA. The originality of the selection objective is to take into account adaptation and production traits. The good maternal qualities and adaptation traits (mainly resistance to GIN) need to be maintained. Maternal qualities ensure that enough kids will be born and reared. Genetic resistance to GIN is also an important trait as parasitism leads to higher pre-weaning mortality and slower growth. Production traits (growth, dressing percentage) will also be improved. They are important traits for farmers who are looking for fast growing heavy bucks for butchery. A bio-economic model of a typical goat farm was created. The economic weight of each trait of the animal was calculated.

⁺ E-mail: Nathalie.Mandonnet@antilles.inra.fr

Advances in Animal Biosciences

Selection Index

The selection index will include traits measured during performance recording. These traits can be the same as in the objective or correlated to them. They will be adapted from the French sheep performance recording. Pre-weaning growth and reproduction parameters such as fertility and litter size will be recorded. In addition to these traits, post-weaning growth and faecal egg count (FEC) will also be recorded. FEC gives an indication of the level of parasitism of the animals.

Genetic parameter estimation

The genetic parameters were estimated to calculate the weighting of the traits in the index (Gunia *et al.*, 2010b). The experimental Creole goat flock at INRA Gardel provided enough data for the calculation of the genetic parameters. More than 20 years of data about growth and reproduction traits were available.

Organisation of the breeding programme

The mating scheme will be designed. A sample of interested farmers (owning 300 does in total) will select the Creole goat. They will sell improved reproducers to a "user" group of farmers. These users will rear Creole goats and sell them for meat purpose, either in totally pure breed systems, or by using Creole does as a maternal line for crossbreeding. The different organisations of the programme will be studied with extension services to choose the most adapted solution.

Conclusion

As it happened for other indigenous breeds, the value of the Creole goat was long underestimated (Gauly *et al.*, 2010). Technical, economical, and genetic factors were taken into account in this programme to allow a more efficient selection of the Creole goat. The disease resistance characteristic of Creole goat was emphasised along with growth and reproduction traits. All participants (farmers, research, extension services) were integrated in this project.

Aknowledgements

The authors thank Ranjit Manicom and Marie-Hélène Madassamy (Carbicoop), Regis Alexandre (Chambre d'Agriculture) and Rémy Arquet (INRA Gardel).

References

Gauly M, Besbes B and Pinard-van der Laan MH *et al.* 2010. Animal Genetic Ressources (in press). Gunia M, Mandonnet N, Arquet R, de la Chevrotière C, Naves M, Mahieu M and Alexandre G 2010a. Animal (in press). Gunia M, Phocas F, de la Chevrotière C, Bambou JC and Mandonnet N 2010b. In Proc 9th WCGALP. Leipzig, Germany. Mandonnet N, Menendez-Buxadera A, Arquet R, Mahieu M, Bachand M and Aumont G 2006. Animal Science 82, 283–287. Mandonnet N, Naves M, Gunia M, Arquet R and Alexandre G 2010. 10th International Conference on Goats. IGA. Recife, Brazil.

doi:10.1017/S2040470010000300

Genetic parameters of litter size in Creole goats and their implication for a breeding programme including adaptation traits

M. Gunia¹, N. Mandonnet¹⁺, G. Alexandre¹, M. Naves¹ and F. Phocas²

¹INRA UR143, Unité de Recherches Zootechniques, 97170 Petit-Bourg, F.W.I.; ²INRA Génétique Animale et Biologie Intégrative, 78352 Jouy en Josas, France

Introduction

The Creole goat of Guadeloupe is a small-sized breed reared for meat. This breed, well adapted to its environment, has strong reproductive qualities (Alexandre *et al.*, 1997). The prolificacy of this breed is high, around 2.1. Farmers want to maintain this prolificacy, but without increasing it. Studies were needed to determine how to analyse this trait.

⁺ E-mail: Nathalie.Mandonnet@antilles.inra.fr